



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>C12P 21/04, C12N 15/00, C07H 21/02</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 00/55351</b> <b>(43) International Publication Date:</b> 21 September 2000 (21.09.00)
<b>(21) International Application Number:</b> PCT/US00/05883 <b>(22) International Filing Date:</b> 8 March 2000 (08.03.00) <b>(30) Priority Data:</b> 60/124,270                      12 March 1999 (12.03.99)                      US <b>(71) Applicant (for all designated States except US):</b> HUMAN GENOME SCIENCES, INC. [US/US]; 9410 Key West Avenue, Rockville, MD 20850 (US). <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> ROSEN, Craig, A. [US/US]; 22400 Rolling Hill Road, Laytonsville, MD 20882 (US). RUBEN, Steven, M. [US/US]; 18528 Heritage Hills Drive, Laytonsville, MD 20882 (US). <b>(74) Agents:</b> WALES, Michele, M. et al.; Human Genome Sciences, Inc., 9410 Key West Avenue, Rockville, MD 20850 (US).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  Published <i>With international search report.</i>
<b>(54) Title:</b> HUMAN COLON CANCER ASSOCIATED GENE SEQUENCES AND POLYPEPTIDES  <b>(57) Abstract</b>  This invention relates to newly identified colon or colon cancer related polynucleotides and the polypeptides encoded by these polynucleotides herein collectively known as "colon cancer antigens", and to the complete gene sequences associated therewith and to the expression products thereof, as well as the use of such colon cancer antigens for detection, prevention and treatment of disorders of the colon, particularly the presence of colon cancer. This invention relates to the colon cancer antigens as well as vectors, host cells, antibodies directed to colon cancer antigens and recombinant and synthetic methods for producing the same. Also provided are diagnostic methods for diagnosing and treating, preventing and/or prognosing disorders related to the colon, including colon cancer, and therapeutic methods for treating such disorders. The invention further relates to screening methods for identifying agonists and antagonists of colon cancer antigens of the invention. The present invention further relates to methods and/or compositions for inhibiting the production and/or function of the polypeptides of the present invention.		



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## Human Colon Cancer Associated Gene Sequences and Polypeptides

5

### *Field of the Invention*

This invention relates to newly identified colon or colon cancer related polynucleotides and the polypeptides encoded by these polynucleotides herein collectively known as "colon cancer antigens," and to the complete gene sequences  
10 associated therewith and to the expression products thereof, as well as the use of such colon cancer antigens for detection, prevention and treatment of disorders of the colon, particularly the presence of colon cancer. This invention relates to the colon cancer antigens as well as vectors, host cells, antibodies directed to colon cancer antigens and recombinant and synthetic methods for producing the same. Also  
15 provided are diagnostic methods for diagnosing and treating, preventing and/or prognosing disorders related to the colon, including colon cancer, and therapeutic methods for treating such disorders. The invention further relates to screening methods for identifying agonists and antagonists of colon cancer antigens of the invention. The present invention further relates to methods and/or compositions for  
20 inhibiting the production and/or function of the polypeptides of the present invention.

### *Background of the Invention*

Colorectal cancers are among the most common cancers in men and women in the U.S. and are one of the leading causes of death. Other than surgical resection no  
25 other systemic or adjuvant therapy is available. Vogelstein and colleagues have described the sequence of genetic events that appear to be associated with the multistep process of colon cancer development in humans (Trends Genet 9(4):138-41 (1993)). An understanding of the molecular genetics of carcinogenesis, however, has not led to preventative or therapeutic measures. It can be expected that advances in  
30 molecular genetics will lead to better risk assessment and early diagnosis but colorectal cancers will remain a deadly disease for a majority of patients due to the

lack of an adjuvant therapy. Adjuvant or systemic treatments are likely to arise from a better understanding of the autocrine factors responsible for the continued proliferation of cancer cells.

Colorectal carcinoma is a malignant neoplastic disease. There is a high incidence of colorectal carcinoma in the Western world, particularly in the United States. Tumors of this type often metastasize through lymphatic and vascular channels. Many patients with colorectal carcinoma eventually die from this disease. In fact, it is estimated that 62,000 persons in the United States alone die of colorectal carcinoma annually.

At the present time the only systemic treatment available for colon cancer is chemotherapy. However, chemotherapy has not proven to be very effective for the treatment of colon cancers for several reasons, the most important of which is the fact that colon cancers express high levels of the MDR gene (that codes for multi-drug resistance gene products). The MDR gene products actively transport the toxic substances out of the cell before the chemotherapeutic agents can damage the DNA machinery of the cell. These toxic substances harm the normal cell populations more than they harm the colon cancer cells for the above reasons.

There is no effective systemic treatment for treating colon cancers other than surgically removing the cancers. In the case of several other cancers, including breast cancers, the knowledge of growth promoting factors (such as EGF, estradiol, IGF-11) that appear to be expressed or effect the growth of the cancer cells, has been translated for treatment purposes. But in the case of colon cancers this knowledge has not been applied and therefore the treatment outcome for colon cancers remains bleak.

There is a need, therefore, for identification and characterization of such factors that modulate activation and differentiation of colon cells, both normally and in disease states. In particular, there is a need to isolate and characterize additional molecules that mediate apoptosis, DNA repair, tumor-mediated angiogenesis, genetic imprinting, immune responses to tumors and tumor antigens and, among other things, that can play a role in detecting, preventing, ameliorating or correcting dysfunctions or diseases of the colon.

***Summary of the Invention***

The present invention includes isolated nucleic acid molecules comprising, or alternatively, consisting of, a colon and/or colon cancer associated polynucleotide sequence disclosed in the sequence listing (as SEQ ID Nos:1 to 773) and/or contained in a human cDNA clone described in Tables 1, 2 and 5 and deposited with the American Type Culture Collection ("ATCC"). Fragments, variant, and derivatives of these nucleic acid molecules are also encompassed by the invention. The present invention also includes isolated nucleic acid molecules comprising, or alternatively consisting of, a polynucleotide encoding a colon or colon cancer polypeptide. The present invention further includes colon and/or colon cancer polypeptides encoded by these polynucleotides. Further provided for are amino acid sequences comprising, or alternatively consisting of, colon and/or colon cancer polypeptides as disclosed in the sequence listing (as SEQ ID Nos: 774 to 1546) and/or encoded by a human cDNA clone described in Tables 1, 2 and 5 and deposited with the ATCC. Antibodies that bind these polypeptides are also encompassed by the invention. Polypeptide fragments, variants, and derivatives of these amino acid sequences are also encompassed by the invention, as are polynucleotides encoding these polypeptides and antibodies that bind these polypeptides. Also provided are diagnostic methods for diagnosing and treating, preventing, and/or prognosing disorders related to the colon, including colon cancer, and therapeutic methods for treating such disorders. The invention further relates to screening methods for identifying agonists and antagonists of colon cancer antigens of the invention.

***Detailed Description*****Tables**

Table 1 summarizes some of the colon cancer antigens encompassed by the invention (including contig sequences (SEQ ID NO:X) and the cDNA clone related to the contig sequence) and further summarizes certain characteristics of the colon cancer polynucleotides and the polypeptides encoded thereby. The first column shows the "SEQ ID NO:" for each of the 773 colon cancer antigen polynucleotide sequences of the invention. The second column provides a unique "Sequence/Contig ID"

identification for each colon and/or colon cancer associated sequence. The third column, "Gene Name," and the fourth column, "Overlap," provide a putative identification of the gene based on the sequence similarity of its translation product to an amino acid sequence found in a publicly accessible gene database and the database accession no. for the database sequence having similarity, respectively. The fifth and sixth columns provide the location (nucleotide position nos. within the contig), "Start" and "End", in the polynucleotide sequence "SEQ ID NO:X" that delineate the preferred ORF shown in the sequence listing as SEQ ID NO:Y. The seventh and eighth columns provide the "% Identity" (percent identity) and "% Similarity" (percent similarity), respectively, observed between the aligned sequence segments of the translation product of SEQ ID NO:X and the database sequence. The ninth column provides a unique "Clone ID" for a cDNA clone related to each contig sequence.

Table 2 summarizes ATCC Deposits, Deposit dates, and ATCC designation numbers of deposits made with the ATCC in connection with the present application.

Table 3 indicates public ESTs, of which at least one, two, three, four, five, ten, fifteen or more of any one or more of these public EST sequences are optionally excluded from certain embodiments of the invention.

Table 4 lists residues comprising antigenic epitopes of antigenic epitope-bearing fragments present in most of the colon or colon cancer associated polynucleotides described in Table 1 as predicted by the inventors using the algorithm of Jameson and Wolf, (1988) Comp. Appl. Biosci. 4:181-186. The Jameson-Wolf antigenic analysis was performed using the computer program PROTEAN (Version 3.11 for the Power MacIntosh, DNASTAR, Inc., 1228 South Park Street Madison, WI). Colon and colon cancer associated polypeptides shown in Table 1 may possess one or more antigenic epitopes comprising residues described in Table 4. It will be appreciated that depending on the analytical criteria used to predict antigenic determinants, the exact address of the determinant may vary slightly. The residues and locations shown in Table 4 correspond to the amino acid sequences for most colon and colon cancer associated polypeptide sequence shown in the Sequence Listing.

Table 5 shows the cDNA libraries sequenced, and ATCC designation numbers and vector information relating to these cDNA libraries.

**Definitions**

The following definitions are provided to facilitate understanding of certain terms used throughout this specification.

5 In the present invention, "isolated" refers to material removed from its original environment (e.g., the natural environment if it is naturally occurring), and thus is altered "by the hand of man" from its natural state. For example, an isolated polynucleotide could be part of a vector or a composition of matter, or could be contained within a cell, and still be "isolated" because that vector, composition of  
10 matter, or particular cell is not the original environment of the polynucleotide. The term "isolated" does not refer to genomic or cDNA libraries, whole cell total or mRNA preparations, genomic DNA preparations (including those separated by electrophoresis and transferred onto blots), sheared whole cell genomic DNA preparations or other compositions where the art demonstrates no distinguishing  
15 features of the polynucleotide/sequences of the present invention.

As used herein, a "polynucleotide" refers to a molecule having a nucleic acid sequence contained in SEQ ID NO:X (as described in column 1 of Table 1) or the related cDNA clone (as described in column 9 of Table 1 and contained within a library deposited with the ATCC). For example, the polynucleotide can contain the  
20 nucleotide sequence of the full length cDNA sequence, including the 5' and 3' untranslated sequences, the coding region, as well as fragments, epitopes, domains, and variants of the nucleic acid sequence. Moreover, as used herein, a "polypeptide" refers to a molecule having an amino acid sequence encoded by a polynucleotide of the invention as broadly defined (obviously excluding poly-Phenylalanine or poly-  
25 Lysine peptide sequences which result from translation of a polyA tail of a sequence corresponding to a cDNA).

In the present invention, "SEQ ID NO:X" was often generated by overlapping sequences contained in multiple clones (contig analysis). A representative clone containing all or most of the sequence for SEQ ID NO:X is deposited at Human  
30 Genome Sciences, Inc. (HGS) in a catalogued and archived library. As shown in column 9 of Table 1, each clone is identified by a cDNA Clone ID. Each Clone ID is unique to an individual clone and the Clone ID is all the information needed to

retrieve a given clone from the HGS library. In addition to the individual cDNA clone deposits, most of the cDNA libraries from which the clones were derived were deposited at the American Type Culture Collection (hereinafter "ATCC"). Table 5 provides a list of the deposited cDNA libraries. One can use the Clone ID to  
5 determine the library source by reference to Tables 2 and 5. Table 5 lists the deposited cDNA libraries by name and links each library to an ATCC Deposit. Library names contain four characters. for example, "HTWE." The name of a cDNA clone ("Clone ID") isolated from that library begins with the same four characters, for example "HTWEP07". As mentioned below, Table 1 correlates the Clone ID names  
10 with SEQ ID NOs. Thus, starting with a SEQ ID NO. one can use Tables 1, 2 and 5 to determine the corresponding Clone ID. from which library it came and in which ATCC deposit the library is contained. Furthermore, it is possible to retrieve a given cDNA clone from the source library by techniques known in the art and described elsewhere herein. The ATCC is located at 10801 University Boulevard, Manassas,  
15 Virginia 20110-2209, USA. The ATCC deposits were made pursuant to the terms of the Budapest Treaty on the international recognition of the deposit of microorganisms for the purposes of patent procedure.

A "polynucleotide" of the present invention also includes those polynucleotides capable of hybridizing, under stringent hybridization conditions, to  
20 sequences contained in SEQ ID NO:X, or the complement thereof (e.g., the complement of any one, two, three, four, or more of the polynucleotide fragments described herein), and/or sequences contained in the related cDNA clone within a library deposited with the ATCC. "Stringent hybridization conditions" refers to an overnight incubation at 42 degree C in a solution comprising 50% formamide, 5x SSC  
25 (750 mM NaCl, 75 mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5x Denhardt's solution, 10% dextran sulfate, and 20 µg/ml denatured, sheared salmon sperm DNA, followed by washing the filters in 0.1x SSC at about 65 degree C.

Also included within "polynucleotides" of the present invention are nucleic acid molecules that hybridize to the polynucleotides of the present invention at lower  
30 stringency hybridization conditions. Changes in the stringency of hybridization and signal detection are primarily accomplished through the manipulation of formamide concentration (lower percentages of formamide result in lowered stringency); salt

conditions, or temperature. For example, lower stringency conditions include an overnight incubation at 37 degree C in a solution comprising 6X SSPE (20X SSPE = 3M NaCl; 0.2M  $\text{NaH}_2\text{PO}_4$ ; 0.02M EDTA, pH 7.4), 0.5% SDS, 30% formamide, 100 ug/ml salmon sperm blocking DNA; followed by washes at 50 degree C with 1XSSPE, 0.1% SDS. In addition, to achieve even lower stringency, washes performed following stringent hybridization can be done at higher salt concentrations (e.g. 5X SSC).

Note that variations in the above conditions may be accomplished through the inclusion and/or substitution of alternate blocking reagents used to suppress background in hybridization experiments. Typical blocking reagents include Denhardt's reagent, BLOTTO, heparin, denatured salmon sperm DNA, and commercially available proprietary formulations. The inclusion of specific blocking reagents may require modification of the hybridization conditions described above, due to problems with compatibility.

Of course, a polynucleotide which hybridizes only to polyA+ sequences (such as any 3' terminal polyA+ tract of a cDNA shown in the sequence listing), or to a complementary stretch of T (or U) residues, would not be included in the definition of "polynucleotide," since such a polynucleotide would hybridize to any nucleic acid molecule containing a poly (A) stretch or the complement thereof (e.g., practically any double-stranded cDNA clone generated using oligo dT as a primer).

The polynucleotides of the present invention can be composed of any polyribonucleotide or polydeoxribonucleotide, which may be unmodified RNA or DNA or modified RNA or DNA. For example, polynucleotides can be composed of single- and double-stranded DNA, DNA that is a mixture of single- and double-stranded regions, single- and double-stranded RNA, and RNA that is mixture of single- and double-stranded regions, hybrid molecules comprising DNA and RNA that may be single-stranded or, more typically, double-stranded or a mixture of single- and double-stranded regions. In addition, the polynucleotide can be composed of triple-stranded regions comprising RNA or DNA or both RNA and DNA. A polynucleotide may also contain one or more modified bases or DNA or RNA backbones modified for stability or for other reasons. "Modified" bases include, for example, tritylated bases and unusual bases such as inosine. A variety of



modifications can be made to DNA and RNA: thus, "polynucleotide" embraces chemically, enzymatically, or metabolically modified forms.

In specific embodiments, the polynucleotides of the invention are at least 15, at least 30, at least 50, at least 100, at least 125, at least 500, or at least 1000 continuous nucleotides but are less than or equal to 300 kb, 200 kb, 100 kb, 50 kb, 15 kb, 10 kb, 7.5kb, 5 kb, 2.5 kb, 2.0 kb, or 1 kb, in length. In a further embodiment, polynucleotides of the invention comprise a portion of the coding sequences, as disclosed herein, but do not comprise all or a portion of any intron. In another embodiment, the polynucleotides comprising coding sequences do not contain coding sequences of a genomic flanking gene (i.e., 5' or 3' to the gene of interest in the genome). In other embodiments, the polynucleotides of the invention do not contain the coding sequence of more than 1000, 500, 250, 100, 50, 25, 20, 15, 10, 5, 4, 3, 2, or 1 genomic flanking gene(s).

"SEQ ID NO:X" refers to a colon cancer antigen polynucleotide sequence described in Table 1. SEQ ID NO:X is identified by an integer specified in column 1 of Table 1. The polypeptide sequence SEQ ID NO:Y is a translated open reading frame (ORF) encoded by polynucleotide SEQ ID NO:X. There are 773 colon cancer antigen polynucleotide sequences described in Table 1 and shown in the sequence listing (SEQ ID NO:1 through SEQ ID NO:773). Likewise there are 773 polypeptide sequences shown in the sequence listing, one polypeptide sequence for each of the polynucleotide sequences (SEQ ID NO:774 through SEQ ID NO:1546). The polynucleotide sequences are shown in the sequence listing immediately followed by all of the polypeptide sequences. Thus, a polypeptide sequence corresponding to polynucleotide sequence SEQ ID NO:1 is the first polypeptide sequence shown in the sequence listing. The second polypeptide sequence corresponds to the polynucleotide sequence shown as SEQ ID NO:2, and so on. In other words, since there are 773 polynucleotide sequences, for any polynucleotide sequence SEQ ID NO:X, a corresponding polypeptide SEQ ID NO:Y can be determined by the formula  $X + 773 = Y$ . In addition, any of the unique "Sequence/Contig ID" defined in column two of Table 1, can be linked to the corresponding polypeptide SEQ ID NO:Y by reference to Table 4.

The polypeptides of the present invention can be composed of amino acids joined to each other by peptide bonds or modified peptide bonds, i.e., peptide isosteres, and may contain amino acids other than the 20 gene-encoded amino acids. The polypeptides may be modified by either natural processes, such as posttranslational processing, or by chemical modification techniques which are well known in the art. Such modifications are well described in basic texts and in more detailed monographs, as well as in a voluminous research literature. Modifications can occur anywhere in a polypeptide, including the peptide backbone, the amino acid side-chains and the amino or carboxyl termini. It will be appreciated that the same type of modification may be present in the same or varying degrees at several sites in a given polypeptide. Also, a given polypeptide may contain many types of modifications. Polypeptides may be branched, for example, as a result of ubiquitination, and they may be cyclic, with or without branching. Cyclic, branched, and branched cyclic polypeptides may result from posttranslation natural processes or may be made by synthetic methods. Modifications include acetylation, acylation, ADP-ribosylation, amidation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphatidylinositol, cross-linking, cyclization, disulfide bond formation, demethylation, formation of covalent cross-links, formation of cysteine, formation of pyroglutamate, formylation, gamma-carboxylation, glycosylation, GPI anchor formation, hydroxylation, iodination, methylation, myristoylation, oxidation, pegylation, proteolytic processing, phosphorylation, prenylation, racemization, selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination. (See, for instance, PROTEINS - STRUCTURE AND MOLECULAR PROPERTIES, 2nd Ed., T. E. Creighton, W. H. Freeman and Company, New York (1993); POSTTRANSLATIONAL COVALENT MODIFICATION OF PROTEINS, B. C. Johnson, Ed., Academic Press, New York, pgs. 1-12 (1983); Seifter et al., Meth Enzymol 182:626-646 (1990); Rattan et al., Ann NY Acad Sci 663:48-62 (1992).)

The colon and colon cancer polypeptides of the invention can be prepared in any suitable manner. Such polypeptides include isolated naturally occurring polypeptides, recombinantly produced polypeptides, synthetically produced

polypeptides, or polypeptides produced by a combination of these methods. Means for preparing such polypeptides are well understood in the art.

The polypeptides may be in the form of the secreted protein, including the mature form, or may be a part of a larger protein, such as a fusion protein (see below).

5 It is often advantageous to include an additional amino acid sequence which contains secretory or leader sequences, pro-sequences, sequences which aid in purification, such as multiple histidine residues, or an additional sequence for stability during recombinant production.

10 The colon and colon cancer polypeptides of the present invention are preferably provided in an isolated form, and preferably are substantially purified. A recombinantly produced version of a polypeptide, including the secreted polypeptide, can be substantially purified using techniques described herein or otherwise known in the art, such as, for example, by the one-step method described in Smith and Johnson, Gene 67:31-40 (1988). Polypeptides of the invention also can be purified from  
15 natural, synthetic or recombinant sources using techniques described herein or otherwise known in the art, such as, for example, antibodies of the invention raised against the polypeptides of the present invention in methods which are well known in the art.

By a polypeptide demonstrating a "functional activity" is meant, a polypeptide  
20 capable of displaying one or more known functional activities associated with a full-length (complete) protein of the invention. Such functional activities include, but are not limited to, biological activity, antigenicity [ability to bind (or compete with a polypeptide for binding) to an anti-polypeptide antibody], immunogenicity (ability to generate antibody which binds to a specific polypeptide of the invention), ability to  
25 form multimers with polypeptides of the invention, and ability to bind to a receptor or ligand for a polypeptide.

"A polypeptide having functional activity" refers to polypeptides exhibiting activity similar, but not necessarily identical to, an activity of a polypeptide of the present invention, including mature forms, as measured in a particular assay, such as,  
30 for example, a biological assay, with or without dose dependency. In the case where dose dependency does exist, it need not be identical to that of the polypeptide, but rather substantially similar to the dose-dependence in a given activity as compared to

the polypeptide of the present invention (i.e., the candidate polypeptide will exhibit greater activity or not more than about 25-fold less and, preferably, not more than about tenfold less activity, and most preferably, not more than about three-fold less activity relative to the polypeptide of the present invention).

5        The functional activity of the colon cancer antigen polypeptides, and fragments, variants derivatives, and analogs thereof, can be assayed by various methods.

For example, in one embodiment where one is assaying for the ability to bind or compete with full-length polypeptide of the present invention for binding to an  
10    antibody to the full length polypeptide antibody, various immunoassays known in the art can be used, including but not limited to, competitive and non-competitive assay systems using techniques such as radioimmunoassays, ELISA (enzyme linked immunosorbent assay), "sandwich" immunoassays, immunoradiometric assays, gel diffusion precipitation reactions, immunodiffusion assays, in situ immunoassays  
15    (using colloidal gold, enzyme or radioisotope labels, for example), western blots, precipitation reactions, agglutination assays (e.g., gel agglutination assays, hemagglutination assays), complement fixation assays, immunofluorescence assays, protein A assays, and immunoelectrophoresis assays, etc. In one embodiment, antibody binding is detected by detecting a label on the primary antibody. In another  
20    embodiment, the primary antibody is detected by detecting binding of a secondary antibody or reagent to the primary antibody. In a further embodiment, the secondary antibody is labeled. Many means are known in the art for detecting binding in an immunoassay and are within the scope of the present invention.

In another embodiment, where a ligand is identified, or the ability of a  
25    polypeptide fragment, variant or derivative of the invention to multimerize is being evaluated, binding can be assayed, e.g., by means well-known in the art, such as, for example, reducing and non-reducing gel chromatography, protein affinity chromatography, and affinity blotting. See generally, Phizicky, E., et al., Microbiol. Rev. 59:94-123 (1995). In another embodiment, physiological correlates polypeptide  
30    of the present invention binding to its substrates (signal transduction) can be assayed.

In addition, assays described herein (see Examples) and otherwise known in the art may routinely be applied to measure the ability of polypeptides of the present

invention and fragments, variants derivatives and analogs thereof to elicit polypeptide related biological activity (either in vitro or in vivo). Other methods will be known to the skilled artisan and are within the scope of the invention.

5

**Colon and Colon Cancer Associated Polynucleotides and Polypeptides of the Invention**

It has been discovered herein that the polynucleotides described in Table 1 are expressed at significantly enhanced levels in human colon and/or colon cancer tissues.

10 Accordingly, such polynucleotides, polypeptides encoded by such polynucleotides, and antibodies specific for such polypeptides find use in the prediction, diagnosis, prevention and treatment of colon related disorders, including colon cancer as more fully described below.

15 Table 1 summarizes some of the polynucleotides encompassed by the invention (including contig sequences (SEQ ID NO:X) and the related cDNA clones) and further summarizes certain characteristics of these colon and/or colon cancer associated polynucleotides and the polypeptides encoded thereby.

Table 1

Seq ID No.	Sequence/ Contig ID	Gene Name	Overlap	HGS Nucleotide Start End	% Identity	% Similarity	Clone ID
1	500802	Immunoglobulin kappa light chain variable region L25 [Homo sapiens] >pir S41816 S41816 Ig kappa chain V region L25 - human Length = 119 (AB008790) Grb7V protein [Homo sapiens] >sp D1030000 D1030000 GRB7V PROTEIN. >gil 526535 Grb7 protein [Homo sapiens] {SUB 130-343} Length = 447	gil 415381	2 304	73	86	HGBA183
2	531091			2 292			HUKDY21
3	553147			3 440			HCASG85
4	558860	(AF039700) antigen NY-CO-38 [Homo sapiens] >sp G3170200 G3170200 ANTIGEN NY-CO-38. >gil 3170198 (AF039699) antigen NY-CO-37 [Homo sapiens] {SUB 1-403} Length = 652 MDA-7 [Homo sapiens] >sp Q13007 MDA7_HUMAN MDA-7 PROTEIN PRECURSOR (MELANOMA DIFFERENTIATION ASSOCIATED PROTEIN 7). Length = 206	gnl PID D1030000	33 635	97	98	HCEGY28
5	561730	(AF039700) antigen NY-CO-38 [Homo sapiens] >sp G3170200 G3170200 ANTIGEN NY-CO-38. >gil 3170198 (AF039699) antigen NY-CO-37 [Homo sapiens] {SUB 1-403} Length = 652 MDA-7 [Homo sapiens] >sp Q13007 MDA7_HUMAN MDA-7 PROTEIN PRECURSOR (MELANOMA DIFFERENTIATION ASSOCIATED PROTEIN 7). Length = 206	gil 3170200	34 393	98	98	HSDFA48
6	585938	(AF039700) antigen NY-CO-38 [Homo sapiens] >sp G3170200 G3170200 ANTIGEN NY-CO-38. >gil 3170198 (AF039699) antigen NY-CO-37 [Homo sapiens] {SUB 1-403} Length = 652 MDA-7 [Homo sapiens] >sp Q13007 MDA7_HUMAN MDA-7 PROTEIN PRECURSOR (MELANOMA DIFFERENTIATION ASSOCIATED PROTEIN 7). Length = 206	gil 141751	206 538	81	81	HMQBR31
7	587785	disintegrin-protease [Homo sapiens] >sp O15204 O15204 DISINTEGRIN- PROTEASE. Length = 470	gil PID c332729	2 331	100	100	HOSBO86

8	588916	Human apoC-II gene for preapoplipoprotein C-II [Homo sapiens] >gi 757915 apoCII protein [Homo sapiens] >gi 178836 apolipoprotein C-II [Homo sapiens] >pir A24238 PHUC2 apolipoprotein C- II precursor - human	gi 296636	5	376	100	100	HLDQU56
9	613825	KHS1 [Homo sapiens] >sp G185733 G185733.1 KHS1. Length = 846 protein kinase Dyrk2 [Homo sapiens] >sp Q92630 Q92630 PROTEIN KINASE DYRK2 (PROTEIN KINASE, DYRK2). >gnl PID e280618 Dyrk2 [Homo sapiens] {SUB 320-528} Length = 528	gi 1857331	3	260			HMSIB03
10	639090			254	559			HCRME22
11	651644			63	194			HCFO73
12	659544			109	249			HJMBU15
13	659739			238	1140	94	94	HSYAM68
14	661057	(AJ003061) most expressed alternative spliced form [Homo sapiens] >sp O60852 O60852 PROTEIN ENCODED BY SACCHAROMYCES CEREVISIAE SPC98 HOMOLOGUE. Length = 907	gnl PID e321513	3	425	100	100	HCDBX83
15	661313			894	1118			HHEMN11
16	666316			193	369			HCDCH84
17	669229			430	762			HOHDD51
18	670471			203	937	92	93	HAGGX21
19	676611		gnl PID e1293754	207	530			HCE5C73
20	691240			2	385			HISAN54

21	702977	26-kDa cell surface protein TAPA-1 [Homo sapiens] >pir A35649 A35649 cell surface protein TAPA-1 - human >sp P18582 CD81_HUMAN CD81 ANTIGEN (26 KD CELL SURFACE PROTEIN TAPA-1). Length = 236	gi 338678	34	819	80	80	HGCMV09
22	709517	(AF062476) retinoic acid-responsive protein; STRA6 [Mus musculus] >sp O70491 O70491 RETINOIC ACID- RESPONSIVE PROTEIN. Length = 670	gi 3126975	344	478			HWLJX38
23	714730			1	534	75	88	HCRND05
24	714834			1	657			IIA'P'IL75
25	715016			1	411			HCEOQ15
26	719584	(AF076856) small espin [Rattus norvegicus] >sp G3818569 G3818569 SMALL ESPIN. Length = 253 muskelin [Mus musculus] >sp O89050 O89050 MUSKELIN. Length = 735	gi 3818569	530	886	62	64	HWLFA47
27	724637		gi 3493462	1	444	92	95	HUSXP30
28	728392	(AB015318) gamma2-adaptin [Homo sapiens] >sp O75843 O75843 GAMMA2-ADAPTIN. Length = 785 similar to ADP-ribosylation factor; (AF054179) H beta 58 homolog [Homo sapiens] >sp O75436 O75436 H BETA 58 HOMOLOG. Length = 327	gnl P1D1d1034356	160	801	100	100	HBJIG25
29	738716			137	289			HCRMQ71
30	739056		gnl P1D1e1350748	2	502	87	97	HSDZB27
31	739143		gi 3342000	1	1083	100	100	HKABV36
32	742329			2	277			HSRDE23
33	742557			2	814			HWHGD94
34	745481			1229	1396			HIPMFL67
35	746035			414	959			HCHCJ20
36	753731			1	357			HPTTL69



37	754383	(AF034745) LNXp80 [Mus musculus]	gi 3041879	1	681	91	96	HCQDR53
38	756749	>sp O70263 O70263 LIGAND OF						HCEOS64
39	757980	NUMB-PROTEIN X (LNXp80). Length						HCE4A59
40	764818	= 728						HCE4A59
41	765140							HCE4A59
42	766893							HCE4A59
43	771338							HCE4A59
44	771412	(AF011794) cell cycle progression	gi 2352906	2	601	100	100	HCHAG61
45	772226	restoration 8 protein [Homo sapiens]		3	257			HMVCR68
46	773057	>sp O14712 O14712 CELL CYCLE						HCE2BE05
47	773173	PROGRESSION RESTORATION 8						HTEPE82
48	780154	PROTEIN. Length = 375						HCEZW82
49	780768							HPLBS64
50	780779	similar to G9a gene. [Homo sapiens]	gnl PID d1007261	134	658	86	86	HAMFL51
51	782394	>sp Q15047 Q15047 MRNA						HIDLC18
52	783160	(KIAA0067) FOR ORF (RELATED TO						HCE9PG68
		G9A GENE), COMPLETE CDS						
		(KIAA0067). Length = 1291						
		(AF026977) microsomal glutathione S-						
		transferase 3 [Homo sapiens]						
		>sp O14880 O14880 MICROSOMAL	gi 2583081	25	492	100	100	
		GLUTATHIONE S-TRANSFERASE 3.						
		Length = 152						
53	783506			49	825			HODCW56

54	784446	(AB002086) p47 [Rattus norvegicus]	gnl PID d1022509	19	282		HBJL85
55	784832	>gnl PID e294068 XY40 protein [Rattus norvegicus] >sp O35987 O35987 P47, COMPLETE CDS. Length = 370		134	751		HCGM184
56	786813			114	347		HE2OI55
57	792139			32	334	83	H6EEC65
58	793987	steroidogenic acute regulatory protein [Mus musculus] >pir A55455 A55455		100	564		HICAE18
59	805715	steroidogenic acute regulatory protein precursor, mitochondrial - mouse Length = 284		513	1226		HDPKI64
60	811111			1	438		HCEDF72
61	811113		gil 236243	2	718	28	HWBEX78
62	823902	(AF028722) fetal globin inducing factor [Mus musculus]	gil 4103857	36	497	87	HDTBD43
		>sp G4103857 G4103857 FETAL GLOBIN INDUCING FACTOR. Length = 238					
63	826518	RNase 4 [Homo sapiens]	gnl PID d1007727	1	231	100	HLQCQ62
		>pir 52489 52489 ribonuclease 4 (EC 3.1.-.-) precursor - human Length = 147					
64	826704			475	726		HCQB118
65	827720			789	1076		HFICY86
66	828102			106	297		HSRFC02
67	828180	(AB013456) aquaporin 8 [Homo sapiens] >gnl PID d1035202 (AB013456) aquaporin 8 [Homo sapiens] >sp D1035202 D1035202 AQUAPORIN 8. Length = 261	gnl PID d1035202	20	883	83	HWL1M26

68	828386	(AF093821) RRM RNA binding protein GRY-RBP [Mus musculus] >sp O88991 O88991 RRM RNA BINDING PROTEIN GRY-RBP. Length = 625	gij3694986	3	650	100	100	100	IIOHAD26
69	828658	protein-tyrosine-phosphatase [Homo sapiens] >gnl PID d1032930 (AB013601) DUSP6 [Homo sapiens] >gnl PID d1035350 (AB013382) DUSP6 [Homo sapiens] >gnl PID d1032930 (AB013601) DUSP6 [Homo sapiens] >sp Q16828 DUS6_HUMAN DUAL SPECIFICITY PROTEIN PHOSPHATASE 6	gnl PID e218263	2	568	100	100	100	HLHCO24
70	828919	RNA helicase [Homo sapiens] >pir S71758 S71758 DEAD box protein MrDb, Myc-regulated - human >sp Q92732 Q92732 RNA HELICASE. Length = 610	gnl PID e254454	2	661	99	100	100	HFOYL30
71	829572	similar to Glyoxalase [Caenorhabditis elegans] Length = 281		163	411				HSVAK51
72	830138	UbcH5B [Homo sapiens] >gij S95668 ubiquitin conjugating enzyme [Rattus norvegicus] >gij 480742 ubiquitin conjugating enzyme [Mus musculus] >pir S53359 S53359 ubiquitin conjugating enzyme (E217kB) - rat Length = 147	gnl PID e1344082	134	475	53	67	67	HYAAH90
73	830208		gij 145689	2	205	92	95	95	HIBCN46
74	830248	A33 antigen precursor [Homo sapiens] >sp Q99795 A33_HUMAN CELL SURFACE A33 ANTIGEN	gij 1814277	3	1097	30	39	39	HWLHJ13

PRECURSOR. Length = 319

75	830275	Similar to D.melanogaster parallel sister chromatids protein [Homo sapiens] >sp Q92549 Q92549 MYELOBLAST KIAA0261 (FRAGMENT). Length = 1287	gnl PI D d 014081	3	647	100	100	100	HWLFO28
76	830286	interferon-related putative protein [Homo sapiens] >sp Q12894 Q12894 HYPOTHETICAL. 48.0 KD PROTEIN. >gi 209022 interferon-related putative protein [Homo sapiens] {SUB 2-442; Length = 442	gi 2880033	385	1488	91	91	91	HWLFE46
77	830347	(AF039401) calcium-dependent chloride channel-1 [Homo sapiens] >sp G4009460 G4009460 CALCIUM-DEPENDENT CHLORIDE CHANNEL-1. Length = 914	gi 4009460	3	656	63	76	76	HWLEL81
78	830348	inorganic pyrophosphatase (EC 3.6.1.1) - bovine >sp P37980 PYR_BOVIN	3	911	911	85	85	85	HWLHQR45
79	830364	INORGANIC PYROPHOSPHATASE (EC 3.6.1.1) (PYROPHOSPHATE PHOSPHO-HYDROLASE) (PPASE). Length = 289	3	1022	67	85	85	85	HWLEI47
80	830394		1	951					HDPVF62
81	830398		526	627					HWBCR84

82	830412	SDF2 [Homo sapiens] >pir JC5106 JC5106 stromal cell-derived factor 2 - human >sp Q99470 Q99470 SDF2. Length = 211	gnl PID d1009953	233	928	91	92	HWHHQ57
83	830436	(AJ005821) X-like 1 protein [Homo sapiens] >sp E1291794 E1291794 X- LIKE 1 PROTEIN. Length = 3027	gnl PID e1291794	83	523	65	78	HWABR83
84	830464	CLP36 [Rattus norvegicus] >pir JC4385 JC4385 LIM protein - rat >sp P52944 CL36_RAT LIM PROTEIN CLP36. Length = 327	gi 1020151	2	289	72	81	HUSGB72
85	830471	(AF011794) cell cycle progression restoration 8 protein [Homo sapiens] >sp O14712 O14712 CELL CYCLE PROGRESSION RESTORATION 8 PROTEIN. Length = 375	gi 2352906	95	229	95	96	HUSIK51 HULAT84
86	830477			116	2389			
87	830500	ORF YGR036c [Saccharomyces cerevisiae] >pir S64327 S64327 probable membrane protein YGR036c - yeast (Saccharomyces cerevisiae) Length = 239	gnl PID e243385	185	736	38	54	HJPCP29
88	830509	(AL021813) phenylalanyl-trna synthetase alpha chain [Schizosaccharomyces pombe] >sp O42849 O42849 PHENYLALANYL-tRNA SYNTHETASE ALPHA CHAIN. Length = 589	gnl PID e1250585	2	1081	40	63	HUFAU68

89	830528	hepatoma-derived growth factor [Mus musculus] >pir JC5662 JC5662 hepatoma-derived growth factor-related protein 2 - mouse >sp O35540 O35540 HEPATOMA-DERIVED GROWTH FACTOR, RELATED PROTEIN 2... Length = 669	dbj D63850_1	38	1591	78	87	HUFBF32
90	830542	mitochondrial 3-oxoacyl-CoA thiolase [Homo sapiens] >pir S43440 S43440 3-oxoacyl-CoA thiolase - human Length = 397	gnl PID d1004316	324	1637	92	92	HTTDO45
91	830564	IgM heavy chain VH1 region precursor [Homo sapiens] Length = 146	gil 2344934	702	1343	78	79	HTPBU79
92	830611			1	495			HTJMB28
93	830618			655	915			HDYMI21
94	830620			452	754			HTGDM95
95	830630	mitochondrial benzodiazepine receptor [Homo sapiens] >pir J38724 J38724 mitochondrial benzodiazepine receptor - human >gil 341163 (AF075589) peripheral-type benzodiazepine receptor [Homo sapiens] {SUB 27-169} Length = 169	gil 529946	14	259	100	100	HTGFS43
96	830654	RNA-binding protein [Saccharomyces cerevisiae] Length = 497	gil 295631	2	1687	40	51	HSYBQ96
97	830660	pp21 [Homo sapiens] >pir S3785 S3785 gene pp21 protein - human >sp Q15170 Q15170 (PP21). Length = 157	gil 521207	122	694	51	76	HSYDW13
98	830661			555	779			HSXDG80
99	830704			1	609			HSUSP13
100	830765			39	236			HSKES11

101	830778	methionine aminopeptidase [Homo sapiens] >gi 687243 eIF-2-associated p67 homolog [Homo sapiens] >pir S52112 DPHUM2 methionyl aminopeptidase (EC 3.4.11.18) 2 - human >sp P50579 AMP2_HUMAN METHIONINE AMINOPEPTIDASE 2 (EC 3.4.11.18) (METAP 2) (PEPTIDASE M 2)	gi 903982	26	718	99	100	HSPAX18
102	830784			595	858			HSIFY77
103	830800	(AF039918) CD39L4 [Homo sapiens] >sp O75356 O75356 CD39L4.1 length = 428	gi 3335102	1	990	94	94	HHPDD94
104	830821			449	754			HAQND53
105	830849			464	868			HHEAA48
106	830903			1	525			HPJCT75
107	830913	tumor necrosis factor type 1 receptor associated protein [Homo sapiens] >pir A55877 A55877 tumor necrosis factor type 1 receptor associated protein TRAP-1 - human	gi 687237	3	1193	99	99	HPIBH48
108	830920	microsomal glutathione S-transferase 2 [Homo sapiens] >sp Q99735 GST2_HUMAN MICROSOMAL GLUTATHIONE S-TRANSFERASE II (EC 2.5.1.18) (MICROSOMAL GST- II). Length = 147	gi 1747521	90	650	87	87	HPHAA84
109	830938	peroxisome proliferator activated receptor gamma 2 [Homo sapiens] >gi 171117 ligand activated transcription factor PPARgamma2 [Homo sapiens]	gi 1432177	227	610	98	98	HONAE45

110	830980	beta COP [Rattus norvegicus] >pir S13520 S13520 beta-COP protein - rat >sp P23514 COPB_RAT COATOMER BETA SUBUNIT (BETA- COAT PROTEIN) (BETA-COP). >pir S13636 S13636 110K protein - rabbit {SUB 451-500} Length = 953 (AF016687) similar to alpha-actinin [Caenorhabditis elegans] >sp O16785 O16785 T21D12.4 PROTEIN. Length = 375	gj 55819	47	289	95	98	HCE5G53
111	831014		gj 2315828	310	1188	53	73	HOEBV08
112	831026			340	687			HOBAE30
113	831031			526	765			HTXOK56
114	831055	(AF091395) Trio isoform [Homo sapiens] >sp O75962 O75962 TRIO ISOFORM. Length = 3038	gj 3644048	674	1921	93	94	HNTAT24
115	831057			3	1106			HNTCW73
116	831062			3	821			HNTBD04
117	831117			400	579			HMWBR70
118	831122	cell surface glycoprotein [Homo sapiens] >gj 567110 [Human CD79b/Ig beta/B29 gene, complete coding sequence.]. gene product [Homo sapiens] >bbs 122035 membrane immunoglobulin beta chain, Ig-beta=Ag receptor complex [human, B cells, Peptide, 229 aa] [Homo	gj 179312	2	772	91	92	HMWCV70
119	831125			868	1023			HMWFH12
120	831132			36	185			HMUAR55



121	831152	(AC004668) similar to murine cell cycle regulator MIDA1; similar to A57591 (PID:g2137417) [Homo sapiens] >sp O60414 O60414 WUGSC:H_RG276003.1A PROTEIN (FRAGMENT). Length = 635 (AF030109) regulator of G protein signaling 12 [Homo sapiens] >gi 2766633 (AF030152) regulator of G protein signaling 12 [Homo sapiens] Length = 799	gi 3115346	111	875	90	91	HMVA157
122	831157	e2rin (AA 1-586) [Homo sapiens] >pir A34400 A34400 e2rin - human >sp P15311 EZRL_HUMAN EZRIN (P81) (CYTOVILLIN) (VILLIN-2) {SUB 2-586} >gi 340217 cyto villin 2 [Homo sapiens] {SUB 12-586} Length = 586	gi 31283	3	1907	100	100	HCRPE60
123	831160	c-fos protein [Homo sapiens] >gi 29904 c-fos gene product [Homo sapiens] >gi 4063509 (AF111167) cfos [Homo sapiens] >pir A01342 TVHUF1 transforming protein fos - human >sp P01100 FOS_HUMAN P55-C-FOS PROTO-ONCOGENE PROTEIN (G0S7 PROTEIN). >sp G4063509 G406	gi 182735	1182	1670	83	88	IMIAG77 HMELO02 HITAA07 HAKBB67 HCFLLO8 HAGDZ30
124	831193			256	378			
125	831197			884	1267			
126	831217			152	427			
127	831239			420	638			
128	831248			84	443			
129	831313							
130	831369			31	1464			HDFQB94

131	831371	cytochrome P450j [Homo sapiens] >gil181356 cytochrome P450HIE1 [Homo sapiens] >pir A31949 A31949 cytochrome P450 2E1 - human >sp P05181 CPE1_HUMAN CYTOCHROME P450 2E1 (EC 1.14.14.1) (CYP1B1) (P450-I). >gnl PID d1001366 cytochrome P450HIE1 [Homo sapiens] hydroxymethylglutaryl-CoA synthase [Homo sapiens] >gil2463646 3-hydroxy-3-methylglutaryl CoA synthase [Homo sapiens] >pir S71623 S71623 hydroxymethylglutaryl-CoA synthase (EC 4.1.3.5) precursor, mitochondrial - human >sp P54868 HMCM_HUMAN HYDROXYMETHYLGLU	gil181360	81 221	344 1744	94 94	HLADA28 HWADP47
132	831373						
133	831387	mucin 2 precursor, intestinal - human (fragments) >gil186396 mucin [Homo sapiens] {SUB 626-1895} >gil186398 MUC2 [Homo sapiens] {SUB 2037-3020} >gil188874 intestinal mucin [Homo sapiens] {SUB 1916-2193} >gil188615 mucin-like protein [Homo sapiens] {SUB 23 calcium-modulated protein S100-beta [artificial sequence] >pir A91254 BCBO1B S-100 protein beta chain - bovine {SUB 2-92} Length = 92	pir A49963 A4393 2	2 2	727	95 96	HCQDM23
134	831410						
135	831448		gil554574	126	482	32 60	HKACO81
136	831450			807	1319		HKABK55



145	831594	protein serine/threonine kinase [Homo sapiens] >gi 468789 CDK activating kinase [Homo sapiens] >gi 485909 MO15/CDK-activating kinase (CAK) [Homo sapiens] >gnl PID e257806 Cdk-activating kinase [Homo sapiens] >pir A54820/A54820 CDK-activating protein kinases	gi 348243	117	677	HHECU01
146	831598	translational initiation factor beta subunit [Homo sapiens] >pir A31226/A31226 translation initiation factor eIF-2 beta chain - human >pir S13147/S13147 protein synthesis factor - rabbit >sp P20042 PF2B_HUMAN EUKARYOTIC TRANSLATION INITIATION FACTOR 2 BET	gi 182067	120	1154	HHFEB46
147	831608	Human giant larvae homologue [Homo sapiens] >pir S55474/S55474 Human giant larvae homolog - human >sp Q14521 Q14521 GIANT LARVAE HOMOLOGUE: Length = 1015	gi 854124	3	104	HISAU33
148	831613	alpha l-acid glycoprotein [Homo sapiens] >gi 1340138 alpha l-acid glycoprotein [Homo sapiens] {SUB 39-86} Length = 201	gnl PID c222211	46	690	HGIBI1Z56
149	831622					

150	831631	aldose reductase-like peptide [Homo sapiens] >sp O60218 O60218 ALDOSE REDUCTASE-LIKE PEPTIDE (ALDOSE REDUCTASE-RELATED PROTEIN). >gi 3098514 (AF044961) aldose reductase-related protein [Homo sapiens] {SUB 232-316; Length = 316	gi 3150035	100	1173	100	100	HGBAX75
151	831632	lambda-crystallin precursor [Oryctolagus cuniculus] >pir A31992 A31992 lambda-crystallin - rabbit		2	226			HGBCC19
152	831653	>sp P14755 CRYL_RABIT LAMBDA-CRYSTALLIN. {SUB 2-320} Length = 320	gi 164905	172	927	85	90	HTJN173
153	831655	weak similarity to TPR domains [Caenorhabditis elegans] >sp Q23049 Q23049 SIMILARITY TO TPR DOMAINS. Length = 458	gi 1465826	3	662	32	54	HFVHF47
154	831708	vascular endothelial growth factor [Homo sapiens] >sp Q16889 Q16889 VASCULAR ENDOTHELIAL GROWTH FACTOR (FRAGMENT). >pir A41551 A41551 vascular endothelial growth factor 206 precursor - human {SUB 23-254} >bbs 85194 vascular endothelial growth factor; VEGF	gi 3712671	96	410	98	100	HFIUT25
155	831738			313	573			HFCAL79

156	831741	myelodysplasia/myeloid leukemia factor 2 [Homo sapiens] >gi 3387897 (AF070539) myelodysplasia/myeloid leukemia factor 2 [Homo sapiens] >sp Q15773 Q15773 MYELODYSPLASIA/MYELOID LEUKEMIA FACTOR 2. Length = 248 multidrug resistance protein 3 [Homo sapiens] >gnl PID e 288198 multidrug resistance protein 3 [Homo sapiens] >sp O60922 O60922 MULTIDRUG RESISTANCE PROTEIN 3. Length = 1526	gi 399745	186	974	77	77	HFEBT03
157	831754		gnl PID e 288198	1	924	92	92	HWMEZ67
158	831760			373	510			HETE176
159	831780			2	1003			HELGH58
160	831796			892	1158			HE9RY54
161	831800	nuclear protein SA-2 [Homo sapiens] >sp O00540 O00540 NUCLEAR PROTEIN SA-2. Length = 1162	gnl PID e 250094	600	1541	93	93	HF1AU59
162	831807			1015	1341			HE9QD17
163	831812			520	765			HE9OY91
164	831813			83	793			HEA11A84
165	831830	isoleucyl-tRNA synthetase [Homo sapiens] >pir J59314 J59314 isoleucine--tRNA ligase (EC 6.1.1.5) - human Length = 1266	gnl PID d 1006382	52	2307	98	99	HE8TV13
166	831860	Similarity to S. Pombe BEM1/BUD5 suppressor;	gnl PID e 347870	465	776	69	84	HE8OT93
167	831872			1	1671			HE8CL14
168	831896			1	2121			HDTDX05

169	831928	(AF061795) dynamin-like protein Dymple isoform [Homo sapiens] >sp O60709 O60709 DYNAMIN-LIKE PROTEIN DYMPLE ISOFORM. Length = 699	gi 3126874	2	778	77	77	HSYBO86
170	831949	carbonic anhydrase II [Homo sapiens] >gi 179780 carbonic anhydrase II [Homo sapiens] >gi 179795 carbonic anhydrase II [Homo sapiens] >gi 29587 carbonic anhydrase II (AA 1-260) [Homo sapiens]	gi 179772	3	1109	100	100	HE8TX12
171	831950			48	521			HAPQ551
172	831953			106	987			HWLHA60
173	831975	human phosphotyrosine phosphatase kappa [Homo sapiens] Length = 1439	gnl P D e234080	555	761	82	82	HD7BO06
174	832036			2	490			HCYAC13
175	832047			877	1137			HCWKS85
176	832078	Ca2+ ATPase of fast-twitch skeletal muscle sarcoplasmic reticulum, adult isoform [Homo sapiens] >sp O14983 O14983 CA2+ ATPASE OF FAST-TWITCH SKELETAL MUSCLE SARCOPLASMIC RETICULUM, ADULT ISOFORM. Length = 1001	gi 2052522	751	1014	90	91	HASAB14
177	832100			687	917			HCRNM09
178	832104			95	220			HCRMU71
179	832268			18	191			HTXOU56
180	832270			622	1290			HBKDW03

181	832279	acetyl-CoA synthetase [Drosophila melanogaster] >pir[S52154]S52154 acetyl-CoA synthetase - fruit fly (Drosophila melanogaster) >sp Q24226 Q24226 ACETYL-COENZYME A SYNTHETASE (EC 6.2.1.1) (ACETATE--COA LIGASE) (ACYL-ACTIVATING ENZYME). Length = 581	gi 608694	2	1237	65	77	HIBKDN33
182	832317	11kD protein [Homo sapiens] Length = 111	gi 897917	270	719	100	100	HBIAX17
183	832354			1	408			HBBBE52
184	832364			3	1385			HDPQA93
185	832378	sialidase [Homo sapiens] >gi 2773339 (AF040958) lysosomal neuraminidase precursor [Homo sapiens] >gi 4099141 lysosomal sialidase [Homo sapiens] >sp Q99519 Q99519 SIALIDASE PRECURSOR. >sp G4099141 G4099141 LYOSOMAL SIALIDASE PRECURSOR (EC 3.2.1.18). Length (AF048700) gastrointestinal peptide [Homo sapiens] >sp O60575 O60575 GASTROINTESTINAL PEPTIDE. Length = 86	gnl PID e303801	3	746	96	96	HATCO72
186	832385		gi 2935440	2	316	90	90	HARAG42
187	832428	APO-1 ANTIGEN, FAS ANTIGEN. Length = 335	sp G249613 G249613	136	846	97	97	HAMGD53
188	832485			202	597			HAGHC54



189	832494	Ku protein subunit [Homo sapiens] >gil178650 p70 autoantigen [Homo sapiens] >gil339667 thyroid autoantigen [Homo sapiens] >bbs107206 Ku autoantigen p70 subunit [human, Peptide, 609 aa] [Homo sapiens] >pir/A30299/A30894 70K thyroid autoantigen - human >sp	gil307095	80	1918	90	90	HAIBY70
190	832512	Similar to Human C219-reactive peptide (L34688) [Homo sapiens] >sp Q92580 Q92580 MYELOBLAST KIA0268 (FRAGMENT). >gil511639 C219-reactive peptide [Homo sapiens] {SUB 592-727; Length = 1193 integrin alpha6 subunit [Homo sapiens] Length = 1067	gnl PID d1014138	3	1058	87	87	HDPTT16
191	832515	nuclear factor RIP140 [Homo sapiens] >pir S57348 S57348 nuclear factor RIP140 - human Length = 1158	gil33942	2	1660	96	96	HCRPH70
192	832526	protein tyrosine kinase [Homo sapiens] >pir A55922 A55922 tyrosine kinase A6 - human >sp Q12792 Q12792 PROTEIN TYROSINE KINASE. Length = 350	gil940539	34	693	95	95	HADCX04
193	832575	BTG1 gene product [Homo sapiens] >gil293306 BTG1 [Mus musculus] >gil50188 btg1 [Mus musculus] >pir S20947 S20947 BTG1 protein - human >pir 48272 48272 btg1 protein - mouse >sp P31607 BTG1_HUMAN BTG1 PROTEIN (B-CELL TRANSLOCATION GENE 1 PROTEIN). Length	gil451482	49	1203	99	99	H2LAJ21
194	832576		gil29509	388	1050	100	100	HKGAJ67

195	832588	mitochondrial ATP synthase subunit 9 precursor [Homo sapiens] >pir 38612 38612 ATP synthase chain 9 precursor, mitochondrial - human >sp P48201 AT93_HUMAN ATP SYNTHASE LIPID-BINDING PROTEIN P3 PRECURSOR (EC 3.6.1.34) (ATPASE PROTEIN 9) (SUBUNIT C). Leng	gi 511450	2	637	85	85	H2LAD51
196	832634	immunoglobulin from VH4 family [Homo sapiens] >pir S13519 S13519 Ig heavy chain V region precursor - human >gi 553385 immunoglobulin heavy chain [Homo sapiens] {SUB 24-125} Length = 147	gi 37725	2	924	77	81	HCRMZ25
197	832728				542			HKAIL83
198	833094				391			HRADC46
199	833395	novel stromal cell protein [Mus musculus] >pir JC4761 JC4761 recombination activating gene 1 inducing protein - human >sp Q62275 Q62275 RECOMBINATION ACTIVATING PROTEIN 1 PROTEIN ACTIVATION (NOVEL STROMAL CELL PROTEIN). Length = 221	gnl PID e229590	1	853	69	76	HHENV68
200	834326				744			HWLEQ41
201	834583	(AF073957) CXC chemokine BRAX [Homo sapiens] Length = 99	gi 4140394	2	607	98	100	HHGDE66
202	834944	(AF061443) G protein-coupled receptor LGR4 [Rattus norvegicus] >sp G3885470 G3885470 G PROTEIN-COUPLED RECEPTOR LGR4. Length	gi 3885470	2	781	85	86	HE8QE56

= 951

203	835012	(AB017169) Slit-3 protein [Homo sapiens] >sp D1036172 D1036172 SLIT-3 PROTEIN. >gnl PID d1033429	gnl PID d1036172	3	344				
204	835104	(AB011538) MEGF5 [Homo sapiens] {SUB 785-1523} Length = 1523		580	1818	92	92		HCCMD55 HLHTJ57
205	835332	(AF065389) tetraspan NET-4 [Homo sapiens] >sp O60746 O60746 TETRASPAN NET-4. Length = 268	gi 3152703	268	1080	100	100		HCROP84
206	835487	(AC002528) alpha2(I) collagen [Homo sapiens] >sp G2388555 G2388555 ALPHA2(I) COLLAGEN (FRAGMENT). Length = 1186	gi 2388555	2218	4239	100	100		HTSGZ29
207	836182	calmodulin-dependent protein kinase II-delta (EC 2.7.1.37) [Rattus norvegicus]		39	398				HFLUE31
208	836522	>pir A34366 A34366 Ca2+/calmodulin-dependent protein kinase (EC 2.7.1.123) II delta chain - rat		1819	2046				HSLFO17
209	836655	>sp P15791 KCCD_RAT CALCIUM/CALMODULIN-DEPENDENT PROTEIN KINASE TYPE II DELTA CII		1	624				HTPCU04
210	836787		gi 203267	767	1549	92	94		HAIED73

211	836789	GP36b glycoprotein [Homo sapiens] >pir G01447 G01447 GP36b glycoprotein - human >sp Q12907 Q12907 GP36B GLYCOPROTEIN PRECURSOR. Length = 356	gi 505652	1	849	99	99	HKAAD74
212	838577	binding protein [Oryctolagus cuniculus] >gi 182628 FK506-binding protein (FKBP) [Homo sapiens] >gi 182633 FKBP-12 protein [Homo sapiens] >gi 182649 FK506-binding protein 12 [Homo sapiens] >gi 288196 FKBP [Homo sapiens] >gi 665650 FK-506 binding protein [H	gi 165023	2	433	100	100	HCRQD09
213	838717			676	900			11E8UJ03
214	839008			2	997			HFOXSS2
215	840063	(AF006751) ES/130 [Homo sapiens] >sp O75300 O75300 ES/130. Length = 977	gi 3299885	3	2729	84	85	HWL11X68
216	840533			183	482			HWLLU74
217	840669			474	1115			HPMGM71
218	841140	(AF081281) lysophospholipase [Homo sapiens] >sp O75608 O75608 LYSOPHOSPHOLIPASE. Length = 230 polypeptide GalNAc transferase-T4 [Mus musculus] >sp O08832 O08832 POLYPEPTIDE GALNAc TRANSFERASE-T4. Length = 578	gi 3415123	1	789	100	100	HAJCC51
219	841386		gi 2121220	491	1258	66	81	HMCCA66
220	841480			3	212			HDQET68
221	841509			3	662			HTELO87
222	841616			340	660			HWLFT95

223	841900	peptidylarginine deiminase (EC 3.5.3.15) [Rattus norvegicus] >pir A34339 DIRTR1 protein-arginine deiminase (EC 3.5.3.15) 1 - rat >sp P20717 PARD_RAT PROTEIN- ARGININE DEIMINASE (EC 3.5.3.15) (PEPTIDYLARGININE DEIMINASE). Length = 665	gi 205960	2	439	87	90	HWLFR87
224	842054	ubiquitinone-binding protein (QP) [Homo sapiens] >gi 190816 ubiquitinone-binding protein precursor [Homo sapiens] >gi 37580 ubiquitinone-binding protein (AA 1 - 111) [Homo sapiens] >pir A32450 A32450 ubiquitinone-binding protein QP-C - human >gi 553631 ubiquitinone	gi 190802	1	369	100	100	HWHPF06
225	843061	(AB012933) acyl-CoA synthetase 5 [Rattus norvegicus] >sp O88813 LCFE_RAT LONG- CHAIN-FATTY-ACID--COA LIGASE 5 (EC 6.2.1.3) (LONG-CHAIN ACYL- COA SYNTHETASE 5) (LACS 5). Length = 683	gnl PID d1034547	23	2308	81	92	HDAAV92
226	843544	(AF045573) FLI-LRR associated protein- 1 [Mus musculus] >sp O70323 O70323 FLIGHTLESS-1 ASSOCIATED PROTEIN 1 (LRR DOMAIN) (FLI-LRR ASSOCIATED PROTEIN-1). Length = 628	gi 3025718	2	391	65	83	HFLNB80 HTEKO43
227	844092			28	837			

228	844270	nuclear antigen EBNA-3B [Human herpesvirus 4] >pir S27921 S27921 nuclear antigen EBNA-3B - human herpesvirus 4 >sp Q69139 Q69139 NUCLEAR ANTIGEN EBNA-3B. Length = 946	gi 330409	2	373	47	52	HWLBL06
229	844604	(AF071186) WW domain binding protein 11 [Mus musculus] >sp O88539 O88539 WW DOMAIN BINDING PROTEIN 11. Length = 389	gi 3550082	170	2110	66	70	HINTAD40
230	844685	immunoglobulin lambda heavy chain [Homo sapiens] >gi 567132 This CDS feature is included to show the translation of the corresponding C_region. Presently translation qualifiers on C_region features are illegal [Homo sapiens] {SUB 148-177} Length = 477	gnl PID e 227585	539	1564	94	94	HASAC08
231	844855	titin [Oryctolagus cuniculus] >sp E1355301 E1355301 TITIN (FRAGMENT). Length = 2000	gnl PID e 355301	3	1634	34	54	HAICQ70
232	845101	(AF089814) growth suppressor related [Homo sapiens] >sp O75956 O75956 GROWTH SUPPRESSOR RELATED. Length = 126	gi 3661529	46	627	94	94	HHSZ77
233	845141	(AB011105) KIAA0533 protein [Homo sapiens] >sp O15230 O15230 KIAA0533 PROTEIN (LAMININ ALPHA 5 CHAIN) (FRAGMENT).	gnl PID d 026389	31	966	100	100	HWMFO67
234	845220	>gnl PID e 317479 laminin alpha 5 chain [Homo sapiens] {SUB 693-1645} Length = 1645	2	1096				HKADF64

235	845434	glutathione peroxidase [Synecocystis sp.] >pir[S75885 S75885 glutathione peroxidase homolog - Synecocystis sp. (PCC 6803) >sp P74250 P74250 GLUTATHIONE PEROXIDASE (EC 1.11.1.9). Length = 169	gn PID d1019077	3	590	50	61	HWAF112
236	845510	dipeptidyl peptidase III [Rattus norvegicus] >sp O55096 O55096 DIPEPTIDYL PEPTIDASE (EC 3.4.14.4) (DIPEPTIDYL PEPTIDASE III) (DIPEPTIDYL AMINOPEPTIDASE III) (DIPEPTIDYL ARYLAMIDASE III) (RED CELL ANGIOTENSINASE) (ENKEPHALINASE B). Length = 827	gn PID d1025528	3	683	96	98	HEONN92
237	845600	preprocathepsin B [Homo sapiens] >pir A26498 K11HUB cathepsin B (EC 3.4.22.1) precursor - human >sp P07858 CATB_HUMAN CATHEPSIN B PRECURSOR (EC 3.4.22.1) (CATHEPSIN B1) (APP SECRETASE). >gi 181178 lysosomal proteinase cathepsin B [Homo sapiens] {SUB 131-33	gi 181192	223	1254	99	99	IOEME38
238	845882	(AF055666) kinesin light chain 2 [Mus musculus] >sp O88448 O88448 KINESIN LIGHT CHAIN 2. Length = 599	gi 3347848	4	1155	68	75	HI.HCE82

239	846007	alpha-1-acid glycoprotein 2 [Homo sapiens] >pir T0326 OMHU2 alpha-1-acid glycoprotein 2 precursor - human >sp P19652 A1A11_HUMAN ALPHA-1-ACID GLYCOPROTEIN 2 PRECURSOR (AGP 2) (OROSOMUCOID 2) (OMD 2). >gi 388511 alpha 1-acid glycoprotein [Homo sapiens] {SU	gi 177840	1	390	98	100	HLDBS16
240	846280	epididymal apical protein 1-precursor [Macaca fascicularis]		31	105			HCNAK57
241	846286	>pir S28258 S28258 androgen-regulated epididymal protein precursor - crab-eating macaque >sp Q28475 Q28475 EPIDIDYMAL APICAL PROTEIN 1- PRECURSOR. Length = 776	gi 38063	203	901	36	54	HASDA19
242	846388			3	1721			HL3AA32
243	HCRNG17R			154	288			HCRNG17
244	HWMF64R			1	315			HWMF64
245	HAGCZ94R			13	102			HAGCZ94
246	HBJEJ74R			72	287			HBJEJ74
247	HUFBE67R			355	525			HUFBE67
248	HUTHM43R			2	55			HUTHM43
249	HLTGU75R			2	274			HLTGU75
250	HWLKF77R			51	134			HWLKF77
251	HWLJK67R			1	180			HWLJK67
252	HDQIE85R			3	203			HDQIE85
253	HWLFA67R			1	213			HWLFA67
254	HWLGX29R			136	351			HWLGX29
255	HWMFZ29R			324	404			HWMFZ29



256	HNTRR03R			1	363		HNTRR03
257	H6EEP19R			2	103		H6EEP19
258	HJMAM83R			2	352		HJMAM83
259	HAGHF58R	(AB018797) calmodulin B [Halocynthia roretzi] >sp D1034943 D1034943	gnl PID d1034943	1	138	88	HAGHF58
260	HDPHG48R	CALMODULIN B. Length = 149 inhibitory protein [Homo sapiens] >sp O75857 O75857 NEURONAL APOPTOSIS INHIBITORY PROTEIN (FRAGMENT). Length = 1178 (AC005154) similar to protein U28928 (PID:g861306) [Homo sapiens] >sp O75223 O75223 WUGSC:H_DJ0777O23.1 PROTEIN. Length = 188 (AD000684) liver-specific bHLH-Zip transcription factor [Homo sapiens] >sp O00112 O00112 LIVER-SPECIFIC BHLH-ZIP TRANSCRIPTION FACTOR (FRAGMENT). Length = 429 (AF001904) 3-hydroxyacyl-CoA dehydrogenase isoform 2 [Homo sapiens] >sp O00397 O00397 3-HYDROXYACYL-COA DEHYDROGENASE ISOFORM 2 (FRAGMENT). Length = 76 (AF007861) ce-Mago [Caenorhabditis elegans] >sp O16104 O16104 CE-MAGO (FRAGMENT). Length = 147	gij 3688110	1	354	98	HDPHG48
261	HWLUL19R			2	211	59	HWLUL19
262	HWLLI56R			1	489	61	HWLLI56
263	HWMAA87R			3	92	86	HWMAA87
264	HGLAT96R			165	359	91	HGLAT96

265	HCDMC32R	(AF014118) membrane-associated kinase [Homo sapiens] >sp O14731 O14731 MEMBRANE-ASSOCIATED KINASE. Length = 499	gij2460023	3	272	100	100	HCDMC32
266	HCROF25R	(AF034800) liprin-alpha3 [Homo sapiens] >sp G3309535 G3309535 LIPRIN-ALPHA3 (FRAGMENT). Length = 443	gij3309535	70	381	60	65	HCROF25
267	HTEQO80R	(AF035840) NADH:ubiquinone oxidoreductase B17 subunit [Homo sapiens] >sp G3800740 G3800740 NADH:UBIQUINONE OXIDOREDUCTASE B17 SUBUNIT. Length = 128	gij3800740	1	327	100	100	HTEQO80
268	H2LAU18R	(AF035940) similar to mago nashi [Homo sapiens] >gij2330011 (AF007862) mm-Mago [Mus musculus] >gij2909828 (AF035939) similar to mago nashi [Mus musculus] >sp O35169 O35169 MM-MAGO. >sp G2909830 G2909830 MAGOH. >sp P50606 MGN_HUMAN MAGO NASHI PROTEIN HOMOL	gij2909830	2	592	100	100	H2LAU18
269	HTXPO87R	(AF038129) polyubiquitin [Ovis aries] >sp O46543 O46543 POLYUBIQUITIN. >gnl PID e1263307 unnamed protein product [unidentified] {SUB 77-305} >gij163575 polyubiquitin [Bos taurus] {SUB 142-305} >gij1762374 polyubiquitin [Gallus gallus] {SUB 1-71} >gnl PID	gij2707837	1	330	97	97	HTXPO87

270	H12LAR08R (AF040642) contains similarity to RNA recognition motifs (RNP) [Caenorhabditis elegans] >sp O44795 O44795 C50D2.5 PROTEIN. Length = 200	gi 2746787	188	514	75	90	H2LAR08
271	HADAF94R (AF044957) NADH:ubiquinone oxidoreductase B15 subunit [Homo sapiens] Length = 129	gi 4164446	88	135	88	88	HADAF94
272	HEMDA91R (AF047473) testis mitotic checkpoint BUB3 [Homo sapiens] >sp O43685 O43685 TESTIS MITOTIC CHECKPOINT BUB3. Length = 326	gi 3378104	132	431	85	85	HEMDA91
273	HWMFN58R (AF051426) slow delayed rectifier channel subunit [Homo sapiens] >sp O60607 O60607 SLOW DELAYED RECTIFIER CHANNEL SUBUNIT. Length = 548	gi 2961249	3	344	100	100	HWMFN58
274	HCNDJ66R (AF054643) lambda 1 immunoglobulin light chain variable region [Homo sapiens] >gi 3023109 (AF054643) lambda 1 immunoglobulin light chain variable region [Homo sapiens] Length = 125	gi 3023109	1	276	72	73	HCNDJ66
275	HOHDH05R (AF061833) aldehyde dehydrogenase; retinal dehydrogenase; class I aldehyde dehydrogenase; ALDH1 [Xenopus laevis] >sp G381853 G381853 ALDEHYDE DEHYDROGENASE (EC 1.2.1.3). >pir S51188 S51188 aldehyde dehydrogenase (NAD+) (EC 1.2.1.3), cytosolic - clawed f	gi 3818533	59	331	53	80	HOHDH05

276	HUFBP63R	(AF062137) immunoglobulin heavy chain variable region [Homo sapiens] Length = 143	gi 3170737	17	463	92	96	HUFBP63
277	HUFBN90R	(AF062211) immunoglobulin heavy chain variable region [Homo sapiens] Length = 149	gi 3170885	26	463	94	96	HUFBN90
278	HEBEJ57R	(AF062214) immunoglobulin heavy chain variable region [Homo sapiens] Length = 142	gi 3170895	1	165	81	90	HEBEJ57
279	HDTDK65R	(AF069048) immunoglobulin light chain variable region [Homo sapiens] Length = 120	gi 3328006	3	434	76	78	HDTDK65
280	HAIAD82R	(AF069711) urokinase [Oryctolagus cuniculus] >sp G398274 G398274  UROKINASE (FRAGMENT). Length = 128	gi 3982741	1	156	68	71	HAIAD82
281	HFKHD61R	(AF073298) 4F5rel [Homo sapiens] >gi 3641536 (AF073297) 4F5rel [Mus musculus] >sp O75918 O75918 4F5REL. >sp O88891 O88891 4F5REL. Length = 59	gi 3641538	3	203	100	100	HFKHD61
282	H2LAX28R	(AF078817) high mobility group protein [Nannospalax ehrenbergi] >sp O88611 O88611 HIGH MOBILITY GROUP PROTEIN. Length = 215	gi 3342571	206	568	97	97	H2LAX28
283	HWLMY93R	(AF078839) Rho related protein Rnd3/Rho8 [Sus scrofa] >sp O77683 O77683 RHO RELATED PROTEIN RND3/RHO8. Length = 244	gi 3386532	3	173	91	91	HWLMY93
284	HTXNL13R			3	356			HTXNL13

285	HDPWR89R	(AJ005259) homologous to Bombyx mori multiprotein bridging factor (EMBL: AB001078) [Homo sapiens] >sp O60869 O60869 EDF-1 PROTEIN. Length = 148	gnl PID e1286414	1	312	79	83	HDPWR89
286	H2LAK62R			22	165			H2LAK62
287	HWLKT15R	(AJ235272) UBIQUINONE/MENAQUINONE BIOSYNTHESIS METHYLTRANSFERASE UBI1 (ubiE) [Rickettsia prowazekii] (AL021546) Cytochrome C Oxidase Polypeptide VIa-liver precursor (EC 1.9.3.1) [Homo sapiens]	gnl PID e1342961	2	301	50	76	HWLKT15
288	HATAR77R	(AL022237) bK1191B2.2 (BCL2-interacting killer (apoptosis-inducing) (NBK, BP4, BIP1)) [Homo sapiens] >sp E1359316 E1359316 BK1191B2.2 (BCL2-INTERACTING KILLER (APOPTOSIS-INDUCING) (NBK, BP4, BIP1)) (FRAGMENT). >gi 929655 NBK [Homo sapiens] {SUB 14-173} Le	gnl PID e1248288	3	413	70	73	HATAR77
289	HWLWN07R	(AL023554) ribosomal protein [Schizosaccharomyces pombe] >sp O60118 O60118 RIBOSOMAL PROTEIN. Length = 157	gnl PID e1359316	1	183	82	88	HWLWN07
290	HWLDI18R		gnl PID e1292696	3	206	43	59	HWLDI18
291	HWMEC68R			3	419			HWMEC68

292	HTXFO53R	11 beta-hydroxysteroid dehydrogenase type II [Homo sapiens] >pir 38858 38858 11 beta-hydroxysteroid dehydrogenase (EC 1.1.1.146) type 2 - human >sp P80365 DHI2_HUMAN CORTICOSTEROID 11-BETA-DEHYDROGENASE, ISOZYME 2 (EC 1.1.1.146) (11-DHI2) (11-BETA-HYDROX	gil565082	3	236	88	94	HTXFO53
293	HWMEH18R	3',5'-cyclic-GMP phosphodiesterase (EC 3.1.4.35) alpha chain - human >gil3513491 (AF022380) rod photoreceptor cGMP phosphodiesterase alpha subunit [Homo sapiens] {SUB 1-122} Length = 859	pir B3461 B3461	3	203	92	92	HWMEH18
294	HCWFF03R	5' half of the product is homologues to Bacillus subtilis SAICAR synthetase, 3' half corresponds to the catalytic subunit of AIR carboxylase [Homo sapiens] >pir S14147 S14147 multifunctional purine biosynthesis protein - human Length = 425	gil28384	3	296	83	90	HCWFF03
295	HCNDP66R	A33 antigen precursor [Homo sapiens] >sp Q99795 A33_HUMAN CELL SURFACE A33 ANTIGEN PRECURSOR. Length = 319	gil1814277	3	503	73	75	HCNDP66
296	HCRMK82R	adenosine A2b receptor [Homo sapiens] >gil757911 A2b adenosine receptor [Homo sapiens] >pir JC1229 JC1229 adenosine receptor A2b - human >sp P29275 AA2B_HUMAN	gil178150	2	427	100	100	HCRMK82

ADENOSINE A2B RECEPTOR. Length  
= 332

297	HCDAN16R	alpha-1 collagen (I) [Gallus gallus] Length = 143	gj 555432	2	133	77	88	HCDAN16
298	HCEOE88R	amplaxin [Homo sapiens] >pir A48063 A48063 mammary tumor/squamous cell carcinoma- associated protein EMS1 - human Length = 550	gj 182087	1	291	93	94	HCEOE88
299	HALSK30R	angiogenin [Homo sapiens] >pir A90498 NRHUAG angiogenin precursor - human >sp P03950 ANGI_HUMAN ANGIOGENIN PRECURSOR (EC 3.1.27.-). Length = 147	gj 178250	189	416	74	76	HALSK30
300	HDRME43R	anonymous [Homo sapiens] >pir 39463 39463 gene anonymous protein - human >sp Q13769 Q13769 ANONYMOUS. Length = 683	gj 388012	2	346	94	95	HDRME43
301	HHEFA24R	APP-binding protein 1 [Rattus norvegicus] >sp G4099878 G4099878 APP-BINDING PROTEIN 1. Length = 534	gj 4099878	10	177	63	65	HHEFA24
302	HSSGC52R	argininosuccinate synthetase [Bos taurus] >sp P14568 ASSY_BOVIN ARGININOSUCCINATE SYNTHASE (EC 6.3.4.5) (CITRULLINE-- ASPARTATE LIGASE). Length = 412	gj 162697	1	438	94	95	HSSGC52

303	HCYBN49R	ATP synthase beta subunit precursor [Homo sapiens] >pir A33370 A33370 H+-transporting ATP synthase (EC 3.6.1.34) beta chain precursor, mitochondrial - human >sp P06576 ATPB_HUMAN ATP SYNTHASE BETA CHAIN. MITOCHONDRIAL PRECURSOR (EC 3.6.1.34). >gil 28931 be	gil 179281	56	445	97	97	HCYBN49
304	HWMGB90R	ATP synthase subunit e [Homo sapiens] >sp P56385 ATPJ_HUMAN ATP SYNTHASE E CHAIN, MITOCHONDRIAL (EC 3.6.1.34). {SUB 2-69} Length = 69	gil 2605592	1	165	58	61	HWMGB90
305	HTEAW21R	ATPase coupling factor 6 subunit [Homo sapiens] >pir JT0563 JT0563 coupling factor 6 precursor, mitochondrial - human >sp P18859 ATPR_HUMAN ATP SYNTHASE COUPLING FACTOR 6, MITOCHONDRIAL PRECURSOR (EC 3.6.1.34) (F6). Length = 108	gil 79275	47	259	93	93	HTEAW21
306	HCQCV96R	ATPase subunit 6 [Homo sapiens] >sp Q34772 Q34772 ATP SYNTHASE A CHAIN (EC 3.6.1.34). Length = 226	gnl PID d1007873	147	368	58	61	HCQCV96
307	HLTDN74R	autotaxin-1 [Homo sapiens] >sp Q13822 Q13822 AUTOTAXIN-T. >gnl PID d1008938 phosphodiesterase 1 alpha [Homo sapiens] {SUB 1-45} Length = 863	gil 160616	2	118	85	85	HLTDN74
308	HDABV61R	B-creatine kinase [Gallus gallus] Length = 65	gil 211524	3	230	93	100	HDABV61



309	H2LAQ68R	beta prime cop [Bos taurus] >pir S35312 S35312 coatomer complex beta' chain - bovine >sp P35605 COPP_BOVIN COATOMER BETA' SUBUNIT (BETA'-COAT PROTEIN) (BETA'- COP) (P102). {SUB 2-906} Length = 906	gij 312732	127	558	100	100	H2LAQ68
310	HDTLN42R	beta-2-microglobulin [Pan troglodytes] >gij 177065 beta-2-microglobulin [Gorilla gorilla] >gn PID d1036168 (AB021288) beta 2-microglobulin [Homo sapiens] >pir A90976 MGHUB2 beta-2- microglobulin precursor - human >pir 136963 136963 beta-2-microglobulin pre	gij 176827	2	361	86	86	HDTLN42
311	HULFN47R	beta-2-microglobulin [Pan troglodytes] >gij 177065 beta-2-microglobulin [Gorilla gorilla] >gn PID d1036168 (AB021288) beta 2-microglobulin [Homo sapiens] >pir A90976 MGHUB2 beta-2- microglobulin precursor - human >pir 136963 136963 beta-2-microglobulin pre	gij 176827	3	449	88	89	HULFN47
312	HCRM141R			1	528			HCRM141
313	HWLIP53R			2	499			HWLIP53
314	HBAAD60R			2	463			HBAAD60
315	HCROA35R			3	500			HCROA35
316	HCROM64R			201	512			HCROM64
317	HEOPS84R			2	388			HEOPS84
318	HKBAG82R			32	265			HKBAG82
319	HUTSB76R			188	418			HUTSB76



335	HWLGR92R	brain glycogen phosphorylase [Homo sapiens] >pir A29949 A29949 glycogen phosphorylase (EC 2.4.1.1), brain (astrocytoma cell line) - human Length = 863	gil307200	122	238	100	100	100	HWLGR92
336	HCNCQ71R	CAG-isl 7 [Homo sapiens] Length = 213	gil3126984	1	93	66			HCNCQ71
337	HBMCI28R	carbonic anhydrase I (EC 4.2.1.1) [Homo sapiens] >gil29600 carbonic anhydrase I (AA 1-261) [Homo sapiens] >pir JQ0786 CRHU1 carbonate dehydratase (EC 4.2.1.1) I - human >sp P00915 CAH1_HUMAN CARBONIC ANHYDRASE I (EC 4.2.1.1) (CARBONATE DEHYDRATASE I). {SU}	gil179793	81	293	84			HBMCI28
338	HWLENI1R	carbonic anhydrase I (EC 4.2.1.1) [Homo sapiens] >gil29600 carbonic anhydrase I (AA 1-261) [Homo sapiens] >pir JQ0786 CRHU1 carbonate dehydratase (EC 4.2.1.1) I - human >sp P00915 CAH1_HUMAN CARBONIC ANHYDRASE I (EC 4.2.1.1) (CARBONATE DEHYDRATASE I). {SU}	gil179793	84	347	80			HWLENI1
339	HMSDU92R	carbonic anhydrase II [Homo sapiens] >gil179780 carbonic anhydrase II [Homo sapiens] >gil179795 carbonic anhydrase II [Homo sapiens] >gil29587 carbonic anhydrase II (AA 1-260) [Homo sapiens] >pir A27175 CRHU2 carbonate dehydratase (EC 4.2.1.1) II - human	gil179772	1	360	76			HMSDU92

340	HCDBF89R	carbonic anhydrase IV [Homo sapiens] >gil409726 carbonic anhydrase IV [Homo sapiens] {SUB 73-294} Length = 294	gil409725	11	160	87	90	HCDBF89
341	HCNDP16R	carboxylesterase hCE-2 [Homo sapiens] >sp Q16859 Q16859 CARBOXYLESTERASE (EC 3.1.1.1) (ALI-ESTERASE) (B-ESTERASE) (MONOBUTYRASE) (COCAINE ESTERASE) (PROCAINE ESTERASE) (METHYLBUTYRASE). Length = 550	gil407780	1	252	70	71	HCNDP16
342	HWLGX53R	carcinoembryonic antigen [Homo sapiens] >gil178677 carcinoembryonic antigen precursor [Homo sapiens] >pir A36319 A36319 carcinoembryonic antigen precursor - human >sp P06731 CCEM_HUMAN CARCINOEMBRYONIC ANTIGEN PRECURSOR (CEA) (MECONIUM ANTIGEN 100) (CD66E)	gil180223	19	138	73	73	HWLGX53
343	HWLEH156R	carcinoembryonic antigen [Homo sapiens] >gn PID e249945 carcinoembryonic antigen [Homo sapiens] >gil3702266 (AC005797) carcinoembryonic antigen CGM2 precursor - human [Homo sapiens] >pir A55811 A55811 carcinoembryonic antigen CGM2 precursor - human >sp Q	gil471077	1	453	86	87	HWLEH156

344	H2LAD26R	CarG box-binding factor [Mus musculus] >gnl PID d1014884 CarG-binding factor-A [Mus musculus] >pir JQ0448 JQ0448 CarG-binding factor-A - mouse >sp Q99020 CABA_MOUSE CARG-BINDING FACTOR-A (CBF-A). Length = 285	gj 840648	43	387	98	98	H2LAD26
345	HADAF48R	CD99 typeII [Homo sapiens] >sp O00518 O00518 CD99 TYPEII. Length = 160	gj 2149135	2	151	59	59	HADAF48
346	HCRNV62R	Cdc6-related protein [Homo sapiens] >gi 2465437 (AF022109) HsCdc18p [Homo sapiens] >sp Q99741 Q99741 CDC6-RELATED PROTEIN. Length = 560	gj 1684903	2	442	90	91	HCRNV62
347	HCDC117R	chaperonin-like protein [Homo sapiens] >pir S48087 S48087 t-complex-type molecular chaperone CCT6 - human >gi 184462 chaperonin-like protein [Homo sapiens] {SUB 143-531} Length = 531	gj 517065	3	137	97	100	HCDC117
348	HJUAA02R	Cks1 protein homologue [Homo sapiens] >pir A36670 A36670 protein kinase cdc2 complex subunit CKS1 - human >sp P33551 CKS1_HUMAN CYCLIN-DEPENDENT KINASES REGULATORY SUBUNIT 1 (CKS-1). Length = 79	gj 29977	186	386	96	96	HJUAA02

349	HKAKO78R	CksI protein homologue [Homo sapiens] >pir B36670 B36670 protein kinase cdc2 complex subunit CKS2 - human >sp P33552 CKS2_HUMAN CYCLIN- DEPENDENT KINASES REGULATORY SUBUNIT 2 (CKS-2). Length = 79	gij 29979	2	193	77	77	HKAKO78
350	H2CBD02R			58	522			H2CBD02
351	HWLCR90R	contains similarity to ATP/GTP-binding site motif (PS:PS00017) [Caenorhabditis elegans] >sp Q94180 Q94180 SIMILARITY TO ATP/GTP-BINDING SITE MOTIF. Length = 398	gij 519671	1	351	34	60	HWLCR90
352	H2LAK66R	core protein II precursor [Homo sapiens] >pir A32629 A32629 ubiquinol-- cytochrome-c reductase (EC 1.10.2.2) core protein II - human Length = 453	gij 80928	126	632	79	79	H2LAK66
353	HSDKC65R	CoxII/D-loop DNA fusion protein [Homo sapiens] >sp Q34777 Q34777 COXII/D- LOOP DNA FUSION PROTEIN (FRAGMENT). Length = 125	gij 374867	179	346	95	97	HSDKC65
354	H2LAK52R	CUL-2 [Homo sapiens] >sp Q13617 CUL2_HUMAN CULLIN HOMOLOG 2 (CUL-2). Length = 745	gij 1923243	24	608	100	100	H2LAK52
355	HKAEI2R	cyclin B1 - human >sp P14635 CGB1_HUMAN G2/MITOTIC-SPECIFIC CYCLIN B1. Length = 433	pir A32992 A32992 2	3	392	98	98	HKAEI2
356	HKADP43R	cyclin F [Homo sapiens] >sp P41002 CG2F_HUMAN G2/MITOTIC-SPECIFIC CYCLIN F. Length = 786	gij 576781	1	375	71	71	HKADP43

357	HLXNDI0R	cystatin B [Homo sapiens] >gil235678 cystatin B [Homo sapiens] >sp P04080 CYTB_HUMAN CYSTATIN B (LIVER THIOL PROTEINASE INHIBITOR) (CPI-B) (STEFIN B). Length = 98	2	355	100	100	HLXNDI0
358	HUSJE17R	cytochrome c oxidase subunit II [Pan troglodytes] >sp P26457 COX2_PANPA CYTOCHROME C OXIDASE POLYPEPTIDE II (EC 1.9.3.1). Length = 227	17	208	97	98	HUSJE17
359	HLHGH82R	cytochrome c oxidase subunit Va preprotein [Mus musculus] >pir S05495 S05495 cytochrome-c oxidase (EC 1.9.3.1) chain Va precursor - mouse >sp P12787 COXA_MOUSE CYTOCHROME C OXIDASE POLYPEPTIDE VA PRECURSOR (EC 1.9.3.1). Length = 145	2	106	94	94	HLHGH82
360	HHBEF06R	cytochrome oxidase III [Homo sapiens] >pir A00482 OTHU3 cytochrome-c oxidase (EC 1.9.3.1) chain III - human mitochondrion (SGC1) >sp P00414 COX3_HUMAN CYTOCHROME C OXIDASE POLYPEPTIDE III (EC 1.9.3.1). >gil2245564 (AF004341) cytochrome c oxidase subunit I	167	373	75	80	HHBEF06

361	HIISCW28R	cytochrome oxidase subunit II [Homo sapiens] >gil530071 cytochrome oxidase subunit II [Homo sapiens] >gil530073 cytochrome oxidase subunit II [Homo sapiens] >gil530077 cytochrome oxidase subunit II [Homo sapiens] >gil337187 cytochrome oxidase subunit II [	gil530069	121	312	83	86	HIISCW28
362	HODEN42R	cytochrome oxidase subunit II [Homo sapiens] >gil530071 cytochrome oxidase subunit II [Homo sapiens] >gil530073 cytochrome oxidase subunit II [Homo sapiens] >gil530077 cytochrome oxidase subunit II [Homo sapiens] >gil337187 cytochrome oxidase subunit II [	gil530069	302	469	68	71	HODEN42
363	HOEMM43R	cytochrome oxidase subunit II [Homo sapiens] >gil530071 cytochrome oxidase subunit II [Homo sapiens] >gil530073 cytochrome oxidase subunit II [Homo sapiens] >gil530077 cytochrome oxidase subunit II [Homo sapiens] >gil337187 cytochrome oxidase subunit II [	gil530069	1	180	64	67	HOEMM43
364	HPIAK29R	cytochrome oxidase subunit II [Homo sapiens] >gil530071 cytochrome oxidase subunit II [Homo sapiens] >gil530073 cytochrome oxidase subunit II [Homo sapiens] >gil530077 cytochrome oxidase subunit II [Homo sapiens] >gil337187 cytochrome oxidase subunit II [	gil530069	295	441	63	70	HPIAK29



365	HUFAR71R	cytochrome oxidase subunit II [Homo sapiens] >gi 530071  cytochrome oxidase subunit II [Homo sapiens] >gi 530073  cytochrome oxidase subunit II [Homo sapiens] >gi 530077  cytochrome oxidase subunit II [Homo sapiens] >gi 337187  cytochrome oxidase subunit II [	gi 530069	128	367	82	85	HUFAR71
366	HHEUL74R	cytochrome oxidase subunit II [Homo sapiens] >sp Q37526 Q37526  CYTOCHROME C OXIDASE POLYPEPTIDE II (EC 1.9.3.1). Length = 227	gi 530075	3	227	70	74	HHEUL74
367	H2LAY36R	cytosolic malate dehydrogenase [Homo sapiens] >gi 3133269 malate dehydrogenase [Homo sapiens] >sp P40925 MDHC_HUMAN MALATE DEHYDROGENASE, CYTOPLASMIC (EC 1.1.1.37). {SUB 2-334} Length = 334	gn PID d1010156	10	609	84	88	H2LAY36
368	HOEC121R	decay-accelerating factor precursor [Homo sapiens] >gn PID d1023771  (AB003312) decay accelerating factor [Homo sapiens] {SUB 286-340} Length = 376	gi 181463	3	548	73	75	HOEC121
369	HKAFY51R	desmoglein 2 [Homo sapiens] >pir S38673 S38673 desmoglein 2 - human >sp Q14126 DSG2_HUMAN DESMOGLEIN 2 PRECURSOR (HDGC). Length = 1117	gi 416178	1	429	100	100	HKAFY51
370	HMCAR63R	diazepam binding inhibitor [Homo sapiens] Length = 104	gi 181478	3	335	100	100	HMCAR63

371	HWMAN06R	dopamine- and cAMP-regulated neuronal phosphoprotein [Sus scrofa] >sp Q29277 PPD_PIG DOPAMINE-AND CAMP-REGULATED NEURONAL PHOSPHOPROTEIN (DARPP-32) (FRAGMENT). Length = 137	gi 972053	1	222	83	83	HWMAN06
372	HDPLD04R	early growth response 2 protein (EGR2) - human >gi 181987 early growth response 2 protein [Homo sapiens] {SUB 51-456} Length = 456	pir A40492 A40492	1	459	69	70	HDPLD04
373	HCEGK04R	elongation factor 2 [Gallus gallus] >sp Q90705 EF2_CHICK ELONGATION FACTOR 2 (EF-2). {SUB 2-858} Length = 858	gi 1184958	87	182	95	95	HCEGK04
374	HWLMB57R	epidermal growth factor receptor kinase substrate [Homo sapiens] >pir 38728 38728 epidermal growth factor receptor kinase substrate - human >sp Q12929 EPS8_HUMAN EPIDERMAL GROWTH FACTOR RECEPTOR KINASE SUBSTRATE EPS8. Length = 822	gi 530823	1	186	93	93	HWLMB57
375	HHFHF93R	epidermal growth factor receptor precursor [Homo sapiens] >sp P21860 ERB3_HUMAN ERBB-3 RECEPTOR PROTEIN-TYROSINE KINASE PRECURSOR (EC 2.7.1.112). >gnl PID e304809 unnamed protein product [Homo sapiens] {SUB 1-27} Length = 1342	gi 181980	1	180	89	89	HHFHF93

376	HCDEM69R	epiligrin alpha 3 subunit [Homo sapiens] >pir A55347 A55347 adhesive ligand epiligrin, alpha-3 chain form A precursor - human >sp Q16787 LMA3_HUMAN LAMININ ALPHA-3 CHAIN PRECURSOR (EPILIGRIN 170 KD SUBUNIT) (E170). Length = 1713	gil551597	136	282	95	95	HCDEM69
377	HCHNP50R	epithelial cell marker protein 1 [Homo sapiens] >pir S38956 S38956 epithelial cell marker protein 1 - human Length = 248	gil187302	54	218	94	94	HCHNP50
378	HAJAW27R	ERF-1 gene product [Homo sapiens] >pir S34854 S34854 epidermal growth factor-response factor 1 - human >gil972116 ERF-1 protein [Sus scrofa] {SUB 299-337} Length = 338	gil825653	3	488	100	100	HAJAW27
379	HAICY55R	G-rich sequence factor-1 [Homo sapiens] >gil517196 G-rich sequence factor-1 [Homo sapiens] >sp Q12849 GRF1_HUMAN G-RICH SEQUENCE FACTOR-1 (GRSF-1). >pir S48081 S48081 GRSF-1 protein - human (fragment) {SUB 94-424} Length = 424	gil517196	3	374	50	50	HAICY55
380	HWLIA38R	gap junction protein (aa 1-283) [Homo sapiens] >pir B29005 B29005 gap junction protein Cx32 - human >sp P08034 CX31_HUMAN GAP JUNCTION BETA-1 PROTEIN (CONNEXIN 32) (CX32) (GAP JUNCTION 28 KD LIVER PROTEIN). Length = 283	gil31647	3	455	82	85	HWLIA38

381	HBXCL69R	glutamine--phenylpyruvate aminotransferase [Homo sapiens] >pirS69001 S52790 glutamine-- phenylpyruvate transaminase (EC 2.6.1.64) - human >sp Q16773 Q16773 GLUTAMINE--PIENYLPYRUVATE AMINOTRANSFERASE (EC 2.6.1.64) (GLUTAMINE TRANSAMINASE K). Length = 422	gi 488476	234	545	97	61	67	HBXCL69
382	H2LAP90R	glutathione peroxidase [Homo sapiens] Length = 202	gi 488476	234	545	97			H2LAP90
383	HCQCR94R	glutathione peroxidase-G1 [Homo sapiens] Length = 190	gi 579930	1	114	95			HCQCR94
384	HTLELE03R	glutathione peroxidase-G1 [Homo sapiens] Length = 190	gi 579930	14	202	100			HTLELE03
385	HJMBN86R	glutathione-insulin transhydrogenase (216 AA) [Homo sapiens] Length = 216	gi 31746	2	202	97			HJMBN86
386	HSKJC32R	GTP:AMP phosphotransferase (EC 2.7.4.10) [Bos taurus] >gnl P1D1 d1001680 mitochondrial adenylate kinase isozyme 3 [Bos taurus] >pir A34442 A34442 nucleoside- triphosphate--adenylate kinase (EC 2.7.4.10) 3, mitochondrial - bovine >sp P08760 KAD3_BOVIN GTP:AM	gi 163528	1	642	89			HSKJC32
387	HOEAZ62R	GTP_binding protein [Sus scrofa] >sp Q29222 Q29222 GTP_BINDING PROTEIN (FRAGMENT). Length = 92	gi 971836	2	100	89		92	HOEAZ62

388	IIAOAG76R	guanine nucleotide-binding protein G-s-alpha-4 [Homo sapiens] >gi 31913 alpha-S1 (AA 1-380) [Homo sapiens] >pir C31927 RGHUA1 GTP-binding regulatory protein Gs alpha chain (adenylate cyclase-stimulating), splice form 4 - human Length = 380	gi 386746	1	369	86	86	86	HAOAG76
389	HIC1AD45R	guanylin [Homo sapiens] >gi 306824 guanylin [Homo sapiens] >pir A46279 A46279 guanylin precursor - human >sp Q02747 GUAN_HUMAN GUANYLIN PRECURSOR (GUANYLATE CYCLASE ACTIVATOR 2A). Length = 115	gi 183415	2	262	75	81	81	IIC1AD45
390	H2MAC82R	H+-ATP synthase subunit b [Homo sapiens] >pir JQ1144 JQ1144 H+-transporting ATP synthase (EC 3.6.1.34) chain b precursor, mitochondrial - human >sp P24539 ATPF_HUMAN ATP SYNTHASE B CHAIN, MITOCHONDRIAL PRECURSOR (EC 3.6.1.34). Length = 256	gi 509291	214	513	95	96	96	H2MAC82
391	H2LAJ41R	heat shock protein [Homo sapiens] >pir A32319 HHU86 heat shock protein 90-alpha - human >gi 184419 heat shock protein 86 [Homo sapiens] {SUB 1-312} >gnl PID d1014121 heat shock protein 90 [Homo sapiens] {SUB 582-732} Length = 732	gi 703087	75	632	98	98	98	H2LAJ41
392	HWLGH40R	HKL1 [Homo sapiens] >sp O60765 O60765 HKL1. Length = 605	gnl PID d1026110	1	597	92	93	93	HWLGH40

393	HBJFH33R	HLA DP4 beta-chain [Homo sapiens] >gil296648 H2P_HUMAN HLA sapiens] >pir/A02229 HLHUPB MHC class II histocompatibility antigen HLA- DP beta 1 chain (allele DPB4.1) precursor - human >sp P04440 H2P_HUMAN HLA CLASS II HISTOCOMPATIBILITY ANTIGEN,	gil306858	97	369	88	92	HBJFH33
394	HISDV92R	homeobox c1 protein [Homo sapiens] >sp Q64081 Q64081 HOX-B HOX-2 {CLONE 17A}. {SUB 137-196} Length = 217	gil306878	51	404	72	72	HISDV92
395	HMQCG89R	Hox5.4 gene product (AA 1-95) [Homo sapiens] >pir B32830 B32830 homeotic protein Hox D8 - human (fragment) >sp P13378 HXXD8_HUMAN HOMEBOX PROTEIN HOX-D8 (HOX-4E) (HOX-5.4) (FRAGMENT). Length = 95	gil32400	158 1	388 345	100 100	100	HMQCG89 HE9QB35
397	HDABQ50R	hsOrc2p [Homo sapiens] >sp Q13416 ORC2_HUMAN ORIGIN RECOGNITION COMPLEX PROTEIN, SUBUNIT 2. Length = 577	gil113107	204	368	91	91	HDABQ50

398	HNTEG83R	hydroxymethylglutaryl-CoA lyase [Homo sapiens] >pir A45470 A45470 hydroxymethylglutaryl-CoA lyase (EC 4.1.3.4) - human >sp P35914 HMGL_HUMAN HYDROXYMETHYLGLUTARYL- COA LYASE PRECURSOR (EC 4.1.3.4) (HMG-COA LYASE) (HL) (3- HYDROXY-3-METHYLGLUTARATE- COA LYASE	gij184503	2	391	83	83	HNTEG83
399	HFVHM90R	hydroxymethylglutaryl-CoA synthase [Homo sapiens] >gij2463646 3-hydroxy- 3-methylglutaryl CoA synthase [Homo sapiens] >pir S71623 S71623 hydroxymethylglutaryl-CoA synthase (EC 4.1.3.5) precursor, mitochondrial - human >sp P54868 HMCM_HUMAN HYDROXYMETHYLGLU	gij619877	2	319	92	94	HFVHM90
400	HOSNF90R	hypothetical 18K protein (rRNA) - goldfish mitochondrion (SGCI) Length = 166	pir JC1348 JC1348	257	340	59	62	HOSNF90
401	HSDJE56R	hypothetical 18K protein (rRNA) - goldfish mitochondrion (SGCI) Length = 166	pir JC1348 JC1348	2	70	67	73	HSDJE56
402	HWLGC87R	hypothetical protein 2 (rRNA external transcribed spacer) - mouse Length = 153	pir S12206 S12206	1	135	96	96	HWLGC87

403	HTPAC28R	I-plastin [Homo sapiens] >pir A56536 A56536 plastin, intestine-specific - human >sp Q14651 PLSI_HUMAN I-PLASTIN (INTESTINE-SPECIFIC PLASTIN). Length = 629	gi 405230	68	325	92	93	HTPAC28
404	HMCGN07R	ICK=INTRON-CONTAINING KALLIKREIN {ALTERNATIVELY SPLICED, INTRON 2}. Length = 216	sp G998972 G998972	1	498	98	99	HMCGN07
405	HFIBV16R	Id1 gene product [Homo sapiens] >pir S47524 S47524 gene Id1 protein - human Length = 154	gi 457785	2	238	89	89	HFIBV16
406	HBMTT01R	Ig alpha-2 chain C region (allotype A2m(1)) - human >sp P01877 ALC2_HUMAN IG ALPHA-2 CHAIN C REGION. >gi 184761 Ig alpha-2 H-chain constant region (aa at 166) [Homo sapiens] {SUB 2-340} Length = 340	pir B22360 B22360	2	154	80	80	HBMTT01
407	HBMVM66R	Ig gamma chain C region - chimpanzee >gnl PID e40518 CH2 domain of IgG [Pan troglodytes] {SUB 25-134} >gnl PID e40517 CH3 domain of IgG [Pan troglodytes] {SUB 135-234} Length = 234	pir PT0207 PT0207	148	435	70	77	HBMVM66
408	HABGC21R	Ig heavy chain (D01) - human (fragment) >gnl PID e4381 reading frame CHI [Homo sapiens] {SUB 121-218} Length = 241	pir S69131 S69131	1	228	50	56	HABGC21
409	HWLGE72R	Ig kappa light chain (VJ) [Homo sapiens] >pir S40343 S40343 Ig kappa chain V-J region - human Length = 128	gi 441375	11	421	75	79	HWLGE72



410	HLIBX69R	IgM B-cell receptor associated protein (BAP) 37 [Mus musculus] >pir S46996 S46996 B-cell receptor-associated protein BAP37 - mouse >sp Q61336 Q61336 BCR-ASSOCIATED PROTEIN 37 (IGM B-CELL RECEPTOR ASSOCIATED PROTEIN 37)(BAP). Length = 298	gij541734	1	279	100	100	HLIBX69
411	HWAFW14R	immunoglobulin from VH4 family [Homo sapiens] >pir S13519 S13519 Ig heavy chain V region precursor - human >gij55385 immunoglobulin heavy chain [Homo sapiens] {SUB 24-125} Length = 147	gij37725	2	139	94	100	HWAFW14
412	HWAFK04R	immunoglobulin heavy chain [Homo sapiens] >pir E36005 E36005 Ig heavy chain V region (M72) - human {SUB 36-157} Length = 157	gij567126	48	473	78	86	HWAFK04
413	HEPNA09R	immunoglobulin heavy chain [Homo sapiens] >pir G36005 G36005 Ig heavy chain V region (M74) - human {SUB 38-158} Length = 158	gij567127	3	206	81	87	HEPNA09
414	HCRQD03R	immunoglobulin heavy chain [Homo sapiens] Length = 152	gij567128	1	573	76	82	HCRQD03
415	HAPSK08R	immunoglobulin heavy chain variable region [Homo sapiens] >gij903667 Ig heavy chain variable region VH [Homo sapiens] {SUB 1-97} >gij97631   This CDS feature is included to show the translation of the corresponding V_segment. Presently translation qualifie	gij1791017	1	363	79	81	HAPSK08

416	HBM1S11R	immunoglobulin IgH heavy chain Fd fragment [Homo sapiens] Length = 221	gi 468237	1	375	68	70	HBM1S11
417	HCNDR62R	immunoglobulin kappa light chain [Homo sapiens] >pir A37927/A37927 Ig kappa chain C region (allotype Inv(1.2)) - human (fragment) {SUB 138-236} Length = 236	gnl PID e224083	245	337	100	100	HCNDR62
418	HNJBF13R	immunoglobulin lambda light chain gene product [Homo sapiens] >pir S25738 S25738 Ig lambda chain - human Length = 231	gi 33702	3	308	90	93	HNJBF13
419	HLVCD69R	immunoglobulin lambda light chain gene product [Homo sapiens] >pir S25743 S25743 Ig lambda chain - human (fragment) Length = 145	gi 33712	2	481	86	89	HLVCD69
420	HWAFK89R	immunoglobulin lambda light chain gene product [Homo sapiens] >pir S25750 S25750 Ig lambda chain - human Length = 235	gi 33730	2	460	87	92	HWAFK89
421	HWCAA53R	immunoglobulin light chain variable region [Homo sapiens] >gi 3142470 (AF063703) immunoglobulin lambda light chain variable region [Homo sapiens] {SUB 20-127} >gi 575243 immunoglobulin lambda chain precursor [Homo sapiens] {SUB 26-127} >gnl PID d1020826 V	gi 465170	1	342	74	88	HWCAA53
422	HYAAV47R	immunoglobulin light chain variable region [Homo sapiens] Length = 154	gi 465168	2	292	70	74	HYAAV47
423	HMCJF14R			21	596			HMCJF14
424	HE8QU88R			13	141			HE8QU88

425	HFVGPI1R	L-FABP [Homo sapiens] >pir A22289 FZHU.L fatty acid-binding protein, hepatic - human >sp P07148 FABL_HUMAN FATTY ACID-BINDING PROTEIN, LIVER (L- FABP). Length = 127	gj 182358	29	322	98	98	HFVGPI1
426	HWLQH07R			3	554			HWLQH07
427	HSIGN24R	Irp gene product [Homo sapiens] >pir S57723 S57723 Irp protein - human >sp Q14764 MVP_HUMAN MAJOR VAULT PROTEIN (MVP) (LUNG RESISTANCE-RELATED PROTEIN). Length = 896	gj 895840	2	250	89	93	HSIGN24
428	HWLKH07R	lysophosphatidic acid acyltransferase- beta [Homo sapiens] Length = 278	gj 2155240	74	298	96	97	HWLKH07
429	HAPQC14R	macrophage capping protein [Homo sapiens] >pir A43358 A43358 macrophage capping protein - human >sp P40121 CAPG_HUMAN MACROPHAGE CAPPING PROTEIN (ACTIN-REGULATORY PROTEIN CAP-G). >gj 515505 Cap-G [Homo sapiens] {SUB 1-172} Length = 348	gj 187456	2	538	96	98	HAPQC14
430	HSODB48R	malonyl-CoA decarboxylase (EC 4.1.1.9) - goose >gj 305323 malonyl CoA decarboxylase [Anser anser] {SUB 33- 462} Length = 462	pir A33313 A33313 3	32	466	77	81	HSODB48
431	HBEAC75R	membrane glycoprotein [Homo sapiens] Length = 385	gj 307132	2	217	73	79	HBEAC75
432	HBGMJ24R	mitochondrial RNA polymerase [Homo sapiens] Length = 1230	gj 2114396	3	479	100	100	HBGMJ24

433	HBJEN94R	mitotic kinase-like protein-1 [Homo sapiens] >pir S28262 S28262 kinesin-related protein MKLP-1 - human >sp Q02241 MKLP_HUMAN MITOTIC KINESIN-LIKE PROTEIN-1. Length = 960	gij34672	1	327	89	89	HBJEN94
434	HICIAE73R	motor protein [Homo sapiens] Length = 721	gml PID d1005183	73	324	100	100	HICIAE73
435	HCNDN88R	mucin 2 precursor, intestinal - human (fragments) >gij186396 mucin [Homo sapiens] {SUB 626-1895} >gij186398 MUC2 [Homo sapiens] {SUB 2037-3020} >gij188874 intestinal mucin [Homo sapiens] {SUB 1916-2193} >gij188615 mucin-like protein [Homo sapiens] {SUB 23	pir A49963 A4393 2	1	171	95	97	HCNDN88
436	HSIDX70R	N-benzoyl-L-tyrosyl-p-amino-benzoic acid hydrolase alpha subunit [Homo sapiens] >pir S60193 HYHUMA meprin A (EC 3.4.24.18) alpha chain precursor - human >sp Q16819 MEPA_HUMAN MEPRIN A ALPHA-SUBUNIT PRECURSOR (EC 3.4.24.18) (ENDOPEPTIDASE-2) (N-BENZOYL-L-	gij535475	2	253	94	94	HSIDX70

437	HLWBC39R	Na <sup>+</sup> /H <sup>+</sup> exchanger NHE-1 isoform [human, heart, Peptide, 815 aa] [Homo sapiens] >pir I57487 I57487 Na <sup>+</sup> /H <sup>+</sup> -exchanging protein NHE-1 - human >sp P19634 NAH1_HUMAN SODIUM/HYDROGEN EXCHANGER 1 (NA <sup>+</sup> )/H <sup>+</sup> EXCHANGER 1) (NHE-1) (NA <sup>+</sup> /H <sup>+</sup> ANTIporter, AMILORIDE-SENSI	bbs I43522	2	388	77	77	HLWBC39
438	HWLAA06R	NADH dehydrogenase (ubiquinone) (EC 1.6.5.3) chain 4 - chimpanzee mitochondrion (SGC1) (fragment) >sp P03906 NU4M_PANTR NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 4 (EC 1.6.5.3) (FRAGMENT). Length = 152	pir A00435 A00435	66	194	86	97	HWLAA06
439	HASCH25R	NADH-UBIQUINONE OXIDOREDUCTASE 39 KD SUBUNIT PRECURSOR (EC 1.6.5.3) (EC 1.6.99.3) (COMPLEX I-39KD) (CI-39KD). >gil189049 NADH dehydrogenase (ubiquinone) [Homo sapiens] {SUB 3-377} Length = 377	sp Q16795 NUEM_HUMAN	57	143	78	82	HASCH25
440	HLQGB87R	NADPH--ferrihemoprotein reductase (EC 1.6.2.4) - human >sp P16435 NCPR_HUMAN NADPH-CYTOCHROME P450 REDUCTASE (EC 1.6.2.4) (CPR). {SUB 2-677} Length = 677.	pir A33421 A60557	1	411	92	93	HLQGB87

441	HFDMID17R	neutrophil gelatinase associated lipocalin [Homo sapiens] >sp P80188 NGAL_HUMAN NEUTROPHIL GELATINASE- ASSOCIATED LIPOCALIN PRECURSOR (NGAL) (P25) (25 KD ALPHA-2-MICROGLOBULIN- RELATED SUBUNIT OF MMP-9) (LIPOCALIN-2) (ONCOGENE 24P3). Length = 198	gi 929657	1	621	74	78	HFDMID17
442	HIAOAC69R	nuclear autoantigen [Homo sapiens] >pir A37244 A37244 nuclear autoantigen Sp-100 - human Length = 480	gi 178689	3	209	88	88	HIAOAC69
443	HWLEQ08R	Nuclear localization signal at AA 569- 573, 576-580, 579-583; acidic transcr. activ. domain 620-640.; homeobox motif 653-676 [Homo sapiens] >pir A47456 A47456 down-regulated in adenoma (DRA) - human >sp P40879 DRA_HUMAN DRA PROTEIN (DOWN-REGULATED IN ADENO	gi 291964	191	364	75	84	HWLEQ08
444	HKAAV70R	nucleic acid binding protein [Homo sapiens] >pir J38191 J38191 nucleic acid binding protein - human (fragment) >sp Q15410 Q15410 NUCLEIC ACID BINDING PROTEIN (FRAGMENT). Length = 163	gi 431953	1	432	73	73	HKAAV70

445	HOCTB64R	ORIGINAL PIQR [unidentified] >gi456346 Polymetric immunoglobulin receptor [Homo sapiens] >bbs62408 transmembrane secretory component, poly-Ig receptor, SC [human, colonic adenocarcinoma cell line, Peptide, 764 aa] [Homo sapiens] >bbs113253 transmembrane	gnl PI D c307278	3	212	85	90	HOCTB64
446	HOFNB62R	ornithine decarboxylase [Bos taurus] >gi163449 ornithine decarboxylase [Bos taurus] >sp P27117 DCOR_BOVIN ORNITHINE DECARBOXYLASE (EC 4.1.1.17) (ODC). >gi604513 ornithine decarboxylase [Bos taurus] [SUB 1-34; Length = 461	gi 1036793	1	312	85	90	HOFNB62
447	HAUUAU04R	p22 phagocyte b-cytochrome [Homo sapiens] >pir A28201 A28201 cytochrome b-245 alpha chain - human >sp P13498 C24A_HUMAN CYTOCHROME B-245 LIGHT CHAIN (P22 PHAGOCYTE B-CYTOCHROME) (NEUTROPHIL CYTOCHROME B, 22 KD POLYPEPTIDE) (P22-PHOX) (CYTOCHROME B(558) AL	gi 189106	1	267	87	88	HAUUAU04
448	HNFJE41R	p47-phox [Homo sapiens] >sp O43842 O43842 P47-PHOX. Length = 390	gi 2754713	1	423	94	97	HNFJE41
449	HICFOH92R	phosphoprotein phosphatase (EC 3.1.3.16) catalytic beta chain - pig (fragment) Length = 293	pir B27430 B2743 0	2	88	93	93	HICFOH92
450	HOUIDS3R	phosphorylation regulatory protein HP-10 - human Length = 492	pir A61382 A6138 2	85	213	45	49	HOUIDS3

451	HCRMW41R	polypeptide BM28 [Homo sapiens] Length = 892	gi 468704	1	282	100	100	IICRMW41
452	HOVAX78R	porin [Homo sapiens] >pir A45972 A45972 mitochondrial porin, long form - human >sp P45880 POR2_HUMAN VOLTAGE-DEPENDENT ANION- SELECTIVE CHANNEL PROTEIN 2 (VDAC2) (OUTER MITOCHONDRIAL MEMBRANE PROTEIN PORIN). >gi 190201 porin [Homo sapiens] {SUB 27-347} Len	gi 190200	2	214	94	98	HOVAX78
453	HWAHEH57R	precursor [Homo sapiens] >sp P06314 KV4C_HUMAN IG KAPPA CHAIN PRECURSOR V-1V REGION (B17). Length = 134 presenilin 1-463 [Homo sapiens] >pir S63683 S63683 presenilin 1-463 - human Length = 463	gi 37910	1	462	91	93	HWAHEH57
454	HHBHJ76R	prosomeal P27K protein [Homo sapiens] >gn PID d1002062 proteasome subunit R-IOTA [Rattus sp.] >pir S30274 S30274 multicatalytic endopeptidase complex (EC 3.4.99.46) iota chain - human >pir X0230 X0230 multicatalytic endopeptidase complex (EC 3.4.99.46)	gi 1244638	1	303	98	98	HHBHJ76
455	HBJFA18R	protein kinase [Homo sapiens] >sp P51956 NEK3_HUMAN SERINE/THREONINE-PROTEIN KINASE NEK3 (EC 2.7.1.-) (NIMA- RELATED PROTEIN KINASE 3) (HSPK 36) (FRAGMENT). Length = 459	gi 35682	178	402	79	83	HBJFA18
456	HCRNF16R		gi 479173	336	473	73	79	HCRNF16



457	HAHEK76R	putative surface glycoprotein [Homo sapiens] >sp P53801 C211_HUMAN PUTATIVE SURFACE GLYCOPROTEIN C21ORF1 PRECURSOR (C21ORF3). Length = 180	gnl PID e188111	33	440	83	86	HAHEK76
458	HEOPT38R	renin-binding protein [Homo sapiens] >gi 1302662 renin-binding protein [Homo sapiens] >pir X0188 JX0188 renin-binding protein - human Length = 417	gnl PID d1001551	2	316	100	100	HEOPT38
459	HOSCG81R	ribonucleoprotein La [Homo sapiens] >sp Q15367 Q15367 RIBONUCLEOPROTEIN (LA) (FRAGMENT). >gi 338496 SS-B/La protein [Homo sapiens] {SUB 121-171} Length = 355	gi 337457	1	297	96	96	HOSCG81
460	HTFMD43R	ribosomal protein L39 [Homo sapiens] >gnl PID d1012131 ribosomal protein L39 [Homo sapiens] >gi 575382 ribosomal protein L39 [Rattus norvegicus] >pir JC4229 R6RT39 ribosomal protein L39 - rat >pir G02654 G02654 ribosomal protein L39 - human Length = 51	gi 1373419	3	242	100	100	HTFMD43
461	HDTGQ68R	ribosomal protein L7a large subunit [Homo sapiens] >gi 34203 L7a protein [Homo sapiens] >gi 35512 PLA-X polypeptide [Homo sapiens] >gi 36647 ribosomal protein L7a [Homo sapiens] >gi 56956 ribosomal protein L7a (AA 1-266) [Rattus rattus] >pir S19717 R5HU7A	gi 337495	43	291	100	100	HDTGQ68

462	H2LAR73R	ribosomal protein S15a [Rattus norvegicus] >pir JC2234 JC2234 ribosomal protein S15a - rat Length = 130	gj 495273	23	505	100	100	H2LAR73
463	HAMFM26R	ribosomal protein S6 kinase 1 [Homo sapiens] >pir I51901 I51901 ribosomal protein S6 kinase 2 - human >sp Q15418 KS61_HUMAN RIBOSOMAL PROTEIN S6 KINASE II ALPHA 1 (EC 2.7.1.-) (S6KII-ALPHA 1) (P90-RSK 1) (RIBOSOMAL S6 KINASE 1) (RSK1) (PP90RSK1). Length =	gj 292457	3	458	97	97	HAMFM26
464	HBM61R	Rieske Fe-S protein [Homo sapiens] Length = 274	gj 488299	1	219	53	55	HBM61
465	I1W1PK71R	RIP [Homo sapiens] >pir I38992 I38992 receptor interacting protein RIP - human (fragment) Length = 372	gj 829617	198	320	56	64	I1W1PK71
466	HWBBJ39R	Sec23 protein [Homo sapiens] Length = 767	gnl PID c236014	2	127	81	84	HWBBJ39
467	HSLJJ36R	selenium donor protein [Homo sapiens] Length = 383	gj 1000284	2	319	96	98	HSLJJ36
468	HSODD94R	selenoprotein P [Homo sapiens] Length = 381	gnl PID c1192260	2	232	61	70	HSODD94
469	HMIAG25R	serine kinase [Homo sapiens] >pir S45337 S45337 serine protein kinase SRPK1 - human >sp Q12890 Q12890 SERINE KINASE. Length = 655	gj 507213	1	330	82	82	HMIAG25
470	HWLEM94R	serine protease [Homo sapiens] Length = 492	gj 2507613	2	304	78	82	HWLEM94

471	HCNDW17R	Sm protein G [Homo sapiens] >pir S55054 S55054 Sm protein G - human >sp Q15357 Q15357 SM PROTEIN G. Length = 76	gij806566	1	240	100	100	HCNDW17
472	HWLEY08R	SNAP23A protein [Homo sapiens] >gnl PID e1331767 (AJ011915) synaptosome associated protein of 23 kilodaltons, isoform A [Homo sapiens] >pir JC5296 JC5296 vesicle-membrane fusion protein SNAP-23A - human >sp O00161 O00161 VESICLE-MEMBRANE FUSION PROTEIN SN	gnl PID e290695	222	608	97	97	I1WLEY08
473	HULFN68R	sorcin CP-22 [Homo sapiens] >gij459836 sorcin [Homo sapiens] >pir S52094 S52094 sorcin - human >gij272536 (AC003991) calcium binding protein amplified in multidrug-resistant cells [Homo sapiens] {SUB 1-68} Length = 198	gij338482	2	409	88	91	HULFN68
474	HMEJD77R	SRp30c [Homo sapiens] >gnl PID e1248292 (AL021546) pre-mRNA splicing factor SRp30c [Homo sapiens] >gij409429 splicing factor SRp30c [Homo sapiens] >pir S59075 S59075 splicing factor SRp30c - human >sp G4099429 G4099429 SPLICING FACTOR SRP30C. Length = 22	gij1049078	3	263	46	48	HMEJD77
475	HS2AD15R	stimulator of TAR RNA binding [Homo sapiens] Length = 539	gij1200184	1	336	87	88	HS2AD15

476	HTEJJ32R	STM-7 [Homo sapiens] >sp Q92749 Q92749 TYPE I PHOSPHATIDYLINOSITOL-4- PHOSPHATE 5-KINASE BETA (EC 2.7.1.68) (STM-7 PROTEIN). >gi 1743883 type I phosphatidylinositol- 4-phosphate 5-kinase beta [Homo sapiens] {SUB 112-502} >gi 1743879 type I phosphatidylinosi sulfate transporter [Homo sapiens] >sp P50443 DTD_HUMAN SULFATE TRANSPORTER (DIASTROPHIC DYSPLASIA PROTEIN). Length = 739 thrombospondin 2 [Homo sapiens] >pir A47379 TSILUP2 thrombospondin 2 precursor - human Length = 1172 thymosin beta-4 precursor [Rattus norvegicus] >pir I52084 I52084 thymosin beta-4 precursor - rat (fragment) >gi 339689 thymosin beta-4 [Homo sapiens] {SUB 13-56} >pir A01521 TNBOB4 thymosin beta-4 - bovine {SUB 14-56} >gi 825683 open reading frame [Homo s	gnl PID e206448	3	341	100	100	HTEJJ32
477	HETIF46R	tissue-specific secretory protein [unidentified] >gi 32051 HE4 protein [Homo sapiens] >pir S25454 S25454 HE4 protein - human >sp Q14508 EP4_HUMAN MAJOR EPIDIDYMIS-SPECIFIC PROTEIN E4 PRECURSOR (HE4) (EPIDIDYMAL SECRETORY PROTEIN E4). Length =	gi 549988	1	228	71	71	HETIF46
478	H2CBS58R		gi 307506	3	455	96	97	H2CBS58
479	H2LAB77R		gi 207318	98	265	100	100	H2LAB77
480	IIODAJ23R		gi 583141	2	223	62	62	IIODAJ23

125

76

481	HWAFP88R	TRANSCRIPTION FACTOR BTF3 (RNA POLYMERASE B TRANSCRIPTION FACTOR 3). Length = 204	sp Q64152 BTF3_ MOUSE	85	471	92	93	HWAFP88
482	HDTI151R	transcription factor-like protein 4 - human Length = 298	pir JC5333 JC5333	2	565	82	86	HDTI151
483	HWMEB67R	tryptase-III [Homo sapiens] >sp Q15664 Q15664 TRYPTASE-III (FRAGMENT). Length = 267	gi 3339985	21	218	92	92	HWMEB67
484	HTXOU93R	tumor susceptibility protein [Homo sapiens] >sp Q99816 Q99816 TUMOR SUSCEPTIBILITY PROTEIN. Length = 390	gi 3184258	2	439	100	100	HTXOU93
485	HANKB37R	ubiquitin [Plasmodium falciparum] >sp Q26029 Q26029 UBIQUITIN. Length = 77	gi 552237	11	115	70	73	HANKB37
486	HWLHN38R	ubiquitin-conjugating enzyme [Mus musculus] >sp O88738 O88738 UBIQUITIN-CONJUGATING ENZYME. Length = 4845	gn PID e 311091	129	347	77	83	HWLHN38

487	HOSDZ35R	UDP-GalNAc:polypeptide N-acetylglucosaminyltransferase [Homo sapiens] >sp Q14435 Q14435 POLYPEPTIDE N-ACETYLGLACTOSAMINYLTRANS FERASE (EC 2.4.1.41) (PROTEIN-UDP ACETYLGLACTOSAMINYLTRANS FERASE) (UDP-GALNAC:POLYPEPTIDE N-ACETYLGLACTOSAMINYLTRANS FERASE)	gnl PID e209711	2	286	85	85	HOSDZ35
488	HKMAA52R	UDP-glucuronosyltransferase [Homo sapiens] >pir A31340 A31340 glucuronosyltransferase (EC 2.4.1.17) UGT1A1 precursor - human >sp G245274 G245274 PHENOL TRANSFERASE=UGT11' PRODUCT. {SUB 1-286} >gi 2645491 (AF014112) phenol UDP-glucuronosyltransferase [Homo	gi 624725	3	284	98	98	HKMAA52
489	H2LAB37R			93	290			H2LAB37
490	H2LAP46R			206	568			H2LAP46
491	H6BSE61R			67	369			H6BSE61
492	H6EEE76R			149	277			H6EEE76
493	H6EEV26R			2	88			H6EEV26
494	HABAF88R			40	216			HABAF88
495	HABGD41R			1	147			HABGD41
496	HACBS75R			5	187			HACBS75
497	HACCA48R			5	91			IACCA48
498	HACCS19R			3	341			HACCS19
499	HAADAB25R			1	261			HAADAB25
500	HAGGL96R			3	347			HAGGL96

501	HAGT37R	3	113	IAGGT37
502	HAHDR66R	27	347	HAHDR66
503	HAJCC53R	164	418	HAJCC53
504	HAJCL80R	3	122	HAJCL80
505	HANKF43R	372	566	HANKF43
506	HAPCM11R	69	152	HAPCM11
507	HAPNT66R	1	66	HAPNT66
508	HAQAG47R	2	148	HAQAG47
509	HAQBW58R	3	260	HAQBW58
510	HAQMH45R	91	363	HAQMH45
511	HAQMI94R	1	183	HAQMI94
512	HARNC74R	84	272	HARNC74
513	HATBA87R	98	202	HATBA87
514	HATBG77R	174	392	HATBG77
515	HBAGQ79R	1	231	HBAGQ79
516	HBCAN64R	2	82	HBCAN64
517	HBGCA44R	1	123	HBGCA44
518	HBGFX27R	3	281	HBGFX27
519	HBGMU38R	40	429	HBGMU38
520	HBJBO10R	1	93	HBJBO10
521	HBJCC53R	2	106	HBJCC53
522	HBJED55R	1	252	HBJED55
523	HBJGR39R	2	106	HBJGR39
524	HBJLU30R	39	344	HBJLU30
525	HBKEC78R	93	245	HBKEC78
526	HBMST81R	1	192	HBMST81
527	HBMTJ51R	150	323	HBMTJ51
528	HBMMWF72R	1	111	HBMMWF72
529	HBWBD78R	2	226	HBWBD78
530	HBXCU02R	2	79	HBXCU02
531	HCDAK65R	1	138	HCDAK65

532	HCDBM08R	130	339	HCDBM08
533	HCDCP10R	72	206	HCDCP10
534	HCDDQ63R	3	116	HCDDQ63
535	HCEEH05R	204	380	HCEEH05
536	HCEIQ92R	1	90	HCEIQ92
537	HCFC01R	28	228	HCFC01
538	HCFCR43R	64	360	HCFCR43
539	HCFLT83R	3	104	HCFLT83
540	HCHAO92R	193	342	HCHAO92
541	HCHOH49R	183	344	HCHOH49
542	HCHPG05R	365	616	HCHPG05
543	HCIAD24R	98	301	HCIAD24
544	HCNCA90R	380	532	HCNCA90
545	HCNCN80R	120	353	HCNCN80
546	HCNCY51R	184	267	HCNCY51
547	HCNCY63R	1	81	HCNCY63
548	HCNDO71R	1	213	HCNDO71
549	HCNDV83R	64	303	HCNDV83
550	HCNUB26R	119	289	HCNUB26
551	HCQBN22R	2	94	HCQBN22
552	HCQCL27R	116	235	HCQCL27
553	HCQCL48R	57	251	HCQCL48
554	HCQCL96R	287	430	HCQCL96
555	HCQDC74R	145	360	HCQDC74
556	HCQDH94R	20	76	HCQDH94
557	HCQDJ42R	149	388	HCQDJ42
558	HCNMD77R	3	185	HCNMD77
559	HCNME02R	3	293	HCNME02
560	HCNMX88R	3	284	HCNMX88
561	HCNNA70R	40	204	HCNNA70
562	HCNRP66R	3	431	HCNRP66



563	HCRNX32R	2	196	HCRNX32
564	HCROH25R	3	128	HCROH25
565	HCROJ05R	66	170	HCROJ05
566	HCROJ68R	3	239	HCROJ68
567	HCROK68R	2	208	HCROK68
568	HCROK94R	1	210	HCROK94
569	HCROM30R	3	365	HCROM30
570	HCROQ34R	29	136	HCROQ34
571	HCROQ54R	3	98	HCROQ54
572	HCROZ66R	239	427	HCROZ66
573	HCRPC61R	3	194	HCRPC61
574	HCRPG28R	95	229	HCRPG28
575	HCRPL80R	59	235	HCRPL80
576	HCRPN52R	3	191	HCRPN52
577	HCRPS40R	208	321	HCRPS40
578	HCRPV74R	179	409	HCRPV74
579	HCRQC89R	2	85	HCRQC89
580	HCWDS78R	322	558	HCWDS78
581	HDCAA21R	1	120	HDCAA21
582	HDDAA85R	139	258	HDDAA85
583	HDPGO03R	110	352	HDPGO03
584	HDPLB08R	142	360	HDPLB08
585	HDQDB15R	220	417	HDQDB15
586	HDQEX80R	274	492	HDQEX80
587	HDRMI91R	3	116	HDRMI91
588	HDTJO85R	36	197	HDTJO85
589	HDTMJ22R	192	608	HDTMJ22
590	HE6CS28R	40	213	HE6CS28
591	HE6DJ45R	2	64	HE6DJ45
592	HE7TJ40R	62	268	HE7TJ40
593	HE9FH12R	182	307	HE9FH12

594	HE9HJ57R	3	74	HE9HJ57
595	HE9QH08R	360	596	HE9QH08
596	HE9TC50R	198	425	HE9TC50
597	HEAAL59R	1	150	HEAAL59
598	HEGAR32R	448	675	HEGAR32
599	HEGAR85R	361	534	HEGAR85
600	HELFE05R	32	187	HELFE05
601	HEMF188R	2	343	HEMF188
602	HEMFR18R	83	397	HEMFR18
603	HEONL43R	2	76	HEONL43
604	HESAC53R	3	116	HESAC53
605	HETJB05R	1	138	HETJB05
606	HETJC36R	1	102	HETJC36
607	HFADM62R	1	78	HFADM62
608	HFATE31R	2	361	HFATE31
609	HFATZ30R	3	152	HFATZ30
610	HFCEL77R	3	278	HFCEL77
611	HFEBN43R	174	491	HFEBN43
612	HFCAF10R	272	469	HFCAF10
613	HFEC01R	1	144	HFEC01
614	HFIR75R	317	427	HFIR75
615	HFUB90R	2	124	HFUB90
616	HFUM71R	37	159	HFUM71
617	HFOXLS3R	1	117	HFOXLS3
618	HFPO66R	196	408	HFPO66
619	HFTBI57R	47	220	HFTBI57
620	HFTCC22R	1	126	HFTCC22
621	HFXX46R	1	114	HFXX46
622	HGAME72R	2	199	HGAME72
623	HGBCS53R	142	279	HGBCS53
624	HGBHP81R	87	221	HGBHP81

625	HGCOX03R	323	511	HGCOX03
626	HHBES92R	349	483	HHBES92
627	HHBEW72R	13	219	HHBEW72
628	HHERT59R	2	88	HHERT59
629	HHMMD64R	31	252	HHMMD64
630	HHSGT13R	428	619	HHSGT13
631	HISED82R	1	126	HISED82
632	HJMAH76R	2	253	HJMAH76
633	HJMAN56R	1	180	HJMAN56
634	HJMAO54R	1	291	HJMAO54
635	HKDAD56R	2	109	HKDAD56
636	HKLSD93R	89	298	HKLSD93
637	HLMFH16R	1	447	HLMFH16
638	HLQBD52R	1	195	HLQBD52
639	HLQCQ73R	3	350	HLQCQ73
640	HLQEF47R	348	503	HLQEF47
641	HLQFM50R	136	291	HLQFM50
642	HLQFY61R	411	575	HLQFY61
643	HLQGA76R	210	404	HLQGA76
644	HLQGE53R	1	66	HLQGE53
645	HLTEV09R	210	371	HLTEV09
646	HLXNE63R	142	258	HLXNE63
647	HLXTF64R	2	136	HLXTF64
648	HMACT85R	23	430	HMACT85
649	HMAIA15R	108	452	HMAIA15
650	HMCHZ07R	247	402	HMCHZ07
651	HMCIS54R	84	242	HMCIS54
652	HMSFW88R	1	69	HMSFW88
653	HMSMW71R	290	514	HMSMW71
654	HNHMR05R	77	598	HNHMR05
655	HNJBB78R	91	282	HNJBB78

656	HNTMA96R	3	362	HNTMA96
657	HNTRL32R	130	291	HNTRL32
658	HNTST76R	2	397	HNTST76
659	HOCNC55R	67	156	HOCNC55
660	HOCND06R	147	275	HOCND06
661	HOCND49R	133	273	HOCND49
662	HODEH30R	2	154	HODEH30
663	HODFA26R	263	550	HODFA26
664	HODHL89R	106	279	HODHL89
665	HOEJM67R	2	364	HOEJM67
666	HOGBN48R	147	380	HOGBN48
667	HOHCX95R	2	364	HOHCX95
668	HORBP43R	3	365	HORBP43
669	HOUHN53R	235	345	HOUHN53
670	HOUHE10R	72	254	HOUHE10
671	HPBEE63R	107	211	HPBEE63
672	HPEBO20R	1	237	HPEBO20
673	HPJBE91R	1	312	HPJBE91
674	HPTRW82R	32	133	HPTRW82
675	HPWDC51R	33	272	HPWDC51
676	HPWDK52R	1	330	HPWDK52
677	HRDBJ82R	2	334	HRDBJ82
678	HIRODH93R	2	121	HIRODH93
679	HS2AD53R	1	120	HS2AD53
680	HSATR92R	3	203	HSATR92
681	HSZG83R	5	136	HSZG83
682	HSICQ60R	2	118	HSICQ60
683	HSIFA64R	3	449	HSIFA64
684	HSKNN36R	108	527	HSKNN36
685	HSKYE52R	2	124	HSKYE52
686	HSLJA55R	2	169	HSLJA55

687	HSODA95R	2	169	HSODA95
688	HSPBS19R	1	372	HSPBS19
689	HSSGK43R	3	155	HSSGK43
690	HSXFJ91R	3	242	HSXFJ91
691	HTEMB57R	168	410	HTEMB57
692	HTGBR05R	37	138	HTGBR05
693	HTLGA72R	3	455	HTLGA72
694	HTLIX61R	1	102	HTLIX61
695	HTNTF25R	307	426	HTNTF25
696	HTWCP79R	91	180	HTWCP79
697	HTXFA64R	3	263	HTXFA64
698	HUSJF91R	218	412	HUSJF91
699	HUSJN48R	259	462	HUSJN48
700	HUSJX68R	98	493	HUSJX68
701	HUSZN23R	36	131	HUSZN23
702	IUTSD20R	104	256	IUTSD20
703	IWACH110R	66	275	IWACH110
704	IWAFI63R	3	272	IWAFI63
705	IWAGZ89R	176	385	IWAGZ89
706	HWBAQ20R	1	177	HWBAQ20
707	HWHHM83R	2	298	HWHHM83
708	HWLAC24R	11	133	HWLAC24
709	HWLAC81R	64	360	HWLAC81
710	HWLBF27R	3	149	HWLBF27
711	HWLBS90R	195	347	HWLBS90
712	HWLCUI0R	55	120	HWLCUI0
713	HWLEH13R	2	379	HWLEH13
714	HWLEJ67R	375	527	HWLEJ67
715	HWLEM49R	244	354	HWLEM49
716	HWLFP27R	2	79	HWLFP27
717	HWLGG20R	92	208	HWLGG20

718	HWLGK22R	209	373	HWLGK22
719	HWLGM21R	244	354	HWLGM21
720	HWLGP37R	8	181	HWLGP37
721	HWLGS46R	40	324	HWLGS46
722	HWLGU40R	2	202	HWLGU40
723	HWLGX65R	3	230	HWLGX65
724	HWLHD09R	2	310	HWLHD09
725	HWLHD50R	3	98	HWLHD50
726	HWLHM40R	2	208	HWLHM40
727	HWLHW89R	56	382	HWLHW89
728	HWLID17R	64	276	HWLID17
729	HWLIM20R	3	158	HWLIM20
730	HWLJA26R	34	135	HWLJA26
731	HWLJA28R	1	108	HWLJA28
732	HWLJG57R	240	404	HWLJG57
733	HWLJL19R	119	292	HWLJL19
734	HWLJP50R	1	147	HWLJP50
735	HWLKG82R	1	360	HWLKG82
736	HWLKG95R	1	300	HWLKG95
737	HWLKI53R	1	144	HWLKI53
738	HWLKM09R	2	100	HWLKM09
739	HWLKM86R	44	226	HWLKM86
740	HWLKM95R	2	184	HWLKM95
741	HWLKU25R	3	137	HWLKU25
742	HWLQS83R	1	117	HWLQS83
743	HWLQU65R	361	558	HWLQU65
744	HWLRL59R	1	225	HWLRL59
745	HWLRP86R	2	253	HWLRP86
746	HWLRQ49R	3	158	HWLRQ49
747	HWLUF60R	84	218	HWLUF60
748	HWLUI37R	51	263	HWLUI37

749	HWLUR41R	33	155		HWLUR41
750	HWLVD60R	1	174		HWLVD60
751	HWLVV50R	1	72		HWLVV50
752	HWMAN61R	3	107		HWMAN61
753	HWMEB47R	87	185		HWMEB47
754	HWMEH13R	2	256		HWMEH13
755	HWMEH26R	168	341		HWMEH26
756	HWMEH50R	131	400		HWMEH50
757	HWMEB31R	100	285		HWMEB31
758	HWMEH66R	61	153		HWMEH66
759	HWMEH93R	2	79		HWMEH93
760	HWMEH01R	120	284		HWMEH01
761	HZAAD81R	1	144		HZAAD81
762	HWLHN70R	2	160		HWLHN70
763	HFIXK57R	2	211	90	HFIXK57
	URF 3 (NADH dehydrogenase subunit) [Homo sapiens] >gi 506832 protein 3 [Homo sapiens] >pir A00422 DNHUN3 NADH dehydrogenase (ubiquinone) (EC 1.6.5.3) chain 3 - human mitochondrion (SGC1) >sp P03897 NU3M_HUMAN NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 3 (EC 1.6	gil13011			
764	HMAFE48R	47	205	90	HMAFE48
	URF 3 (NADH dehydrogenase subunit) [Homo sapiens] >gi 506832 protein 3 [Homo sapiens] >pir A00422 DNHUN3 NADH dehydrogenase (ubiquinone) (EC 1.6.5.3) chain 3 - human mitochondrion (SGC1) >sp P03897 NU3M_HUMAN NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 3 (EC 1.6	gil13011	100		

765	HRODJ88R	URF 3 (NADH dehydrogenase subunit) [Homo sapiens] >gil506832 protein 3 [Homo sapiens] >pir A00422 DNHUN3 NADH dehydrogenase (ubiquinone) (EC 1.6.5.3) chain 3 - human mitochondrion (SGCI) >sp P03897 NU3M_HUMAN NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 3 (EC 1.6	gil 3011	55	213	83	94	HRODJ88
766	HWLAR31R	URF 3 (NADH dehydrogenase subunit) [Homo sapiens] >gil506832 protein 3 [Homo sapiens] >pir A00422 DNHUN3 NADH dehydrogenase (ubiquinone) (EC 1.6.5.3) chain 3 - human mitochondrion (SGCI) >sp P03897 NU3M_HUMAN NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 3 (EC 1.6	gil 3011	56	214	91	100	HWLAR31
767	HNHLH26R	v-SNARE [Cricetulus griseus] >sp O08522 O08522 V-SNARE. Length = 250	gil 1912453	73	243	64	76	HNHLH26
768	H2LAU24R	weakly similar to gastrula zinc finger protein [Caenorhabditis elegans] >sp Q09998 Q09998 PUTATIVE 55.5 KD ZINC FINGER PROTEIN R144.3 IN CHROMOSOME III. Length = 492	gil 746495	78	488	45	60	H2LAU24
769	HATDR94R	X box binding protein-1 [Homo sapiens] >pir A36299 A36299 transcription factor hXBP-1 - human Length = 260	gil 306893	2	367	95	100	HATDR94
770	HWLLJ85R	X-linked deafness dystonia protein [Homo sapiens] >sp O60220 O60220 X-LINKED DEAFNESS DYSTONIA PROTEIN. Length = 97	gil 3123843	410	580	60	80	HWLLJ85



771	HIBHMF67R	XP-C repair complementing protein (p58/HR23B) [Homo sapiens] >pir S44346 S44346 RAD23 protein homolog - human Length = 409	gnl PID d1005181	3	191	96	96	HIBHMF67
772	HSYCH41R	yeast methionyl-tRNA synthetase homolog [Homo sapiens] >pir JC5224 JC5224 methionine--tRNA ligase (EC 6.1.1.10) - human >gij804996 mitochondrion-resistance associated gene [Homo sapiens] {SUB 423-900} Length = 900	gnl PID e218477	2	373	90	90	HSYCH41
773	HWLJR53R	zinc finger protein PZF [Mus musculus] >pir 48724 48724 zinc finger protein PZF - mouse >sp Q62511 Q62511 ZINC FINGER PROTEIN PZF. Length = 455	gij453376	1	552	81	83	HWLJR53

The first column of Table 1 shows the "SEQ ID NO:" for each of the 773 colon cancer antigen polynucleotide sequences of the invention.

The second column in Table 1, provides a unique "Sequence/Contig ID" identification for each colon and/or colon cancer associated sequence. The third column in Table 1, "Gene Name," provides a putative identification of the gene based on the sequence similarity of its translation product to an amino acid sequence found in a publicly accessible gene database, such as GenBank (NCBI). The great majority of the cDNA sequences reported in Table 1 are unrelated to any sequences previously described in the literature. The fourth column, in Table 1, "Overlap," provides the database accession no. for the database sequence having similarity.

The fifth and sixth columns in Table 1 provide the location (nucleotide position nos. within the contig), "Start" and "End", in the polynucleotide sequence "SEQ ID NO:X" that delineate the preferred ORF shown in the sequence listing as SEQ ID NO:Y. In one embodiment, the invention provides a protein comprising, or alternatively consisting of, a polypeptide encoded by the portion of SEQ ID NO:X delineated by the nucleotide position nos. "Start" and "End".

Also provided are polynucleotides encoding such proteins and the complementary strand thereto. The seventh and eighth columns provide the "% Identity" (percent identity) and "% Similarity" (percent similarity) observed between the aligned sequence segments of the translation product of SEQ ID NO:X and the database sequence.

The ninth column of Table 1 provides a unique "Clone ID" for a clone related to each contig sequence. This clone ID references the cDNA clone which contains at least the 5' most sequence of the assembled contig and at least a portion of SEQ ID NO:X was determined by directly sequencing the referenced clone. The reference clone may have more sequence than described in the sequence listing or the clone may have less. In the vast majority of cases, however, the clone is believed to encode a full-length polypeptide. In the case where a clone is not full-length, a full-length cDNA can be obtained by methods described elsewhere herein.

Table 3 indicates public ESTs, of which at least one, two, three, four, five, ten, or more of any one or more of these public ESTs are optionally excluded from the invention.

SEQ ID NO:X (where X may be any of the polynucleotide sequences disclosed in the sequence listing as SEQ ID NO:1 through SEQ ID NO:773) and the translated SEQ ID NO:Y (where Y may be any of the polypeptide sequences disclosed in the sequence listing as SEQ ID NO:774 through SEQ ID NO:1546) are sufficiently accurate and otherwise suitable for a

variety of uses well known in the art and described further below. For instance, SEQ ID NO:X has uses including, but not limited to, in designing nucleic acid hybridization probes that will detect nucleic acid sequences contained in SEQ ID NO:X or the related cDNA clone contained in a library deposited with the ATCC. These probes will also hybridize to nucleic acid molecules in biological samples, thereby enabling immediate applications in chromosome mapping, linkage analysis, tissue identification and/or typing, and a variety of forensic and diagnostic methods of the invention. Similarly, polypeptides identified from SEQ ID NO:Y have uses that include, but are not limited to, generating antibodies which bind specifically to the colon cancer antigen polypeptides, or fragments thereof, and/or to the colon cancer antigen polypeptides encoded by the cDNA clones identified in Table 1.

Nevertheless, DNA sequences generated by sequencing reactions can contain sequencing errors. The errors exist as misidentified nucleotides, or as insertions or deletions of nucleotides in the generated DNA sequence. The erroneously inserted or deleted nucleotides cause frame shifts in the reading frames of the predicted amino acid sequence. In these cases, the predicted amino acid sequence diverges from the actual amino acid sequence, even though the generated DNA sequence may be greater than 99.9% identical to the actual DNA sequence (for example, one base insertion or deletion in an open reading frame of over 1000 bases).

Accordingly, for those applications requiring precision in the nucleotide sequence or the amino acid sequence, the present invention provides not only the generated nucleotide sequence identified as SEQ ID NO:X, the predicted translated amino acid sequence identified as SEQ ID NO:Y, but also a sample of plasmid DNA containing the related cDNA clone (deposited with the ATCC, as set forth in Table 1). The nucleotide sequence of each deposited clone can readily be determined by sequencing the deposited clone in accordance with known methods. Further, techniques known in the art can be used to verify the nucleotide sequences of SEQ ID NO:X.

The predicted amino acid sequence can then be verified from such deposits. Moreover, the amino acid sequence of the protein encoded by a particular clone can also be directly determined by peptide sequencing or by expressing the protein in a suitable host cell containing the deposited human cDNA, collecting the protein, and determining its sequence.

The present invention also relates to vectors or plasmids which include such DNA sequences, as well as the use of the DNA sequences. The material deposited with the ATCC on:

5 **Table 2**

ATCC Deposits	Deposit Date	ATCC Designation Number
LP01, LP02, LP03, LP04, LP05, LP06, LP07, LP08, LP09, LP10, LP11,	May-20-97	209059, 209060, 209061, 209062, 209063, 209064, 209065, 209066, 209067, 209068, 209069
LP12	Jan-12-98	209579
LP13	Jan-12-98	209578
LP14	Jul-16-98	203067
LP15	Jul-16-98	203068
LP16	Feb-1-99	203609
LP17	Feb-1-99	203610
LP20	Nov-17-98	203485
LP21	Jun-18-99	PTA-252
LP22	Jun-18-99	PTA-253
LP23	Dec-22-99	PTA-1081

each is a mixture of cDNA clones derived from a variety of human tissue and cloned in either a plasmid vector or a phage vector, as shown in Table 5. These deposits are referred to as "the deposits" herein. The tissues from which the clones were derived are listed in Table 5, and the vector in which the cDNA is contained is also indicated in Table 5. The deposited material includes the cDNA clones which were partially sequenced and are related to the SEQ ID NO:X described in Table 1 (column 9). Thus, a clone which is isolatable from the ATCC Deposits by use of a sequence listed as SEQ ID NO:X may include the entire coding region of a human gene or in other cases such clone may include a substantial portion of the coding region of a human gene. Although the sequence listing lists only a portion of the DNA sequence in a clone included in the ATCC Deposits, it is well within the ability of one skilled in the art to complete the sequence of the DNA included in a clone isolatable from the

ATCC Deposits by use of a sequence (or portion thereof) listed in Table 1 by procedures hereinafter further described, and others apparent to those skilled in the art.

Also provided in Table 5 is the name of the vector which contains the cDNA clone. Each vector is routinely used in the art. The following additional information is provided for  
5 convenience.

Vectors Lambda Zap (U.S. Patent Nos. 5,128,256 and 5,286,636), Uni-Zap XR (U.S. Patent Nos. 5,128, 256 and 5,286,636), Zap Express (U.S. Patent Nos. 5,128,256 and 5,286.636), pBluescript (pBS) (Short, J. M. et al., *Nucleic Acids Res.* 16:7583-7600 (1988); Alting-Mees, M. A. and Short, J. M., *Nucleic Acids Res.* 17:9494 (1989)) and pBK (Alting-  
10 Mees, M. A. et al., *Strategies* 5:58-61 (1992)) are commercially available from Stratagene Cloning Systems, Inc., 11011 N. Torrey Pines Road, La Jolla, CA, 92037. pBS contains an ampicillin resistance gene and pBK contains a neomycin resistance gene. Phagemid pBS may be excised from the Lambda Zap and Uni-Zap XR vectors, and phagemid pBK may be excised from the Zap Express vector. Both phagemids may be transformed into *E. coli* strain  
15 XL-1 Blue, also available from Stratagene.

Vectors pSport1, pCMVSPORT 1.0, pCMVSPORT 2.0 and pCMVSPORT 3.0, were obtained from Life Technologies, Inc., P. O. Box 6009, Gaithersburg, MD 20897. All Sport vectors contain an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, also available from Life Technologies. See, for instance, Gruber, C. E., et al., *Focus*  
20 15:59 (1993). Vector lacmid BA (Bento Soares, Columbia University, New York, NY) contains an ampicillin resistance gene and can be transformed into *E. coli* strain XL-1 Blue. Vector pCR<sup>®</sup>2.1, which is available from Invitrogen, 1600 Faraday Avenue, Carlsbad, CA 92008, contains an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, available from Life Technologies. See, for instance, Clark, J. M., *Nuc. Acids Res.*  
25 16:9677-9686 (1988) and Mead, D. et al., *Bio/Technology* 9: (1991).

The present invention also relates to the genes corresponding to SEQ ID NO:X, SEQ ID NO:Y, and/or the cDNA contained in a deposited cDNA clone. The corresponding gene can be isolated in accordance with known methods using the sequence information disclosed herein. Such methods include, but are not limited to, preparing probes or primers from the  
30 disclosed sequence and identifying or amplifying the corresponding gene from appropriate sources of genomic material.

Also provided in the present invention are allelic variants, orthologs, and/or species homologs. Procedures known in the art can be used to obtain full-length genes, allelic variants, splice variants, full-length coding portions, orthologs, and/or species homologs of genes corresponding to SEQ ID NO:X, SEQ ID NO:Y, and/or the cDNA contained in the related cDNA clone in the deposit, using information from the sequences disclosed herein or the clones deposited with the ATCC. For example, allelic variants and/or species homologs may be isolated and identified by making suitable probes or primers from the sequences provided herein and screening a suitable nucleic acid source for allelic variants and/or the desired homologue.

The present invention provides a polynucleotide comprising, or alternatively consisting of, the nucleic acid sequence of SEQ ID NO:X, and/or the related cDNA clone (See, e.g., columns 1 and 9 of Table 1). The present invention also provides a polypeptide comprising, or alternatively, consisting of, the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X, and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in a deposited library. Polynucleotides encoding a polypeptide comprising, or alternatively consisting of, the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X, and/or a polypeptide encoded by the the cDNA in the related cDNA clone contained in a deposited library, are also encompassed by the invention. The present invention further encompasses a polynucleotide comprising, or alternatively consisting of, the complement of the nucleic acid sequence of SEQ ID NO:X, and/or the complement of the coding strand of the related cDNA clone contained in a deposited library.

Many polynucleotide sequences, such as EST sequences, are publicly available and accessible through sequence databases and may have been publicly available prior to conception of the present invention. Preferably, such related polynucleotides are specifically excluded from the scope of the present invention. To list every related sequence would unduly burden the disclosure of this application. Accordingly, for each "Contig Id" listed in the first column of Table 3, preferably excluded are one or more polynucleotides comprising a nucleotide sequence described in the second column of Table 3 by the general formula of a-b, each of which are uniquely defined for the SEQ ID NO:X corresponding to that Contig Id in Table 1. Additionally, specific embodiments are directed to polynucleotide sequences excluding at least one, two, three, four, five, ten, or more of the specific polynucleotide sequences referenced by the Genbank Accession No. for each Contig Id which may be

included in column 3 of Table 3. In no way is this listing meant to encompass all of the sequences which may be excluded by the general formula, it is just a representative example.

Table 3.

Sequence/ Contig ID	General formula	Genbank Accession No.
500802	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 619 of SEQ ID NO:1, b is an integer of 15 to 633, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:1, and where b is greater than or equal to a + 14.	
531091	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 281 of SEQ ID NO:2, b is an integer of 15 to 295, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:2, and where b is greater than or equal to a + 14.	
553147	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 428 of SEQ ID NO:3, b is an integer of 15 to 442, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:3, and where b is greater than or equal to a + 14.	
558860	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 740 of SEQ ID NO:4, b is an integer of 15 to 754, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:4, and where b is greater than or equal to a + 14.	
561730	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 379 of SEQ ID NO:5, b is an integer of 15 to 393, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:5, and where b is greater than or equal to a + 14.	
585938	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 525 of SEQ ID NO:6, b is an integer of 15 to 539, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:6, and where b is greater than or equal to a + 14.	
587785	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 790 of SEQ ID	



	NO:7, b is an integer of 15 to 804, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:7, and where b is greater than or equal to a + 14.	
588916	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 706 of SEQ ID NO:8, b is an integer of 15 to 720, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:8, and where b is greater than or equal to a + 14.	
613825	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 526 of SEQ ID NO:9, b is an integer of 15 to 540, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:9, and where b is greater than or equal to a + 14.	
639090	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 547 of SEQ ID NO:10, b is an integer of 15 to 561, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:10, and where b is greater than or equal to a + 14.	
651644	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 379 of SEQ ID NO:11, b is an integer of 15 to 393, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:11, and where b is greater than or equal to a + 14.	
659544	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 308 of SEQ ID NO:12, b is an integer of 15 to 322, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:12, and where b is greater than or equal to a + 14.	
659739	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1893 of SEQ ID NO:13, b is an integer of 15 to 1907, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:13, and where b is greater than or equal to a + 14.	
661057	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1126 of SEQ ID NO:14, b is an integer of 15 to 1140, where both a	

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:14, and where b is greater than or equal to a + 14.	
661313	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1994 of SEQ ID NO:15, b is an integer of 15 to 2008, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:15, and where b is greater than or equal to a + 14.	
666316	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 357 of SEQ ID NO:16, b is an integer of 15 to 371, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:16, and where b is greater than or equal to a + 14.	
669229	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 749 of SEQ ID NO:17, b is an integer of 15 to 763, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:17, and where b is greater than or equal to a + 14.	
670471	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1912 of SEQ ID NO:18, b is an integer of 15 to 1926, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:18, and where b is greater than or equal to a + 14.	
676611	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2287 of SEQ ID NO:19, b is an integer of 15 to 2301, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:19, and where b is greater than or equal to a + 14.	
691240	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 524 of SEQ ID NO:20, b is an integer of 15 to 538, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:20, and where b is greater than or equal to a + 14.	
702977	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1389 of SEQ ID NO:21, b is an integer of 15 to 1403, where both a and b correspond to the positions of nucleotide	

	residues shown in SEQ ID NO:21, and where b is greater than or equal to $a + 14$ .	
709517	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 464 of SEQ ID NO:22, b is an integer of 15 to 478, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:22, and where b is greater than or equal to $a + 14$ .	
714730	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1238 of SEQ ID NO:23, b is an integer of 15 to 1252, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:23, and where b is greater than or equal to $a + 14$ .	
714834	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1060 of SEQ ID NO:24, b is an integer of 15 to 1074, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:24, and where b is greater than or equal to $a + 14$ .	
715016	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1172 of SEQ ID NO:25, b is an integer of 15 to 1186, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:25, and where b is greater than or equal to $a + 14$ .	
719584	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 874 of SEQ ID NO:26, b is an integer of 15 to 888, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:26, and where b is greater than or equal to $a + 14$ .	
724637	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 775 of SEQ ID NO:27, b is an integer of 15 to 789, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:27, and where b is greater than or equal to $a + 14$ .	
728392	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 833 of SEQ ID NO:28, b is an integer of 15 to 847, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:28, and where b is greater than	

	or equal to $a + 14$ .	
738716	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 652 of SEQ ID NO:29, b is an integer of 15 to 666, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:29, and where b is greater than or equal to $a + 14$ .	
739056	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 503 of SEQ ID NO:30, b is an integer of 15 to 517, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:30, and where b is greater than or equal to $a + 14$ .	
739143	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2661 of SEQ ID NO:31, b is an integer of 15 to 2675, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:31, and where b is greater than or equal to $a + 14$ .	
742329	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 263 of SEQ ID NO:32, b is an integer of 15 to 277, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:32, and where b is greater than or equal to $a + 14$ .	
742557	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 907 of SEQ ID NO:33, b is an integer of 15 to 921, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:33, and where b is greater than or equal to $a + 14$ .	
745481	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1453 of SEQ ID NO:34, b is an integer of 15 to 1467, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:34, and where b is greater than or equal to $a + 14$ .	
746035	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2063 of SEQ ID NO:35, b is an integer of 15 to 2077, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:35, and where b is greater than or equal to $a + 14$ .	

753731	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 370 of SEQ ID NO:36, b is an integer of 15 to 384, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:36, and where b is greater than or equal to a + 14.	
754383	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 454 of SEQ ID NO:37, b is an integer of 15 to 468, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:37, and where b is greater than or equal to a + 14.	
756749	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1081 of SEQ ID NO:38, b is an integer of 15 to 1095, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:38, and where b is greater than or equal to a + 14.	
757980	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1743 of SEQ ID NO:39, b is an integer of 15 to 1757, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:39, and where b is greater than or equal to a + 14.	R38216, R63249, R78721, H01441, H02557, H02640, H86258, H86321, N21599, W16868, W31882, W56228, N90610, AA047227, AA056107, AA058568, AA100609, AA115890
764818	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1931 of SEQ ID NO:40, b is an integer of 15 to 1945, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:40, and where b is greater than or equal to a + 14.	
765140	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 574 of SEQ ID NO:41, b is an integer of 15 to 588, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:41, and where b is greater than or equal to a + 14.	
766893	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1554 of SEQ ID NO:42, b is an integer of 15 to 1568, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:42, and where b is greater than or equal to a + 14.	R69702, R76994, R77002, H01357
771338	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1046 of SEQ ID NO:43, b is an integer of 15 to 1060, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:43, and where b is greater than or equal to a + 14.	
771412	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1330 of SEQ ID NO:44, b is an integer of 15 to 1344, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:44, and where b is greater than or equal to a + 14.	
772226	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 878 of SEQ ID NO:45, b is an integer of 15 to 892, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:45, and where b is greater than or equal to a + 14.	
773057	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 482 of SEQ ID NO:46, b is an integer of 15 to 496, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:46, and where b is greater than or equal to a + 14.	N41725
773173	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1215 of SEQ ID NO:47, b is an integer of 15 to 1229, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:47, and where b is greater than or equal to a + 14.	
780154	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1397 of SEQ ID NO:48, b is an integer of 15 to 1411, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:48, and where b is greater than or equal to a + 14.	
780768	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1671 of SEQ ID NO:49, b is an integer of 15 to 1685, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:49, and where b is greater than or equal to a + 14.	
780779	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 646 of SEQ ID NO:50, b is an integer of 15 to 660, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:50, and where b is greater than or equal to a + 14.	
782394	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1558 of SEQ ID NO:51, b is an integer of 15 to 1572, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:51, and where b is greater than or equal to a + 14.	R24689, R25853, R34457, R66839, R68536, H22874, H45555, N50184, AA015963, AA028939, AA028938
783160	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 621 of SEQ ID NO:52, b is an integer of 15 to 635, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:52, and where b is greater than or equal to a + 14.	
783506	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1353 of SEQ ID NO:53, b is an integer of 15 to 1367, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:53, and where b is greater than or equal to a + 14.	
784446	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 364 of SEQ ID NO:54, b is an integer of 15 to 378, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:54, and where b is greater than or equal to a + 14.	
784832	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1044 of SEQ ID NO:55, b is an integer of 15 to 1058, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:55, and where b is greater than or equal to a + 14.	
786813	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 668 of SEQ ID NO:56, b is an integer of 15 to 682, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:56, and where b is greater than or equal to a + 14.	W44740, AA235981
792139	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b.	

	where a is any integer between 1 to 630 of SEQ ID NO:57. b is an integer of 15 to 644. where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:57. and where b is greater than or equal to a + 14.	
793987	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 752 of SEQ ID NO:58. b is an integer of 15 to 766. where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:58. and where b is greater than or equal to a + 14.	
805715	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2347 of SEQ ID NO:59. b is an integer of 15 to 2361. where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:59. and where b is greater than or equal to a + 14.	
811111	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1458 of SEQ ID NO:60. b is an integer of 15 to 1472. where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:60. and where b is greater than or equal to a + 14.	R11325, R11326, R43655, R43655, R72437, R78096, H23850, N20947, N22686, N25829, N27270, N31401, N40002, N46020, W92748, W92871, AA461202, AA461382
811113	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1658 of SEQ ID NO:61. b is an integer of 15 to 1672. where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:61. and where b is greater than or equal to a + 14.	
823902	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1526 of SEQ ID NO:62. b is an integer of 15 to 1540. where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:62. and where b is greater than or equal to a + 14.	
826518	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1030 of SEQ ID NO:63. b is an integer of 15 to 1044. where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:63. and where b is greater than or equal to a + 14.	T60163, T60223, T61894, R12251, T81471, T81679, T95899, R98321, R98322, H52605, H59085, N27268, N31506, N53499, N54486, N58236, N92460, AA027189, AA045077, AA127016, AA418935, AA426582
826704	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 837 of SEQ ID	



	NO:64, b is an integer of 15 to 851, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:64, and where b is greater than or equal to a + 14.	
827720	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2779 of SEQ ID NO:65, b is an integer of 15 to 2793, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:65, and where b is greater than or equal to a + 14.	
828102	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 289 of SEQ ID NO:66, b is an integer of 15 to 303, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:66, and where b is greater than or equal to a + 14.	
828180	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1396 of SEQ ID NO:67, b is an integer of 15 to 1410, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:67, and where b is greater than or equal to a + 14.	
828386	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1010 of SEQ ID NO:68, b is an integer of 15 to 1024, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:68, and where b is greater than or equal to a + 14.	
828658	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1834 of SEQ ID NO:69, b is an integer of 15 to 1848, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:69, and where b is greater than or equal to a + 14.	
828919	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2668 of SEQ ID NO:70, b is an integer of 15 to 2682, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:70, and where b is greater than or equal to a + 14.	T66771, T66772, T71638, R08935, R09044, R09373, T80114, T85695, R00758, R00759, R12645, R19577, R20545, R22041, R22097, R20545, R59701, R59811, R60034, R60096, R60694, R76255, R81371, R81370, H04390, H04415, H05912, H47622, H47647, R83679, H71735, H72298, N25487, N35542, N49731, N52660, N67681, N75596, W03490, AA044638, AA044702, AA165090, AA164628, AA215698, AA215699, AA233182, AA233196, AA236759, AA256822, AA429489.

		AA428534
829572	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 398 of SEQ ID NO:71, b is an integer of 15 to 412, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:71, and where b is greater than or equal to a + 14.	T63032
830138	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1347 of SEQ ID NO:72, b is an integer of 15 to 1361, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:72, and where b is greater than or equal to a + 14.	
830208	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 914 of SEQ ID NO:73, b is an integer of 15 to 928, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:73, and where b is greater than or equal to a + 14.	R01611, N76461, W74577, W79757, AA045350, AA056064, AA190524
830248	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1172 of SEQ ID NO:74, b is an integer of 15 to 1186, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:74, and where b is greater than or equal to a + 14.	
830275	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 919 of SEQ ID NO:75, b is an integer of 15 to 933, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:75, and where b is greater than or equal to a + 14.	
830286	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1950 of SEQ ID NO:76, b is an integer of 15 to 1964, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:76, and where b is greater than or equal to a + 14.	T90376, R46154, R46154, AA224239, AA467906, AA483293, AA502593, AA513313, AA594445, AA594570, AA594876, AA579404, AA720893, AA767344, AA857646, AA877489, AA954868, AA991634, A1014751, C02074, AA093141
830347	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1788 of SEQ ID NO:77, b is an integer of 15 to 1802, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:77, and where b is greater than or equal to a + 14.	

830348	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 981 of SEQ ID NO:78, b is an integer of 15 to 995, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:78, and where b is greater than or equal to a + 14.	AA983601
830364	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1201 of SEQ ID NO:79, b is an integer of 15 to 1215, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:79, and where b is greater than or equal to a + 14.	
830394	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2646 of SEQ ID NO:80, b is an integer of 15 to 2660, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:80, and where b is greater than or equal to a + 14.	
830398	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1776 of SEQ ID NO:81, b is an integer of 15 to 1790, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:81, and where b is greater than or equal to a + 14.	
830412	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1336 of SEQ ID NO:82, b is an integer of 15 to 1350, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:82, and where b is greater than or equal to a + 14.	
830436	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1732 of SEQ ID NO:83, b is an integer of 15 to 1746, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:83, and where b is greater than or equal to a + 14.	T89041, R38418, R51559, R62385, R63785, H21426, N55384, AA009460, AA039527, AA039526, AA490811, AA588539, AA574253, AA827525, AA975094, D79482, D79908, N55964, C14631, C14891, C14892
830464	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1477 of SEQ ID NO:84, b is an integer of 15 to 1491, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:84, and where b is greater than or equal to a + 14.	H06247, H19227, W52470
830471	Preferably excluded from the present invention are	R28064, R28282, AA143044, AA151127,

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 954 of SEQ ID NO:85, b is an integer of 15 to 968, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:85, and where b is greater than or equal to a + 14.	AA165093, AA164631, AA256943, AA765384, D80554
830477	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3054 of SEQ ID NO:86, b is an integer of 15 to 3068, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:86, and where b is greater than or equal to a + 14.	T71686, R81413, R81414, H52583, H84987, H87923, H88319, H88319, W74073, W79680, AA021098, AA179389, AA182649, AA188175, AA191449, AA228943, AA228942, AA594459, AA737972, C02737
830500	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2216 of SEQ ID NO:87, b is an integer of 15 to 2230, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:87, and where b is greater than or equal to a + 14.	
830509	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1149 of SEQ ID NO:88, b is an integer of 15 to 1163, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:88, and where b is greater than or equal to a + 14.	
830528	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1925 of SEQ ID NO:89, b is an integer of 15 to 1939, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:89, and where b is greater than or equal to a + 14.	
830542	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2018 of SEQ ID NO:90, b is an integer of 15 to 2032, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:90, and where b is greater than or equal to a + 14.	T60268, T61648, T68371, T88743, R00503, R13392, R40908, R40908, H02114, H07926, H29767, H29768, H38826, H93354, W42415, W42513, W61060, W72566, W76560, AA011078, AA011079, AA031697, AA031863, AA058529, AA100913, AA100912, AA129619, AA129593, AA129330, AA128581, AA160087, AA160675, AA173629, AA173985, AA186698, AA188326, AA480672, AA587251, AA576938, AA743161, AA834774, AA872783, AA877207, AA878505, AA923685, AA934427, AA962214, AA995455, AA995857, N88876
830564	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	

	where a is any integer between 1 to 1774 of SEQ ID NO:91, b is an integer of 15 to 1788, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:91, and where b is greater than or equal to a + 14.	
830611	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 481 of SEQ ID NO:92, b is an integer of 15 to 495, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:92, and where b is greater than or equal to a + 14.	
830618	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1363 of SEQ ID NO:93, b is an integer of 15 to 1377, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:93, and where b is greater than or equal to a + 14.	R43709, R43709, H09113, H43746, N92632, AA022453, AA120876, AA120889, AA493651, AA493785, AA494347, AA565392, AA743179, AA769161
830620	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2805 of SEQ ID NO:94, b is an integer of 15 to 2819, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:94, and where b is greater than or equal to a + 14.	
830630	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 691 of SEQ ID NO:95, b is an integer of 15 to 705, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:95, and where b is greater than or equal to a + 14.	
830654	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3458 of SEQ ID NO:96, b is an integer of 15 to 3472, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:96, and where b is greater than or equal to a + 14.	
830660	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1202 of SEQ ID NO:97, b is an integer of 15 to 1216, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:97, and where b is greater than or equal to a + 14.	
830661	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1172 of SEQ ID	

	NO:98, b is an integer of 15 to 1186, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:98, and where b is greater than or equal to $a + 14$ .	
830704	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1106 of SEQ ID NO:99, b is an integer of 15 to 1120, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:99, and where b is greater than or equal to $a + 14$ .	
830765	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1211 of SEQ ID NO:100, b is an integer of 15 to 1225, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:100, and where b is greater than or equal to $a + 14$ .	
830778	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1199 of SEQ ID NO:101, b is an integer of 15 to 1213, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:101, and where b is greater than or equal to $a + 14$ .	
830784	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1550 of SEQ ID NO:102, b is an integer of 15 to 1564, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:102, and where b is greater than or equal to $a + 14$ .	R63323, R66534, AA491630
830800	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1443 of SEQ ID NO:103, b is an integer of 15 to 1457, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:103, and where b is greater than or equal to $a + 14$ .	
830821	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 771 of SEQ ID NO:104, b is an integer of 15 to 785, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:104, and where b is greater than or equal to $a + 14$ .	
830849	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 907 of SEQ ID NO:105, b is an integer of 15 to 921, where both a	AA258128, AA259034, AA262104, AA742612, AA804402

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:105, and where b is greater than or equal to a + 14.	
830903	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 578 of SEQ ID NO:106, b is an integer of 15 to 592, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:106, and where b is greater than or equal to a + 14.	
830913	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2234 of SEQ ID NO:107, b is an integer of 15 to 2248, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:107, and where b is greater than or equal to a + 14.	R06463, R06517, R48006, R51455, R61502, R72398, R72399, R74489, R74599, H07933, H08039, H61149, H62056, H90758, H90809, N32837, N42283, W40284, W45325, AA079353, AA079592, AA100814, AA102342, AA111844, AA122150, AA134127, AA134128, AA148738, AA148709, AA164240, AA164899, AA164275, AA171881, AA179310, AA179453, AA180811, AA180955, AA187432, AA190377, AA190791, AA190383, AA458475, AA427428, AA468548, AA554518, AA595768, AA595893, AA640601, AA574035, AA658143, AA863401, AA906604, AA995159, C03746, C04875, C05396, AA033510
830920	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 771 of SEQ ID NO:108, b is an integer of 15 to 785, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:108, and where b is greater than or equal to a + 14.	
830938	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 597 of SEQ ID NO:109, b is an integer of 15 to 611, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:109, and where b is greater than or equal to a + 14.	AA053612
830980	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 650 of SEQ ID NO:110, b is an integer of 15 to 664, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:110, and where b is greater than or equal to a + 14.	
831014	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4051 of SEQ ID NO:111, b is an integer of 15 to 4065, where both a	

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:111, and where b is greater than or equal to a + 14.	
831026	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1478 of SEQ ID NO:112, b is an integer of 15 to 1492, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:112, and where b is greater than or equal to a + 14.	
831031	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1468 of SEQ ID NO:113, b is an integer of 15 to 1482, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:113, and where b is greater than or equal to a + 14.	R46004, R46004, H06850, N27532, N30567, N30842, N34647, N40349, N41369, N49777, N52708, N62958, W68355, W68490, AA054602, AA193410, AA193648, AA503204, AA688236, AA730103, AA736540, AA747555, AA811522, AA863169, N79861
831055	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3717 of SEQ ID NO:114, b is an integer of 15 to 3731, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:114, and where b is greater than or equal to a + 14.	
831057	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1301 of SEQ ID NO:115, b is an integer of 15 to 1315, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:115, and where b is greater than or equal to a + 14.	R69415, R69546, H14127, H62767, N62927, N63320, W00649, W01189, AA053293, AA058396, AA149075, AA458528, AA418699, AA418770, AA505598, AA576507, AA730033, AA805864, AA988279, AA991217, D82661, C21298
831062	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1306 of SEQ ID NO:116, b is an integer of 15 to 1320, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:116, and where b is greater than or equal to a + 14.	
831117	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2011 of SEQ ID NO:117, b is an integer of 15 to 2025, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:117, and where b is greater than or equal to a + 14.	R80585, R80586, N49020, AA173625, AA173981, AA557142, AA627866, AA847195, A1015673
831122	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1281 of SEQ ID NO:118, b is an integer of 15 to 1295, where both a and b correspond to the positions of nucleotide	R72079, R72128, AA715820, AA804163, AA809123, AA641490



	residues shown in SEQ ID NO:118, and where b is greater than or equal to a + 14.	
831125	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1243 of SEQ ID NO:119, b is an integer of 15 to 1257, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:119, and where b is greater than or equal to a + 14.	N80647, AA114140, AA143553, AA156386, N68188, AA070867
831132	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 383 of SEQ ID NO:120, b is an integer of 15 to 397, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:120, and where b is greater than or equal to a + 14.	
831152	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 862 of SEQ ID NO:121, b is an integer of 15 to 876, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:121, and where b is greater than or equal to a + 14.	AA765155
831157	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1264 of SEQ ID NO:122, b is an integer of 15 to 1278, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:122, and where b is greater than or equal to a + 14.	T57943, R34275, R35472, R77406, R77405, N23203, N59015, AA160841, AA610280, AA857624, A1089936, A1094724, A1094954
831160	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3101 of SEQ ID NO:123, b is an integer of 15 to 3115, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:123, and where b is greater than or equal to a + 14.	
831193	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 365 of SEQ ID NO:124, b is an integer of 15 to 379, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:124, and where b is greater than or equal to a + 14.	
831197	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1253 of SEQ ID NO:125, b is an integer of 15 to 1267, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:125, and where b is	AA134613

	greater than or equal to $a + 14$ .	
831217	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 827 of SEQ ID NO:126, b is an integer of 15 to 841, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:126, and where b is greater than or equal to $a + 14$ .	
831239	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1158 of SEQ ID NO:127, b is an integer of 15 to 1172, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:127, and where b is greater than or equal to $a + 14$ .	T68487, T88923, T88994, R09550, R09663, R26714, R26937, H27046, H28228, H30272, H30335, N27966, N36884, N46156, N93575, W21407, W44513, W44514, W47626, W47627, W56215, W60528, W80465, W80574, W92729, AA002237, AA002076, AA099290, AA099291, AA127753, AA127706, AA128275, AA128572, AA148737, AA149497, AA419078, AA423819, AA506117, AA534694, AA552105, AA552219, AA583468, AA622094, AA633205, AA878663, AA911544, AA916173, AA974873, AA988860, A1056396, A1074163, W92753
831248	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 877 of SEQ ID NO:128, b is an integer of 15 to 891, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:128, and where b is greater than or equal to $a + 14$ .	
831313	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2447 of SEQ ID NO:129, b is an integer of 15 to 2461, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:129, and where b is greater than or equal to $a + 14$ .	T61093, T97774, R13148, R31511, R32943, R33906, R33921, R37053, R44148, R44148, R74449, R79209, R79476, H12271, H27631, H30122, R84834, H63166, H71003, H71015, H83387, N23726, N23730, N23773, N52416, N66497, N67917, N68137, N73801, N99428, W95944, AA018712, AA020879, AA429721, AA470397, AA493243, AA507952, AA515358, AA583463, AA617991, AA618186, AA631437, AA566089, AA746085, AA837997, AA878863, AA922678, AA985597, AA947992, A1074096, C03207, C17030, C18106
831369	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2183 of SEQ ID NO:130, b is an integer of 15 to 2197, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:130, and where b is greater than or equal to $a + 14$ .	
831371	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 450 of SEQ ID NO:131, b is an integer of 15 to 464, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:131, and where b is greater than or equal to a + 14.	
831373	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1936 of SEQ ID NO:132, b is an integer of 15 to 1950, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:132, and where b is greater than or equal to a + 14.	T50786, T50949, T53797, T53916, T64650, T71681, T71836, T71876, T71877, T74596, T74656, H30426, H46449, H46671, H46670, H46990, H50500, AA419051, AA423809, AA928986
831387	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2079 of SEQ ID NO:133, b is an integer of 15 to 2093, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:133, and where b is greater than or equal to a + 14.	
831410	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 715 of SEQ ID NO:134, b is an integer of 15 to 729, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:134, and where b is greater than or equal to a + 14.	
831448	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1175 of SEQ ID NO:135, b is an integer of 15 to 1189, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:135, and where b is greater than or equal to a + 14.	
831450	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1452 of SEQ ID NO:136, b is an integer of 15 to 1466, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:136, and where b is greater than or equal to a + 14.	
831472	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 126 of SEQ ID NO:137, b is an integer of 15 to 140, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:137, and where b is greater than or equal to a + 14.	
831473	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	

	where a is any integer between 1 to 4128 of SEQ ID NO:138, b is an integer of 15 to 4142, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:138, and where b is greater than or equal to a + 14.	
831474	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1733 of SEQ ID NO:139, b is an integer of 15 to 1747, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:139, and where b is greater than or equal to a + 14.	T66054, T89542, R10967, T78297, T83524, T97793, R13138, H08701, H10662, R82956, R96295, R98912, H66237, H79525, N31425, N36736, W76142, W81053, AA010227, AA011652, AA057613, AA057653, AA069088, AA083946, AA084193, AA126186, H70618, H79526, W72916, W80802, AA011433, AA057699, AA057752, AA069023
831494	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1226 of SEQ ID NO:140, b is an integer of 15 to 1240, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:140, and where b is greater than or equal to a + 14.	H14081, H14102, N34979, N42213, N43740, N68241, W69584, W69583, AA507828, AA877181, AA975100, A1000204
831506	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 657 of SEQ ID NO:141, b is an integer of 15 to 671, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:141, and where b is greater than or equal to a + 14.	AA035596, AA577792, AA903617, AA972775, AA996054, C00084
831533	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3251 of SEQ ID NO:142, b is an integer of 15 to 3265, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:142, and where b is greater than or equal to a + 14.	
831539	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 751 of SEQ ID NO:143, b is an integer of 15 to 765, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:143, and where b is greater than or equal to a + 14.	
831556	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1680 of SEQ ID NO:144, b is an integer of 15 to 1694, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:144, and where b is greater than or equal to a + 14.	H01879, H01880, H43546, H43547, H43548, N58813, N75148, AA428902, AA429101, AA278337, AA662009, AA928907, AA988624
831594	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 809 of SEQ ID NO:145, b is an integer of 15 to 823, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:145, and where b is greater than or equal to a + 14.	
831598	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1120 of SEQ ID NO:146, b is an integer of 15 to 1134, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:146, and where b is greater than or equal to a + 14.	
831608	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1472 of SEQ ID NO:147, b is an integer of 15 to 1486, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:147, and where b is greater than or equal to a + 14.	
831613	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 139 of SEQ ID NO:148, b is an integer of 15 to 153, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:148, and where b is greater than or equal to a + 14.	
831622	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 868 of SEQ ID NO:149, b is an integer of 15 to 882, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:149, and where b is greater than or equal to a + 14.	T40013, T40117, T55842, T55892, T58738, T58764, T58805, T58835, T58963, T60293, T60386, T61270, T61322, T61371, T61395, T61404, T61721, T61734, T61735, T61841, T61856, T61857, T61884, T62049, T62065, T62070, T62087, T62113, T62126, T62146, T41021, T62664, T62668, T62669, T62676, T62816, T62819, T62820, T62827, T64118, T64230, T64368, T64422, T64678, T64698, T64747, T67429, T67590, T67709, T67724, T67754, T67785, T67831, T67863, T67888, T67996, T68022, T68038, T68104, T68142, T68217, T68418, T68465, T68484, T68531, T68548, T68557, T68575, T68623, T68633, T68648, T68653, T68760, T68826, T68895, T68969, T68981, T69056, T69126, T69184, T69428, T69605, T69622, T69678, T69699, T70483, T70907, T70960, T71019, T71080, T71224, T71297, T71437, T71660, T71885, T71903, T71985, T72050, T72115, T72129, T72147, T72158, T72263, T72310, T72415, T72769, T72775, T72802, T72897, T72903, T72922, T72924, T73035, T73068, T73167, T73224, T73305, T73392, T73458, T73473, T73482, T73525, T73540, T73541, T73551, T73560, T73599, T73606, T73619, T73637, T73644, T73655, T73659, T73660, T73800.

		T73887, T73913, T73945, T73950, T74048, T74200, T74201, T74423, T74477, T74559, T74706, T74827, T99112, R05781, R05867, H47944, R95831, H60131, H65347, H65551, H68454, H68777, H73380, H73381, H79275, H79386, H82213, H82307, H93202, H93992, H93991, H94491, H94804, H95257, H95307, H95341, N28274, N58244, N68733, N77623, N80767, N91623, W07555, W80697, AA004677, AA004255, AA033869, AA034057, AA234464, AA491842, C20927
831631	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1494 of SEQ ID NO:150, b is an integer of 15 to 1508, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:150, and where b is greater than or equal to a + 14.	
831632	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1218 of SEQ ID NO:151, b is an integer of 15 to 1232, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:151, and where b is greater than or equal to a + 14.	T60158, T60218, T62213, T62652, T62877, T62966, T63329, T63951, T64542, T64634, T65965, T90119, T91565, T91610, T92138, T94160, T94999, T90219, T83025, T84028, T84029, T84511, R22325, R22619, R22620, R25250, R25595, R26992, R27328, R32850, R32954, R33282, R44282, R47779, R48151, R48152, R48322, R48428, R48538, R50415, R52277, R52278, R54608, R44282, R55376, R70352, R72103, R72155, R72280, R72317, R72367, R72368, R72371, R72372, R72716, R73784, R74375, R77393, R77394, R77892, R77987, R81485, R81725, H05676, H15941, H22149, H22193, H24533, H25059, H26810, H27743, H27803, H28012, H28066, H28290, H28291, H30654, H39748, H39761, H41932, H41979, H42063, H42642, H42766, H42767, H44628, H45776, H45777, H46386, H46404, R93135, R93942, R94660, R94661, H50708, H50709, H50720, H50812, H50811, H50826, H61352, H62379, H63665, H63944, H66336, H66385, H70746, H73887, H74080, H74176, H82646, H82647, H86555, H87065, H87719, H91147, H91197, H93078, H93211, H98788, N24993, N25111, N30229, N32159, N34033, N36553, N41829, N42292, N46951, N49340, N52921, N55462, N57121, N69863, N76837, N80667, N92844, N93333, N93683, N94449, N95075, W16427, W15325, W23470, W23480, W25070, W25186, W30795,

		W38675, W39219, W39393, W69270, W69557, AA019864, AA022662, AA022669, AA022768, AA025335, AA024417, AA031282, AA031281, AA032192, AA039752, AA040328, AA040307, AA041359, AA041442, AA057720, AA074855, AA086192, AA099717, AA099716, AA100416, AA142927, AA143150, AA149895, AA150239, AA150313, AA176193, AA459294, AA464165, AA425845, AA425899, AA428397, AA430393, AA427364, AA469113, AA505259, AA515918, AA516032, AA527677, AA533908, AA541266, AA554671, AA555247, AA557794, AA565267, AA582247, AA584415, AA588477, AA593255, AA595311, AA595376, AA604354, AA622137, AA573444, AA574244, AA732469, AA740323, AA741360, AA742872, AA749432, AA807903, AA808285, AA872498, AA873181, AA878139, AA878294, AA909748, AA937058, AA987672, AA994225, A1076066, W07696
831653	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 985 of SEQ ID NO:152, b is an integer of 15 to 999, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:152, and where b is greater than or equal to a + 14.	
831655	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1198 of SEQ ID NO:153, b is an integer of 15 to 1212, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:153, and where b is greater than or equal to a + 14.	N95539, W24228, W37689, AA019086, AA430215
831708	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2347 of SEQ ID NO:154, b is an integer of 15 to 2361, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:154, and where b is greater than or equal to a + 14.	
831738	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1817 of SEQ ID NO:155, b is an integer of 15 to 1831, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:155, and where b is greater than or equal to a + 14.	

831741	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1172 of SEQ ID NO:156, b is an integer of 15 to 1186, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:156, and where b is greater than or equal to a + 14.	T47689, T80213, H11356, H13411, R86865, R87546, N35663, AA081442, AA161001, C17978, C18946
831754	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1434 of SEQ ID NO:157, b is an integer of 15 to 1448, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:157, and where b is greater than or equal to a + 14.	
831760	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 990 of SEQ ID NO:158, b is an integer of 15 to 1004, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:158, and where b is greater than or equal to a + 14.	R73907, R74000, N64405, AA196765, AA232516, AA806432, AA837776, AI017699
831780	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1495 of SEQ ID NO:159, b is an integer of 15 to 1509, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:159, and where b is greater than or equal to a + 14.	AA100654, AA112750, AA594472, AA731487
831796	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2146 of SEQ ID NO:160, b is an integer of 15 to 2160, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:160, and where b is greater than or equal to a + 14.	H14891, W74005, AA623010, D80585, AI096496, W38434
831800	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3595 of SEQ ID NO:161, b is an integer of 15 to 3609, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:161, and where b is greater than or equal to a + 14.	
831807	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1589 of SEQ ID NO:162, b is an integer of 15 to 1603, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:162, and where b is greater than or equal to a + 14.	
831812	Preferably excluded from the present invention are	



	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 839 of SEQ ID NO:163, b is an integer of 15 to 853, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:163, and where b is greater than or equal to a + 14.	
831813	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1903 of SEQ ID NO:164, b is an integer of 15 to 1917, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:164, and where b is greater than or equal to a + 14.	H14269, AA069213, AA808661
831830	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2406 of SEQ ID NO:165, b is an integer of 15 to 2420, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:165, and where b is greater than or equal to a + 14.	H04695, AA112742, AA251641, AA506539
831860	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2047 of SEQ ID NO:166, b is an integer of 15 to 2061, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:166, and where b is greater than or equal to a + 14.	
831872	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2553 of SEQ ID NO:167, b is an integer of 15 to 2567, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:167, and where b is greater than or equal to a + 14.	R15368, R36227, R36228, R36669, R39751, H12331, H12382, H47986, R84945, R97224, R97223, W78107, AA149874, AA193466, AA193348, AA287444, AA535607, AA687414, AA689396, AA748665, AA809715
831896	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2310 of SEQ ID NO:168, b is an integer of 15 to 2324, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:168, and where b is greater than or equal to a + 14.	R59635, N28389, AA158646, AA158659, AA188594, AA190705, AA459426, AA465652
831928	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1770 of SEQ ID NO:169, b is an integer of 15 to 1784, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:169, and where b is greater than or equal to a + 14.	
831949	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 1282 of SEQ ID NO:170, b is an integer of 15 to 1296, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:170, and where b is greater than or equal to a + 14.	
831950	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1883 of SEQ ID NO:171, b is an integer of 15 to 1897, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:171, and where b is greater than or equal to a + 14.	
831953	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1709 of SEQ ID NO:172, b is an integer of 15 to 1723, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:172, and where b is greater than or equal to a + 14.	
831975	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1402 of SEQ ID NO:173, b is an integer of 15 to 1416, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:173, and where b is greater than or equal to a + 14.	
832036	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1942 of SEQ ID NO:174, b is an integer of 15 to 1956, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:174, and where b is greater than or equal to a + 14.	R60820, R78776, R79082, H01912, H04427, N34789, N44513, W20183, W35150, AA159701, AA159628, AA470753, AA659808
832047	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1675 of SEQ ID NO:175, b is an integer of 15 to 1689, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:175, and where b is greater than or equal to a + 14.	R21952, R21968, R26963, R78028, H75703, H75632, H84015, H88136, H88135, H94007, H95012, N24834, N30818, N31761, N41592, N79533, W16686, W24639, W38979, W87777, W87875, AA121146, AA122426, AA131874, AA131978, AA147083, AA147140, AA282507, AA282605, AA558945, H84016, AA587558, AA830662, AA866026, AA917653, A1017813, C06340
832078	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1002 of SEQ ID NO:176, b is an integer of 15 to 1016, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:176, and where b is greater than or equal to a + 14.	

832100	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1350 of SEQ ID NO:177, b is an integer of 15 to 1364, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:177, and where b is greater than or equal to a + 14.	
832104	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 726 of SEQ ID NO:178, b is an integer of 15 to 740, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:178, and where b is greater than or equal to a + 14.	
832268	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1396 of SEQ ID NO:179, b is an integer of 15 to 1410, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:179, and where b is greater than or equal to a + 14.	
832270	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1479 of SEQ ID NO:180, b is an integer of 15 to 1493, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:180, and where b is greater than or equal to a + 14.	
832279	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2026 of SEQ ID NO:181, b is an integer of 15 to 2040, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:181, and where b is greater than or equal to a + 14.	
832317	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 955 of SEQ ID NO:182, b is an integer of 15 to 969, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:182, and where b is greater than or equal to a + 14.	R81508, H12476, H86945, AA053747, AA115783, AA133749, AA134163, AA134164, AA224985, AA228334, AA228423, AA229297, AA640471, AA657793, AA687568, AA904162, AA983632
832354	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1438 of SEQ ID NO:183, b is an integer of 15 to 1452, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:183, and where b is greater than or equal to a + 14.	
832364	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2105 of SEQ ID NO:184, b is an integer of 15 to 2119, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:184, and where b is greater than or equal to a + 14.	
832378	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1311 of SEQ ID NO:185, b is an integer of 15 to 1325, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:185, and where b is greater than or equal to a + 14.	
832385	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 419 of SEQ ID NO:186, b is an integer of 15 to 433, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:186, and where b is greater than or equal to a + 14.	
832428	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 845 of SEQ ID NO:187, b is an integer of 15 to 859, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:187, and where b is greater than or equal to a + 14.	AA031420
832485	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 819 of SEQ ID NO:188, b is an integer of 15 to 833, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:188, and where b is greater than or equal to a + 14.	R63025, R66741, H53264, H53265, H53769, H53822, H54405, H54489, H81182, H91282, AA526672, H81181
832494	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2197 of SEQ ID NO:189, b is an integer of 15 to 2211, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:189, and where b is greater than or equal to a + 14.	T61040, T61591, T90055, T90157, T92840, T93714, T96177, T77726, H04686, H05450, H06997, H20176, H20366, R92666, H65144, H92413, N64053, N64060, N66714, N71338, N71388, N79742, N95497, N99884, W07259, W24989, W37394, W37657, W40208, W40260, W40532, W45430, W56165, W60427, W60986, W61080, W63739, W72328, W73757, W74394, AA025512, AA026057, AA065019, AA069295, AA069798, AA069845, AA070441, AA075793, AA083393, AA083394, AA084576, AA086181, AA099019, AA099097, AA099493, AA102003, AA100395, AA100554, AA100555, AA100638, AA101578, AA113226, AA113811, AA115645, AA115646.

		AA115888, AA115889, AA122231, AA121108, AA121596, AA121671, AA121743, AA126075, AA126102, AA126181, AA126295, AA126404, AA129470, AA129665, AA133945, AA133946, AA146752, AA155947, AA157140, AA157228, AA159947, AA160900, AA164889, AA164890, AA164840, AA164839, AA172107, AA182040, AA171714, AA187244, AA187376, AA186418, AA188846, AA189131, AA196155, AA196257, AA196611, AA196789, AA196961, AA223155, AA223415, AA226816, AA226856, AA227026, AA227109, AA227208, AA243161, AA243205, AA428759, AA429347, AA514858, AA535250, AA555125, AA565075, AA565168, AA581531, AA587192, AA576761, AA580523, AA659699, AA688240, AA689484, AA689543, AA689313, AA729979, AA740203, AA747258, AA747399, AA747993, AA837961, AA865930, AA906561, AA910350, AA919085, AA931143, AA999884, A1051141, F19298, W22294, W22759, W22970, W25820, W73709, C02713, C02766, C03390, C03613, C04202, C05262, C05272, R28954, R29028, R29032, AA062628, AA090039, C18989
832512	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1645 of SEQ ID NO:190, b is an integer of 15 to 1659, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:190, and where b is greater than or equal to a + 14.	
832515	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3880 of SEQ ID NO:191, b is an integer of 15 to 3894, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:191, and where b is greater than or equal to a + 14.	
832526	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 681 of SEQ ID NO:192, b is an integer of 15 to 695, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:192, and where b is greater than or equal to a + 14.	
832575	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	R28543, R28684, R55782, R55862, R62797, R62843, R67670, R71154,

	sequence described by the general formula of a-b, where a is any integer between 1 to 3117 of SEQ ID NO:193, b is an integer of 15 to 3131, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:193, and where b is greater than or equal to a + 14.	R71651, N20642, N24838, N25562, N29014, N31768, N34161, N57560, N72111, W00338, W00374, W30889, W52729, W59982, W68047, W68189, AA019459, AA043870, AA044336, AA045040, AA045041, AA115599, AA115134, AA131177, AA165259, AA165260, AA165191, AA165192, AA164549, AA164550, AA261988, AA424972, AA279863, AA458832, AA459024, AA505193, AA507542, AA514388, AA622542, AA689232, AA689233, AA804910, AA807169, AA832321, AA878091, AA904023, AA936069, AA936071, AA946621, C00143, N86645, AA010988, AA641236, AA641464, C18301
832576	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2044 of SEQ ID NO:194, b is an integer of 15 to 2058, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:194, and where b is greater than or equal to a + 14.	
832588	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 817 of SEQ ID NO:195, b is an integer of 15 to 831, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:195, and where b is greater than or equal to a + 14.	
832634	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 947 of SEQ ID NO:196, b is an integer of 15 to 961, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:196, and where b is greater than or equal to a + 14.	
832728	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 592 of SEQ ID NO:197, b is an integer of 15 to 606, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:197, and where b is greater than or equal to a + 14.	
833094	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 379 of SEQ ID NO:198, b is an integer of 15 to 393, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:198, and where b is greater than or equal to a + 14.	

833395	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1047 of SEQ ID NO:199, b is an integer of 15 to 1061, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:199, and where b is greater than or equal to a + 14.	
834326	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1345 of SEQ ID NO:200, b is an integer of 15 to 1359, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:200, and where b is greater than or equal to a + 14.	
834583	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 712 of SEQ ID NO:201, b is an integer of 15 to 726, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:201, and where b is greater than or equal to a + 14.	
834944	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2700 of SEQ ID NO:202, b is an integer of 15 to 2714, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:202, and where b is greater than or equal to a + 14.	
835012	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 408 of SEQ ID NO:203, b is an integer of 15 to 422, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:203, and where b is greater than or equal to a + 14.	
835104	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2325 of SEQ ID NO:204, b is an integer of 15 to 2339, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:204, and where b is greater than or equal to a + 14.	
835332	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1641 of SEQ ID NO:205, b is an integer of 15 to 1655, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:205, and where b is greater than or equal to a + 14.	
835487	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 5131 of SEQ ID NO:206, b is an integer of 15 to 5145, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:206, and where b is greater than or equal to a + 14.	
836182	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 473 of SEQ ID NO:207, b is an integer of 15 to 487, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:207, and where b is greater than or equal to a + 14.	
836522	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2282 of SEQ ID NO:208, b is an integer of 15 to 2296, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:208, and where b is greater than or equal to a + 14.	
836655	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 611 of SEQ ID NO:209, b is an integer of 15 to 625, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:209, and where b is greater than or equal to a + 14.	
836787	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1537 of SEQ ID NO:210, b is an integer of 15 to 1551, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:210, and where b is greater than or equal to a + 14.	W56241, W56321, AA009901, AA521313, AA732599, AA730271, AA766911, AA767313, W27009
836789	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 997 of SEQ ID NO:211, b is an integer of 15 to 1011, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:211, and where b is greater than or equal to a + 14.	T68817, R22374, R27362, H38950, R89148, R91088, H68416, H93594, N33889, N47045, N56761, W19886, W44630, W61370, W86385, AA036993, AA065062, AA101017, AA121107, AA130485, AA147474, AA160596, AA282977
838577	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1625 of SEQ ID NO:212, b is an integer of 15 to 1639, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:212, and where b is greater than or equal to a + 14.	T53501, T40735, T63398, T63985, T64053, T64155, T64284, T93511, T94941, T94995, T96340, R00890, R01553, R12738, R12739, R39790, R54423, R66373, R66595, R67104, R67219, R79151, R79152, R82180, R82224, R82470, R82471, H01963, H02048, H02758, H02759, H05982, H19484, H19567, H19882, H19900, H44901, H44938, H44978, H46289, H46871, H49538.



		H49781, H53114, H53220, H54300, H56079, H56279, H79695, H79696, N23140, N25755, N25850, N26983, N29784, N32719, N36477, N40104, N42924, N44580, N50724, N55052, N67751, N93444, N98425, N98537, W02803, W21105, W23673, W30688, W30899, W35106, W45448, W45449, W45661, W44441, W46823, W46872, W47373, W47374, W52205, W58331, W58652, W96332, AA007386, AA007676, AA011363, AA016311, AA017511, AA018464, AA019899, AA025040, AA025039, AA029796, AA029797, AA031472, AA035395, AA035396, AA037272, AA040791, AA041228, AA042893, AA043029, AA055565, AA056185, AA056186, AA056621, AA056726, AA069193, AA079705, AA082517, AA084044, AA084043, AA115273, AA115056, AA132031, AA132153, AA149267, AA149284, AA149378, AA158093, AA158103, AA158364, AA158904, AA158905, AA165106, AA220957, AA235312, AA251169, AA421302, AA421425, AA428706, AA429291, AA513790, AA531603, AA551736, AA554236, AA605236, AA604674, AA604939, AA612935, AA617731, AA627300, AA687527, AA732095, AA740760, AA765135, AA765136, AA765296, AA765891, AA888144, AA908665, AA928038, AA936934, AA961143, AA987647, AA975856, W03595, C03206, C18055, AA164690, AA218956, AA291352, AA292329, AA293276, AA393988, AA398076, AA410772, D12417, AA442678, AA442969, AA454814, AA454888, AA482370, AA486098, AA486161, AA625879, AA678365, AA679281, AA703505, AA722872, AA732793, AA989559, A1003448, A1014938, A1022070, A1084792, A1092360
838717	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2113 of SEQ ID NO:213, b is an integer of 15 to 2127, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:213, and where b is greater than or equal to a + 14.	
839008	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1152 of SEQ ID	

	NO:214, b is an integer of 15 to 1166, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:214, and where b is greater than or equal to a + 14.	
840063	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3309 of SEQ ID NO:215, b is an integer of 15 to 3323, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:215, and where b is greater than or equal to a + 14.	
840533	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1394 of SEQ ID NO:216, b is an integer of 15 to 1408, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:216, and where b is greater than or equal to a + 14.	
840669	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2097 of SEQ ID NO:217, b is an integer of 15 to 2111, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:217, and where b is greater than or equal to a + 14.	T71029, T79145, T79226, T99989, R59589, R61735, R61734, R66190, R67070, H16201, H16200, H22960, H84137, H85574, H98850, N23572, N26340, N56614, W72249, W76334, W86530, W87654, W87653, AA057869, AA122103, AA129545, AA136524, AA137122, AA429808, AA525242, AA558970, H99223, AA584317, AA595168, AA825180, AA931521, AA938437, AI017369, N29659, N68604, W86674, AA007246
841140	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2479 of SEQ ID NO:218, b is an integer of 15 to 2493, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:218, and where b is greater than or equal to a + 14.	
841386	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1245 of SEQ ID NO:219, b is an integer of 15 to 1259, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:219, and where b is greater than or equal to a + 14.	AA429393, AA429394, AA493187, AA807096, AA836046
841480	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1835 of SEQ ID NO:220, b is an integer of 15 to 1849, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:220, and where b is greater than or equal to a + 14.	
841509	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1253 of SEQ ID NO:221, b is an integer of 15 to 1267, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:221, and where b is greater than or equal to a + 14.	
841616	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 740 of SEQ ID NO:222, b is an integer of 15 to 754, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:222, and where b is greater than or equal to a + 14.	
841900	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1244 of SEQ ID NO:223, b is an integer of 15 to 1258, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:223, and where b is greater than or equal to a + 14.	R87848, AA806230, Z28656
842054	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 570 of SEQ ID NO:224, b is an integer of 15 to 584, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:224, and where b is greater than or equal to a + 14.	
843061	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3435 of SEQ ID NO:225, b is an integer of 15 to 3449, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:225, and where b is greater than or equal to a + 14.	
843544	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1852 of SEQ ID NO:226, b is an integer of 15 to 1866, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:226, and where b is greater than or equal to a + 14.	
844092	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1050 of SEQ ID NO:227, b is an integer of 15 to 1064, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:227, and where b is greater than or equal to a + 14.	
844270	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 359 of SEQ ID NO:228, b is an integer of 15 to 373, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:228, and where b is greater than or equal to a + 14.	
844604	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2830 of SEQ ID NO:229, b is an integer of 15 to 2844, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:229, and where b is greater than or equal to a + 14.	
844685	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1784 of SEQ ID NO:230, b is an integer of 15 to 1798, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:230, and where b is greater than or equal to a + 14.	
844855	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1809 of SEQ ID NO:231, b is an integer of 15 to 1823, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:231, and where b is greater than or equal to a + 14.	
845101	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 956 of SEQ ID NO:232, b is an integer of 15 to 970, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:232, and where b is greater than or equal to a + 14.	
845141	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 953 of SEQ ID NO:233, b is an integer of 15 to 967, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:233, and where b is greater than or equal to a + 14.	
845220	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2149 of SEQ ID NO:234, b is an integer of 15 to 2163, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:234, and where b is greater than or equal to a + 14.	R70310, H02204, H28992, H29096, W67797, W67855, W72320, AA459289, AA459519, AA430385, AA746169
845434	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	

	where a is any integer between 1 to 1307 of SEQ ID NO:235, b is an integer of 15 to 1321, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:235, and where b is greater than or equal to a + 14.	
845510	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 669 of SEQ ID NO:236, b is an integer of 15 to 683, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:236, and where b is greater than or equal to a + 14.	
845600	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2101 of SEQ ID NO:237, b is an integer of 15 to 2115, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:237, and where b is greater than or equal to a + 14.	
845882	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1628 of SEQ ID NO:238, b is an integer of 15 to 1642, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:238, and where b is greater than or equal to a + 14.	
846007	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 454 of SEQ ID NO:239, b is an integer of 15 to 468, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:239, and where b is greater than or equal to a + 14.	H81424
846280	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1315 of SEQ ID NO:240, b is an integer of 15 to 1329, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:240, and where b is greater than or equal to a + 14.	
846286	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1638 of SEQ ID NO:241, b is an integer of 15 to 1652, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:241, and where b is greater than or equal to a + 14.	
846388	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1932 of SEQ ID	

	NO:242. b is an integer of 15 to 1946, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:242. and where b is greater than or equal to a + 14.	
--	--	--

***Polynucleotide and Polypeptide Variants***

The present invention is directed to variants of the polynucleotide sequence disclosed in SEQ ID NO:X or the complementary strand thereto, and/or the cDNA sequence contained in a cDNA clone contained in the deposit.

5       The present invention also encompasses variants of a colon and/or colon cancer polypeptide sequence disclosed in SEQ ID NO:Y, a polypeptide sequence encoded by the polynucleotide sequence in SEQ ID NO:X, and/or a polypeptide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

10       "Variant" refers to a polynucleotide or polypeptide differing from the polynucleotide or polypeptide of the present invention, but retaining essential properties thereof. Generally, variants are overall closely similar, and, in many regions, identical to the polynucleotide or polypeptide of the present invention.

15       The present invention is also directed to nucleic acid molecules which comprise, or alternatively consist of, a nucleotide sequence which is at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100%, identical to, for example, the nucleotide coding sequence in SEQ ID NO:X or the complementary strand thereto, the nucleotide coding sequence of the related cDNA contained in a deposited library or the complementary strand thereto, a nucleotide sequence encoding the polypeptide of SEQ ID NO:Y, a nucleotide sequence encoding a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a nucleotide sequence encoding the polypeptide encoded by the cDNA in the related cDNA contained in a deposited library, and/or polynucleotide fragments of any of these nucleic acid molecules (e.g., those fragments described herein). Polypeptides encoded by these nucleic acid molecules are also encompassed by the invention. In another embodiment, the invention encompasses nucleic acid molecules which comprise or alternatively consist of, a polynucleotide which hybridizes under stringent hybridization conditions, or alternatively, under low stringency conditions, to the nucleotide coding sequence in SEQ ID NO:X, the nucleotide coding sequence of the related cDNA clone contained in a deposited library, a nucleotide sequence encoding the polypeptide of SEQ ID NO:Y, a nucleotide sequence encoding a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a nucleotide sequence encoding the polypeptide encoded by the cDNA in the related cDNA clone contained in a deposited library, and/or polynucleotide fragments of any of these nucleic acid molecules (e.g., those fragments described herein). Polynucleotides which

20

25

30

hybridize to the complement of these nucleic acid molecules under stringent hybridization conditions or alternatively, under lower stringency conditions. are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

5 The present invention is also directed to polypeptides which comprise, or alternatively consist of, an amino acid sequence which is at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to, for example, the polypeptide sequence shown in SEQ ID NO:Y, a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a polypeptide sequence encoded by the cDNA in the related cDNA clone contained in a deposited library, and/or polypeptide fragments of any of these polypeptides (e.g., those fragments described  
10 herein). Polynucleotides which hybridize to the complement of the nucleic acid molecules encoding these polypeptides under stringent hybridization conditions, or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

By a nucleic acid having a nucleotide sequence at least, for example, 95% "identical" to a reference nucleotide sequence of the present invention, it is intended that the nucleotide sequence of the nucleic acid is identical to the reference sequence except that the nucleotide sequence may include up to five point mutations per each 100 nucleotides of the reference nucleotide sequence encoding the polypeptide. In other words, to obtain a nucleic acid having a nucleotide sequence at least 95% identical to a reference nucleotide sequence, up to  
20 5% of the nucleotides in the reference sequence may be deleted or substituted with another nucleotide, or a number of nucleotides up to 5% of the total nucleotides in the reference sequence may be inserted into the reference sequence. The query sequence may be, for example, an entire sequence referred to in Table 1, an ORF (open reading frame), or any fragment specified as described herein.

25 As a practical matter, whether any particular nucleic acid molecule or polypeptide is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to a nucleotide sequence of the present invention can be determined conventionally using known computer programs. A preferred method for determining the best overall match between a query sequence (a sequence of the present invention) and a subject sequence, also referred to as a global sequence alignment, can be determined using the FASTDB computer program based on the  
30 algorithm of Brutlag et al. (Comp. App. Biosci. 6:237-245 (1990)). In a sequence alignment the query and subject sequences are both DNA sequences. An RNA sequence can be



compared by converting U's to T's. The result of said global sequence alignment is in percent identity. Preferred parameters used in a FASTDB alignment of DNA sequences to calculate percent identity are: Matrix=Unitary, k-tuple=4, Mismatch Penalty=1, Joining Penalty=30, Randomization Group Length=0, Cutoff Score=1, Gap Penalty=5, Gap Size  
5 Penalty 0.05, Window Size=500 or the length of the subject nucleotide sequence, whichever is shorter.

If the subject sequence is shorter than the query sequence because of 5' or 3' deletions, not because of internal deletions, a manual correction must be made to the results. This is because the FASTDB program does not account for 5' and 3' truncations of the  
10 subject sequence when calculating percent identity. For subject sequences truncated at the 5' or 3' ends, relative to the query sequence, the percent identity is corrected by calculating the number of bases of the query sequence that are 5' and 3' of the subject sequence, which are not matched/aligned, as a percent of the total bases of the query sequence. Whether a nucleotide is matched/aligned is determined by results of the FASTDB sequence alignment.  
15 This percentage is then subtracted from the percent identity, calculated by the above FASTDB program using the specified parameters, to arrive at a final percent identity score. This corrected score is what is used for the purposes of the present invention. Only bases outside the 5' and 3' bases of the subject sequence, as displayed by the FASTDB alignment, which are not matched/aligned with the query sequence, are calculated for the purposes of  
20 manually adjusting the percent identity score.

For example, a 90 base subject sequence is aligned to a 100 base query sequence to determine percent identity. The deletions occur at the 5' end of the subject sequence and therefore, the FASTDB alignment does not show a matched/alignment of the first 10 bases at 5' end. The 10 unpaired bases represent 10% of the sequence (number of bases at the 5' and  
25 3' ends not matched/total number of bases in the query sequence) so 10% is subtracted from the percent identity score calculated by the FASTDB program. If the remaining 90 bases were perfectly matched the final percent identity would be 90%. In another example, a 90 base subject sequence is compared with a 100 base query sequence. This time the deletions are internal deletions so that there are no bases on the 5' or 3' of the subject sequence which  
30 are not matched/aligned with the query. In this case the percent identity calculated by FASTDB is not manually corrected. Once again, only bases 5' and 3' of the subject sequence which are not matched/aligned with the query sequence are manually corrected for. No other

manual corrections are to made for the purposes of the present invention.

By a polypeptide having an amino acid sequence at least, for example, 95% "identical" to a query amino acid sequence of the present invention, it is intended that the amino acid sequence of the subject polypeptide is identical to the query sequence except that  
5 the subject polypeptide sequence may include up to five amino acid alterations per each 100 amino acids of the query amino acid sequence. In other words, to obtain a polypeptide having an amino acid sequence at least 95% identical to a query amino acid sequence, up to 5% of the amino acid residues in the subject sequence may be inserted, deleted, (indels) or substituted with another amino acid. These alterations of the reference sequence may occur  
10 at the amino or carboxy terminal positions of the reference amino acid sequence or anywhere between those terminal positions, interspersed either individually among residues in the reference sequence or in one or more contiguous groups within the reference sequence.

As a practical matter, whether any particular polypeptide is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to, for instance, the amino acid sequence in SEQ ID  
15 NO:Y or a fragment thereof, the amino acid sequence encoded by the nucleotide sequence in SEQ ID NO:X or a fragment thereof, or the amino acid sequence encoded by the cDNA in the related cDNA clone contained in a deposited library, or a fragment thereof, can be determined conventionally using known computer programs. A preferred method for determining the best overall match between a query sequence (a sequence of the present  
20 invention) and a subject sequence, also referred to as a global sequence alignment, can be determined using the FASTDB computer program based on the algorithm of Brutlag et al. (Comp. App. Biosci.6:237- 245(1990)). In a sequence alignment the query and subject sequences are either both nucleotide sequences or both amino acid sequences. The result of said global sequence alignment is in percent identity. Preferred parameters used in a  
25 FASTDB amino acid alignment are: Matrix=PAM 0, k-tuple=2, Mismatch Penalty=1, Joining Penalty=20, Randomization Group Length=0, Cutoff Score=1, Window Size=sequence length, Gap Penalty=5, Gap Size Penalty=0.05, Window Size=500 or the length of the subject amino acid sequence, whichever is shorter.

If the subject sequence is shorter than the query sequence due to N- or C-terminal  
30 deletions, not because of internal deletions, a manual correction must be made to the results. This is because the FASTDB program does not account for N- and C-terminal truncations of the subject sequence when calculating global percent identity. For subject sequences

truncated at the N- and C-termini, relative to the query sequence, the percent identity is corrected by calculating the number of residues of the query sequence that are N- and C-terminal of the subject sequence, which are not matched/aligned with a corresponding subject residue, as a percent of the total bases of the query sequence. Whether a residue is  
5 matched/aligned is determined by results of the FASTDB sequence alignment. This percentage is then subtracted from the percent identity, calculated by the above FASTDB program using the specified parameters, to arrive at a final percent identity score. This final percent identity score is what is used for the purposes of the present invention. Only residues to the N- and C-termini of the subject sequence, which are not matched/aligned with the  
10 query sequence, are considered for the purposes of manually adjusting the percent identity score. That is, only query residue positions outside the farthest N- and C- terminal residues of the subject sequence.

For example, a 90 amino acid residue subject sequence is aligned with a 100 residue query sequence to determine percent identity. The deletion occurs at the N-terminus of the  
15 subject sequence and therefore, the FASTDB alignment does not show a matching/alignment of the first 10 residues at the N-terminus. The 10 unpaired residues represent 10% of the sequence (number of residues at the N- and C- termini not matched/total number of residues in the query sequence) so 10% is subtracted from the percent identity score calculated by the FASTDB program. If the remaining 90 residues were perfectly matched the final percent  
20 identity would be 90%. In another example, a 90 residue subject sequence is compared with a 100 residue query sequence. This time the deletions are internal deletions so there are no residues at the N- or C-termini of the subject sequence which are not matched/aligned with the query. In this case the percent identity calculated by FASTDB is not manually corrected. Once again, only residue positions outside the N- and C-terminal ends of the subject  
25 sequence, as displayed in the FASTDB alignment, which are not matched/aligned with the query sequence are manually corrected for. No other manual corrections are to made for the purposes of the present invention.

The variants may contain alterations in the coding regions, non-coding regions, or both. Especially preferred are polynucleotide variants containing alterations which produce  
30 silent substitutions, additions, or deletions, but do not alter the properties or activities of the encoded polypeptide. Nucleotide variants produced by silent substitutions due to the degeneracy of the genetic code are preferred. Moreover, variants in which less than 50, less

than 40, less than 30, less than 20, less than 10, or 5-50, 5-25, 5-10, 1-5, or 1-2 amino acids are substituted, deleted, or added in any combination are also preferred. Polynucleotide variants can be produced for a variety of reasons, e.g., to optimize codon expression for a particular host (change codons in the human mRNA to those preferred by a bacterial host such as *E. coli*).

Naturally occurring variants are called "allelic variants," and refer to one of several alternate forms of a gene occupying a given locus on a chromosome of an organism. (Genes II, Lewin, B., ed., John Wiley & Sons, New York (1985).) These allelic variants can vary at either the polynucleotide and/or polypeptide level and are included in the present invention. Alternatively, non-naturally occurring variants may be produced by mutagenesis techniques or by direct synthesis.

Using known methods of protein engineering and recombinant DNA technology, variants may be generated to improve or alter the characteristics of the polypeptides of the present invention. For instance, as discussed herein, one or more amino acids can be deleted from the N-terminus or C-terminus of the polypeptide of the present invention without substantial loss of biological function. The authors of Ron et al., *J. Biol. Chem.* 268: 2984-2988 (1993), reported variant KGF proteins having heparin binding activity even after deleting 3, 8, or 27 amino-terminal amino acid residues. Similarly, Interferon gamma exhibited up to ten times higher activity after deleting 8-10 amino acid residues from the carboxy terminus of this protein. (Dobeli et al., *J. Biotechnology* 7:199-216 (1988).)

Moreover, ample evidence demonstrates that variants often retain a biological activity similar to that of the naturally occurring protein. For example, Gayle and coworkers (*J. Biol. Chem.* 268:22105-22111 (1993)) conducted extensive mutational analysis of human cytokine IL-1a. They used random mutagenesis to generate over 3,500 individual IL-1a mutants that averaged 2.5 amino acid changes per variant over the entire length of the molecule. Multiple mutations were examined at every possible amino acid position. The investigators found that "[m]ost of the molecule could be altered with little effect on either [binding or biological activity]." (See, Abstract.) In fact, only 23 unique amino acid sequences, out of more than 3,500 nucleotide sequences examined, produced a protein that significantly differed in activity from wild-type.

Furthermore, as discussed herein, even if deleting one or more amino acids from the N-terminus or C-terminus of a polypeptide results in modification or loss of one or more

biological functions, other biological activities may still be retained. For example, the ability of a deletion variant to induce and/or to bind antibodies which recognize the secreted form will likely be retained when less than the majority of the residues of the secreted form are removed from the N-terminus or C-terminus. Whether a particular polypeptide lacking N- or C-terminal residues of a protein retains such immunogenic activities can readily be determined by routine methods described herein and otherwise known in the art.

Thus, the invention further includes polypeptide variants which show a functional activity (e.g., biological activity) of the polypeptide of the invention of which they are a variant. Such variants include deletions, insertions, inversions, repeats, and substitutions selected according to general rules known in the art so as have little effect on activity.

The present application is directed to nucleic acid molecules at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to the nucleic acid sequences disclosed herein or fragments thereof, (e.g., including but not limited to fragments encoding a polypeptide having the amino acid sequence of an N and/or C terminal deletion), irrespective of whether they encode a polypeptide having functional activity. This is because even where a particular nucleic acid molecule does not encode a polypeptide having functional activity, one of skill in the art would still know how to use the nucleic acid molecule, for instance, as a hybridization probe or a polymerase chain reaction (PCR) primer. Uses of the nucleic acid molecules of the present invention that do not encode a polypeptide having functional activity include, inter alia, (1) isolating a gene or allelic or splice variants thereof in a cDNA library; (2) in situ hybridization (e.g., "FISH") to metaphase chromosomal spreads to provide precise chromosomal location of the gene, as described in Verma et al., Human Chromosomes: A Manual of Basic Techniques, Pergamon Press, New York (1988); and (3) Northern Blot analysis for detecting mRNA expression in specific tissues.

Preferred, however, are nucleic acid molecules having sequences at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to the nucleic acid sequences disclosed herein, which do, in fact, encode a polypeptide having a functional activity of a polypeptide of the invention.

Of course, due to the degeneracy of the genetic code, one of ordinary skill in the art will immediately recognize that a large number of the nucleic acid molecules having a sequence at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to, for example, the nucleic acid sequence of the cDNA in the related cDNA clone contained in a

deposited library, the nucleic acid sequence referred to in Table I (SEQ ID NO:X), or fragments thereof, will encode polypeptides "having functional activity." In fact, since degenerate variants of any of these nucleotide sequences all encode the same polypeptide, in many instances, this will be clear to the skilled artisan even without performing the above described comparison assay. It will be further recognized in the art that, for such nucleic acid molecules that are not degenerate variants, a reasonable number will also encode a polypeptide having functional activity. This is because the skilled artisan is fully aware of amino acid substitutions that are either less likely or not likely to significantly effect protein function (e.g., replacing one aliphatic amino acid with a second aliphatic amino acid), as further described below.

For example, guidance concerning how to make phenotypically silent amino acid substitutions is provided in Bowie et al., "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions," *Science* 247:1306-1310 (1990), wherein the authors indicate that there are two main strategies for studying the tolerance of an amino acid sequence to change.

The first strategy exploits the tolerance of amino acid substitutions by natural selection during the process of evolution. By comparing amino acid sequences in different species, conserved amino acids can be identified. These conserved amino acids are likely important for protein function. In contrast, the amino acid positions where substitutions have been tolerated by natural selection indicates that these positions are not critical for protein function. Thus, positions tolerating amino acid substitution could be modified while still maintaining biological activity of the protein.

The second strategy uses genetic engineering to introduce amino acid changes at specific positions of a cloned gene to identify regions critical for protein function. For example, site directed mutagenesis or alanine-scanning mutagenesis (introduction of single alanine mutations at every residue in the molecule) can be used. (Cunningham and Wells, *Science* 244:1081-1085 (1989).) The resulting mutant molecules can then be tested for biological activity.

As the authors state, these two strategies have revealed that proteins are surprisingly tolerant of amino acid substitutions. The authors further indicate which amino acid changes are likely to be permissive at certain amino acid positions in the protein. For example, most buried (within the tertiary structure of the protein) amino acid residues require nonpolar side

chains, whereas few features of surface side chains are generally conserved. Moreover, tolerated conservative amino acid substitutions involve replacement of the aliphatic or hydrophobic amino acids Ala, Val, Leu and Ile; replacement of the hydroxyl residues Ser and Thr; replacement of the acidic residues Asp and Glu; replacement of the amide residues Asn and Gln. replacement of the basic residues Lys, Arg, and His; replacement of the aromatic residues Phe, Tyr, and Trp, and replacement of the small-sized amino acids Ala, Ser, Thr, Met, and Gly. Besides conservative amino acid substitution, variants of the present invention include (i) substitutions with one or more of the non-conserved amino acid residues, where the substituted amino acid residues may or may not be one encoded by the genetic code, or (ii) substitution with one or more of amino acid residues having a substituent group, or (iii) fusion of the mature polypeptide with another compound, such as a compound to increase the stability and/or solubility of the polypeptide (for example, polyethylene glycol), or (iv) fusion of the polypeptide with additional amino acids, such as, for example, an IgG Fc fusion region peptide, or leader or secretory sequence, or a sequence facilitating purification. Such variant polypeptides are deemed to be within the scope of those skilled in the art from the teachings herein.

For example, polypeptide variants containing amino acid substitutions of charged amino acids with other charged or neutral amino acids may produce proteins with improved characteristics, such as less aggregation. Aggregation of pharmaceutical formulations both reduces activity and increases clearance due to the aggregate's immunogenic activity. (Pinckard et al., Clin. Exp. Immunol. 2:331-340 (1967); Robbins et al., Diabetes 36: 838-845 (1987); Cleland et al., Crit. Rev. Therapeutic Drug Carrier Systems 10:307-377 (1993).)

A further embodiment of the invention relates to a polypeptide which comprises the amino acid sequence of a polypeptide having an amino acid sequence which contains at least one amino acid substitution, but not more than 50 amino acid substitutions, even more preferably, not more than 40 amino acid substitutions, still more preferably, not more than 30 amino acid substitutions, and still even more preferably, not more than 20 amino acid substitutions. Of course it is highly preferable for a polypeptide to have an amino acid sequence which comprises the amino acid sequence of a polypeptide of SEQ ID NO:Y, an amino acid sequence encoded by SEQ ID NO:X, and/or the amino acid sequence encoded by the cDNA in the related cDNA clone contained in a deposited library which contains, in order of ever-increasing preference, at least one, but not more than 10, 9, 8, 7, 6, 5, 4, 3, 2 or 1

amino acid substitutions. In specific embodiments, the number of additions, substitutions, and/or deletions in the amino acid sequence of SEQ ID NO:Y or fragments thereof (e.g., the mature form and/or other fragments described herein), an amino acid sequence encoded by SEQ ID NO:X or fragments thereof, and/or the amino acid sequence encoded by the cDNA in the related cDNA clone contained in a deposited library or fragments thereof, is 1-5, 5-10, 5-25, 5-50, 10-50 or 50-150, conservative amino acid substitutions are preferable.

#### *Polynucleotide and Polypeptide Fragments*

The present invention is also directed to polynucleotide fragments of the colon and/or colon cancer polynucleotides (nucleic acids) of the invention. In the present invention, a "polynucleotide fragment" refers, for example, to a polynucleotide having a nucleic acid sequence which: is a portion of the cDNA contained in a deposited cDNA clone; or is a portion of a polynucleotide sequence encoding the polypeptide encoded by the cDNA contained in a deposited cDNA clone; or is a portion of the polynucleotide sequence in SEQ ID NO:X or the complementary strand thereto; or is a polynucleotide sequence encoding a portion of the polypeptide of SEQ ID NO:Y; or is a polynucleotide sequence encoding a portion of a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto. The nucleotide fragments of the invention are preferably at least about 15 nt, and more preferably at least about 20 nt, still more preferably at least about 30 nt, and even more preferably, at least about 40 nt, at least about 50 nt, at least about 75 nt, at least about 100 nt, at least about 125 nt or at least about 150 nt in length. A fragment "at least 20 nt in length," for example, is intended to include 20 or more contiguous bases from, for example, the sequence contained in the cDNA in a related cDNA clone contained in a deposited library, the nucleotide sequence shown in SEQ ID NO:X or the complementary stand thereto. In this context "about" includes the particularly recited value or a value larger or smaller by several (5, 4, 3, 2, or 1) nucleotides. These nucleotide fragments have uses that include, but are not limited to, as diagnostic probes and primers as discussed herein. Of course, larger fragments (e.g., at least 150, 175, 200, 250, 500, 600, 1000, or 2000 nucleotides in length) are also encompassed by the invention.

Moreover, representative examples of polynucleotide fragments of the invention, include, for example, fragments comprising, or alternatively consisting of, a sequence from about nucleotide number 1-50, 51-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351-



400, 401-450, 451-500, 501-550, 551-600, 651-700, 701-750, 751-800, 800-850, 851-900, 901-950, 951-1000, 1001-1050, 1051-1100, 1101-1150, 1151-1200, 1201-1250, 1251-1300, 1301-1350, 1351-1400, 1401-1450, 1451-1500, 1501-1550, 1551-1600, 1601-1650, 1651-1700, 1701-1750, 1751-1800, 1801-1850, 1851-1900, 1901-1950, 1951-2000, 2001-2050, 2051-2100, 2101-2150, 2151-2200, 2201-2250, 2251-2300, 2301-2350, 2351-2400, 2401-2450, 2451-2500, 2501-2550, 2551-2600, 2601-2650, 2651-2700, 2701-2750, 2751-2800, 2801-2850, 2851-2900, 2901-2950, 2951-3000, 3001-3050, 3051-3100, 3101-3150, 3151-3200, 3201-3250, 3251-3300, 3301-3350, 3351-3400, 3401-3450, 3451-3500, 3501-3550, 3551-3600, 3601-3650, 3651-3700, 3701-3750, 3751-3800, 3801-3850, 3851-3900, 3901-3950, 3951-4000, 4001-4050, 4051-4100, and 4101 to the end of SEQ ID NO:X, or the complementary strand thereto. In this context "about" includes the particularly recited range or a range larger or smaller by several (5, 4, 3, 2, or 1) nucleotides, at either terminus or at both termini. Preferably, these fragments encode a polypeptide which has a functional activity (e.g., biological activity) of the polypeptide encoded by the polynucleotide of which the sequence is a portion. More preferably, these fragments can be used as probes or primers as discussed herein. Polynucleotides which hybridize to one or more of these nucleic acid molecules under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides or fragments.

Moreover, representative examples of polynucleotide fragments of the invention, include, for example, fragments comprising, or alternatively consisting of, a sequence from about nucleotide number 1-50, 51-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351-400, 401-450, 451-500, 501-550, 551-600, 651-700, 701-750, 751-800, 800-850, 851-900, 901-950, 951-1000, 1001-1050, 1051-1100, 1101-1150, 1151-1200, 1201-1250, 1251-1300, 1301-1350, 1351-1400, 1401-1450, 1451-1500, 1501-1550, 1551-1600, 1601-1650, 1651-1700, 1701-1750, 1751-1800, 1801-1850, 1851-1900, 1901-1950, 1951-2000, 2001-2050, 2051-2100, 2101-2150, 2151-2200, 2201-2250, 2251-2300, 2301-2350, 2351-2400, 2401-2450, 2451-2500, 2501-2550, 2551-2600, 2601-2650, 2651-2700, 2701-2750, 2751-2800, 2801-2850, 2851-2900, 2901-2950, 2951-3000, 3001-3050, 3051-3100, 3101-3150, 3151-3200, 3201-3250, 3251-3300, 3301-3350, 3351-3400, 3401-3450, 3451-3500, 3501-3550, 3551-3600, 3601-3650, 3651-3700, 3701-3750, 3751-3800, 3801-3850, 3851-3900, 3901-3950, 3951-4000, 4001-4050, 4051-4100, and 4101 to the end of the cDNA nucleotide

sequence contained in the deposited cDNA clone, or the complementary strand thereto. In this context "about" includes the particularly recited range, or a range larger or smaller by several (5, 4, 3, 2, or 1) nucleotides, at either terminus or at both termini. Preferably, these fragments encode a polypeptide which has a functional activity (e.g., biological activity) of the polypeptide encoded by the cDNA nucleotide sequence contained in the deposited cDNA clone. More preferably, these fragments can be used as probes or primers as discussed herein. Polynucleotides which hybridize to one or more of these fragments under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides or fragments.

In the present invention, a "polypeptide fragment" refers to an amino acid sequence which is a portion of that contained in SEQ ID NO:Y, a portion of an amino acid sequence encoded by the polynucleotide sequence of SEQ ID NO:X, and/or encoded by the cDNA contained in the related cDNA clone contained in a deposited library. Protein (polypeptide) fragments may be "free-standing," or comprised within a larger polypeptide of which the fragment forms a part or region, most preferably as a single continuous region. Representative examples of polypeptide fragments of the invention, include, for example, fragments comprising, or alternatively consisting of, an amino acid sequence from about amino acid number 1-20, 21-40, 41-60, 61-80, 81-100, 102-120, 121-140, 141-160, 161-180, 181-200, 201-220, 221-240, 241-260, 261-280, 281-300, 301-320, 321-340, 341-360, 361-380, 381-400, 401-420, 421-440, 441-460, 461-480, 481-500, 501-520, 521-540, 541-560, 561-580, 581-600, 601-620, 621-640, 641-660, 661-680, 681-700, 701-720, 721-740, 741-760, 761-780, 781-800, 801-820, 821-840, 841-860, 861-880, 881-900, 901-920, 921-940, 941-960, 961-980, 981-1000, 1001-1020, 1021-1040, 1041-1060, 1061-1080, 1081-1100, 1101-1120, 1121-1140, 1141-1160, 1161-1180, 1181-1200, 1201-1220, 1221-1240, 1241-1260, 1261-1280, 1281-1300, 1301-1320, 1321-1340, 1341-1360, and 1361 to the end of SEQ ID NO:Y. Moreover, polypeptide fragments of the invention may be at least about 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 130, 140, or 150 amino acids in length. In this context "about" includes the particularly recited ranges or values, or ranges or values larger or smaller by several (5, 4, 3, 2, or 1) amino acids, at either terminus or at both termini. Polynucleotides encoding these polypeptide fragments are also encompassed by the invention.

Even if deletion of one or more amino acids from the N-terminus of a protein results in modification of loss of one or more biological functions of the protein, other functional activities (e.g., biological activities, ability to multimerize, ability to bind a ligand) may still be retained. For example, the ability of shortened muteins to induce and/or bind to antibodies  
5 which recognize the complete or mature forms of the polypeptides generally will be retained when less than the majority of the residues of the complete or mature polypeptide are removed from the N-terminus. Whether a particular polypeptide lacking N-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a  
10 mutein with a large number of deleted N-terminal amino acid residues may retain some biological or immunogenic activities. In fact, peptides composed of as few as six amino acid residues may often evoke an immune response.

Accordingly, polypeptide fragments of the invention include the secreted protein as well as the mature form. Further preferred polypeptide fragments include the secreted protein  
15 or the mature form having a continuous series of deleted residues from the amino or the carboxy terminus, or both. For example, any number of amino acids, ranging from 1-60, can be deleted from the amino terminus of either the secreted polypeptide or the mature form. Similarly, any number of amino acids, ranging from 1-30, can be deleted from the carboxy terminus of the secreted protein or mature form. Furthermore, any combination of the above  
20 amino and carboxy terminus deletions are preferred. Similarly, polynucleotides encoding these polypeptide fragments are also preferred.

The present invention further provides polypeptides having one or more residues deleted from the amino terminus of the amino acid sequence of a polypeptide disclosed herein (e.g., a polypeptide of SEQ ID NO:Y, a polypeptide encoded by the polynucleotide  
25 sequence contained in SEQ ID NO:X, and/or a polypeptide encoded by the cDNA contained in the related cDNA clone contained in a deposited library). In particular, N-terminal deletions may be described by the general formula m-q, where q is a whole integer representing the total number of amino acid residues in a polypeptide of the invention (e.g., the polypeptide disclosed in SEQ ID NO:Y), and m is defined as any integer ranging from 2  
30 to q-6. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Also as mentioned above, even if deletion of one or more amino acids from the C-terminus of a protein results in modification of loss of one or more biological functions of

the protein, other functional activities (e.g., biological activities, ability to multimerize, ability to bind a ligand) may still be retained. For example the ability of the shortened mutein to induce and/or bind to antibodies which recognize the complete or mature forms of the polypeptide generally will be retained when less than the majority of the residues of the complete or mature polypeptide are removed from the C-terminus. Whether a particular polypeptide lacking C-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a mutein with a large number of deleted C-terminal amino acid residues may retain some biological or immunogenic activities. In fact, peptides composed of as few as six amino acid residues may often evoke an immune response.

Accordingly, the present invention further provides polypeptides having one or more residues from the carboxy terminus of the amino acid sequence of a polypeptide disclosed herein (e.g., a polypeptide of SEQ ID NO:Y, a polypeptide encoded by the polynucleotide sequence contained in SEQ ID NO:X, and/or a polypeptide encoded by the cDNA contained in the related cDNA referenced in Table 1). In particular, C-terminal deletions may be described by the general formula 1-n, where n is any whole integer ranging from 6 to q-1, and where n corresponds to the position of an amino acid residue in a polypeptide of the invention. Polynucleotides encoding these polypeptides are also encompassed by the invention.

In addition, any of the above described N- or C-terminal deletions can be combined to produce a N- and C-terminal deleted polypeptide. The invention also provides polypeptides having one or more amino acids deleted from both the amino and the carboxyl termini, which may be described generally as having residues m-n of a polypeptide encoded by SEQ ID NO:X (e.g., including, but not limited to, the preferred polypeptide disclosed as SEQ ID NO:Y), and/or the cDNA in the related cDNA clone contained in a deposited library, where n and m are integers as described above. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Any polypeptide sequence contained in the polypeptide of SEQ ID NO:Y, encoded by the polynucleotide sequences set forth as SEQ ID NO:X, or encoded by the cDNA in the related cDNA clone contained in a deposited library may be analyzed to determine certain preferred regions of the polypeptide. For example, the amino acid sequence of a polypeptide encoded by a polynucleotide sequence of SEQ ID NO:X, or the cDNA in a deposited cDNA

clone may be analyzed using the default parameters of the DNASTAR computer algorithm (DNASTAR, Inc., 1228 S. Park St., Madison, WI 53715 USA; <http://www.dnastar.com/>).

Polypeptide regions that may be routinely obtained using the DNASTAR computer algorithm include, but are not limited to, Garnier-Robson alpha-regions, beta-regions, 5 turn-regions, and coil-regions, Chou-Fasman alpha-regions, beta-regions, and turn-regions, Kyte-Doolittle hydrophilic regions and hydrophobic regions, Eisenberg alpha- and beta-amphipathic regions, Karplus-Schulz flexible regions, Emini surface-forming regions and Jameson-Wolf regions of high antigenic index. Among highly preferred polynucleotides of the invention in this regard are those that encode polypeptides comprising regions that 10 combine several structural features, such as several (e.g., 1, 2, 3 or 4) of the features set out above.

Additionally, Kyte-Doolittle hydrophilic regions and hydrophobic regions, Emini surface-forming regions, and Jameson-Wolf regions of high antigenic index (i.e., containing four or more contiguous amino acids having an antigenic index of greater than or equal to 15 1.5, as identified using the default parameters of the Jameson-Wolf program) can routinely be used to determine polypeptide regions that exhibit a high degree of potential for antigenicity. Regions of high antigenicity are determined from data by DNASTAR analysis by choosing values which represent regions of the polypeptide which are likely to be exposed on the surface of the polypeptide in an environment in which antigen recognition may occur in the 20 process of initiation of an immune response.

Preferred polypeptide fragments of the invention are fragments comprising, or alternatively consisting of, an amino acid sequence that displays a functional activity of the polypeptide sequence of which the amino acid sequence is a fragment.

By a polypeptide demonstrating a "functional activity" is meant, a polypeptide 25 capable of displaying one or more known functional activities associated with a full-length (complete) protein of the invention. Such functional activities include, but are not limited to, biological activity, antigenicity [ability to bind (or compete with a polypeptide for binding) to an anti-polypeptide antibody], immunogenicity (ability to generate antibody which binds to a specific polypeptide of the invention), ability to form multimers with polypeptides of the 30 invention, and ability to bind to a receptor or ligand for a polypeptide.

Other preferred polypeptide fragments are biologically active fragments. Biologically active fragments are those exhibiting activity similar, but not necessarily identical, to an

activity of the polypeptide of the present invention. The biological activity of the fragments may include an improved desired activity, or a decreased undesirable activity.

In preferred embodiments, polypeptides of the invention comprise, or alternatively consist of, one, two, three, four, five or more of the antigenic fragments of the polypeptide of  
5 SEQ ID NO:Y, or portions thereof. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Table 4.

Sequence/ Contig ID	Predicted Epitopes
500802	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 774 as residues: Gln-1 to Ser-17, Ser-19 to Ile-25, Leu-29 to Arg-41, Ser-46 to Glu-57.
553147	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 776 as residues: Phe-1 to Ile-20.
558860	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 777 as residues: Ser-6 to Arg-11.
561730	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 778 as residues: Asn-1 to Arg-7, Leu-28 to Pro-45.
585938	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 779 as residues: Arg-10 to Ser-23, Gln-69 to His-74.
587785	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 780 as residues: Ile-1 to Ser-11, Leu-20 to Thr-30, Cys-74 to Cys-82, Leu-94 to Glu-110.
588916	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 781 as residues: Val-43 to Pro-55, Glu-92 to Ser-99.
613825	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 782 as residues: Asn-1 to Trp-11, Ser-15 to Gln-22, Ser-43 to Ala-51, Lys-58 to Gly-66.
639090	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 783 as residues: Ser-29 to Ser-35, Pro-43 to Gly-48, Gln-60 to Ser-65.
659544	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 785 as residues: Leu-10 to Glu-15, His-19 to Glu-26.
659739	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 786 as residues: Lys-70 to His-78, Lys-149 to Asn-154, Gly-209 to Leu-217, Lys-248 to Val-255, Ile-259 to Arg-264, Arg-280 to Ala-287.
661057	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 787 as residues: Cys-59 to Arg-64, Gly-110 to Asp-115, Pro-127 to Trp-132.
661313	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 788 as residues: Glu-1 to Phe-7, Lys-42 to Leu-48.
666316	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 789 as residues: Lys-27 to Asn-52.
669229	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 790 as residues: Asp-1 to Phe-12, Val-92 to Ser-103.
670471	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 791 as residues: Lys-75 to Asp-81, Glu-145 to Gln-156, Glu-163 to Arg-170, Lys-225 to Leu-231.
676611	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 792 as residues: Tyr-4 to Lys-12, Thr-23 to Asn-31, Val-52 to Thr-63, Arg-90 to Met-95.
691240	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 793 as residues: Pro-74 to Glu-79, Ser-116 to Lys-121.
702977	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 794 as residues: Pro-8 to Tyr-20.
709517	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 795 as residues: Leu-7 to Gly-12, Cys-20 to His-27.
714730	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 796 as residues: Pro-14 to Arg-23, Ala-171 to Ser-178.
714834	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 797 as residues: Ala-6 to Gly-12, Gln-18 to Arg-32.
719584	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 799 as residues: Pro-22 to Ile-31.
724637	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 800 as residues: Val-11 to Arg-34, Asn-54 to Cys-59.
728392	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 801 as

	residues: Arg-31 to Glu-45, Gly-76 to Pro-88, Asn-143 to Asp-148.
738716	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 802 as residues: Pro-40 to Pro-46.
739056	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 803 as residues: Ser-28 to Ala-33, Pro-44 to Phe-49, Arg-113 to Gly-118, Pro-131 to Arg-142, Asp-155 to Leu-166.
739143	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 804 as residues: Ala-1 to Gly-14, Glu-21 to Gly-27, Asp-54 to Lys-59, Lys-64 to Glu-71, Gln-92 to Leu-97, Asn-114 to His-120, Leu-135 to Asp-142, Glu-149 to Ser-154, Ser-256 to Thr-261, Asp-290 to Lys-301, Glu-315 to Gln-323, Lys-331 to Asn-342, Arg-346 to Met-361.
742329	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 805 as residues: Arg-7 to Ala-13, Gln-21 to Ser-27, Gln-68 to Gly-73, Pro-75 to Val-88.
745481	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 807 as residues: Asn-1 to Lys-14, Arg-32 to His-39, Asn-46 to Gly-51.
753731	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 809 as residues: Arg-22 to Ser-39, Val-42 to Thr-54, Gln-61 to His-69.
754383	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 810 as residues: Ala-2 to Gly-12.
756749	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 811 as residues: His-1 to Thr-11, Thr-13 to Ser-18, Gly-25 to Gly-30, Pro-63 to Pro-69, Glu-84 to Tyr-101, Asn-110 to Ala-140.
757980	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 812 as residues: Phe-9 to His-21.
764818	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 813 as residues: Pro-12 to Trp-17, Asn-22 to Ala-37, Arg-45 to Gly-54, Asp-72 to Thr-95, Pro-97 to Glu-116, Gly-137 to Lys-151, Glu-164 to Asp-171, Ser-175 to Gly-185, Glu-187 to Gly-213, Lys-270 to Glu-276, Leu-281 to Lys-286, Asp-314 to Gly-321, Glu-324 to Glu-331, Val-333 to Arg-340.
765140	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 814 as residues: Thr-15 to Asp-27.
766893	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 815 as residues: Arg-6 to Leu-11, Arg-21 to Tyr-27, Phe-37 to Lys-46, Gly-59 to Gly-64.
771412	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 817 as residues: Pro-1 to His-6, Pro-37 to Arg-47.
772226	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 818 as residues: Phe-16 to Arg-30, Glu-35 to Trp-58, Lys-60 to Gln-68, Pro-80 to Tyr-85.
773057	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 819 as residues: Gly-37 to Arg-43.
773173	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 820 as residues: Pro-19 to Asn-26.
780154	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 821 as residues: Arg-20 to Ile-31, Pro-34 to Ala-59, Glu-66 to Pro-125, Leu-132 to Lys-137, Lys-155 to Arg-259.
780768	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 822 as residues: Phe-12 to Lys-17.
780779	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 823 as residues: Ser-1 to Ser-11, Gln-64 to Gln-69, Arg-117 to Arg-127.
782394	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 824 as residues: Phe-18 to Gly-24.
783160	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 825 as residues: Lys-35 to Lys-41, Thr-50 to His-56, Thr-110 to Gly-119.
783506	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 826 as residues: Thr-3 to Thr-9.
792139	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 830 as residues: Arg-1 to Thr-13, Arg-21 to Pro-30, Ser-70 to Arg-79, Asp-89 to Arg-101.



805715	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 832 as residues: Met-7 to Ala-17, Arg-26 to Leu-32, Lys-47 to Lys-52, Asn-67 to Asn-72, Val-77 to Tyr-82, Pro-101 to Arg-107, Arg-137 to Arg-146, Ser-168 to Thr-173, Asp-189 to Lys-199.
811111	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 833 as residues: His-24 to Asn-31.
811113	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 834 as residues: Gln-1 to Ala-9, Cys-56 to Gly-61, Trp-105 to Thr-110, Arg-150 to Thr-155, Leu-189 to Lys-195.
823902	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 835 as residues: Thr-18 to Glu-23.
826518	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 836 as residues: Ile-20 to Lys-26, Cys-39 to Arg-46.
826704	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 837 as residues: His-14 to Phe-20, Glu-70 to Leu-83.
828180	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 840 as residues: Glu-38 to Arg-52, Ser-56 to Val-62.
828658	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 842 as residues: Asp-1 to Pro-12, Gly-59 to Lys-64, Asp-70 to Leu-76, Pro-160 to Pro-166, Thr-174 to Asn-179.
828919	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 843 as residues: Thr-49 to Val-54, Leu-83 to Lys-91, Gly-121 to Thr-130, Asp-165 to Glu-172, Thr-180 to Gly-188.
830208	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 846 as residues: Lys-49 to Asn-56, Glu-61 to Ala-67.
830248	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 847 as residues: Pro-17 to Asp-36, Pro-102 to Glu-108, Pro-122 to Lys-128, His-150 to Gly-155, Asn-162 to Tyr-168, Pro-186 to Gln-193, Ser-205 to Pro-211, Gln-305 to Gly-317.
830275	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 848 as residues: Ser-16 to Glu-22, Asn-45 to Ser-50, Thr-121 to Gly-136, Lys-150 to Arg-157, Ser-175 to Cys-181, Gly-198 to Ser-203.
830286	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 849 as residues: His-11 to Pro-18, Thr-241 to Thr-258, Ala-352 to Ala-365.
830347	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 850 as residues: Asp-33 to Ala-39.
830348	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 851 as residues: Gln-5 to Arg-15, Ile-96 to Asn-101, Asp-122 to Gly-128.
830364	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 852 as residues: Val-76 to Asn-82, Lys-87 to Tyr-94, Glu-118 to Gln-125, Pro-140 to Ile-145, Gly-149 to Pro-173, Ala-215 to Lys-222, Lys-230 to Gly-235, Pro-250 to Asn-256, Ser-302 to Arg-307, Ser-321 to Glu-332.
830394	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 853 as residues: Thr-37 to Thr-44, Leu-57 to Ser-63, Ser-74 to Lys-86, Gln-107 to Leu-112, Lys-140 to Ala-145, Asp-154 to Ser-163.
830412	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 855 as residues: His-65 to Gly-74, Asp-85 to Ser-97, Leu-133 to Glu-138, Glu-144 to Asp-153, Arg-170 to Ser-175, Gly-184 to Arg-189, Gln-202 to Tyr-208.
830464	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 857 as residues: Val-3 to Val-11, Gln-16 to Gln-27, Glu-41 to Asp-51.
830471	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 858 as residues: Glu-10 to His-22, Ser-37 to Lys-45.
830477	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 859 as residues: Lys-1 to Cys-13, Thr-32 to Cys-37, Ser-44 to Glu-50, Glu-57 to Asn-64, Glu-85 to Glu-93, Ala-129 to Ser-139, Gln-157 to Thr-185, Gln-199 to Gly-215, Ile-241 to Leu-247, Asp-254 to Leu-263, Gln-265 to Gln-270, Glu-298 to Gln-309, Glu-316 to Ala-321, Leu-325 to Glu-334, Glu-340 to Ser-345, Leu-348 to His-367, Lys-384 to Arg-391.

	Leu-409 to Asn-417, Arg-431 to Arg-437, Phe-441 to Leu-448, Ala-456 to Glu-484, Lys-509 to Val-519, Glu-521 to Asp-528, Asp-546 to Phe-553, Glu-558 to Phe-567, Pro-573 to Thr-588.
830500	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 860 as residues: Gln-27 to Gly-34.
830509	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 861 as residues: Pro-2 to Asp-7, Gln-13 to Gln-29, Pro-35 to Trp-41.
830528	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 862 as residues: Gln-1 to Arg-12, Asp-22 to Pro-44, Lys-52 to Asp-62, Pro-68 to Lys-93, Pro-99 to Pro-129, Ala-138 to Ser-150, Lys-156 to Val-194, Ile-197 to Glu-210, Ala-213 to Ala-287, Leu-289 to Lys-327, Lys-330 to Gly-340, Asp-344 to Gln-360, Ile-396 to Thr-401, Lys-409 to Asp-418, Met-450 to Ala-460, Glu-468 to Gly-475.
830542	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 863 as residues: Val-1 to Gly-10, Arg-24 to Asp-36, Leu-225 to Trp-231, Val-249 to Met-258, Glu-262 to Thr-269, Val-279 to Gly-284, Asp-307 to Asn-313, Arg-411 to Lys-416.
830564	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 864 as residues: Trp-103 to Glu-113, Lys-118 to Tyr-125.
830611	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 865 as residues: Glu-51 to Ser-57, Arg-128 to Ala-133.
830620	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 867 as residues: Lys-54 to Arg-59, Arg-66 to Arg-71.
830630	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 868 as residues: Pro-12 to Gly-17.
830654	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 869 as residues: Leu-1 to Asp-6.
830660	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 870 as residues: Lys-111 to Trp-116, Glu-139 to Gly-148, Arg-182 to Ser-189.
830704	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 872 as residues: Asn-1 to Glu-8, Ala-38 to Gly-46, Gln-58 to Asp-71, Ala-75 to Cys-103, Met-106 to Ala-140, Gln-153 to Ile-159.
830765	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 873 as residues: Ser-19 to Thr-26, Pro-47 to Thr-59.
830778	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 874 as residues: Asp-35 to Gly-40, Glu-104 to Glu-109, Ser-226 to Tyr-231.
830784	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 875 as residues: Pro-34 to Leu-41.
830800	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 876 as residues: Ser-16 to Lys-24, Gly-91 to Thr-96.
830821	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 877 as residues: Leu-2 to Thr-8, Asp-15 to Gly-26, Phe-64 to Ser-70, Pro-77 to Trp-82, Pro-85 to Lys-90.
830849	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 878 as residues: Leu-2 to Ser-18, Gly-31 to Ser-40, Asn-56 to Thr-86, Asp-114 to Arg-120.
830903	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 879 as residues: Thr-21 to Thr-33.
830913	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 880 as residues: Gly-48 to Pro-53, Gln-66 to Pro-74, Thr-151 to Gly-156, Asn-292 to Asn-297.
830920	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 881 as residues: Asp-15 to Ser-25, Ser-33 to Val-38, Lys-181 to Phe-187.
830938	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 882 as residues: Thr-65 to Asp-70, Leu-89 to Ala-95.
831014	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 884 as residues: Ala-2 to Gln-11, Glu-71 to Leu-78, Leu-89 to Trp-98, Ser-163 to Ala-170, Glu-261 to Asp-269, Phe-286 to Val-292.
831026	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 885 as residues: Lys-41 to Gly-46, Tyr-64 to Phe-75.

831055	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 887 as residues: Trp-37 to His-50, Lys-108 to Phe-114, Lys-131 to Thr-137, Arg-351 to Ser-356, Pro-363 to Cys-369, Glu-390 to Asp-397.
831057	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 888 as residues: Arg-1 to Gly-14, Thr-19 to Gly-25, Ala-31 to Ala-41, Glu-53 to Ile-62, Val-66 to Glu-75, Ser-103 to Asp-113, Ala-135 to Asp-140.
831062	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 889 as residues: Ser-24 to Ala-31.
831117	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 890 as residues: Lys-50 to Tyr-55.
831122	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 891 as residues: Phe-8 to Gly-14, Arg-58 to Gly-68, Lys-107 to Ser-131, Gln-151 to Val-160, Lys-180 to Lys-186, Lys-211 to Thr-223.
831132	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 893 as residues: Gly-1 to Ser-16.
831152	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 894 as residues: Ser-8 to Arg-13, Lys-59 to Ala-65, Glu-71 to Glu-86, Leu-98 to His-108, Arg-118 to Ile-126, His-138 to Ala-145, Pro-148 to Tyr-156, Pro-170 to Ala-175, Val-187 to Lys-194, Glu-206 to Val-217, Gly-221 to Ser-226, Asp-250 to Lys-255.
831157	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 895 as residues: Val-1 to Asn-11, Glu-13 to Gly-25, Ser-31 to Ala-49, Arg-61 to Gly-66, Ala-84 to Ala-90.
831160	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 896 as residues: His-1 to Ala-7, Asp-43 to Lys-52, Tyr-98 to Gly-103, Glu-118 to Leu-125, Phe-183 to Tyr-195, Gln-209 to Arg-220, Ile-257 to Gly-262, Glu-278 to Thr-284, Ile-309 to Pro-314, Leu-339 to Asp-347, Ala-358 to Gln-388, Gln-401 to Leu-414, Glu-425 to Ala-440, Ala-448 to Glu-453, Ile-460 to Gln-465, Glu-482 to Glu-492, Ala-498 to Glu-511, Pro-520 to Val-526, Gly-556 to Gln-577, Leu-587 to His-598, Glu-605 to Asp-630.
831197	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 898 as residues: Ser-28 to Leu-39, Phe-48 to Phe-55, Pro-60 to Gln-66, Arg-73 to Thr-78.
831217	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 899 as residues: Asp-52 to Val-63, Asn-75 to Glu-83.
831248	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 901 as residues: Pro-24 to Gly-34, Lys-108 to Arg-118.
831369	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 903 as residues: Ala-1 to Gly-8.
831371	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 904 as residues: Arg-39 to Ser-44, Arg-66 to Arg-76.
831373	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 905 as residues: Gly-7 to Ser-13, Gln-40 to Trp-45, Lys-109 to Gly-116, Gly-134 to Arg-141, Arg-149 to Arg-164, Arg-174 to Phe-181, Lys-202 to Lys-210, Glu-263 to Leu-272, Pro-274 to Leu-280, Glu-289 to Glu-296, Pro-334 to His-341, Tyr-413 to Pro-426, Glu-432 to Lys-449.
831387	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 906 as residues: Tyr-21 to Leu-28, Cys-51 to Phe-72, Ser-107 to Leu-113, Leu-125 to Leu-134, Ser-142 to Ala-152, His-159 to Tyr-164, Arg-276 to Val-290.
831410	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 907 as residues: Arg-7 to Lys-13, Pro-28 to Cys-34, Gly-100 to Asn-109, Cys-155 to Arg-162.
831448	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 908 as residues: Ala-10 to Cys-20, Tyr-36 to Lys-41, Asp-68 to Ala-75, Ala-84 to Arg-89, Glu-112 to Ser-119.
831450	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 909 as residues: Pro-23 to Gly-28, Thr-52 to Pro-63.
831472	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 910 as residues: Ser-16 to Ala-26.

831473	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 911 as residues: Arg-37 to Gln-42, Asn-59 to Asn-65, Asn-109 to Val-121, Arg-191 to Glu-199, Lys-205 to Ile-214.
831474	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 912 as residues: Glu-1 to Leu-8, Ser-50 to Arg-56, Thr-61 to Arg-66, Val-69 to Arg-82.
831494	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 913 as residues: Arg-21 to Ser-27, Arg-77 to Asp-82, Glu-116 to Ile-134, Ser-139 to Ser-162, Leu-167 to Gly-190, Cys-192 to Gly-205.
831506	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 914 as residues: Val-6 to Tyr-12, Lys-77 to Ala-82, Ser-102 to Arg-108, Ser-145 to Ser-151.
831533	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 915 as residues: Thr-9 to Cys-16, Arg-52 to Tyr-57, Ser-61 to Ser-69.
831539	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 916 as residues: Thr-32 to Arg-39, Cys-44 to Arg-60, Lys-65 to Gln-70, Gly-78 to Ile-86, Lys-126 to Thr-134, Leu-140 to Glu-148.
831556	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 917 as residues: Gly-45 to Asp-52.
831598	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 919 as residues: Asn-1 to Val-6, Phe-76 to Tyr-83, Gly-129 to Gln-135, Thr-145 to Asp-153, Pro-213 to Gln-220, Thr-230 to Asn-236, Lys-242 to Ala-248.
831608	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 920 as residues: Thr-23 to Pro-34, Glu-39 to Asp-83, Asn-89 to Lys-99, Asp-118 to Asp-128, Asn-135 to Glu-150, Glu-153 to Gly-168, Gly-181 to Thr-187, Arg-200 to Asp-205, Arg-273 to Ile-279, Thr-295 to Asp-300, Thr-316 to Cys-321.
831613	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 921 as residues: Pro-1 to Glu-7, Arg-9 to Phe-15, Thr-27 to Gly-34.
831655	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 926 as residues: Tyr-31 to Gln-38.
831708	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 927 as residues: Glu-22 to Ile-27, Gly-43 to Gly-49, His-83 to Arg-105.
831741	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 929 as residues: Asp-22 to Asp-27, Pro-64 to Gln-74, Ser-126 to Gly-131, Lys-134 to Arg-143, Arg-150 to Gly-162, Gln-180 to Tyr-196, Asp-209 to Leu-224, Gly-233 to Gly-241, Pro-246 to Arg-251.
831754	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 930 as residues: Arg-40 to Glu-50, Gly-57 to Gly-68, Phe-72 to Tyr-79.
831760	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 931 as residues: His-24 to Asp-39.
831780	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 932 as residues: Arg-92 to Thr-101.
831796	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 933 as residues: Pro-1 to Ser-8.
831800	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 934 as residues: Asp-1 to Ser-6, Glu-16 to Ser-26, Lys-66 to Pro-76, Leu-93 to Arg-99, Val-153 to Lys-164, Glu-177 to Asp-183, Ser-188 to Leu-193, Arg-210 to Ser-220, Thr-229 to Ser-244, Pro-283 to Phe-297.
831813	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 937 as residues: Pro-20 to Ala-30.
831830	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 938 as residues: Arg-12 to Lys-17, Gln-51 to Phe-60, Asp-97 to Trp-102, Glu-132 to Cys-137, Asp-160 to Leu-168, Glu-210 to Gln-219, Lys-302 to Pro-308, Phe-416 to Asp-421, Leu-444 to Leu-449, Val-457 to Asn-464, Leu-466 to Trp-472, Ile-474 to Trp-480, Ser-527 to Ser-533, Pro-558 to Phe-565, Ile-578 to Trp-584, Asp-614 to Asp-627, Asn-698 to Asp-710, Pro-738 to Ser-744.
831860	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 939 as residues: Pro-19 to Tyr-25.

831896	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 941 as residues: Ser-18 to Phe-30, Leu-34 to Asn-41, Ala-48 to Tyr-56, Leu-103 to Ala-110, Asp-124 to Val-130, Ile-141 to Leu-150, Leu-188 to Ser-196, Glu-229 to Asn-238, Thr-248 to Cys-259.
831928	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 942 as residues: Asn-55 to Asp-60.
831949	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 943 as residues: Arg-1 to Glu-9, Glu-19 to Arg-32, Ala-77 to Thr-90, Thr-95 to Thr-104, Lys-106 to Ser-119, Leu-136 to Arg-141, Tyr-165 to Asn-174.
831950	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 944 as residues: Ser-18 to Glu-26, Phe-93 to Arg-102, Leu-137 to Gln-143, Pro-148 to Glu-157.
831975	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 946 as residues: His-41 to Thr-48.
832047	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 948 as residues: Arg-57 to Glu-62, Pro-73 to Gly-80.
832078	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 949 as residues: Pro-14 to Leu-21, Cys-34 to Gly-39.
832100	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 950 as residues: Tyr-37 to Val-45.
832104	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 951 as residues: Thr-1 to Ser-6, Arg-14 to Cys-20.
832279	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 954 as residues: Ser-28 to Pro-34, Pro-134 to Ser-139, Gln-178 to Gly-183, Thr-193 to Gly-198, His-244 to Gly-257, Asp-263 to Tyr-273, Lys-337 to Arg-347, Pro-366 to Lys-372, Ala-382 to Asp-387.
832317	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 955 as residues: Thr-32 to Gln-39, Asn-58 to Trp-71, Glu-96 to Trp-108, Cys-126 to Gly-133.
832364	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 957 as residues: Glu-2 to Met-9, Asp-17 to Asn-22, Leu-27 to Val-35.
832428	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 960 as residues: Arg-35 to Glu-41.
832485	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 961 as residues: Ser-121 to Cys-127.
832494	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 962 as residues: Ser-10 to Leu-28, Ser-31 to Asp-40, Ser-55 to Thr-62, Thr-94 to Asn-102, Asp-124 to Phe-135, Asn-175 to Lys-193, Glu-238 to Leu-243, Val-250 to Ala-259, Lys-291 to Asn-308, Ser-318 to Gly-327, Lys-335 to Asp-346, Tyr-404 to Ile-410, Gln-420 to Gln-430, Thr-476 to Phe-482, Pro-536 to Val-561, Tyr-563 to Leu-568.
832512	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 963 as residues: Arg-1 to Ala-7, Leu-9 to Ser-24, Glu-32 to Asp-43, Glu-71 to Glu-86, Val-92 to Ile-104, Asp-143 to Ser-154, Lys-190 to Glu-202, Glu-218 to Lys-241.
832515	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 964 as residues: Glu-3 to Gly-12, Arg-20 to Gln-30, Leu-34 to Gln-39, Asp-51 to Arg-58, Gln-69 to Val-77, Gly-105 to Lys-117, Cys-123 to Phe-132.
832526	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 965 as residues: Pro-15 to Asn-25, Glu-48 to Phe-59.
832575	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 966 as residues: Thr-24 to Arg-29, Ala-55 to Tyr-60, Tyr-77 to Asp-89, Leu-108 to Gly-115, Thr-142 to Gly-149.
832576	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 967 as residues: Arg-1 to Leu-11, Pro-21 to Gly-28, Pro-37 to His-47, Lys-79 to Gln-88, Pro-108 to Glu-116, Pro-179 to Thr-188, Arg-207 to Asn-213.
832634	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 969 as residues: Leu-2 to Ser-12, Pro-125 to Asp-133.
832728	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 970 as residues: Gln-16 to Glu-32, Leu-100 to Gly-106, Gly-118 to Lys-132, Pro-156 to Leu-

	162.
833395	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 972 as residues: Ser-3 to Gly-9.
834326	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 973 as residues: Ser-1 to Trp-19, Asn-148 to Leu-153, Tyr-235 to Trp-244.
834944	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 975 as residues: Glu-42 to Gln-51, Pro-115 to Asp-120, Arg-127 to Gly-133, Gln-199 to Gln-211.
835104	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 977 as residues: Thr-1 to Arg-14, Val-18 to Pro-23, Thr-37 to Met-44, Gln-51 to Leu-57.
835332	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 978 as residues: Thr-1 to Glu-13, Arg-135 to Asp-142, Thr-150 to Gln-155, Cys-173 to Cys-183, Cys-203 to Asp-214.
835487	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 979 as residues: Ala-13 to Arg-22, Pro-43 to Glu-57, Ala-73 to Pro-90, Arg-102 to Ser-109, Pro-114 to Gly-122, Arg-127 to Arg-138, Glu-153 to Gly-158, Pro-165 to Pro-171, Gly-185 to Arg-190, Pro-211 to Pro-216, Glu-231 to Asn-261, Ala-280 to Pro-291, Pro-303 to Gly-311, Arg-313 to Gly-326, Ala-358 to Ala-364, Pro-369 to Gly-377, Pro-390 to Gly-407, Tyr-420 to Tyr-441, Glu-461 to Thr-470, Pro-479 to Trp-487, Asp-489 to Cys-494, Gln-515 to Lys-532, Ala-572 to Asn-582, Asp-588 to Leu-594, Cys-625 to Trp-632, Tyr-639 to Arg-646.
836182	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 980 as residues: Ala-7 to Thr-17, Arg-31 to Thr-36.
836522	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 981 as residues: Gly-59 to Cys-65.
836789	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 984 as residues: Gly-18 to Gly-25, Glu-59 to Glu-64.
838577	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 985 as residues: Pro-15 to Trp-20, Pro-46 to Gln-57, Glu-68 to Phe-83.
839008	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 987 as residues: Arg-1 to Arg-13, Gln-125 to Glu-131, Asn-137 to Val-142, Gly-183 to Tyr-188, Asn-245 to Ser-251, Gln-302 to Asn-311.
840063	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 988 as residues: Gly-1 to Gly-31.
840533	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 989 as residues: Thr-16 to Pro-23, Pro-39 to Trp-48, Arg-50 to Lys-55, Gly-73 to Gly-79.
840669	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 990 as residues: Met-27 to Gln-33, Gln-49 to Gly-56, Thr-63 to Leu-70, Thr-115 to Arg-127, Pro-174 to Asn-184.
841140	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 991 as residues: Arg-17 to Phe-24, Pro-113 to Gly-121, Thr-235 to Met-240.
841386	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 992 as residues: Val-58 to Met-66, Pro-134 to Lys-143, Tyr-163 to Ala-170, Val-178 to Lys-187, Pro-207 to Gly-212.
841900	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 996 as residues: Ile-2 to Phe-12.
842054	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 997 as residues: Asp-27 to Trp-32, Pro-89 to Glu-99, Arg-112 to Lys-123.
843061	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 998 as residues: Leu-3 to Gly-18, His-36 to His-57, Lys-136 to Leu-145, Gly-174 to Trp-184, Lys-188 to Tyr-196, Lys-204 to Asp-211, Pro-293 to Ser-305, Glu-321 to Asp-333, Gly-342 to Lys-348, Ala-371 to Asp-377, Asp-439 to Leu-449, Ala-521 to Gly-529, Tyr-583 to Trp-599, Asn-639 to Ser-644, Leu-738 to Leu-745.
843544	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 999 as residues: Tyr-11 to Phe-18, Ser-34 to Lys-43.
844092	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1000 as

	residues: Gln-1 to Lys-6, Glu-30 to Glu-37, Glu-40 to Thr-53.
844270	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1001 as residues: Thr-10 to Gly-20, Pro-44 to Thr-50.
844604	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1002 as residues: Gly-8 to Phe-20, Pro-23 to Arg-43, Asp-62 to Asp-67, Pro-73 to Asn-80, Val-83 to Phe-95, Glu-103 to Ile-109, Tyr-120 to Ala-125, Thr-176 to Thr-183, Pro-200 to Pro-214, Pro-232 to Met-240, Gln-248 to Asp-292, Arg-297 to Ser-310, Pro-320 to Glu-332, Glu-347 to Ser-390, Ala-392 to Pro-404, Pro-425 to Gly-435, Pro-438 to Gly-443, Gly-467 to Pro-480, Pro-486 to Pro-499, Pro-506 to Met-512, Pro-572 to Glu-580, Arg-592 to Gly-597, Ala-601 to Ser-610, Ala-618 to Pro-623.
844685	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1003 as residues: Ser-14 to Ser-19, Pro-25 to Gly-32, Asn-98 to Lys-108.
844855	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1004 as residues: Ala-9 to Ser-15, Pro-21 to Arg-26.
845101	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1005 as residues: Ala-2 to Gly-13, Pro-31 to Pro-42, Gln-89 to Tyr-95, Gln-169 to Leu-189.
845141	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1006 as residues: Gly-13 to Met-26, Arg-34 to Gly-39, Ile-60 to Ser-80, Ala-85 to Thr-98.
845220	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1007 as residues: Pro-14 to Gly-24, Glu-33 to Ala-39, Asp-145 to Pro-168, Ala-238 to Arg-250, Pro-258 to Phe-269, Arg-285 to Pro-290, Ala-340 to Cys-364.
845434	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1008 as residues: Ala-1 to Glu-7, Gln-29 to Phe-34, Gly-67 to Ala-75, Gln-78 to Leu-83, Asn-96 to Ile-109, Thr-144 to Trp-151.
845510	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1009 as residues: Arg-79 to Leu-86, Met-114 to Asp-122, Leu-129 to Leu-134, Gln-145 to Arg-152.
845600	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1010 as residues: Ala-22 to Phe-28.
845882	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1011 as residues: Ala-1 to Gly-7, Arg-29 to Lys-35, Lys-72 to Ala-79, Leu-94 to Val-101, Gly-137 to Asn-142, Arg-145 to Leu-150, Gly-180 to Lys-187, Glu-194 to Gly-208, Arg-257 to Ser-267, Ser-278 to Asp-290, Gly-312 to Ser-319, Leu-338 to Lys-351, Tyr-358 to Ser-363.
846007	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1012 as residues: Tyr-16 to Ala-24, Arg-59 to Ser-66, Thr-78 to Glu-83, Glu-90 to Ser-103, Gln-108 to Thr-113, Ser-115 to Cys-124.
HCRNG17R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1016 as residues: Pro-16 to Asp-21.
HWMFG64R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1017 as residues: Ser-70 to Asp-76, Lys-87 to Leu-95.
HAGCZ94R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1018 as residues: Val-3 to Lys-9.
HBJEJ74R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1019 as residues: Pro-1 to Asp-8.
HUTHM43R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1021 as residues: Pro-7 to Arg-15.
HLTGU75R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1022 as residues: Ser-1 to Gly-11.
HWLKF77R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1023 as residues: Leu-10 to Asn-28.
HWLGX29R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1027 as residues: Val-3 to Ile-10, Pro-34 to Gln-40.
HWMFZ29R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1028 as residues: Leu-7 to Leu-13.
H6EEP19R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1030 as

	residues: Ala-1 to Trp-8, Lys-10 to Asp-27.
HJMAM83R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1031 as residues: Ser-1 to Val-11, Glu-19 to Ala-29, Asp-52 to Ala-68, Gly-78 to Lys-94.
HAGHF58R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1032 as residues: Lys-1 to Val-7.
HDPHG48R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1033 as residues: Gly-24 to Lys-34.
HCDMC32R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1038 as residues: Pro-2 to Arg-17, Lys-36 to Pro-47, Phe-61 to Trp-68, Gln-72 to Ala-86.
HTEQO80R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1040 as residues: Gly-1 to Val-15, Pro-17 to Pro-23, Leu-32 to Met-41, Lys-102 to His-109.
H2LAR08R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1043 as residues: Asn-58 to Gly-64.
HWMFN58R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1046 as residues: Glu-6 to Asn-14, Arg-22 to Asp-31, Gly-49 to Thr-56.
HUFBP63R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1049 as residues: Pro-1 to Gln-8, Thr-57 to Gly-64, Arg-69 to Arg-74, Gly-80 to Asp-91, Asp-105 to Gln-110, Arg-130 to Tyr-148.
HUFBN90R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1050 as residues: Glu-34 to Ala-40, Arg-111 to Ala-116.
HFKHD61R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1054 as residues: Arg-11 to Gly-38, Arg-44 to Glu-50, Gln-53 to Lys-67.
HTXNL13R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1057 as residues: Ser-48 to Arg-57, Glu-89 to Pro-95, Ser-102 to Asn-107.
H2LAK62R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1059 as residues: Pro-20 to Ser-25.
HATAR77R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1061 as residues: Gly-2 to Arg-16.
HWMEH18R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1066 as residues: Gln-61 to Ser-67.
HCNDP66R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1068 as residues: Leu-8 to Arg-15, Gln-46 to Pro-54.
HCRMK82R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1069 as residues: Ser-32 to Arg-38, Ala-72 to Lys-79, Arg-103 to Phe-111.
HSSGC52R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1075 as residues: Gly-1 to Pro-6, Arg-25 to Ile-30.
HCYBN49R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1076 as residues: Gly-16 to Gly-21, Ile-99 to Gln-109.
HWMGB90R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1077 as residues: Gly-1 to Ala-7, Asp-17 to Arg-27, Glu-32 to Leu-40.
HTEAW21R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1078 as residues: Glu-1 to Gly-6, Gln-19 to Leu-37.
H2LAQ68R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1082 as residues: Val-2 to Trp-10, Leu-25 to Lys-33.
HBAAD60R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1087 as residues: Pro-1 to Lys-32.
HCROA35R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1088 as residues: Gly-6 to Lys-12.
HCROM64R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1089 as residues: Asn-1 to Arg-7.
HKBAG82R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1091 as residues: Pro-9 to Gly-28.
HUTSB76R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1092 as residues: Lys-1 to Ser-17.
HWLJS67R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1093 as residues: Gln-3 to Lys-18, Gln-44 to Glu-49.



HTGAZ53R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1098 as residues: Ser-1 to Ala-16, Gln-36 to Thr-48.
HWLLL51R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1100 as residues: Gln-6 to Gly-18.
HWLJZ72R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1103 as residues: Ile-1 to Ser-19.
HWMFG06R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1104 as residues: Arg-1 to Lys-14, Gln-40 to Glu-45, Arg-65 to Arg-80.
HPRTO65R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1105 as residues: Thr-12 to Thr-17, Cys-35 to Ser-40.
HUFDC01R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1106 as residues: Pro-11 to Glu-26.
HWLHY44R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1107 as residues: Pro-14 to Gln-24, Cys-34 to Leu-39, Thr-72 to Val-77, Glu-94 to Thr-99, Asp-101 to Met-107, Lys-109 to Pro-116.
HWLGR92R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1108 as residues: Pro-17 to Gly-22.
HCNCQ71R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1109 as residues: Glu-22 to Leu-30.
HWLEN11R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1111 as residues: Pro-6 to Lys-21, Ala-26 to Val-34, Lys-37 to Ser-46.
HWLEH56R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1116 as residues: Thr-23 to Ala-28, Asn-88 to Trp-98, Cys-114 to Asp-131.
H2LAD26R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1117 as residues: Pro-20 to Gly-31.
H2LAK66R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1125 as residues: Pro-33 to Leu-39, Glu-54 to Val-59, Gly-69 to Ser-76.
HSDKC65R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1126 as residues: Asn-32 to Pro-39, Pro-41 to Pro-49.
H2LAK52R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1127 as residues: Pro-20 to Ala-28.
HKAEG12R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1128 as residues: Asp-47 to Lys-52.
HKADP43R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1129 as residues: Pro-7 to Pro-15, Arg-35 to Val-44.
HUSJE17R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1131 as residues: Pro-26 to Gln-32.
HHBEF06R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1133 as residues: Pro-1 to Gly-6.
HISCW28R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1134 as residues: Pro-26 to Gln-32.
HPIAK29R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1137 as residues: Thr-1 to Tyr-7.
HUFAR71R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1138 as residues: Pro-26 to Gln-32.
HOEC121R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1141 as residues: Asn-11 to Pro-20, Pro-22 to Thr-30, Glu-49 to Glu-70, Ser-84 to Thr-96, Thr-108 to Thr-113.
HMCAR63R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1143 as residues: Ala-1 to Gly-9, Lys-41 to Glu-47, Asn-65 to Gly-70, Glu-85 to Asp-93, Glu-103 to Tyr-109.
HAICY55R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1152 as residues: Glu-2 to His-9.
HWLIA38R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1153 as residues: Arg-60 to Gly-74, Ser-80 to Ile-88, Leu-92 to Ser-98.
HBXCL69R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1154 as

	residues: Ser-2 to Cys-8, Pro-10 to Leu-17.
H2LAP90R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1155 as residues: Thr-3 to Gln-9, Asn-11 to Pro-19, Gln-35 to Glu-42.
HTELE03R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1157 as residues: Asp-1 to Gln-9, Asn-11 to Arg-16, Cys-28 to Ser-44, Gln-50 to Gln-56.
HJMBN86R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1158 as residues: Ser-31 to Glu-47.
HSKJC32R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1159 as residues: Gln-151 to Glu-158, Glu-168 to Pro-173, Ser-188 to Ile-195.
HAOAG76R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1161 as residues: Gly-1 to Ala-14.
HCIAD45R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1162 as residues: Pro-1 to Lys-23, Pro-43 to Leu-49.
H2MAC82R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1163 as residues: Lys-54 to Lys-59.
H2LAJ41R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1164 as residues: Met-20 to Val-36, Ser-82 to Lys-93, Pro-101 to Arg-106.
HBJFH33R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1166 as residues: Gly-10 to Tyr-26, Asn-29 to Leu-37, Thr-52 to His-59.
HISDV92R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1167 as residues: Pro-3 to Ser-8, Asn-48 to Tyr-54.
HE9QB35R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1169 as residues: Gly-1 to Asp-6, Pro-20 to Gln-33, Tyr-46 to Arg-52, Asn-72 to Lys-85, Gln-91 to Ala-110.
HDABQ50R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1170 as residues: Ser-9 to Lys-17, Lys-41 to Arg-46.
HTPAC28R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1176 as residues: Lys-10 to Thr-15, Thr-17 to Leu-23.
HMCGN07R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1177 as residues: Asn-88 to Ser-98, Pro-123 to Val-129.
HBMVM66R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1180 as residues: Ser-2 to Gly-7, Arg-10 to Phe-24, Ala-36 to Arg-41.
HEPNA09R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1186 as residues: Ser-1 to Pro-6.
HCNDR62R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1190 as residues: Pro-14 to Ser-21.
HNJBF13R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1191 as residues: Asp-18 to Asp-28.
HLYCD69R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1192 as residues: Gly-90 to Thr-109.
HWCAA53R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1194 as residues: Ser-22 to Gly-28, Glu-37 to Ile-45, Val-67 to Arg-85, Asn-91 to Trp-99.
HFVGP11R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1198 as residues: Ala-4 to Asn-13.
HWLQH07R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1199 as residues: Lys-1 to Lys-25.
HWLKH07R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1201 as residues: Pro-49 to Asp-58.
HAPQC14R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1202 as residues: Lys-1 to Met-8.
HSODB48R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1203 as residues: Ser-24 to Gly-31, Ala-37 to Ser-44, Pro-57 to Ser-64, Pro-97 to Gly-104.
HBEAC75R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1204 as residues: Pro-1 to Arg-9.
HBGMJ24R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1205 as residues: Tyr-11 to Val-17, Thr-30 to Phe-48, Gln-150 to Thr-155.

HBJEN94R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1206 as residues: Gln-1 to Asn-6.
HLQGB87R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1213 as residues: Lys-2 to Ser-7.
HAOAC69R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1215 as residues: Ser-2 to Arg-10.
HWLEQ08R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1216 as residues: Glu-21 to His-31.
HKAAV70R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1217 as residues: Gly-6 to Thr-93, Glu-95 to Glu-104, Asp-117 to Asp-125.
HNFJE41R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1221 as residues: Arg-15 to His-21, Pro-48 to Ala-58, Asn-61 to Leu-66, Val-92 to Thr-110, Pro-114 to Thr-120.
HCRMW41R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1224 as residues: Phe-14 to Asn-19.
HOVAX78R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1225 as residues: Gly-1 to Thr-8.
HWAEH57R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1226 as residues: Ser-54 to Tyr-60, Gln-65 to Pro-72, Thr-81 to Glv-92.
HAHEK76R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1230 as residues: Cys-20 to Cys-28.
HOSCG81R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1232 as residues: Thr-8 to Asn-13.
HTFMD43R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1233 as residues: Lys-44 to Ile-52, Arg-57 to Lys-77.
H2LAR73R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1235 as residues: Pro-20 to Arg-27, Asn-47 to Lys-53, Asp-116 to Asn-123, Glu-145 to Glv-154.
HWHPK71R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1238 as residues: Asp-15 to His-24, Pro-27 to Leu-39.
HWBBJ39R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1239 as residues: His-1 to Lys-6.
HSODD94R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1241 as residues: Gly-7 to Glu-15, Gly-29 to Lys-41, Pro-43 to Ser-52, Pro-68 to His-73.
HMIAG25R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1242 as residues: Arg-19 to Ser-41, Pro-43 to Glu-54, Ser-59 to Glv-74.
HCNDW17R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1244 as residues: Lys-7 to Lys-15, Thr-54 to Asn-59.
HWLEY08R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1245 as residues: Glu-9 to Arg-14, Thr-19 to Arg-27, Asp-48 to Ile-57, Gln-63 to Leu-75, Cys-89 to Thr-104, Gly-106 to Pro-113.
HULFN68R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1246 as residues: Ser-1 to Cys-16, Lys-18 to Gly-23, Pro-31 to Tyr-37, Gly-53 to Pro-58.
HTEJJ32R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1249 as residues: Ser-17 to Cys-23, Gln-42 to Leu-51, Ser-68 to Asp-73.
H2CBS58R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1251 as residues: Ser-82 to Phe-88, Lys-110 to Glv-118.
H2LAB77R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1252 as residues: Met-13 to Asp-18, Glu-23 to Ser-43, Glu-45 to Gly-54.
HWAFP88R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1254 as residues: Arg-8 to Lys-13, Gly-35 to Lys-42, Ala-48 to Lys-54.
HWMEB67R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1256 as residues: Arg-9 to Arg-16.
HKMAA52R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1261 as residues: Glv-2 to Lys-10, Asp-36 to Asn-42.
H2LAB37R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1262 as residues: Glu-52 to Thr-59.

H2LAP46R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1263 as residues: Pro-40 to Asn-46, Tyr-71 to Arg-79.
H6BSE61R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1264 as residues: Ile-36 to Asp-41, Ala-54 to Pro-63.
HACBS75R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1269 as residues: Arg-20 to Ser-27, Arg-45 to Trp-59.
HACCA48R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1270 as residues: Lys-12 to Lys-26.
HACCS19R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1271 as residues: Gly-1 to Gly-10.
HAGGL96R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1273 as residues: Ser-74 to Phe-88.
HAGGT37R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1274 as residues: Phe-17 to Pro-22.
HAHDR66R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1275 as residues: Gly-11 to Ala-18.
HAJCL80R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1277 as residues: Asn-22 to Phe-32.
HAQMH45R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1283 as residues: Pro-2 to Tyr-13, Leu-21 to Gly-47, Val-49 to Gly-55, Pro-63 to Glu-78.
HBGCA44R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1290 as residues: Thr-20 to Trp-25, Lys-32 to Leu-40.
HBGFX27R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1291 as residues: Ser-1 to Pro-6.
HBGMU38R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1292 as residues: Gln-1 to Phe-8, Thr-34 to Trp-53, Arg-56 to Gly-63, Arg-86 to Cys-102.
HBJED55R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1295 as residues: Arg-6 to Pro-14.
HBMTJ51R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1300 as residues: Cys-8 to Asp-13.
HBWBD78R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1302 as residues: Pro-51 to Ala-58.
HCDDQ63R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1307 as residues: Gln-1 to Lys-10.
HCFC01R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1310 as residues: Ser-1 to Thr-6.
HCFCR43R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1311 as residues: Arg-10 to Thr-20.
HCHAO92R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1313 as residues: Asn-19 to Arg-25.
HCHOH49R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1314 as residues: Asn-19 to Asp-30.
HCHPG05R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1315 as residues: Pro-6 to Ser-11.
HCIAD24R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1316 as residues: Lys-1 to Gly-7.
HCNCY51R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1319 as residues: Lys-10 to Arg-16.
HCNCY63R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1320 as residues: Gly-1 to Lys-9.
HCNDO71R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1321 as residues: Lys-33 to Ile-42, Arg-51 to Phe-64.
HCQBN22R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1324 as residues: Lys-1 to Asn-11.
HCQCL27R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1325 as residues: Gly-7 to His-27.

HCQCL48R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1326 as residues: Ala-1 to Thr-13.
HCQDJ42R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1330 as residues: Glu-8 to Asn-13, Arg-16 to Glu-24.
HCRMD77R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1331 as residues: Asn-4 to Asn-10.
HCROJ68R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1339 as residues: Ile-2 to His-8.
HCROM30R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1342 as residues: Glu-1 to Glu-7, Pro-26 to Leu-32, Gly-37 to Gln-44, Thr-84 to Thr-92.
HCROQ34R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1343 as residues: Asn-1 to Asp-11.
HCROZ66R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1345 as residues: Arg-7 to Lys-13.
HCRPC61R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1346 as residues: Ala-3 to Gly-8.
HCRPG28R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1347 as residues: Pro-26 to Ser-32.
HCRPN52R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1349 as residues: Ser-24 to Lys-30, Lys-54 to Ser-61.
HDCAA21R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1354 as residues: Phe-6 to Val-12, Ile-15 to Phe-20.
HDDAA85R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1355 as residues: Lys-18 to Lys-24.
HDPGO03R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1356 as residues: Ala-4 to Gln-17.
HDPLB08R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1357 as residues: Pro-2 to Tyr-13, Leu-21 to Ala-36.
HDQEX80R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1359 as residues: Arg-1 to Arg-6, Phe-27 to Arg-32, Pro-37 to Lys-42, Arg-47 to Trp-53, Arg-55 to Ser-61.
HDRMI91R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1360 as residues: Thr-1 to Lys-8.
HE6DJ45R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1364 as residues: Pro-1 to Asn-8.
HE9FH12R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1366 as residues: Asn-12 to Ser-20.
HEAAL59R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1370 as residues: Gln-20 to Asn-25.
HEGAR32R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1371 as residues: Lys-9 to Ser-19.
HEGAR85R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1372 as residues: Ser-16 to His-46, Arg-49 to Thr-58.
HELFE05R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1373 as residues: Tyr-8 to Leu-16.
HEMFI88R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1374 as residues: Pro-6 to Ala-13.
HEMFR18R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1375 as residues: Ala-1 to Ala-10, Pro-12 to Gly-17, Ala-22 to Cys-27, Glu-30 to Arg-35, Pro-43 to Ser-50.
HEONL43R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1376 as residues: Arg-1 to Val-10.
HFADM62R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1380 as residues: Lys-6 to Lys-14.
HFATE31R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1381 as residues: Asp-1 to Arg-9, Arg-20 to Arg-26, Glu-33 to Gly-40.

HFCEL77R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1383 as residues: Glu-33 to Ser-48, Ile-54 to Ile-63, Leu-79 to Asp-84.
HFTBI57R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1392 as residues: Pro-18 to Ser-23.
HFXGX46R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1394 as residues: Pro-11 to Gln-28.
HHBEW72R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1400 as residues: Pro-20 to Thr-27.
HHERT59R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1401 as residues: Arg-1 to Trp-9.
HJMAH76R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1405 as residues: Cys-10 to Ala-15.
HJMAN56R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1406 as residues: Ala-45 to Asp-60.
HJMAO54R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1407 as residues: Pro-28 to Gln-39, Pro-65 to Cys-80.
HKLSD93R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1409 as residues: Gly-11 to Gly-17.
HLMFH16R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1410 as residues: Gly-1 to Asp-8.
HLQCQ73R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1412 as residues: Glu-1 to Gly-6, Arg-8 to Phe-13.
HLQEF47R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1413 as residues: Leu-8 to Leu-13.
HLQFM50R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1414 as residues: Gly-29 to Asp-34.
HLQGA76R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1416 as residues: Ser-16 to Ser-33.
HLTEV09R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1418 as residues: Arg-9 to Asn-17.
HMACF85R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1421 as residues: Glu-29 to Lys-34, Leu-113 to Gln-120.
HMAIA15R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1422 as residues: Lys-15 to Gln-21, Ile-51 to Gly-57, Lys-72 to Gly-83.
HMCIS54R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1424 as residues: Lys-3 to His-24.
HNHMR05R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1427 as residues: Pro-9 to Gly-20, Thr-26 to Arg-42, Ala-48 to Ser-54.
HNJBB78R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1428 as residues: Thr-6 to Lys-13, Leu-48 to Asn-54.
HOCND06R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1433 as residues: Pro-2 to Tyr-13, Leu-21 to Ala-35.
HOCND49R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1434 as residues: Asn-2 to Gly-12, Ile-14 to Ala-30.
HODFA26R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1436 as residues: Glu-1 to His-6, Gly-19 to Asp-29, Leu-44 to Leu-49.
HODHL89R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1437 as residues: Ser-16 to His-46, Arg-49 to Thr-58.
HOEJM67R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1438 as residues: Ser-19 to Lys-25, Asp-29 to Glu-55, Ser-102 to Thr-107.
HOGBN48R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1439 as residues: Lys-14 to Arg-19, Asp-25 to Phe-32.
HOUHN53R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1442 as residues: Glu-1 to His-6, Gly-19 to Trp-31.
HPBEE63R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1444 as residues: Pro-14 to Gly-20, His-28 to Arg-35.

HPJBE91R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1446 as residues: Ser-15 to Asn-20, Ala-22 to Ile-49, Lys-52 to Val-57, Tyr-71 to Cys-83, Thr-90 to Tyr-95.
HSDZG83R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1454 as residues: Val-17 to Lys-22.
HSICQ60R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1455 as residues: Val-12 to Gly-17.
HSIFA64R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1456 as residues: His-17 to Ile-22, Leu-33 to Pro-40.
HSKYE52R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1458 as residues: Pro-2 to Ser-7.
HSODA95R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1460 as residues: Ser-14 to His-44, Arg-47 to Thr-56.
HSSGK43R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1462 as residues: Ser-24 to Leu-35, Pro-38 to Ser-45.
HTXFA64R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1470 as residues: Thr-1 to Glu-8.
HUSJF91R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1471 as residues: Gly-1 to Gly-6.
HUSJN48R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1472 as residues: Ser-16 to Tyr-24.
HUSZN23R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1474 as residues: Ser-16 to Lys-24.
HUTSD20R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1475 as residues: Arg-10 to Asn-20.
HWAFI63R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1477 as residues: Pro-15 to Gly-24, Pro-26 to Arg-45.
HWAGZ89R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1478 as residues: Ser-47 to Lys-52.
HWHHM83R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1480 as residues: Leu-1 to Gly-6.
HWLBS90R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1484 as residues: Lys-37 to Asn-44.
HWLEH13R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1486 as residues: Gln-22 to Glu-29.
HWLEJ67R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1487 as residues: Asn-5 to Trp-13.
HWLEM49R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1488 as residues: Glu-1 to His-6, Gly-19 to Trp-31.
HWLGM21R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1492 as residues: Glu-1 to His-6, Gly-19 to Trp-31.
HWLGS46R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1494 as residues: Glu-17 to Asn-23, Glu-38 to Gly-49.
HWLGU40R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1495 as residues: His-10 to Pro-15.
HWLGX65R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1496 as residues: Glu-1 to Asn-7.
HWLHD09R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1497 as residues: Pro-6 to Ala-37, Arg-40 to Ser-49.
HWLHW89R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1500 as residues: Asn-1 to Lys-16, Glu-32 to Ser-41, Leu-57 to Gly-71.
HWLJL19R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1506 as residues: Arg-46 to Phe-58.
HWLKG82R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1508 as residues: Pro-5 to Gly-25, Ser-29 to Leu-36, Arg-49 to Phe-55.
HWLKM86R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1512 as

	residues: Arg-10 to Lys-23.
HWLQS83R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1515 as residues: Ala-1 to Arg-6.
HWLRP86R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1518 as residues: Tyr-3 to Gly-10.
HWLRQ49R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1519 as residues: Pro-19 to Ser-26. Gln-44 to Lys-52.
HWLUF60R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1520 as residues: Gln-7 to Lys-31.
HWLUR41R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1522 as residues: Ser-24 to Trp-30.
HWLVD60R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1523 as residues: Cys-15 to Lys-51.
HWMAN61R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1525 as residues: Ser-21 to Asp-26.
HWMEH26R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1528 as residues: Ser-16 to His-46. Arg-49 to Thr-58.
HWMEI50R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1529 as residues: Pro-24 to Thr-40. Phe-63 to Arg-69.
HWMFB31R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1530 as residues: Asn-2 to Lys-10. Cys-16 to Pro-28. Ser-36 to Glu-41.
HWMFO93R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1532 as residues: Ser-8 to Gln-14.
HMAFE48R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1537 as residues: Glu-9 to Gly-17.
HRODJ88R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1538 as residues: Gly-6 to Tyr-14.
HWLAR31R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1539 as residues: Glu-9 to Gly-17.
H2LAU24R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1541 as residues: Glu-11 to Gly-19.
HATDR94R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1542 as residues: Glu-14 to Lys-19. Asn-21 to Gly-27.
HWLLI85R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1543 as residues: Val-19 to Asn-32.
HSYCH41R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1545 as residues: Thr-71 to Ile-79.



The present invention encompasses polypeptides comprising, or alternatively consisting of, an epitope of the polypeptide sequence shown in SEQ ID NO:Y, or an epitope of the polypeptide sequence encoded by the cDNA in the related cDNA clone contained in a deposited library or encoded by a polynucleotide that hybridizes to the complement of an epitope encoding sequence of SEQ ID NO:X, or an epitope encoding sequence contained in the deposited cDNA clone under stringent hybridization conditions, or alternatively, under lower stringency hybridization conditions, as defined supra. The present invention further encompasses polynucleotide sequences encoding an epitope of a polypeptide sequence of the invention (such as, for example, the sequence disclosed in SEQ ID NO:X), polynucleotide sequences of the complementary strand of a polynucleotide sequence encoding an epitope of the invention, and polynucleotide sequences which hybridize to this complementary strand under stringent hybridization conditions or alternatively, under lower stringency hybridization conditions, as defined supra.

The term "epitopes," as used herein, refers to portions of a polypeptide having antigenic or immunogenic activity in an animal, preferably a mammal, and most preferably in a human. In a preferred embodiment, the present invention encompasses a polypeptide comprising an epitope, as well as the polynucleotide encoding this polypeptide. An "immunogenic epitope," as used herein, is defined as a portion of a protein that elicits an antibody response in an animal, as determined by any method known in the art, for example, by the methods for generating antibodies described infra. (See, for example, Geysen et al., Proc. Natl. Acad. Sci. USA 81:3998-4002 (1983)). The term "antigenic epitope," as used herein, is defined as a portion of a protein to which an antibody can immunospecifically bind its antigen as determined by any method well known in the art, for example, by the immunoassays described herein. Immunospecific binding excludes non-specific binding but does not necessarily exclude cross-reactivity with other antigens. Antigenic epitopes need not necessarily be immunogenic.

Fragments which function as epitopes may be produced by any conventional means. (See, e.g., Houghten, R. A., Proc. Natl. Acad. Sci. USA 82:5131-5135 (1985) further described in U.S. Patent No. 4,631,211.)

In the present invention, antigenic epitopes preferably contain a sequence of at least 4, at least 5, at least 6, at least 7, more preferably at least 8, at least 9, at least 10, at least 11, at least 12, at least 13, at least 14, at least 15, at least 20, at least 25, at least 30, at least 40, at

least 50, and, most preferably, between about 15 to about 30 amino acids. Preferred polypeptides comprising immunogenic or antigenic epitopes are at least 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, or 100 amino acid residues in length. Additional non-exclusive preferred antigenic epitopes include the antigenic epitopes disclosed herein, as well as portions thereof. Antigenic epitopes are useful, for example, to raise antibodies, including monoclonal antibodies, that specifically bind the epitope. Preferred antigenic epitopes include the antigenic epitopes disclosed herein, as well as any combination of two, three, four, five or more of these antigenic epitopes. Antigenic epitopes can be used as the target molecules in immunoassays. (See, for instance, Wilson et al., *Cell* 37:767-778 (1984); Sutcliffe et al., *Science* 219:660-666 (1983)).

Similarly, immunogenic epitopes can be used, for example, to induce antibodies according to methods well known in the art. (See, for instance, Sutcliffe et al., *supra*; Wilson et al., *supra*; Chow et al., *Proc. Natl. Acad. Sci. USA* 82:910-914; and Bittle et al., *J. Gen. Virol.* 66:2347-2354 (1985). Preferred immunogenic epitopes include the immunogenic epitopes disclosed herein, as well as any combination of two, three, four, five or more of these immunogenic epitopes. The polypeptides comprising one or more immunogenic epitopes may be presented for eliciting an antibody response together with a carrier protein, such as an albumin, to an animal system (such as rabbit or mouse), or, if the polypeptide is of sufficient length (at least about 25 amino acids), the polypeptide may be presented without a carrier. However, immunogenic epitopes comprising as few as 8 to 10 amino acids have been shown to be sufficient to raise antibodies capable of binding to, at the very least, linear epitopes in a denatured polypeptide (e.g., in Western blotting).

Epitope-bearing polypeptides of the present invention may be used to induce antibodies according to methods well known in the art including, but not limited to, in vivo immunization, in vitro immunization, and phage display methods. See, e.g., Sutcliffe et al., *supra*; Wilson et al., *supra*, and Bittle et al., *J. Gen. Virol.*, 66:2347-2354 (1985). If in vivo immunization is used, animals may be immunized with free peptide; however, anti-peptide antibody titer may be boosted by coupling the peptide to a macromolecular carrier, such as keyhole limpet hemacyanin (KLH) or tetanus toxoid. For instance, peptides containing cysteine residues may be coupled to a carrier using a linker such as maleimidobenzoyl- N-hydroxysuccinimide ester (MBS), while other peptides may be coupled to carriers using a more general linking agent such as glutaraldehyde. Animals such as rabbits, rats and mice

are immunized with either free or carrier- coupled peptides, for instance, by intraperitoneal and/or intradermal injection of emulsions containing about 100 µg of peptide or carrier protein and Freund's adjuvant or any other adjuvant known for stimulating an immune response. Several booster injections may be needed, for instance, at intervals of about two weeks, to provide a useful titer of anti-peptide antibody which can be detected, for example, by ELISA assay using free peptide adsorbed to a solid surface. The titer of anti-peptide antibodies in serum from an immunized animal may be increased by selection of anti-peptide antibodies, for instance, by adsorption to the peptide on a solid support and elution of the selected antibodies according to methods well known in the art.

As one of skill in the art will appreciate, and as discussed above, the polypeptides of the present invention, and immunogenic and/or antigenic epitope fragments thereof can be fused to other polypeptide sequences. For example, the polypeptides of the present invention may be fused with the constant domain of immunoglobulins (IgA, IgE, IgG, IgM), or portions thereof (CH1, CH2, CH3, or any combination thereof and portions thereof) resulting in chimeric polypeptides. Such fusion proteins may facilitate purification and may increase half-life in vivo. This has been shown for chimeric proteins consisting of the first two domains of the human CD4-polypeptide and various domains of the constant regions of the heavy or light chains of mammalian immunoglobulins. See, e.g., EP 394,827; Traunecker et al., *Nature*, 331:84-86 (1988). Enhanced delivery of an antigen across the epithelial barrier to the immune system has been demonstrated for antigens (e.g., insulin) conjugated to an FcRn binding partner such as IgG or Fc fragments (see, e.g., PCT Publications WO 96/22024 and WO 99/04813). IgG Fusion proteins that have a disulfide-linked dimeric structure due to the IgG portion disulfide bonds have also been found to be more efficient in binding and neutralizing other molecules than monomeric polypeptides or fragments thereof alone. See, e.g., Fountoulakis et al., *J. Biochem.*, 270:3958-3964 (1995).

Similarly, EP-A-O 464 533 (Canadian counterpart 2045869) discloses fusion proteins comprising various portions of constant region of immunoglobulin molecules together with another human protein or part thereof. In many cases, the Fc part in a fusion protein is beneficial in therapy and diagnosis, and thus can result in, for example, improved pharmacokinetic properties. (EP-A 0232 262.) Alternatively, deleting the Fc part after the fusion protein has been expressed, detected, and purified, may be desired. For example, the Fc portion may hinder therapy and diagnosis if the fusion protein is used as an antigen for

immunizations. In drug discovery, for example, human proteins, such as hIL-5, have been fused with Fc portions for the purpose of high-throughput screening assays to identify antagonists of hIL-5. (See, D. Bennett et al., *J. Molecular Recognition* 8:52-58 (1995); K. Johanson et al., *J. Biol. Chem.* 270:9459-9471 (1995).)

5        Moreover, the polypeptides of the present invention can be fused to marker sequences, such as a peptide which facilitates purification of the fused polypeptide. In preferred embodiments, the marker amino acid sequence is a hexa-histidine peptide, such as the tag provided in a pQE vector (QIAGEN, Inc., 9259 Eton Avenue, Chatsworth, CA, 91311), among others, many of which are commercially available. As described in Gentz et  
10 al., *Proc. Natl. Acad. Sci. USA* 86:821-824 (1989), for instance, hexa-histidine provides for convenient purification of the fusion protein. Another peptide tag useful for purification, the "HA" tag, corresponds to an epitope derived from the influenza hemagglutinin protein. (Wilson et al., *Cell* 37:767 (1984).)

15        Thus, any of these above fusions can be engineered using the polynucleotides or the polypeptides of the present invention.

      Nucleic acids encoding the above epitopes can also be recombined with a gene of interest as an epitope tag (e.g., the hemagglutinin ("HA") tag or flag tag) to aid in detection and purification of the expressed polypeptide. For example, a system described by Janknecht et al. allows for the ready purification of non-denatured fusion proteins expressed  
20 in human cell lines (Janknecht et al., *Proc. Natl. Acad. Sci. USA* 88:8972- 897 (1991)). In this system, the gene of interest is subcloned into a vaccinia recombination plasmid such that the open reading frame of the gene is translationally fused to an amino-terminal tag consisting of six histidine residues. The tag serves as a matrix binding domain for the fusion protein. Extracts from cells infected with the recombinant vaccinia virus are loaded onto  
25 Ni<sup>2+</sup> nitriloacetic acid-agarose column and histidine-tagged proteins can be selectively eluted with imidazole-containing buffers.

      Additional fusion proteins of the invention may be generated through the techniques of gene-shuffling, motif-shuffling, exon-shuffling, and/or codon-shuffling (collectively referred to as "DNA shuffling"). DNA shuffling may be employed to modulate the activities  
30 of polypeptides of the invention, such methods can be used to generate polypeptides with altered activity, as well as agonists and antagonists of the polypeptides. See, generally, U.S. Patent Nos. 5,605,793; 5,811,238; 5,830,721; 5,834,252; and 5,837,458, and Patten et al.,

, Curr. Opinion Biotechnol. 8:724-33 (1997); Harayama, Trends Biotechnol. 16(2):76-82 (1998); Hansson, et al., J. Mol. Biol. 287:265-76 (1999); and Lorenzo and Blasco, Biotechniques 24(2):308- 13 (1998) (each of these patents and publications are hereby incorporated by reference in its entirety). In one embodiment, alteration of polynucleotides corresponding to SEQ ID NO:X and the polypeptides encoded by these polynucleotides may be achieved by DNA shuffling. DNA shuffling involves the assembly of two or more DNA segments by homologous or site-specific recombination to generate variation in the polynucleotide sequence. In another embodiment, polynucleotides of the invention, or the encoded polypeptides, may be altered by being subjected to random mutagenesis by error-prone PCR, random nucleotide insertion or other methods prior to recombination. In another embodiment, one or more components, motifs, sections, parts, domains, fragments, etc., of a polynucleotide encoding a polypeptide of the invention may be recombined with one or more components, motifs, sections, parts, domains, fragments, etc. of one or more heterologous molecules.

As discussed herein, any polypeptide of the present invention can be used to generate fusion proteins. For example, the polypeptide of the present invention, when fused to a second protein, can be used as an antigenic tag. Antibodies raised against the polypeptide of the present invention can be used to indirectly detect the second protein by binding to the polypeptide. Moreover, because secreted proteins target cellular locations based on trafficking signals, polypeptides of the present invention which are shown to be secreted can be used as targeting molecules once fused to other proteins.

Examples of domains that can be fused to polypeptides of the present invention include not only heterologous signal sequences, but also other heterologous functional regions. The fusion does not necessarily need to be direct, but may occur through linker sequences.

In certain preferred embodiments, proteins of the invention comprise fusion proteins wherein the polypeptides are N and/or C- terminal deletion mutants. In preferred embodiments, the application is directed to nucleic acid molecules at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to the nucleic acid sequences encoding polypeptides having the amino acid sequence of the specific N- and C-terminal deletions mutants. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Moreover, fusion proteins may also be engineered to improve characteristics of the polypeptide of the present invention. For instance, a region of additional amino acids, particularly charged amino acids, may be added to the N-terminus of the polypeptide to improve stability and persistence during purification from the host cell or subsequent handling and storage. Also, peptide moieties may be added to the polypeptide to facilitate purification. Such regions may be removed prior to final preparation of the polypeptide. The addition of peptide moieties to facilitate handling of polypeptides are familiar and routine techniques in the art.

#### 10 **Vectors, Host Cells, and Protein Production**

The present invention also relates to vectors containing the polynucleotide of the present invention, host cells, and the production of polypeptides by recombinant techniques. The vector may be, for example, a phage, plasmid, viral, or retroviral vector. Retroviral vectors may be replication competent or replication defective. In the latter case, viral propagation generally will occur only in complementing host cells.

The polynucleotides of the invention may be joined to a vector containing a selectable marker for propagation in a host. Generally, a plasmid vector is introduced in a precipitate, such as a calcium phosphate precipitate, or in a complex with a charged lipid. If the vector is a virus, it may be packaged in vitro using an appropriate packaging cell line and then transduced into host cells.

The polynucleotide insert should be operatively linked to an appropriate promoter, such as the phage lambda PL promoter, the E. coli lac, trp, phoA and tac promoters, the SV40 early and late promoters and promoters of retroviral LTRs, to name a few. Other suitable promoters will be known to the skilled artisan. The expression constructs will further contain sites for transcription initiation, termination, and, in the transcribed region, a ribosome binding site for translation. The coding portion of the transcripts expressed by the constructs will preferably include a translation initiating codon at the beginning and a termination codon (UAA, UGA or UAG) appropriately positioned at the end of the polypeptide to be translated.

As indicated, the expression vectors will preferably include at least one selectable marker. Such markers include dihydrofolate reductase, G418 or neomycin resistance for eukaryotic cell culture and tetracycline, kanamycin or ampicillin resistance genes for culturing in E. coli and other bacteria. Representative examples of appropriate hosts include,

but are not limited to, bacterial cells, such as *E. coli*, *Streptomyces* and *Salmonella typhimurium* cells; fungal cells, such as yeast cells (e.g., *Saccharomyces cerevisiae* or *Pichia pastoris* (ATCC Accession No. 201178)); insect cells such as *Drosophila* S2 and *Spodoptera Sf9* cells; animal cells such as CHO, COS, 293, and Bowes melanoma cells; and plant cells.

5 Appropriate culture mediums and conditions for the above-described host cells are known in the art.

Among vectors preferred for use in bacteria include pQE70, pQE60 and pQE-9, available from QIAGEN, Inc.; pBluescript vectors, Phagescript vectors, pNH8A, pNH16a, pNH18A, pNH46A, available from Stratagene Cloning Systems, Inc.; and ptrc99a, pKK223-10 3, pKK233-3, pDR540, pRIT5 available from Pharmacia Biotech, Inc. Among preferred eukaryotic vectors are pWLNEO, pSV2CAT, pOG44, pXT1 and pSG available from Stratagene; and pSVK3, pBPV, pMSG and pSVL available from Pharmacia. Preferred expression vectors for use in yeast systems include, but are not limited to pYES2, pYD1, pTEF1/Zeo, pYES2/GS, pPICZ, pGAPZ, pGAPZalph, pPIC9, pPIC3.5, pHIL-D2, pHIL-S1, 15 pPIC3.5K, pPIC9K, and PAO815 (all available from Invitrogen, Carlsbad, CA). Other suitable vectors will be readily apparent to the skilled artisan.

Introduction of the construct into the host cell can be effected by calcium phosphate transfection, DEAE-dextran mediated transfection, cationic lipid-mediated transfection, electroporation, transduction, infection, or other methods. Such methods are described in 20 many standard laboratory manuals, such as Davis et al., Basic Methods In Molecular Biology (1986). It is specifically contemplated that the polypeptides of the present invention may in fact be expressed by a host cell lacking a recombinant vector.

A polypeptide of this invention can be recovered and purified from recombinant cell cultures by well-known methods including ammonium sulfate or ethanol precipitation, acid 25 extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Most preferably, high performance liquid chromatography ("HPLC") is employed for purification.

Polypeptides of the present invention can also be recovered from: products purified 30 from natural sources, including bodily fluids, tissues and cells, whether directly isolated or cultured; products of chemical synthetic procedures; and products produced by recombinant techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast,

higher plant, insect, and mammalian cells. Depending upon the host employed in a recombinant production procedure, the polypeptides of the present invention may be glycosylated or may be non-glycosylated. In addition, polypeptides of the invention may also include an initial modified methionine residue, in some cases as a result of host-mediated processes. Thus, it is well known in the art that the N-terminal methionine encoded by the translation initiation codon generally is removed with high efficiency from any protein after translation in all eukaryotic cells. While the N-terminal methionine on most proteins also is efficiently removed in most prokaryotes, for some proteins, this prokaryotic removal process is inefficient, depending on the nature of the amino acid to which the N-terminal methionine is covalently linked.

In one embodiment, the yeast *Pichia pastoris* is used to express polypeptides of the invention in a eukaryotic system. *Pichia pastoris* is a methylotrophic yeast which can metabolize methanol as its sole carbon source. A main step in the methanol metabolism pathway is the oxidation of methanol to formaldehyde using O<sub>2</sub>. This reaction is catalyzed by the enzyme alcohol oxidase. In order to metabolize methanol as its sole carbon source, *Pichia pastoris* must generate high levels of alcohol oxidase due, in part, to the relatively low affinity of alcohol oxidase for O<sub>2</sub>. Consequently, in a growth medium depending on methanol as a main carbon source, the promoter region of one of the two alcohol oxidase genes (*AOX1*) is highly active. In the presence of methanol, alcohol oxidase produced from the *AOX1* gene comprises up to approximately 30% of the total soluble protein in *Pichia pastoris*. See, Ellis, S.B., *et al.*, *Mol. Cell. Biol.* 5:1111-21 (1985); Koutz, P.J., *et al.*, *Yeast* 5:167-77 (1989); Tschopp, J.F., *et al.*, *Nucl. Acids Res.* 15:3859-76 (1987). Thus, a heterologous coding sequence, such as, for example, a polynucleotide of the present invention, under the transcriptional regulation of all or part of the *AOX1* regulatory sequence is expressed at exceptionally high levels in *Pichia* yeast grown in the presence of methanol.

In one example, the plasmid vector pPIC9K is used to express DNA encoding a polypeptide of the invention, as set forth herein, in a *Pichea* yeast system essentially as described in "*Pichia* Protocols: Methods in Molecular Biology," D.R. Higgins and J. Cregg, eds. The Humana Press. Totowa, NJ, 1998. This expression vector allows expression and secretion of a polypeptide of the invention by virtue of the strong *AOX1* promoter linked to



the *Pichia pastoris* alkaline phosphatase (PHO) secretory signal peptide (i.e., leader) located upstream of a multiple cloning site.

Many other yeast vectors could be used in place of pPIC9K, such as, pYES2, pYD1, pTEF1/Zeo, pYES2/GS, pPICZ, pGAPZ, pGAPZalpha, pPIC9, pPIC3.5, pHIL-D2, pHIL-S1, pPIC3.5K, and PAO815. as one skilled in the art would readily appreciate, as long as the proposed expression construct provides appropriately located signals for transcription, translation, secretion (if desired), and the like, including an in-frame AUG as required.

In another embodiment, high-level expression of a heterologous coding sequence, such as, for example, a polynucleotide of the present invention, may be achieved by cloning the heterologous polynucleotide of the invention into an expression vector such as, for example, pGAPZ or pGAPZalpha, and growing the yeast culture in the absence of methanol.

In addition to encompassing host cells containing the vector constructs discussed herein, the invention also encompasses primary, secondary, and immortalized host cells of vertebrate origin, particularly mammalian origin, that have been engineered to delete or replace endogenous genetic material (e.g., coding sequence), and/or to include genetic material (e.g., heterologous polynucleotide sequences) that is operably associated with polynucleotides of the invention, and which activates, alters, and/or amplifies endogenous polynucleotides. For example, techniques known in the art may be used to operably associate heterologous control regions (e.g., promoter and/or enhancer) and endogenous polynucleotide sequences via homologous recombination (see, e.g., U.S. Patent No. 5,641,670, issued June 24, 1997; International Publication No. WO 96/29411, published September 26, 1996; International Publication No. WO 94/12650, published August 4, 1994; Koller et al., Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); and Zijlstra et al., Nature 342:435-438 (1989), the disclosures of each of which are incorporated by reference in their entireties).

In addition, polypeptides of the invention can be chemically synthesized using techniques known in the art (e.g., see Creighton, 1983, Proteins: Structures and Molecular Principles, W.H. Freeman & Co., N.Y., and Hunkapiller et al., Nature, 310:105-111 (1984)). For example, a polypeptide corresponding to a fragment of a polypeptide can be synthesized by use of a peptide synthesizer. Furthermore, if desired, nonclassical amino acids or chemical amino acid analogs can be introduced as a substitution or addition into the

polypeptide sequence. Non-classical amino acids include, but are not limited to, to the D-isomers of the common amino acids, 2,4-diaminobutyric acid,  $\alpha$ -amino isobutyric acid, 4-aminobutyric acid, Abu, 2-amino butyric acid,  $\gamma$ -Abu, e-Ahx, 6-amino hexanoic acid, Aib, 2-amino isobutyric acid, 3-amino propionic acid, ornithine, norleucine, norvaline, hydroxyproline, sarcosine, citrulline, homocitrulline, cysteic acid, t-butylglycine, t-butylalanine, phenylglycine, cyclohexylalanine,  $\beta$ -alanine, fluoro-amino acids, designer amino acids such as  $\beta$ -methyl amino acids, Ca-methyl amino acids, Na-methyl amino acids, and amino acid analogs in general. Furthermore, the amino acid can be D (dextrorotary) or L (levorotary).

Non-naturally occurring variants may be produced using art-known mutagenesis techniques, which include, but are not limited to oligonucleotide mediated mutagenesis, alanine scanning, PCR mutagenesis, site directed mutagenesis (*see, e.g., Carter et al., Nucl. Acids Res. 13:4331 (1986); and Zoller et al., Nucl. Acids Res. 10:6487 (1982)*), cassette mutagenesis (*see, e.g., Wells et al., Gene 34:315 (1985)*), restriction selection mutagenesis (*see, e.g., Wells et al., Philos. Trans. R. Soc. London SerA 317:415 (1986)*).

The invention additionally, encompasses polypeptides of the present invention which are differentially modified during or after translation, e.g., by glycosylation, acetylation, phosphorylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to an antibody molecule or other cellular ligand, etc. Any of numerous chemical modifications may be carried out by known techniques, including but not limited, to specific chemical cleavage by cyanogen bromide, trypsin, chymotrypsin, papain, V8 protease,  $\text{NaBH}_4$ ; acetylation, formylation, oxidation, reduction; metabolic synthesis in the presence of tunicamycin; etc.

Additional post-translational modifications encompassed by the invention include, for example, e.g., N-linked or O-linked carbohydrate chains, processing of N-terminal or C-terminal ends), attachment of chemical moieties to the amino acid backbone, chemical modifications of N-linked or O-linked carbohydrate chains, and addition or deletion of an N-terminal methionine residue as a result of procaryotic host cell expression. The polypeptides may also be modified with a detectable label, such as an enzymatic, fluorescent, isotopic or affinity label to allow for detection and isolation of the protein.

Also provided by the invention are chemically modified derivatives of the polypeptides of the invention which may provide additional advantages such as increased

solubility, stability and circulating time of the polypeptide, or decreased immunogenicity (see U.S. Patent No. 4,179,337). The chemical moieties for derivitization may be selected from water soluble polymers such as polyethylene glycol, ethylene glycol/propylene glycol copolymers, carboxymethylcellulose, dextran, polyvinyl alcohol and the like. The polypeptides may be modified at random positions within the molecule, or at predetermined positions within the molecule and may include one, two, three or more attached chemical moieties.

The polymer may be of any molecular weight, and may be branched or unbranched. For polyethylene glycol, the preferred molecular weight is between about 1 kDa and about 100 kDa (the term "about" indicating that in preparations of polyethylene glycol, some molecules will weigh more, some less, than the stated molecular weight) for ease in handling and manufacturing. Other sizes may be used, depending on the desired therapeutic profile (e.g., the duration of sustained release desired, the effects, if any on biological activity, the ease in handling, the degree or lack of antigenicity and other known effects of the polyethylene glycol to a therapeutic protein or analog). For example, the polyethylene glycol may have an average molecular weight of about 200; 500; 1000; 1500; 2000; 2500; 3000; 3500; 4000; 4500; 5000; 5500; 6000; 6500; 7000; 7500; 8000; 8500; 9000; 9500; 10,000; 10,500; 11,000; 11,500; 12,000; 12,500; 13,000; 13,500; 14,000; 14,500; 15,000; 15,500; 16,000; 16,500; 17,000; 17,500; 18,000; 18,500; 19,000; 19,500; 20,000; 25,000; 30,000; 35,000; 40,000; 50,000; 55,000; 60,000; 65,000; 70,000; 75,000; 80,000; 85,000; 90,000; 95,000; or 100,000 kDa.

As noted above, the polyethylene glycol may have a branched structure. Branched polyethylene glycols are described, for example, in U.S. Patent No. 5,643,575; Morpurgo *et al.*, *Appl. Biochem. Biotechnol.* 56:59-72 (1996); Vorobjev *et al.*, *Nucleosides Nucleotides* 18:2745-2750 (1999); and Caliceti *et al.*, *Bioconjug. Chem.* 10:638-646 (1999), the disclosures of each of which are incorporated herein by reference.

The polyethylene glycol molecules (or other chemical moieties) should be attached to the protein with consideration of effects on functional or antigenic domains of the protein. There are a number of attachment methods available to those skilled in the art, e.g., EP 0 401 384, herein incorporated by reference (coupling PEG to G-CSF), see also Malik *et al.*, *Exp. Hematol.* 20:1028-1035 (1992) (reporting pegylation of GM-CSF using tresyl chloride). For example, polyethylene glycol may be covalently bound through amino acid residues via a

reactive group, such as, a free amino or carboxyl group. Reactive groups are those to which an activated polyethylene glycol molecule may be bound. The amino acid residues having a free amino group may include lysine residues and the N-terminal amino acid residues: those having a free carboxyl group may include aspartic acid residues glutamic acid residues and the C-terminal amino acid residue. 5  
Sulphydryl groups may also be used as a reactive group for attaching the polyethylene glycol molecules. Preferred for therapeutic purposes is attachment at an amino group, such as attachment at the N-terminus or lysine group.

As suggested above, polyethylene glycol may be attached to proteins via linkage to any of a number of amino acid residues. For example, polyethylene glycol can be linked to a proteins via covalent bonds to lysine, histidine, aspartic acid, glutamic acid, or cysteine 10  
residues. One or more reaction chemistries may be employed to attach polyethylene glycol to specific amino acid residues (e.g., lysine, histidine, aspartic acid, glutamic acid, or cysteine) of the protein or to more than one type of amino acid residue (e.g., lysine, histidine, aspartic acid, glutamic acid, cysteine and combinations thereof) of the protein.

One may specifically desire proteins chemically modified at the N-terminus. Using polyethylene glycol as an illustration of the present composition, one may select from a variety of polyethylene glycol molecules (by molecular weight, branching, etc.), the proportion of polyethylene glycol molecules to protein (polypeptide) molecules in the reaction mix, the type of pegylation reaction to be performed, and the method of obtaining 15  
the selected N-terminally pegylated protein. The method of obtaining the N-terminally pegylated preparation (i.e., separating this moiety from other monopegylated moieties if necessary) may be by purification of the N-terminally pegylated material from a population of pegylated protein molecules. Selective proteins chemically modified at the N-terminus modification may be accomplished by reductive alkylation which exploits differential 20  
reactivity of different types of primary amino groups (lysine versus the N-terminal) available for derivatization in a particular protein. Under the appropriate reaction conditions, substantially selective derivatization of the protein at the N-terminus with a carbonyl group containing polymer is achieved.

As indicated above, pegylation of the proteins of the invention may be accomplished 30  
by any number of means. For example, polyethylene glycol may be attached to the protein either directly or by an intervening linker. Linkerless systems for attaching polyethylene glycol to proteins are described in Delgado *et al.*, *Crit. Rev. Thera. Drug Carrier Sys.* 9:249-

304 (1992); Francis *et al.*, *Intern. J. of Hematol.* 68:1-18 (1998); U.S. Patent No. 4,002,531; U.S. Patent No. 5,349,052; WO 95/06058; and WO 98/32466, the disclosures of each of which are incorporated herein by reference.

One system for attaching polyethylene glycol directly to amino acid residues of proteins without an intervening linker employs tresylated MPEG, which is produced by the modification of monmethoxy polyethylene glycol (MPEG) using tresylchloride ( $\text{ClSO}_2\text{CH}_2\text{CF}_3$ ). Upon reaction of protein with tresylated MPEG, polyethylene glycol is directly attached to amine groups of the protein. Thus, the invention includes protein-polyethylene glycol conjugates produced by reacting proteins of the invention with a polyethylene glycol molecule having a 2,2,2-trifluoroethane sulphonyl group.

Polyethylene glycol can also be attached to proteins using a number of different intervening linkers. For example, U.S. Patent No. 5,612,460, the entire disclosure of which is incorporated herein by reference, discloses urethane linkers for connecting polyethylene glycol to proteins. Protein-polyethylene glycol conjugates wherein the polyethylene glycol is attached to the protein by a linker can also be produced by reaction of proteins with compounds such as MPEG-succinimidylsuccinate, MPEG activated with 1,1'-carbonyldiimidazole, MPEG-2,4,5-trichloropenylcarbonate, MPEG-p-nitrophenolcarbonate, and various MPEG-succinate derivatives. A number additional polyethylene glycol derivatives and reaction chemistries for attaching polyethylene glycol to proteins are described in WO 98/32466, the entire disclosure of which is incorporated herein by reference. Pegylated protein products produced using the reaction chemistries set out herein are included within the scope of the invention.

The number of polyethylene glycol moieties attached to each protein of the invention (*i.e.*, the degree of substitution) may also vary. For example, the pegylated proteins of the invention may be linked, on average, to 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 15, 17, 20, or more polyethylene glycol molecules. Similarly, the average degree of substitution within ranges such as 1-3, 2-4, 3-5, 4-6, 5-7, 6-8, 7-9, 8-10, 9-11, 10-12, 11-13, 12-14, 13-15, 14-16, 15-17, 16-18, 17-19, or 18-20 polyethylene glycol moieties per protein molecule. Methods for determining the degree of substitution are discussed, for example, in Delgado *et al.*, *Crit. Rev. Thera. Drug Carrier Sys.* 9:249-304 (1992).

The colon cancer antigen polypeptides of the invention may be in monomers or multimers (*i.e.*, dimers, trimers, tetramers and higher multimers). Accordingly, the present

invention relates to monomers and multimers of the polypeptides of the invention, their preparation, and compositions (preferably, Therapeutics) containing them. In specific embodiments, the polypeptides of the invention are monomers, dimers, trimers or tetramers. In additional embodiments, the multimers of the invention are at least dimers, at least trimers, or at least tetramers.

Multimers encompassed by the invention may be homomers or heteromers. As used herein, the term homomer, refers to a multimer containing only polypeptides corresponding to the amino acid sequence of SEQ ID NO:Y or an amino acid sequence encoded by SEQ ID NO:X, and/or an amino acid sequence encoded by the cDNA in a related cDNA clone contained in a deposited library (including fragments, variants, splice variants, and fusion proteins, corresponding to any one of these as described herein). These homomers may contain polypeptides having identical or different amino acid sequences. In a specific embodiment, a homomer of the invention is a multimer containing only polypeptides having an identical amino acid sequence. In another specific embodiment, a homomer of the invention is a multimer containing polypeptides having different amino acid sequences. In specific embodiments, the multimer of the invention is a homodimer (e.g., containing polypeptides having identical or different amino acid sequences) or a homotrimer (e.g., containing polypeptides having identical and/or different amino acid sequences). In additional embodiments, the homomeric multimer of the invention is at least a homodimer, at least a homotrimer, or at least a homotetramer.

As used herein, the term heteromer refers to a multimer containing one or more heterologous polypeptides (i.e., polypeptides of different proteins) in addition to the polypeptides of the invention. In a specific embodiment, the multimer of the invention is a heterodimer, a heterotrimer, or a heterotetramer. In additional embodiments, the heteromeric multimer of the invention is at least a heterodimer, at least a heterotrimer, or at least a heterotetramer.

Multimers of the invention may be the result of hydrophobic, hydrophilic, ionic and/or covalent associations and/or may be indirectly linked, by for example, liposome formation. Thus, in one embodiment, multimers of the invention, such as, for example, homodimers or homotrimers, are formed when polypeptides of the invention contact one another in solution. In another embodiment, heteromultimers of the invention, such as, for example, heterotrimers or heterotetramers, are formed when polypeptides of the invention

contact antibodies to the polypeptides of the invention (including antibodies to the heterologous polypeptide sequence in a fusion protein of the invention) in solution. In other embodiments, multimers of the invention are formed by covalent associations with and/or between the polypeptides of the invention. Such covalent associations may involve one or more amino acid residues contained in the polypeptide sequence (e.g., that recited in SEQ ID NO:Y, or contained in a polypeptide encoded by SEQ ID NO:X, and/or by the cDNA in the related cDNA clone contained in a deposited library). In one instance, the covalent associations are cross-linking between cysteine residues located within the polypeptide sequences which interact in the native (i.e., naturally occurring) polypeptide. In another instance, the covalent associations are the consequence of chemical or recombinant manipulation. Alternatively, such covalent associations may involve one or more amino acid residues contained in the heterologous polypeptide sequence in a fusion protein. In one example, covalent associations are between the heterologous sequence contained in a fusion protein of the invention (see, e.g., US Patent Number 5,478,925). In a specific example, the covalent associations are between the heterologous sequence contained in a Fc fusion protein of the invention (as described herein). In another specific example, covalent associations of fusion proteins of the invention are between heterologous polypeptide sequence from another protein that is capable of forming covalently associated multimers, such as for example, osteoprotegerin (see, e.g., International Publication NO: WO 98/49305, the contents of which are herein incorporated by reference in its entirety). In another embodiment, two or more polypeptides of the invention are joined through peptide linkers. Examples include those peptide linkers described in U.S. Pat. No. 5,073,627 (hereby incorporated by reference). Proteins comprising multiple polypeptides of the invention separated by peptide linkers may be produced using conventional recombinant DNA technology.

Another method for preparing multimer polypeptides of the invention involves use of polypeptides of the invention fused to a leucine zipper or isoleucine zipper polypeptide sequence. Leucine zipper and isoleucine zipper domains are polypeptides that promote multimerization of the proteins in which they are found. Leucine zippers were originally identified in several DNA-binding proteins (Landschulz et al., Science 240:1759, (1988)), and have since been found in a variety of different proteins. Among the known leucine zippers are naturally occurring peptides and derivatives thereof that dimerize or trimerize. Examples of leucine zipper domains suitable for producing soluble multimeric proteins of the

invention are those described in PCT application WO 94/10308, hereby incorporated by reference. Recombinant fusion proteins comprising a polypeptide of the invention fused to a polypeptide sequence that dimerizes or trimerizes in solution are expressed in suitable host cells, and the resulting soluble multimeric fusion protein is recovered from the culture supernatant using techniques known in the art.

Trimeric polypeptides of the invention may offer the advantage of enhanced biological activity. Preferred leucine zipper moieties and isoleucine moieties are those that preferentially form trimers. One example is a leucine zipper derived from lung surfactant protein D (SPD), as described in Hoppe et al. (FEBS Letters 344:191, (1994)) and in U.S. patent application Ser. No. 08/446,922, hereby incorporated by reference. Other peptides derived from naturally occurring trimeric proteins may be employed in preparing trimeric polypeptides of the invention.

In another example, proteins of the invention are associated by interactions between Flag® polypeptide sequence contained in fusion proteins of the invention containing Flag® polypeptide sequence. In a further embodiment, associations proteins of the invention are associated by interactions between heterologous polypeptide sequence contained in Flag® fusion proteins of the invention and anti-Flag® antibody.

The multimers of the invention may be generated using chemical techniques known in the art. For example, polypeptides desired to be contained in the multimers of the invention may be chemically cross-linked using linker molecules and linker molecule length optimization techniques known in the art (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). Additionally, multimers of the invention may be generated using techniques known in the art to form one or more inter-molecule cross-links between the cysteine residues located within the sequence of the polypeptides desired to be contained in the multimer (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). Further, polypeptides of the invention may be routinely modified by the addition of cysteine or biotin to the C-terminus or N-terminus of the polypeptide and techniques known in the art may be applied to generate multimers containing one or more of these modified polypeptides (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). Additionally, techniques known in the art may be applied to generate liposomes containing the polypeptide



components desired to be contained in the multimer of the invention (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety).

Alternatively, multimers of the invention may be generated using genetic engineering techniques known in the art. In one embodiment, polypeptides contained in multimers of the invention are produced recombinantly using fusion protein technology described herein or otherwise known in the art (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). In a specific embodiment, polynucleotides coding for a homodimer of the invention are generated by ligating a polynucleotide sequence encoding a polypeptide of the invention to a sequence encoding a linker polypeptide and then further to a synthetic polynucleotide encoding the translated product of the polypeptide in the reverse orientation from the original C-terminus to the N-terminus (lacking the leader sequence) (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). In another embodiment, recombinant techniques described herein or otherwise known in the art are applied to generate recombinant polypeptides of the invention which contain a transmembrane domain (or hydrophobic or signal peptide) and which can be incorporated by membrane reconstitution techniques into liposomes (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety).

### Antibodies

Further polypeptides of the invention relate to antibodies and T-cell antigen receptors (TCR) which immunospecifically bind a polypeptide, polypeptide fragment, or variant of SEQ ID NO:Y, and/or an epitope, of the present invention (as determined by immunoassays well known in the art for assaying specific antibody-antigen binding). Antibodies of the invention include, but are not limited to, polyclonal, monoclonal, multispecific, human, humanized or chimeric antibodies, single chain antibodies, Fab fragments, F(ab') fragments, fragments produced by a Fab expression library, anti-idiotypic (anti-Id) antibodies (including, e.g., anti-Id antibodies to antibodies of the invention), and epitope-binding fragments of any of the above. The term "antibody," as used herein, refers to immunoglobulin molecules and immunologically active portions of immunoglobulin molecules, i.e., molecules that contain an antigen binding site that immunospecifically binds an antigen. The immunoglobulin molecules of the invention can be of any type (e.g., IgG,

IgE, IgM, IgD, IgA and IgY), class (e.g., IgG1, IgG2, IgG3, IgG4, IgA1 and IgA2) or subclass of immunoglobulin molecule.

Most preferably the antibodies are human antigen-binding antibody fragments of the present invention and include, but are not limited to, Fab, Fab' and F(ab')<sub>2</sub>, Fd, single-chain Fvs (scFv), single-chain antibodies, disulfide-linked Fvs (sdFv) and fragments comprising either a VL or VH domain. Antigen-binding antibody fragments, including single-chain antibodies, may comprise the variable region(s) alone or in combination with the entirety or a portion of the following: hinge region, CH1, CH2, and CH3 domains. Also included in the invention are antigen-binding fragments also comprising any combination of variable region(s) with a hinge region, CH1, CH2, and CH3 domains. The antibodies of the invention may be from any animal origin including birds and mammals. Preferably, the antibodies are human, murine (e.g., mouse and rat), donkey, sheep, rabbit, goat, guinea pig, camel, horse, or chicken. As used herein, "human" antibodies include antibodies having the amino acid sequence of a human immunoglobulin and include antibodies isolated from human immunoglobulin libraries or from animals transgenic for one or more human immunoglobulin and that do not express endogenous immunoglobulins, as described infra and, for example in, U.S. Patent No. 5,939,598 by Kucherlapati et al.

The antibodies of the present invention may be monospecific, bispecific, trispecific or of greater multispecificity. Multispecific antibodies may be specific for different epitopes of a polypeptide of the present invention or may be specific for both a polypeptide of the present invention as well as for a heterologous epitope, such as a heterologous polypeptide or solid support material. See, e.g., PCT publications WO 93/17715; WO 92/08802; WO 91/00360; WO 92/05793; Tutt, et al., J. Immunol. 147:60-69 (1991); U.S. Patent Nos. 4,474,893; 4,714,681; 4,925,648; 5,573,920; 5,601,819; Kostelny et al., J. Immunol. 148:1547-1553 (1992).

Antibodies of the present invention may be described or specified in terms of the epitope(s) or portion(s) of a polypeptide of the present invention which they recognize or specifically bind. The epitope(s) or polypeptide portion(s) may be specified as described herein, e.g., by N-terminal and C-terminal positions, or by size in contiguous amino acid residues. Antibodies which specifically bind any epitope or polypeptide of the present invention may also be excluded. Therefore, the present invention includes antibodies that

specifically bind polypeptides of the present invention, and allows for the exclusion of the same.

Antibodies of the present invention may also be described or specified in terms of their cross-reactivity. Antibodies that do not bind any other analog, ortholog, or homolog of a polypeptide of the present invention are included. Antibodies that bind polypeptides with at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 65%, at least 60%, at least 55%, and at least 50% identity (as calculated using methods known in the art and described herein) to a polypeptide of the present invention are also included in the present invention. In specific embodiments, antibodies of the present invention cross-react with murine, rat and/or rabbit homologs of human proteins and the corresponding epitopes thereof. Antibodies that do not bind polypeptides with less than 95%, less than 90%, less than 85%, less than 80%, less than 75%, less than 70%, less than 65%, less than 60%, less than 55%, and less than 50% identity (as calculated using methods known in the art and described herein) to a polypeptide of the present invention are also included in the present invention. In a specific embodiment, the above-described cross-reactivity is with respect to any single specific antigenic or immunogenic polypeptide, or combination(s) of 2, 3, 4, 5, or more of the specific antigenic and/or immunogenic polypeptides disclosed herein. Further included in the present invention are antibodies which bind polypeptides encoded by polynucleotides which hybridize to a polynucleotide of the present invention under stringent hybridization conditions (as described herein). Antibodies of the present invention may also be described or specified in terms of their binding affinity to a polypeptide of the invention. Preferred binding affinities include those with a dissociation constant or  $K_d$  less than  $5 \times 10^{-2}$  M,  $10^{-2}$  M,  $5 \times 10^{-3}$  M,  $10^{-3}$  M,  $5 \times 10^{-4}$  M,  $10^{-4}$  M,  $5 \times 10^{-5}$  M,  $10^{-5}$  M,  $5 \times 10^{-6}$  M,  $10^{-6}$  M,  $5 \times 10^{-7}$  M,  $10^{-7}$  M,  $5 \times 10^{-8}$  M,  $10^{-8}$  M,  $5 \times 10^{-9}$  M,  $10^{-9}$  M,  $5 \times 10^{-10}$  M,  $10^{-10}$  M,  $5 \times 10^{-11}$  M,  $10^{-11}$  M,  $5 \times 10^{-12}$  M,  $10^{-12}$  M,  $5 \times 10^{-13}$  M,  $10^{-13}$  M,  $5 \times 10^{-14}$  M,  $10^{-14}$  M,  $5 \times 10^{-15}$  M, or  $10^{-15}$  M.

The invention also provides antibodies that competitively inhibit binding of an antibody to an epitope of the invention as determined by any method known in the art for determining competitive binding, for example, the immunoassays described herein. In preferred embodiments, the antibody competitively inhibits binding to the epitope by at least 95%, at least 90%, at least 85 %, at least 80%, at least 75%, at least 70%, at least 60%, or at least 50%.

Antibodies of the present invention may act as agonists or antagonists of the polypeptides of the present invention. For example, the present invention includes antibodies which disrupt the receptor/ligand interactions with the polypeptides of the invention either partially or fully. Preferably, antibodies of the present invention bind an antigenic epitope disclosed herein, or a portion thereof. The invention features both receptor-specific antibodies and ligand-specific antibodies. The invention also features receptor-specific antibodies which do not prevent ligand binding but prevent receptor activation. Receptor activation (i.e., signaling) may be determined by techniques described herein or otherwise known in the art. For example, receptor activation can be determined by detecting the phosphorylation (e.g., tyrosine or serine/threonine) of the receptor or its substrate by immunoprecipitation followed by western blot analysis (for example, as described supra). In specific embodiments, antibodies are provided that inhibit ligand activity or receptor activity by at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 60%, or at least 50% of the activity in absence of the antibody.

The invention also features receptor-specific antibodies which both prevent ligand binding and receptor activation as well as antibodies that recognize the receptor-ligand complex, and, preferably, do not specifically recognize the unbound receptor or the unbound ligand. Likewise, included in the invention are neutralizing antibodies which bind the ligand and prevent binding of the ligand to the receptor, as well as antibodies which bind the ligand, thereby preventing receptor activation, but do not prevent the ligand from binding the receptor. Further included in the invention are antibodies which activate the receptor. These antibodies may act as receptor agonists, i.e., potentiate or activate either all or a subset of the biological activities of the ligand-mediated receptor activation, for example, by inducing dimerization of the receptor. The antibodies may be specified as agonists, antagonists or inverse agonists for biological activities comprising the specific biological activities of the peptides of the invention disclosed herein. The above antibody agonists can be made using methods known in the art. See, e.g., PCT publication WO 96/40281; U.S. Patent No. 5,811,097; Deng et al., *Blood* 92(6):1981-1988 (1998); Chen et al., *Cancer Res.* 58(16):3668-3678 (1998); Harrop et al., *J. Immunol.* 161(4):1786-1794 (1998); Zhu et al., *Cancer Res.* 58(15):3209-3214 (1998); Yoon et al., *J. Immunol.* 160(7):3170-3179 (1998); Prat et al., *J. Cell. Sci.* 111(Pt2):237-247 (1998); Pitard et al., *J. Immunol. Methods* 205(2):177-190 (1997); Liautard et al., *Cytokine* 9(4):233-241 (1997); Carlson et al., *J. Biol.*

Chem. 272(17):11295-11301 (1997); Taryman et al., Neuron 14(4):755-762 (1995); Muller et al., Structure 6(9):1153-1167 (1998); Bartunek et al., Cytokine 8(1):14-20 (1996) (which are all incorporated by reference herein in their entireties).

Antibodies of the present invention may be used, for example, but not limited to, to  
5 purify, detect, and target the polypeptides of the present invention, including both in vitro and in vivo diagnostic and therapeutic methods. For example, the antibodies have use in immunoassays for qualitatively and quantitatively measuring levels of the polypeptides of the present invention in biological samples. See, e.g., Harlow et al., Antibodies: A Laboratory Manual. (Cold Spring Harbor Laboratory Press, 2nd ed. 1988) (incorporated by reference  
10 herein in its entirety).

As discussed in more detail below, the antibodies of the present invention may be used either alone or in combination with other compositions. The antibodies may further be recombinantly fused to a heterologous polypeptide at the N- or C-terminus or chemically conjugated (including covalently and non-covalently conjugations) to polypeptides or other  
15 compositions. For example, antibodies of the present invention may be recombinantly fused or conjugated to molecules useful as labels in detection assays and effector molecules such as heterologous polypeptides, drugs, radionuclides, or toxins. See, e.g., PCT publications WO 92/08495; WO 91/14438; WO 89/12624; U.S. Patent No. 5,314,995; and EP 396,387.

The antibodies of the invention include derivatives that are modified, i.e., by the  
20 covalent attachment of any type of molecule to the antibody such that covalent attachment does not prevent the antibody from generating an anti-idiotypic response. For example, but not by way of limitation, the antibody derivatives include antibodies that have been modified, e.g., by glycosylation, acetylation, pegylation, phosphorylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to a cellular ligand or other  
25 protein, etc. Any of numerous chemical modifications may be carried out by known techniques, including, but not limited to specific chemical cleavage, acetylation, formylation, metabolic synthesis of tunicamycin, etc. Additionally, the derivative may contain one or more non-classical amino acids.

The antibodies of the present invention may be generated by any suitable method  
30 known in the art. Polyclonal antibodies to an antigen-of-interest can be produced by various procedures well known in the art. For example, a polypeptide of the invention can be administered to various host animals including, but not limited to, rabbits, mice, rats, etc. to

induce the production of sera containing polyclonal antibodies specific for the antigen. Various adjuvants may be used to increase the immunological response, depending on the host species, and include but are not limited to, Freund's (complete and incomplete), mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, keyhole limpet hemocyanins, dinitrophenol, and potentially useful human adjuvants such as BCG (bacille Calmette-Guerin) and corynebacterium parvum. Such adjuvants are also well known in the art.

Monoclonal antibodies can be prepared using a wide variety of techniques known in the art including the use of hybridoma, recombinant, and phage display technologies, or a combination thereof. For example, monoclonal antibodies can be produced using hybridoma techniques including those known in the art and taught, for example, in Harlow et al., *Antibodies: A Laboratory Manual*, (Cold Spring Harbor Laboratory Press, 2nd ed. 1988); Hammerling, et al., in: *Monoclonal Antibodies and T-Cell Hybridomas* 563-681 (Elsevier, N.Y., 1981) (said references incorporated by reference in their entireties). The term "monoclonal antibody" as used herein is not limited to antibodies produced through hybridoma technology. The term "monoclonal antibody" refers to an antibody that is derived from a single clone, including any eukaryotic, prokaryotic, or phage clone, and not the method by which it is produced.

Methods for producing and screening for specific antibodies using hybridoma technology are routine and well known in the art and are discussed in detail in the Examples. In a non-limiting example, mice can be immunized with a polypeptide of the invention or a cell expressing such peptide. Once an immune response is detected, e.g., antibodies specific for the antigen are detected in the mouse serum, the mouse spleen is harvested and splenocytes isolated. The splenocytes are then fused by well known techniques to any suitable myeloma cells, for example cells from cell line SP20 available from the ATCC. Hybridomas are selected and cloned by limited dilution. The hybridoma clones are then assayed by methods known in the art for cells that secrete antibodies capable of binding a polypeptide of the invention. Ascites fluid, which generally contains high levels of antibodies, can be generated by immunizing mice with positive hybridoma clones.

Accordingly, the present invention provides methods of generating monoclonal antibodies as well as antibodies produced by the method comprising culturing a hybridoma cell secreting an antibody of the invention wherein, preferably, the hybridoma is generated by

fusing splenocytes isolated from a mouse immunized with an antigen of the invention with myeloma cells and then screening the hybridomas resulting from the fusion for hybridoma clones that secrete an antibody able to bind a polypeptide of the invention.

Antibody fragments which recognize specific epitopes may be generated by known techniques. For example, Fab and F(ab')<sub>2</sub> fragments of the invention may be produced by proteolytic cleavage of immunoglobulin molecules, using enzymes such as papain (to produce Fab fragments) or pepsin (to produce F(ab')<sub>2</sub> fragments). F(ab')<sub>2</sub> fragments contain the variable region, the light chain constant region and the CH1 domain of the heavy chain.

For example, the antibodies of the present invention can also be generated using various phage display methods known in the art. In phage display methods, functional antibody domains are displayed on the surface of phage particles which carry the polynucleotide sequences encoding them. In a particular embodiment, such phage can be utilized to display antigen binding domains expressed from a repertoire or combinatorial antibody library (e.g., human or murine). Phage expressing an antigen binding domain that binds the antigen of interest can be selected or identified with antigen, e.g., using labeled antigen or antigen bound or captured to a solid surface or bead. Phage used in these methods are typically filamentous phage including fd and M13 binding domains expressed from phage with Fab, Fv or disulfide stabilized Fv antibody domains recombinantly fused to either the phage gene III or gene VIII protein. Examples of phage display methods that can be used to make the antibodies of the present invention include those disclosed in Brinkman et al., *J. Immunol. Methods* 182:41-50 (1995); Ames et al., *J. Immunol. Methods* 184:177-186 (1995); Kettleborough et al., *Eur. J. Immunol.* 24:952-958 (1994); Persic et al., *Gene* 187 9-18 (1997); Burton et al., *Advances in Immunology* 57:191-280 (1994); PCT application No. PCT/GB91/01134; PCT publications WO 90/02809; WO 91/10737; WO 92/01047; WO 92/18619; WO 93/11236; WO 95/15982; WO 95/20401; and U.S. Patent Nos. 5,698,426; 5,223,409; 5,403,484; 5,580,717; 5,427,908; 5,750,753; 5,821,047; 5,571,698; 5,427,908; 5,516,637; 5,780,225; 5,658,727; 5,733,743 and 5,969,108; each of which is incorporated herein by reference in its entirety.

As described in the above references, after phage selection, the antibody coding regions from the phage can be isolated and used to generate whole antibodies, including human antibodies, or any other desired antigen binding fragment, and expressed in any desired host, including mammalian cells, insect cells, plant cells, yeast, and bacteria, e.g., as

described in detail below. For example, techniques to recombinantly produce Fab, Fab' and F(ab')<sub>2</sub> fragments can also be employed using methods known in the art such as those disclosed in PCT publication WO 92/22324; Mullinax et al., *BioTechniques* 12(6):864-869 (1992); and Sawai et al., *AJRI* 34:26-34 (1995); and Better et al., *Science* 240:1041-1043 (1988) (said references incorporated by reference in their entireties).

Examples of techniques which can be used to produce single-chain Fvs and antibodies include those described in U.S. Patents 4,946,778 and 5,258,498; Huston et al., *Methods in Enzymology* 203:46-88 (1991); Shu et al., *PNAS* 90:7995-7999 (1993); and Skerra et al., *Science* 240:1038-1040 (1988). For some uses, including in vivo use of antibodies in humans and in vitro detection assays, it may be preferable to use chimeric, humanized, or human antibodies. A chimeric antibody is a molecule in which different portions of the antibody are derived from different animal species, such as antibodies having a variable region derived from a murine monoclonal antibody and a human immunoglobulin constant region. Methods for producing chimeric antibodies are known in the art. See e.g., Morrison, *Science* 229:1202 (1985); Oi et al., *BioTechniques* 4:214 (1986); Gillies et al., (1989) *J. Immunol. Methods* 125:191-202; U.S. Patent Nos. 5,807,715; 4,816,567; and 4,816,397, which are incorporated herein by reference in their entirety. Humanized antibodies are antibody molecules from non-human species antibody that binds the desired antigen having one or more complementarity determining regions (CDRs) from the non-human species and a framework regions from a human immunoglobulin molecule. Often, framework residues in the human framework regions will be substituted with the corresponding residue from the CDR donor antibody to alter, preferably improve, antigen binding. These framework substitutions are identified by methods well known in the art, e.g., by modeling of the interactions of the CDR and framework residues to identify framework residues important for antigen binding and sequence comparison to identify unusual framework residues at particular positions. (See, e.g., Queen et al., U.S. Patent No. 5,585,089; Riechmann et al., *Nature* 332:323 (1988), which are incorporated herein by reference in their entireties.) Antibodies can be humanized using a variety of techniques known in the art including, for example, CDR-grafting (EP 239,400; PCT publication WO 91/09967; U.S. Patent Nos. 5,225,539; 5,530,101; and 5,585,089), veneering or resurfacing (EP 592,106; EP 519,596; Padlan, *Molecular Immunology* 28(4/5):489-498 (1991); Studnicka et al., *Protein*



Engineering 7(6):805-814 (1994); Roguska. et al., PNAS 91:969-973 (1994)), and chain shuffling (U.S. Patent No. 5,565,332).

Completely human antibodies are particularly desirable for therapeutic treatment of human patients. Human antibodies can be made by a variety of methods known in the art including phage display methods described above using antibody libraries derived from human immunoglobulin sequences. See also, U.S. Patent Nos. 4,444,887 and 4,716,111; and PCT publications WO 98/46645, WO 98/50433, WO 98/24893, WO 98/16654, WO 96/34096, WO 96/33735, and WO 91/10741; each of which is incorporated herein by reference in its entirety.

Human antibodies can also be produced using transgenic mice which are incapable of expressing functional endogenous immunoglobulins, but which can express human immunoglobulin genes. For example, the human heavy and light chain immunoglobulin gene complexes may be introduced randomly or by homologous recombination into mouse embryonic stem cells. Alternatively, the human variable region, constant region, and diversity region may be introduced into mouse embryonic stem cells in addition to the human heavy and light chain genes. The mouse heavy and light chain immunoglobulin genes may be rendered non-functional separately or simultaneously with the introduction of human immunoglobulin loci by homologous recombination. In particular, homozygous deletion of the JH region prevents endogenous antibody production. The modified embryonic stem cells are expanded and microinjected into blastocysts to produce chimeric mice. The chimeric mice are then bred to produce homozygous offspring which express human antibodies. The transgenic mice are immunized in the normal fashion with a selected antigen, e.g., all or a portion of a polypeptide of the invention. Monoclonal antibodies directed against the antigen can be obtained from the immunized, transgenic mice using conventional hybridoma technology. The human immunoglobulin transgenes harbored by the transgenic mice rearrange during B cell differentiation, and subsequently undergo class switching and somatic mutation. Thus, using such a technique, it is possible to produce therapeutically useful IgG, IgA, IgM and IgE antibodies. For an overview of this technology for producing human antibodies, see Lonberg and Huszar, Int. Rev. Immunol. 13:65-93 (1995). For a detailed discussion of this technology for producing human antibodies and human monoclonal antibodies and protocols for producing such antibodies, see, e.g., PCT publications WO 98/24893; WO 92/01047; WO 96/34096; WO 96/33735; European Patent

No. 0 598 877; U.S. Patent Nos. 5,413,923; 5,625,126; 5,633,425; 5,569,825; 5,661,016; 5,545,806; 5,814,318; 5,885,793; 5,916,771; and 5,939,598, which are incorporated by reference herein in their entirety. In addition, companies such as Abgenix, Inc. (Freemont, CA) and Genpharm (San Jose, CA) can be engaged to provide human antibodies directed  
5 against a selected antigen using technology similar to that described above.

Completely human antibodies which recognize a selected epitope can be generated using a technique referred to as "guided selection." In this approach a selected non-human monoclonal antibody, e.g., a mouse antibody, is used to guide the selection of a completely human antibody recognizing the same epitope. (Jespers et al., Bio/technology 12:899-903  
10 (1988)).

Further, antibodies to the polypeptides of the invention can, in turn, be utilized to generate anti-idiotypic antibodies that "mimic" polypeptides of the invention using techniques well known to those skilled in the art. (See, e.g., Greenspan & Bona, FASEB J. 7(5):437-444; (1989) and Nissinoff, J. Immunol. 147(8):2429-2438 (1991)). For example, antibodies  
15 which bind to and competitively inhibit polypeptide multimerization and/or binding of a polypeptide of the invention to a ligand can be used to generate anti-idiotypes that "mimic" the polypeptide multimerization and/or binding domain and, as a consequence, bind to and neutralize polypeptide and/or its ligand. Such neutralizing anti-idiotypes or Fab fragments of such anti-idiotypes can be used in therapeutic regimens to neutralize polypeptide ligand. For  
20 example, such anti-idiotypic antibodies can be used to bind a polypeptide of the invention and/or to bind its ligands/receptors, and thereby block its biological activity.

### ***Polynucleotides Encoding Antibodies***

The invention further provides polynucleotides comprising a nucleotide sequence  
25 encoding an antibody of the invention and fragments thereof. The invention also encompasses polynucleotides that hybridize under stringent or alternatively, under lower stringency hybridization conditions, e.g., as defined supra, to polynucleotides that encode an antibody, preferably, that specifically binds to a polypeptide of the invention, preferably, an antibody that binds to a polypeptide having the amino acid sequence of SEQ ID NO:Y.

30 The polynucleotides may be obtained, and the nucleotide sequence of the polynucleotides determined, by any method known in the art. For example, if the nucleotide sequence of the antibody is known, a polynucleotide encoding the antibody may be

assembled from chemically synthesized oligonucleotides (e.g., as described in Kutmeier et al., *BioTechniques* 17:242 (1994)), which, briefly, involves the synthesis of overlapping oligonucleotides containing portions of the sequence encoding the antibody, annealing and ligating of those oligonucleotides, and then amplification of the ligated oligonucleotides by PCR.

Alternatively, a polynucleotide encoding an antibody may be generated from nucleic acid from a suitable source. If a clone containing a nucleic acid encoding a particular antibody is not available, but the sequence of the antibody molecule is known, a nucleic acid encoding the immunoglobulin may be chemically synthesized or obtained from a suitable source (e.g., an antibody cDNA library, or a cDNA library generated from, or nucleic acid, preferably poly A+ RNA, isolated from, any tissue or cells expressing the antibody, such as hybridoma cells selected to express an antibody of the invention) by PCR amplification using synthetic primers hybridizable to the 3' and 5' ends of the sequence or by cloning using an oligonucleotide probe specific for the particular gene sequence to identify, e.g., a cDNA clone from a cDNA library that encodes the antibody. Amplified nucleic acids generated by PCR may then be cloned into replicable cloning vectors using any method well known in the art.

Once the nucleotide sequence and corresponding amino acid sequence of the antibody is determined, the nucleotide sequence of the antibody may be manipulated using methods well known in the art for the manipulation of nucleotide sequences, e.g., recombinant DNA techniques, site directed mutagenesis, PCR, etc. (see, for example, the techniques described in Sambrook et al., 1990, *Molecular Cloning, A Laboratory Manual*, 2d Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor, NY and Ausubel et al., eds., 1998, *Current Protocols in Molecular Biology*, John Wiley & Sons, NY, which are both incorporated by reference herein in their entireties ), to generate antibodies having a different amino acid sequence, for example to create amino acid substitutions, deletions, and/or insertions.

In a specific embodiment, the amino acid sequence of the heavy and/or light chain variable domains may be inspected to identify the sequences of the complementarity determining regions (CDRs) by methods that are well known in the art, e.g., by comparison to known amino acid sequences of other heavy and light chain variable regions to determine the regions of sequence hypervariability. Using routine recombinant DNA techniques, one or more of the CDRs may be inserted within framework regions, e.g., into human framework

regions to humanize a non-human antibody, as described supra. The framework regions may be naturally occurring or consensus framework regions, and preferably human framework regions (see, e.g., Chothia et al., J. Mol. Biol. 278: 457-479 (1998) for a listing of human framework regions). Preferably, the polynucleotide generated by the combination of the framework regions and CDRs encodes an antibody that specifically binds a polypeptide of the invention. Preferably, as discussed supra, one or more amino acid substitutions may be made within the framework regions, and, preferably, the amino acid substitutions improve binding of the antibody to its antigen. Additionally, such methods may be used to make amino acid substitutions or deletions of one or more variable region cysteine residues participating in an intrachain disulfide bond to generate antibody molecules lacking one or more intrachain disulfide bonds. Other alterations to the polynucleotide are encompassed by the present invention and within the skill of the art.

In addition, techniques developed for the production of "chimeric antibodies" (Morrison et al., Proc. Natl. Acad. Sci. 81:851-855 (1984); Neuberger et al., Nature 312:604-608 (1984); Takeda et al., Nature 314:452-454 (1985)) by splicing genes from a mouse antibody molecule of appropriate antigen specificity together with genes from a human antibody molecule of appropriate biological activity can be used. As described supra, a chimeric antibody is a molecule in which different portions are derived from different animal species, such as those having a variable region derived from a murine mAb and a human immunoglobulin constant region, e.g., humanized antibodies.

Alternatively, techniques described for the production of single chain antibodies (U.S. Patent No. 4,946,778; Bird, Science 242:423-42 (1988); Huston et al., Proc. Natl. Acad. Sci. USA 85:5879-5883 (1988); and Ward et al., Nature 334:544-54 (1989)) can be adapted to produce single chain antibodies. Single chain antibodies are formed by linking the heavy and light chain fragments of the Fv region via an amino acid bridge, resulting in a single chain polypeptide. Techniques for the assembly of functional Fv fragments in E. coli may also be used (Skerra et al., Science 242:1038-1041 (1988)).

### ***Methods of Producing Antibodies***

The antibodies of the invention can be produced by any method known in the art for the synthesis of antibodies, in particular, by chemical synthesis or preferably, by recombinant expression techniques.

Recombinant expression of an antibody of the invention, or fragment, derivative or analog thereof, (e.g., a heavy or light chain of an antibody of the invention or a single chain antibody of the invention), requires construction of an expression vector containing a polynucleotide that encodes the antibody. Once a polynucleotide encoding an antibody molecule or a heavy or light chain of an antibody, or portion thereof (preferably containing the heavy or light chain variable domain), of the invention has been obtained, the vector for the production of the antibody molecule may be produced by recombinant DNA technology using techniques well known in the art. Thus, methods for preparing a protein by expressing a polynucleotide containing an antibody encoding nucleotide sequence are described herein. Methods which are well known to those skilled in the art can be used to construct expression vectors containing antibody coding sequences and appropriate transcriptional and translational control signals. These methods include, for example, in vitro recombinant DNA techniques, synthetic techniques, and in vivo genetic recombination. The invention, thus, provides replicable vectors comprising a nucleotide sequence encoding an antibody molecule of the invention, or a heavy or light chain thereof, or a heavy or light chain variable domain, operably linked to a promoter. Such vectors may include the nucleotide sequence encoding the constant region of the antibody molecule (see, e.g., PCT Publication WO 86/05807; PCT Publication WO 89/01036; and U.S. Patent No. 5,122,464) and the variable domain of the antibody may be cloned into such a vector for expression of the entire heavy or light chain.

The expression vector is transferred to a host cell by conventional techniques and the transfected cells are then cultured by conventional techniques to produce an antibody of the invention. Thus, the invention includes host cells containing a polynucleotide encoding an antibody of the invention, or a heavy or light chain thereof, or a single chain antibody of the invention, operably linked to a heterologous promoter. In preferred embodiments for the expression of double-chained antibodies, vectors encoding both the heavy and light chains may be co-expressed in the host cell for expression of the entire immunoglobulin molecule, as detailed below.

A variety of host-expression vector systems may be utilized to express the antibody molecules of the invention. Such host-expression systems represent vehicles by which the coding sequences of interest may be produced and subsequently purified, but also represent cells which may, when transformed or transfected with the appropriate nucleotide coding sequences, express an antibody molecule of the invention in situ. These include but are not

limited to microorganisms such as bacteria (e.g., *E. coli*, *B. subtilis*) transformed with recombinant bacteriophage DNA, plasmid DNA or cosmid DNA expression vectors containing antibody coding sequences; yeast (e.g., *Saccharomyces*, *Pichia*) transformed with recombinant yeast expression vectors containing antibody coding sequences; insect cell systems infected with recombinant virus expression vectors (e.g., baculovirus) containing antibody coding sequences; plant cell systems infected with recombinant virus expression vectors (e.g., cauliflower mosaic virus, CaMV; tobacco mosaic virus, TMV) or transformed with recombinant plasmid expression vectors (e.g., Ti plasmid) containing antibody coding sequences; or mammalian cell systems (e.g., COS, CHO, BHK, 293, 3T3 cells) harboring recombinant expression constructs containing promoters derived from the genome of mammalian cells (e.g., metallothionein promoter) or from mammalian viruses (e.g., the adenovirus late promoter; the vaccinia virus 7.5K promoter). Preferably, bacterial cells such as *Escherichia coli*, and more preferably, eukaryotic cells, especially for the expression of whole recombinant antibody molecule, are used for the expression of a recombinant antibody molecule. For example, mammalian cells such as Chinese hamster ovary cells (CHO), in conjunction with a vector such as the major intermediate early gene promoter element from human cytomegalovirus is an effective expression system for antibodies (Foecking et al., *Gene* 45:101 (1986); Cockett et al., *Bio/Technology* 8:2 (1990)).

In bacterial systems, a number of expression vectors may be advantageously selected depending upon the use intended for the antibody molecule being expressed. For example, when a large quantity of such a protein is to be produced, for the generation of pharmaceutical compositions of an antibody molecule, vectors which direct the expression of high levels of fusion protein products that are readily purified may be desirable. Such vectors include, but are not limited, to the *E. coli* expression vector pUR278 (Ruther et al., *EMBO J.* 2:1791 (1983)), in which the antibody coding sequence may be ligated individually into the vector in frame with the lac Z coding region so that a fusion protein is produced; pIN vectors (Inouye & Inouye, *Nucleic Acids Res.* 13:3101-3109 (1985); Van Heeke & Schuster, *J. Biol. Chem.* 24:5503-5509 (1989)); and the like. pGEX vectors may also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are soluble and can easily be purified from lysed cells by adsorption and binding to matrix glutathione-agarose beads followed by elution in the presence of free

glutathione. The pGEX vectors are designed to include thrombin or factor Xa protease cleavage sites so that the cloned target gene product can be released from the GST moiety.

In an insect system, *Autographa californica* nuclear polyhedrosis virus (AcNPV) is used as a vector to express foreign genes. The virus grows in *Spodoptera frugiperda* cells.

5 The antibody coding sequence may be cloned individually into non-essential regions (for example the polyhedrin gene) of the virus and placed under control of an AcNPV promoter (for example the polyhedrin promoter).

In mammalian host cells, a number of viral-based expression systems may be utilized. In cases where an adenovirus is used as an expression vector, the antibody coding sequence  
10 of interest may be ligated to an adenovirus transcription/translation control complex, e.g., the late promoter and tripartite leader sequence. This chimeric gene may then be inserted in the adenovirus genome by in vitro or in vivo recombination. Insertion in a non-essential region of the viral genome (e.g., region E1 or E3) will result in a recombinant virus that is viable and capable of expressing the antibody molecule in infected hosts. (e.g., see Logan & Shenk,  
15 Proc. Natl. Acad. Sci. USA 81:355-359 (1984)). Specific initiation signals may also be required for efficient translation of inserted antibody coding sequences. These signals include the ATG initiation codon and adjacent sequences. Furthermore, the initiation codon must be in phase with the reading frame of the desired coding sequence to ensure translation of the entire insert. These exogenous translational control signals and initiation codons can  
20 be of a variety of origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of appropriate transcription enhancer elements, transcription terminators, etc. (see Bittner et al., Methods in Enzymol. 153:51-544 (1987)).

In addition, a host cell strain may be chosen which modulates the expression of the inserted sequences, or modifies and processes the gene product in the specific fashion  
25 desired. Such modifications (e.g., glycosylation) and processing (e.g., cleavage) of protein products may be important for the function of the protein. Different host cells have characteristic and specific mechanisms for the post-translational processing and modification of proteins and gene products. Appropriate cell lines or host systems can be chosen to ensure the correct modification and processing of the foreign protein expressed. To this end,  
30 eukaryotic host cells which possess the cellular machinery for proper processing of the primary transcript, glycosylation, and phosphorylation of the gene product may be used. Such mammalian host cells include but are not limited to CHO, VERO, BHK, HeLa, COS,

MDCK, 293, 3T3, WI38, and in particular, breast cancer cell lines such as, for example, BT483, Hs578T, HTB2, BT20 and T47D, and normal mammary gland cell line such as, for example, CRL7030 and Hs578Bst.

For long-term, high-yield production of recombinant proteins, stable expression is preferred. For example, cell lines which stably express the antibody molecule may be engineered. Rather than using expression vectors which contain viral origins of replication, host cells can be transformed with DNA controlled by appropriate expression control elements (e.g., promoter, enhancer, sequences, transcription terminators, polyadenylation sites, etc.), and a selectable marker. Following the introduction of the foreign DNA, engineered cells may be allowed to grow for 1-2 days in an enriched media, and then are switched to a selective media. The selectable marker in the recombinant plasmid confers resistance to the selection and allows cells to stably integrate the plasmid into their chromosomes and grow to form foci which in turn can be cloned and expanded into cell lines. This method may advantageously be used to engineer cell lines which express the antibody molecule. Such engineered cell lines may be particularly useful in screening and evaluation of compounds that interact directly or indirectly with the antibody molecule.

A number of selection systems may be used, including but not limited to the herpes simplex virus thymidine kinase (Wigler et al., Cell 11:223 (1977)), hypoxanthine-guanine phosphoribosyltransferase (Szybalska & Szybalski, Proc. Natl. Acad. Sci. USA 48:202 (1992)), and adenine phosphoribosyltransferase (Lowy et al., Cell 22:817 (1980)) genes can be employed in tk-, hgp<sup>r</sup>t- or ap<sup>r</sup>t- cells, respectively. Also, antimetabolite resistance can be used as the basis of selection for the following genes: dhfr, which confers resistance to methotrexate (Wigler et al., Natl. Acad. Sci. USA 77:357 (1980); O'Hare et al., Proc. Natl. Acad. Sci. USA 78:1527 (1981)); gpt, which confers resistance to mycophenolic acid (Mulligan & Berg, Proc. Natl. Acad. Sci. USA 78:2072 (1981)); neo, which confers resistance to the aminoglycoside G-418 Clinical Pharmacy 12:488-505; Wu and Wu, Biotherapy 3:87-95 (1991); Tolstoshev, Ann. Rev. Pharmacol. Toxicol. 32:573-596 (1993); Mulligan, Science 260:926-932 (1993); and Morgan and Anderson, Ann. Rev. Biochem. 62:191-217 (1993); May, 1993, TIB TECH 11(5):155-215; and hyg<sup>r</sup>, which confers resistance to hygromycin (Santerre et al., Gene 30:147 (1984)). Methods commonly known in the art of recombinant DNA technology may be routinely applied to select the desired recombinant clone, and such methods are described, for example, in Ausubel et al. (eds.),



Current Protocols in Molecular Biology, John Wiley & Sons, NY (1993); Kriegler, Gene Transfer and Expression, A Laboratory Manual. Stockton Press, NY (1990); and in Chapters 12 and 13, Dracopoli et al. (eds), Current Protocols in Human Genetics, John Wiley & Sons, NY (1994); Colberre-Garapin et al., J. Mol. Biol. 150:1 (1981), which are incorporated by  
5 reference herein in their entirety.

The expression levels of an antibody molecule can be increased by vector amplification (for a review, see Bebbington and Hentschel, The use of vectors based on gene amplification for the expression of cloned genes in mammalian cells in DNA cloning, Vol.3. (Academic Press, New York, 1987)). When a marker in the vector system expressing  
10 antibody is amplifiable, increase in the level of inhibitor present in culture of host cell will increase the number of copies of the marker gene. Since the amplified region is associated with the antibody gene, production of the antibody will also increase (Crouse et al., Mol. Cell. Biol. 3:257 (1983)).

The host cell may be co-transfected with two expression vectors of the invention, the  
15 first vector encoding a heavy chain derived polypeptide and the second vector encoding a light chain derived polypeptide. The two vectors may contain identical selectable markers which enable equal expression of heavy and light chain polypeptides. Alternatively, a single vector may be used which encodes, and is capable of expressing, both heavy and light chain polypeptides. In such situations, the light chain should be placed before the heavy chain to  
20 avoid an excess of toxic free heavy chain (Proudfoot, Nature 322:52 (1986); Kohler, Proc. Natl. Acad. Sci. USA 77:2197 (1980)). The coding sequences for the heavy and light chains may comprise cDNA or genomic DNA.

Once an antibody molecule of the invention has been produced by an animal, chemically synthesized, or recombinantly expressed, it may be purified by any method  
25 known in the art for purification of an immunoglobulin molecule, for example, by chromatography (e.g., ion exchange, affinity, particularly by affinity for the specific antigen after Protein A, and sizing column chromatography), centrifugation, differential solubility, or by any other standard technique for the purification of proteins. In addition, the antibodies of the present invention or fragments thereof can be fused to heterologous polypeptide  
30 sequences described herein or otherwise known in the art. to facilitate purification.

The present invention encompasses antibodies recombinantly fused or chemically conjugated (including both covalently and non-covalently conjugations) to a polypeptide (or

portion thereof, preferably at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 amino acids of the polypeptide) of the present invention to generate fusion proteins. The fusion does not necessarily need to be direct, but may occur through linker sequences. The antibodies may be specific for antigens other than polypeptides (or portion thereof, preferably at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 amino acids of the polypeptide) of the present invention. For example, antibodies may be used to target the polypeptides of the present invention to particular cell types, either in vitro or in vivo, by fusing or conjugating the polypeptides of the present invention to antibodies specific for particular cell surface receptors. Antibodies fused or conjugated to the polypeptides of the present invention may also be used in in vitro immunoassays and purification methods using methods known in the art. See e.g., Harbor et al., supra, and PCT publication WO 93/21232; EP 439,095; Naramura et al., Immunol. Lett. 39:91-99 (1994); U.S. Patent 5,474,981; Gillies et al., PNAS 89:1428-1432 (1992); Fell et al., J. Immunol. 146:2446-2452(1991), which are incorporated by reference in their entireties.

The present invention further includes compositions comprising the polypeptides of the present invention fused or conjugated to antibody domains other than the variable regions. For example, the polypeptides of the present invention may be fused or conjugated to an antibody Fc region, or portion thereof. The antibody portion fused to a polypeptide of the present invention may comprise the constant region, hinge region, CH1 domain, CH2 domain, and CH3 domain or any combination of whole domains or portions thereof. The polypeptides may also be fused or conjugated to the above antibody portions to form multimers. For example, Fc portions fused to the polypeptides of the present invention can form dimers through disulfide bonding between the Fc portions. Higher multimeric forms can be made by fusing the polypeptides to portions of IgA and IgM. Methods for fusing or conjugating the polypeptides of the present invention to antibody portions are known in the art. See, e.g., U.S. Patent Nos. 5,336,603; 5,622,929; 5,359,046; 5,349,053; 5,447,851; 5,112,946; EP 307,434; EP 367,166; PCT publications WO 96/04388; WO 91/06570; Ashkenazi et al., Proc. Natl. Acad. Sci. USA 88:10535-10539 (1991); Zheng et al., J. Immunol. 154:5590-5600 (1995); and Vil et al., Proc. Natl. Acad. Sci. USA 89:11337-11341(1992) (said references incorporated by reference in their entireties).

As discussed, supra, the polypeptides corresponding to a polypeptide, polypeptide fragment, or a variant of SEQ ID NO:Y may be fused or conjugated to the above antibody portions to increase the in vivo half life of the polypeptides or for use in immunoassays using

methods known in the art. Further, the polypeptides corresponding to SEQ ID NO:Y may be fused or conjugated to the above antibody portions to facilitate purification. One reported example describes chimeric proteins consisting of the first two domains of the human CD4-polypeptide and various domains of the constant regions of the heavy or light chains of mammalian immunoglobulins. (EP 394,827; Traunecker et al., *Nature* 331:84-86 (1988)). The polypeptides of the present invention fused or conjugated to an antibody having disulfide-linked dimeric structures (due to the IgG) may also be more efficient in binding and neutralizing other molecules, than the monomeric secreted protein or protein fragment alone. (Fountoulakis et al., *J. Biochem.* 270:3958-3964 (1995)). In many cases, the Fc part in a fusion protein is beneficial in therapy and diagnosis, and thus can result in, for example, improved pharmacokinetic properties. (EP A 232,262). Alternatively, deleting the Fc part after the fusion protein has been expressed, detected, and purified, would be desired. For example, the Fc portion may hinder therapy and diagnosis if the fusion protein is used as an antigen for immunizations. In drug discovery, for example, human proteins, such as hIL-5, have been fused with Fc portions for the purpose of high-throughput screening assays to identify antagonists of hIL-5. (See, Bennett et al., *J. Molecular Recognition* 8:52-58 (1995); Johanson et al., *J. Biol. Chem.* 270:9459-9471 (1995)).

Moreover, the antibodies or fragments thereof of the present invention can be fused to marker sequences, such as a peptide to facilitate purification. In preferred embodiments, the marker amino acid sequence is a hexa-histidine peptide, such as the tag provided in a pQE vector (QIAGEN, Inc., 9259 Eton Avenue, Chatsworth, CA, 91311), among others, many of which are commercially available. As described in Gentz et al., *Proc. Natl. Acad. Sci. USA* 86:821-824 (1989), for instance, hexa-histidine provides for convenient purification of the fusion protein. Other peptide tags useful for purification include, but are not limited to, the "HA" tag, which corresponds to an epitope derived from the influenza hemagglutinin protein (Wilson et al., *Cell* 37:767 (1984)) and the "flag" tag.

The present invention further encompasses antibodies or fragments thereof conjugated to a diagnostic or therapeutic agent. The antibodies can be used diagnostically to, for example, monitor the development or progression of a tumor as part of a clinical testing procedure to, e.g., determine the efficacy of a given treatment regimen. Detection can be facilitated by coupling the antibody to a detectable substance. Examples of detectable substances include various enzymes, prosthetic groups, fluorescent materials, luminescent

materials, bioluminescent materials, radioactive materials, positron emitting metals using various positron emission tomographies, and nonradioactive paramagnetic metal ions. The detectable substance may be coupled or conjugated either directly to the antibody (or fragment thereof) or indirectly, through an intermediate (such as, for example, a linker known in the art) using techniques known in the art. See, for example, U.S. Patent No. 4,741,900 for metal ions which can be conjugated to antibodies for use as diagnostics according to the present invention. Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, beta-galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin; and examples of suitable radioactive material include  $^{125}\text{I}$ ,  $^{131}\text{I}$ ,  $^{111}\text{In}$  or  $^{99}\text{Tc}$ .

Further, an antibody or fragment thereof may be conjugated to a therapeutic moiety such as a cytotoxin, e.g., a cytostatic or cytocidal agent, a therapeutic agent or a radioactive metal ion, e.g., alpha-emitters such as, for example,  $^{213}\text{Bi}$ . A cytotoxin or cytotoxic agent includes any agent that is detrimental to cells. Examples include paclitaxol, cytochalasin B, gramicidin D, ethidium bromide, emetine, mitomycin, etoposide, teniposide, vincristine, vinblastine, colchicin, doxorubicin, daunorubicin, dihydroxy anthracin dione, mitoxantrone, mithramycin, actinomycin D, 1-dehydrotestosterone, glucocorticoids, procaine, tetracaine, lidocaine, propranolol, and puromycin and analogs or homologs thereof. Therapeutic agents include, but are not limited to, antimetabolites (e.g., methotrexate, 6-mercaptopurine, 6-thioguanine, cytarabine, 5-fluorouracil decarbazine), alkylating agents (e.g., mechlorethamine, thioepa chlorambucil, melphalan, carmustine (BSNU) and lomustine (CCNU), cyclophosphamide, busulfan, dibromomannitol, streptozotocin, mitomycin C, and cis-dichlorodiamine platinum (II) (DDP) cisplatin), anthracyclines (e.g., daunorubicin (formerly daunomycin) and doxorubicin), antibiotics (e.g., dactinomycin (formerly actinomycin), bleomycin, mithramycin, and anthramycin (AMC)), and anti-mitotic agents (e.g., vincristine and vinblastine).

The conjugates of the invention can be used for modifying a given biological response, the therapeutic agent or drug moiety is not to be construed as limited to classical

chemical therapeutic agents. For example, the drug moiety may be a protein or polypeptide possessing a desired biological activity. Such proteins may include, for example, a toxin such as abrin, ricin A, pseudomonas exotoxin, or diphtheria toxin; a protein such as tumor necrosis factor,  $\alpha$ -interferon,  $\beta$ -interferon, nerve growth factor, platelet derived growth factor, tissue plasminogen activator, an apoptotic agent, e.g., TNF- $\alpha$ , TNF- $\beta$ , AIM I (See, 5 International Publication No. WO 97/33899), AIM II (See, International Publication No. WO 97/34911), Fas Ligand (Takahashi *et al.*, *Int. Immunol.*, 6:1567-1574 (1994)), VEGI (See, International Publication No. WO 99/23105), a thrombotic agent or an anti-angiogenic agent, e.g., angiostatin or endostatin; or, biological response modifiers such as, for example, 10 lymphokines, interleukin-1 ("IL-1"), interleukin-2 ("IL-2"), interleukin-6 ("IL-6"), granulocyte macrophage colony stimulating factor ("GM-CSF"), granulocyte colony stimulating factor ("G-CSF"), or other growth factors.

Antibodies may also be attached to solid supports, which are particularly useful for immunoassays or purification of the target antigen. Such solid supports include, but are not 15 limited to, glass, cellulose, polyacrylamide, nylon, polystyrene, polyvinyl chloride or polypropylene.

Techniques for conjugating such therapeutic moiety to antibodies are well known, see, e.g., Amon *et al.*, "Monoclonal Antibodies For Immunotargeting Of Drugs In Cancer Therapy", in *Monoclonal Antibodies And Cancer Therapy*, Reisfeld *et al.* (eds.), pp. 243-56 20 (Alan R. Liss, Inc. 1985); Hellstrom *et al.*, "Antibodies For Drug Delivery", in *Controlled Drug Delivery* (2nd Ed.), Robinson *et al.* (eds.), pp. 623-53 (Marcel Dekker, Inc. 1987); Thorpe, "Antibody Carriers Of Cytotoxic Agents In Cancer Therapy: A Review", in *Monoclonal Antibodies '84: Biological And Clinical Applications*, Pinchera *et al.* (eds.), pp. 475-506 (1985); "Analysis, Results, And Future Prospective Of The Therapeutic Use Of 25 Radiolabeled Antibody In Cancer Therapy", in *Monoclonal Antibodies For Cancer Detection And Therapy*, Baldwin *et al.* (eds.), pp. 303-16 (Academic Press 1985), and Thorpe *et al.*, "The Preparation And Cytotoxic Properties Of Antibody-Toxin Conjugates", *Immunol. Rev.* 62:119-58 (1982).

Alternatively, an antibody can be conjugated to a second antibody to form an antibody 30 heteroconjugate as described by Segal in U.S. Patent No. 4,676,980, which is incorporated herein by reference in its entirety.

An antibody, with or without a therapeutic moiety conjugated to it, administered alone or in combination with cytotoxic factor(s) and/or cytokine(s) can be used as a therapeutic.

### ***Immunophenotyping***

5           The antibodies of the invention may be utilized for immunophenotyping of cell lines and biological samples. The translation product of the gene of the present invention may be useful as a cell specific marker, or more specifically as a cellular marker that is differentially expressed at various stages of differentiation and/or maturation of particular cell types. Monoclonal antibodies directed against a specific epitope, or combination of epitopes, will  
10 allow for the screening of cellular populations expressing the marker. Various techniques can be utilized using monoclonal antibodies to screen for cellular populations expressing the marker(s), and include magnetic separation using antibody-coated magnetic beads, "panning" with antibody attached to a solid matrix (i.e., plate), and flow cytometry (See, e.g., U.S. Patent 5,985,660; and Morrison *et al.*, *Cell*, 96:737-49 (1999)).

15           These techniques allow for the screening of particular populations of cells, such as might be found with hematological malignancies (i.e. minimal residual disease (MRD) in acute leukemic patients) and "non-self" cells in transplantations to prevent Graft-versus-Host Disease (GVHD). Alternatively, these techniques allow for the screening of hematopoietic stem and progenitor cells capable of undergoing proliferation and/or differentiation, as might  
20 be found in human umbilical cord blood.

### ***Assays For Antibody Binding***

          The antibodies of the invention may be assayed for immunospecific binding by any method known in the art. The immunoassays which can be used include but are not limited  
25 to competitive and non-competitive assay systems using techniques such as western blots, radioimmunoassays, ELISA (enzyme linked immunosorbent assay), "sandwich" immunoassays, immunoprecipitation assays, precipitin reactions, gel diffusion precipitin reactions, immunodiffusion assays, agglutination assays, complement-fixation assays, immunoradiometric assays, fluorescent immunoassays, protein A immunoassays, to name  
30 but a few. Such assays are routine and well known in the art (see, e.g., Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York,

which is incorporated by reference herein in its entirety). Exemplary immunoassays are described briefly below (but are not intended by way of limitation).

Immunoprecipitation protocols generally comprise lysing a population of cells in a lysis buffer such as RIPA buffer (1% NP-40 or Triton X-100, 1% sodium deoxycholate, 0.1% SDS, 0.15 M NaCl, 0.01 M sodium phosphate at pH 7.2, 1% Trasylol) supplemented with protein phosphatase and/or protease inhibitors (e.g., EDTA, PMSF, aprotinin, sodium vanadate), adding the antibody of interest to the cell lysate, incubating for a period of time (e.g., 1-4 hours) at 4° C. adding protein A and/or protein G sepharose beads to the cell lysate, incubating for about an hour or more at 4° C, washing the beads in lysis buffer and resuspending the beads in SDS/sample buffer. The ability of the antibody of interest to immunoprecipitate a particular antigen can be assessed by, e.g., western blot analysis. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the binding of the antibody to an antigen and decrease the background (e.g., pre-clearing the cell lysate with sepharose beads). For further discussion regarding immunoprecipitation protocols see, e.g., Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York at 10.16.1.

Western blot analysis generally comprises preparing protein samples, electrophoresis of the protein samples in a polyacrylamide gel (e.g., 8%-20% SDS-PAGE depending on the molecular weight of the antigen), transferring the protein sample from the polyacrylamide gel to a membrane such as nitrocellulose, PVDF or nylon, blocking the membrane in blocking solution (e.g., PBS with 3% BSA or non-fat milk), washing the membrane in washing buffer (e.g., PBS-Tween 20), blocking the membrane with primary antibody (the antibody of interest) diluted in blocking buffer, washing the membrane in washing buffer, blocking the membrane with a secondary antibody (which recognizes the primary antibody, e.g., an anti-human antibody) conjugated to an enzymatic substrate (e.g., horseradish peroxidase or alkaline phosphatase) or radioactive molecule (e.g., <sup>32</sup>P or <sup>125</sup>I) diluted in blocking buffer, washing the membrane in wash buffer, and detecting the presence of the antigen. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the signal detected and to reduce the background noise. For further discussion regarding western blot protocols see, e.g., Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York at 10.8.1.

ELISAs comprise preparing antigen, coating the well of a 96 well microtiter plate with the antigen, adding the antibody of interest conjugated to a detectable compound such as an enzymatic substrate (e.g., horseradish peroxidase or alkaline phosphatase) to the well and incubating for a period of time, and detecting the presence of the antigen. In ELISAs the antibody of interest does not have to be conjugated to a detectable compound: instead, a second antibody (which recognizes the antibody of interest) conjugated to a detectable compound may be added to the well. Further, instead of coating the well with the antigen, the antibody may be coated to the well. In this case, a second antibody conjugated to a detectable compound may be added following the addition of the antigen of interest to the coated well. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the signal detected as well as other variations of ELISAs known in the art. For further discussion regarding ELISAs see, e.g., Ausubel et al, eds. 1994. Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York at 11.2.1.

The binding affinity of an antibody to an antigen and the off-rate of an antibody-antigen interaction can be determined by competitive binding assays. One example of a competitive binding assay is a radioimmunoassay comprising the incubation of labeled antigen (e.g.,  $^3\text{H}$  or  $^{125}\text{I}$ ) with the antibody of interest in the presence of increasing amounts of unlabeled antigen, and the detection of the antibody bound to the labeled antigen. The affinity of the antibody of interest for a particular antigen and the binding off-rates can be determined from the data by scatchard plot analysis. Competition with a second antibody can also be determined using radioimmunoassays. In this case, the antigen is incubated with antibody of interest conjugated to a labeled compound (e.g.,  $^3\text{H}$  or  $^{125}\text{I}$ ) in the presence of increasing amounts of an unlabeled second antibody.

## ***Therapeutic Uses***

The present invention is further directed to antibody-based therapies which involve administering antibodies of the invention to an animal, preferably a mammal, and most preferably a human, patient for treating one or more of the disclosed diseases, disorders, or conditions. Therapeutic compounds of the invention include, but are not limited to, antibodies of the invention (including fragments, analogs and derivatives thereof as described herein) and nucleic acids encoding antibodies of the invention (including fragments, analogs and derivatives thereof and anti-idiotypic antibodies as described herein). The antibodies of



the invention can be used to treat, inhibit or prevent diseases, disorders or conditions associated with aberrant expression and/or activity of a polypeptide of the invention, including, but not limited to, any one or more of the diseases, disorders, or conditions described herein. The treatment and/or prevention of diseases, disorders, or conditions associated with aberrant expression and/or activity of a polypeptide of the invention includes, but is not limited to, alleviating symptoms associated with those diseases, disorders or conditions. Antibodies of the invention may be provided in pharmaceutically acceptable compositions as known in the art or as described herein.

A summary of the ways in which the antibodies of the present invention may be used therapeutically includes binding polynucleotides or polypeptides of the present invention locally or systemically in the body or by direct cytotoxicity of the antibody, e.g. as mediated by complement (CDC) or by effector cells (ADCC). Some of these approaches are described in more detail below. Armed with the teachings provided herein, one of ordinary skill in the art will know how to use the antibodies of the present invention for diagnostic, monitoring or therapeutic purposes without undue experimentation.

The antibodies of this invention may be advantageously utilized in combination with other monoclonal or chimeric antibodies, or with lymphokines or hematopoietic growth factors (such as, e.g., IL-2, IL-3 and IL-7), for example, which serve to increase the number or activity of effector cells which interact with the antibodies.

The antibodies of the invention may be administered alone or in combination with other types of treatments (e.g., radiation therapy, chemotherapy, hormonal therapy, immunotherapy and anti-tumor agents). Generally, administration of products of a species origin or species reactivity (in the case of antibodies) that is the same species as that of the patient is preferred. Thus, in a preferred embodiment, human antibodies, fragments derivatives, analogs, or nucleic acids, are administered to a human patient for therapy or prophylaxis.

It is preferred to use high affinity and/or potent in vivo inhibiting and/or neutralizing antibodies against polypeptides or polynucleotides of the present invention, fragments or regions thereof, for both immunoassays directed to and therapy of disorders related to polynucleotides or polypeptides, including fragments thereof, of the present invention. Such antibodies, fragments, or regions, will preferably have an affinity for polynucleotides or polypeptides of the invention, including fragments thereof. Preferred binding affinities

include those with a dissociation constant or  $K_d$  less than  $5 \times 10^{-2}$  M,  $10^{-2}$  M,  $5 \times 10^{-3}$  M,  $10^{-3}$  M,  $5 \times 10^{-4}$  M,  $10^{-4}$  M,  $5 \times 10^{-5}$  M,  $10^{-5}$  M,  $5 \times 10^{-6}$  M,  $10^{-6}$  M,  $5 \times 10^{-7}$  M,  $10^{-7}$  M,  $5 \times 10^{-8}$  M,  $10^{-8}$  M,  $5 \times 10^{-9}$  M,  $10^{-9}$  M,  $5 \times 10^{-10}$  M,  $10^{-10}$  M,  $5 \times 10^{-11}$  M,  $10^{-11}$  M,  $5 \times 10^{-12}$  M,  $10^{-12}$  M,  $5 \times 10^{-13}$  M,  $10^{-13}$  M,  $5 \times 10^{-14}$  M,  $10^{-14}$  M,  $5 \times 10^{-15}$  M, and  $10^{-15}$  M.

5

### *Gene Therapy*

In a specific embodiment, nucleic acids comprising sequences encoding antibodies or functional derivatives thereof, are administered to treat, inhibit or prevent a disease or disorder associated with aberrant expression and/or activity of a polypeptide of the invention, by way of gene therapy. Gene therapy refers to therapy performed by the administration to a subject of an expressed or expressible nucleic acid. In this embodiment of the invention, the nucleic acids produce their encoded protein that mediates a therapeutic effect.

Any of the methods for gene therapy available in the art can be used according to the present invention. Exemplary methods are described below.

For general reviews of the methods of gene therapy, see Goldspiel et al., *Clinical Pharmacy* 12:488-505 (1993); Wu and Wu, *Biotherapy* 3:87-95 (1991); Tolstoshev, *Ann. Rev. Pharmacol. Toxicol.* 32:573-596 (1993); Mulligan, *Science* 260:926-932 (1993); and Morgan and Anderson, *Ann. Rev. Biochem.* 62:191-217 (1993); May, *TIBTECH* 11(5):155-215 (1993). Methods commonly known in the art of recombinant DNA technology which can be used are described in Ausubel et al. (eds.), *Current Protocols in Molecular Biology*, John Wiley & Sons, NY (1993); and Kriegler, *Gene Transfer and Expression, A Laboratory Manual*, Stockton Press, NY (1990).

In a preferred aspect, the compound comprises nucleic acid sequences encoding an antibody, said nucleic acid sequences being part of expression vectors that express the antibody or fragments or chimeric proteins or heavy or light chains thereof in a suitable host. In particular, such nucleic acid sequences have promoters operably linked to the antibody coding region, said promoter being inducible or constitutive, and, optionally, tissue-specific. In another particular embodiment, nucleic acid molecules are used in which the antibody coding sequences and any other desired sequences are flanked by regions that promote homologous recombination at a desired site in the genome, thus providing for intrachromosomal expression of the antibody encoding nucleic acids (Koller and Smithies, *Proc. Natl. Acad. Sci. USA* 86:8932-8935 (1989); Zijlstra et al., *Nature* 342:435-438 (1989).

In specific embodiments, the expressed antibody molecule is a single chain antibody; alternatively, the nucleic acid sequences include sequences encoding both the heavy and light chains, or fragments thereof, of the antibody.

Delivery of the nucleic acids into a patient may be either direct, in which case the patient is directly exposed to the nucleic acid or nucleic acid- carrying vectors, or indirect, in which case, cells are first transformed with the nucleic acids in vitro, then transplanted into the patient. These two approaches are known, respectively, as in vivo or ex vivo gene therapy.

In a specific embodiment, the nucleic acid sequences are directly administered in vivo, where it is expressed to produce the encoded product. This can be accomplished by any of numerous methods known in the art, e.g., by constructing them as part of an appropriate nucleic acid expression vector and administering it so that they become intracellular, e.g., by infection using defective or attenuated retrovirals or other viral vectors (see U.S. Patent No. 4,980,286), or by direct injection of naked DNA, or by use of microparticle bombardment (e.g., a gene gun; Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, encapsulation in liposomes, microparticles, or microcapsules, or by administering them in linkage to a peptide which is known to enter the nucleus, by administering it in linkage to a ligand subject to receptor-mediated endocytosis (see, e.g., Wu and Wu, J. Biol. Chem. 262:4429-4432 (1987)) (which can be used to target cell types specifically expressing the receptors), etc. In another embodiment, nucleic acid-ligand complexes can be formed in which the ligand comprises a fusogenic viral peptide to disrupt endosomes, allowing the nucleic acid to avoid lysosomal degradation. In yet another embodiment, the nucleic acid can be targeted in vivo for cell specific uptake and expression, by targeting a specific receptor (see, e.g., PCT Publications WO 92/06180; WO 92/22635; WO92/20316; WO93/14188, WO 93/20221). Alternatively, the nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination (Koller and Smithies, Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); Zijlstra et al., Nature 342:435-438 (1989)).

In a specific embodiment, viral vectors that contains nucleic acid sequences encoding an antibody of the invention are used. For example, a retroviral vector can be used (see Miller et al., Meth. Enzymol. 217:581-599 (1993)). These retroviral vectors contain the components necessary for the correct packaging of the viral genome and integration into the

host cell DNA. The nucleic acid sequences encoding the antibody to be used in gene therapy are cloned into one or more vectors, which facilitates delivery of the gene into a patient. More detail about retroviral vectors can be found in Boesen et al., *Biotherapy* 6:291-302 (1994), which describes the use of a retroviral vector to deliver the *mdr1* gene to hematopoietic stem cells in order to make the stem cells more resistant to chemotherapy. Other references illustrating the use of retroviral vectors in gene therapy are: Clowes et al., *J. Clin. Invest.* 93:644-651 (1994); Kiem et al., *Blood* 83:1467-1473 (1994); Salmons and Gunzberg, *Human Gene Therapy* 4:129-141 (1993); and Grossman and Wilson, *Curr. Opin. in Genetics and Devel.* 3:110-114 (1993).

Adenoviruses are other viral vectors that can be used in gene therapy. Adenoviruses are especially attractive vehicles for delivering genes to respiratory epithelia. Adenoviruses naturally infect respiratory epithelia where they cause a mild disease. Other targets for adenovirus-based delivery systems are liver, the central nervous system, endothelial cells, and muscle. Adenoviruses have the advantage of being capable of infecting non-dividing cells. Kozarsky and Wilson, *Current Opinion in Genetics and Development* 3:499-503 (1993) present a review of adenovirus-based gene therapy. Bout et al., *Human Gene Therapy* 5:3-10 (1994) demonstrated the use of adenovirus vectors to transfer genes to the respiratory epithelia of rhesus monkeys. Other instances of the use of adenoviruses in gene therapy can be found in Rosenfeld et al., *Science* 252:431-434 (1991); Rosenfeld et al., *Cell* 68:143-155 (1992); Mastrangeli et al., *J. Clin. Invest.* 91:225-234 (1993); PCT Publication WO94/12649; and Wang, et al., *Gene Therapy* 2:775-783 (1995). In a preferred embodiment, adenovirus vectors are used.

Adeno-associated virus (AAV) has also been proposed for use in gene therapy (Walsh et al., *Proc. Soc. Exp. Biol. Med.* 204:289-300 (1993); U.S. Patent No. 5,436,146).

Another approach to gene therapy involves transferring a gene to cells in tissue culture by such methods as electroporation, lipofection, calcium phosphate mediated transfection, or viral infection. Usually, the method of transfer includes the transfer of a selectable marker to the cells. The cells are then placed under selection to isolate those cells that have taken up and are expressing the transferred gene. Those cells are then delivered to a patient.

In this embodiment, the nucleic acid is introduced into a cell prior to administration in vivo of the resulting recombinant cell. Such introduction can be carried out by any method

known in the art, including but not limited to transfection, electroporation, microinjection, infection with a viral or bacteriophage vector containing the nucleic acid sequences, cell fusion, chromosome-mediated gene transfer, microcell-mediated gene transfer, spheroplast fusion, etc. Numerous techniques are known in the art for the introduction of foreign genes into cells (see, e.g., Loeffler and Behr, *Meth. Enzymol.* 217:599-618 (1993); Cohen et al., *Meth. Enzymol.* 217:618-644 (1993); Cline, *Pharmac. Ther.* 29:69-92m (1985) and may be used in accordance with the present invention, provided that the necessary developmental and physiological functions of the recipient cells are not disrupted. The technique should provide for the stable transfer of the nucleic acid to the cell, so that the nucleic acid is expressible by the cell and preferably heritable and expressible by its cell progeny.

The resulting recombinant cells can be delivered to a patient by various methods known in the art. Recombinant blood cells (e.g., hematopoietic stem or progenitor cells) are preferably administered intravenously. The amount of cells envisioned for use depends on the desired effect, patient state, etc., and can be determined by one skilled in the art.

Cells into which a nucleic acid can be introduced for purposes of gene therapy encompass any desired, available cell type, and include but are not limited to epithelial cells, endothelial cells, keratinocytes, fibroblasts, muscle cells, hepatocytes; blood cells such as Tlymphocytes, Blymphocytes, monocytes, macrophages, neutrophils, eosinophils, megakaryocytes, granulocytes; various stem or progenitor cells, in particular hematopoietic stem or progenitor cells, e.g., as obtained from bone marrow, umbilical cord blood, peripheral blood, fetal liver, etc.

In a preferred embodiment, the cell used for gene therapy is autologous to the patient.

In an embodiment in which recombinant cells are used in gene therapy, nucleic acid sequences encoding an antibody are introduced into the cells such that they are expressible by the cells or their progeny, and the recombinant cells are then administered in vivo for therapeutic effect. In a specific embodiment, stem or progenitor cells are used. Any stem and/or progenitor cells which can be isolated and maintained in vitro can potentially be used in accordance with this embodiment of the present invention (see e.g. PCT Publication WO 94/08598; Stemple and Anderson, *Cell* 71:973-985 (1992); Rheinwald, *Meth. Cell Bio.* 21A:229 (1980); and Pittelkow and Scott, *Mayo Clinic Proc.* 61:771 (1986)).

In a specific embodiment, the nucleic acid to be introduced for purposes of gene therapy comprises an inducible promoter operably linked to the coding region, such that

expression of the nucleic acid is controllable by controlling the presence or absence of the appropriate inducer of transcription. Demonstration of Therapeutic or Prophylactic Activity

The compounds or pharmaceutical compositions of the invention are preferably tested in vitro, and then in vivo for the desired therapeutic or prophylactic activity, prior to use in humans. For example, in vitro assays to demonstrate the therapeutic or prophylactic utility of a compound or pharmaceutical composition include, the effect of a compound on a cell line or a patient tissue sample. The effect of the compound or composition on the cell line and/or tissue sample can be determined utilizing techniques known to those of skill in the art including, but not limited to, rosette formation assays and cell lysis assays. In accordance with the invention, in vitro assays which can be used to determine whether administration of a specific compound is indicated, include in vitro cell culture assays in which a patient tissue sample is grown in culture, and exposed to or otherwise administered a compound, and the effect of such compound upon the tissue sample is observed.

#### ***Therapeutic/Prophylactic Administration and Composition***

The invention provides methods of treatment, inhibition and prophylaxis by administration to a subject of an effective amount of a compound or pharmaceutical composition of the invention, preferably a polypeptide or antibody of the invention. In a preferred aspect, the compound is substantially purified (e.g., substantially free from substances that limit its effect or produce undesired side-effects). The subject is preferably an animal, including but not limited to animals such as cows, pigs, horses, chickens, cats, dogs, etc., and is preferably a mammal, and most preferably human.

Formulations and methods of administration that can be employed when the compound comprises a nucleic acid or an immunoglobulin are described above; additional appropriate formulations and routes of administration can be selected from among those described herein below.

Various delivery systems are known and can be used to administer a compound of the invention, e.g., encapsulation in liposomes, microparticles, microcapsules, recombinant cells capable of expressing the compound, receptor-mediated endocytosis (see, e.g., Wu and Wu, J. Biol. Chem. 262:4429-4432 (1987)), construction of a nucleic acid as part of a retroviral or other vector, etc. Methods of introduction include but are not limited to intradermal, intramuscular, intraperitoneal, intravenous, subcutaneous, intranasal, epidural, and oral

routes. The compounds or compositions may be administered by any convenient route, for example by infusion or bolus injection, by absorption through epithelial or mucocutaneous linings (e.g., oral mucosa, rectal and intestinal mucosa, etc.) and may be administered together with other biologically active agents. Administration can be systemic or local. In addition, it may be desirable to introduce the pharmaceutical compounds or compositions of the invention into the central nervous system by any suitable route, including intraventricular and intrathecal injection; intraventricular injection may be facilitated by an intraventricular catheter, for example, attached to a reservoir, such as an Ommaya reservoir. Pulmonary administration can also be employed, e.g., by use of an inhaler or nebulizer, and formulation with an aerosolizing agent.

In a specific embodiment, it may be desirable to administer the pharmaceutical compounds or compositions of the invention locally to the area in need of treatment; this may be achieved by, for example, and not by way of limitation, local infusion during surgery, topical application, e.g., in conjunction with a wound dressing after surgery, by injection, by means of a catheter, by means of a suppository, or by means of an implant, said implant being of a porous, non-porous, or gelatinous material, including membranes, such as sialastic membranes, or fibers. Preferably, when administering a protein, including an antibody, of the invention, care must be taken to use materials to which the protein does not absorb.

In another embodiment, the compound or composition can be delivered in a vesicle, in particular a liposome (see Langer, *Science* 249:1527-1533 (1990); Treat et al., in *Liposomes in the Therapy of Infectious Disease and Cancer*, Lopez-Berestein and Fidler (eds.), Liss, New York, pp. 353- 365 (1989); Lopez-Berestein, *ibid.*, pp. 317-327; see generally *ibid.*)

In yet another embodiment, the compound or composition can be delivered in a controlled release system. In one embodiment, a pump may be used (see Langer, *supra*; Sefton, *CRC Crit. Ref. Biomed. Eng.* 14:201 (1987); Buchwald et al., *Surgery* 88:507 (1980); Saudek et al., *N. Engl. J. Med.* 321:574 (1989)). In another embodiment, polymeric materials can be used (see *Medical Applications of Controlled Release*, Langer and Wise (eds.), CRC Pres., Boca Raton, Florida (1974); *Controlled Drug Bioavailability, Drug Product Design and Performance*, Smolen and Ball (eds.), Wiley, New York (1984); Ranger and Peppas, J., *Macromol. Sci. Rev. Macromol. Chem.* 23:61 (1983); see also Levy et al., *Science* 228:190 (1985); During et al., *Ann. Neurol.* 25:351 (1989); Howard et al.,

J.Neurosurg. 71:105 (1989)). In yet another embodiment, a controlled release system can be placed in proximity of the therapeutic target, i.e., the brain, thus requiring only a fraction of the systemic dose (see, e.g., Goodson, in Medical Applications of Controlled Release, supra, vol. 2, pp. 115-138 (1984)).

5 Other controlled release systems are discussed in the review by Langer (Science 249:1527-1533 (1990)).

In a specific embodiment where the compound of the invention is a nucleic acid encoding a protein, the nucleic acid can be administered in vivo to promote expression of its encoded protein, by constructing it as part of an appropriate nucleic acid expression vector and administering it so that it becomes intracellular, e.g., by use of a retroviral vector (see 10 U.S. Patent No. 4,980,286), or by direct injection, or by use of microparticle bombardment (e.g., a gene gun: Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, or by administering it in linkage to a homeobox- like peptide which is known to enter the nucleus (see e.g., Joliot et al., Proc. Natl. Acad. Sci. USA 88:1864-1868 15 (1991)), etc. Alternatively, a nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination.

The present invention also provides pharmaceutical compositions. Such compositions comprise a therapeutically effective amount of a compound, and a pharmaceutically acceptable carrier. In a specific embodiment, the term "pharmaceutically acceptable" means 20 approved by a regulatory agency of the Federal or a state government or listed in the U.S. Pharmacopeia or other generally recognized pharmacopeia for use in animals, and more particularly in humans. The term "carrier" refers to a diluent, adjuvant, excipient, or vehicle with which the therapeutic is administered. Such pharmaceutical carriers can be sterile liquids, such as water and oils, including those of petroleum, animal, vegetable or synthetic origin, such as peanut oil, soybean oil, mineral oil, sesame oil and the like. Water is a 25 preferred carrier when the pharmaceutical composition is administered intravenously. Saline solutions and aqueous dextrose and glycerol solutions can also be employed as liquid carriers, particularly for injectable solutions. Suitable pharmaceutical excipients include starch, glucose, lactose, sucrose, gelatin, malt, rice, flour, chalk, silica gel, sodium stearate, glycerol monostearate, talc, sodium chloride, dried skim milk, glycerol, propylene glycol, water, 30 ethanol and the like. The composition, if desired, can also contain minor amounts of wetting or emulsifying agents, or pH buffering agents. These compositions can take the form of



solutions, suspensions, emulsion, tablets, pills, capsules, powders, sustained-release formulations and the like. The composition can be formulated as a suppository, with traditional binders and carriers such as triglycerides. Oral formulation can include standard carriers such as pharmaceutical grades of mannitol, lactose, starch, magnesium stearate, sodium saccharine, cellulose, magnesium carbonate, etc. Examples of suitable pharmaceutical carriers are described in "Remington's Pharmaceutical Sciences" by E.W. Martin. Such compositions will contain a therapeutically effective amount of the compound, preferably in purified form, together with a suitable amount of carrier so as to provide the form for proper administration to the patient. The formulation should suit the mode of administration.

In a preferred embodiment, the composition is formulated in accordance with routine procedures as a pharmaceutical composition adapted for intravenous administration to human beings. Typically, compositions for intravenous administration are solutions in sterile isotonic aqueous buffer. Where necessary, the composition may also include a solubilizing agent and a local anesthetic such as lignocaine to ease pain at the site of the injection. Generally, the ingredients are supplied either separately or mixed together in unit dosage form, for example, as a dry lyophilized powder or water free concentrate in a hermetically sealed container such as an ampoule or sachette indicating the quantity of active agent. Where the composition is to be administered by infusion, it can be dispensed with an infusion bottle containing sterile pharmaceutical grade water or saline. Where the composition is administered by injection, an ampoule of sterile water for injection or saline can be provided so that the ingredients may be mixed prior to administration.

The compounds of the invention can be formulated as neutral or salt forms. Pharmaceutically acceptable salts include those formed with anions such as those derived from hydrochloric, phosphoric, acetic, oxalic, tartaric acids, etc., and those formed with cations such as those derived from sodium, potassium, ammonium, calcium, ferric hydroxides, isopropylamine, triethylamine, 2-ethylamino ethanol, histidine, procaine, etc.

The amount of the compound of the invention which will be effective in the treatment, inhibition and prevention of a disease or disorder associated with aberrant expression and/or activity of a polypeptide of the invention can be determined by standard clinical techniques. In addition, in vitro assays may optionally be employed to help identify optimal dosage ranges. The precise dose to be employed in the formulation will also depend

on the route of administration, and the seriousness of the disease or disorder, and should be decided according to the judgment of the practitioner and each patient's circumstances. Effective doses may be extrapolated from dose-response curves derived from in vitro or animal model test systems.

5 For antibodies, the dosage administered to a patient is typically 0.1 mg/kg to 100 mg/kg of the patient's body weight. Preferably, the dosage administered to a patient is between 0.1 mg/kg and 20 mg/kg of the patient's body weight, more preferably 1 mg/kg to 10 mg/kg of the patient's body weight. Generally, human antibodies have a longer half-life  
10 foreign polypeptides. Thus, lower dosages of human antibodies and less frequent administration is often possible. Further, the dosage and frequency of administration of antibodies of the invention may be reduced by enhancing uptake and tissue penetration (e.g., into the brain) of the antibodies by modifications such as, for example, lipidation.

The invention also provides a pharmaceutical pack or kit comprising one or more  
15 containers filled with one or more of the ingredients of the pharmaceutical compositions of the invention. Optionally associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale for human administration.

20

### ***Diagnosis and Imaging***

Labeled antibodies, and derivatives and analogs thereof, which specifically bind to a polypeptide of interest can be used for diagnostic purposes to detect, diagnose, or monitor diseases, disorders, and/or conditions associated with the aberrant expression and/or activity  
25 of a polypeptide of the invention. The invention provides for the detection of aberrant expression of a polypeptide of interest, comprising (a) assaying the expression of the polypeptide of interest in cells or body fluid of an individual using one or more antibodies specific to the polypeptide interest and (b) comparing the level of gene expression with a standard gene expression level, whereby an increase or decrease in the assayed polypeptide  
30 gene expression level compared to the standard expression level is indicative of aberrant expression.

The invention provides a diagnostic assay for diagnosing a disorder, comprising (a) assaying the expression of the polypeptide of interest in cells or body fluid of an individual using one or more antibodies specific to the polypeptide interest and (b) comparing the level of gene expression with a standard gene expression level, whereby an increase or decrease in the assayed polypeptide gene expression level compared to the standard expression level is indicative of a particular disorder. With respect to cancer, the presence of a relatively high amount of transcript in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of the cancer.

Antibodies of the invention can be used to assay protein levels in a biological sample using classical immunohistological methods known to those of skill in the art (e.g., see Jalkanen, et al., J. Cell. Biol. 101:976-985 (1985); Jalkanen, et al., J. Cell . Biol. 105:3087-3096 (1987)). Other antibody-based methods useful for detecting protein gene expression include immunoassays, such as the enzyme linked immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable antibody assay labels are known in the art and include enzyme labels, such as, glucose oxidase; radioisotopes, such as iodine (125I, 121I), carbon (14C), sulfur (35S), tritium (3H), indium (112In), and technetium (99Tc); luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and rhodamine, and biotin.

One aspect of the invention is the detection and diagnosis of a disease or disorder associated with aberrant expression of a polypeptide of interest in an animal, preferably a mammal and most preferably a human. In one embodiment, diagnosis comprises: a) administering (for example, parenterally, subcutaneously, or intraperitoneally) to a subject an effective amount of a labeled molecule which specifically binds to the polypeptide of interest; b) waiting for a time interval following the administering for permitting the labeled molecule to preferentially concentrate at sites in the subject where the polypeptide is expressed (and for unbound labeled molecule to be cleared to background level); c) determining background level; and d) detecting the labeled molecule in the subject, such that detection of labeled molecule above the background level indicates that the subject has a particular disease or disorder associated with aberrant expression of the polypeptide of interest. Background level can be determined by various methods including, comparing the

amount of labeled molecule detected to a standard value previously determined for a particular system.

It will be understood in the art that the size of the subject and the imaging system used will determine the quantity of imaging moiety needed to produce diagnostic images. In the case of a radioisotope moiety, for a human subject, the quantity of radioactivity injected will normally range from about 5 to 20 millicuries of <sup>99m</sup>Tc. The labeled antibody or antibody fragment will then preferentially accumulate at the location of cells which contain the specific protein. In vivo tumor imaging is described in S.W. Burchiel et al., "Immunopharmacokinetics of Radiolabeled Antibodies and Their Fragments." (Chapter 13 in Tumor Imaging: The Radiochemical Detection of Cancer, S.W. Burchiel and B. A. Rhodes, eds., Masson Publishing Inc. (1982).

Depending on several variables, including the type of label used and the mode of administration, the time interval following the administration for permitting the labeled molecule to preferentially concentrate at sites in the subject and for unbound labeled molecule to be cleared to background level is 6 to 48 hours or 6 to 24 hours or 6 to 12 hours. In another embodiment the time interval following administration is 5 to 20 days or 5 to 10 days.

In an embodiment, monitoring of the disease or disorder is carried out by repeating the method for diagnosing the disease or disorder, for example, one month after initial diagnosis, six months after initial diagnosis, one year after initial diagnosis, etc.

Presence of the labeled molecule can be detected in the patient using methods known in the art for in vivo scanning. These methods depend upon the type of label used. Skilled artisans will be able to determine the appropriate method for detecting a particular label. Methods and devices that may be used in the diagnostic methods of the invention include, but are not limited to, computed tomography (CT), whole body scan such as position emission tomography (PET), magnetic resonance imaging (MRI), and sonography.

In a specific embodiment, the molecule is labeled with a radioisotope and is detected in the patient using a radiation responsive surgical instrument (Thurston et al., U.S. Patent No. 5,441,050). In another embodiment, the molecule is labeled with a fluorescent compound and is detected in the patient using a fluorescence responsive scanning instrument. In another embodiment, the molecule is labeled with a positron emitting metal and is detected in the patient using positron emission-tomography. In yet another embodiment, the molecule

is labeled with a paramagnetic label and is detected in a patient using magnetic resonance imaging (MRI).

### *Kits*

5           The present invention provides kits that can be used in the above methods. In one embodiment, a kit comprises an antibody of the invention, preferably a purified antibody, in one or more containers. In a specific embodiment, the kits of the present invention contain a substantially isolated polypeptide comprising an epitope which is specifically immunoreactive with an antibody included in the kit. Preferably, the kits of the present  
10           invention further comprise a control antibody which does not react with the polypeptide of interest. In another specific embodiment, the kits of the present invention contain a means for detecting the binding of an antibody to a polypeptide of interest (e.g., the antibody may be conjugated to a detectable substrate such as a fluorescent compound, an enzymatic substrate, a radioactive compound or a luminescent compound, or a second antibody which recognizes  
15           the first antibody may be conjugated to a detectable substrate).

          In another specific embodiment of the present invention, the kit is a diagnostic kit for use in screening serum containing antibodies specific against proliferative and/or cancerous polynucleotides and polypeptides. Such a kit may include a control antibody that does not react with the polypeptide of interest. Such a kit may include a substantially isolated  
20           polypeptide antigen comprising an epitope which is specifically immunoreactive with at least one anti-polypeptide antigen antibody. Further, such a kit includes means for detecting the binding of said antibody to the antigen (e.g., the antibody may be conjugated to a fluorescent compound such as fluorescein or rhodamine which can be detected by flow cytometry). In specific embodiments, the kit may include a recombinantly produced or chemically  
25           synthesized polypeptide antigen. The polypeptide antigen of the kit may also be attached to a solid support.

          In a more specific embodiment the detecting means of the above-described kit includes a solid support to which said polypeptide antigen is attached. Such a kit may also include a non-attached reporter-labeled anti-human antibody. In this embodiment, binding of  
30           the antibody to the polypeptide antigen can be detected by binding of the said reporter-labeled antibody.

In an additional embodiment, the invention includes a diagnostic kit for use in screening serum containing antigens of the polypeptide of the invention. The diagnostic kit includes a substantially isolated antibody specifically immunoreactive with polypeptide or polynucleotide antigens, and means for detecting the binding of the polynucleotide or polypeptide antigen to the antibody. In one embodiment, the antibody is attached to a solid support. In a specific embodiment, the antibody may be a monoclonal antibody. The detecting means of the kit may include a second, labeled monoclonal antibody. Alternatively, or in addition, the detecting means may include a labeled, competing antigen.

In one diagnostic configuration, test serum is reacted with a solid phase reagent having a surface-bound antigen obtained by the methods of the present invention. After binding with specific antigen antibody to the reagent and removing unbound serum components by washing, the reagent is reacted with reporter-labeled anti-human antibody to bind reporter to the reagent in proportion to the amount of bound anti-antigen antibody on the solid support. The reagent is again washed to remove unbound labeled antibody, and the amount of reporter associated with the reagent is determined. Typically, the reporter is an enzyme which is detected by incubating the solid phase in the presence of a suitable fluorometric, luminescent or colorimetric substrate (Sigma, St. Louis, MO).

The solid surface reagent in the above assay is prepared by known techniques for attaching protein material to solid support material, such as polymeric beads, dip sticks, 96-well plate or filter material. These attachment methods generally include non-specific adsorption of the protein to the support or covalent attachment of the protein, typically through a free amine group, to a chemically reactive group on the solid support, such as an activated carboxyl, hydroxyl, or aldehyde group. Alternatively, streptavidin coated plates can be used in conjunction with biotinylated antigen(s).

Thus, the invention provides an assay system or kit for carrying out this diagnostic method. The kit generally includes a support with surface-bound recombinant antigens, and a reporter-labeled anti-human antibody for detecting surface-bound anti-antigen antibody.

#### **Uses of the Polynucleotides**

Each of the polynucleotides identified herein can be used in numerous ways as reagents. The following description should be considered exemplary and utilizes known techniques.

The colon cancer antigen polynucleotides of the present invention are useful for chromosome identification. There exists an ongoing need to identify new chromosome markers, since few chromosome marking reagents, based on actual sequence data (repeat polymorphisms), are presently available. Each sequence is specifically targeted to and can hybridize with a particular location on an individual human chromosome, thus each polynucleotide of the present invention can routinely be used as a chromosome marker using techniques known in the art.

Briefly, sequences can be mapped to chromosomes by preparing PCR primers (preferably at least 15 bp (e.g., 15-25 bp) from the sequences shown in SEQ ID NO:X, or the complement thereto. Primers can optionally be selected using computer analysis so that primers do not span more than one predicted exon in the genomic DNA. These primers are then used for PCR screening of somatic cell hybrids containing individual human chromosomes. Only those hybrids containing the human gene corresponding to SEQ ID NO:X will yield an amplified fragment.

Similarly, somatic hybrids provide a rapid method of PCR mapping the polynucleotides to particular chromosomes. Three or more clones can be assigned per day using a single thermal cycler. Moreover, sublocalization of the polynucleotides can be achieved with panels of specific chromosome fragments. Other gene mapping strategies that can be used include in situ hybridization, prescreening with labeled flow-sorted chromosomes, preselection by hybridization to construct chromosome specific-cDNA libraries, and computer mapping techniques (See, e.g., Shuler, Trends Biotechnol 16:456-459 (1998) which is hereby incorporated by reference in its entirety).

Precise chromosomal location of the polynucleotides can also be achieved using fluorescence in situ hybridization (FISH) of a metaphase chromosomal spread. This technique uses polynucleotides as short as 500 or 600 bases; however, polynucleotides 2,000-4,000 bp are preferred. For a review of this technique, see Verma et al., "Human Chromosomes: a Manual of Basic Techniques," Pergamon Press, New York (1988).

For chromosome mapping, the polynucleotides can be used individually (to mark a single chromosome or a single site on that chromosome) or in panels (for marking multiple sites and/or multiple chromosomes).

Thus, the present invention also provides a method for chromosomal localization which involves (a) preparing PCR primers from the polynucleotide sequences in Table 3 and SEQ ID NO:X and (b) screening somatic cell hybrids containing individual chromosomes.

5 The polynucleotides of the present invention would likewise be useful for radiation hybrid mapping, HAPPY mapping, and long range restriction mapping. For a review of these techniques and others known in the art, see, e.g. Dear, "Genome Mapping: A Practical Approach," IRL Press at Oxford University Press, London (1997); Aydin, J. Mol. Med. 77:691-694 (1999); Hacia et al., Mol. Psychiatry 3:483-492 (1998); Herrick et al., Chromosome Res. 7:409-423 (1999); Hamilton et al., Methods Cell Biol. 62:265-280 (2000);  
10 and/or Ott, J. Hered. 90:68-70 (1999) each of which is hereby incorporated by reference in its entirety.

Once a polynucleotide has been mapped to a precise chromosomal location, the physical position of the polynucleotide can be used in linkage analysis. Linkage analysis establishes coinheritance between a chromosomal location and presentation of a particular  
15 disease. (Disease mapping data are found, for example, in V. McKusick, Mendelian Inheritance in Man (available on line through Johns Hopkins University Welch Medical Library).) Assuming 1 megabase mapping resolution and one gene per 20 kb, a cDNA precisely localized to a chromosomal region associated with the disease could be one of 50-500 potential causative genes.

20 Thus, once coinheritance is established, differences in a polynucleotide of the invention and the corresponding gene between affected and unaffected individuals can be examined. First, visible structural alterations in the chromosomes, such as deletions or translocations, are examined in chromosome spreads or by PCR. If no structural alterations exist, the presence of point mutations are ascertained. Mutations observed in some or all  
25 affected individuals, but not in normal individuals, indicates that the mutation may cause the disease. However, complete sequencing of the polypeptide and the corresponding gene from several normal individuals is required to distinguish the mutation from a polymorphism. If a new polymorphism is identified, this polymorphic polypeptide can be used for further linkage analysis.

30 Furthermore, increased or decreased expression of the gene in affected individuals as compared to unaffected individuals can be assessed using the polynucleotides of the



invention. Any of these alterations (altered expression, chromosomal rearrangement, or mutation) can be used as a diagnostic or prognostic marker.

Thus, the invention provides a method of detecting increased or decreased expression levels of the colon cancer polynucleotides in affected individuals as compared to unaffected individuals using polynucleotides of the present invention and techniques known in the art, including but not limited to the method described in Example 11. Any of these alterations (altered expression, chromosomal rearrangement, or mutation) can be used as a diagnostic or prognostic marker.

Thus, the invention also provides a diagnostic method useful during diagnosis of a colon related disorder, including colon cancer, involving measuring the expression level of colon cancer polynucleotides in colon tissue or other cells or body fluid from an individual and comparing the measured gene expression level with a standard colon cancer polynucleotide expression level, whereby an increase or decrease in the gene expression level compared to the standard is indicative of a colon related disorder.

In still another embodiment, the invention includes a kit for analyzing samples for the presence of proliferative and/or cancerous polynucleotides derived from a test subject. In a general embodiment, the kit includes at least one polynucleotide probe containing a nucleotide sequence that will specifically hybridize with a polynucleotide of the invention and a suitable container. In a specific embodiment, the kit includes two polynucleotide probes defining an internal region of the polynucleotide of the invention, where each probe has one strand containing a 31'-mer-end internal to the region. In a further embodiment, the probes may be useful as primers for polymerase chain reaction amplification.

Where a diagnosis of a colon related disorder, including, for example, diagnosis of a tumor, has already been made according to conventional methods, the present invention is useful as a prognostic indicator, whereby patients exhibiting enhanced or depressed colon cancer polynucleotide expression will experience a worse clinical outcome relative to patients expressing the gene at a level nearer the standard level.

By "measuring the expression level of colon cancer polynucleotides" is intended qualitatively or quantitatively measuring or estimating the level of the colon cancer polypeptide or the level of the mRNA encoding the colon cancer polypeptide in a first biological sample either directly (e.g., by determining or estimating absolute protein level or mRNA level) or relatively (e.g., by comparing to the colon cancer polypeptide level or

mRNA level in a second biological sample). Preferably, the colon cancer polypeptide level or mRNA level in the first biological sample is measured or estimated and compared to a standard colon cancer polypeptide level or mRNA level, the standard being taken from a second biological sample obtained from an individual not having the colon related disorder or being determined by averaging levels from a population of individuals not having a colon related disorder. As will be appreciated in the art, once a standard colon cancer polypeptide level or mRNA level is known, it can be used repeatedly as a standard for comparison.

By "biological sample" is intended any biological sample obtained from an individual, body fluid, cell line, tissue culture, or other source which contains colon cancer polypeptide or the corresponding mRNA. As indicated, biological samples include body fluids (such as lymph, sera, plasma, urine, bile, synovial fluid and spinal fluid) which contain the colon cancer polypeptide, colon tissue, and other tissue sources found to express the colon cancer polypeptide. Methods for obtaining tissue biopsies and body fluids from mammals are well known in the art. Where the biological sample is to include mRNA, a tissue biopsy is the preferred source.

The method(s) provided above may preferably be applied in a diagnostic method and/or kits in which polynucleotides and/or polypeptides of the invention are attached to a solid support. In one exemplary method, the support may be a "gene chip" or a "biological chip" as described in US Patents 5,837,832, 5,874,219, and 5,856,174. Further, such a gene chip with colon cancer polynucleotides attached may be used to identify polymorphisms between the colon cancer polynucleotide sequences, with polynucleotides isolated from a test subject. The knowledge of such polymorphisms (i.e. their location, as well as, their existence) would be beneficial in identifying disease loci for many disorders, such as for example, in neural disorders, immune system disorders, muscular disorders, reproductive disorders, gastrointestinal disorders, pulmonary disorders, cardiovascular disorders, renal disorders, proliferative disorders, and/or cancerous diseases and conditions, though most preferably in colon related proliferative, and/or cancerous diseases and conditions. Such a method is described in US Patents 5,858,659 and 5,856,104. The US Patents referenced supra are hereby incorporated by reference in their entirety herein.

The present invention encompasses colon cancer polynucleotides that are chemically synthesized, or reproduced as peptide nucleic acids (PNA), or according to other methods known in the art. The use of PNAs would serve as the preferred form if the polynucleotides

of the invention are incorporated onto a solid support, or gene chip. For the purposes of the present invention, a peptide nucleic acid (PNA) is a polyamide type of DNA analog and the monomeric units for adenine, guanine, thymine and cytosine are available commercially (Perceptive Biosystems). Certain components of DNA, such as phosphorus, phosphorus oxides, or deoxyribose derivatives, are not present in PNAs. As disclosed by P. E. Nielsen, M. Egholm, R. H. Berg and O. Buchardt, *Science* 254, 1497 (1991); and M. Egholm, O. Buchardt, L. Christensen, C. Behrens, S. M. Freier, D. A. Driver, R. H. Berg, S. K. Kim, B. Norden, and P. E. Nielsen, *Nature* 365, 666 (1993), PNAs bind specifically and tightly to complementary DNA strands and are not degraded by nucleases. In fact, PNA binds more strongly to DNA than DNA itself does. This is probably because there is no electrostatic repulsion between the two strands, and also the polyamide backbone is more flexible. Because of this, PNA/DNA duplexes bind under a wider range of stringency conditions than DNA/DNA duplexes, making it easier to perform multiplex hybridization. Smaller probes can be used than with DNA due to the strong binding. In addition, it is more likely that single base mismatches can be determined with PNA/DNA hybridization because a single mismatch in a PNA/DNA 15-mer lowers the melting point ( $T_{sub.m}$ ) by 8°-20° C, vs. 4°-16° C for the DNA/DNA 15-mer duplex. Also, the absence of charge groups in PNA means that hybridization can be done at low ionic strengths and reduce possible interference by salt during the analysis.

The present invention have uses which include, but are not limited to, detecting cancer in mammals. In particular the invention is useful during diagnosis of pathological cell proliferative neoplasias which include, but are not limited to: acute myelogenous leukemias including acute monocytic leukemia, acute myeloblastic leukemia, acute promyelocytic leukemia, acute myelomonocytic leukemia, acute erythroleukemia, acute megakaryocytic leukemia, and acute undifferentiated leukemia, etc.; and chronic myelogenous leukemias including chronic myelomonocytic leukemia, chronic granulocytic leukemia, etc. Preferred mammals include monkeys, apes, cats, dogs, cows, pigs, horses, rabbits and humans. Particularly preferred are humans.

Pathological cell proliferative disorders are often associated with inappropriate activation of proto-oncogenes. (Germann, E. P. et al., "The Etiology of Acute Leukemia: Molecular Genetics and Viral Oncology," in *Neoplastic Diseases of the Blood*, Vol 1., Wiernik, P. H. et al. eds., 161-182 (1985)). Neoplasias are now believed to result from the

qualitative alteration of a normal cellular gene product, or from the quantitative modification of gene expression by insertion into the chromosome of a viral sequence, by chromosomal translocation of a gene to a more actively transcribed region, or by some other mechanism. (Gelmann et al., supra) It is likely that mutated or altered expression of specific genes is involved in the pathogenesis of some leukemias, among other tissues and cell types. (Gelmann et al., supra) Indeed, the human counterparts of the oncogenes involved in some animal neoplasias have been amplified or translocated in some cases of human leukemia and carcinoma. (Gelmann et al., supra)

For example, c-myc expression is highly amplified in the non-lymphocytic leukemia cell line HL-60. When HL-60 cells are chemically induced to stop proliferation, the level of c-myc is found to be downregulated. (International Publication Number WO 91/15580). However, it has been shown that exposure of HL-60 cells to a DNA construct that is complementary to the 5' end of c-myc or c-myb blocks translation of the corresponding mRNAs which downregulates expression of the c-myc or c-myb proteins and causes arrest of cell proliferation and differentiation of the treated cells. (International Publication Number WO 91/15580; Wickstrom et al., Proc. Natl. Acad. Sci. 85:1028 (1988); Anfossi et al., Proc. Natl. Acad. Sci. 86:3379 (1989)). However, the skilled artisan would appreciate the present invention's usefulness is not limited to treatment of proliferative disorders of hematopoietic cells and tissues, in light of the numerous cells and cell types of varying origins which are known to exhibit proliferative phenotypes.

In addition to the foregoing, a colon cancer antigen polynucleotide can be used to control gene expression through triple helix formation or through antisense DNA or RNA. Antisense techniques are discussed, for example, in Okano, J. Neurochem. 56: 560 (1991); "Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Triple helix formation is discussed in, for instance Lee et al., Nucleic Acids Research 6: 3073 (1979); Cooney et al., Science 241: 456 (1988); and Dervan et al., Science 251: 1360 (1991). Both methods rely on binding of the polynucleotide to a complementary DNA or RNA. For these techniques, preferred polynucleotides are usually oligonucleotides 20 to 40 bases in length and complementary to either the region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res. 6:3073 (1979); Cooney et al., Science 241:456 (1988); and Dervan et al., Science 251:1360 (1991) ) or to the mRNA itself (antisense - Okano, J. Neurochem. 56:560 (1991); Oligodeoxy-nucleotides as Antisense

Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988).) Triple helix formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. The oligonucleotide described above can also be delivered to cells such that the antisense RNA or DNA may be expressed in vivo to inhibit production of polypeptide of the present invention antigens. Both techniques are effective in model systems, and the information disclosed herein can be used to design antisense or triple helix polynucleotides in an effort to treat disease, and in particular, for the treatment of proliferative diseases and/or conditions.

Polynucleotides of the present invention are also useful in gene therapy. One goal of gene therapy is to insert a normal gene into an organism having a defective gene, in an effort to correct the genetic defect. The polynucleotides disclosed in the present invention offer a means of targeting such genetic defects in a highly accurate manner. Another goal is to insert a new gene that was not present in the host genome, thereby producing a new trait in the host cell.

The polynucleotides are also useful for identifying individuals from minute biological samples. The United States military, for example, is considering the use of restriction fragment length polymorphism (RFLP) for identification of its personnel. In this technique, an individual's genomic DNA is digested with one or more restriction enzymes, and probed on a Southern blot to yield unique bands for identifying personnel. This method does not suffer from the current limitations of "Dog Tags" which can be lost, switched, or stolen, making positive identification difficult. The polynucleotides of the present invention can be used as additional DNA markers for RFLP.

The polynucleotides of the present invention can also be used as an alternative to RFLP, by determining the actual base-by-base DNA sequence of selected portions of an individual's genome. These sequences can be used to prepare PCR primers for amplifying and isolating such selected DNA, which can then be sequenced. Using this technique, individuals can be identified because each individual will have a unique set of DNA sequences. Once an unique ID database is established for an individual, positive identification of that individual, living or dead, can be made from extremely small tissue samples.

Forensic biology also benefits from using DNA-based identification techniques as disclosed herein. DNA sequences taken from very small biological samples such as tissues,

e.g., hair or skin, or body fluids, e.g., blood, saliva, semen, synovial fluid, amniotic fluid, breast milk, lymph, pulmonary sputum or surfactant, urine, fecal matter, etc., can be amplified using PCR. In one prior art technique, gene sequences amplified from polymorphic loci, such as DQa class II HLA gene, are used in forensic biology to identify individuals. (Erlich, H., PCR Technology, Freeman and Co. (1992).) Once these specific polymorphic loci are amplified, they are digested with one or more restriction enzymes, yielding an identifying set of bands on a Southern blot probed with DNA corresponding to the DQa class II HLA gene. Similarly, polynucleotides of the present invention can be used as polymorphic markers for forensic purposes.

There is also a need for reagents capable of identifying the source of a particular tissue. Such need arises, for example, in forensics when presented with tissue of unknown origin. Appropriate reagents can comprise, for example, DNA probes or primers specific to colon or colon cancer polynucleotides prepared from the sequences of the present invention. Panels of such reagents can identify tissue by species and/or by organ type. In a similar fashion, these reagents can be used to screen tissue cultures for contamination.

The polynucleotides of the present invention are also useful as hybridization probes for differential identification of the tissue(s) or cell type(s) present in a biological sample. Similarly, polypeptides and antibodies directed to polypeptides of the present invention are useful to provide immunological probes for differential identification of the tissue(s) (e.g., immunohistochemistry assays) or cell type(s) (e.g., immunocytochemistry assays). In addition, for a number of disorders of the above tissues or cells, significantly higher or lower levels of gene expression of the polynucleotides/polypeptides of the present invention may be detected in certain tissues (e.g., tissues expressing polypeptides and/or polynucleotides of the present invention, colon and colon cancer tissues and/or cancerous and/or wounded tissues) or bodily fluids (e.g., serum, plasma, urine, synovial fluid or spinal fluid) taken from an individual having such a disorder, relative to a "standard" gene expression level, i.e., the expression level in healthy tissue from an individual not having the disorder.

Thus, the invention provides a diagnostic method of a disorder, which involves: (a) assaying gene expression level in cells or body fluid of an individual; (b) comparing the gene expression level with a standard gene expression level, whereby an increase or decrease in the assayed gene expression level compared to the standard expression level is indicative of a disorder.

In the very least, the polynucleotides of the present invention can be used as molecular weight markers on Southern gels, as diagnostic probes for the presence of a specific mRNA in a particular cell type, as a probe to "subtract-out" known sequences in the process of discovering novel polynucleotides, for selecting and making oligomers for attachment to a "gene chip" or other support, to raise anti-DNA antibodies using DNA immunization techniques, and as an antigen to elicit an immune response.

### Uses of the Polypeptides

Each of the polypeptides identified herein can be used in numerous ways. The following description should be considered exemplary and utilizes known techniques.

Polypeptides and antibodies directed to polypeptides of the present invention are useful to provide immunological probes for differential identification of the tissue(s) (e.g., immunohistochemistry assays such as, for example, ABC immunoperoxidase (Hsu et al., J. Histochem. Cytochem. 29:577-580 (1981)) or cell type(s) (e.g., immunocytochemistry assays).

Antibodies can be used to assay levels of polypeptides encoded by polynucleotides of the invention in a biological sample using classical immunohistological methods known to those of skill in the art (e.g., see Jalkanen, et al., J. Cell. Biol. 101:976-985 (1985); Jalkanen, et al., J. Cell. Biol. 105:3087-3096 (1987)). Other antibody-based methods useful for detecting protein gene expression include immunoassays, such as the enzyme linked immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable antibody assay labels are known in the art and include enzyme labels, such as, glucose oxidase; radioisotopes, such as iodine ( $^{131}\text{I}$ ,  $^{125}\text{I}$ ,  $^{123}\text{I}$ ,  $^{121}\text{I}$ ), carbon ( $^{14}\text{C}$ ), sulfur ( $^{35}\text{S}$ ), tritium ( $^3\text{H}$ ), indium ( $^{115\text{m}}\text{In}$ ,  $^{113\text{m}}\text{In}$ ,  $^{112}\text{In}$ ,  $^{111}\text{In}$ ), and technetium ( $^{99}\text{Tc}$ ,  $^{99\text{m}}\text{Tc}$ ), thallium ( $^{201}\text{Tl}$ ), gallium ( $^{68}\text{Ga}$ ,  $^{67}\text{Ga}$ ), palladium ( $^{103}\text{Pd}$ ), molybdenum ( $^{99}\text{Mo}$ ), xenon ( $^{133}\text{Xe}$ ), fluorine ( $^{18}\text{F}$ ),  $^{153}\text{Sm}$ ,  $^{177}\text{Lu}$ ,  $^{159}\text{Gd}$ ,  $^{149}\text{Pm}$ ,  $^{140}\text{La}$ ,  $^{175}\text{Yb}$ ,  $^{166}\text{Ho}$ ,  $^{90}\text{Y}$ ,  $^{47}\text{Sc}$ ,  $^{186}\text{Re}$ ,  $^{188}\text{Re}$ ,  $^{142}\text{Pr}$ ,  $^{105}\text{Rh}$ ,  $^{97}\text{Ru}$ ; luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and rhodamine, and biotin.

In addition to assaying levels of polypeptide of the present invention in a biological sample, proteins can also be detected in vivo by imaging. Antibody labels or markers for in vivo imaging of protein include those detectable by X-radiography, NMR or ESR. For X-radiography, suitable labels include radioisotopes such as barium or cesium, which emit

detectable radiation but are not overtly harmful to the subject. Suitable markers for NMR and ESR include those with a detectable characteristic spin, such as deuterium, which may be incorporated into the antibody by labeling of nutrients for the relevant hybridoma.

A protein-specific antibody or antibody fragment which has been labeled with an appropriate detectable imaging moiety, such as a radioisotope (for example,  $^{131}\text{I}$ ,  $^{112}\text{In}$ ,  $^{99\text{m}}\text{Tc}$ ,  $^{131}\text{I}$ ,  $^{125}\text{I}$ ,  $^{123}\text{I}$ ,  $^{121}\text{I}$ ), carbon ( $^{14}\text{C}$ ), sulfur ( $^{35}\text{S}$ ), tritium ( $^3\text{H}$ ), indium ( $^{115\text{m}}\text{In}$ ,  $^{113\text{m}}\text{In}$ ,  $^{112}\text{In}$ ,  $^{111}\text{In}$ ), and technetium ( $^{99}\text{Tc}$ ,  $^{99\text{m}}\text{Tc}$ ), thallium ( $^{201}\text{Tl}$ ), gallium ( $^{68}\text{Ga}$ ,  $^{67}\text{Ga}$ ), palladium ( $^{103}\text{Pd}$ ), molybdenum ( $^{99}\text{Mo}$ ), xenon ( $^{133}\text{Xe}$ ), fluorine ( $^{18}\text{F}$ ,  $^{153}\text{Sm}$ ,  $^{177}\text{Lu}$ ,  $^{159}\text{Gd}$ ,  $^{149}\text{Pm}$ ,  $^{140}\text{La}$ ,  $^{175}\text{Yb}$ ,  $^{166}\text{Ho}$ ,  $^{90}\text{Y}$ ,  $^{47}\text{Sc}$ ,  $^{186}\text{Re}$ ,  $^{188}\text{Re}$ ,  $^{142}\text{Pr}$ ,  $^{105}\text{Rh}$ ,  $^{97}\text{Ru}$ ), a radio-opaque substance, or a material detectable by nuclear magnetic resonance, is introduced (for example, parenterally, subcutaneously or intraperitoneally) into the mammal to be examined for immune system disorder. It will be understood in the art that the size of the subject and the imaging system used will determine the quantity of imaging moiety needed to produce diagnostic images. In the case of a radioisotope moiety, for a human subject, the quantity of radioactivity injected will normally range from about 5 to 20 millicuries of  $^{99\text{m}}\text{Tc}$ . The labeled antibody or antibody fragment will then preferentially accumulate at the location of cells which express the polypeptide encoded by a polynucleotide of the invention. *In vivo* tumor imaging is described in S.W. Burchiel et al., "Immunopharmacokinetics of Radiolabeled Antibodies and Their Fragments" (Chapter 13 in *Tumor Imaging: The Radiochemical Detection of Cancer*, S.W. Burchiel and B. A. Rhodes, eds., Masson Publishing Inc. (1982)).

In one embodiment, the invention provides a method for the specific delivery of compositions of the invention to cells by administering polypeptides of the invention (e.g., polypeptides encoded by polynucleotides of the invention and/or antibodies) that are associated with heterologous polypeptides or nucleic acids. In one example, the invention provides a method for delivering a therapeutic protein into the targeted cell. In another example, the invention provides a method for delivering a single stranded nucleic acid (e.g., antisense or ribozymes) or double stranded nucleic acid (e.g., DNA that can integrate into the cell's genome or replicate episomally and that can be transcribed) into the targeted cell.

In another embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention in association with toxins or cytotoxic prodrugs.



By "toxin" is meant one or more compounds that bind and activate endogenous cytotoxic effector systems, radioisotopes, holotoxins, modified toxins, catalytic subunits of toxins, or any molecules or enzymes not normally present in or on the surface of a cell that under defined conditions cause the cell's death. Toxins that may be used according to the methods of the invention include, but are not limited to, radioisotopes known in the art, compounds such as, for example, antibodies (or complement fixing containing portions thereof) that bind an inherent or induced endogenous cytotoxic effector system, thymidine kinase, endonuclease, RNase, alpha toxin, ricin, abrin, *Pseudomonas* exotoxin A, diphtheria toxin, saporin, momordin, gelonin, pokeweed antiviral protein, alpha-sarcin and cholera toxin. "Toxin" also includes a cytostatic or cytotoxic agent, a therapeutic agent or a radioactive metal ion, e.g., alpha-emitters such as, for example,  $^{213}\text{Bi}$ , or other radioisotopes such as, for example,  $^{103}\text{Pd}$ ,  $^{133}\text{Xe}$ ,  $^{131}\text{I}$ ,  $^{68}\text{Ge}$ ,  $^{57}\text{Co}$ ,  $^{65}\text{Zn}$ ,  $^{85}\text{Sr}$ ,  $^{32}\text{P}$ ,  $^{35}\text{S}$ ,  $^{90}\text{Y}$ ,  $^{153}\text{Sm}$ ,  $^{153}\text{Gd}$ ,  $^{169}\text{Yb}$ ,  $^{51}\text{Cr}$ ,  $^{54}\text{Mn}$ ,  $^{75}\text{Se}$ ,  $^{113}\text{Sn}$ ,  $^{90}\text{Yttrium}$ ,  $^{117}\text{Tin}$ ,  $^{186}\text{Rhenium}$ ,  $^{166}\text{Holmium}$ , and  $^{188}\text{Rhenium}$ ; luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and rhodamine, and biotin.

Techniques known in the art may be applied to label polypeptides of the invention (including antibodies). Such techniques include, but are not limited to, the use of bifunctional conjugating agents (see e.g., U.S. Patent Nos. 5,756,065; 5,714,631; 5,696,239; 5,652,361; 5,505,931; 5,489,425; 5,435,990; 5,428,139; 5,342,604; 5,274,119; 4,994,560; and 5,808,003; the contents of each of which are hereby incorporated by reference in its entirety).

Thus, the invention provides a diagnostic method of a disorder, which involves (a) assaying the expression level of a colon cancer polypeptide of the present invention in cells or body fluid of an individual, or more preferably, assaying the expression level of a colon cancer polypeptide of the present invention in colon cells or sera of an individual; and (b) comparing the assayed polypeptide expression level with a standard polypeptide expression level, whereby an increase or decrease in the assayed polypeptide expression level compared to the standard expression level is indicative of a disorder. With respect to cancer, the presence of a relatively high amount of transcript in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or

aggressive treatment earlier thereby preventing the development or further progression of the cancer.

Moreover, colon cancer antigen polypeptides of the present invention can be used to treat or prevent diseases or conditions such as, for example, neural disorders, immune system disorders, muscular disorders, reproductive disorders, gastrointestinal disorders, pulmonary disorders, cardiovascular disorders, renal disorders, proliferative disorders, and/or cancerous diseases and conditions, preferably proliferative disorders of the colon, and/or cancerous disease and conditions. For example, patients can be administered a polypeptide of the present invention in an effort to replace absent or decreased levels of the polypeptide (e.g., insulin), to supplement absent or decreased levels of a different polypeptide (e.g., hemoglobin S for hemoglobin B, SOD, catalase, DNA repair proteins), to inhibit the activity of a polypeptide (e.g., an oncogene or tumor suppressor), to activate the activity of a polypeptide (e.g., by binding to a receptor), to reduce the activity of a membrane bound receptor by competing with it for free ligand (e.g., soluble TNF receptors used in reducing inflammation), or to bring about a desired response (e.g., blood vessel growth inhibition, enhancement of the immune response to proliferative cells or tissues).

Similarly, antibodies directed to a polypeptide of the present invention can also be used to treat disease (as described supra, and elsewhere herein). For example, administration of an antibody directed to a polypeptide of the present invention can bind, and/or neutralize the polypeptide, and/or reduce overproduction of the polypeptide. Similarly, administration of an antibody can activate the polypeptide, such as by binding to a polypeptide bound to a membrane (receptor).

At the very least, the polypeptides of the present invention can be used as molecular weight markers on SDS-PAGE gels or on molecular sieve gel filtration columns using methods well known to those of skill in the art. Polypeptides can also be used to raise antibodies, which in turn are used to measure protein expression from a recombinant cell, as a way of assessing transformation of the host cell. Moreover, the polypeptides of the present invention can be used to test the following biological activities.

**Gene Therapy Methods**

Another aspect of the present invention is to gene therapy methods for treating or preventing disorders, diseases and conditions. The gene therapy methods relate to the introduction of nucleic acid (DNA, RNA and antisense DNA or RNA) sequences into an animal to achieve expression of the polypeptide of the present invention. This method requires a polynucleotide which codes for a polypeptide of the present invention operatively linked to a promoter and any other genetic elements necessary for the expression of the polypeptide by the target tissue. Such gene therapy and delivery techniques are known in the art, see, for example, WO90/11092, which is herein incorporated by reference.

Thus, for example, cells from a patient may be engineered with a polynucleotide (DNA or RNA) comprising a promoter operably linked to a polynucleotide of the present invention ex vivo, with the engineered cells then being provided to a patient to be treated with the polypeptide of the present invention. Such methods are well-known in the art. For example, see Beldegrun, A., et al., J. Natl. Cancer Inst. 85: 207-216 (1993); Ferrantini, M. et al., Cancer Research 53: 1107-1112 (1993); Ferrantini, M. et al., J. Immunology 153: 4604-4615 (1994); Kaido, T., et al., Int. J. Cancer 60: 221-229 (1995); Ogura, H., et al., Cancer Research 50: 5102-5106 (1990); Santodonato, L., et al., Human Gene Therapy 7:1-10 (1996); Santodonato, L., et al., Gene Therapy 4:1246-1255 (1997); and Zhang, J.-F. et al., Cancer Gene Therapy 3: 31-38 (1996)), which are herein incorporated by reference. In one embodiment, the cells which are engineered are arterial cells. The arterial cells may be reintroduced into the patient through direct injection to the artery, the tissues surrounding the artery, or through catheter injection.

As discussed in more detail below, the polynucleotide constructs can be delivered by any method that delivers injectable materials to the cells of an animal, such as, injection into the interstitial space of tissues (heart, muscle, skin, lung, liver, and the like). The polynucleotide constructs may be delivered in a pharmaceutically acceptable liquid or aqueous carrier.

In one embodiment, the polynucleotide of the present invention is delivered as a naked polynucleotide. The term "naked" polynucleotide, DNA or RNA refers to sequences that are free from any delivery vehicle that acts to assist, promote or facilitate entry into the cell, including viral sequences, viral particles, liposome formulations, lipofectin or precipitating agents and the like. However, the polynucleotide of the present invention can

also be delivered in liposome formulations and lipofectin formulations and the like can be prepared by methods well known to those skilled in the art. Such methods are described, for example, in U.S. Patent Nos. 5,593,972, 5,589,466, and 5,580,859, which are herein incorporated by reference.

5       The polynucleotide vector constructs used in the gene therapy method are preferably constructs that will not integrate into the host genome nor will they contain sequences that allow for replication. Appropriate vectors include pWLNEO, pSV2CAT, pOG44, pXT1 and pSG available from Stratagene; pSVK3, pBPV, pMSG and pSVL available from Pharmacia; and pEF1/V5, pcDNA3.1, and pRc/CMV2 available from Invitrogen. Other suitable vectors  
10 will be readily apparent to the skilled artisan.

Any strong promoter known to those skilled in the art can be used for driving the expression of the polynucleotide sequence. Suitable promoters include adenoviral promoters, such as the adenoviral major late promoter; or heterologous promoters, such as the cytomegalovirus (CMV) promoter; the respiratory syncytial virus (RSV) promoter; inducible  
15 promoters, such as the MMT promoter, the metallothionein promoter; heat shock promoters; the albumin promoter; the ApoA1 promoter; human globin promoters; viral thymidine kinase promoters, such as the Herpes Simplex thymidine kinase promoter; retroviral LTRs; the  $\beta$ -actin promoter; and human growth hormone promoters. The promoter also may be the native promoter for the polynucleotide of the present invention.

20       Unlike other gene therapy techniques, one major advantage of introducing naked nucleic acid sequences into target cells is the transitory nature of the polynucleotide synthesis in the cells. Studies have shown that non-replicating DNA sequences can be introduced into cells to provide production of the desired polypeptide for periods of up to six months.

The polynucleotide construct can be delivered to the interstitial space of tissues within  
25 the an animal, including of muscle, skin, brain, lung, liver, spleen, bone marrow, thymus, heart, lymph, blood, bone, cartilage, pancreas, kidney, gall bladder, stomach, intestine, testis, ovary, uterus, rectum, nervous system, eye, gland, and connective tissue. Interstitial space of the tissues comprises the intercellular, fluid, mucopolysaccharide matrix among the reticular fibers of organ tissues, elastic fibers in the walls of vessels or chambers, collagen fibers of  
30 fibrous tissues, or that same matrix within connective tissue ensheathing muscle cells or in the lacunae of bone. It is similarly the space occupied by the plasma of the circulation and the lymph fluid of the lymphatic channels. Delivery to the interstitial space of muscle tissue is

preferred for the reasons discussed below. They may be conveniently delivered by injection into the tissues comprising these cells. They are preferably delivered to and expressed in persistent, non-dividing cells which are differentiated, although delivery and expression may be achieved in non-differentiated or less completely differentiated cells, such as, for example, stem cells of blood or skin fibroblasts. In vivo muscle cells are particularly competent in their ability to take up and express polynucleotides.

For the naked nucleic acid sequence injection, an effective dosage amount of DNA or RNA will be in the range of from about 0.05 mg/kg body weight to about 50 mg/kg body weight. Preferably the dosage will be from about 0.005 mg/kg to about 20 mg/kg and more preferably from about 0.05 mg/kg to about 5 mg/kg. Of course, as the artisan of ordinary skill will appreciate, this dosage will vary according to the tissue site of injection. The appropriate and effective dosage of nucleic acid sequence can readily be determined by those of ordinary skill in the art and may depend on the condition being treated and the route of administration.

The preferred route of administration is by the parenteral route of injection into the interstitial space of tissues. However, other parenteral routes may also be used, such as, inhalation of an aerosol formulation particularly for delivery to lungs or bronchial tissues, throat or mucous membranes of the nose. In addition, naked DNA constructs can be delivered to arteries during angioplasty by the catheter used in the procedure.

The naked polynucleotides are delivered by any method known in the art, including, but not limited to, direct needle injection at the delivery site, intravenous injection, topical administration, catheter infusion, and so-called "gene guns". These delivery methods are known in the art.

The constructs may also be delivered with delivery vehicles such as viral sequences, viral particles, liposome formulations, lipofectin, precipitating agents, etc. Such methods of delivery are known in the art.

In certain embodiments, the polynucleotide constructs are complexed in a liposome preparation. Liposomal preparations for use in the instant invention include cationic (positively charged), anionic (negatively charged) and neutral preparations. However, cationic liposomes are particularly preferred because a tight charge complex can be formed between the cationic liposome and the polyanionic nucleic acid. Cationic liposomes have been shown to mediate intracellular delivery of plasmid DNA (Felgner et al., Proc. Natl. Acad. Sci. USA (1987) 84:7413-7416, which is herein incorporated by reference); mRNA

(Malone et al., Proc. Natl. Acad. Sci. USA (1989) 86:6077-6081, which is herein incorporated by reference); and purified transcription factors (Debs et al., J. Biol. Chem. (1990) 265:10189-10192, which is herein incorporated by reference), in functional form.

Cationic liposomes are readily available. For example,  
5 N[1-2,3-dioleoyloxy)propyl]-N,N,N-triethylammonium (DOTMA) liposomes are particularly useful and are available under the trademark Lipofectin, from GIBCO BRL, Grand Island, N.Y. (See, also, Felgner et al., Proc. Natl. Acad. Sci. USA (1987) 84:7413-7416, which is herein incorporated by reference). Other commercially available liposomes include transfectace (DDAB/DOPE) and DOTAP/DOPE (Boehringer).

10 Other cationic liposomes can be prepared from readily available materials using techniques well known in the art. See, e.g. PCT Publication No. WO 90/11092 (which is herein incorporated by reference) for a description of the synthesis of DOTAP (1,2-bis(oleoyloxy)-3-(trimethylammonio)propane) liposomes. Preparation of DOTMA liposomes is explained in the literature, see, e.g., P. Felgner et al., Proc. Natl. Acad. Sci. USA  
15 84:7413-7417, which is herein incorporated by reference. Similar methods can be used to prepare liposomes from other cationic lipid materials.

Similarly, anionic and neutral liposomes are readily available, such as from Avanti Polar Lipids (Birmingham, Ala.), or can be easily prepared using readily available materials. Such materials include phosphatidyl, choline, cholesterol, phosphatidyl ethanolamine,  
20 dioleoylphosphatidyl choline (DOPC), dioleoylphosphatidyl glycerol (DOPG), dioleoylphosphatidyl ethanolamine (DOPE), among others. These materials can also be mixed with the DOTMA and DOTAP starting materials in appropriate ratios. Methods for making liposomes using these materials are well known in the art.

For example, commercially dioleoylphosphatidyl choline (DOPC),  
25 dioleoylphosphatidyl glycerol (DOPG), and dioleoylphosphatidyl ethanolamine (DOPE) can be used in various combinations to make conventional liposomes, with or without the addition of cholesterol. Thus, for example, DOPG/DOPC vesicles can be prepared by drying 50 mg each of DOPG and DOPC under a stream of nitrogen gas into a sonication vial. The sample is placed under a vacuum pump overnight and is hydrated the following day with  
30 deionized water. The sample is then sonicated for 2 hours in a capped vial, using a Heat Systems model 350 sonicator equipped with an inverted cup (bath type) probe at the maximum setting while the bath is circulated at 15EC. Alternatively, negatively charged

vesicles can be prepared without sonication to produce multilamellar vesicles or by extrusion through nucleopore membranes to produce unilamellar vesicles of discrete size. Other methods are known and available to those of skill in the art.

The liposomes can comprise multilamellar vesicles (MLVs), small unilamellar vesicles (SUVs), or large unilamellar vesicles (LUVs), with SUVs being preferred. The various liposome-nucleic acid complexes are prepared using methods well known in the art. See, e.g., Straubinger et al., *Methods of Immunology* (1983), 101:512-527, which is herein incorporated by reference. For example, MLVs containing nucleic acid can be prepared by depositing a thin film of phospholipid on the walls of a glass tube and subsequently hydrating with a solution of the material to be encapsulated. SUVs are prepared by extended sonication of MLVs to produce a homogeneous population of unilamellar liposomes. The material to be entrapped is added to a suspension of preformed MLVs and then sonicated. When using liposomes containing cationic lipids, the dried lipid film is resuspended in an appropriate solution such as sterile water or an isotonic buffer solution such as 10 mM Tris/NaCl, sonicated, and then the preformed liposomes are mixed directly with the DNA. The liposome and DNA form a very stable complex due to binding of the positively charged liposomes to the cationic DNA. SUVs find use with small nucleic acid fragments. LUVs are prepared by a number of methods, well known in the art. Commonly used methods include  $\text{Ca}^{2+}$ -EDTA chelation (Papahadjopoulos et al., *Biochim. Biophys. Acta* (1975) 394:483; Wilson et al., *Cell* (1979) 17:77); ether injection (Deamer, D. and Bangham, A., *Biochim. Biophys. Acta* (1976) 443:629; Ostro et al., *Biochem. Biophys. Res. Commun.* (1977) 76:836; Fraley et al., *Proc. Natl. Acad. Sci. USA* (1979) 76:3348); detergent dialysis (Enoch, H. and Strittmatter, P., *Proc. Natl. Acad. Sci. USA* (1979) 76:145); and reverse-phase evaporation (REV) (Fraley et al., *J. Biol. Chem.* (1980) 255:10431; Szoka, F. and Papahadjopoulos, D., *Proc. Natl. Acad. Sci. USA* (1978) 75:145; Schaefer-Ridder et al., *Science* (1982) 215:166), which are herein incorporated by reference.

Generally, the ratio of DNA to liposomes will be from about 10:1 to about 1:10. Preferably, the ration will be from about 5:1 to about 1:5. More preferably, the ration will be about 3:1 to about 1:3. Still more preferably, the ratio will be about 1:1.

U.S. Patent No. 5,676,954 (which is herein incorporated by reference) reports on the injection of genetic material, complexed with cationic liposomes carriers, into mice. U.S. Patent Nos. 4,897,355, 4,946,787, 5,049,386, 5,459,127, 5,589,466, 5,693,622, 5,580,859,

5.703.055, and international publication no. WO 94/9469 (which are herein incorporated by reference) provide cationic lipids for use in transfecting DNA into cells and mammals. U.S. Patent Nos. 5,589,466, 5,693,622, 5,580,859, 5,703,055, and international publication no. WO 94/9469 (which are herein incorporated by reference) provide methods for delivering DNA-cationic lipid complexes to mammals.

In certain embodiments, cells are engineered, *ex vivo* or *in vivo*, using a retroviral particle containing RNA which comprises a sequence encoding a polypeptide of the present invention. Retroviruses from which the retroviral plasmid vectors may be derived include, but are not limited to, Moloney Murine Leukemia Virus, spleen necrosis virus, Rous sarcoma Virus, Harvey Sarcoma Virus, avian leukosis virus, gibbon ape leukemia virus, human immunodeficiency virus, Myeloproliferative Sarcoma Virus, and mammary tumor virus.

The retroviral plasmid vector is employed to transduce packaging cell lines to form producer cell lines. Examples of packaging cells which may be transfected include, but are not limited to, the PE501, PA317, R-2, R-AM, PA12, T19-14X, VT-19-17-H2, RCRE, RCRIP, GP+E-86, GP+envAm12, and DAN cell lines as described in Miller, Human Gene Therapy 1:5-14 (1990), which is incorporated herein by reference in its entirety. The vector may transduce the packaging cells through any means known in the art. Such means include, but are not limited to, electroporation, the use of liposomes, and  $\text{CaPO}_4$  precipitation. In one alternative, the retroviral plasmid vector may be encapsulated into a liposome, or coupled to a lipid, and then administered to a host.

The producer cell line generates infectious retroviral vector particles which include polynucleotide encoding a polypeptide of the present invention. Such retroviral vector particles then may be employed, to transduce eukaryotic cells, either *in vitro* or *in vivo*. The transduced eukaryotic cells will express a polypeptide of the present invention.

In certain other embodiments, cells are engineered, *ex vivo* or *in vivo*, with polynucleotide contained in an adenovirus vector. Adenovirus can be manipulated such that it encodes and expresses a polypeptide of the present invention, and at the same time is inactivated in terms of its ability to replicate in a normal lytic viral life cycle. Adenovirus expression is achieved without integration of the viral DNA into the host cell chromosome, thereby alleviating concerns about insertional mutagenesis. Furthermore, adenoviruses have been used as live enteric vaccines for many years with an excellent safety profile (Schwartz, A. R. et al. (1974) *Am. Rev. Respir. Dis.* 109:233-238). Finally, adenovirus mediated gene



transfer has been demonstrated in a number of instances including transfer of alpha-1-antitrypsin and CFTR to the lungs of cotton rats (Rosenfeld, M. A. et al. (1991) Science 252:431-434; Rosenfeld et al., (1992) Cell 68:143-155). Furthermore, extensive studies to attempt to establish adenovirus as a causative agent in human cancer were uniformly negative (Green, M. et al. (1979) Proc. Natl. Acad. Sci. USA 76:6606).

Suitable adenoviral vectors useful in the present invention are described, for example, in Kozarsky and Wilson, Curr. Opin. Genet. Devel. 3:499-503 (1993); Rosenfeld et al., Cell 68:143-155 (1992); Engelhardt et al., Human Genet. Ther. 4:759-769 (1993); Yang et al., Nature Genet. 7:362-369 (1994); Wilson et al., Nature 365:691-692 (1993); and U.S. Patent No. 5,652,224, which are herein incorporated by reference. For example, the adenovirus vector Ad2 is useful and can be grown in human 293 cells. These cells contain the E1 region of adenovirus and constitutively express E1a and E1b, which complement the defective adenoviruses by providing the products of the genes deleted from the vector. In addition to Ad2, other varieties of adenovirus (e.g., Ad3, Ad5, and Ad7) are also useful in the present invention.

Preferably, the adenoviruses used in the present invention are replication deficient. Replication deficient adenoviruses require the aid of a helper virus and/or packaging cell line to form infectious particles. The resulting virus is capable of infecting cells and can express a polynucleotide of interest which is operably linked to a promoter, but cannot replicate in most cells. Replication deficient adenoviruses may be deleted in one or more of all or a portion of the following genes: E1a, E1b, E3, E4, E2a, or L1 through L5.

In certain other embodiments, the cells are engineered, ex vivo or in vivo, using an adeno-associated virus (AAV). AAVs are naturally occurring defective viruses that require helper viruses to produce infectious particles (Muzyczka, N., Curr. Topics in Microbiol. Immunol. 158:97 (1992)). It is also one of the few viruses that may integrate its DNA into non-dividing cells. Vectors containing as little as 300 base pairs of AAV can be packaged and can integrate, but space for exogenous DNA is limited to about 4.5 kb. Methods for producing and using such AAVs are known in the art. See, for example, U.S. Patent Nos. 5,139,941, 5,173,414, 5,354,678, 5,436,146, 5,474,935, 5,478,745, and 5,589,377.

For example, an appropriate AAV vector for use in the present invention will include all the sequences necessary for DNA replication, encapsidation, and host-cell integration. The polynucleotide construct is inserted into the AAV vector using standard cloning

methods, such as those found in Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Press (1989). The recombinant AAV vector is then transfected into packaging cells which are infected with a helper virus, using any standard technique, including lipofection, electroporation, calcium phosphate precipitation, etc. Appropriate helper viruses include adenoviruses, cytomegaloviruses, vaccinia viruses, or herpes viruses. Once the packaging cells are transfected and infected, they will produce infectious AAV viral particles which contain the polynucleotide construct. These viral particles are then used to transduce eukaryotic cells, either ex vivo or in vivo. The transduced cells will contain the polynucleotide construct integrated into its genome, and will express a polypeptide of the invention.

Another method of gene therapy involves operably associating heterologous control regions and endogenous polynucleotide sequences (e.g. encoding a polypeptide of the present invention) via homologous recombination (see, e.g., U.S. Patent No. 5,641,670, issued June 24, 1997; International Publication No. WO 96/29411, published September 26, 1996; International Publication No. WO 94/12650, published August 4, 1994; Koller et al., *Proc. Natl. Acad. Sci. USA* 86:8932-8935 (1989); and Zijlstra et al., *Nature* 342:435-438 (1989). This method involves the activation of a gene which is present in the target cells, but which is not normally expressed in the cells, or is expressed at a lower level than desired.

Polynucleotide constructs are made, using standard techniques known in the art, which contain the promoter with targeting sequences flanking the promoter. Suitable promoters are described herein. The targeting sequence is sufficiently complementary to an endogenous sequence to permit homologous recombination of the promoter-targeting sequence with the endogenous sequence. The targeting sequence will be sufficiently near the 5' end of the desired endogenous polynucleotide sequence so the promoter will be operably linked to the endogenous sequence upon homologous recombination.

The promoter and the targeting sequences can be amplified using PCR. Preferably, the amplified promoter contains distinct restriction enzyme sites on the 5' and 3' ends. Preferably, the 3' end of the first targeting sequence contains the same restriction enzyme site as the 5' end of the amplified promoter and the 5' end of the second targeting sequence contains the same restriction site as the 3' end of the amplified promoter. The amplified promoter and targeting sequences are digested and ligated together.

The promoter-targeting sequence construct is delivered to the cells, either as naked polynucleotide, or in conjunction with transfection-facilitating agents, such as liposomes, viral sequences, viral particles, whole viruses, lipofection, precipitating agents, etc., described in more detail above. The P promoter-targeting sequence can be delivered by any method, included direct needle injection, intravenous injection, topical administration, catheter infusion, particle accelerators, etc. The methods are described in more detail below.

The promoter-targeting sequence construct is taken up by cells. Homologous recombination between the construct and the endogenous sequence takes place, such that an endogenous sequence is placed under the control of the promoter. The promoter then drives the expression of the endogenous sequence.

Preferably, the polynucleotide encoding a polypeptide of the present invention contains a secretory signal sequence that facilitates secretion of the protein. Typically, the signal sequence is positioned in the coding region of the polynucleotide to be expressed towards or at the 5' end of the coding region. The signal sequence may be homologous or heterologous to the polynucleotide of interest and may be homologous or heterologous to the cells to be transfected. Additionally, the signal sequence may be chemically synthesized using methods known in the art.

Any mode of administration of any of the above-described polynucleotides constructs can be used so long as the mode results in the expression of one or more molecules in an amount sufficient to provide a therapeutic effect. This includes direct needle injection, systemic injection, catheter infusion, biolistic injectors, particle accelerators (i.e., "gene guns"), gelfoam sponge depots, other commercially available depot materials, osmotic pumps (e.g., Alza minipumps), oral or suppositorial solid (tablet or pill) pharmaceutical formulations, and decanting or topical applications during surgery. For example, direct injection of naked calcium phosphate-precipitated plasmid into rat liver and rat spleen or a protein-coated plasmid into the portal vein has resulted in gene expression of the foreign gene in the rat livers (Kaneda et al., Science 243:375 (1989)).

A preferred method of local administration is by direct injection. Preferably, a recombinant molecule of the present invention complexed with a delivery vehicle is administered by direct injection into or locally within the area of arteries. Administration of a composition locally within the area of arteries refers to injecting the composition centimeters and preferably, millimeters within arteries.

Another method of local administration is to contact a polynucleotide construct of the present invention in or around a surgical wound. For example, a patient can undergo surgery and the polynucleotide construct can be coated on the surface of tissue inside the wound or the construct can be injected into areas of tissue inside the wound.

5       Therapeutic compositions useful in systemic administration, include recombinant molecules of the present invention complexed to a targeted delivery vehicle of the present invention. Suitable delivery vehicles for use with systemic administration comprise liposomes comprising ligands for targeting the vehicle to a particular site.

10       Preferred methods of systemic administration, include intravenous injection, aerosol, oral and percutaneous (topical) delivery. Intravenous injections can be performed using methods standard in the art. Aerosol delivery can also be performed using methods standard in the art (see, for example, Stribling et al., Proc. Natl. Acad. Sci. USA 189:11277-11281, 1992, which is incorporated herein by reference). Oral delivery can be performed by  
15       complexing a polynucleotide construct of the present invention to a carrier capable of withstanding degradation by digestive enzymes in the gut of an animal. Examples of such carriers, include plastic capsules or tablets, such as those known in the art. Topical delivery can be performed by mixing a polynucleotide construct of the present invention with a lipophilic reagent (e.g., DMSO) that is capable of passing into the skin.

20       Determining an effective amount of substance to be delivered can depend upon a number of factors including, for example, the chemical structure and biological activity of the substance, the age and weight of the animal, the precise condition requiring treatment and its severity, and the route of administration. The frequency of treatments depends upon a number of factors, such as the amount of polynucleotide constructs administered per dose, as well as the health and history of the subject. The precise amount, number of doses, and  
25       timing of doses will be determined by the attending physician or veterinarian.

Therapeutic compositions of the present invention can be administered to any animal, preferably to mammals and birds. Preferred mammals include humans, dogs, cats, mice, rats, rabbits sheep, cattle, horses and pigs, with humans being particularly preferred.

### 30    Biological Activities

Polynucleotides or polypeptides, or agonists or antagonists of the present invention, can be used in assays to test for one or more biological activities. If these polynucleotides or

polypeptides, or agonists or antagonists of the present invention, do exhibit activity in a particular assay, it is likely that these molecules may be involved in the diseases associated with the biological activity. Thus, the polynucleotides and polypeptides, and agonists or antagonists could be used to treat the associated disease.

5

### **Immune Activity**

A polypeptide or polynucleotide, or agonists or antagonists of the present invention may be useful in treating deficiencies or disorders of the immune system, by activating or inhibiting the proliferation, differentiation, or mobilization (chemotaxis) of immune cells.

10 Immune cells develop through a process called hematopoiesis, producing myeloid (platelets, red blood cells, neutrophils, and macrophages) and lymphoid (B and T lymphocytes) cells from pluripotent stem cells. The etiology of these immune deficiencies or disorders may be genetic, somatic, such as cancer or some autoimmune disorders, acquired (e.g., by chemotherapy or toxins), or infectious. Moreover, polynucleotides or polypeptides, or  
15 agonists or antagonists of the present invention can be used as a marker or detector of a particular immune system disease or disorder.

Polynucleotides or polypeptides, or agonists or antagonists of the present invention may be useful in treating or detecting deficiencies or disorders of hematopoietic cells. Polynucleotides or polypeptides, or agonists or antagonists of the present invention could be  
20 used to increase differentiation and proliferation of hematopoietic cells, including the pluripotent stem cells, in an effort to treat those disorders associated with a decrease in certain (or many) types hematopoietic cells. Examples of immunologic deficiency syndromes include, but are not limited to: blood protein disorders (e.g. agammaglobulinemia, dysgammaglobulinemia), ataxia telangiectasia, common variable  
25 immunodeficiency, Digeorge Syndrome, HIV infection, HTLV-BLV infection, leukocyte adhesion deficiency syndrome, lymphopenia, phagocyte bactericidal dysfunction, severe combined immunodeficiency (SCIDs), Wiskott-Aldrich Disorder, anemia, thrombocytopenia, or hemoglobinuria.

Moreover, polynucleotides or polypeptides, or agonists or antagonists of the present  
30 invention could also be used to modulate hemostatic (the stopping of bleeding) or thrombolytic activity (clot formation). For example, by increasing hemostatic or thrombolytic activity, polynucleotides or polypeptides, or agonists or antagonists of the

present invention could be used to treat blood coagulation disorders (e.g., afibrinogenemia, factor deficiencies), blood platelet disorders (e.g. thrombocytopenia), or wounds resulting from trauma, surgery, or other causes. Alternatively, polynucleotides or polypeptides, or agonists or antagonists of the present invention that can decrease hemostatic or thrombolytic activity could be used to inhibit or dissolve clotting. These molecules could be important in the treatment of heart attacks (infarction), strokes, or scarring.

Polynucleotides or polypeptides, or agonists or antagonists of the present invention may also be useful in treating or detecting autoimmune disorders. Many autoimmune disorders result from inappropriate recognition of self as foreign material by immune cells. This inappropriate recognition results in an immune response leading to the destruction of the host tissue. Therefore, the administration of polynucleotides or polypeptides, or agonists or antagonists of the present invention that can inhibit an immune response, particularly the proliferation, differentiation, or chemotaxis of T-cells, may be an effective therapy in preventing autoimmune disorders.

Examples of autoimmune disorders that can be treated or detected include, but are not limited to: Addison's Disease, hemolytic anemia, antiphospholipid syndrome, rheumatoid arthritis, dermatitis, allergic encephalomyelitis, glomerulonephritis, Goodpasture's Syndrome, Graves' Disease, Multiple Sclerosis, Myasthenia Gravis, Neuritis, Ophthalmia, Bullous Pemphigoid, Pemphigus, Polyendocrinopathies, Purpura, Reiter's Disease, Stiff-Man Syndrome, Autoimmune Thyroiditis, Systemic Lupus Erythematosus, Autoimmune Pulmonary Inflammation, Guillain-Barre Syndrome, insulin dependent diabetes mellitus, and autoimmune inflammatory eye disease.

Similarly, allergic reactions and conditions, such as asthma (particularly allergic asthma) or other respiratory problems, may also be treated by polynucleotides or polypeptides, or agonists or antagonists of the present invention. Moreover, these molecules can be used to treat anaphylaxis, hypersensitivity to an antigenic molecule, or blood group incompatibility.

Polynucleotides or polypeptides, or agonists or antagonists of the present invention may also be used to treat and/or prevent organ rejection or graft-versus-host disease (GVHD). Organ rejection occurs by host immune cell destruction of the transplanted tissue through an immune response. Similarly, an immune response is also involved in GVHD, but, in this case, the foreign transplanted immune cells destroy the host tissues. The administration of

polynucleotides or polypeptides, or agonists or antagonists of the present invention that inhibits an immune response, particularly the proliferation, differentiation, or chemotaxis of T-cells, may be an effective therapy in preventing organ rejection or GVHD.

Similarly, polynucleotides or polypeptides, or agonists or antagonists of the present invention may also be used to modulate inflammation. For example, polynucleotides or polypeptides, or agonists or antagonists of the present invention may inhibit the proliferation and differentiation of cells involved in an inflammatory response. These molecules can be used to treat inflammatory conditions, both chronic and acute conditions, including chronic prostatitis, granulomatous prostatitis and malacoplakia, inflammation associated with infection (e.g., septic shock, sepsis, or systemic inflammatory response syndrome (SIRS)), ischemia-reperfusion injury, endotoxin lethality, arthritis, complement-mediated hyperacute rejection, nephritis, cytokine or chemokine induced lung injury, inflammatory bowel disease, Crohn's disease, or resulting from over production of cytokines (e.g., TNF or IL-1.)

#### **Hyperproliferative Disorders**

Polynucleotides or polypeptides, or agonists or antagonists of the present invention can be used to treat or detect hyperproliferative disorders, including neoplasms. Polynucleotides or polypeptides, or agonists or antagonists of the present invention may inhibit the proliferation of the disorder through direct or indirect interactions. Alternatively, Polynucleotides or polypeptides, or agonists or antagonists of the present invention may proliferate other cells which can inhibit the hyperproliferative disorder.

For example, by increasing an immune response, particularly increasing antigenic qualities of the hyperproliferative disorder or by proliferating, differentiating, or mobilizing T-cells, hyperproliferative disorders can be treated. This immune response may be increased by either enhancing an existing immune response, or by initiating a new immune response. Alternatively, decreasing an immune response may also be a method of treating hyperproliferative disorders, such as a chemotherapeutic agent.

Examples of hyperproliferative disorders that can be treated or detected by Polynucleotides or polypeptides, or agonists or antagonists of the present invention include, but are not limited to neoplasms located in the: colon, abdomen, bone, breast, digestive system, liver, pancreas, peritoneum, endocrine glands (adrenal, parathyroid, pituitary,

testicles, ovary, thymus, thyroid), eye, head and neck, nervous (central and peripheral), lymphatic system, pelvic, skin, soft tissue, spleen, thoracic, and urogenital.

Similarly, other hyperproliferative disorders can also be treated or detected by polynucleotides or polypeptides, or agonists or antagonists of the present invention. Examples of such hyperproliferative disorders include, but are not limited to: hypergammaglobulinemia, lymphoproliferative disorders, paraproteinemias, purpura, sarcoidosis, Sezary Syndrome, Waldenström's Macroglobulinemia, Gaucher's Disease, histiocytosis, and any other hyperproliferative disease, besides neoplasia, located in an organ system listed above.

One preferred embodiment utilizes polynucleotides of the present invention to inhibit aberrant cellular division, by gene therapy using the present invention, and/or protein fusions or fragments thereof.

Thus, the present invention provides a method for treating cell proliferative disorders by inserting into an abnormally proliferating cell a polynucleotide of the present invention, wherein said polynucleotide represses said expression.

Another embodiment of the present invention provides a method of treating cell-proliferative disorders in individuals comprising administration of one or more active gene copies of the present invention to an abnormally proliferating cell or cells. In a preferred embodiment, polynucleotides of the present invention is a DNA construct comprising a recombinant expression vector effective in expressing a DNA sequence encoding said polynucleotides. In another preferred embodiment of the present invention, the DNA construct encoding the polynucleotides of the present invention is inserted into cells to be treated utilizing a retrovirus, or more preferably an adenoviral vector (See G J. Nabel, et. al., PNAS 1999 96: 324-326, which is hereby incorporated by reference). In a most preferred embodiment, the viral vector is defective and will not transform non-proliferating cells, only proliferating cells. Moreover, in a preferred embodiment, the polynucleotides of the present invention inserted into proliferating cells either alone, or in combination with or fused to other polynucleotides, can then be modulated via an external stimulus (i.e. magnetic, specific small molecule, chemical, or drug administration, etc.), which acts upon the promoter upstream of said polynucleotides to induce expression of the encoded protein product. As such the beneficial therapeutic affect of the present invention may be expressly modulated



(i.e. to increase, decrease, or inhibit expression of the present invention) based upon said external stimulus.

Polynucleotides of the present invention may be useful in repressing expression of oncogenic genes or antigens. By "repressing expression of the oncogenic genes " is intended the suppression of the transcription of the gene, the degradation of the gene transcript (pre-  
5 message RNA), the inhibition of splicing, the destruction of the messenger RNA, the prevention of the post-translational modifications of the protein, the destruction of the protein, or the inhibition of the normal function of the protein.

For local administration to abnormally proliferating cells, polynucleotides of the present invention may be administered by any method known to those of skill in the art including, but not limited to transfection, electroporation, microinjection of cells, or in  
10 vehicles such as liposomes, lipofectin, or as naked polynucleotides, or any other method described throughout the specification. The polynucleotide of the present invention may be delivered by known gene delivery systems such as, but not limited to, retroviral vectors  
15 (Gilboa, J. Virology 44:845 (1982); Hocke, Nature 320:275 (1986); Wilson, et al., Proc. Natl. Acad. Sci. U.S.A. 85:3014), vaccinia virus system (Chakrabarty et al., Mol. Cell Biol. 5:3403 (1985) or other efficient DNA delivery systems (Yates et al., Nature 313:812 (1985)) known to those skilled in the art. These references are exemplary only and are hereby incorporated by reference. In order to specifically deliver or transfect cells which are abnormally  
20 proliferating and spare non-dividing cells, it is preferable to utilize a retrovirus, or adenoviral (as described in the art and elsewhere herein) delivery system known to those of skill in the art. Since host DNA replication is required for retroviral DNA to integrate and the retrovirus will be unable to self replicate due to the lack of the retrovirus genes needed for its life cycle. Utilizing such a retroviral delivery system for polynucleotides of the present invention will  
25 target said gene and constructs to abnormally proliferating cells and will spare the non-dividing normal cells.

The polynucleotides of the present invention may be delivered directly to cell proliferative disorder/disease sites in internal organs, body cavities and the like by use of imaging devices used to guide an injecting needle directly to the disease site. The  
30 polynucleotides of the present invention may also be administered to disease sites at the time of surgical intervention.

By "cell proliferative disease" is meant any human or animal disease or disorder, affecting any one or any combination of organs, cavities, or body parts, which is characterized by single or multiple local abnormal proliferations of cells, groups of cells, or tissues, whether benign or malignant.

5 Any amount of the polynucleotides of the present invention may be administered as long as it has a biologically inhibiting effect on the proliferation of the treated cells. Moreover, it is possible to administer more than one of the polynucleotide of the present invention simultaneously to the same site. By "biologically inhibiting" is meant partial or total growth inhibition as well as decreases in the rate of proliferation or growth of the cells.

10 The biologically inhibitory dose may be determined by assessing the effects of the polynucleotides of the present invention on target malignant or abnormally proliferating cell growth in tissue culture, tumor growth in animals and cell cultures, or any other method known to one of ordinary skill in the art.

The present invention is further directed to antibody-based therapies which involve

15 administering of anti-polypeptides and anti-polynucleotide antibodies to a mammalian, preferably human, patient for treating one or more of the described disorders. Methods for producing anti-polypeptides and anti-polynucleotide antibodies polyclonal and monoclonal antibodies are described in detail elsewhere herein. Such antibodies may be provided in pharmaceutically acceptable compositions as known in the art or as described herein.

20 A summary of the ways in which the antibodies of the present invention may be used therapeutically includes binding polynucleotides or polypeptides of the present invention locally or systemically in the body or by direct cytotoxicity of the antibody, e.g. as mediated by complement (CDC) or by effector cells (ADCC). Some of these approaches are described in more detail below. Armed with the teachings provided herein, one of ordinary skill in the

25 art will know how to use the antibodies of the present invention for diagnostic, monitoring or therapeutic purposes without undue experimentation.

In particular, the antibodies, fragments and derivatives of the present invention are useful for treating a subject having or developing cell proliferative and/or differentiation disorders as described herein. Such treatment comprises administering a single or multiple

30 doses of the antibody, or a fragment, derivative, or a conjugate thereof.

The antibodies of this invention may be advantageously utilized in combination with other monoclonal or chimeric antibodies, or with lymphokines or hematopoietic growth

factors, for example., which serve to increase the number or activity of effector cells which interact with the antibodies.

It is preferred to use high affinity and/or potent in vivo inhibiting and/or neutralizing antibodies against polypeptides or polynucleotides of the present invention. fragments or  
5 regions thereof, for both immunoassays directed to and therapy of disorders related to polynucleotides or polypeptides, including fragments thereof, of the present invention. Such antibodies, fragments, or regions, will preferably have an affinity for polynucleotides or polypeptides, including fragments thereof. Preferred binding affinities include those with a dissociation constant or  $K_d$  less than  $5 \times 10^{-6}M$ ,  $10^{-6}M$ ,  $5 \times 10^{-7}M$ ,  $10^{-7}M$ ,  $5 \times 10^{-8}M$ ,  $10^{-8}M$ ,  
10  $5 \times 10^{-9}M$ ,  $10^{-9}M$ ,  $5 \times 10^{-10}M$ ,  $10^{-10}M$ ,  $5 \times 10^{-11}M$ ,  $10^{-11}M$ ,  $5 \times 10^{-12}M$ ,  $10^{-12}M$ ,  $5 \times 10^{-13}M$ ,  $10^{-13}M$ ,  $5 \times 10^{-14}M$ ,  $10^{-14}M$ ,  $5 \times 10^{-15}M$ , and  $10^{-15}M$ .

Moreover, polypeptides of the present invention are useful in inhibiting the angiogenesis of proliferative cells or tissues, either alone, as a protein fusion, or in combination with other polypeptides directly or indirectly, as described elsewhere herein. In a  
15 most preferred embodiment, said anti-angiogenesis effect may be achieved indirectly, for example, through the inhibition of hematopoietic, tumor-specific cells, such as tumor-associated macrophages (See Joseph IB, et al. J Natl Cancer Inst, 90(21):1648-53 (1998), which is hereby incorporated by reference). Antibodies directed to polypeptides or polynucleotides of the present invention may also result in inhibition of angiogenesis directly,  
20 or indirectly (See Witte L, et al., Cancer Metastasis Rev. 17(2):155-61 (1998), which is hereby incorporated by reference)).

Polypeptides, including protein fusions, of the present invention, or fragments thereof may be useful in inhibiting proliferative cells or tissues through the induction of apoptosis. Said polypeptides may act either directly, or indirectly to induce apoptosis of proliferative  
25 cells and tissues, for example in the activation of a death-domain receptor, such as tumor necrosis factor (TNF) receptor-1, CD95 (Fas/APO-1), TNF-receptor-related apoptosis-mediated protein (TRAMP) and TNF-related apoptosis-inducing ligand (TRAIL) receptor-1 and -2 (See Schulze-Osthoff K, et al., Eur J Biochem 254(3):439-59 (1998), which is hereby incorporated by reference). Moreover, in another preferred embodiment of the present  
30 invention, said polypeptides may induce apoptosis through other mechanisms, such as in the activation of other proteins which will activate apoptosis, or through stimulating the expression of said proteins, either alone or in combination with small molecule drugs or

adjuvants, such as apoptonin, galectins, thioredoxins, antiinflammatory proteins (See for example, Mutat Res 400(1-2):447-55 (1998), Med Hypotheses.50(5):423-33 (1998), Chem Biol Interact. Apr 24;111-112:23-34 (1998), J Mol Med.76(6):402-12 (1998), Int J Tissue React;20(1):3-15 (1998), which are all hereby incorporated by reference).

5 Polypeptides, including protein fusions to, or fragments thereof, of the present invention are useful in inhibiting the metastasis of proliferative cells or tissues. Inhibition may occur as a direct result of administering polypeptides, or antibodies directed to said polypeptides as described elsewhere herein, or indirectly, such as activating the expression of proteins known to inhibit metastasis, for example alpha 4 integrins, (See, e.g., Curr Top  
10 Microbiol Immunol 1998;231:125-41, which is hereby incorporated by reference). Such therapeutic affects of the present invention may be achieved either alone, or in combination with small molecule drugs or adjuvants.

In another embodiment, the invention provides a method of delivering compositions containing the polypeptides of the invention (e.g., compositions containing polypeptides or  
15 polypeptide antibodies associated with heterologous polypeptides, heterologous nucleic acids, toxins, or prodrugs) to targeted cells expressing the polypeptide of the present invention. Polypeptides or polypeptide antibodies of the invention may be associated with with heterologous polypeptides, heterologous nucleic acids, toxins, or prodrugs via hydrophobic, hydrophilic, ionic and/or covalent interactions. Polypeptides, protein fusions to, or  
20 fragments thereof, of the present invention are useful in enhancing the immunogenicity and/or antigenicity of proliferating cells or tissues, either directly, such as would occur if the polypeptides of the present invention 'vaccinated' the immune response to respond to proliferative antigens and immunogens, or indirectly, such as in activating the expression of proteins known to enhance the immune response (e.g. chemokines), to said antigens and  
25 immunogens.

### **Cardiovascular Disorders**

Polynucleotides or polypeptides, or agonists or antagonists of the present invention, may be used to treat cardiovascular disorders, including peripheral artery disease, such as  
30 limb ischemia.

Cardiovascular disorders include cardiovascular abnormalities, such as arterio-arterial fistula, arteriovenous fistula, cerebral arteriovenous malformations, congenital heart defects,

pulmonary atresia, and Scimitar Syndrome. Congenital heart defects include aortic coarctation, cor triatriatum, coronary vessel anomalies, crisscross heart, dextrocardia, patent ductus arteriosus, Ebstein's anomaly, Eisenmenger complex, hypoplastic left heart syndrome, levocardia, tetralogy of fallot, transposition of great vessels, double outlet right ventricle, tricuspid atresia, persistent truncus arteriosus, and heart septal defects, such as aortopulmonary septal defect, endocardial cushion defects, Lutembacher's Syndrome, trilog  
5 of Fallot, ventricular heart septal defects.

Cardiovascular disorders also include heart disease, such as arrhythmias, carcinoid heart disease, high cardiac output, low cardiac output, cardiac tamponade, endocarditis  
10 (including bacterial), heart aneurysm, cardiac arrest, congestive heart failure, congestive cardiomyopathy, paroxysmal dyspnea, cardiac edema, heart hypertrophy, congestive cardiomyopathy, left ventricular hypertrophy, right ventricular hypertrophy, post-infarction heart rupture, ventricular septal rupture, heart valve diseases, myocardial diseases, myocardial ischemia, pericardial effusion, pericarditis (including constrictive and  
15 tuberculous), pneumopericardium, postpericardiotomy syndrome, pulmonary heart disease, rheumatic heart disease, ventricular dysfunction, hyperemia, cardiovascular pregnancy complications, Scimitar Syndrome, cardiovascular syphilis, and cardiovascular tuberculosis.

Arrhythmias include sinus arrhythmia, atrial fibrillation, atrial flutter, bradycardia, extrasystole, Adams-Stokes Syndrome, bundle-branch block, sinoatrial block, long QT  
20 syndrome, parasystole, Lown-Ganong-Levine Syndrome, Mahaim-type pre-excitation syndrome, Wolff-Parkinson-White syndrome, sick sinus syndrome, tachycardias, and ventricular fibrillation. Tachycardias include paroxysmal tachycardia, supraventricular tachycardia, accelerated idioventricular rhythm, atrioventricular nodal reentry tachycardia, ectopic atrial tachycardia, ectopic junctional tachycardia, sinoatrial nodal reentry tachycardia,  
25 sinus tachycardia, Torsades de Pointes, and ventricular tachycardia.

Heart valve disease include aortic valve insufficiency, aortic valve stenosis, hear murmurs, aortic valve prolapse, mitral valve prolapse, tricuspid valve prolapse, mitral valve insufficiency, mitral valve stenosis, pulmonary atresia, pulmonary valve insufficiency, pulmonary valve stenosis, tricuspid atresia, tricuspid valve insufficiency, and tricuspid valve  
30 stenosis.

Myocardial diseases include alcoholic cardiomyopathy, congestive cardiomyopathy, hypertrophic cardiomyopathy, aortic subvalvular stenosis, pulmonary subvalvular stenosis,

restrictive cardiomyopathy, Chagas cardiomyopathy, endocardial fibroelastosis, endomyocardial fibrosis, Kearns Syndrome, myocardial reperfusion injury, and myocarditis.

Myocardial ischemias include coronary disease, such as angina pectoris, coronary aneurysm, coronary arteriosclerosis, coronary thrombosis, coronary vasospasm, myocardial infarction and myocardial stunning.

Cardiovascular diseases also include vascular diseases such as aneurysms, angiodyplasia, angiomatosis, bacillary angiomatosis, Hippel-Lindau Disease, Klippel-Trenaunay-Weber Syndrome, Sturge-Weber Syndrome, angioneurotic edema, aortic diseases, Takayasu's Arteritis, aortitis, Leriche's Syndrome, arterial occlusive diseases, arteritis, enarteritis, polyarteritis nodosa, cerebrovascular disorders, diabetic angiopathies, diabetic retinopathy, embolisms, thrombosis, erythromelalgia, hemorrhoids, hepatic veno-occlusive disease, hypertension, hypotension, ischemia, peripheral vascular diseases, phlebitis, pulmonary veno-occlusive disease, Raynaud's disease, CREST syndrome, retinal vein occlusion, Scimitar syndrome, superior vena cava syndrome, telangiectasia, atacia telangiectasia, hereditary hemorrhagic telangiectasia, varicocele, varicose veins, varicose ulcer, vasculitis, and venous insufficiency.

Aneurysms include dissecting aneurysms, false aneurysms, infected aneurysms, ruptured aneurysms, aortic aneurysms, cerebral aneurysms, coronary aneurysms, heart aneurysms, and iliac aneurysms.

Arterial occlusive diseases include arteriosclerosis, intermittent claudication, carotid stenosis, fibromuscular dysplasias, mesenteric vascular occlusion, Moyamoya disease, renal artery obstruction, retinal artery occlusion, and thromboangiitis obliterans.

Cerebrovascular disorders include carotid artery diseases, cerebral amyloid angiopathy, cerebral aneurysm, cerebral anoxia, cerebral arteriosclerosis, cerebral arteriovenous malformation, cerebral artery diseases, cerebral embolism and thrombosis, carotid artery thrombosis, sinus thrombosis, Wallenberg's syndrome, cerebral hemorrhage, epidural hematoma, subdural hematoma, subarachnoid hemorrhage, cerebral infarction, cerebral ischemia (including transient), subclavian steal syndrome, periventricular leukomalacia, vascular headache, cluster headache, migraine, and vertebrobasilar insufficiency.

Embolisms include air embolisms, amniotic fluid embolisms, cholesterol embolisms, blue toe syndrome, fat embolisms, pulmonary embolisms, and thromboembolisms.

Thrombosis include coronary thrombosis, hepatic vein thrombosis, retinal vein occlusion, carotid artery thrombosis, sinus thrombosis, Wallenberg's syndrome, and thrombophlebitis.

Ischemia includes cerebral ischemia, ischemic colitis, compartment syndromes, anterior compartment syndrome, myocardial ischemia, reperfusion injuries, and peripheral  
5 limb ischemia. Vasculitis includes aortitis, arteritis, Behcet's Syndrome, Churg-Strauss Syndrome, mucocutaneous lymph node syndrome, thromboangiitis obliterans, hypersensitivity vasculitis, Schoenlein-Henoch purpura, allergic cutaneous vasculitis, and Wegener's granulomatosis.

Polynucleotides or polypeptides, or agonists or antagonists of the present invention,  
10 are especially effective for the treatment of critical limb ischemia and coronary disease.

Polypeptides may be administered using any method known in the art, including, but not limited to, direct needle injection at the delivery site, intravenous injection, topical administration, catheter infusion, biolistic injectors, particle accelerators, gelfoam sponge depots, other commercially available depot materials, osmotic pumps, oral or suppository  
15 solid pharmaceutical formulations, decanting or topical applications during surgery, aerosol delivery. Such methods are known in the art. Polypeptides may be administered as part of a Therapeutic, described in more detail below. Methods of delivering polynucleotides are described in more detail herein.

## 20 **Anti-Angiogenesis Activity**

The naturally occurring balance between endogenous stimulators and inhibitors of angiogenesis is one in which inhibitory influences predominate. Rastinejad *et al.*, *Cell* 56:345-355 (1989). In those rare instances in which neovascularization occurs under normal physiological conditions, such as wound healing, organ regeneration, embryonic  
25 development, and female reproductive processes, angiogenesis is stringently regulated and spatially and temporally delimited. Under conditions of pathological angiogenesis such as that characterizing solid tumor growth, these regulatory controls fail. Unregulated angiogenesis becomes pathologic and sustains progression of many neoplastic and non-neoplastic diseases. A number of serious diseases are dominated by abnormal  
30 neovascularization including solid tumor growth and metastases, arthritis, some types of eye disorders, and psoriasis. See, e.g., reviews by Moses *et al.*, *Biotech.* 9:630-634 (1991); Folkman *et al.*, *N. Engl. J. Med.*, 333:1757-1763 (1995); Auerbach *et al.*, *J. Microvasc. Res.*

29:401-411 (1985); Folkman, *Advances in Cancer Research*, eds. Klein and Weinhouse, Academic Press, New York, pp. 175-203 (1985); Patz, *Am. J. Ophthalmol.* 94:715-743 (1982); and Folkman *et al.*, *Science* 221:719-725 (1983). In a number of pathological conditions, the process of angiogenesis contributes to the disease state. For example, significant data have accumulated which suggest that the growth of solid tumors is dependent on angiogenesis. Folkman and Klagsbrun, *Science* 235:442-447 (1987).

The polynucleotides encoding a polypeptide of the present invention may be administered along with other polynucleotides encoding an angiogenic protein. Examples of angiogenic proteins include, but are not limited to, acidic and basic fibroblast growth factors, VEGF-1, VEGF-2, VEGF-3, epidermal growth factor alpha and beta, platelet-derived endothelial cell growth factor, platelet-derived growth factor, tumor necrosis factor alpha, hepatocyte growth factor, insulin like growth factor, colony stimulating factor, macrophage colony stimulating factor, granulocyte/macrophage colony stimulating factor, and nitric oxide synthase.

The present invention provides for treatment of diseases or disorders associated with neovascularization by administration of the polynucleotides and/or polypeptides of the invention, as well as agonists or antagonists of the present invention. Malignant and metastatic conditions which can be treated with the polynucleotides and polypeptides, or agonists or antagonists of the invention include, but are not limited to, malignancies, solid tumors, and cancers described herein and otherwise known in the art (for a review of such disorders, see Fishman *et al.*, *Medicine*, 2d Ed., J. B. Lippincott Co., Philadelphia (1985)). Thus, the present invention provides a method of treating an angiogenesis-related disease and/or disorder, comprising administering to an individual in need thereof a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist of the invention. For example, polynucleotides, polypeptides, antagonists and/or agonists may be utilized in a variety of additional methods in order to therapeutically treat a cancer or tumor. Cancers which may be treated with polynucleotides, polypeptides, antagonists and/or agonists include, but are not limited to solid tumors, including colon, rectum, prostate, lung, breast, ovarian, stomach, pancreas, larynx, esophagus, testes, liver, parotid, biliary tract, cervix, uterus, endometrium, kidney, bladder, thyroid cancer; primary tumors and metastases; melanomas; glioblastoma; Kaposi's sarcoma; leiomyosarcoma; non-small cell lung cancer; colorectal cancer; advanced malignancies; and blood born tumors such as leukemias. For



example, polynucleotides, polypeptides, antagonists and/or agonists may be delivered topically, in order to treat cancers such as skin cancer, head and neck tumors, breast tumors, and Kaposi's sarcoma.

Within yet other aspects, polynucleotides, polypeptides, antagonists and/or agonists may be utilized to treat superficial forms of bladder cancer by, for example, intravesical administration. Polynucleotides, polypeptides, antagonists and/or agonists may be delivered directly into the tumor, or near the tumor site, via injection or a catheter. Of course, as the artisan of ordinary skill will appreciate, the appropriate mode of administration will vary according to the cancer to be treated. Other modes of delivery are discussed herein.

Polynucleotides, polypeptides, antagonists and/or agonists may be useful in treating other disorders, besides cancers, which involve angiogenesis. These disorders include, but are not limited to: benign tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas; arteriosclerotic plaques; ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma, retrolental fibroplasia, rubeosis, retinoblastoma, uveitis and Pterygia (abnormal blood vessel growth) of the eye; rheumatoid arthritis; psoriasis; delayed wound healing; endometriosis; vasculogenesis; granulations; hypertrophic scars (keloids); nonunion fractures; scleroderma; trachoma; vascular adhesions; myocardial angiogenesis; coronary collaterals; cerebral collaterals; arteriovenous malformations; ischemic limb angiogenesis; Osler-Webber Syndrome; plaque neovascularization; telangiectasia; hemophilic joints; angiofibroma; fibromuscular dysplasia; wound granulation; Crohn's disease; and atherosclerosis.

For example, within one aspect of the present invention methods are provided for treating hypertrophic scars and keloids, comprising the step of administering a polynucleotide, polypeptide, antagonist and/or agonist of the invention to a hypertrophic scar or keloid.

Within one embodiment of the present invention polynucleotides, polypeptides, antagonists and/or agonists are directly injected into a hypertrophic scar or keloid, in order to prevent the progression of these lesions. This therapy is of particular value in the prophylactic treatment of conditions which are known to result in the development of hypertrophic scars and keloids (e.g., burns), and is preferably initiated after the proliferative phase has had time to progress (approximately 14 days after the initial injury), but before

hypertrophic scar or keloid development. As noted above, the present invention also provides methods for treating neovascular diseases of the eye, including for example, corneal neovascularization, neovascular glaucoma, proliferative diabetic retinopathy, retrolental fibroplasia and macular degeneration.

5           Moreover, Ocular disorders associated with neovascularization which can be treated with the polynucleotides and polypeptides of the present invention (including agonists and/or antagonists) include, but are not limited to: neovascular glaucoma, diabetic retinopathy, retinoblastoma, retrolental fibroplasia, uveitis, retinopathy of prematurity macular degeneration, corneal graft neovascularization, as well as other eye inflammatory diseases,  
10   ocular tumors and diseases associated with choroidal or iris neovascularization. See, e.g., reviews by Waltman *et al.*, *Am. J. Ophthalmol.* 85:704-710 (1978) and Gartner *et al.*, *Surv. Ophthalmol.* 22:291-312 (1978).

          Thus, within one aspect of the present invention methods are provided for treating neovascular diseases of the eye such as corneal neovascularization (including corneal graft  
15   neovascularization), comprising the step of administering to a patient a therapeutically effective amount of a compound (as described above) to the cornea, such that the formation of blood vessels is inhibited. Briefly, the cornea is a tissue which normally lacks blood vessels. In certain pathological conditions however, capillaries may extend into the cornea from the pericorneal vascular plexus of the limbus. When the cornea becomes vascularized,  
20   it also becomes clouded, resulting in a decline in the patient's visual acuity. Visual loss may become complete if the cornea completely opacitates. A wide variety of disorders can result in corneal neovascularization, including for example, corneal infections (e.g., trachoma, herpes simplex keratitis, leishmaniasis and onchocerciasis), immunological processes (e.g., graft rejection and Stevens-Johnson's syndrome), alkali burns, trauma, inflammation (of any  
25   cause), toxic and nutritional deficiency states, and as a complication of wearing contact lenses.

          Within particularly preferred embodiments of the invention, may be prepared for topical administration in saline (combined with any of the preservatives and antimicrobial agents commonly used in ocular preparations), and administered in eyedrop form. The  
30   solution or suspension may be prepared in its pure form and administered several times daily. Alternatively, anti-angiogenic compositions, prepared as described above, may also be administered directly to the cornea. Within preferred embodiments, the anti-angiogenic

composition is prepared with a muco-adhesive polymer which binds to cornea. Within further embodiments, the anti-angiogenic factors or anti-angiogenic compositions may be utilized as an adjunct to conventional steroid therapy. Topical therapy may also be useful prophylactically in corneal lesions which are known to have a high probability of inducing an angiogenic response (such as chemical burns). In these instances the treatment, likely in combination with steroids, may be instituted immediately to help prevent subsequent complications.

Within other embodiments, the compounds described above may be injected directly into the corneal stroma by an ophthalmologist under microscopic guidance. The preferred site of injection may vary with the morphology of the individual lesion, but the goal of the administration would be to place the composition at the advancing front of the vasculature (i.e., interspersed between the blood vessels and the normal cornea). In most cases this would involve perilimbic corneal injection to "protect" the cornea from the advancing blood vessels. This method may also be utilized shortly after a corneal insult in order to prophylactically prevent corneal neovascularization. In this situation the material could be injected in the perilimbic cornea interspersed between the corneal lesion and its undesired potential limbic blood supply. Such methods may also be utilized in a similar fashion to prevent capillary invasion of transplanted corneas. In a sustained-release form injections might only be required 2-3 times per year. A steroid could also be added to the injection solution to reduce inflammation resulting from the injection itself.

Within another aspect of the present invention, methods are provided for treating neovascular glaucoma, comprising the step of administering to a patient a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist to the eye, such that the formation of blood vessels is inhibited. In one embodiment, the compound may be administered topically to the eye in order to treat early forms of neovascular glaucoma. Within other embodiments, the compound may be implanted by injection into the region of the anterior chamber angle. Within other embodiments, the compound may also be placed in any location such that the compound is continuously released into the aqueous humor. Within another aspect of the present invention, methods are provided for treating proliferative diabetic retinopathy, comprising the step of administering to a patient a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist to the eyes, such that the formation of blood vessels is inhibited.

Within particularly preferred embodiments of the invention, proliferative diabetic retinopathy may be treated by injection into the aqueous humor or the vitreous, in order to increase the local concentration of the polynucleotide, polypeptide, antagonist and/or agonist in the retina. Preferably, this treatment should be initiated prior to the acquisition of severe disease requiring photocoagulation.

Within another aspect of the present invention, methods are provided for treating retrolental fibroplasia, comprising the step of administering to a patient a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist to the eye, such that the formation of blood vessels is inhibited. The compound may be administered topically, via intravitreal injection and/or via intraocular implants.

Additionally, disorders which can be treated with the polynucleotides, polypeptides, agonists and/or antagonists include, but are not limited to, hemangioma, arthritis, psoriasis, angiofibroma, atherosclerotic plaques, delayed wound healing, granulations, hemophilic joints, hypertrophic scars, nonunion fractures, Osler-Weber syndrome, pyogenic granuloma, scleroderma, trachoma, and vascular adhesions.

Moreover, disorders and/or states, which can be treated with the polynucleotides, polypeptides, agonists and/or antagonists include, but are not limited to, solid tumors, blood born tumors such as leukemias, tumor metastasis, Kaposi's sarcoma, benign tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas, rheumatoid arthritis, psoriasis, ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma, retrolental fibroplasia, rubeosis, retinoblastoma, and uveitis, delayed wound healing, endometriosis, vasculogenesis, granulations, hypertrophic scars (keloids), nonunion fractures, scleroderma, trachoma, vascular adhesions, myocardial angiogenesis, coronary collaterals, cerebral collaterals, arteriovenous malformations, ischemic limb angiogenesis, Osler-Webber Syndrome, plaque neovascularization, telangiectasia, hemophilic joints, angiofibroma fibromuscular dysplasia, wound granulation, Crohn's disease, atherosclerosis, birth control agent by preventing vascularization required for embryo implantation controlling menstruation, diseases that have angiogenesis as a pathologic consequence such as cat scratch disease (*Rochelie minalia quintosa*), ulcers (*Helicobacter pylori*), Bartonellosis and bacillary angiomatosis.

In one aspect of the birth control method, an amount of the compound sufficient to block embryo implantation is administered before or after intercourse and fertilization have occurred, thus providing an effective method of birth control, possibly a "morning after" method. Polynucleotides, polypeptides, agonists and/or agonists may also be used in  
5 controlling menstruation or administered as either a peritoneal lavage fluid or for peritoneal implantation in the treatment of endometriosis.

Polynucleotides, polypeptides, agonists and/or agonists of the present invention may be incorporated into surgical sutures in order to prevent stitch granulomas.

Polynucleotides, polypeptides, agonists and/or agonists may be utilized in a wide  
10 variety of surgical procedures. For example, within one aspect of the present invention a compositions (in the form of, for example, a spray or film) may be utilized to coat or spray an area prior to removal of a tumor, in order to isolate normal surrounding tissues from malignant tissue, and/or to prevent the spread of disease to surrounding tissues. Within other aspects of the present invention, compositions (e.g., in the form of a spray) may be delivered  
15 via endoscopic procedures in order to coat tumors, or inhibit angiogenesis in a desired locale. Within yet other aspects of the present invention, surgical meshes which have been coated with anti- angiogenic compositions of the present invention may be utilized in any procedure wherein a surgical mesh might be utilized. For example, within one embodiment of the invention a surgical mesh laden with an anti-angiogenic composition may be utilized during  
20 abdominal cancer resection surgery (e.g., subsequent to colon resection) in order to provide support to the structure, and to release an amount of the anti-angiogenic factor.

Within further aspects of the present invention, methods are provided for treating tumor excision sites, comprising administering a polynucleotide, polypeptide, agonist and/or agonist to the resection margins of a tumor subsequent to excision, such that the local  
25 recurrence of cancer and the formation of new blood vessels at the site is inhibited. Within one embodiment of the invention, the anti-angiogenic compound is administered directly to the tumor excision site (e.g., applied by swabbing, brushing or otherwise coating the resection margins of the tumor with the anti-angiogenic compound). Alternatively, the anti-angiogenic compounds may be incorporated into known surgical pastes prior to  
30 administration. Within particularly preferred embodiments of the invention, the anti-angiogenic compounds are applied after hepatic resections for malignancy, and after neurosurgical operations.

Within one aspect of the present invention, polynucleotides, polypeptides, agonists and/or agonists may be administered to the resection margin of a wide variety of tumors, including for example, breast, colon, brain and hepatic tumors. For example, within one embodiment of the invention, anti-angiogenic compounds may be administered to the site of a neurological tumor subsequent to excision, such that the formation of new blood vessels at the site are inhibited.

The polynucleotides, polypeptides, agonists and/or agonists of the present invention may also be administered along with other anti-angiogenic factors. Representative examples of other anti-angiogenic factors include: Anti-Invasive Factor, retinoic acid and derivatives thereof, paclitaxel, Suramin, Tissue Inhibitor of Metalloproteinase-1, Tissue Inhibitor of Metalloproteinase-2, Plasminogen Activator Inhibitor-1, Plasminogen Activator Inhibitor-2, and various forms of the lighter "d group" transition metals.

Lighter "d group" transition metals include, for example, vanadium, molybdenum, tungsten, titanium, niobium, and tantalum species. Such transition metal species may form transition metal complexes. Suitable complexes of the above-mentioned transition metal species include oxo transition metal complexes.

Representative examples of vanadium complexes include oxo vanadium complexes such as vanadate and vanadyl complexes. Suitable vanadate complexes include metavanadate and orthovanadate complexes such as, for example, ammonium metavanadate, sodium metavanadate, and sodium orthovanadate. Suitable vanadyl complexes include, for example, vanadyl acetylacetonate and vanadyl sulfate including vanadyl sulfate hydrates such as vanadyl sulfate mono- and trihydrates.

Representative examples of tungsten and molybdenum complexes also include oxo complexes. Suitable oxo tungsten complexes include tungstate and tungsten oxide complexes. Suitable tungstate complexes include ammonium tungstate, calcium tungstate, sodium tungstate dihydrate, and tungstic acid. Suitable tungsten oxides include tungsten (IV) oxide and tungsten (VI) oxide. Suitable oxo molybdenum complexes include molybdate, molybdenum oxide, and molybdenyl complexes. Suitable molybdate complexes include ammonium molybdate and its hydrates, sodium molybdate and its hydrates, and potassium molybdate and its hydrates. Suitable molybdenum oxides include molybdenum (VI) oxide, molybdenum (VI) oxide, and molybdic acid. Suitable molybdenyl complexes include, for

example. molybdenyl acetylacetonate. Other suitable tungsten and molybdenum complexes include hydroxo derivatives derived from, for example, glycerol, tartaric acid, and sugars.

A wide variety of other anti-angiogenic factors may also be utilized within the context of the present invention. Representative examples include platelet factor 4; protamine sulphate; sulphated chitin derivatives (prepared from queen crab shells), (Murata et al., Cancer Res. 51:22-26, 1991); Sulphated Polysaccharide Peptidoglycan Complex (SP- PG) (the function of this compound may be enhanced by the presence of steroids such as estrogen, and tamoxifen citrate); Staurosporine; modulators of matrix metabolism, including for example, proline analogs, cishydroxyproline, d,L-3,4-dehydroproline, Thiaproline, alpha,alpha-dipyridyl, aminopropionitrile fumarate; 4-propyl-5-(4-pyridinyl)-2(3H)-oxazolone; Methotrexate; Mitoxantrone; Heparin; Interferons; 2 Macroglobulin-serum; ChIMP-3 (Pavloff et al., J. Bio. Chem. 267:17321-17326, 1992); Chymostatin (Tomkinson et al., Biochem J. 286:475-480, 1992); Cyclodextrin Tetradecasulfate; Eponemycin; Camptothecin; Fumagillin (Ingber et al., Nature 348:555-557, 1990); Gold Sodium Thiomalate ("GST"; Matsubara and Ziff, J. Clin. Invest. 79:1440-1446, 1987); anticollagenase-serum; alpha2-antiplasmin (Holmes et al., J. Biol. Chem. 262(4):1659-1664, 1987); Bisantrene (National Cancer Institute); Lobenzarit disodium (N-(2)-carboxyphenyl-4-chloroanthronilic acid disodium or "CCA"; Takeuchi et al., Agents Actions 36:312-316, 1992); Thalidomide; Angostatic steroid; AGM-1470; carboxynaminolmidazole; and metalloproteinase inhibitors such as BB94.

### Diseases at the Cellular Level

Diseases associated with increased cell survival or the inhibition of apoptosis that could be treated or detected by polynucleotides or polypeptides, as well as antagonists or agonists of the present invention, include cancers (such as follicular lymphomas, carcinomas with p53 mutations, and hormone-dependent tumors, including, but not limited to colon cancer, cardiac tumors, pancreatic cancer, melanoma, retinoblastoma, glioblastoma, lung cancer, intestinal cancer, testicular cancer, stomach cancer, neuroblastoma, myxoma, myoma, lymphoma, endothelioma, osteoblastoma, osteoclastoma, osteosarcoma, chondrosarcoma, adenoma, breast cancer, prostate cancer, Kaposi's sarcoma and ovarian cancer); autoimmune disorders (such as, multiple sclerosis, Sjogren's syndrome, Hashimoto's thyroiditis, biliary cirrhosis, Behcet's disease, Crohn's disease, polymyositis, systemic lupus erythematosus and

immune-related glomerulonephritis and rheumatoid arthritis) and viral infections (such as herpes viruses, pox viruses and adenoviruses), inflammation, graft v. host disease, acute graft rejection, and chronic graft rejection. In preferred embodiments, polynucleotides, polypeptides, and/or antagonists of the invention are used to inhibit growth, progression, and/or metasis of cancers, in particular those listed above.

Additional diseases or conditions associated with increased cell survival that could be treated or detected by polynucleotides or polypeptides, or agonists or antagonists of the present invention include, but are not limited to, progression, and/or metastases of malignancies and related disorders such as leukemia (including acute leukemias (e.g., acute lymphocytic leukemia, acute myelocytic leukemia (including myeloblastic, promyelocytic, myelomonocytic, monocytic, and erythroleukemia)) and chronic leukemias (e.g., chronic myelocytic (granulocytic) leukemia and chronic lymphocytic leukemia)), polycythemia vera, lymphomas (e.g., Hodgkin's disease and non-Hodgkin's disease), multiple myeloma, Waldenstrom's macroglobulinemia, heavy chain disease, and solid tumors including, but not limited to, sarcomas and carcinomas such as fibrosarcoma, myxosarcoma, liposarcoma, chondrosarcoma, osteogenic sarcoma, chordoma, angiosarcoma, endotheliosarcoma, lymphangiosarcoma, lymphangioendotheliosarcoma, synovioma, mesothelioma, Ewing's tumor, leiomyosarcoma, rhabdomyosarcoma, colon carcinoma, pancreatic cancer, breast cancer, ovarian cancer, prostate cancer, squamous cell carcinoma, basal cell carcinoma, adenocarcinoma, sweat gland carcinoma, sebaceous gland carcinoma, papillary carcinoma, papillary adenocarcinomas, cystadenocarcinoma, medullary carcinoma, bronchogenic carcinoma, renal cell carcinoma, hepatoma, bile duct carcinoma, choriocarcinoma, seminoma, embryonal carcinoma, Wilm's tumor, cervical cancer, testicular tumor, lung carcinoma, small cell lung carcinoma, bladder carcinoma, epithelial carcinoma, glioma, astrocytoma, medulloblastoma, craniopharyngioma, ependymoma, pinealoma, hemangioblastoma, acoustic neuroma, oligodendroglioma, menangioma, melanoma, neuroblastoma, and retinoblastoma.

Diseases associated with increased apoptosis that could be treated or detected by polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, include AIDS; neurodegenerative disorders (such as Alzheimer's disease, Parkinson's disease, Amyotrophic lateral sclerosis, Retinitis pigmentosa, Cerebellar degeneration and brain tumor or prior associated disease); autoimmune disorders (such as, multiple sclerosis, Sjogren's



syndrome. Hashimoto's thyroiditis, biliary cirrhosis, Behcet's disease, Crohn's disease, polymyositis, systemic lupus erythematosus and immune-related glomerulonephritis and rheumatoid arthritis) myelodysplastic syndromes (such as aplastic anemia), graft v. host disease, ischemic injury (such as that caused by myocardial infarction, stroke and reperfusion injury), liver injury (e.g., hepatitis related liver injury, ischemia/reperfusion injury, cholestasis (bile duct injury) and liver cancer); toxin-induced liver disease (such as that caused by alcohol), septic shock, cachexia and anorexia.

#### **Wound Healing and Epithelial Cell Proliferation**

In accordance with yet a further aspect of the present invention, there is provided a process for utilizing polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, for therapeutic purposes, for example, to stimulate epithelial cell proliferation and basal keratinocytes for the purpose of wound healing, and to stimulate hair follicle production and healing of dermal wounds. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may be clinically useful in stimulating wound healing including surgical wounds, excisional wounds, deep wounds involving damage of the dermis and epidermis, eye tissue wounds, dental tissue wounds, oral cavity wounds, diabetic ulcers, dermal ulcers, cubitus ulcers, arterial ulcers, venous stasis ulcers, burns resulting from heat exposure or chemicals, and other abnormal wound healing conditions such as uremia, malnutrition, vitamin deficiencies and complications associated with systemic treatment with steroids, radiation therapy and antineoplastic drugs and antimetabolites. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to promote dermal reestablishment subsequent to dermal loss

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to increase the adherence of skin grafts to a wound bed and to stimulate re-epithelialization from the wound bed. The following are types of grafts that polynucleotides or polypeptides, agonists or antagonists of the present invention, could be used to increase adherence to a wound bed: autografts, artificial skin, allografts, autodermic graft, autoepdermic grafts, avacular grafts, Blair-Brown grafts, bone graft, brephoplastic grafts, cutis graft, delayed graft, dermic graft, epidermic graft, fascia graft, full thickness graft, heterologous graft, xenograft, homologous graft, hyperplastic graft, lamellar graft,

mesh graft, mucosal graft, Ollier-Thiersch graft, omentopapular graft, patch graft, pedicle graft, penetrating graft, split skin graft, thick split graft. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, can be used to promote skin strength and to improve the appearance of aged skin.

5 It is believed that polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, will also produce changes in hepatocyte proliferation, and epithelial cell proliferation in the lung, breast, pancreas, stomach, small intestine, and large intestine. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could promote proliferation of epithelial cells such as sebocytes, hair follicles, hepatocytes, type II pneumocytes, mucin-producing goblet cells, and other epithelial cells and their  
10 progenitors contained within the skin, lung, liver, and gastrointestinal tract. Polynucleotides or polypeptides, agonists or antagonists of the present invention, may promote proliferation of endothelial cells, keratinocytes, and basal keratinocytes.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present  
15 invention, could also be used to reduce the side effects of gut toxicity that result from radiation, chemotherapy treatments or viral infections. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may have a cytoprotective effect on the small intestine mucosa. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may also stimulate healing of mucositis (mouth ulcers)  
20 that result from chemotherapy and viral infections.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could further be used in full regeneration of skin in full and partial thickness skin defects, including burns, (i.e., repopulation of hair follicles, sweat glands, and sebaceous glands), treatment of other skin defects such as psoriasis. Polynucleotides or polypeptides, as  
25 well as agonists or antagonists of the present invention, could be used to treat epidermolysis bullosa, a defect in adherence of the epidermis to the underlying dermis which results in frequent, open and painful blisters by accelerating reepithelialization of these lesions. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could also be used to treat gastric and duodenal ulcers and help heal by scar formation of the  
30 mucosal lining and regeneration of glandular mucosa and duodenal mucosal lining more rapidly. Inflammatory bowel diseases, such as Crohn's disease and ulcerative colitis, are diseases which result in destruction of the mucosal surface of the small or large intestine,

respectively. Thus, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to promote the resurfacing of the mucosal surface to aid more rapid healing and to prevent progression of inflammatory bowel disease. Treatment with polynucleotides or polypeptides, agonists or antagonists of the present invention, is expected to have a significant effect on the production of mucus throughout the gastrointestinal tract and could be used to protect the intestinal mucosa from injurious substances that are ingested or following surgery. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to treat diseases associated with the under expression.

Moreover, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to prevent and heal damage to the lungs due to various pathological states. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, which could stimulate proliferation and differentiation and promote the repair of alveoli and bronchiolar epithelium to prevent or treat acute or chronic lung damage.

For example, emphysema, which results in the progressive loss of alveoli, and inhalation injuries, i.e., resulting from smoke inhalation and burns, that cause necrosis of the bronchiolar epithelium and alveoli could be effectively treated using polynucleotides or polypeptides, agonists or antagonists of the present invention. Also, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to stimulate the proliferation of and differentiation of type II pneumocytes, which may help treat or prevent disease such as hyaline membrane diseases, such as infant respiratory distress syndrome and bronchopulmonary dysplasia, in premature infants.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could stimulate the proliferation and differentiation of hepatocytes and, thus, could be used to alleviate or treat liver diseases and pathologies such as fulminant liver failure caused by cirrhosis, liver damage caused by viral hepatitis and toxic substances (i.e., acetaminophen, carbon tetrachloride and other hepatotoxins known in the art).

In addition, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to treat or prevent the onset of diabetes mellitus. In patients with newly diagnosed Types I and II diabetes, where some islet cell function remains, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to maintain the islet function so as to alleviate, delay or prevent permanent

manifestation of the disease. Also, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used as an auxiliary in islet cell transplantation to improve or promote islet cell function.

## 5 Neurological Diseases

In accordance with yet a further aspect of the present invention, there is provided a process for utilizing polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, for therapeutic purposes, for example, to stimulate neurological cell  
10 proliferation and/or differentiation. Therefore, polynucleotides, polypeptides, agonists and/or antagonists of the invention may be used to treat and/or detect neurologic diseases. Moreover, polynucleotides or polypeptides, or agonists or antagonists of the invention, can be used as a marker or detector of a particular nervous system disease or disorder.

Examples of neurologic diseases which can be treated or detected with  
15 polynucleotides, polypeptides, agonists, and/or antagonists of the present invention include brain diseases, such as metabolic brain diseases which includes phenylketonuria such as maternal phenylketonuria, pyruvate carboxylase deficiency, pyruvate dehydrogenase complex deficiency, Wernicke's Encephalopathy, brain edema, brain neoplasms such as cerebellar neoplasms which include infratentorial neoplasms, cerebral ventricle neoplasms  
20 such as choroid plexus neoplasms, hypothalamic neoplasms, supratentorial neoplasms, canavan disease, cerebellar diseases such as cerebellar ataxia which include spinocerebellar degeneration such as ataxia telangiectasia, cerebellar dyssynergia, Friederich's Ataxia, Machado-Joseph Disease, olivopontocerebellar atrophy, cerebellar neoplasms such as infratentorial neoplasms, diffuse cerebral sclerosis such as encephalitis periaxialis, globoid  
25 cell leukodystrophy, metachromatic leukodystrophy and subacute sclerosing panencephalitis, cerebrovascular disorders (such as carotid artery diseases which include carotid artery thrombosis, carotid stenosis and Moyamoya Disease, cerebral amyloid angiopathy, cerebral aneurysm, cerebral anoxia, cerebral arteriosclerosis, cerebral arteriovenous malformations, cerebral artery diseases, cerebral embolism and thrombosis such as carotid artery thrombosis,  
30 sinus thrombosis and Wallenberg's Syndrome, cerebral hemorrhage such as epidural hematoma, subdural hematoma and subarachnoid hemorrhage, cerebral infarction, cerebral ischemia such as transient cerebral ischemia, Subclavian Steal Syndrome and vertebrobasilar insufficiency, vascular dementia such as multi-infarct dementia, periventricular leukomalacia,

vascular headache such as cluster headache, migraine, dementia such as AIDS Dementia Complex, presenile dementia such as Alzheimer's Disease and Creutzfeldt-Jakob Syndrome, senile dementia such as Alzheimer's Disease and progressive supranuclear palsy, vascular dementia such as multi-infarct dementia, encephalitis which include encephalitis periaxialis, viral encephalitis such as epidemic encephalitis, Japanese Encephalitis, St. Louis Encephalitis, tick-borne encephalitis and West Nile Fever, acute disseminated encephalomyelitis, meningoencephalitis such as uveomeningoencephalitic syndrome, Postencephalitic Parkinson Disease and subacute sclerosing panencephalitis, encephalomalacia such as periventricular leukomalacia, epilepsy such as generalized epilepsy which includes infantile spasms, absence epilepsy, myoclonic epilepsy which includes MERRF Syndrome, tonic-clonic epilepsy, partial epilepsy such as complex partial epilepsy, frontal lobe epilepsy and temporal lobe epilepsy, post-traumatic epilepsy, status epilepticus such as Epilepsia Partialis Continua, Hallervorden-Spatz Syndrome, hydrocephalus such as Dandy-Walker Syndrome and normal pressure hydrocephalus, hypothalamic diseases such as hypothalamic neoplasms, cerebral malaria, narcolepsy which includes cataplexy, bulbar poliomyelitis, cerebri pseudotumor, Rett Syndrome, Reye's Syndrome, thalamic diseases, cerebral toxoplasmosis, intracranial tuberculoma and Zellweger Syndrome, central nervous system infections such as AIDS Dementia Complex, Brain Abscess, subdural empyema, encephalomyelitis such as Equine Encephalomyelitis, Venezuelan Equine Encephalomyelitis, Necrotizing Hemorrhagic Encephalomyelitis, Visna, cerebral malaria, meningitis such as arachnoiditis, aseptic meningitis such as viral meningitis which includes lymphocytic choriomeningitis. Bacterial meningitis which includes Haemophilus Meningitis, Listeria Meningitis. Meningococcal Meningitis such as Waterhouse-Friderichsen Syndrome, Pneumococcal Meningitis and meningeal tuberculosis, fungal meningitis such as Cryptococcal Meningitis, subdural effusion, meningoencephalitis such as uveomeningoencephalitic syndrome, myelitis such as transverse myelitis, neurosyphilis such as tabes dorsalis, poliomyelitis which includes bulbar poliomyelitis and postpoliomyelitis syndrome, prion diseases (such as Creutzfeldt-Jakob Syndrome, Bovine Spongiform Encephalopathy, Gerstmann-Straussler Syndrome, Kuru, Scrapie) cerebral toxoplasmosis, central nervous system neoplasms such as brain neoplasms that include cerebellar neoplasms such as infratentorial neoplasms, cerebral ventricle neoplasms such as choroid plexus neoplasms, hypothalamic neoplasms and supratentorial neoplasms, meningeal

neoplasms, spinal cord neoplasms which include epidural neoplasms, demyelinating diseases such as Canavan Diseases, diffuse cerebral sclerolus which includes adrenoleukodystrophy, encephalitis periaxialis, globoid cell leukodystrophy, diffuse cerebral sclerosis such as metachromatic leukodystrophy, allergic encephalomyelitis, necrotizing hemorrhagic  
5 encephalomyelitis, progressive multifocal leukoencephalopathy, multiple sclerosis, central pontine myelinolysis, transverse myelitis, neuromyelitis optica, Scrapie, Swayback, Chronic Fatigue Syndrome, Visna, High Pressure Nervous Syndrome, Meningism, spinal cord diseases such as amyotonia congenita, amyotrophic lateral sclerosis, spinal muscular atrophy such as Werdnig-Hoffmann Disease, spinal cord compression, spinal cord neoplasms such as  
10 epidural neoplasms, syringomyelia, Tabes Dorsalis, Stiff-Man Syndrome, mental retardation such as Angelman Syndrome, Cri-du-Chat Syndrome, De Lange's Syndrome, Down Syndrome, Gangliosidoses such as gangliosidoses G(M1), Sandhoff Disease, Tay-Sachs Disease, Hartnup Disease, homocystinuria, Laurence-Moon- Biedl Syndrome, Lesch-Nyhan Syndrome, Maple Syrup Urine Disease, mucopolidosis such as fucosidosis, neuronal ceroid-  
15 lipofuscinosis, oculocerebrorenal syndrome, phenylketonuria such as maternal phenylketonuria, Prader-Willi Syndrome, Rett Syndrome, Rubinstein-Taybi Syndrome, Tuberous Sclerosis, WAGR Syndrome, nervous system abnormalities such as holoprosencephaly, neural tube defects such as anencephaly which includes hydrangencephaly, Arnold-Chairi Deformity, encephalocele, meningocele,  
20 meningomyelocele, spinal dysraphism such as spina bifida cystica and spina bifida occulta, hereditary motor and sensory neuropathies which include Charcot-Marie Disease, Hereditary optic atrophy, Refsum's Disease, hereditary spastic paraplegia, Werdnig-Hoffmann Disease, Hereditary Sensory and Autonomic Neuropathies such as Congenital Analgesia and Familial Dysautonomia, Neurologic manifestations (such as agnosia that include Gerstmann's  
25 Syndrome, Amnesia such as retrograde amnesia, apraxia, neurogenic bladder, cataplexy, communicative disorders such as hearing disorders that includes deafness, partial hearing loss, loudness recruitment and tinnitus, language disorders such as aphasia which include agraphia, anomia, broca aphasia, and Wernicke Aphasia, Dyslexia such as Acquired Dyslexia, language development disorders, speech disorders such as aphasia which includes  
30 anomia, broca aphasia and Wernicke Aphasia. articulation disorders, communicative disorders such as speech disorders which include dysarthria, echolalia, mutism and stuttering, voice disorders such as aphonia and hoarseness, decerebrate state, delirium, fasciculation,

hallucinations. meningism. movement disorders such as angelman syndrome, ataxia. athetosis. chorea. dystonia. hypokinesia. muscle hypotonia. myoclonus. tic, torticollis and tremor, muscle hypertonia such as muscle rigidity such as stiff-man syndrome, muscle spasticity, paralysis such as facial paralysis which includes Herpes Zoster Oticus, 5 Gastroparesis. Hemiplegia, ophthalmoplegia such as diplopia, Duane's Syndrome, Horner's Syndrome, Chronic progressive external ophthalmoplegia such as Kearns Syndrome, Bulbar Paralysis, Tropical Spastic Paraparesis. Paraplegia such as Brown-Sequard Syndrome, quadriplegia, respiratory paralysis and vocal cord paralysis, paresis, phantom limb, taste disorders such as ageusia and dysgeusia, vision disorders such as amblyopia, blindness, color 10 vision defects, diplopia, hemianopsia. scotoma and subnormal vision, sleep disorders such as hypersomnia which includes Kleine-Levin Syndrome, insomnia, and somnambulism, spasm such as trismus. unconsciousness such as coma, persistent vegetative state and syncope and vertigo, neuromuscular diseases such as amyotonia congenita, amyotrophic lateral sclerosis, Lambert-Eaton Myasthenic Syndrome, motor neuron disease, muscular atrophy such as 15 spinal muscular atrophy, Charcot-Marie Disease and Werdnig-Hoffmann Disease, Postpoliomyelitis Syndrome, Muscular Dystrophy, Myasthenia Gravis, Myotonia Atrophica, Myotonia Confenita, Nemaline Myopathy, Familial Periodic Paralysis, Multiplex Paramyoclonus, Tropical Spastic Paraparesis and Stiff-Man Syndrome, peripheral nervous system diseases such as acrodynia, amyloid neuropathies, autonomic nervous system diseases 20 such as Adie's Syndrome, Barre-Lieou Syndrome, Familial Dysautonomia, Horner's Syndrome, Reflex Sympathetic Dystrophy and Shy-Drager Syndrome, Cranial Nerve Diseases such as Acoustic Nerve Diseases such as Acoustic Neuroma which includes Neurofibromatosis 2, Facial Nerve Diseases such as Facial Neuralgia, Melkersson-Rosenthal Syndrome, ocular motility disorders which includes amblyopia, nystagmus, oculomotor nerve 25 paralysis, ophthalmoplegia such as Duane's Syndrome, Horner's Syndrome, Chronic Progressive External Ophthalmoplegia which includes Kearns Syndrome, Strabismus such as Esotropia and Exotropia, Oculomotor Nerve Paralysis, Optic Nerve Diseases such as Optic Atrophy which includes Hereditary Optic Atrophy, Optic Disk Drusen. Optic Neuritis such as Neuromyelitis Optica, Papilledema, Trigeminal Neuralgia, Vocal Cord Paralysis, 30 Demyelinating Diseases such as Neuromyelitis Optica and Swayback. Diabetic neuropathies such as diabetic foot, nerve compression syndromes such as carpal tunnel syndrome, tarsal tunnel syndrome, thoracic outlet syndrome such as cervical rib syndrome, ulnar nerve

compression syndrome, neuralgia such as causalgia, cervico-brachial neuralgia, facial neuralgia and trigeminal neuralgia, neuritis such as experimental allergic neuritis, optic neuritis, polyneuritis, polyradiculoneuritis and radiculities such as polyradiculitis, hereditary motor and sensory neuropathies such as Charcot-Marie Disease. Hereditary Optic Atrophy, Refsum's Disease, Hereditary Spastic Paraplegia and Werdnig-Hoffmann Disease. Hereditary Sensory and Autonomic Neuropathies which include Congenital Analgesia and Familial Dysautonomia, POEMS Syndrome, Sciatica, Gustatory Sweating and Tetany).

### **Infectious Disease**

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention can be used to treat or detect infectious agents. For example, by increasing the immune response, particularly increasing the proliferation and differentiation of B and/or T cells, infectious diseases may be treated. The immune response may be increased by either enhancing an existing immune response, or by initiating a new immune response. Alternatively, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may also directly inhibit the infectious agent, without necessarily eliciting an immune response.

Viruses are one example of an infectious agent that can cause disease or symptoms that can be treated or detected by a polynucleotide or polypeptide and/or agonist or antagonist of the present invention. Examples of viruses, include, but are not limited to Examples of viruses, include, but are not limited to the following DNA and RNA viruses and viral families: Arbovirus, Adenoviridae, Arenaviridae, Arterivirus, Birnaviridae, Bunyaviridae, Caliciviridae, Circoviridae, Coronaviridae, Dengue, EBV, HIV, Flaviviridae, Hepadnaviridae (Hepatitis), Herpesviridae (such as, Cytomegalovirus, Herpes Simplex, Herpes Zoster), Mononegavirus (e.g., Paramyxoviridae, Morbillivirus, Rhabdoviridae), Orthomyxoviridae (e.g., Influenza A, Influenza B, and parainfluenza), Papiloma virus, Papovaviridae, Parvoviridae, Picornaviridae, Poxviridae (such as Smallpox or Vaccinia), Reoviridae (e.g., Rotavirus), Retroviridae (HTLV-I, HTLV-II, Lentivirus), and Togaviridae (e.g., Rubivirus). Viruses falling within these families can cause a variety of diseases or symptoms, including, but not limited to: arthritis, bronchiolitis, respiratory syncytial virus, encephalitis, eye infections (e.g., conjunctivitis, keratitis), chronic fatigue syndrome, hepatitis (A, B, C, E, Chronic Active, Delta), Japanese B encephalitis, Junin, Chikungunya, Rift Valley fever,



yellow fever, meningitis, opportunistic infections (e.g., AIDS), pneumonia, Burkitt's Lymphoma, chickenpox, hemorrhagic fever, Measles, Mumps, Parainfluenza, Rabies, the common cold, Polio, leukemia, Rubella, sexually transmitted diseases, skin diseases (e.g., Kaposi's, warts), and viremia. polynucleotides or polypeptides, or agonists or antagonists of the invention, can be used to treat or detect any of these symptoms or diseases. In specific embodiments, polynucleotides, polypeptides, or agonists or antagonists of the invention are used to treat: meningitis, Dengue, EBV, and/or hepatitis (e.g., hepatitis B). In an additional specific embodiment polynucleotides, polypeptides, or agonists or antagonists of the invention are used to treat patients nonresponsive to one or more other commercially available hepatitis vaccines. In a further specific embodiment polynucleotides, polypeptides, or agonists or antagonists of the invention are used to treat AIDS.

Similarly, bacterial or fungal agents that can cause disease or symptoms and that can be treated or detected by a polynucleotide or polypeptide and/or agonist or antagonist of the present invention include, but not limited to, include, but not limited to, the following Gram-Negative and Gram-positive bacteria and bacterial families and fungi: Actinomycetales (e.g., Corynebacterium, Mycobacterium, Norcardia), Cryptococcus neoformans, Aspergillosis, Bacillaceae (e.g., Anthrax, Clostridium), Bacteroidaceae, Blastomycosis, Bordetella, Borrelia (e.g., Borrelia burgdorferi, Brucellosis, Candidiasis, Campylobacter, Coccidioidomycosis, Cryptococcosis, Dermatocycoses, E. coli (e.g., Enterotoxigenic E. coli and Enterohemorrhagic E. coli), Enterobacteriaceae (Klebsiella, Salmonella (e.g., Salmonella typhi, and Salmonella paratyphi), Serratia, Yersinia), Erysipelothrix, Helicobacter, Legionellosis, Leptospirosis, Listeria, Mycoplasmatales, Mycobacterium leprae, Vibrio cholerae, Neisseriaceae (e.g., Acinetobacter, Gonorrhea, Meningococcal), Meisseria meningitidis, Pasteurellaceae Infections (e.g., Actinobacillus, Heamophilus (e.g., Heamophilus influenza type B), Pasteurella), Pseudomonas, Rickettsiaceae, Chlamydiaceae, Syphilis, Shigella spp., Staphylococcal, Meningiococcal, Pneumococcal and Streptococcal (e.g., Streptococcus pneumoniae and Group B Streptococcus). These bacterial or fungal families can cause the following diseases or symptoms, including, but not limited to: bacteremia, endocarditis, eye infections (conjunctivitis, tuberculosis, uveitis), gingivitis, opportunistic infections (e.g., AIDS related infections), paronychia, prosthesis-related infections, Reiter's Disease, respiratory tract infections, such as Whooping Cough or Empyema, sepsis, Lyme Disease, Cat-Scratch Disease, Dysentery, Paratyphoid Fever, food poisoning, Typhoid,

pneumonia, Gonorrhea, meningitis (e.g., meningitis types A and B), Chlamydia, Syphilis, Diphtheria, Leprosy, Paratuberculosis, Tuberculosis, Lupus, Botulism, gangrene, tetanus, impetigo, Rheumatic Fever, Scarlet Fever, sexually transmitted diseases, skin diseases (e.g., cellulitis, dermatocycoses), toxemia, urinary tract infections, wound infections.

5 Polynucleotides or polypeptides, agonists or antagonists of the invention, can be used to treat or detect any of these symptoms or diseases. In specific embodiments, Polynucleotides, polypeptides, agonists or antagonists of the invention are used to treat: tetanus, Diphtheria, botulism, and/or meningitis type B.

Moreover, parasitic agents causing disease or symptoms that can be treated or  
10 detected by a polynucleotide or polypeptide and/or agonist or antagonist of the present invention include, but not limited to, the following families or class: Amebiasis, Babesiosis, Coccidiosis, Cryptosporidiosis, Dientamoebiasis, Dourine, Ectoparasitic, Giardiasis, Helminthiasis, Leishmaniasis, Theileriasis, Toxoplasmosis, Trypanosomiasis, and Trichomonas and Sporozoans (e.g., Plasmodium virax, Plasmodium falciparum, Plasmodium  
15 malariae and Plasmodium ovale). These parasites can cause a variety of diseases or symptoms, including, but not limited to: Scabies, Trombiculiasis, eye infections, intestinal disease (e.g., dysentery, giardiasis), liver disease, lung disease, opportunistic infections (e.g., AIDS related), malaria, pregnancy complications, and toxoplasmosis. polynucleotides or polypeptides, or agonists or antagonists of the invention, can be used to treat or detect any of  
20 these symptoms or diseases.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention of the present invention could either be by administering an effective amount of a polypeptide to the patient, or by removing cells from the patient, supplying the cells with a polynucleotide of the present invention, and returning the engineered cells to the patient (ex  
25 vivo therapy). Moreover, the polypeptide or polynucleotide of the present invention can be used as an antigen in a vaccine to raise an immune response against infectious disease.

### **Regeneration**

Polynucleotides or polypeptides, as well as agonists or antagonists of the present  
30 invention can be used to differentiate, proliferate, and attract cells, leading to the regeneration of tissues. (See, Science 276:59-87 (1997).) The regeneration of tissues could be used to repair, replace, or protect tissue damaged by congenital defects, trauma (wounds, burns,

incisions, or ulcers), age, disease (e.g. osteoporosis, osteoarthritis, periodontal disease, liver failure), surgery, including cosmetic plastic surgery, fibrosis, reperfusion injury, or systemic cytokine damage.

5 Tissues that could be regenerated using the present invention include organs (e.g., pancreas, liver, intestine, kidney, skin, endothelium), muscle (smooth, skeletal or cardiac), vasculature (including vascular and lymphatics), nervous, hematopoietic, and skeletal (bone, cartilage, tendon, and ligament) tissue. Preferably, regeneration occurs without or decreased scarring. Regeneration also may include angiogenesis.

10 Moreover, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may increase regeneration of tissues difficult to heal. For example, increased tendon/ligament regeneration would quicken recovery time after damage. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention could also be used prophylactically in an effort to avoid damage. Specific diseases that could be treated include of tendinitis, carpal tunnel syndrome, and other tendon or ligament defects.

15 A further example of tissue regeneration of non-healing wounds includes pressure ulcers, ulcers associated with vascular insufficiency, surgical, and traumatic wounds.

Similarly, nerve and brain tissue could also be regenerated by using polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, to proliferate and differentiate nerve cells. Diseases that could be treated using this method include central and

20 peripheral nervous system diseases, neuropathies, or mechanical and traumatic disorders (e.g., spinal cord disorders, head trauma, cerebrovascular disease, and stroke). Specifically, diseases associated with peripheral nerve injuries, peripheral neuropathy (e.g., resulting from chemotherapy or other medical therapies), localized neuropathies, and central nervous system diseases (e.g., Alzheimer's disease, Parkinson's disease, Huntington's disease, amyotrophic

25 lateral sclerosis, and Shy-Drager syndrome), could all be treated using the polynucleotides or polypeptides, as well as agonists or antagonists of the present invention.

### **Chemotaxis**

Polynucleotides or polypeptides, as well as agonists or antagonists of the present

30 invention may have chemotaxis activity. A chemotactic molecule attracts or mobilizes cells (e.g., monocytes, fibroblasts, neutrophils, T-cells, mast cells, eosinophils, epithelial and/or endothelial cells) to a particular site in the body, such as inflammation, infection, or site of

hyperproliferation. The mobilized cells can then fight off and/or heal the particular trauma or abnormality.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may increase chemotaxic activity of particular cells. These chemotactic molecules  
5 can then be used to treat inflammation, infection, hyperproliferative disorders, or any immune system disorder by increasing the number of cells targeted to a particular location in the body. For example, chemotaxic molecules can be used to treat wounds and other trauma to tissues by attracting immune cells to the injured location. Chemotactic molecules of the present invention can also attract fibroblasts, which can be used to treat wounds.

10 It is also contemplated that polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may inhibit chemotactic activity. These molecules could also be used to treat disorders. Thus, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention could be used as an inhibitor of chemotaxis.

#### 15 **Binding Activity**

A polypeptide of the present invention may be used to screen for molecules that bind to the polypeptide or for molecules to which the polypeptide binds. The binding of the polypeptide and the molecule may activate (agonist), increase, inhibit (antagonist), or decrease activity of the polypeptide or the molecule bound. Examples of such molecules  
20 include antibodies, oligonucleotides, proteins (e.g., réceptors), or small molecules.

Preferably, the molecule is closely related to the natural ligand of the polypeptide, e.g., a fragment of the ligand, or a natural substrate, a ligand, a structural or functional mimetic. (See, Coligan et al., Current Protocols in Immunology 1(2):Chapter 5 (1991).) Similarly, the molecule can be closely related to the natural receptor to which the polypeptide  
25 binds, or at least, a fragment of the receptor capable of being bound by the polypeptide (e.g., active site). In either case, the molecule can be rationally designed using known techniques.

Preferably, the screening for these molecules involves producing appropriate cells which express the polypeptide. Preferred cells include cells from mammals, yeast, *Drosophila*, or *E. coli*. Cells expressing the polypeptide (or cell membrane containing the expressed polypeptide) are then preferably contacted with a test compound potentially  
30 containing the molecule to observe binding, stimulation, or inhibition of activity of either the polypeptide or the molecule.

The assay may simply test binding of a candidate compound to the polypeptide, wherein binding is detected by a label, or in an assay involving competition with a labeled competitor. Further, the assay may test whether the candidate compound results in a signal generated by binding to the polypeptide.

5           Alternatively, the assay can be carried out using cell-free preparations, polypeptide/molecule affixed to a solid support, chemical libraries, or natural product mixtures. The assay may also simply comprise the steps of mixing a candidate compound with a solution containing a polypeptide, measuring polypeptide/molecule activity or binding, and comparing the polypeptide/molecule activity or binding to a standard.

10           Preferably, an ELISA assay can measure polypeptide level or activity in a sample (e.g., biological sample) using a monoclonal or polyclonal antibody. The antibody can measure polypeptide level or activity by either binding, directly or indirectly, to the polypeptide or by competing with the polypeptide for a substrate.

            Additionally, the receptor to which the polypeptide of the present invention binds can  
15 be identified by numerous methods known to those of skill in the art, for example, ligand panning and FACS sorting (Coligan, et al., Current Protocols in Immun., 1(2), Chapter 5, (1991)). For example, expression cloning is employed wherein polyadenylated RNA is prepared from a cell responsive to the polypeptides, for example, NIH3T3 cells which are known to contain multiple receptors for the FGF family proteins, and SC-3 cells, and a cDNA  
20 library created from this RNA is divided into pools and used to transfect COS cells or other cells that are not responsive to the polypeptides. Transfected cells which are grown on glass slides are exposed to the polypeptide of the present invention, after they have been labelled. The polypeptides can be labeled by a variety of means including iodination or inclusion of a recognition site for a site-specific protein kinase.

25           Following fixation and incubation, the slides are subjected to auto-radiographic analysis. Positive pools are identified and sub-pools are prepared and re-transfected using an iterative sub-pooling and re-screening process, eventually yielding a single clones that encodes the putative receptor.

            As an alternative approach for receptor identification, the labeled polypeptides can be  
30 photoaffinity linked with cell membrane or extract preparations that express the receptor molecule. Cross-linked material is resolved by PAGE analysis and exposed to X-ray film. The labeled complex containing the receptors of the polypeptides can be excised, resolved

into peptide fragments, and subjected to protein microsequencing. The amino acid sequence obtained from microsequencing would be used to design a set of degenerate oligonucleotide probes to screen a cDNA library to identify the genes encoding the putative receptors.

Moreover, the techniques of gene-shuffling, motif-shuffling, exon-shuffling, and/or  
5 codon-shuffling (collectively referred to as "DNA shuffling") may be employed to modulate the activities of the polypeptide of the present invention thereby effectively generating agonists and antagonists of the polypeptide of the present invention. *See generally*, U.S. Patent Nos. 5,605,793, 5,811,238, 5,830,721, 5,834,252, and 5,837,458, and Patten, P. A., *et al.*, *Curr. Opinion Biotechnol.* 8:724-33 (1997); Harayama, S. *Trends Biotechnol.* 16(2):76-  
10 82 (1998); Hansson, L. O., *et al.*, *J. Mol. Biol.* 287:265-76 (1999); and Lorenzo, M. M. and Blasco, R. *Biotechniques* 24(2):308-13 (1998) (each of these patents and publications are hereby incorporated by reference). In one embodiment, alteration of polynucleotides and corresponding polypeptides may be achieved by DNA shuffling. DNA shuffling involves the assembly of two or more DNA segments into a desired molecule by homologous, or site-  
15 specific, recombination. In another embodiment, polynucleotides and corresponding polypeptides may be altered by being subjected to random mutagenesis by error-prone PCR, random nucleotide insertion or other methods prior to recombination. In another embodiment, one or more components, motifs, sections, parts, domains, fragments, etc., of the polypeptide of the present invention may be recombined with one or more components,  
20 motifs, sections, parts, domains, fragments, etc. of one or more heterologous molecules. In preferred embodiments, the heterologous molecules are family members. In further preferred embodiments, the heterologous molecule is a growth factor such as, for example, platelet-derived growth factor (PDGF), insulin-like growth factor (IGF-I), transforming growth factor (TGF)-alpha, epidermal growth factor (EGF), fibroblast growth factor (FGF),  
25 TGF-beta, bone morphogenetic protein (BMP)-2, BMP-4, BMP-5, BMP-6, BMP-7, activins A and B, decapentaplegic(dpp), 60A, OP-2, dorsalin, growth differentiation factors (GDFs), nodal, MIS, inhibin-alpha, TGF-beta1, TGF-beta2, TGF-beta3, TGF-beta5, and glial-derived neurotrophic factor (GDNF).

Other preferred fragments are biologically active fragments of the polypeptide of the  
30 present invention. Biologically active fragments are those exhibiting activity similar, but not necessarily identical, to an activity of the polypeptide of the present invention. The

biological activity of the fragments may include an improved desired activity, or a decreased undesirable activity.

Additionally, this invention provides a method of screening compounds to identify those which modulate the action of the polypeptide of the present invention. An example of  
5 such an assay comprises combining a mammalian fibroblast cell, a the polypeptide of the present invention, the compound to be screened and  $^3\text{[H]}$  thymidine under cell culture conditions where the fibroblast cell would normally proliferate. A control assay may be performed in the absence of the compound to be screened and compared to the amount of fibroblast proliferation in the presence of the compound to determine if the compound  
10 stimulates proliferation by determining the uptake of  $^3\text{[H]}$  thymidine in each case. The amount of fibroblast cell proliferation is measured by liquid scintillation chromatography which measures the incorporation of  $^3\text{[H]}$  thymidine. Both agonist and antagonist compounds may be identified by this procedure.

In another method, a mammalian cell or membrane preparation expressing a receptor  
15 for a polypeptide of the present invention is incubated with a labeled polypeptide of the present invention in the presence of the compound. The ability of the compound to enhance or block this interaction could then be measured. Alternatively, the response of a known second messenger system following interaction of a compound to be screened and the receptor is measured and the ability of the compound to bind to the receptor and elicit a  
20 second messenger response is measured to determine if the compound is a potential agonist or antagonist. Such second messenger systems include but are not limited to, cAMP guanylate cyclase, ion channels or phosphoinositide hydrolysis.

All of these above assays can be used as diagnostic or prognostic markers. The molecules discovered using these assays can be used to treat disease or to bring about a  
25 particular result in a patient (e.g., blood vessel growth) by activating or inhibiting the polypeptide/molecule. Moreover, the assays can discover agents which may inhibit or enhance the production of the polypeptides of the invention from suitably manipulated cells or tissues.

Therefore, the invention includes a method of identifying compounds which bind to a  
30 polypeptide of the invention comprising the steps of: (a) incubating a candidate binding compound with a polypeptide of the present invention; and (b) determining if binding has

occurred. Moreover, the invention includes a method of identifying agonists/antagonists comprising the steps of: (a) incubating a candidate compound with a polypeptide of the present invention, (b) assaying a biological activity, and (b) determining if a biological activity of the polypeptide has been altered.

5

### **Targeted Delivery**

In another embodiment, the invention provides a method of delivering compositions to targeted cells expressing a receptor for a polypeptide of the invention, or cells expressing a cell bound form of a polypeptide of the invention.

10 As discussed herein, polypeptides or antibodies of the invention may be associated with heterologous polypeptides, heterologous nucleic acids, toxins, or prodrugs via hydrophobic, hydrophilic, ionic and/or covalent interactions. In one embodiment, the invention provides a method for the specific delivery of compositions of the invention to cells by administering polypeptides of the invention (including antibodies) that are associated with  
15 heterologous polypeptides or nucleic acids. In one example, the invention provides a method for delivering a therapeutic protein into the targeted cell. In another example, the invention provides a method for delivering a single stranded nucleic acid (e.g., antisense or ribozymes) or double stranded nucleic acid (e.g., DNA that can integrate into the cell's genome or replicate episomally and that can be transcribed) into the targeted cell.

20 In another embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention (e.g., polypeptides of the invention or antibodies of the invention) in association with toxins or cytotoxic prodrugs.

By "toxin" is meant compounds that bind and activate endogenous cytotoxic effector  
25 systems, radioisotopes, holotoxins, modified toxins, catalytic subunits of toxins, or any molecules or enzymes not normally present in or on the surface of a cell that under defined conditions cause the cell's death. Toxins that may be used according to the methods of the invention include, but are not limited to, radioisotopes known in the art, compounds such as, for example, antibodies (or complement fixing containing portions thereof) that bind an  
30 inherent or induced endogenous cytotoxic effector system, thymidine kinase, endonuclease, RNase, alpha toxin, ricin, abrin, *Pseudomonas* exotoxin A, diphtheria toxin, saporin,



momordin, gelonin, pokeweed antiviral protein, alpha-sarcin and cholera toxin. By "cytotoxic prodrug" is meant a non-toxic compound that is converted by an enzyme, normally present in the cell, into a cytotoxic compound. Cytotoxic prodrugs that may be used according to the methods of the invention include, but are not limited to, glutamyl derivatives of benzoic acid mustard alkylating agent, phosphate derivatives of etoposide or mitomycin C, cytosine arabinoside, daunorubicin, and phenoxyacetamide derivatives of doxorubicin.

### **Drug Screening**

Further contemplated is the use of the polypeptides of the present invention, or the polynucleotides encoding these polypeptides, to screen for molecules which modify the activities of the polypeptides of the present invention. Such a method would include contacting the polypeptide of the present invention with a selected compound(s) suspected of having antagonist or agonist activity, and assaying the activity of these polypeptides following binding.

This invention is particularly useful for screening therapeutic compounds by using the polypeptides of the present invention, or binding fragments thereof, in any of a variety of drug screening techniques. The polypeptide or fragment employed in such a test may be affixed to a solid support, expressed on a cell surface, free in solution, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. One may measure, for example, the formulation of complexes between the agent being tested and a polypeptide of the present invention.

Thus, the present invention provides methods of screening for drugs or any other agents which affect activities mediated by the polypeptides of the present invention. These methods comprise contacting such an agent with a polypeptide of the present invention or a fragment thereof and assaying for the presence of a complex between the agent and the polypeptide or a fragment thereof, by methods well known in the art. In such a competitive binding assay, the agents to screen are typically labeled. Following incubation, free agent is separated from that present in bound form, and the amount of free or uncomplexed label is a

measure of the ability of a particular agent to bind to the polypeptides of the present invention.

Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to the polypeptides of the present invention, and is described in great detail in European Patent Application 84/03564, published on September 13, 1984, which is incorporated herein by reference herein. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. The peptide test compounds are reacted with polypeptides of the present invention and washed. Bound polypeptides are then detected by methods well known in the art. Purified polypeptides are coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies may be used to capture the peptide and immobilize it on the solid support.

This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding polypeptides of the present invention specifically compete with a test compound for binding to the polypeptides or fragments thereof. In this manner, the antibodies are used to detect the presence of any peptide which shares one or more antigenic epitopes with a polypeptide of the invention.

#### **Antisense And Ribozyme (Antagonists)**

In specific embodiments, antagonists according to the present invention are nucleic acids corresponding to the sequences contained in SEQ ID NO:X, or the complementary strand thereof, and/or to nucleotide sequences contained in the cDNA contained in the related cDNA clone identified in Table 1. In one embodiment, antisense sequence is generated internally, by the organism, in another embodiment, the antisense sequence is separately administered (see, for example, O'Connor, J., Neurochem. 56:560 (1991). Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Antisense technology can be used to control gene expression through antisense DNA or RNA, or through triple-helix formation. Antisense techniques are discussed for example, in Okano, J., Neurochem. 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression. CRC Press, Boca Raton, FL (1988). Triple helix formation is discussed in, for instance, Lee et al., Nucleic Acids Research 6:3073 (1979); Cooney et al.,

Science 241:456 (1988); and Dervan et al., Science 251:1300 (1991). The methods are based on binding of a polynucleotide to a complementary DNA or RNA.

For example, the use of c-myc and c-myb antisense RNA constructs to inhibit the growth of the non-lymphocytic leukemia cell line HL-60 and other cell lines was previously described. (Wickstrom et al. (1988); Anfossi et al. (1989)). These experiments were performed in vitro by incubating cells with the oligoribonucleotide. A similar procedure for in vivo use is described in WO 91/15580. Briefly, a pair of oligonucleotides for a given antisense RNA is produced as follows: A sequence complimentary to the first 15 bases of the open reading frame is flanked by an EcoRI site on the 5' end and a HindIII site on the 3' end. Next, the pair of oligonucleotides is heated at 90°C for one minute and then annealed in 2X ligation buffer (20mM TRIS HCl pH 7.5, 10mM MgCl<sub>2</sub>, 10mM dithiothreitol (DTT) and 0.2 mM ATP) and then ligated to the EcoRI/Hind III site of the retroviral vector PMV7 (WO 91/15580).

For example, the 5' coding portion of a polynucleotide that encodes the polypeptide of the present invention may be used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription thereby preventing transcription and the production of the receptor. The antisense RNA oligonucleotide hybridizes to the mRNA in vivo and blocks translation of the mRNA molecule into receptor polypeptide.

In one embodiment, the antisense nucleic acid of the invention is produced intracellularly by transcription from an exogenous sequence. For example, a vector or a portion thereof, is transcribed, producing an antisense nucleic acid (RNA) of the invention. Such a vector would contain a sequence encoding the antisense nucleic acid. Such a vector can remain episomal or become chromosomally integrated, as long as it can be transcribed to produce the desired antisense RNA. Such vectors can be constructed by recombinant DNA technology methods standard in the art. Vectors can be plasmid, viral, or others known in the art, used for replication and expression in vertebrate cells. Expression of the sequence encoding the polypeptide of the present invention or fragments thereof, can be by any promoter known in the art to act in vertebrate, preferably human cells. Such promoters can be inducible or constitutive. Such promoters include, but are not limited to, the SV40 early promoter region (Bernoist and Chambon, Nature 29:304-310 (1981), the promoter contained in the 3' long terminal repeat of Rous sarcoma virus (Yamamoto et al., Cell 22:787-797

(1980), the herpes thymidine promoter (Wagner et al., Proc. Natl. Acad. Sci. U.S.A. 78:1441-1445 (1981). the regulatory sequences of the metallothionein gene (Brinster, et al., Nature 296:39-42 (1982)), etc.

5 The antisense nucleic acids of the invention comprise a sequence complementary to at least a portion of an RNA transcript of a gene of the present invention. However, absolute complementarity, although preferred, is not required. A sequence "complementary to at least a portion of an RNA," referred to herein, means a sequence having sufficient complementarity to be able to hybridize with the RNA, forming a stable duplex; in the case of double stranded antisense nucleic acids, a single strand of the duplex DNA may thus be  
10 tested, or triplex formation may be assayed. The ability to hybridize will depend on both the degree of complementarity and the length of the antisense nucleic acid. Generally, the larger the hybridizing nucleic acid, the more base mismatches with a RNA it may contain and still form a stable duplex (or triplex as the case may be). One skilled in the art can ascertain a tolerable degree of mismatch by use of standard procedures to determine the melting point of  
15 the hybridized complex.

Oligonucleotides that are complementary to the 5' end of the message, e.g., the 5' untranslated sequence up to and including the AUG initiation codon, should work most efficiently at inhibiting translation. However, sequences complementary to the 3' untranslated sequences of mRNAs have been shown to be effective at inhibiting translation of  
20 mRNAs as well. See generally, Wagner, R., 1994, Nature 372:333-335. Thus, oligonucleotides complementary to either the 5'- or 3'- non- translated, non-coding regions of polynucleotide sequences described herein could be used in an antisense approach to inhibit translation of endogenous mRNA. Oligonucleotides complementary to the 5' untranslated region of the mRNA should include the complement of the AUG start codon. Antisense  
25 oligonucleotides complementary to mRNA coding regions are less efficient inhibitors of translation but could be used in accordance with the invention. Whether designed to hybridize to the 5'-, 3'- or coding region of mRNA of the present invention, antisense nucleic acids should be at least six nucleotides in length, and are preferably oligonucleotides ranging from 6 to about 50 nucleotides in length. In specific aspects the oligonucleotide is at least 10  
30 nucleotides, at least 17 nucleotides, at least 25 nucleotides or at least 50 nucleotides.

The polynucleotides of the invention can be DNA or RNA or chimeric mixtures or derivatives or modified versions thereof, single-stranded or double-stranded. The

oligonucleotide can be modified at the base moiety, sugar moiety, or phosphate backbone, for example, to improve stability of the molecule, hybridization, etc. The oligonucleotide may include other appended groups such as peptides (e.g., for targeting host cell receptors in vivo), or agents facilitating transport across the cell membrane (see, e.g., Letsinger et al., 5 1989, Proc. Natl. Acad. Sci. U.S.A. 86:6553-6556; Lemaitre et al., 1987, Proc. Natl. Acad. Sci. 84:648-652; PCT Publication No. WO88/09810, published December 15, 1988) or the blood-brain barrier (see, e.g., PCT Publication No. WO89/10134, published April 25, 1988), hybridization-triggered cleavage agents. (See, e.g., Krol et al., 1988, BioTechniques 6:958-976) or intercalating agents. (See, e.g., Zon, 1988, Pharm. Res. 5:539-549). To this end, the 10 oligonucleotide may be conjugated to another molecule, e.g., a peptide, hybridization triggered cross-linking agent, transport agent, hybridization-triggered cleavage agent, etc.

The antisense oligonucleotide may comprise at least one modified base moiety which is selected from the group including, but not limited to, 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xantine, 4-acetylcytosine, 15 5-(carboxyhydroxymethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta- 20 D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine.

25 The antisense oligonucleotide may also comprise at least one modified sugar moiety selected from the group including, but not limited to, arabinose, 2-fluoroarabinose, xylulose, and hexose.

In yet another embodiment, the antisense oligonucleotide comprises at least one modified phosphate backbone selected from the group including, but not limited to, a 30 phosphorothioate, a phosphorodithioate, a phosphoramidothioate, a phosphoramidate, a phosphordiamidate, a methylphosphonate, an alkyl phosphotriester, and a formacetal or analog thereof.

In yet another embodiment, the antisense oligonucleotide is an a-anomeric oligonucleotide. An a-anomeric oligonucleotide forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual b-units, the strands run parallel to each other (Gautier et al., 1987, Nucl. Acids Res. 15:6625-6641). The oligonucleotide is a 2'-O-methylribonucleotide (Inoue et al., 1987, Nucl. Acids Res. 15:6131-6148), or a chimeric RNA-DNA analogue (Inoue et al., 1987, FEBS Lett. 215:327-330).

Polynucleotides of the invention may be synthesized by standard methods known in the art, e.g. by use of an automated DNA synthesizer (such as are commercially available from Biosearch, Applied Biosystems, etc.). As examples, phosphorothioate oligonucleotides may be synthesized by the method of Stein et al. (1988, Nucl. Acids Res. 16:3209), methylphosphonate oligonucleotides can be prepared by use of controlled pore glass polymer supports (Sarin et al., 1988, Proc. Natl. Acad. Sci. U.S.A. 85:7448-7451), etc.

While antisense nucleotides complementary to the coding region sequence could be used, those complementary to the transcribed untranslated region are most preferred.

Potential antagonists according to the invention also include catalytic RNA, or a ribozyme (See, e.g., PCT International Publication WO 90/11364, published October 4, 1990; Sarver et al, Science 247:1222-1225 (1990). While ribozymes that cleave mRNA at site specific recognition sequences can be used to destroy mRNAs, the use of hammerhead ribozymes is preferred. Hammerhead ribozymes cleave mRNAs at locations dictated by flanking regions that form complementary base pairs with the target mRNA. The sole requirement is that the target mRNA have the following sequence of two bases: 5'-UG-3'. The construction and production of hammerhead ribozymes is well known in the art and is described more fully in Haseloff and Gerlach, Nature 334:585-591 (1988). There are numerous potential hammerhead ribozyme cleavage sites within the nucleotide sequence of SEQ ID NO:X. Preferably, the ribozyme is engineered so that the cleavage recognition site is located near the 5' end of the mRNA; i.e., to increase efficiency and minimize the intracellular accumulation of non-functional mRNA transcripts.

As in the antisense approach, the ribozymes of the invention can be composed of modified oligonucleotides (e.g. for improved stability, targeting, etc.) and should be delivered to cells which express in vivo. DNA constructs encoding the ribozyme may be introduced into the cell in the same manner as described above for the introduction of antisense encoding DNA. A preferred method of delivery involves using a DNA construct "encoding" the

ribozyme under the control of a strong constitutive promoter, such as, for example, pol III or pol II promoter, so that transfected cells will produce sufficient quantities of the ribozyme to destroy endogenous messages and inhibit translation. Since ribozymes unlike antisense molecules, are catalytic, a lower intracellular concentration is required for efficiency.

5 Antagonist/agonist compounds may be employed to inhibit the cell growth and proliferation effects of the polypeptides of the present invention on neoplastic cells and tissues, i.e. stimulation of angiogenesis of tumors, and, therefore, retard or prevent abnormal cellular growth and proliferation, for example, in tumor formation or growth.

10 The antagonist/agonist may also be employed to prevent hyper-vascular diseases, and prevent the proliferation of epithelial lens cells after extracapsular cataract surgery. Prevention of the mitogenic activity of the polypeptides of the present invention may also be desirous in cases such as restenosis after balloon angioplasty.

The antagonist/agonist may also be employed to prevent the growth of scar tissue during wound healing.

15 The antagonist/agonist may also be employed to treat the diseases described herein.

Thus, the invention provides a method of treating disorders or diseases, including but not limited to the disorders or diseases listed throughout this application, associated with overexpression of a polynucleotide of the present invention by administering to a patient (a) an antisense molecule directed to the polynucleotide of the present invention, and/or (b) a  
20 ribozyme directed to the polynucleotide of the present invention.

### **Other Activities**

25 A polypeptide, polynucleotide, agonist, or antagonist of the present invention, as a result of the ability to stimulate vascular endothelial cell growth, may be employed in treatment for stimulating re-vascularization of ischemic tissues due to various disease conditions such as thrombosis, arteriosclerosis, and other cardiovascular conditions. The polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed to stimulate angiogenesis and limb regeneration, as discussed above.

30 A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for treating wounds due to injuries, burns, post-operative tissue repair, and ulcers since they are mitogenic to various cells of different origins, such as fibroblast cells

and skeletal muscle cells, and therefore, facilitate the repair or replacement of damaged or diseased tissue.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed stimulate neuronal growth and to treat and prevent neuronal damage which occurs in certain neuronal disorders or neuro-degenerative conditions such as Alzheimer's disease, Parkinson's disease, and AIDS-related complex. A polypeptide, polynucleotide, agonist, or antagonist of the present invention may have the ability to stimulate chondrocyte growth, therefore, they may be employed to enhance bone and periodontal regeneration and aid in tissue transplants or bone grafts.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed to prevent skin aging due to sunburn by stimulating keratinocyte growth.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for preventing hair loss, since FGF family members activate hair-forming cells and promotes melanocyte growth. Along the same lines, a polypeptide, polynucleotide, agonist, or antagonist of the present invention may be employed to stimulate growth and differentiation of hematopoietic cells and bone marrow cells when used in combination with other cytokines.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed to maintain organs before transplantation or for supporting cell culture of primary tissues. A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for inducing tissue of mesodermal origin to differentiate in early embryos.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also increase or decrease the differentiation or proliferation of embryonic stem cells, besides, as discussed above, hematopoietic lineage.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be used to modulate mammalian characteristics. such as body height, weight, hair color, eye color, skin, percentage of adipose tissue, pigmentation, size, and shape (e.g., cosmetic surgery). Similarly, a polypeptide, polynucleotide, agonist, or antagonist of the present invention may be used to modulate mammalian metabolism affecting catabolism, anabolism, processing, utilization, and storage of energy.



A polypeptide, polynucleotide, agonist, or antagonist of the present invention may be used to change a mammal's mental state or physical state by influencing biorhythms, cardiac rhythms, depression (including depressive disorders), tendency for violence, tolerance for pain, reproductive capabilities (preferably by Activin or Inhibin-like activity),  
5 hormonal or endocrine levels, appetite, libido, memory, stress, or other cognitive qualities.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be used as a food additive or preservative, such as to increase or decrease storage capabilities, fat content, lipid, protein, carbohydrate, vitamins, minerals, cofactors or other nutritional components.

10 The above-recited applications have uses in a wide variety of hosts. Such hosts include, but are not limited to, human, murine, rabbit, goat, guinea pig, camel, horse, mouse, rat, hamster, pig, micro-pig, chicken, goat, cow, sheep, dog, cat, non-human primate, and human. In specific embodiments, the host is a mouse, rabbit, goat, guinea pig, chicken, rat, hamster, pig, sheep, dog or cat. In preferred embodiments, the host is a mammal. In most  
15 preferred embodiments, the host is a human.

#### **Other Preferred Embodiments**

Other preferred embodiments of the claimed invention include an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence  
20 of at least about 50 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in the related cDNA clone contained in the deposit.

Also preferred is a nucleic acid molecule wherein said sequence of contiguous nucleotides is included in the nucleotide sequence of SEQ ID NO:X in the range of positions  
25 identified as "Start" and "End" in columns 7 and 8 as defined for SEQ ID NO:X in Table 1.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 150 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in the related cDNA clone contained in the deposit.

30 Further preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 500 contiguous

nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in the related cDNA clone contained in the deposit.

A further preferred embodiment is a nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the nucleotide sequence of SEQ ID NO:X in the range of positions identified as "Start" and "End" in columns 7 and 8 as defined for SEQ ID NO:X in Table 1.

A further preferred embodiment is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the complete nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in the related cDNA clone contained in the deposit.

Also preferred is an isolated nucleic acid molecule which hybridizes under stringent hybridization conditions to a nucleic acid molecule comprising a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in the related cDNA clone contained in the deposit, wherein said nucleic acid molecule which hybridizes does not hybridize under stringent hybridization conditions to a nucleic acid molecule having a nucleotide sequence consisting of only A residues or of only T residues.

Also preferred is a composition of matter comprising a DNA molecule which comprises a cDNA clone contained in the deposit.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least 50 contiguous nucleotides in the nucleotide sequence of the cDNA in the related cDNA clone contained in the deposit.

Also preferred is an isolated nucleic acid molecule, wherein said sequence of at least 50 contiguous nucleotides is included in the nucleotide sequence of an open reading frame sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to sequence of at least 150 contiguous nucleotides in the nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

A further preferred embodiment is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to sequence of at least 500 contiguous nucleotides in the nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

A further preferred embodiment is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the complete nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

5 A further preferred embodiment is a method for detecting in a biological sample a nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; and a nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit; which method comprises a step of comparing a nucleotide sequence of at least one  
10 nucleic acid molecule in said sample with a sequence selected from said group and determining whether the sequence of said nucleic acid molecule in said sample is at least 95% identical to said selected sequence.

Also preferred is the above method wherein said step of comparing sequences comprises determining the extent of nucleic acid hybridization between nucleic acid  
15 molecules in said sample and a nucleic acid molecule comprising said sequence selected from said group. Similarly, also preferred is the above method wherein said step of comparing sequences is performed by comparing the nucleotide sequence determined from a nucleic acid molecule in said sample with said sequence selected from said group. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

20 A further preferred embodiment is a method for identifying the species, tissue or cell type of a biological sample which method comprises a step of detecting nucleic acid molecules in said sample, if any, comprising a nucleotide sequence that is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand  
25 thereto; and a nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

Also preferred is the above method for identifying the species, tissue or cell type of a biological sample which comprises a step of detecting nucleic acid molecules comprising a nucleotide sequence in a panel of at least two nucleotide sequences, wherein at least one  
30 sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from said group.

Also preferred is a method for diagnosing in a subject a pathological condition associated with abnormal structure or expression of a nucleotide sequence of SEQ ID NO:X; or the cDNA contained in the related cDNA clone referenced in Table 1 which encodes a protein, wherein the method comprises a step of detecting in a biological sample obtained from said subject nucleic acid molecules, if any, comprising a nucleotide sequence that is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; and a nucleotide sequence of the cDNA in the related cDNA clone contained in the deposit.

Also preferred is the above method for diagnosing a pathological condition which comprises a step of detecting nucleic acid molecules comprising a nucleotide sequence in a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from said group.

Also preferred is a composition of matter comprising isolated nucleic acid molecules wherein the nucleotide sequences of said nucleic acid molecules comprise a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; and a nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

Also preferred is a composition of matter comprising isolated nucleic acid molecules wherein the nucleotide sequences of said nucleic acid molecules comprise a DNA microarray or "chip" of at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 40, 50, 100, 150, 200, 250, 300, 500, 1000, 2000, 3000 or 4000 nucleotide sequences, wherein at least one sequence in said DNA microarray or "chip" is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; and a nucleotide sequence encoded by the cDNA in the cDNA clone referenced in Table 1. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

Also preferred is an isolated polypeptide comprising an amino acid sequence at least 90% identical to a sequence of at least about 10 contiguous amino acids in the polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

5 Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 30 contiguous amino acids in the amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

10 Further preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 100 contiguous amino acids in the amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

15 Further preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to the complete amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

Further preferred is an isolated polypeptide comprising an amino acid sequence at least 90% identical to a sequence of at least about 10 contiguous amino acids in the complete amino acid sequence of a polypeptide encoded by the cDNA clone referenced in Table 1.

20 Also preferred is a polypeptide wherein said sequence of contiguous amino acids is included in the amino acid sequence of a portion of said polypeptide encoded by the cDNA clone referenced in Table 1; a polypeptide encoded by SEQ ID NO:X; and/or the polypeptide sequence of SEQ ID NO:Y.

25 Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 30 contiguous amino acids in the amino acid sequence of a polypeptide encoded by the cDNA clone referenced in Table 1.

Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 100 contiguous amino acids in the amino acid sequence of a polypeptide encoded by the cDNA clone referenced in Table 1.

30 Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to the amino acid sequence of a polypeptide encoded by the cDNA clone referenced in Table 1.

Further preferred is an isolated antibody which binds specifically to a polypeptide comprising an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

Further preferred is a method for detecting in a biological sample a polypeptide comprising an amino acid sequence which is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1; which method comprises a step of comparing an amino acid sequence of at least one polypeptide molecule in said sample with a sequence selected from said group and determining whether the sequence of said polypeptide molecule in said sample is at least 90% identical to said sequence of at least 10 contiguous amino acids.

Also preferred is the above method wherein said step of comparing an amino acid sequence of at least one polypeptide molecule in said sample with a sequence selected from said group comprises determining the extent of specific binding of polypeptides in said sample to an antibody which binds specifically to a polypeptide comprising an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

Also preferred is the above method wherein said step of comparing sequences is performed by comparing the amino acid sequence determined from a polypeptide molecule in said sample with said sequence selected from said group.

Also preferred is a method for identifying the species, tissue or cell type of a biological sample which method comprises a step of detecting polypeptide molecules in said sample, if any, comprising an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

Also preferred is the above method for identifying the species, tissue or cell type of a biological sample, which method comprises a step of detecting polypeptide molecules comprising an amino acid sequence in a panel of at least two amino acid sequences, wherein at least one sequence in said panel is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the above group.

Also preferred is a method for diagnosing in a subject a pathological condition associated with abnormal structure or expression of a nucleic acid sequence identified in Table 1 encoding a polypeptide, which method comprises a step of detecting in a biological sample obtained from said subject polypeptide molecules comprising an amino acid sequence in a panel of at least two amino acid sequences, wherein at least one sequence in said panel is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

In any of these methods, the step of detecting said polypeptide molecules includes using an antibody.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a nucleotide sequence encoding a polypeptide wherein said polypeptide comprises an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

Also preferred is an isolated nucleic acid molecule, wherein said nucleotide sequence encoding a polypeptide has been optimized for expression of said polypeptide in a prokaryotic host.

Also preferred is an isolated nucleic acid molecule, wherein said polypeptide comprises an amino acid sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

Further preferred is a method of making a recombinant vector comprising inserting any of the above isolated nucleic acid molecule into a vector. Also preferred is the recombinant vector produced by this method. Also preferred is a method of making a

recombinant host cell comprising introducing the vector into a host cell, as well as the recombinant host cell produced by this method.

Also preferred is a method of making an isolated polypeptide comprising culturing this recombinant host cell under conditions such that said polypeptide is expressed and recovering said polypeptide. Also preferred is this method of making an isolated polypeptide, wherein said recombinant host cell is a eukaryotic cell and said polypeptide is a human protein comprising an amino acid sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1. The isolated polypeptide produced by this method is also preferred.

Also preferred is a method of treatment of an individual in need of an increased level of a protein activity, which method comprises administering to such an individual a Therapeutic comprising an amount of an isolated polypeptide, polynucleotide, immunogenic fragment or analogue thereof, binding agent, antibody, or antigen binding fragment of the claimed invention effective to increase the level of said protein activity in said individual.

Also preferred is a method of treatment of an individual in need of a decreased level of a protein activity, which method comprised administering to such an individual a Therapeutic comprising an amount of an isolated polypeptide, polynucleotide, immunogenic fragment or analogue thereof, binding agent, antibody, or antigen binding fragment of the claimed invention effective to decrease the level of said protein activity in said individual.

Having generally described the invention, the same will be more readily understood by reference to the following examples, which are provided by way of illustration and are not intended as limiting.



*Examples**Example 1: Isolation of a Selected cDNA Clone From the Deposited Sample*

5

Each deposited cDNA clone is contained in a plasmid vector. Table 5 identifies the vectors used to construct the cDNA library from which each clone was isolated. In many cases, the vector used to construct the library is a phage vector from which a plasmid has been excised. The following correlates the related plasmid for each phage vector used in constructing the cDNA library. For example, where a particular clone is identified in Table 5 as being isolated in the vector "Lambda Zap," the corresponding deposited clone is in "pBluescript."

	<u>Vector Used to Construct Library</u>	<u>Corresponding Deposited Plasmid</u>
	Lambda Zap	pBluescript (pBS)
15	Uni-Zap XR	pBluescript (pBS)
	Zap Express	pBK
	lafmid BA	plafmid BA
	pSport1	pSport1
	pCMVSPORT 2.0	pCMVSPORT 2.0
20	pCMVSPORT 3.0	pCMVSPORT 3.0
	pCR <sup>®</sup> 2.1	pCR <sup>®</sup> 2.1

Vectors Lambda Zap (U.S. Patent Nos. 5,128,256 and 5,286,636), Uni-Zap XR (U.S. Patent Nos. 5,128, 256 and 5,286,636), Zap Express (U.S. Patent Nos. 5,128,256 and 5,286,636), pBluescript (pBS) (Short, J. M. et al., Nucleic Acids Res. 16:7583-7600 (1988); Alting-Mees, M. A. and Short, J. M., Nucleic Acids Res. 17:9494 (1989)) and pBK (Alting-Mees, M. A. et al., Strategies 5:58-61 (1992)) are commercially available from Stratagene Cloning Systems, Inc., 11011 N. Torrey Pines Road, La Jolla, CA, 92037. pBS contains an ampicillin resistance gene and pBK contains a neomycin resistance gene. Both can be transformed into E. coli strain XL-1 Blue, also available from Stratagene. pBS comes in 4 forms SK<sup>+</sup>, SK<sup>-</sup>, KS<sup>+</sup> and KS<sup>-</sup>. The S and K refers to the orientation of the polylinker to the T7 and T3 primer sequences which flank the polylinker region ("S" is for SacI and "K" is for KpnI which are the first sites on each respective end of the linker). "+" or "-" refer to the

30

orientation of the fl origin of replication ("ori"), such that in one orientation, single stranded rescue initiated from the fl ori generates sense strand DNA and in the other, antisense.

Vectors pSport1, pCMVSPORT 2.0 and pCMVSPORT 3.0, were obtained from Life Technologies, Inc., P. O. Box 6009, Gaithersburg, MD 20897. All Sport vectors contain an  
5    ampicillin resistance gene and may be transformed into E. coli strain DH10B, also available from Life Technologies. (See, for instance, Gruber, C. E., et al., Focus 15:59 (1993).)

Vector lacmid BA (Bento Soares, Columbia University, NY) contains an ampicillin resistance gene and can be transformed into E. coli strain XL-1 Blue. Vector pCR<sup>®</sup>2.1, which is available from Invitrogen, 1600 Faraday Avenue, Carlsbad, CA 92008, contains an

10    ampicillin resistance gene and may be transformed into E. coli strain DH10B, available from Life Technologies. (See, for instance, Clark, J. M., Nuc. Acids Res. 16:9677-9686 (1988) and Mead, D. et al., Bio/Technology 9: (1991).) Preferably, a polynucleotide of the present invention does not comprise the phage vector sequences identified for the particular clone in Table 5, as well as the corresponding plasmid vector sequences designated above.

15       The deposited material in the sample assigned the ATCC Deposit Number cited by reference to Table 2 and 5 for any given cDNA clone also may contain one or more additional plasmids, each comprising a cDNA clone different from that given clone. Thus, deposits sharing the same ATCC Deposit Number contain at least a plasmid for each cDNA clone referenced in Table 1.

**TABLE 5**

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HUKA HUKB HUKC HUKD HUKF HUKG	Human Utrine Cancer	Lambda ZAP II	LP01
HCNA HCNB	Human Colon	Lambda Zap II	LP01
HFFA	Human Fetal Brain. random primed	Lambda Zap II	LP01
HTWA	Resting T-Cell	Lambda ZAP II	LP01
HBQA	Early Stage Human Brain. random primed	Lambda ZAP II	LP01
HLMB HLMF HLMG HLMH HLMJ HLMK HLMN	breast lymph node CDNA library	Lambda ZAP II	LP01
HCQA HCOB	human colon cancer	Lambda ZAP II	LP01
HMEA HMEC HMEF HMEG HMEI HMEJ HMEK HMEI	Human Microvascular Endothelial Cells. fract. A	Lambda ZAP II	LP01
HUSA HUSC	Human Umbilical Vein Endothelial Cells. fract. A	Lambda ZAP II	LP01
HLQA HLOB	Hepatocellular Tumor	Lambda ZAP II	LP01
HHGA HHGB HHGC HHGD	Hemangiopericytoma	Lambda ZAP II	LP01
HSDM	Human Striatum Depression. re-rescue	Lambda ZAP II	LP01
HUSH	H Umbilical Vein Endothelial Cells. frac A. re-excision	Lambda ZAP II	LP01
HSGS	Salivary gland, subtracted	Lambda ZAP II	LP01
HFXA HFXB HFXC HFXD HFXE HFXF HFXG HFXH	Brain frontal cortex	Lambda ZAP II	LP01
HPQA HPQB HPQC	PERM TF274	Lambda ZAP II	LP01
HFXJ HFXK	Brain Frontal Cortex, re-excision	Lambda ZAP II	LP01
HCWA HCWB HCWC HCWD HCWE HCWF HCWG HCWH HCWI HCWJ HCWK	CD34 positive cells (Cord Blood)	ZAP Express	LP02
HCUA HCUB HCUC	CD34 depleted Buffy Coat (Cord Blood)	ZAP Express	LP02
HRSM	A-14 cell line	ZAP Express	LP02
HRSA	A1-CELL LINE	ZAP Express	LP02
HCUA HCUB HCUC	CD34 depleted Buffy Coat (Cord Blood). re-excision	ZAP Express	LP02
HCUA HCUB HCUC	CD34 depleted Buffy Coat (Cord Blood). re-excision	ZAP Express	LP02
HBXE HBXF HBXG	H. Whole Brain #2. re-excision	ZAP Express	LP02
HRLM	L8 cell line	ZAP Express	LP02
HBXA HBXB HBXC HBXD	Human Whole Brain #2 - Oligo dT > 1.5Kb	ZAP Express	LP02
HUDA HUDB HUDC	Testes	ZAP Express	LP02
HHTM HHTN HHTO	H. hypothalamus. frac A:re-excision	ZAP Express	LP02
HHTL	H. hypothalamus. frac A	ZAP Express	LP02
HASA HASD	Human Adult Spleen	Uni-ZAP XR	LP03
HFKC HFKD HFKE HFKF HFKG	Human Fetal Kidney	Uni-ZAP XR	LP03
HE8A HE8B HE8C HE8D HE8E HE8F HE8M HE8N	Human 8 Week Whole Embryo	Uni-ZAP XR	LP03
HGBA HGBD HGBE HGBF HGBG HGBH HGBI	Human Gall Bladder	Uni-ZAP XR	LP03
HLHA HLHB HLHC HLHD HLHE	Human Fetal Lung III	Uni-ZAP XR	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HLHF HLHG HLHH HLHQ			
HPMA HPMB HPMC HPMD HPME HPMF HPMG HPMH	Human Placenta	Uni-ZAP XR	LP03
HPRA HPRB HPRC HPRD	Human Prostate	Uni-ZAP XR	LP03
HSIA HSIC HSID HSIE	Human Adult Small Intestine	Uni-ZAP XR	LP03
HTEA HTEB HTEC HTED HTEE HTEF HTEG HTEH HTEI HTEJ HTEK	Human Testes	Uni-ZAP XR	LP03
HTPA HTPB HTPC HTPD HTPE	Human Pancreas Tumor	Uni-ZAP XR	LP03
HTTA HTTB HTTC HTTD HTTE HTTF	Human Testes Tumor	Uni-ZAP XR	LP03
HAPA HAPB HAPC HAPM	Human Adult Pulmonary	Uni-ZAP XR	LP03
HETA HETB HETC HETD HETE HETF HETG HETH HETI	Human Endometrial Tumor	Uni-ZAP XR	LP03
HHFB HHFC HHFD HHFE HHFF HHFG HHFH HHFI	Human Fetal Heart	Uni-ZAP XR	LP03
HHPB HHPD HHPH	Human Hippocampus	Uni-ZAP XR	LP03
HCE1 HCE2 HCE3 HCE4 HCE5 HCEB HCEC HCED HCEE HCEF HCEG	Human Cerebellum	Uni-ZAP XR	LP03
HUVB HUV C HUVD HUVE	Human Umbilical Vein. Endo. remake	Uni-ZAP XR	LP03
HSTA HSTB HSTC HSTD	Human Skin Tumor	Uni-ZAP XR	LP03
HTAA HTAB HTAC HTAD HTAE	Human Activated T-Cells	Uni-ZAP XR	LP03
HFEA HFEB HFEC	Human Fetal Epithelium (Skin)	Uni-ZAP XR	LP03
HJPA HJPB HJPC HJPD	HUMAN JURKAT MEMBRANE BOUND POLYSOMES	Uni-ZAP XR	LP03
HESA	Human epithelioid sarcoma	Uni-Zap XR	LP03
HLTA HLTB HLTC HLTD HLTE HLTF	Human T-Cell Lymphoma	Uni-ZAP XR	LP03
HFTA HFTB HFTC HFTD	Human Fetal Dura Mater	Uni-ZAP XR	LP03
HRDA HRDB HRDC HRDD HRDE HRDF	Human Rhabdomyosarcoma	Uni-ZAP XR	LP03
HCAA HCAB HCAC	Cem cells cyclohexamide treated	Uni-ZAP XR	LP03
HRGA HRGB HRGC HRGD	Raji Cells. cyclohexamide treated	Uni-ZAP XR	LP03
HSUA HSUB HSUC HSUM	Supt Cells. cyclohexamide treated	Uni-ZAP XR	LP03
HT4A HT4C HT4D	Activated T-Cells, 12 hrs.	Uni-ZAP XR	LP03
HE9A HE9B HE9C HE9D HE9E HE9F HE9G HE9H HE9M HE9N	Nine Week Old Early Stage Human	Uni-ZAP XR	LP03
HATA HATB HATC HATD HATE	Human Adrenal Gland Tumor	Uni-ZAP XR	LP03
HT5A	Activated T-Cells, 24 hrs.	Uni-ZAP XR	LP03
HFGA HFGM	Human Fetal Brain	Uni-ZAP XR	LP03
HNEA HNEB HNEC HNED HNEE	Human Neutrophil	Uni-ZAP XR	LP03
HBGB HBGD	Human Primary Breast Cancer	Uni-ZAP XR	LP03
HBNA HBNB	Human Normal Breast	Uni-ZAP XR	LP03
HCAS	Cem Cells. cyclohexamide treated. subtra	Uni-ZAP XR	LP03
HHPS	Human Hippocampus. subtracted	pBS	LP03
HKCS HKCU	Human Colon Cancer. subtracted	pBS	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HRGS	Raji cells, cyclohexamide treated, subtracted	pBS	LP03
HSUT	Supt cells, cyclohexamide treated, differentially expressed	pBS	LP03
HT4S	Activated T-Cells, 12 hrs. subtracted	Uni-ZAP XR	LP03
HCD4 HCDB HCDC HCDD HCDE	Human Chondrosarcoma	Uni-ZAP XR	LP03
HOAA HOAB HOAC	Human Osteosarcoma	Uni-ZAP XR	LP03
HTLA HTLB HTLC HTLD HTLE HTLF	Human adult testis, large inserts	Uni-ZAP XR	LP03
HLMA HLMB HLMD	Breast Lymph node cDNA library	Uni-ZAP XR	LP03
H6EA H6EB H6EC	HL-60, PMA 4H	Uni-ZAP XR	LP03
HTXA HTXB HTXC HTXD HTXE HTXF HTXG HTXH	Activated T-Cell (12hs)/Thiouridine labelled Eco	Uni-ZAP XR	LP03
HNFA HNFB HNFC HNFD HNFE HNFF HNFG HNFH HNFJ	Human Neutrophil, Activated	Uni-ZAP XR	LP03
HTOB HTOC	HUMAN TONSILS, FRACTION 2	Uni-ZAP XR	LP03
HMGB	Human OB MG63 control fraction I	Uni-ZAP XR	LP03
HOPB	Human OB HOS control fraction I	Uni-ZAP XR	LP03
HORB	Human OB HOS treated (10 nM E2) fraction I	Uni-ZAP XR	LP03
HSVA HSVB HSVC	Human Chronic Synovitis	Uni-ZAP XR	LP03
HROA	HUMAN STOMACH	Uni-ZAP XR	LP03
HBJA HBJB HBJC HBJD HBJE HBJF HBJG HBJH HBJI HBJJ HBJK	HUMAN B CELL LYMPHOMA	Uni-ZAP XR	LP03
HCRA HCRB HCRC	human corpus colosum	Uni-ZAP XR	LP03
HODA HODB HODC HODD	human ovarian cancer	Uni-ZAP XR	LP03
HDSA	Dermatofibrosarcoma Protuberance	Uni-ZAP XR	LP03
HMWA HMWB HMWC HMWD HMWE HMWF HMWG HMWH HMWI HMWJ	Bone Marrow Cell Line (RS4;11)	Uni-ZAP XR	LP03
HSOA	stomach cancer (human)	Uni-ZAP XR	LP03
HERA	SKIN	Uni-ZAP XR	LP03
HMDA	Brain-medulloblastoma	Uni-ZAP XR	LP03
HGLA HGLB HGLD	Glioblastoma	Uni-ZAP XR	LP03
HEAA	H. Atrophic Endometrium	Uni-ZAP XR	LP03
HBCA HBCB	H. Lymph node breast Cancer	Uni-ZAP XR	LP03
HPWT	Human Prostate BPH, re-excision	Uni-ZAP XR	LP03
HFVG HFVH HFVI	Fetal Liver, subtraction II	pBS	LP03
HNFI	Human Neutrophils, Activated, re-excision	pBS	LP03
HMBB HBMC HBMD	Human Bone Marrow, re-excision	pBS	LP03
HKML HKMM HKMN	H. Kidney Medulla, re-excision	pBS	LP03
HKIX HKIY	H. Kidney Cortex, subtracted	pBS	LP03
HADT	H. Amygdala Depression, subtracted	pBS	LP03
H6AS	HL-60, untreated, subtracted	Uni-ZAP XR	LP03
H6ES	HL-60, PMA 4H, subtracted	Uni-ZAP XR	LP03
H6BS	HL-60, RA 4h, Subtracted	Uni-ZAP XR	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
H6CS	HL-60. PMA 1d. subtracted	Uni-ZAP XR	LP03
HTXJ HTXK	Activated T-cell(12h)/Thiouridine-re-excision	Uni-ZAP XR	LP03
HMSA HMSB HMSC HMSD HMSE HMSF HMSG HMSH HMSI HMSJ HMSK	Monocyte activated	Uni-ZAP XR	LP03
HAGA HAGB HAGC HAGD HAGE HAGF	Human Amygdala	Uni-ZAP XR	LP03
HSRA HSRB HSRE	STROMAL -OSTEOCLASTOMA	Uni-ZAP XR	LP03
HSRD HSRF HSRG HSRH	Human Osteoclastoma Stromal Cells - unamplified	Uni-ZAP XR	LP03
HSQA HSQB HSQC HSQD HSQE HSQF HSQG	Stromal cell TF274	Uni-ZAP XR	LP03
HSKA HSKB HSKC HSKD HSKE HSKF HSKZ	Smooth muscle. serum treated	Uni-ZAP XR	LP03
HSLA HSLB HSLC HSLD HSLE HSLF HSLG	Smooth muscle.control	Uni-ZAP XR	LP03
HSDA HSDD HSDE HSDF HSDG HSDH	Spinal cord	Uni-ZAP XR	LP03
HPWS	Prostate-BPH subtracted II	pBS	LP03
HSKW HSKX HSKY	Smooth Muscle- HASTE normalized	pBS	LP03
HFPB HFPC HFPD	H. Frontal cortex.epileptic:re-excision	Uni-ZAP XR	LP03
HSDI HSDJ HSDK	Spinal Cord. re-excision	Uni-ZAP XR	LP03
HSKN HSKO	Smooth Muscle Serum Treated, Norm	pBS	LP03
HSKG HSKH HSKI	Smooth muscle. serum induced.re-exc	pBS	LP03
HFCA HFCB HFCC HFCD HFCE HFCF	Human Fetal Brain	Uni-ZAP XR	LP04
HPTA HPTB HPTD	Human Pituitary	Uni-ZAP XR	LP04
HTHB HTHC HTHD	Human Thymus	Uni-ZAP XR	LP04
HE6B HE6C HE6D HE6E HE6F HE6G HE6S	Human Whole Six Week Old Embryo	Uni-ZAP XR	LP04
HSSA HSSB HSSC HSSD HSSE HSSF HSSG HSSH HSSI HSSJ HSSK	Human Synovial Sarcoma	Uni-ZAP XR	LP04
HE7T	7 Week Old Early Stage Human, subtracted	Uni-ZAP XR	LP04
HEPA HEPB HEPD	Human Epididymus	Uni-ZAP XR	LP04
HSNA HSNB HSNC HSNM HSNM	Human Synovium	Uni-ZAP XR	LP04
HPFB HPFC HPFD HPFE	Human Prostate Cancer. Stage C fraction	Uni-ZAP XR	LP04
HE2A HE2D HE2E HE2H HE2I HE2M HE2N HE2O	12 Week Old Early Stage Human	Uni-ZAP XR	LP04
HE2B HE2C HE2F HE2G HE2P HE2Q	12 Week Old Early Stage Human, II	Uni-ZAP XR	LP04
HPTS HPTT HPTU	Human Pituitary. subtracted	Uni-ZAP XR	LP04
HAUA HAUB HAUC	Amniotic Cells - TNF induced	Uni-ZAP XR	LP04
HAQA HAQB HAQC HAQD	Amniotic Cells - Primary Culture	Uni-ZAP XR	LP04
HWTA HWTB HWTG	wilm's tumor	Uni-ZAP XR	LP04
HBSD	Bone Cancer. re-excision	Uni-ZAP XR	LP04
HSGB	Salivary gland. re-excision	Uni-ZAP XR	LP04
HSJA HSJB HSJC	Smooth muscle-ILb induced	Uni-ZAP XR	LP04
HSXA HSXB HSXC HSXD	Human Substantia Nigra	Uni-ZAP XR	LP04

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HSHA HSHB HSHC	Smooth muscle. IL1b induced	Uni-ZAP XR	LP04
HOUA HOU'B HOU'C HOUD HOUE	Adipocytes	Uni-ZAP XR	LP04
HPWA HPWB HPWC HPWD HPWE	Prostate BPH	Uni-ZAP XR	LP04
HELA HELB HELC HELD HELE HELF HELG HELH	Endothelial cells-control	Uni-ZAP XR	LP04
HEMA HEMB HEMC HEMD HEME HEMF HEMG HEMH	Endothelial-induced	Uni-ZAP XR	LP04
HBIA HBIB HBIC	Human Brain. Striatum	Uni-ZAP XR	LP04
HHSA HHSB HHSC HHSD HHSE	Human Hypothalamus.Schizophrenia	Uni-ZAP XR	LP04
HNGA HNGB HNGC HNGD HNGE HNGF HNGG HNGH HNGI HNGJ	neutrophils control	Uni-ZAP XR	LP04
HNHA HNHB HNHC HNHD HNHE HNHF HNHG HNHH HNHI HNHI	Neutrophils IL-1 and LPS induced	Uni-ZAP XR	LP04
HSDB HSDC	STRIATUM DEPRESSION	Uni-ZAP XR	LP04
HHPT	Hypothalamus	Uni-ZAP XR	LP04
HSAT HSAU HSAV HSAW HSAX HSAY HSAZ	Anergic T-cell	Uni-ZAP XR	LP04
HBMS HBMT HBMU HBMV HBMW HBMX	Bone marrow	Uni-ZAP XR	LP04
HOEA HOEB HOEC HOED HOEE HOEF HOEJ	Osteoblasts	Uni-ZAP XR	LP04
HAIA HAIB HAIC HAID HAIE HAIF	Epithelial-TNFa and INF induced	Uni-ZAP XR	LP04
HTGA HTGB HTGC HTGD	Apoptotic T-cell	Uni-ZAP XR	LP04
HMCA HMCB HMCC HMCD HMCE	Macrophage-oxLDL	Uni-ZAP XR	LP04
HMAA HMAB HMAC HMAD HMAE HMAF HMAG	Macrophage (GM-CSF treated)	Uni-ZAP XR	LP04
HPHA	Normal Prostate	Uni-ZAP XR	LP04
HPIA HPIB HPIC	LNCAP prostate cell line	Uni-ZAP XR	LP04
HPJA HPJB HPJC	PC3 Prostate cell line	Uni-ZAP XR	LP04
HOSE HOSF HOSG	Human Osteoclastoma, re-excision	Uni-ZAP XR	LP04
HTGE HTGF	Apoptotic T-cell. re-excision	Uni-ZAP XR	LP04
HMAJ HMAK	H Macrophage (GM-CSF treated). re-excision	Uni-ZAP XR	LP04
HACB HACC HACD	Human Adipose Tissue. re-excision	Uni-ZAP XR	LP04
HFPA	H. Frontal Cortex. Epileptic	Uni-ZAP XR	LP04
HFAA HFAB HFAC HFAD HFAE	Alzheimers. spongy change	Uni-ZAP XR	LP04
HFAM	Frontal Lobe. Dementia	Uni-ZAP XR	LP04
HMIA HMIB HMIC	Human Manic Depression Tissue	Uni-ZAP XR	LP04
HTSA HTSE HTSF HTSG HTSH	Human Thymus	pBS	LP05
HPBA HPBB HPBC HPBD HPBE	Human Pineal Gland	pBS	LP05
HSAA HSAB HSAC	HSA 172 Cells	pBS	LP05
HSBA HSBB HSBC HSBM	HSC172 cells	pBS	LP05
HJAA HJAB HJAC HJAD	Jurkat T-cell G1 phase	pBS	LP05
HJBA HJBB HJBC HJBD	Jurkat T-Cell, S phase	pBS	LP05
HAFA HAFB	Aorta endothelial cells + TNF-a	pBS	LP05
HAWA HAWB HAWC	Human White Adipose	pBS	LP05
HTNA HTNB	Human Thyroid	pBS	LP05

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HONA	Normal Ovary. Premenopausal	pBS	LP05
HARA HARB	Human Adult Retina	pBS	LP05
HLJA HLJB	Human Lung	pCMVSPORT 1	LP06
HOFM HOFN HOFO	H. Ovarian Tumor. II. OV5232	pCMVSPORT 2.0	LP07
HOGA HOGB HOGC	OV 10-3-95	pCMVSPORT 2.0	LP07
HCGL	CD34+cells. II	pCMVSPORT 2.0	LP07
HDLA	Hodgkin's Lymphoma I	pCMVSPORT 2.0	LP07
HDTA HDTB HDTC HDTD HDTE	Hodgkin's Lymphoma II	pCMVSPORT 2.0	LP07
HKAA HKAB HKAC HKAD HKAE HKAF HKAG HKAH	Keratinocyte	pCMVSPORT2.0	LP07
HCIM	CAPFINDER. Crohn's Disease. lib 2	pCMVSPORT 2.0	LP07
HKAL	Keratinocyte. lib 2	pCMVSPORT2.0	LP07
HKAT	Keratinocyte. lib 3	pCMVSPORT2.0	LP07
HNDA	Nasal polyps	pCMVSPORT2.0	LP07
HDRA	H. Primary Dendritic Cells.lib 3	pCMVSPORT2.0	LP07
HOHA HOHB HOHC	Human Osteoblasts II	pCMVSPORT2.0	LP07
HLDA HLDB HLDC	Liver. Hepatoma	pCMVSPORT3.0	LP08
HLDN HLDO HLDP	Human Liver. normal	pCMVSPORT3.0	LP08
HMTA	pBMC stimulated w/ poly I/C	pCMVSPORT3.0	LP08
HNTA	NTERA2. control	pCMVSPORT3.0	LP08
HDP A HDPB HDP C HDPD HDPF HDPG HDPH HDPI HDPJ HDPK HDPM HDPN HDPO HDPP	Primary Dendritic Cells, lib 1	pCMVSPORT3.0	LP08
HMUA HMUB HMUC	Myeloid Progenitor Cell Line	pCMVSPORT3.0	LP08
HHEA HHEB HHEC HHED	T Cell helper I	pCMVSPORT3.0	LP08
HHEM HHEN HHEO HHEP	T cell helper II	pCMVSPORT3.0	LP08
HEQA HEQB HEQC	Human endometrial stromal cells	pCMVSPORT3.0	LP08
HJMA HJMB	Human endometrial stromal cells-treated with progesterone	pCMVSPORT3.0	LP08
HSWA HSWB HSWC	Human endometrial stromal cells-treated with estradiol	pCMVSPORT3.0	LP08
HSYA HSYB HSYC	Human Thymus Stromal Cells	pCMVSPORT3.0	LP08
HLWA HLWB HLWC	Human Placenta	pCMVSPORT3.0	LP08
HRAA HRAB HRAC	Rejected Kidney. lib 4	pCMVSPORT3.0	LP08
HMTM	PCR, pBMC I/C treated	PCR II	LP09
HMJA	H. Meningioma, M6	pSport 1	LP10
HMKA HMKB HMKC HMKE	H. Meningioma, M1	pSport 1	LP10
HUSG HUSI	Human umbilical vein endothelial cells, IL-4 induced	pSport 1	LP10
HUSX HUSY	Human Umbilical Vein Endothelial Cells. uninduced	pSport 1	LP10
HOFA	Ovarian Tumor I, OV5232	pSport 1	LP10
HCFA HCFB HCFC HCFC	T-Cell PHA 16 hrs	pSport 1	LP10
HCFL HCFM HCFN HCFO	T-Cell PHA 24 hrs	pSport 1	LP10
HADA HADC HADD HADE HADF HADG	Human Adipose	pSport 1	LP10



Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HOVA HOVB HOVC	Human Ovary	pSport 1	LP10
HTWB HTWC HTWD HTWE HTWF	Resting T-Cell Library.II	pSport 1	LP10
HMMA	Spleen metastatic melanoma	pSport 1	LP10
HLYA HLYB HLYC HLYD HLYE	Spleen. Chronic lymphocytic leukemia	pSport 1	LP10
HCGA	CD34+ cell. I	pSport 1	LP10
HEOM HEON	Human Eosinophils	pSport 1	LP10
HTDA	Human Tonsil. Lib 3	pSport 1	LP10
HSPA	Salivary Gland. Lib 2	pSport 1	LP10
HCHA HCHB HCHC	Breast Cancer cell line. MDA 36	pSport 1	LP10
HCHM HCHN	Breast Cancer Cell line. angiogenic	pSport 1	LP10
HCIA	Crohn's Disease	pSport 1	LP10
HDAA HDAB HDAC	HEL cell line	pSport 1	LP10
HABA	Human Astrocyte	pSport 1	LP10
HUFA HUFB HUFC	Ulcerative Colitis	pSport 1	LP10
HNTM	NTERA2 + retinoic acid. 14 days	pSport 1	LP10
HDQA	Primary Dendritic cells.CapFinder2. frac 1	pSport 1	LP10
HDQM	Primary Dendritic Cells. CapFinder. frac 2	pSport 1	LP10
HLDX	Human Liver. normal.CapFinder	pSport 1	LP10
HULA HULB HULC	Human Dermal Endothelial Cells.untreated	pSport1	LP10
HUMA	Human Dermal Endothelial cells.treated	pSport1	LP10
HCJA	Human Stromal Endometrial fibroblasts. untreated	pSport1	LP10
HCJM	Human Stromal endometrial fibroblasts. treated w/ estradiol	pSport1	LP10
HEDA	Human Stromal endometrial fibroblasts. treated with progesterone	pSport1	LP10
HFNA	Human ovary tumor cell OV350721	pSport1	LP10
HKGA HKGB HKGC HKGD	Merkel Cells	pSport1	LP10
HISA HISB HISC	Pancreas Islet Cell Tumor	pSport1	LP10
HLSA	Skin. burned	pSport1	LP10
HBZA	Prostate.BPH. Lib 2	pSport 1	LP10
HBZS	Prostate BPH.Lib 2. subtracted	pSport 1	LP10
HFIA HFIB HFIC	Synovial Fibroblasts (control)	pSport 1	LP10
HFII HFII HFII	Synovial hypoxia	pSport 1	LP10
HFIT HFIU HFIV	Synovial IL-1/TNF stimulated	pSport 1	LP10
HGCA	Mesangial cell. frac 1	pSport1	LP10
HMVA HMOV HMVC	Bone Marrow Stromal Cell. untreated	pSport1	LP10
HFIX HFII HFIZ	Synovial Fibroblasts (II1/TNF). sub1	pSport1	LP10
HFOX HFOY HFOZ	Synovial hypoxia-RSF subtracted	pSport1	LP10
HMQA HMOB HMQC HMQD	Human Activated Monocytes	Uni-ZAP XR	LP11
HLIA HLIB HLIC	Human Liver	pCMVSpont 1	LP012
HHBA HHBB HHBC HHBD HHBE	Human Heart	pCMVSpont 1	LP012
HBBA HBBB	Human Brain	pCMVSpont 1	LP012

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HLJA HLJB HLJC HLJD HLJE	Human Lung	pCMVSPORT 1	LP012
HOGA HOGB HOGC	Ovarian Tumor	pCMVSPORT 2.0	LP012
HTJM	Human Tonsils, Lib 2	pCMVSPORT 2.0	LP012
HAMF HAMG	KMH2	pCMVSPORT 3.0	LP012
HAJA HAJB HAJC	L428	pCMVSPORT 3.0	LP012
HWBA HWBB HWBC HWBD HWBE	Dendritic cells, pooled	pCMVSPORT 3.0	LP012
HWAA HWAB HWAC HWAD HWAE	Human Bone Marrow, treated	pCMVSPORT 3.0	LP012
HYAA HYAB HYAC	B Cell lymphoma	pCMVSPORT 3.0	LP012
HWHG HWHH HWHI	Healing groin wound, 6.5 hours post incision	pCMVSPORT 3.0	LP012
HWHP HWHQ HWHR	Healing groin wound: 7.5 hours post incision	pCMVSPORT 3.0	LP012
HARM	Healing groin wound - zero hr post-incision (control)	pCMVSPORT 3.0	LP012
HBIM	Olfactory epithelium: nasalcavity	pCMVSPORT 3.0	LP012
HWDA	Healing Abdomen wound: 70&90 min post incision	pCMVSPORT 3.0	LP012
HWEA	Healing Abdomen Wound:15 days post incision	pCMVSPORT 3.0	LP012
HWJA	Healing Abdomen Wound:21&29 days	pCMVSPORT 3.0	LP012
HNAL	Human Tongue, trac 2	pSport1	LP012
HMJA	H. Meningioma, M6	pSport1	LP012
HMKA HMKB HMKC HMKD HMKE	H. Meningioma, M1	pSport1	LP012
HOFA	Ovarian Tumor I. OV5232	pSport1	LP012
HCFA HCFB HCFC HCFC	T-Cell PHA 16 hrs	pSport1	LP012
HCFL HCFM HCFN HCFO	T-Cell PHA 24 hrs	pSport1	LP012
HMMA HMMB HMMC	Spleen metastatic melanoma	pSport1	LP012
HTDA	Human Tonsil, Lib 3	pSport1	LP012
HDBA	Human Fetal Thymus	pSport1	LP012
HDUA	Pericardium	pSport1	LP012
HBZA	Prostate.BPH, Lib 2	pSport1	LP012
HWCA	Larynx tumor	pSport1	LP012
HWKA	Normal lung	pSport1	LP012
HSMB	Bone marrow stroma.treated	pSport1	LP012
HBHM	Normal trachea	pSport1	LP012
HLFC	Human Larynx	pSport1	LP012
HLRB	Siebben Polyposis	pSport1	LP012
HNIA	Mammary Gland	pSport1	LP012
HNJB	Palate carcinoma	pSport1	LP012
HNKA	Palate normal	pSport1	LP012
HMZA	Pharynx carcinoma	pSport1	LP012
HABG	Cheek Carcinoma	pSport1	LP012
HMZM	Pharynx Carcinoma	pSport1	LP012
HDRM	Larynx Carcinoma	pSport1	LP012
HVAA	Pancreas normal PCA4 No	pSport1	LP012
HICA	Tongue carcinoma	pSport1	LP012

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HUKA HUKB HUKC HUKD HUK E	Human Uterine Cancer	Lambda ZAP II	LP013
HFFA	Human Fetal Brain, random primed	Lambda ZAP II	LP013
HTUA	Activated T-cell labeled with 4-thioluri	Lambda ZAP II	LP013
HBQA	Early Stage Human Brain, random primed	Lambda ZAP II	LP013
HMEB	Human microvascular Endothelial cells, fract. B	Lambda ZAP II	LP013
HUSH	Human Umbilical Vein Endothelial cells, fract. A, re-excision	Lambda ZAP II	LP013
HLQC HLQD	Hepatocellular tumor, re-excision	Lambda ZAP II	LP013
HTWJ HTWK HTWL	Resting T-cell, re-excision	Lambda ZAP II	LP013
HF6S	Human Whole 6 week Old Embryo (II), sub1	pBluescript	LP013
HHPS	Human Hippocampus, subtracted	pBluescript	LP013
HLIS	LNCAP, differential expression	pBluescript	LP013
HLHS HLHT	Early Stage Human Lung, Subtracted	pBluescript	LP013
HSUS	Supt cells, cyclohexamide treated, subtracted	pBluescript	LP013
HSUT	Supt cells, cyclohexamide treated, differentially expressed	pBluescript	LP013
HSDS	H. Striatum Depression, subtracted	pBluescript	LP013
HPTZ	Human Pituitary, Subtracted VII	pBluescript	LP013
HSDX	H. Striatum Depression, sub1 II	pBluescript	LP013
HSDZ	H. Striatum Depression, sub1	pBluescript	LP013
HPBA HPBB HPBC HPBD HPBE	Human Pineal Gland	pBluescript SK-	LP013
HRTA	Colorectal Tumor	pBluescript SK-	LP013
HSBA HSBB HSBC HSBM	HSC172 cells	pBluescript SK-	LP013
HJAA HJAB HJAC HJAD	Jurkat T-cell G1 phase	pBluescript SK-	LP013
HJBA HJBB HJBC HJBD	Jurkat T-cell, S1 phase	pBluescript SK-	LP013
HTNA HTNB	Human Thyroid	pBluescript SK-	LP013
HAHA HAHB	Human Adult Heart	Uni-ZAP XR	LP013
HE6A	Whole 6 week Old Embryo	Uni-ZAP XR	LP013
HFC A HFCB HFCC HFCD HFCE	Human Fetal Brain	Uni-ZAP XR	LP013
HFKC HFKD HFKE HFKF HFKG	Human Fetal Kidney	Uni-ZAP XR	LP013
HGBA HGBD HGBE HGBF HGBG	Human Gall Bladder	Uni-ZAP XR	LP013
HPRA HPRB HPRC HPRD	Human Prostate	Uni-ZAP XR	LP013
HTEA HTEB HTEC HTED HTEE	Human Testes	Uni-ZAP XR	LP013
HTTA HTTB HTTC HTTD HTTE	Human Testes Tumor	Uni-ZAP XR	LP013
HYBA HYBB	Human Fetal Bone	Uni-ZAP XR	LP013
HFLA	Human Fetal Liver	Uni-ZAP XR	LP013
HHFB HHFC HHFD HHFE HHFF	Human Fetal Heart	Uni-ZAP XR	LP013
HUVB HUVC HUVD HUVE	Human Umbilical Vein, End. remake	Uni-ZAP XR	LP013
HTHB HTHC HTHD	Human Thymus	Uni-ZAP XR	LP013
HSTA HSTB HSTC HSTD	Human Skin Tumor	Uni-ZAP XR	LP013
HTAA HTAB HTAC HTAD HTAE	Human Activated T-cells	Uni-ZAP XR	LP013
HFEA HFEB HFEC	Human Fetal Epithelium (skin)	Uni-ZAP XR	LP013
HJPA HJPB HJPC HJPD	Human Jurkat Membrane Bound Polysomes	Uni-ZAP XR	LP013
HESA	Human Epithelioid Sarcoma	Uni-ZAP XR	LP013

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HALS	Human Adult Liver, Subtracted	Uni-ZAP XR	LP013
HFTA HFTB HFTC HFTD	Human Fetal Dura Mater	Uni-ZAP XR	LP013
HCAA HCAB HCAC	Cem cells, cyclohexamide treated	Uni-ZAP XR	LP013
HRGA HRGB HRGC HRGD	Raji Cells, cyclohexamide treated	Uni-ZAP XR	LP013
HE9A HE9B HE9C HE9D HE9E	Nine Week Old Early Stage Human	Uni-ZAP XR	LP013
HSFA	Human Fibrosarcoma	Uni-ZAP XR	LP013
HATA HATB HATC HATD HATE	Human Adrenal Gland Tumor	Uni-ZAP XR	LP013
HTRA	Human Trachea Tumor	Uni-ZAP XR	LP013
HE2A HE2D HE2E HE2H HE2I	12 Week Old Early Stage Human	Uni-ZAP XR	LP013
HE2B HE2C HE2F HE2G HE2P	12 Week Old Early Stage Human, II	Uni-ZAP XR	LP013
HNEA HNEB HNEC HNED HNEE	Human Neutrophil	Uni-ZAP XR	LP013
HBGA	Human Primary Breast Cancer	Uni-ZAP XR	LP013
HPTS HPTT HPTU	Human Pituitary, subtracted	Uni-ZAP XR	LP013
HMQA HMQB HMQC HMQD	Human Activated Monocytes	Uni-ZAP XR	LP013
HOAA HOAB HOAC	Human Osteosarcoma	Uni-ZAP XR	LP013
HTOA HTOD HTOE HTOF HTOG	human tonsils	Uni-ZAP XR	LP013
HIMGB	Human OB MG63 control fraction I	Uni-ZAP XR	LP013
HOPB	Human OB HOS control fraction I	Uni-ZAP XR	LP013
HOQB	Human OB HOS treated (1 nM E2) fraction I	Uni-ZAP XR	LP013
HAUA HAUB HAUC	Amniotic Cells - TNF induced	Uni-ZAP XR	LP013
HAQA HAQB HAQC HAQD	Amniotic Cells - Primary Culture	Uni-ZAP XR	LP013
HROA HROC	HUMAN STOMACH	Uni-ZAP XR	LP013
HBJA HBJB HBJC HBJD HBJE	HUMAN B CELL LYMPHOMA	Uni-ZAP XR	LP013
HODA HODB HODC HODD	human ovarian cancer	Uni-ZAP XR	LP013
HCPA	Corpus Callosum	Uni-ZAP XR	LP013
HSOA	stomach cancer (human)	Uni-ZAP XR	LP013
HERA	SKIN	Uni-ZAP XR	LP013
HMDA	Brain-medulloblastoma	Uni-ZAP XR	LP013
HGLA HGLB HGLD	Glioblastoma	Uni-ZAP XR	LP013
HWTA HWTB HWTC	wilm's tumor	Uni-ZAP XR	LP013
HEAA	H. Atrophic Endometrium	Uni-ZAP XR	LP013
HAPN HAPO HAPR HAQO HAPR	Human Adult Pulmonary:re-excision	Uni-ZAP XR	LP013
HLTG HLTH	Human T-cell lymphoma:re-excision	Uni-ZAP XR	LP013
HAHC HAHD HAHE	Human Adult Heart:re-excision	Uni-ZAP XR	LP013
HAGA HAGB HAGC HAGD HAGE	Human Amygdala	Uni-ZAP XR	LP013
HSJA HSJB HSJC	Smooth muscle-ILb induced	Uni-ZAP XR	LP013
HSJA HSJB HSJC	Smooth muscle, IL1b induced	Uni-ZAP XR	LP013
HPWA HPWB HPWC HPWD HPWE	Prostate BPH	Uni-ZAP XR	LP013
HPIA HPIB HPIC	LNCAP prostate cell line	Uni-ZAP XR	LP013
HPJA HPJB HPJC	PC3 Prostate cell line	Uni-ZAP XR	LP013
HBTA	Bone Marrow Stroma, TNF&LPS ind	Uni-ZAP XR	LP013
HMCF HMCG HMCH HMCJ HMCJ	Macrophage-oxLDL; re-excision	Uni-ZAP XR	LP013
HAGG HAGH HAGI	Human Amygdala:re-excision	Uni-ZAP XR	LP013
HACA	H. Adipose Tissue	Uni-ZAP XR	LP013
HKFB	K562 + PMA (36 hrs).re-excision	ZAP Express	LP013
HCWT HCWU HCWV	CD34 positive cells (cord blood).re-ex	ZAP Express	LP013

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HBWA	Whole brain	ZAP Express	LP013
HBXA HBXB HBXC HBXD	Human Whole Brain #2 - Oligo dT > 1.5Kb	ZAP Express	LP013
HAVM	Temporal cortex-Alzheimer	pT-Adv	LP014
HAVT	Hippocampus, Alzheimer Subtracted	pT-Adv	LP014
HHAS	CHME Cell Line	Uni-ZAP XR	LP014
HAJR	Larynx normal	pSport 1	LP014
HWLE HWLF HWLG HWLH	Colon Normal	pSport 1	LP014
HCRM HCRN HCRO	Colon Carcinoma	pSport 1	LP014
HWLI HWLJ HWLK	Colon Normal	pSport 1	LP014
HWLO HWLR HWLS HWLT	Colon Tumor	pSport 1	LP014
HBFM	Gastrocnemius Muscle	pSport 1	LP014
HBOD HBOE	Quadriceps Muscle	pSport 1	LP014
HBKD HBKE	Soleus Muscle	pSport 1	LP014
HCCM	Pancreatic Langerhans	pSport 1	LP014
HWGA	Larynx carcinoma	pSport 1	LP014
HWGM HWGN	Larynx carcinoma	pSport 1	LP014
HWLA HWLB HWLC	Normal colon	pSport 1	LP014
HWLM HWLN	Colon Tumor	pSport 1	LP014
HVAM HVAN HVAO	Pancreas Tumor	pSport 1	LP014
HWGO	Larynx carcinoma	pSport 1	LP014
HAQM HAQN	Salivary Gland	pSport 1	LP014
HASM	Stomach; normal	pSport 1	LP014
HBCM	Uterus; normal	pSport 1	LP014
HCDM	Testis; normal	pSport 1	LP014
HDJM	Brain; normal	pSport 1	LP014
HEFM	Adrenal Gland, normal	pSport 1	LP014
HBAA	Rectum normal	pSport 1	LP014
HFDM	Rectum tumour	pSport 1	LP014
HGAM	Colon, normal	pSport 1	LP014
HHMM	Colon, tumour	pSport 1	LP014
HCLB HCLC	Human Lung Cancer	Lambda Zap II	LP015
HRLA	L1 Cell line	ZAP Express	LP015
HHAM	Hypothalamus, Alzheimer's	pCMVSPORT 3.0	LP015
HKBA	Ku 812F Basophils Line	pSport 1	LP015
HS2S	Saos2, Dexamethosone Treated	pSport 1	LP016
HASA	Lung Carcinoma A549 TNFalpha activated	pSport 1	LP016
HTFM	TF-1 Cell Line GM-CSF Treated	pSport 1	LP016
HYAS	Thyroid Tumour	pSport 1	LP016
HUTS	Larynx Normal	pSport 1	LP016
HXOA	Larynx Tumor	pSport 1	LP016
HEAH	Ea.hy.926 cell line	pSport 1	LP016
HINA	Adenocarcinoma Human	pSport 1	LP016
HRMA	Lung Mesothelium	pSport 1	LP016
HLCL	Human Pre-Differentiated Adipocytes	Uni-Zap XR	LP017
HS2A	Saos2 Cells	pSport 1	LP020

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HS2I	Saos2 Cells: Vitamin D3 Treated	pSport 1	LP020
HUCM	CHME Cell Line. untreated	pSport 1	LP020
HEPN	Aryepiglottis Normal	pSport 1	LP020
HPSN	Sinus Piniformis Tumour	pSport 1	LP020
HNSA	Stomach Normal	pSport 1	LP020
HNSM	Stomach Tumour	pSport 1	LP020
HNLA	Liver Normal Met5No	pSport 1	LP020
HUTA	Liver Tumour Met 5 Tu	pSport 1	LP020
HOCN	Colon Normal	pSport 1	LP020
HOCT	Colon Tumor	pSport 1	LP020
HTNT	Tongue Tumour	pSport 1	LP020
HLXN	Larynx Normal	pSport 1	LP020
HLXT	Larynx Tumour	pSport 1	LP020
HTYN	Thymus	pSport 1	LP020
HPLN	Placenta	pSport 1	LP020
HTNG	Tongue Normal	pSport 1	LP020
HZAA	Thyroid Normal (SDCA2 No)	pSport 1	LP020
HWES	Thyroid Thyroiditis	pSport 1	LP020
HFHD	Ficollled Human Stromal Cells. 5Fu treated	pTrip1Ex2	LP021
HFHM,HFHN	Ficollled Human Stromal Cells. Untreated	pTrip1Ex2	LP021
HPCI	Hep G2 Cells, lambda library	lambda Zap-CMV XR	LP021
HBCA,HBCB.HBCC	H. Lymph node breast Cancer	Uni-ZAP XR	LP021
HCOK	Chondrocytes	pSPORT1	LP022
HDCA. HDCB. HDCC	Dendritic Cells From CD34 Cells	pSPORT1	LP022
HDMA. HDMB	CD40 activated monocytic dendritic cells	pSPORT1	LP022
HDDM. HDDN. HDDO	LPS activated derived dendritic cells	pSPORT1	LP022
HPCR	Hep G2 Cells, PCR library	lambda Zap-CMV XR	LP022
HAAA, HAAB, HAAC	Lung. Cancer (4005313A3): Invasive Poorly Differentiated Lung Adenocarcinoma	pSPORT1	LP022
HIPA, HIPB, HIPC	Lung. Cancer (4005163 B7): Invasive. Poorly Diff. Adenocarcinoma, Metastatic	pSPORT1	LP022
HOOH, HOOI	Ovary. Cancer: (4004562 B6) Papillary Serous Cystic Neoplasm. Low Malignant Pot	pSPORT1	LP022
HIDA	Lung. Normal: (4005313 B1)	pSPORT1	LP022
HUJA.HUJB.HUJC.HUJD.HUJE	B-Cells	pCMVSPORT 3.0	LP022
HNOA.HNOB.HNOC.HNOD	Ovary. Normal: (9805C040R)	pSPORT1	LP022
HNLM	Lung. Normal: (4005313 B1)	pSPORT1	LP022
HSCL	Stromal Cells	pSPORT1	LP022
HAAX	Lung. Cancer: (4005313 A3) Invasive Poorly-differentiated Metastatic lung adenocarcinoma	pSPORT1	LP022
HUUA.HUUB.HUUC.HUUD	B-cells (unstimulated)	pTrip1Ex2	LP022
HWWA.HWWB.HWWC.HWWD.HWWE.HWWF.HWWG	B-cells (stimulated)	pSPORT1	LP022
HCCC	Colon. Cancer: (9S08C064R)	pCMVSPORT 3.0	LP023

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HPDO HPDP HPDQ HPDR HPD	Ovary. Cancer (9809C332): Poorly differentiated adenocarcinoma	pSport 1	LP023
HPCO HPCP HPCQ HPCT	Ovary. Cancer (15395A1F): Grade II Papillary Carcinoma	pSport 1	LP023
HOCM HOCO HOCQ HOCQ	Ovary. Cancer: (15799A1F) Poorly differentiated carcinoma	pSport 1	LP023
HCBM HCBN HCBO	Breast. Cancer: (4004943 A5)	pSport 1	LP023
HNBT HNBH HNBV	Breast. Normal: (4005522B2)	pSport 1	LP023
HBCP HBCQ	Breast. Cancer: (4005522 A2)	pSport 1	LP023
HBCJ	Breast. Cancer: (9806C012R)	pSport 1	LP023
HSAM HSAN	Stromal cells 3.88	pSport 1	LP023
HVCA HVCB HVCC HVCD	Ovary. Cancer: (4004332 A2)	pSport 1	LP023
HSCK HSEN HSEO	Stromal cells (HBM3.18)	pSport 1	LP023
HSCP HSCQ	stromal cell clone 2.5	pSport 1	LP023
HUXA	Breast Cancer: (4005385 A2)	pSport 1	LP023
HCOM HCON HCOO HCOP HCOQ	Ovary. Cancer (4004650 A3): Well-Differentiated Micropapillary Serous Carcinoma	pSport 1	LP023
HBNM	Breast. Cancer: (9802C020E)	pSport 1	LP023
HVVA HVVB HVVC HVVD HVVE	Human Bone Marrow. treated	pSport 1	LP023

Two approaches can be used to isolate a particular clone from the deposited sample of plasmid DNAs cited for that clone in Table 5. First, a plasmid is directly isolated by screening the clones using a polynucleotide probe corresponding to the nucleotide sequence of SEQ ID NO:X.

5         Particularly, a specific polynucleotide with 30-40 nucleotides is synthesized using an Applied Biosystems DNA synthesizer according to the sequence reported. The oligonucleotide is labeled, for instance, with  $^{32}\text{P}$ - $\gamma$ -ATP using T4 polynucleotide kinase and purified according to routine methods. (E.g., Maniatis et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Press, Cold Spring, NY (1982).) The plasmid  
10         mixture is transformed into a suitable host, as indicated above (such as XL-1 Blue (Stratagene)) using techniques known to those of skill in the art, such as those provided by the vector supplier or in related publications or patents cited above. The transformants are plated on 1.5% agar plates (containing the appropriate selection agent, e.g., ampicillin) to a density of about 150 transformants (colonies) per plate. These plates are screened using  
15         Nylon membranes according to routine methods for bacterial colony screening (e.g., Sambrook et al., *Molecular Cloning: A Laboratory Manual*, 2nd Edit., (1989), Cold Spring Harbor Laboratory Press, pages 1.93 to 1.104), or other techniques known to those of skill in the art.

           Alternatively, two primers of 17-20 nucleotides derived from both ends of the  
20         nucleotide sequence of SEQ ID NO:X are synthesized and used to amplify the desired cDNA using the deposited cDNA plasmid as a template. The polymerase chain reaction is carried out under routine conditions, for instance, in 25  $\mu\text{l}$  of reaction mixture with 0.5  $\mu\text{g}$  of the above cDNA template. A convenient reaction mixture is 1.5-5 mM  $\text{MgCl}_2$ , 0.01% (w/v) gelatin, 20  $\mu\text{M}$  each of dATP, dCTP, dGTP, dTTP, 25 pmol of each primer and 0.25 Unit of  
25         Taq polymerase. Thirty five cycles of PCR (denaturation at 94°C for 1 min; annealing at 55°C for 1 min; elongation at 72°C for 1 min) are performed with a Perkin-Elmer Cetus automated thermal cycler. The amplified product is analyzed by agarose gel electrophoresis and the DNA band with expected molecular weight is excised and purified. The PCR product is verified to be the selected sequence by subcloning and sequencing the DNA  
30         product.

Several methods are available for the identification of the 5' or 3' non-coding portions of a gene which may not be present in the deposited clone. These methods include but are not



limited to, filter probing, clone enrichment using specific probes, and protocols similar or identical to 5' and 3' "RACE" protocols which are well known in the art. For instance, a method similar to 5' RACE is available for generating the missing 5' end of a desired full-length transcript. (Fromont-Racine et al., Nucleic Acids Res. 21(7):1683-1684 (1993).)

5 Briefly, a specific RNA oligonucleotide is ligated to the 5' ends of a population of RNA presumably containing full-length gene RNA transcripts. A primer set containing a primer specific to the ligated RNA oligonucleotide and a primer specific to a known sequence of the gene of interest is used to PCR amplify the 5' portion of the desired full-length gene. This amplified product may then be sequenced and used to generate the full  
10 length gene.

This above method starts with total RNA isolated from the desired source, although poly-A+ RNA can be used. The RNA preparation can then be treated with phosphatase if necessary to eliminate 5' phosphate groups on degraded or damaged RNA which may interfere with the later RNA ligase step. The phosphatase should then be inactivated and the  
15 RNA treated with tobacco acid pyrophosphatase in order to remove the cap structure present at the 5' ends of messenger RNAs. This reaction leaves a 5' phosphate group at the 5' end of the cap cleaved RNA which can then be ligated to an RNA oligonucleotide using T4 RNA ligase.

This modified RNA preparation is used as a template for first strand cDNA synthesis  
20 using a gene specific oligonucleotide. The first strand synthesis reaction is used as a template for PCR amplification of the desired 5' end using a primer specific to the ligated RNA oligonucleotide and a primer specific to the known sequence of the gene of interest. The resultant product is then sequenced and analyzed to confirm that the 5' end sequence belongs to the desired gene.

### ***Example 2: Isolation of Genomic Clones Corresponding to a Polynucleotide***

A human genomic P1 library (Genomic Systems, Inc.) is screened by PCR using primers selected for the sequence corresponding to SEQ ID NO:X, according to the method  
30 described in Example 1. (See also, Sambrook.)

***Example 3: Tissue specific expression analysis***

The Human Genome Sciences, Inc. (HGS) database is derived from sequencing tissue specific cDNA libraries. Libraries generated from a particular tissue are selected and the specific tissue expression pattern of EST groups or assembled contigs within these libraries is determined by comparison of the expression patterns of those groups or contigs within the entire database. ESTs which show tissue specific expression are selected.

The original clone from which the specific EST sequence was generated, is obtained from the catalogued library of clones and the insert amplified by PCR using methods known in the art. The PCR product is denatured then transferred in 96 well format to a nylon membrane (Schleicher and Scheull) generating an array filter of tissue specific clones. Housekeeping genes, maize genes, and known tissue specific genes are included on the filters. These targets can be used in signal normalization and to validate assay sensitivity. Additional targets are included to monitor probe length and specificity of hybridization.

Radioactively labeled hybridization probes are generated by first strand cDNA synthesis per the manufacturer's instructions (Life Technologies) from mRNA/RNA samples prepared from the specific tissue being analyzed. The hybridization probes are purified by gel exclusion chromatography, quantitated, and hybridized with the array filters in hybridization bottles at 65°C overnight. The filters are washed under stringent conditions and signals are captured using a Fuji phosphorimager.

Data is extracted using AIS software and following background subtraction, signal normalization is performed. This includes a normalization of filter-wide expression levels between different experimental runs. Genes that are differentially expressed in the tissue of interest are identified and the full length sequence of these clones is generated.

***Example 4: Chromosomal Mapping of the Polynucleotides***

An oligonucleotide primer set is designed according to the sequence at the 5' end of SEQ ID NO:X. This primer preferably spans about 100 nucleotides. This primer set is then used in a polymerase chain reaction under the following set of conditions : 30 seconds, 95°C; 1 minute, 56°C; 1 minute, 70°C. This cycle is repeated 32 times followed by one 5 minute

cycle at 70°C. Human, mouse, and hamster DNA is used as template in addition to a somatic cell hybrid panel containing individual chromosomes or chromosome fragments (Bios, Inc). The reactions is analyzed on either 8% polyacrylamide gels or 3.5 % agarose gels. Chromosome mapping is determined by the presence of an approximately 100 bp PCR  
5 fragment in the particular somatic cell hybrid.

***Example 5: Bacterial Expression of a Polypeptide***

A polynucleotide encoding a polypeptide of the present invention is amplified using  
10 PCR oligonucleotide primers corresponding to the 5' and 3' ends of the DNA sequence, as outlined in Example 1, to synthesize insertion fragments. The primers used to amplify the cDNA insert should preferably contain restriction sites, such as BamHI and XbaI, at the 5' end of the primers in order to clone the amplified product into the expression vector. For example, BamHI and XbaI correspond to the restriction enzyme sites on the bacterial  
15 expression vector pQE-9. (Qiagen, Inc., Chatsworth, CA). This plasmid vector encodes antibiotic resistance (Amp<sup>r</sup>), a bacterial origin of replication (ori), an IPTG-regulatable promoter/operator (P/O), a ribosome binding site (RBS), a 6-histidine tag (6-His), and restriction enzyme cloning sites.

The pQE-9 vector is digested with BamHI and XbaI and the amplified fragment is  
20 ligated into the pQE-9 vector maintaining the reading frame initiated at the bacterial RBS. The ligation mixture is then used to transform the E. coli strain M15/rep4 (Qiagen, Inc.) which contains multiple copies of the plasmid pREP4, which expresses the lacI repressor and also confers kanamycin resistance (Kan<sup>r</sup>). Transformants are identified by their ability to grow on LB plates and ampicillin/kanamycin resistant colonies are selected. Plasmid DNA is  
25 isolated and confirmed by restriction analysis.

Clones containing the desired constructs are grown overnight (O/N) in liquid culture in LB media supplemented with both Amp (100 ug/ml) and Kan (25 ug/ml). The O/N culture is used to inoculate a large culture at a ratio of 1:100 to 1:250. The cells are grown to an optical density 600 (O.D.<sup>600</sup>) of between 0.4 and 0.6. IPTG (Isopropyl-B-D-thiogalacto  
30 pyranoside) is then added to a final concentration of 1 mM. IPTG induces by inactivating the lacI repressor, clearing the P/O leading to increased gene expression.

Cells are grown for an extra 3 to 4 hours. Cells are then harvested by centrifugation (20 mins at 6000Xg). The cell pellet is solubilized in the chaotropic agent 6 Molar Guanidine HCl by stirring for 3-4 hours at 4°C. The cell debris is removed by centrifugation, and the supernatant containing the polypeptide is loaded onto a nickel-nitrilo-tri-acetic acid ("Ni-NTA") affinity resin column (available from QIAGEN, Inc., *supra*). Proteins with a 6 x His tag bind to the Ni-NTA resin with high affinity and can be purified in a simple one-step procedure (for details see: The QIAexpressionist (1995) QIAGEN, Inc., *supra*).

Briefly, the supernatant is loaded onto the column in 6 M guanidine-HCl, pH 8. the column is first washed with 10 volumes of 6 M guanidine-HCl, pH 8, then washed with 10 volumes of 6 M guanidine-HCl pH 6, and finally the polypeptide is eluted with 6 M guanidine-HCl, pH 5.

The purified protein is then renatured by dialyzing it against phosphate-buffered saline (PBS) or 50 mM Na-acetate, pH 6 buffer plus 200 mM NaCl. Alternatively, the protein can be successfully refolded while immobilized on the Ni-NTA column. The recommended conditions are as follows: renature using a linear 6M-1M urea gradient in 500 mM NaCl, 20% glycerol, 20 mM Tris/HCl pH 7.4, containing protease inhibitors. The renaturation should be performed over a period of 1.5 hours or more. After renaturation the proteins are eluted by the addition of 250 mM imidazole. Imidazole is removed by a final dialyzing step against PBS or 50 mM sodium acetate pH 6 buffer plus 200 mM NaCl. The purified protein is stored at 4°C or frozen at -80°C.

In addition to the above expression vector, the present invention further includes an expression vector comprising phage operator and promoter elements operatively linked to a polynucleotide of the present invention, called pHE4a. (ATCC Accession Number 209645, deposited on February 25, 1998.) This vector contains: 1) a neomycinphosphotransferase gene as a selection marker, 2) an E. coli origin of replication, 3) a T5 phage promoter sequence, 4) two lac operator sequences, 5) a Shine-Delgarno sequence, and 6) the lactose operon repressor gene (lacIq). The origin of replication (oriC) is derived from pUC19 (LTI, Gaithersburg, MD). The promoter sequence and operator sequences are made synthetically.

DNA can be inserted into the pHEa by restricting the vector with NdeI and XbaI, BamHI, XhoI, or Asp718, running the restricted product on a gel, and isolating the larger fragment (the stuffer fragment should be about 310 base pairs). The DNA insert is generated according to the PCR protocol described in Example 1. using PCR primers having restriction

sites for NdeI (5' primer) and XbaI, BamHI, XhoI, or Asp718 (3' primer). The PCR insert is gel purified and restricted with compatible enzymes. The insert and vector are ligated according to standard protocols.

The engineered vector could easily be substituted in the above protocol to express  
5 protein in a bacterial system.

***Example 6: Purification of a Polypeptide from an Inclusion Body***

The following alternative method can be used to purify a polypeptide expressed in *E*  
10 *coli* when it is present in the form of inclusion bodies. Unless otherwise specified, all of the following steps are conducted at 4-10°C.

Upon completion of the production phase of the *E. coli* fermentation, the cell culture is cooled to 4-10°C and the cells harvested by continuous centrifugation at 15,000 rpm (Heraeus Sepatech). On the basis of the expected yield of protein per unit weight of cell  
15 paste and the amount of purified protein required, an appropriate amount of cell paste, by weight, is suspended in a buffer solution containing 100 mM Tris, 50 mM EDTA, pH 7.4. The cells are dispersed to a homogeneous suspension using a high shear mixer.

The cells are then lysed by passing the solution through a microfluidizer (Microfluidics, Corp. or APV Gaulin, Inc.) twice at 4000-6000 psi. The homogenate is then  
20 mixed with NaCl solution to a final concentration of 0.5 M NaCl, followed by centrifugation at 7000 xg for 15 min. The resultant pellet is washed again using 0.5M NaCl, 100 mM Tris, 50 mM EDTA, pH 7.4.

The resulting washed inclusion bodies are solubilized with 1.5 M guanidine hydrochloride (GuHCl) for 2-4 hours. After 7000 xg centrifugation for 15 min., the pellet is  
25 discarded and the polypeptide containing supernatant is incubated at 4°C overnight to allow further GuHCl extraction.

Following high speed centrifugation (30,000 xg) to remove insoluble particles, the GuHCl solubilized protein is refolded by quickly mixing the GuHCl extract with 20 volumes of buffer containing 50 mM sodium, pH 4.5, 150 mM NaCl, 2 mM EDTA by vigorous  
30 stirring. The refolded diluted protein solution is kept at 4°C without mixing for 12 hours prior to further purification steps.

To clarify the refolded polypeptide solution, a previously prepared tangential filtration unit equipped with 0.16  $\mu\text{m}$  membrane filter with appropriate surface area (e.g., Filtron), equilibrated with 40 mM sodium acetate, pH 6.0 is employed. The filtered sample is loaded onto a cation exchange resin (e.g., Poros HS-50, Perseptive Biosystems). The column is washed with 40 mM sodium acetate, pH 6.0 and eluted with 250 mM, 500 mM, 1000 mM, and 1500 mM NaCl in the same buffer, in a stepwise manner. The absorbance at 280 nm of the effluent is continuously monitored. Fractions are collected and further analyzed by SDS-PAGE.

Fractions containing the polypeptide are then pooled and mixed with 4 volumes of water. The diluted sample is then loaded onto a previously prepared set of tandem columns of strong anion (Poros HQ-50, Perseptive Biosystems) and weak anion (Poros CM-20, Perseptive Biosystems) exchange resins. The columns are equilibrated with 40 mM sodium acetate, pH 6.0. Both columns are washed with 40 mM sodium acetate, pH 6.0, 200 mM NaCl. The CM-20 column is then eluted using a 10 column volume linear gradient ranging from 0.2 M NaCl, 50 mM sodium acetate, pH 6.0 to 1.0 M NaCl, 50 mM sodium acetate, pH 6.5. Fractions are collected under constant  $A_{280}$  monitoring of the effluent. Fractions containing the polypeptide (determined, for instance, by 16% SDS-PAGE) are then pooled.

The resultant polypeptide should exhibit greater than 95% purity after the above refolding and purification steps. No major contaminant bands should be observed from Commassie blue stained 16% SDS-PAGE gel when 5  $\mu\text{g}$  of purified protein is loaded. The purified protein can also be tested for endotoxin/LPS contamination, and typically the LPS content is less than 0.1 ng/ml according to LAL assays.

#### *Example 7: Cloning and Expression of a Polypeptide in a Baculovirus Expression System*

In this example, the plasmid shuttle vector pA2 is used to insert a polynucleotide into a baculovirus to express a polypeptide. This expression vector contains the strong polyhedrin promoter of the *Autographa californica* nuclear polyhedrosis virus (AcMNPV) followed by convenient restriction sites such as BamHI, Xba I and Asp718. The polyadenylation site of the simian virus 40 ("SV40") is used for efficient polyadenylation. For easy selection of recombinant virus, the plasmid contains the beta-galactosidase gene from *E. coli* under control of a weak *Drosophila* promoter in the same orientation, followed by the

polyadenylation signal of the polyhedrin gene. The inserted genes are flanked on both sides by viral sequences for cell-mediated homologous recombination with wild-type viral DNA to generate a viable virus that express the cloned polynucleotide.

Many other baculovirus vectors can be used in place of the vector above, such as pAc373, pVL941, and pAcIM1, as one skilled in the art would readily appreciate, as long as the construct provides appropriately located signals for transcription, translation, secretion and the like, including a signal peptide and an in-frame AUG as required. Such vectors are described, for instance, in Luckow et al., *Virology* 170:31-39 (1989).

Specifically, the cDNA sequence contained in the deposited clone, including the AUG initiation codon, is amplified using the PCR protocol described in Example 1. If a naturally occurring signal sequence is used to produce the polypeptide of the present invention, the pA2 vector does not need a second signal peptide. Alternatively, the vector can be modified (pA2 GP) to include a baculovirus leader sequence, using the standard methods described in Summers et al., "A Manual of Methods for Baculovirus Vectors and Insect Cell Culture Procedures," Texas Agricultural Experimental Station Bulletin No. 1555 (1987).

The amplified fragment is isolated from a 1% agarose gel using a commercially available kit ("GeneClean," BIO 101 Inc., La Jolla, Ca.). The fragment then is digested with appropriate restriction enzymes and again purified on a 1% agarose gel.

The plasmid is digested with the corresponding restriction enzymes and optionally, can be dephosphorylated using calf intestinal phosphatase, using routine procedures known in the art. The DNA is then isolated from a 1% agarose gel using a commercially available kit ("GeneClean" BIO 101 Inc., La Jolla, Ca.).

The fragment and the dephosphorylated plasmid are ligated together with T4 DNA ligase. *E. coli* HB101 or other suitable *E. coli* hosts such as XL-1 Blue (Stratagene Cloning Systems, La Jolla, CA) cells are transformed with the ligation mixture and spread on culture plates. Bacteria containing the plasmid are identified by digesting DNA from individual colonies and analyzing the digestion product by gel electrophoresis. The sequence of the cloned fragment is confirmed by DNA sequencing.

Five  $\mu$ g of a plasmid containing the polynucleotide is co-transfected with 1.0  $\mu$ g of a commercially available linearized baculovirus DNA ("BaculoGold™ baculovirus DNA", Pharmingen, San Diego, CA), using the lipofection method described by Felgner et al., *Proc.*

Natl. Acad. Sci. USA 84:7413-7417 (1987). One  $\mu\text{g}$  of BaculoGold™ virus DNA and 5  $\mu\text{g}$  of the plasmid are mixed in a sterile well of a microtiter plate containing 50  $\mu\text{l}$  of serum-free Grace's medium (Life Technologies Inc., Gaithersburg, MD). Afterwards, 10  $\mu\text{l}$  Lipofectin plus 90  $\mu\text{l}$  Grace's medium are added, mixed and incubated for 15 minutes at room temperature. Then the transfection mixture is added drop-wise to Sf9 insect cells (ATCC CRL 1711) seeded in a 35 mm tissue culture plate with 1 ml Grace's medium without serum. The plate is then incubated for 5 hours at 27° C. The transfection solution is then removed from the plate and 1 ml of Grace's insect medium supplemented with 10% fetal calf serum is added. Cultivation is then continued at 27° C for four days.

After four days the supernatant is collected and a plaque assay is performed, as described by Summers and Smith, *supra*. An agarose gel with "Blue Gal" (Life Technologies Inc., Gaithersburg) is used to allow easy identification and isolation of gal-expressing clones, which produce blue-stained plaques. (A detailed description of a "plaque assay" of this type can also be found in the user's guide for insect cell culture and baculovirology distributed by Life Technologies Inc., Gaithersburg, page 9-10.) After appropriate incubation, blue stained plaques are picked with the tip of a micropipettor (e.g., Eppendorf). The agar containing the recombinant viruses is then resuspended in a microcentrifuge tube containing 200  $\mu\text{l}$  of Grace's medium and the suspension containing the recombinant baculovirus is used to infect Sf9 cells seeded in 35 mm dishes. Four days later the supernatants of these culture dishes are harvested and then they are stored at 4° C.

To verify the expression of the polypeptide, Sf9 cells are grown in Grace's medium supplemented with 10% heat-inactivated FBS. The cells are infected with the recombinant baculovirus containing the polynucleotide at a multiplicity of infection ("MOI") of about 2. If radiolabeled proteins are desired, 6 hours later the medium is removed and is replaced with SF900 II medium minus methionine and cysteine (available from Life Technologies Inc., Rockville, MD). After 42 hours, 5  $\mu\text{Ci}$  of  $^{35}\text{S}$ -methionine and 5  $\mu\text{Ci}$   $^{35}\text{S}$ -cysteine (available from Amersham) are added. The cells are further incubated for 16 hours and then are harvested by centrifugation. The proteins in the supernatant as well as the intracellular proteins are analyzed by SDS-PAGE followed by autoradiography (if radiolabeled).

Microsequencing of the amino acid sequence of the amino terminus of purified protein may be used to determine the amino terminal sequence of the produced protein.



*Example 8: Expression of a Polypeptide in Mammalian Cells*

The polypeptide of the present invention can be expressed in a mammalian cell. A typical mammalian expression vector contains a promoter element, which mediates the initiation of transcription of mRNA, a protein coding sequence, and signals required for the termination of transcription and polyadenylation of the transcript. Additional elements include enhancers, Kozak sequences and intervening sequences flanked by donor and acceptor sites for RNA splicing. Highly efficient transcription is achieved with the early and late promoters from SV40, the long terminal repeats (LTRs) from Retroviruses, e.g., RSV, HTLV1, HIV1 and the early promoter of the cytomegalovirus (CMV). However, cellular elements can also be used (e.g., the human actin promoter).

Suitable expression vectors for use in practicing the present invention include, for example, vectors such as pSVL and pMSG (Pharmacia, Uppsala, Sweden), pRSVcat (ATCC 37152), pSV2dhfr (ATCC 37146), pBC12MI (ATCC 67109), pCMVSPORT 2.0, and pCMVSPORT 3.0. Mammalian host cells that could be used include, human Hela, 293, H9 and Jurkat cells, mouse NIH3T3 and C127 cells, Cos 1, Cos 7 and CV1, quail QC1-3 cells, mouse L cells and Chinese hamster ovary (CHO) cells.

Alternatively, the polypeptide can be expressed in stable cell lines containing the polynucleotide integrated into a chromosome. The co-transfection with a selectable marker such as DHFR, gpt, neomycin, hygromycin allows the identification and isolation of the transfected cells.

The transfected gene can also be amplified to express large amounts of the encoded protein. The DHFR (dihydrofolate reductase) marker is useful in developing cell lines that carry several hundred or even several thousand copies of the gene of interest. (See, e.g., Alt, F. W., et al., J. Biol. Chem. 253:1357-1370 (1978); Hamlin, J. L. and Ma, C., Biochem. et Biophys. Acta, 1097:107-143 (1990); Page, M. J. and Sydenham, M. A., Biotechnology 9:64-68 (1991).) Another useful selection marker is the enzyme glutamine synthase (GS) (Murphy et al., Biochem J. 227:277-279 (1991); Bebbington et al., Bio/Technology 10:169-175 (1992). Using these markers, the mammalian cells are grown in selective medium and the cells with the highest resistance are selected. These cell lines contain the amplified gene(s) integrated into a chromosome. Chinese hamster ovary (CHO) and NSO cells are often used for the production of proteins.

Derivatives of the plasmid pSV2-dhfr (ATCC Accession No. 37146), the expression vectors pC4 (ATCC Accession No. 209646) and pC6 (ATCC Accession No. 209647) contain the strong promoter (LTR) of the Rous Sarcoma Virus (Cullen et al., Molecular and Cellular Biology, 438-447 (March, 1985)) plus a fragment of the CMV-enhancer (Boshart et al., Cell 41:521-530 (1985).) Multiple cloning sites, e.g., with the restriction enzyme cleavage sites BamHI, XbaI and Asp718, facilitate the cloning of the gene of interest. The vectors also contain the 3' intron, the polyadenylation and termination signal of the rat preproinsulin gene, and the mouse DHFR gene under control of the SV40 early promoter.

Specifically, the plasmid pC6, for example, is digested with appropriate restriction enzymes and then dephosphorylated using calf intestinal phosphates by procedures known in the art. The vector is then isolated from a 1% agarose gel.

A polynucleotide of the present invention is amplified according to the protocol outlined in Example 1. If a naturally occurring signal sequence is used to produce the polypeptide of the present invention, the vector does not need a second signal peptide. Alternatively, if a naturally occurring signal sequence is not used, the vector can be modified to include a heterologous signal sequence. (See, e.g., WO 96/34891.)

The amplified fragment is isolated from a 1% agarose gel using a commercially available kit ("GeneClean," BIO 101 Inc., La Jolla, Ca.). The fragment then is digested with appropriate restriction enzymes and again purified on a 1% agarose gel.

The amplified fragment is then digested with the same restriction enzyme and purified on a 1% agarose gel. The isolated fragment and the dephosphorylated vector are then ligated with T4 DNA ligase. *E. coli* HB101 or XL-1 Blue cells are then transformed and bacteria are identified that contain the fragment inserted into plasmid pC6 using, for instance, restriction enzyme analysis.

Chinese hamster ovary cells lacking an active DHFR gene is used for transfection. Five  $\mu$ g of the expression plasmid pC6 or pC4 is cotransfected with 0.5  $\mu$ g of the plasmid pSVneo using lipofectin (Felgner et al., *supra*). The plasmid pSV2-neo contains a dominant selectable marker, the *neo* gene from Tn5 encoding an enzyme that confers resistance to a group of antibiotics including G418. The cells are seeded in alpha minus MEM supplemented with 1 mg/ml G418. After 2 days, the cells are trypsinized and seeded in hybridoma cloning plates (Greiner, Germany) in alpha minus MEM supplemented with 10, 25, or 50 ng/ml of methotrexate plus 1 mg/ml G418. After about 10-14 days single clones

are trypsinized and then seeded in 6-well petri dishes or 10 ml flasks using different concentrations of methotrexate (50 nM, 100 nM, 200 nM, 400 nM, 800 nM). Clones growing at the highest concentrations of methotrexate are then transferred to new 6-well plates containing even higher concentrations of methotrexate (1  $\mu$ M, 2  $\mu$ M, 5  $\mu$ M, 10 mM, 20 mM). The same procedure is repeated until clones are obtained which grow at a concentration of 100 - 200  $\mu$ M. Expression of the desired gene product is analyzed, for instance, by SDS-PAGE and Western blot or by reversed phase HPLC analysis.

#### *Example 9: Protein Fusions*

The polypeptides of the present invention are preferably fused to other proteins. These fusion proteins can be used for a variety of applications. For example, fusion of the present polypeptides to His-tag, HA-tag, protein A, IgG domains, and maltose binding protein facilitates purification. (See Example 5; see also EP A 394,827; Traunecker, et al., Nature 331:84-86 (1988).) Similarly, fusion to IgG-1, IgG-3, and albumin increases the half-life time in vivo. Nuclear localization signals fused to the polypeptides of the present invention can target the protein to a specific subcellular localization, while covalent heterodimer or homodimers can increase or decrease the activity of a fusion protein. Fusion proteins can also create chimeric molecules having more than one function. Finally, fusion proteins can increase solubility and/or stability of the fused protein compared to the non-fused protein. All of the types of fusion proteins described above can be made by modifying the following protocol, which outlines the fusion of a polypeptide to an IgG molecule, or the protocol described in Example 5.

Briefly, the human Fc portion of the IgG molecule can be PCR amplified, using primers that span the 5' and 3' ends of the sequence described below. These primers also should have convenient restriction enzyme sites that will facilitate cloning into an expression vector, preferably a mammalian expression vector.

For example, if pC4 (Accession No. 209646) is used, the human Fc portion can be ligated into the BamHI cloning site. Note that the 3' BamHI site should be destroyed. Next, the vector containing the human Fc portion is re-restricted with BamHI, linearizing the vector, and a polynucleotide of the present invention, isolated by the PCR protocol described in Example 1, is ligated into this BamHI site. Note that the polynucleotide is cloned without

a stop codon, otherwise a fusion protein will not be produced.

If the naturally occurring signal sequence is used to produce the polypeptide of the present invention, pC4 does not need a second signal peptide. Alternatively, if the naturally occurring signal sequence is not used, the vector can be modified to include a heterologous signal sequence. (See, e.g., WO 96/34891.)

Human IgG Fc region:

```

GGGATCCGGAGCCCAAATCTTCTGACAAACTCACACATGCCCACCGTGCCCAG
CACCTGAATTCGAGGGTGCACCGTCAGTCTTCTCTTCCCCCAAACCCAAGGA
10 CACCCTCATGATCTCCCGGACTCCTGAGGTCACATGCGTGGTGGTGGACGTAAGC
CACGAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCAT
AATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTC
AGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGC
AAGGTCTCCAACAAAGCCCTCCCAACCCCCATCGAGAAAACCATCTCCAAAGCC
15 AAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAG
CTGACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCAAGC
GACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACACTACAAGAC
CACGCCTCCCGTGCTGGACTCCGACGGCTCCTTCTTCTCTACAGCAAGCTCACC
GTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCAT
20 GAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGTAAAT
GAGTGCGACGGCCGCGACTCTAGAGGAT (SEQ ID NO:1547)

```

*Example 10: Production of an Antibody from a Polypeptide*

**25 a) Hybridoma Technology**

The antibodies of the present invention can be prepared by a variety of methods. (See, Current Protocols, Chapter 2.) As one example of such methods, cells expressing polypeptide of the present invention are administered to an animal to induce the production of sera containing polyclonal antibodies. In a preferred method, a preparation of polypeptide of the present invention is prepared and purified to render it substantially free of natural contaminants. Such a preparation is then introduced into an animal in order to produce polyclonal antisera of greater specific activity.

Monoclonal antibodies specific for polypeptide of the present invention are prepared using hybridoma technology. (Kohler et al., *Nature* 256:495 (1975); Kohler et al., *Eur. J. Immunol.* 6:511 (1976); Kohler et al., *Eur. J. Immunol.* 6:292 (1976); Hammerling et al., in: *Monoclonal Antibodies and T-Cell Hybridomas*, Elsevier, N.Y., pp. 563-681 (1981)). In general, an animal (preferably a mouse) is immunized with polypeptide of the present invention or, more preferably, with a secreted polypeptide of the present invention-expressing cell. Such polypeptide-expressing cells are cultured in any suitable tissue culture medium, preferably in Earle's modified Eagle's medium supplemented with 10% fetal bovine serum (inactivated at about 56°C), and supplemented with about 10 g/l of nonessential amino acids, about 1,000 U/ml of penicillin, and about 100 µg/ml of streptomycin.

The splenocytes of such mice are extracted and fused with a suitable myeloma cell line. Any suitable myeloma cell line may be employed in accordance with the present invention; however, it is preferable to employ the parent myeloma cell line (SP2O), available from the ATCC. After fusion, the resulting hybridoma cells are selectively maintained in HAT medium, and then cloned by limiting dilution as described by Wands et al. (*Gastroenterology* 80:225-232 (1981)). The hybridoma cells obtained through such a selection are then assayed to identify clones which secrete antibodies capable of binding the polypeptide of the present invention.

Alternatively, additional antibodies capable of binding to polypeptide of the present invention can be produced in a two-step procedure using anti-idiotypic antibodies. Such a method makes use of the fact that antibodies are themselves antigens, and therefore, it is possible to obtain an antibody which binds to a second antibody. In accordance with this method, protein specific antibodies are used to immunize an animal, preferably a mouse. The splenocytes of such an animal are then used to produce hybridoma cells, and the hybridoma cells are screened to identify clones which produce an antibody whose ability to bind to the polypeptide of the present invention-specific antibody can be blocked by polypeptide of the present invention. Such antibodies comprise anti-idiotypic antibodies to the polypeptide of the present invention-specific antibody and are used to immunize an animal to induce formation of further polypeptide of the present invention-specific antibodies.

For in vivo use of antibodies in humans, an antibody is "humanized". Such antibodies can be produced using genetic constructs derived from hybridoma cells producing the monoclonal antibodies described above. Methods for producing chimeric and humanized

antibodies are known in the art and are discussed herein. (See, for review, Morrison, Science 229:1202 (1985); Oi et al., BioTechniques 4:214 (1986); Cabilly et al., U.S. Patent No. 4,816,567; Taniguchi et al., EP 171496; Morrison et al., EP 173494; Neuberger et al., WO 8601533; Robinson et al., WO 8702671; Boulianne et al., Nature 312:643 (1984); Neuberger et al., Nature 314:268 (1985).)

**b) Isolation Of Antibody Fragments Directed Against Polypeptide of the Present Invention From A Library Of scFvs**

Naturally occurring V-genes isolated from human PBLs are constructed into a library of antibody fragments which contain reactivities against polypeptide of the present invention to which the donor may or may not have been exposed (see e.g., U.S. Patent 5,885,793 incorporated herein by reference in its entirety).

*Rescue of the Library.* A library of scFvs is constructed from the RNA of human PBLs as described in PCT publication WO 92/01047. To rescue phage displaying antibody fragments, approximately 109 E. coli harboring the phagemid are used to inoculate 50 ml of 2xTY containing 1% glucose and 100 µg/ml of ampicillin (2xTY-AMP-GLU) and grown to an O.D. of 0.8 with shaking. Five ml of this culture is used to inoculate 50 ml of 2xTY-AMP-GLU, 2 x 10<sup>8</sup> TU of delta gene 3 helper (M13 delta gene III, see PCT publication WO 92/01047) are added and the culture incubated at 37°C for 45 minutes without shaking and then at 37°C for 45 minutes with shaking. The culture is centrifuged at 4000 r.p.m. for 10 min. and the pellet resuspended in 2 liters of 2xTY containing 100 µg/ml ampicillin and 50 µg/ml kanamycin and grown overnight. Phage are prepared as described in PCT publication WO 92/01047.

M13 delta gene III is prepared as follows: M13 delta gene III helper phage does not encode gene III protein, hence the phage(mid) displaying antibody fragments have a greater avidity of binding to antigen. Infectious M13 delta gene III particles are made by growing the helper phage in cells harboring a pUC19 derivative supplying the wild type gene III protein during phage morphogenesis. The culture is incubated for 1 hour at 37° C without shaking and then for a further hour at 37°C with shaking. Cells are spun down (IEC-Centra 8,400 r.p.m. for 10 min), resuspended in 300 ml 2xTY broth containing 100 µg ampicillin/ml and 25 µg kanamycin/ml (2xTY-AMP-KAN) and grown overnight, shaking at 37°C. Phage particles are purified and concentrated from the culture medium by two PEG-precipitations

(Sambrook et al., 1990). resuspended in 2 ml PBS and passed through a 0.45  $\mu$ m filter (Minisart NML; Sartorius) to give a final concentration of approximately 10<sup>13</sup> transducing units/ml (ampicillin-resistant clones).

*Panning of the Library.* Immunotubes (Nunc) are coated overnight in PBS with 4 ml of either 100  $\mu$ g/ml or 10  $\mu$ g/ml of a polypeptide of the present invention. Tubes are blocked with 2% Marvel-PBS for 2 hours at 37°C and then washed 3 times in PBS. Approximately 10<sup>13</sup> TU of phage is applied to the tube and incubated for 30 minutes at room temperature tumbling on an over and under turntable and then left to stand for another 1.5 hours. Tubes are washed 10 times with PBS 0.1% Tween-20 and 10 times with PBS. Phage are eluted by adding 1 ml of 100 mM triethylamine and rotating 15 minutes on an under and over turntable after which the solution is immediately neutralized with 0.5 ml of 1.0M Tris-HCl, pH 7.4. Phage are then used to infect 10 ml of mid-log E. coli TG1 by incubating eluted phage with bacteria for 30 minutes at 37°C. The E. coli are then plated on TYE plates containing 1% glucose and 100  $\mu$ g/ml ampicillin. The resulting bacterial library is then rescued with delta gene 3 helper phage as described above to prepare phage for a subsequent round of selection. This process is then repeated for a total of 4 rounds of affinity purification with tube-washing increased to 20 times with PBS, 0.1% Tween-20 and 20 times with PBS for rounds 3 and 4.

*Characterization of Binders.* Eluted phage from the 3rd and 4th rounds of selection are used to infect E. coli HB 2151 and soluble scFv is produced (Marks, et al., 1991) from single colonies for assay. ELISAs are performed with microtitre plates coated with either 10  $\mu$ g/ml of the polypeptide of the present invention in 50 mM bicarbonate pH 9.6. Clones positive in ELISA are further characterized by PCR fingerprinting (see, e.g., PCT publication WO 92/01047) and then by sequencing. These ELISA positive clones may also be further characterized by techniques known in the art, such as, for example, epitope mapping, binding affinity, receptor signal transduction, ability to block or competitively inhibit antibody/antigen binding, and competitive agonistic or antagonistic activity.

*Example 11: Method of Determining Alterations in a Gene Corresponding to a Polynucleotide*

RNA isolated from entire families or individual patients presenting with a phenotype of interest (such as a disease) is be isolated. cDNA is then generated from these RNA

samples using protocols known in the art. (See, Sambrook.) The cDNA is then used as a template for PCR, employing primers surrounding regions of interest in SEQ ID NO:X; and/or the nucleotide sequence of the related cDNA in the cDNA clone contained in a deposited library. Suggested PCR conditions consist of 35 cycles at 95 degrees C for 30  
5 seconds; 60-120 seconds at 52-58 degrees C; and 60-120 seconds at 70 degrees C, using buffer solutions described in Sidransky et al., Science 252:706 (1991).

PCR products are then sequenced using primers labeled at their 5' end with T4 polynucleotide kinase, employing SequiTherm Polymerase. (Epicentre Technologies). The intron-exon borders of selected exons is also determined and genomic PCR products  
10 analyzed to confirm the results. PCR products harboring suspected mutations is then cloned and sequenced to validate the results of the direct sequencing.

PCR products is cloned into T-tailed vectors as described in Holton et al., Nucleic Acids Research, 19:1156 (1991) and sequenced with T7 polymerase (United States Biochemical). Affected individuals are identified by mutations not present in unaffected  
15 individuals.

Genomic rearrangements are also observed as a method of determining alterations in a gene corresponding to a polynucleotide. Genomic clones isolated according to Example 2 are nick-translated with digoxigenin deoxy-uridine 5'-triphosphate (Boehringer Mannheim), and FISH performed as described in Johnson et al., Methods Cell Biol. 35:73-99 (1991).  
20 Hybridization with the labeled probe is carried out using a vast excess of human cot-1 DNA for specific hybridization to the corresponding genomic locus.

Chromosomes are counterstained with 4,6-diamino-2-phenylidole and propidium iodide, producing a combination of C- and R-bands. Aligned images for precise mapping are obtained using a triple-band filter set (Chroma Technology, Brattleboro, VT) in combination  
25 with a cooled charge-coupled device camera (Photometrics, Tucson, AZ) and variable excitation wavelength filters. (Johnson et al., Genet. Anal. Tech. Appl., 8:75 (1991).) Image collection, analysis and chromosomal fractional length measurements are performed using the ISee Graphical Program System. (Inovision Corporation, Durham, NC.) Chromosome alterations of the genomic region hybridized by the probe are identified as insertions,  
30 deletions, and translocations. These alterations are used as a diagnostic marker for an associated disease.



*Example 12: Method of Detecting Abnormal Levels of a Polypeptide in a Biological Sample*

A polypeptide of the present invention can be detected in a biological sample, and if an increased or decreased level of the polypeptide is detected, this polypeptide is a marker for a particular phenotype. Methods of detection are numerous, and thus, it is understood that one skilled in the art can modify the following assay to fit their particular needs.

For example, antibody-sandwich ELISAs are used to detect polypeptides in a sample, preferably a biological sample. Wells of a microtiter plate are coated with specific antibodies, at a final concentration of 0.2 to 10 ug/ml. The antibodies are either monoclonal or polyclonal and are produced by the method described in Example 10. The wells are blocked so that non-specific binding of the polypeptide to the well is reduced.

The coated wells are then incubated for > 2 hours at RT with a sample containing the polypeptide. Preferably, serial dilutions of the sample should be used to validate results. The plates are then washed three times with deionized or distilled water to remove unbounded polypeptide.

Next, 50 ul of specific antibody-alkaline phosphatase conjugate, at a concentration of 25-400 ng, is added and incubated for 2 hours at room temperature. The plates are again washed three times with deionized or distilled water to remove unbounded conjugate.

Add 75 ul of 4-methylumbelliferyl phosphate (MUP) or p-nitrophenyl phosphate (NPP) substrate solution to each well and incubate 1 hour at room temperature. Measure the reaction by a microtiter plate reader. Prepare a standard curve, using serial dilutions of a control sample, and plot polypeptide concentration on the X-axis (log scale) and fluorescence or absorbance of the Y-axis (linear scale). Interpolate the concentration of the polypeptide in the sample using the standard curve.

*Example 13: Formulation*

The invention also provides methods of treatment and/or prevention of diseases or disorders (such as, for example, any one or more of the diseases or disorders disclosed herein) by administration to a subject of an effective amount of a Therapeutic. By therapeutic is meant a polynucleotides or polypeptides of the invention (including fragments and variants), agonists or antagonists thereof, and/or antibodies thereto, in combination with

a pharmaceutically acceptable carrier type (e.g., a sterile carrier).

The Therapeutic will be formulated and dosed in a fashion consistent with good medical practice, taking into account the clinical condition of the individual patient (especially the side effects of treatment with the Therapeutic alone), the site of delivery, the method of administration, the scheduling of administration, and other factors known to practitioners. The "effective amount" for purposes herein is thus determined by such considerations.

As a general proposition, the total pharmaceutically effective amount of the Therapeutic administered parenterally per dose will be in the range of about 1  $\mu\text{g}/\text{kg}/\text{day}$  to 10 mg/kg/day of patient body weight, although, as noted above, this will be subject to therapeutic discretion. More preferably, this dose is at least 0.01 mg/kg/day, and most preferably for humans between about 0.01 and 1 mg/kg/day for the hormone. If given continuously, the Therapeutic is typically administered at a dose rate of about 1  $\mu\text{g}/\text{kg}/\text{hour}$  to about 50  $\mu\text{g}/\text{kg}/\text{hour}$ , either by 1-4 injections per day or by continuous subcutaneous infusions, for example, using a mini-pump. An intravenous bag solution may also be employed. The length of treatment needed to observe changes and the interval following treatment for responses to occur appears to vary depending on the desired effect.

Therapeutics can be administered orally, rectally, parenterally, intracisternally, intravaginally, intraperitoneally, topically (as by powders, ointments, gels, drops or transdermal patch), buccally, or as an oral or nasal spray. "Pharmaceutically acceptable carrier" refers to a non-toxic solid, semisolid or liquid filler, diluent, encapsulating material or formulation auxiliary of any. The term "parenteral" as used herein refers to modes of administration which include intravenous, intramuscular, intraperitoneal, intrasternal, subcutaneous and intraarticular injection and infusion.

Therapeutics of the invention are also suitably administered by sustained-release systems. Suitable examples of sustained-release Therapeutics are administered orally, rectally, parenterally, intracisternally, intravaginally, intraperitoneally, topically (as by powders, ointments, gels, drops or transdermal patch), buccally, or as an oral or nasal spray. "Pharmaceutically acceptable carrier" refers to a non-toxic solid, semisolid or liquid filler, diluent, encapsulating material or formulation auxiliary of any type. The term "parenteral" as used herein refers to modes of administration which include intravenous, intramuscular, intraperitoneal, intrasternal, subcutaneous and intraarticular injection and infusion.

Therapeutics of the invention are also suitably administered by sustained-release systems. Suitable examples of sustained-release Therapeutics include suitable polymeric materials (such as, for example, semi-permeable polymer matrices in the form of shaped articles, e.g., films, or microcapsules), suitable hydrophobic materials (for example as an emulsion in an acceptable oil) or ion exchange resins, and sparingly soluble derivatives (such as, for example, a sparingly soluble salt).

Sustained-release matrices include polylactides (U.S. Pat. No. 3,773,919, EP 58,481), copolymers of L-glutamic acid and gamma-ethyl-L-glutamate (Sidman et al., *Biopolymers* 22:547-556 (1983)), poly (2- hydroxyethyl methacrylate) (Langer et al., *J. Biomed. Mater. Res.* 15:167-277 (1981), and Langer, *Chem. Tech.* 12:98-105 (1982)), ethylene vinyl acetate (Langer et al., *Id.*) or poly-D- (-)-3-hydroxybutyric acid (EP 133,988).

Sustained-release Therapeutics also include liposomally entrapped Therapeutics of the invention (*see generally*, Langer, *Science* 249:1527-1533 (1990); Treat et al., in *Liposomes in the Therapy of Infectious Disease and Cancer*, Lopez-Berestein and Fidler (eds.), Liss, New York, pp. 317 -327 and 353-365 (1989)). Liposomes containing the Therapeutic are prepared by methods known per se: DE 3,218,121; Epstein et al., *Proc. Natl. Acad. Sci. (USA)* 82:3688-3692 (1985); Hwang et al., *Proc. Natl. Acad. Sci.(USA)* 77:4030-4034 (1980); EP 52,322; EP 36,676; EP 88,046; EP 143,949; EP 142,641; Japanese Pat. Appl. 83-118008; U.S. Pat. Nos. 4,485,045 and 4,544,545; and EP 102,324. Ordinarily, the liposomes are of the small (about 200-800 Angstroms) unilamellar type in which the lipid content is greater than about 30 mol. percent cholesterol, the selected proportion being adjusted for the optimal Therapeutic.

In yet an additional embodiment, the Therapeutics of the invention are delivered by way of a pump (*see* Langer, *supra*; Sefton, *CRC Crit. Ref. Biomed. Eng.* 14:201 (1987); Buchwald et al., *Surgery* 88:507 (1980); Saudek et al., *N. Engl. J. Med.* 321:574 (1989)).

Other controlled release systems are discussed in the review by Langer (*Science* 249:1527-1533 (1990)).

For parenteral administration, in one embodiment, the Therapeutic is formulated generally by mixing it at the desired degree of purity, in a unit dosage injectable form (solution, suspension, or emulsion), with a pharmaceutically acceptable carrier. i.e.. one that is non-toxic to recipients at the dosages and concentrations employed and is compatible with other ingredients of the formulation. For example, the formulation preferably does not

include oxidizing agents and other compounds that are known to be deleterious to the Therapeutic.

Generally, the formulations are prepared by contacting the Therapeutic uniformly and intimately with liquid carriers or finely divided solid carriers or both. Then, if necessary, the product is shaped into the desired formulation. Preferably the carrier is a parenteral carrier, more preferably a solution that is isotonic with the blood of the recipient. Examples of such carrier vehicles include water, saline, Ringer's solution, and dextrose solution. Non-aqueous vehicles such as fixed oils and ethyl oleate are also useful herein, as well as liposomes.

The carrier suitably contains minor amounts of additives such as substances that enhance isotonicity and chemical stability. Such materials are non-toxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate, succinate, acetic acid, and other organic acids or their salts; antioxidants such as ascorbic acid; low molecular weight (less than about ten residues) polypeptides, e.g., polyarginine or tripeptides; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids, such as glycine, glutamic acid, aspartic acid, or arginine; monosaccharides, disaccharides, and other carbohydrates including cellulose or its derivatives, glucose, manose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; counterions such as sodium; and/or nonionic surfactants such as polysorbates, poloxamers, or PEG.

The Therapeutic is typically formulated in such vehicles at a concentration of about 0.1 mg/ml to 100 mg/ml, preferably 1-10 mg/ml, at a pH of about 3 to 8. It will be understood that the use of certain of the foregoing excipients, carriers, or stabilizers will result in the formation of polypeptide salts.

Any pharmaceutical used for therapeutic administration can be sterile. Sterility is readily accomplished by filtration through sterile filtration membranes (e.g., 0.2 micron membranes). Therapeutics generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

Therapeutics ordinarily will be stored in unit or multi-dose containers, for example, sealed ampoules or vials, as an aqueous solution or as a lyophilized formulation for reconstitution. As an example of a lyophilized formulation, 10-ml vials are filled with 5 ml of sterile-filtered 1% (w/v) aqueous Therapeutic solution, and the resulting mixture is

lyophilized. The infusion solution is prepared by reconstituting the lyophilized Therapeutic using bacteriostatic Water-for-Injection.

The invention also provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the Therapeutics of the invention.

5 Associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale for human administration. In addition, the Therapeutics may be employed in conjunction with other therapeutic compounds.

10 The Therapeutics of the invention may be administered alone or in combination with adjuvants. Adjuvants that may be administered with the Therapeutics of the invention include, but are not limited to, alum, alum plus deoxycholate (ImmunoAg), MTP-PE (Biocine Corp.), QS21 (Genentech, Inc.), BCG, and MPL. In a specific embodiment, Therapeutics of the invention are administered in combination with alum. In another specific  
15 embodiment, Therapeutics of the invention are administered in combination with QS-21. Further adjuvants that may be administered with the Therapeutics of the invention include, but are not limited to, Monophosphoryl lipid immunomodulator, AdjuVax 100a, QS-21, QS-18, CRL1005, Aluminum salts, MF-59, and Virosomal adjuvant technology. Vaccines that may be administered with the Therapeutics of the invention include, but are not limited to,  
20 vaccines directed toward protection against MMR (measles, mumps, rubella), polio, varicella, tetanus/diphtheria, hepatitis A, hepatitis B, haemophilus influenzae B, whooping cough, pneumonia, influenza, Lyme's Disease, rotavirus, cholera, yellow fever, Japanese encephalitis, poliomyelitis, rabies, typhoid fever, and pertussis. Combinations may be administered either concomitantly, e.g., as an admixture, separately but simultaneously or  
25 concurrently; or sequentially. This includes presentations in which the combined agents are administered together as a therapeutic mixture, and also procedures in which the combined agents are administered separately but simultaneously, e.g., as through separate intravenous lines into the same individual. Administration "in combination" further includes the separate administration of one of the compounds or agents given first, followed by the second.

30 The Therapeutics of the invention may be administered alone or in combination with other therapeutic agents. Therapeutic agents that may be administered in combination with the Therapeutics of the invention, include but not limited to, other members of the TNF

family, chemotherapeutic agents, antibiotics, steroidal and non-steroidal anti-inflammatories, conventional immunotherapeutic agents, cytokines and/or growth factors. Combinations may be administered either concomitantly, e.g., as an admixture, separately but simultaneously or concurrently; or sequentially. This includes presentations in which the combined agents are administered together as a therapeutic mixture, and also procedures in which the combined agents are administered separately but simultaneously, e.g., as through separate intravenous lines into the same individual. Administration "in combination" further includes the separate administration of one of the compounds or agents given first, followed by the second.

In one embodiment, the Therapeutics of the invention are administered in combination with members of the TNF family. TNF, TNF-related or TNF-like molecules that may be administered with the Therapeutics of the invention include, but are not limited to, soluble forms of TNF-alpha, lymphotoxin-alpha (LT-alpha, also known as TNF-beta), LT-beta (found in complex heterotrimer LT-alpha2-beta), OPGL, FasL, CD27L, CD30L, CD40L, 4-1BBL, DcR3, OX40L, TNF-gamma (International Publication No. WO 96/14328), AIM-I (International Publication No. WO 97/33899), endokine-alpha (International Publication No. WO 98/07880), TR6 (International Publication No. WO 98/30694), OPG, and neutrokine-alpha (International Publication No. WO 98/18921, OX40, and nerve growth factor (NGF), and soluble forms of Fas, CD30, CD27, CD40 and 4-1BB, TR2 (International Publication No. WO 96/34095), DR3 (International Publication No. WO 97/33904), DR4 (International Publication No. WO 98/32856), TR5 (International Publication No. WO 98/30693), TR6 (International Publication No. WO 98/30694), TR7 (International Publication No. WO 98/41629), TRANK, TR9 (International Publication No. WO 98/56892), TR10 (International Publication No. WO 98/54202), 312C2 (International Publication No. WO 98/06842), and TR12, and soluble forms CD154, CD70, and CD153.

In certain embodiments, Therapeutics of the invention are administered in combination with antiretroviral agents, nucleoside reverse transcriptase inhibitors, non-nucleoside reverse transcriptase inhibitors, and/or protease inhibitors. Nucleoside reverse transcriptase inhibitors that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, RETROVIR™ (zidovudine/AZT), VIDEX™ (didanosine/ddI), HIVID™ (zalcitabine/ddC), ZERIT™ (stavudine/d4T), EPIVIR™ (lamivudine/3TC), and COMBIVIR™ (zidovudine/lamivudine). Non-nucleoside reverse transcriptase inhibitors that may be administered in combination with the Therapeutics of the

invention. include, but are not limited to, VIRAMUNE™ (nevirapine), RESCRIPTOR™ (delavirdine), and SUSTIVA™ (efavirenz). Protease inhibitors that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, CRIXIVAN™ (indinavir), NORVIR™ (ritonavir), INVIRASE™ (saquinavir), and  
5 VIRACEPT™ (nelfinavir). In a specific embodiment, antiretroviral agents, nucleoside reverse transcriptase inhibitors, non-nucleoside reverse transcriptase inhibitors, and/or protease inhibitors may be used in any combination with Therapeutics of the invention to treat AIDS and/or to prevent or treat HIV infection.

In other embodiments, Therapeutics of the invention may be administered in  
10 combination with anti-opportunistic infection agents. Anti-opportunistic agents that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, TRIMETHOPRIM-SULFAMETHOXAZOLE™, DAPSONE™, PENTAMIDINE™, ATOVAQUONE™, ISONIAZID™, RIFAMPIN™, PYRAZINAMIDE™, ETHAMBUTOL™, RIFABUTIN™, CLARITHROMYCIN™, AZITHROMYCIN™,  
15 GANCICLOVIR™, FOSCARNET™, CIDOFOVIR™, FLUCONAZOLE™, ITRACONAZOLE™, KETOCONAZOLE™, ACYCLOVIR™, FAMCICLOVIR™, PYRIMETHAMINE™, LEUCOVORIN™, NEUPOGEN™ (filgrastim/G-CSF), and LEUKINE™ (sargramostim/GM-CSF). In a specific embodiment, Therapeutics of the invention are used in any combination with TRIMETHOPRIM-SULFAMETHOXAZOLE™,  
20 DAPSONE™, PENTAMIDINE™, and/or ATOVAQUONE™ to prophylactically treat or prevent an opportunistic *Pneumocystis carinii* pneumonia infection. In another specific embodiment, Therapeutics of the invention are used in any combination with ISONIAZID™, RIFAMPIN™, PYRAZINAMIDE™, and/or ETHAMBUTOL™ to prophylactically treat or prevent an opportunistic *Mycobacterium avium* complex infection. In another specific  
25 embodiment, Therapeutics of the invention are used in any combination with RIFABUTIN™, CLARITHROMYCIN™, and/or AZITHROMYCIN™ to prophylactically treat or prevent an opportunistic *Mycobacterium tuberculosis* infection. In another specific embodiment, Therapeutics of the invention are used in any combination with GANCICLOVIR™, FOSCARNET™, and/or CIDOFOVIR™ to prophylactically treat or prevent an opportunistic  
30 cytomegalovirus infection. In another specific embodiment, Therapeutics of the invention are used in any combination with FLUCONAZOLE™, ITRACONAZOLE™, and/or

KETOCONAZOLE™ to prophylactically treat or prevent an opportunistic fungal infection. In another specific embodiment, Therapeutics of the invention are used in any combination with ACYCLOVIR™ and/or FAMCICOLVIR™ to prophylactically treat or prevent an opportunistic herpes simplex virus type I and/or type II infection. In another specific embodiment, Therapeutics of the invention are used in any combination with PYRIMETHAMINE™ and/or LEUCOVORIN™ to prophylactically treat or prevent an opportunistic *Toxoplasma gondii* infection. In another specific embodiment, Therapeutics of the invention are used in any combination with LEUCOVORIN™ and/or NEUPOGEN™ to prophylactically treat or prevent an opportunistic bacterial infection.

In a further embodiment, the Therapeutics of the invention are administered in combination with an antiviral agent. Antiviral agents that may be administered with the Therapeutics of the invention include, but are not limited to, acyclovir, ribavirin, amantadine, and remantidine.

In a further embodiment, the Therapeutics of the invention are administered in combination with an antibiotic agent. Antibiotic agents that may be administered with the Therapeutics of the invention include, but are not limited to, amoxicillin, beta-lactamases, aminoglycosides, beta-lactam (glycopeptide), beta-lactamases, Clindamycin, chloramphenicol, cephalosporins, ciprofloxacin, ciprofloxacin, erythromycin, fluoroquinolones, macrolides, metronidazole, penicillins, quinolones, rifampin, streptomycin, sulfonamide, tetracyclines, trimethoprim, trimethoprim-sulfamthoxazole, and vancomycin.

Conventional nonspecific immunosuppressive agents, that may be administered in combination with the Therapeutics of the invention include, but are not limited to, steroids, cyclosporine, cyclosporine analogs, cyclophosphamide methylprednisone, prednisone, azathioprine, FK-506, 15-deoxyspergualin, and other immunosuppressive agents that act by suppressing the function of responding T cells.

In specific embodiments, Therapeutics of the invention are administered in combination with immunosuppressants. Immunosuppressants preparations that may be administered with the Therapeutics of the invention include, but are not limited to, ORTHOCLONE™ (OKT3), SANDIMMUNE™/NEORAL™/SANGDYA™ (cyclosporin), PROGRAF™ (tacrolimus), CELLCEPT™ (mycophenolate), Azathioprine, glucocorticosteroids, and RAPAMUNE™ (sirolimus). In a specific embodiment, immunosuppressants may be



used to prevent rejection of organ or bone marrow transplantation.

In an additional embodiment, Therapeutics of the invention are administered alone or in combination with one or more intravenous immune globulin preparations. Intravenous immune globulin preparations that may be administered with the Therapeutics of the invention include, but not limited to, GAMMAR™, IVEEGAM™, SANDOGLOBULIN™, GAMMAGARD S/D™, and GAMIMUNE™. In a specific embodiment, Therapeutics of the invention are administered in combination with intravenous immune globulin preparations in transplantation therapy (e.g., bone marrow transplant).

In an additional embodiment, the Therapeutics of the invention are administered alone or in combination with an anti-inflammatory agent. Anti-inflammatory agents that may be administered with the Therapeutics of the invention include, but are not limited to, glucocorticoids and the nonsteroidal anti-inflammatories, aminoarylcarboxylic acid derivatives, arylacetic acid derivatives, arylbutyric acid derivatives, arylcarboxylic acids, arylpropionic acid derivatives, pyrazoles, pyrazolones, salicylic acid derivatives, thiazinecarboxamides, e-acetamidocaproic acid, S-adenosylmethionine, 3-amino-4-hydroxybutyric acid, amixetrine, bendazac, benzydamine, bucolome, difenpiramide, ditazol, emorfazone, guaiazulene, nabumetone, nimesulide, orgotein, oxaceprol, paranyline, perisoxal, pifoxime, proquazone, proxazole, and tenidap.

In another embodiment, compositions of the invention are administered in combination with a chemotherapeutic agent. Chemotherapeutic agents that may be administered with the Therapeutics of the invention include, but are not limited to, antibiotic derivatives (e.g., doxorubicin, bleomycin, daunorubicin, and dactinomycin); antiestrogens (e.g., tamoxifen); antimetabolites (e.g., fluorouracil, 5-FU, methotrexate, floxuridine, interferon alpha-2b, glutamic acid, plicamycin, mercaptopurine, and 6-thioguanine); cytotoxic agents (e.g., carmustine, BCNU, lomustine, CCNU, cytosine arabinoside, cyclophosphamide, estramustine, hydroxyurea, procarbazine, mitomycin, busulfan, cis-platin, and vincristine sulfate); hormones (e.g., medroxyprogesterone, estramustine phosphate sodium, ethinyl estradiol, estradiol, megestrol acetate, methyltestosterone, diethylstilbestrol diphosphate, chlorotrianisene, and testolactone); nitrogen mustard derivatives (e.g., mephalen, chorambucil, mechlorethamine (nitrogen mustard) and thiotepa); steroids and combinations (e.g., bethamethasone sodium phosphate); and others (e.g., dicarbazine, asparaginase, mitotane, vincristine sulfate, vinblastine sulfate, and etoposide).

In a specific embodiment, Therapeutics of the invention are administered in combination with CHOP (cyclophosphamide, doxorubicin, vincristine, and prednisone) or any combination of the components of CHOP. In another embodiment, Therapeutics of the invention are administered in combination with Rituximab. In a further embodiment, Therapeutics of the invention are administered with Rituxmab and CHOP, or Rituxmab and any combination of the components of CHOP.

In an additional embodiment, the Therapeutics of the invention are administered in combination with cytokines. Cytokines that may be administered with the Therapeutics of the invention include, but are not limited to, IL2, IL3, IL4, IL5, IL6, IL7, IL10, IL12, IL13, IL15, anti-CD40, CD40L, IFN-gamma and TNF-alpha. In another embodiment, Therapeutics of the invention may be administered with any interleukin, including, but not limited to, IL-1alpha, IL-1beta, IL-2, IL-3, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-11, IL-12, IL-13, IL-14, IL-15, IL-16, IL-17, IL-18, IL-19, IL-20, and IL-21.

In an additional embodiment, the Therapeutics of the invention are administered in combination with angiogenic proteins. Angiogenic proteins that may be administered with the Therapeutics of the invention include, but are not limited to, Glioma Derived Growth Factor (GDGF), as disclosed in European Patent Number EP-399816; Platelet Derived Growth Factor-A (PDGF-A), as disclosed in European Patent Number EP-682110; Platelet Derived Growth Factor-B (PDGF-B), as disclosed in European Patent Number EP-282317; Placental Growth Factor (PIGF), as disclosed in International Publication Number WO 92/06194; Placental Growth Factor-2 (PIGF-2), as disclosed in Hauser et al., Growth Factors, 4:259-268 (1993); Vascular Endothelial Growth Factor (VEGF), as disclosed in International Publication Number WO 90/13649; Vascular Endothelial Growth Factor-A (VEGF-A), as disclosed in European Patent Number EP-506477; Vascular Endothelial Growth Factor-2 (VEGF-2), as disclosed in International Publication Number WO 96/39515; Vascular Endothelial Growth Factor B (VEGF-3); Vascular Endothelial Growth Factor B-186 (VEGF-B186), as disclosed in International Publication Number WO 96/26736; Vascular Endothelial Growth Factor-D (VEGF-D), as disclosed in International Publication Number WO 98/02543; Vascular Endothelial Growth Factor-D (VEGF-D), as disclosed in International Publication Number WO 98/07832; and Vascular Endothelial Growth Factor-E (VEGF-E), as disclosed in German Patent Number DE19639601. The above mentioned references are incorporated herein by reference herein.

In an additional embodiment, the Therapeutics of the invention are administered in combination with hematopoietic growth factors. Hematopoietic growth factors that may be administered with the Therapeutics of the invention include, but are not limited to, LEUKINE™ (SARGRAMOSTIM™) and NEUPOGEN™ (FILGRASTIM™).

5 In an additional embodiment, the Therapeutics of the invention are administered in combination with Fibroblast Growth Factors. Fibroblast Growth Factors that may be administered with the Therapeutics of the invention include, but are not limited to, FGF-1, FGF-2, FGF-3, FGF-4, FGF-5, FGF-6, FGF-7, FGF-8, FGF-9, FGF-10, FGF-11, FGF-12, FGF-13, FGF-14, and FGF-15.

10 In additional embodiments, the Therapeutics of the invention are administered in combination with other therapeutic or prophylactic regimens, such as, for example, radiation therapy.

*Example 14: Method of Treating Decreased Levels of the Polypeptide*

15

The present invention relates to a method for treating an individual in need of an increased level of a polypeptide of the invention in the body comprising administering to such an individual a composition comprising a therapeutically effective amount of an agonist of the invention (including polypeptides of the invention). Moreover, it will be appreciated  
20 that conditions caused by a decrease in the standard or normal expression level of a polypeptide of the present invention in an individual can be treated by administering the agonist or antagonist of the present invention. Thus, the invention also provides a method of treatment of an individual in need of an increased level of the polypeptide comprising administering to such an individual a Therapeutic comprising an amount of the agonist or  
25 antagonist to increase the activity level of the polypeptide in such an individual.

For example, a patient with decreased levels of a polypeptide receives a daily dose 0.1-100 ug/kg of the agonist or antagonist for six consecutive days. The exact details of the dosing scheme, based on administration and formulation, are provided in Example 13.

30 *Example 15: Method of Treating Increased Levels of the Polypeptide*

The present invention also relates to a method of treating an individual in need of a

decreased level of a polypeptide of the invention in the body comprising administering to such an individual a composition comprising a therapeutically effective amount of an antagonist of the invention (including polypeptides and antibodies of the invention).

In one example, antisense technology is used to inhibit production of a polypeptide of the present invention. This technology is one example of a method of decreasing levels of a polypeptide, due to a variety of etiologies, such as cancer.

For example, a patient diagnosed with abnormally increased levels of a polypeptide is administered intravenously antisense polynucleotides at 0.5, 1.0, 1.5, 2.0 and 3.0 mg/kg day for 21 days. This treatment is repeated after a 7-day rest period if the treatment was well tolerated. The formulation of the antisense polynucleotide is provided in Example 13.

*Example 16: Method of Treatment Using Gene Therapy-Ex Vivo*

One method of gene therapy transplants fibroblasts, which are capable of expressing a polypeptide, onto a patient. Generally, fibroblasts are obtained from a subject by skin biopsy. The resulting tissue is placed in tissue-culture medium and separated into small pieces. Small chunks of the tissue are placed on a wet surface of a tissue culture flask, approximately ten pieces are placed in each flask. The flask is turned upside down, closed tight and left at room temperature over night. After 24 hours at room temperature, the flask is inverted and the chunks of tissue remain fixed to the bottom of the flask and fresh media (e.g., Ham's F12 media, with 10% FBS, penicillin and streptomycin) is added. The flasks are then incubated at 37 degree C for approximately one week.

At this time, fresh media is added and subsequently changed every several days. After an additional two weeks in culture, a monolayer of fibroblasts emerge. The monolayer is trypsinized and scaled into larger flasks.

pMV-7 (Kirschmeier, P.T. et al., DNA, 7:219-25 (1988)), flanked by the long terminal repeats of the Moloney murine sarcoma virus, is digested with EcoRI and HindIII and subsequently treated with calf intestinal phosphatase. The linear vector is fractionated on agarose gel and purified, using glass beads.

The cDNA encoding a polypeptide of the present invention can be amplified using PCR primers which correspond to the 5' and 3' end sequences respectively as set forth in Example 1 using primers and having appropriate restriction sites and initiation/stop codons, if

necessary. Preferably, the 5' primer contains an EcoRI site and the 3' primer includes a HindIII site. Equal quantities of the Moloney murine sarcoma virus linear backbone and the amplified EcoRI and HindIII fragment are added together, in the presence of T4 DNA ligase. The resulting mixture is maintained under conditions appropriate for ligation of the two fragments. The ligation mixture is then used to transform bacteria HB101, which are then plated onto agar containing kanamycin for the purpose of confirming that the vector has the gene of interest properly inserted.

The amphotropic pA317 or GP+am12 packaging cells are grown in tissue culture to confluent density in Dulbecco's Modified Eagles Medium (DMEM) with 10% calf serum (CS), penicillin and streptomycin. The MSV vector containing the gene is then added to the media and the packaging cells transduced with the vector. The packaging cells now produce infectious viral particles containing the gene (the packaging cells are now referred to as producer cells).

Fresh media is added to the transduced producer cells, and subsequently, the media is harvested from a 10 cm plate of confluent producer cells. The spent media, containing the infectious viral particles, is filtered through a millipore filter to remove detached producer cells and this media is then used to infect fibroblast cells. Media is removed from a sub-confluent plate of fibroblasts and quickly replaced with the media from the producer cells. This media is removed and replaced with fresh media. If the titer of virus is high, then virtually all fibroblasts will be infected and no selection is required. If the titer is very low, then it is necessary to use a retroviral vector that has a selectable marker, such as neo or his. Once the fibroblasts have been efficiently infected, the fibroblasts are analyzed to determine whether protein is produced.

The engineered fibroblasts are then transplanted onto the host, either alone or after having been grown to confluence on cytodex 3 microcarrier beads.

*Example 17: Gene Therapy Using Endogenous Genes Corresponding To Polynucleotides of the Invention*

Another method of gene therapy according to the present invention involves operably associating the endogenous polynucleotide sequence of the invention with a promoter via homologous recombination as described, for example, in U.S. Patent NO: 5,641,670, issued

June 24, 1997; International Publication NO: WO 96/29411, published September 26, 1996; International Publication NO: WO 94/12650, published August 4, 1994; Koller et al., *Proc. Natl. Acad. Sci. USA*, 86:8932-8935 (1989); and Zijlstra et al., *Nature*, 342:435-438 (1989). This method involves the activation of a gene which is present in the target cells, but which is not expressed in the cells, or is expressed at a lower level than desired.

Polynucleotide constructs are made which contain a promoter and targeting sequences, which are homologous to the 5' non-coding sequence of endogenous polynucleotide sequence, flanking the promoter. The targeting sequence will be sufficiently near the 5' end of the polynucleotide sequence so the promoter will be operably linked to the endogenous sequence upon homologous recombination. The promoter and the targeting sequences can be amplified using PCR. Preferably, the amplified promoter contains distinct restriction enzyme sites on the 5' and 3' ends. Preferably, the 3' end of the first targeting sequence contains the same restriction enzyme site as the 5' end of the amplified promoter and the 5' end of the second targeting sequence contains the same restriction site as the 3' end of the amplified promoter.

The amplified promoter and the amplified targeting sequences are digested with the appropriate restriction enzymes and subsequently treated with calf intestinal phosphatase. The digested promoter and digested targeting sequences are added together in the presence of T4 DNA ligase. The resulting mixture is maintained under conditions appropriate for ligation of the two fragments. The construct is size fractionated on an agarose gel then purified by phenol extraction and ethanol precipitation.

In this Example, the polynucleotide constructs are administered as naked polynucleotides via electroporation. However, the polynucleotide constructs may also be administered with transfection-facilitating agents, such as liposomes, viral sequences, viral particles, precipitating agents, etc. Such methods of delivery are known in the art.

Once the cells are transfected, homologous recombination will take place which results in the promoter being operably linked to the endogenous polynucleotide sequence. This results in the expression of polynucleotide corresponding to the polynucleotide in the cell. Expression may be detected by immunological staining, or any other method known in the art.

Fibroblasts are obtained from a subject by skin biopsy. The resulting tissue is placed in DMEM + 10% fetal calf serum. Exponentially growing or early stationary phase

fibroblasts are trypsinized and rinsed from the plastic surface with nutrient medium. An aliquot of the cell suspension is removed for counting, and the remaining cells are subjected to centrifugation. The supernatant is aspirated and the pellet is resuspended in 5 ml of electroporation buffer (20 mM HEPES pH 7.3, 137 mM NaCl, 5 mM KCl, 0.7 mM Na<sub>2</sub>HPO<sub>4</sub>, 6 mM dextrose). The cells are recentrifuged, the supernatant aspirated, and the cells resuspended in electroporation buffer containing 1 mg/ml acetylated bovine serum albumin. The final cell suspension contains approximately  $3 \times 10^6$  cells/ml. Electroporation should be performed immediately following resuspension.

Plasmid DNA is prepared according to standard techniques. For example, to construct a plasmid for targeting to the locus corresponding to the polynucleotide of the invention, plasmid pUC18 (MBI Fermentas, Amherst, NY) is digested with HindIII. The CMV promoter is amplified by PCR with an XbaI site on the 5' end and a BamHI site on the 3' end. Two non-coding sequences are amplified via PCR: one non-coding sequence (fragment 1) is amplified with a HindIII site at the 5' end and an Xba site at the 3' end; the other non-coding sequence (fragment 2) is amplified with a BamHI site at the 5' end and a HindIII site at the 3' end. The CMV promoter and the fragments (1 and 2) are digested with the appropriate enzymes (CMV promoter - XbaI and BamHI; fragment 1 - XbaI; fragment 2 - BamHI) and ligated together. The resulting ligation product is digested with HindIII, and ligated with the HindIII-digested pUC18 plasmid.

Plasmid DNA is added to a sterile cuvette with a 0.4 cm electrode gap (Bio-Rad). The final DNA concentration is generally at least 120 µg/ml. 0.5 ml of the cell suspension (containing approximately  $1.5 \times 10^6$  cells) is then added to the cuvette, and the cell suspension and DNA solutions are gently mixed. Electroporation is performed with a Gene-Pulser apparatus (Bio-Rad). Capacitance and voltage are set at 960 µF and 250-300 V, respectively. As voltage increases, cell survival decreases, but the percentage of surviving cells that stably incorporate the introduced DNA into their genome increases dramatically. Given these parameters, a pulse time of approximately 14-20 mSec should be observed.

Electroporated cells are maintained at room temperature for approximately 5 min, and the contents of the cuvette are then gently removed with a sterile transfer pipette. The cells are added directly to 10 ml of prewarmed nutrient media (DMEM with 15% calf serum) in a 10 cm dish and incubated at 37 degree C. The following day, the media is aspirated and replaced with 10 ml of fresh media and incubated for a further 16-24 hours.

The engineered fibroblasts are then injected into the host, either alone or after having been grown to confluence on cytodex 3 microcarrier beads. The fibroblasts now produce the protein product. The fibroblasts can then be introduced into a patient as described above.

5 *Example 18: Method of Treatment Using Gene Therapy - In Vivo*

Another aspect of the present invention is using *in vivo* gene therapy methods to treat disorders, diseases and conditions. The gene therapy method relates to the introduction of naked nucleic acid (DNA, RNA, and antisense DNA or RNA) sequences into an animal to  
10 increase or decrease the expression of the polypeptide. The polynucleotide of the present invention may be operatively linked to a promoter or any other genetic elements necessary for the expression of the polypeptide by the target tissue. Such gene therapy and delivery techniques and methods are known in the art, see, for example, WO90/11092, WO98/11779; U.S. Patent NO. 5693622, 5705151, 5580859; Tabata et al., *Cardiovasc. Res.* 35(3):470-479  
15 (1997); Chao et al., *Pharmacol. Res.* 35(6):517-522 (1997); Wolff, *Neuromuscul. Disord.* 7(5):314-318 (1997); Schwartz et al., *Gene Ther.* 3(5):405-411 (1996); Tsurumi et al., *Circulation* 94(12):3281-3290 (1996) (incorporated herein by reference).

The polynucleotide constructs may be delivered by any method that delivers injectable materials to the cells of an animal, such as, injection into the interstitial space of  
20 tissues (heart, muscle, skin, lung, liver, intestine and the like). The polynucleotide constructs can be delivered in a pharmaceutically acceptable liquid or aqueous carrier.

The term "naked" polynucleotide, DNA or RNA, refers to sequences that are free from any delivery vehicle that acts to assist, promote, or facilitate entry into the cell, including viral sequences, viral particles, liposome formulations, lipofectin or precipitating  
25 agents and the like. However, the polynucleotides of the present invention may also be delivered in liposome formulations (such as those taught in Felgner P.L. et al. (1995) *Ann. NY Acad. Sci.* 772:126-139 and Abdallah B. et al. (1995) *Biol. Cell* 85(1):1-7) which can be prepared by methods well known to those skilled in the art.

The polynucleotide vector constructs used in the gene therapy method are preferably  
30 constructs that will not integrate into the host genome nor will they contain sequences that allow for replication. Any strong promoter known to those skilled in the art can be used for driving the expression of DNA. Unlike other gene therapies techniques, one major advantage



of introducing naked nucleic acid sequences into target cells is the transitory nature of the polynucleotide synthesis in the cells. Studies have shown that non-replicating DNA sequences can be introduced into cells to provide production of the desired polypeptide for periods of up to six months.

5           The polynucleotide construct can be delivered to the interstitial space of tissues within the an animal, including of muscle, skin, brain, lung, liver, spleen, bone marrow, thymus, heart, lymph, blood, bone, cartilage, pancreas, kidney, gall bladder, stomach, intestine, testis, ovary, uterus, rectum, nervous system, eye, gland, and connective tissue. Interstitial space of the tissues comprises the intercellular fluid, mucopolysaccharide matrix among the reticular  
10   fibers of organ tissues, elastic fibers in the walls of vessels or chambers, collagen fibers of fibrous tissues, or that same matrix within connective tissue ensheathing muscle cells or in the lacunae of bone. It is similarly the space occupied by the plasma of the circulation and the lymph fluid of the lymphatic channels. Delivery to the interstitial space of muscle tissue is preferred for the reasons discussed below. They may be conveniently delivered by  
15   injection into the tissues comprising these cells. They are preferably delivered to and expressed in persistent, non-dividing cells which are differentiated, although delivery and expression may be achieved in non-differentiated or less completely differentiated cells, such as, for example, stem cells of blood or skin fibroblasts. *In vivo* muscle cells are particularly competent in their ability to take up and express polynucleotides.

20           For the naked polynucleotide injection, an effective dosage amount of DNA or RNA will be in the range of from about 0.05 g/kg body weight to about 50 mg/kg body weight. Preferably the dosage will be from about 0.005 mg/kg to about 20 mg/kg and more preferably from about 0.05 mg/kg to about 5 mg/kg. Of course, as the artisan of ordinary skill will appreciate, this dosage will vary according to the tissue site of injection. The appropriate and  
25   effective dosage of nucleic acid sequence can readily be determined by those of ordinary skill in the art and may depend on the condition being treated and the route of administration. The preferred route of administration is by the parenteral route of injection into the interstitial space of tissues. However, other parenteral routes may also be used, such as, inhalation of an aerosol formulation particularly for delivery to lungs or bronchial tissues, throat or mucous  
30   membranes of the nose. In addition, naked polynucleotide constructs can be delivered to arteries during angioplasty by the catheter used in the procedure.

The dose response effects of injected polynucleotide in muscle *in vivo* is determined

as follows. Suitable template DNA for production of mRNA coding for polypeptide of the present invention is prepared in accordance with a standard recombinant DNA methodology. The template DNA, which may be either circular or linear, is either used as naked DNA or complexed with liposomes. The quadriceps muscles of mice are then injected with various amounts of the template DNA.

Five to six week old female and male Balb/C mice are anesthetized by intraperitoneal injection with 0.3 ml of 2.5% Avertin. A 1.5 cm incision is made on the anterior thigh, and the quadriceps muscle is directly visualized. The template DNA is injected in 0.1 ml of carrier in a 1 cc syringe through a 27 gauge needle over one minute, approximately 0.5 cm from the distal insertion site of the muscle into the knee and about 0.2 cm deep. A suture is placed over the injection site for future localization, and the skin is closed with stainless steel clips.

After an appropriate incubation time (e.g., 7 days) muscle extracts are prepared by excising the entire quadriceps. Every fifth 15 um cross-section of the individual quadriceps muscles is histochemically stained for protein expression. A time course for protein expression may be done in a similar fashion except that quadriceps from different mice are harvested at different times. Persistence of DNA in muscle following injection may be determined by Southern blot analysis after preparing total cellular DNA and HIRT supernatants from injected and control mice. The results of the above experimentation in mice can be used to extrapolate proper dosages and other treatment parameters in humans and other animals using naked DNA.

#### *Example 19: Transgenic Animals*

The polypeptides of the invention can also be expressed in transgenic animals. Animals of any species, including, but not limited to, mice, rats, rabbits, hamsters, guinea pigs, pigs, micro-pigs, goats, sheep, cows and non-human primates, e.g., baboons, monkeys, and chimpanzees may be used to generate transgenic animals. In a specific embodiment, techniques described herein or otherwise known in the art, are used to express polypeptides of the invention in humans as part of a gene therapy protocol.

Any technique known in the art may be used to introduce the transgene (i.e., polynucleotides of the invention) into animals to produce the founder lines of transgenic

animals. Such techniques include, but are not limited to, pronuclear microinjection (Paterson et al., Appl. Microbiol. Biotechnol. 40:691-698 (1994); Carver et al., Biotechnology (NY) 11:1263-1270 (1993); Wright et al., Biotechnology (NY) 9:830-834 (1991); and Hoppe et al., U.S. Pat. No. 4,873,191 (1989)); retrovirus mediated gene transfer into germ lines (Van der Putten et al., Proc. Natl. Acad. Sci., USA 82:6148-6152 (1985)), blastocysts or embryos; gene targeting in embryonic stem cells (Thompson et al., Cell 56:313-321 (1989)); electroporation of cells or embryos (Lo, 1983, Mol Cell. Biol. 3:1803-1814 (1983)); introduction of the polynucleotides of the invention using a gene gun (see, e.g., Ulmer et al., Science 259:1745 (1993)); introducing nucleic acid constructs into embryonic pluripotent stem cells and transferring the stem cells back into the blastocyst; and sperm-mediated gene transfer (Lavitrano et al., Cell 57:717-723 (1989)); etc. For a review of such techniques, see Gordon, "Transgenic Animals," Intl. Rev. Cytol. 115:171-229 (1989), which is incorporated by reference herein in its entirety.

Any technique known in the art may be used to produce transgenic clones containing polynucleotides of the invention, for example, nuclear transfer into enucleated oocytes of nuclei from cultured embryonic, fetal, or adult cells induced to quiescence (Campbell et al., Nature 380:64-66 (1996); Wilmut et al., Nature 385:810-813 (1997)).

The present invention provides for transgenic animals that carry the transgene in all their cells, as well as animals which carry the transgene in some, but not all their cells, *i.e.*, mosaic animals or chimeric. The transgene may be integrated as a single transgene or as multiple copies such as in concatamers, *e.g.*, head-to-head tandems or head-to-tail tandems. The transgene may also be selectively introduced into and activated in a particular cell type by following, for example, the teaching of Lasko et al. (Lasko et al., Proc. Natl. Acad. Sci. USA 89:6232-6236 (1992)). The regulatory sequences required for such a cell-type specific activation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art. When it is desired that the polynucleotide transgene be integrated into the chromosomal site of the endogenous gene, gene targeting is preferred. Briefly, when such a technique is to be utilized, vectors containing some nucleotide sequences homologous to the endogenous gene are designed for the purpose of integrating, via homologous recombination with chromosomal sequences, into and disrupting the function of the nucleotide sequence of the endogenous gene. The transgene may also be selectively introduced into a particular cell type, thus inactivating the endogenous gene in only that cell type, by following, for example,

the teaching of Gu et al. (Gu et al., Science 265:103-106 (1994)). The regulatory sequences required for such a cell-type specific inactivation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art.

Once transgenic animals have been generated, the expression of the recombinant gene  
5 may be assayed utilizing standard techniques. Initial screening may be accomplished by Southern blot analysis or PCR techniques to analyze animal tissues to verify that integration of the transgene has taken place. The level of mRNA expression of the transgene in the tissues of the transgenic animals may also be assessed using techniques which include, but are not limited to, Northern blot analysis of tissue samples obtained from the animal, *in situ*  
10 hybridization analysis, and reverse transcriptase-PCR (rt-PCR). Samples of transgenic gene-expressing tissue may also be evaluated immunocytochemically or immunohistochemically using antibodies specific for the transgene product.

Once the founder animals are produced, they may be bred, inbred, outbred, or crossbred to produce colonies of the particular animal. Examples of such breeding strategies  
15 include, but are not limited to: outbreeding of founder animals with more than one integration site in order to establish separate lines; inbreeding of separate lines in order to produce compound transgenics that express the transgene at higher levels because of the effects of additive expression of each transgene; crossing of heterozygous transgenic animals to produce animals homozygous for a given integration site in order to both augment  
20 expression and eliminate the need for screening of animals by DNA analysis; crossing of separate homozygous lines to produce compound heterozygous or homozygous lines; and breeding to place the transgene on a distinct background that is appropriate for an experimental model of interest.

Transgenic animals of the invention have uses which include, but are not limited to,  
25 animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

#### *Example 20: Knock-Out Animals*

30

Endogenous gene expression can also be reduced by inactivating or "knocking out" the gene and/or its promoter using targeted homologous recombination. (*E.g.*, see Smithies

et al., Nature 317:230-234 (1985); Thomas & Capecchi, Cell 51:503-512 (1987); Thompson et al., Cell 5:313-321 (1989); each of which is incorporated by reference herein in its entirety). For example, a mutant, non-functional polynucleotide of the invention (or a completely unrelated DNA sequence) flanked by DNA homologous to the endogenous polynucleotide sequence (either the coding regions or regulatory regions of the gene) can be used, with or without a selectable marker and/or a negative selectable marker, to transfect cells that express polypeptides of the invention *in vivo*. In another embodiment, techniques known in the art are used to generate knockouts in cells that contain, but do not express the gene of interest. Insertion of the DNA construct, via targeted homologous recombination, results in inactivation of the targeted gene. Such approaches are particularly suited in research and agricultural fields where modifications to embryonic stem cells can be used to generate animal offspring with an inactive targeted gene (*e.g.*, see Thomas & Capecchi 1987 and Thompson 1989, *supra*). However this approach can be routinely adapted for use in humans provided the recombinant DNA constructs are directly administered or targeted to the required site *in vivo* using appropriate viral vectors that will be apparent to those of skill in the art.

In further embodiments of the invention, cells that are genetically engineered to express the polypeptides of the invention, or alternatively, that are genetically engineered not to express the polypeptides of the invention (*e.g.*, knockouts) are administered to a patient *in vivo*. Such cells may be obtained from the patient (*i.e.*, animal, including human) or an MHC compatible donor and can include, but are not limited to fibroblasts, bone marrow cells, blood cells (*e.g.*, lymphocytes), adipocytes, muscle cells, endothelial cells etc. The cells are genetically engineered *in vitro* using recombinant DNA techniques to introduce the coding sequence of polypeptides of the invention into the cells, or alternatively, to disrupt the coding sequence and/or endogenous regulatory sequence associated with the polypeptides of the invention, *e.g.*, by transduction (using viral vectors, and preferably vectors that integrate the transgene into the cell genome) or transfection procedures, including, but not limited to, the use of plasmids, cosmids, YACs, naked DNA, electroporation, liposomes, etc. The coding sequence of the polypeptides of the invention can be placed under the control of a strong constitutive or inducible promoter or promoter/enhancer to achieve expression, and preferably secretion, of the polypeptides of the invention. The engineered cells which express and preferably secrete the polypeptides of the invention can be introduced into the

patient systemically. e.g., in the circulation. or intraperitoneally.

Alternatively, the cells can be incorporated into a matrix and implanted in the body, e.g., genetically engineered fibroblasts can be implanted as part of a skin graft; genetically engineered endothelial cells can be implanted as part of a lymphatic or vascular graft. (See, for example, Anderson et al. U.S. Patent No. 5,399,349; and Mulligan & Wilson, U.S. Patent No. 5,460,959 each of which is incorporated by reference herein in its entirety).

When the cells to be administered are non-autologous or non-MHC compatible cells, they can be administered using well known techniques which prevent the development of a host immune response against the introduced cells. For example, the cells may be introduced in an encapsulated form which, while allowing for an exchange of components with the immediate extracellular environment, does not allow the introduced cells to be recognized by the host immune system.

Transgenic and "knock-out" animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

*Example 22: Assays Detecting Stimulation or Inhibition of B cell Proliferation and Differentiation*

Generation of functional humoral immune responses requires both soluble and cognate signaling between B-lineage cells and their microenvironment. Signals may impart a positive stimulus that allows a B-lineage cell to continue its programmed development, or a negative stimulus that instructs the cell to arrest its current developmental pathway. To date, numerous stimulatory and inhibitory signals have been found to influence B cell responsiveness including IL-2, IL-4, IL-5, IL-6, IL-7, IL10, IL-13, IL-14 and IL-15. Interestingly, these signals are by themselves weak effectors but can, in combination with various co-stimulatory proteins, induce activation, proliferation, differentiation, homing, tolerance and death among B cell populations.

One of the best studied classes of B-cell co-stimulatory proteins is the TNF-superfamily. Within this family CD40, CD27, and CD30 along with their respective ligands

CD154, CD70, and CD153 have been found to regulate a variety of immune responses. Assays which allow for the detection and/or observation of the proliferation and differentiation of these B-cell populations and their precursors are valuable tools in determining the effects various proteins may have on these B-cell populations in terms of proliferation and differentiation. Listed below are two assays designed to allow for the detection of the differentiation, proliferation, or inhibition of B-cell populations and their precursors.

**In Vitro Assay-** Agonists or antagonists of the invention can be assessed for its ability to induce activation, proliferation, differentiation or inhibition and/or death in B-cell populations and their precursors. The activity of the agonists or antagonists of the invention on purified human tonsillar B cells, measured qualitatively over the dose range from 0.1 to 10,000 ng/mL, is assessed in a standard B-lymphocyte co-stimulation assay in which purified tonsillar B cells are cultured in the presence of either formalin-fixed *Staphylococcus aureus* Cowan I (SAC) or immobilized anti-human IgM antibody as the priming agent. Second signals such as IL-2 and IL-15 synergize with SAC and IgM crosslinking to elicit B cell proliferation as measured by tritiated-thymidine incorporation. Novel synergizing agents can be readily identified using this assay. The assay involves isolating human tonsillar B cells by magnetic bead (MACS) depletion of CD3-positive cells. The resulting cell population is greater than 95% B cells as assessed by expression of CD45R(B220).

Various dilutions of each sample are placed into individual wells of a 96-well plate to which are added  $10^5$  B-cells suspended in culture medium (RPMI 1640 containing 10% FBS,  $5 \times 10^{-5}$ M 2ME, 100U/ml penicillin, 10ug/ml streptomycin, and  $10^{-5}$  dilution of SAC) in a total volume of 150ul. Proliferation or inhibition is quantitated by a 20h pulse (1uCi/well) with  $^3$ H-thymidine (6.7 Ci/mM) beginning 72h post factor addition. The positive and negative controls are IL2 and medium respectively.

**In Vivo Assay-** BALB/c mice are injected (i.p.) twice per day with buffer only, or 2 mg/Kg of agonists or antagonists of the invention, or truncated forms thereof. Mice receive this treatment for 4 consecutive days, at which time they are sacrificed and various tissues and serum collected for analyses. Comparison of H&E sections from normal spleens and spleens treated with agonists or antagonists of the invention identify the results of the activity of the agonists or antagonists on spleen cells, such as the diffusion of peri-arterial lymphatic sheaths, and/or significant increases in the nucleated cellularity of the red pulp regions, which

may indicate the activation of the differentiation and proliferation of B-cell populations. Immunohistochemical studies using a B cell marker, anti-CD45R(B220), are used to determine whether any physiological changes to splenic cells, such as splenic disorganization, are due to increased B-cell representation within loosely defined B-cell zones that infiltrate established T-cell regions.

Flow cytometric analyses of the spleens from mice treated with agonist or antagonist is used to indicate whether the agonists or antagonists specifically increases the proportion of ThB+, CD45R(B220)dull B cells over that which is observed in control mice.

Likewise, a predicted consequence of increased mature B-cell representation in vivo is a relative increase in serum Ig titers. Accordingly, serum IgM and IgA levels are compared between buffer and agonists or antagonists-treated mice.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

#### *Example 23: T Cell Proliferation Assay*

A CD3-induced proliferation assay is performed on PBMCs and is measured by the uptake of  $^3\text{H}$ -thymidine. The assay is performed as follows. Ninety-six well plates are coated with 100  $\mu\text{l}$ /well of mAb to CD3 (HIT3a, Pharmingen) or isotype-matched control mAb (B33.1) overnight at 4 degrees C (1  $\mu\text{g}/\text{ml}$  in .05M bicarbonate buffer, pH 9.5), then washed three times with PBS. PBMC are isolated by F/H gradient centrifugation from human peripheral blood and added to quadruplicate wells ( $5 \times 10^4$ /well) of mAb coated plates in RPMI containing 10% FCS and P/S in the presence of varying concentrations of agonists or antagonists of the invention (total volume 200  $\mu\text{l}$ ). Relevant protein buffer and medium alone are controls. After 48 hr. culture at 37 degrees C, plates are spun for 2 min. at 1000 rpm and 100  $\mu\text{l}$  of supernatant is removed and stored -20 degrees C for measurement of IL-2 (or other cytokines) if effect on proliferation is observed. Wells are supplemented with 100  $\mu\text{l}$  of medium containing 0.5 uCi of  $^3\text{H}$ -thymidine and cultured at 37 degrees C for 18-24 hr. Wells are harvested and incorporation of  $^3\text{H}$ -thymidine used as a measure of proliferation. Anti-CD3 alone is the positive control for proliferation. IL-2 (100 U/ml) is also used as a control which enhances proliferation. Control antibody which does not induce proliferation



of T cells is used as the negative controls for the effects of agonists or antagonists of the invention.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

*Example 24: Effect of Agonists or Antagonists of the Invention on the Expression of MHC Class II, Costimulatory and Adhesion Molecules and Cell Differentiation of Monocytes and Monocyte-Derived Human Dendritic Cells*

Dendritic cells are generated by the expansion of proliferating precursors found in the peripheral blood: adherent PBMC or elutriated monocytic fractions are cultured for 7-10 days with GM-CSF (50 ng/ml) and IL-4 (20 ng/ml). These dendritic cells have the characteristic phenotype of immature cells (expression of CD1, CD80, CD86, CD40 and MHC class II antigens). Treatment with activating factors, such as TNF- $\alpha$ , causes a rapid change in surface phenotype (increased expression of MHC class I and II, costimulatory and adhesion molecules, downregulation of FC $\gamma$ RII, upregulation of CD83). These changes correlate with increased antigen-presenting capacity and with functional maturation of the dendritic cells.

FACS analysis of surface antigens is performed as follows. Cells are treated 1-3 days with increasing concentrations of agonist or antagonist of the invention or LPS (positive control), washed with PBS containing 1% BSA and 0.02 mM sodium azide, and then incubated with 1:20 dilution of appropriate FITC- or PE-labeled monoclonal antibodies for 30 minutes at 4 degrees C. After an additional wash, the labeled cells are analyzed by flow cytometry on a FACScan (Becton Dickinson).

Effect on the production of cytokines. Cytokines generated by dendritic cells, in particular IL-12, are important in the initiation of T-cell dependent immune responses. IL-12 strongly influences the development of Th1 helper T-cell immune response, and induces cytotoxic T and NK cell function. An ELISA is used to measure the IL-12 release as follows. Dendritic cells ( $10^6$ /ml) are treated with increasing concentrations of agonists or antagonists of the invention for 24 hours. LPS (100 ng/ml) is added to the cell culture as positive control. Supernatants from the cell cultures are then collected and analyzed for IL-12 content using

commercial ELISA kit (e.g., R & D Systems (Minneapolis, MN)). The standard protocols provided with the kits are used.

Effect on the expression of MHC Class II, costimulatory and adhesion molecules.

5 major families of cell surface antigens can be identified on monocytes: adhesion molecules, molecules involved in antigen presentation, and Fc receptor. Modulation of the expression of MHC class II antigens and other costimulatory molecules, such as B7 and ICAM-1, may result in changes in the antigen presenting capacity of monocytes and ability to induce T cell activation. Increase expression of Fc receptors may correlate with improved monocyte  
10 cytotoxic activity, cytokine release and phagocytosis.

FACS analysis is used to examine the surface antigens as follows. Monocytes are treated 1-5 days with increasing concentrations of agonists or antagonists of the invention or LPS (positive control), washed with PBS containing 1% BSA and 0.02 mM sodium azide, and then incubated with 1:20 dilution of appropriate FITC- or PE-labeled monoclonal  
15 antibodies for 30 minutes at 4 degreesC. After an additional wash, the labeled cells are analyzed by flow cytometry on a FACScan (Becton Dickinson).

Monocyte activation and/or increased survival. Assays for molecules that activate (or alternatively, inactivate) monocytes and/or increase monocyte survival (or alternatively,  
20 decrease monocyte survival) are known in the art and may routinely be applied to determine whether a molecule of the invention functions as an inhibitor or activator of monocytes. Agonists or antagonists of the invention can be screened using the three assays described below. For each of these assays, Peripheral blood mononuclear cells (PBMC) are purified from single donor leukopacks (American Red Cross, Baltimore, MD) by centrifugation  
25 through a Histopaque gradient (Sigma). Monocytes are isolated from PBMC by counterflow centrifugal elutriation.

Monocyte Survival Assay. Human peripheral blood monocytes progressively lose viability when cultured in absence of serum or other stimuli. Their death results from internally  
30 regulated process (apoptosis). Addition to the culture of activating factors, such as TNF-alpha dramatically improves cell survival and prevents DNA fragmentation. Propidium iodide (PI) staining is used to measure apoptosis as follows. Monocytes are cultured for 48 hours in

polypropylene tubes in serum-free medium (positive control), in the presence of 100 ng/ml TNF-alpha (negative control), and in the presence of varying concentrations of the compound to be tested. Cells are suspended at a concentration of  $2 \times 10^6$ /ml in PBS containing PI at a final concentration of 5 µg/ml, and then incubated at room temperature for 5 minutes before FACSscan analysis. PI uptake has been demonstrated to correlate with DNA fragmentation in this experimental paradigm.

Effect on cytokine release. An important function of monocytes/macrophages is their regulatory activity on other cellular populations of the immune system through the release of cytokines after stimulation. An ELISA to measure cytokine release is performed as follows. Human monocytes are incubated at a density of  $5 \times 10^5$  cells/ml with increasing concentrations of agonists or antagonists of the invention and under the same conditions, but in the absence of agonists or antagonists. For IL-12 production, the cells are primed overnight with IFN (100 U/ml) in presence of agonist or antagonist of the invention. LPS (10 ng/ml) is then added. Conditioned media are collected after 24h and kept frozen until use. Measurement of TNF-alpha, IL-10, MCP-1 and IL-8 is then performed using a commercially available ELISA kit (e. g, R & D Systems (Minneapolis, MN)) and applying the standard protocols provided with the kit.

Oxidative burst. Purified monocytes are plated in 96-w plate at  $2 \times 10^5$  cell/well. Increasing concentrations of agonists or antagonists of the invention are added to the wells in a total volume of 0.2 ml culture medium (RPMI 1640 + 10% FCS, glutamine and antibiotics). After 3 days incubation, the plates are centrifuged and the medium is removed from the wells. To the macrophage monolayers, 0.2 ml per well of phenol red solution (140 mM NaCl, 10 mM potassium phosphate buffer pH 7.0, 5.5 mM dextrose, 0.56 mM phenol red and 19 U/ml of HRPO) is added, together with the stimulant (200 nM PMA). The plates are incubated at 37°C for 2 hours and the reaction is stopped by adding 20 µl 1N NaOH per well. The absorbance is read at 610 nm. To calculate the amount of  $H_2O_2$  produced by the macrophages, a standard curve of a  $H_2O_2$  solution of known molarity is performed for each experiment.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test

the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

*Example 25: Biological Effects of Agonists or Antagonists of the Invention*

5

Astrocyte and Neuronal Assays.

Agonists or antagonists of the invention, expressed in *Escherichia coli* and purified as described above, can be tested for activity in promoting the survival, neurite outgrowth, or phenotypic differentiation of cortical neuronal cells and for inducing the proliferation of glial fibrillary acidic protein immunopositive cells, astrocytes. The selection of cortical cells for the bioassay is based on the prevalent expression of FGF-1 and FGF-2 in cortical structures and on the previously reported enhancement of cortical neuronal survival resulting from FGF-2 treatment. A thymidine incorporation assay, for example, can be used to elucidate an agonist or antagonist of the invention's activity on these cells.

15

Moreover, previous reports describing the biological effects of FGF-2 (basic FGF) on cortical or hippocampal neurons *in vitro* have demonstrated increases in both neuron survival and neurite outgrowth (Walicke et al., "Fibroblast growth factor promotes survival of dissociated hippocampal neurons and enhances neurite extension." *Proc. Natl. Acad. Sci. USA* 83:3012-3016. (1986), assay herein incorporated by reference in its entirety). However, reports from experiments done on PC-12 cells suggest that these two responses are not necessarily synonymous and may depend on not only which FGF is being tested but also on which receptor(s) are expressed on the target cells. Using the primary cortical neuronal culture paradigm, the ability of an agonist or antagonist of the invention to induce neurite outgrowth can be compared to the response achieved with FGF-2 using, for example, a thymidine incorporation assay.

20

25

Fibroblast and endothelial cell assays.

Human lung fibroblasts are obtained from Clonetics (San Diego, CA) and maintained in growth media from Clonetics. Dermal microvascular endothelial cells are obtained from Cell Applications (San Diego, CA). For proliferation assays, the human lung fibroblasts and

30

dermal microvascular endothelial cells can be cultured at 5,000 cells/well in a 96-well plate for one day in growth medium. The cells are then incubated for one day in 0.1% BSA basal medium. After replacing the medium with fresh 0.1% BSA medium, the cells are incubated with the test proteins for 3 days. Alamar Blue (Alamar Biosciences, Sacramento, CA) is added to each well to a final concentration of 10%. The cells are incubated for 4 hr. Cell viability is measured by reading in a CytoFluor fluorescence reader. For the PGE<sub>2</sub> assays, the human lung fibroblasts are cultured at 5,000 cells/well in a 96-well plate for one day. After a medium change to 0.1% BSA basal medium, the cells are incubated with FGF-2 or agonists or antagonists of the invention with or without IL-1 $\alpha$  for 24 hours. The supernatants are collected and assayed for PGE<sub>2</sub> by EIA kit (Cayman, Ann Arbor, MI). For the IL-6 assays, the human lung fibroblasts are cultured at 5,000 cells/well in a 96-well plate for one day. After a medium change to 0.1% BSA basal medium, the cells are incubated with FGF-2 or with or without agonists or antagonists of the invention IL-1 $\alpha$  for 24 hours. The supernatants are collected and assayed for IL-6 by ELISA kit (Endogen, Cambridge, MA).

Human lung fibroblasts are cultured with FGF-2 or agonists or antagonists of the invention for 3 days in basal medium before the addition of Alamar Blue to assess effects on growth of the fibroblasts. FGF-2 should show a stimulation at 10 - 2500 ng/ml which can be used to compare stimulation with agonists or antagonists of the invention.

#### Parkinson Models.

The loss of motor function in Parkinson's disease is attributed to a deficiency of striatal dopamine resulting from the degeneration of the nigrostriatal dopaminergic projection neurons. An animal model for Parkinson's that has been extensively characterized involves the systemic administration of 1-methyl-4 phenyl 1,2,3,6-tetrahydropyridine (MPTP). In the CNS, MPTP is taken-up by astrocytes and catabolized by monoamine oxidase B to 1-methyl-4-phenyl pyridine (MPP<sup>+</sup>) and released. Subsequently, MPP<sup>+</sup> is actively accumulated in dopaminergic neurons by the high-affinity reuptake transporter for dopamine. MPP<sup>+</sup> is then concentrated in mitochondria by the electrochemical gradient and selectively inhibits nicotinamide adenine disphosphate: ubiquinone oxidoreductionase (complex I), thereby interfering with electron transport and eventually generating oxygen radicals.

It has been demonstrated in tissue culture paradigms that FGF-2 (basic FGF) has

trophic activity towards nigral dopaminergic neurons (Ferrari et al., Dev. Biol. 1989). Recently, Dr. Unsicker's group has demonstrated that administering FGF-2 in gel foam implants in the striatum results in the near complete protection of nigral dopaminergic neurons from the toxicity associated with MPTP exposure (Otto and Unsicker, J. Neuroscience, 1990).

Based on the data with FGF-2, agonists or antagonists of the invention can be evaluated to determine whether it has an action similar to that of FGF-2 in enhancing dopaminergic neuronal survival *in vitro* and it can also be tested *in vivo* for protection of dopaminergic neurons in the striatum from the damage associated with MPTP treatment. The potential effect of an agonist or antagonist of the invention is first examined *in vitro* in a dopaminergic neuronal cell culture paradigm. The cultures are prepared by dissecting the midbrain floor plate from gestation day 14 Wistar rat embryos. The tissue is dissociated with trypsin and seeded at a density of 200,000 cells/cm<sup>2</sup> on polyorthinine-laminin coated glass coverslips. The cells are maintained in Dulbecco's Modified Eagle's medium and F12 medium containing hormonal supplements (NI). The cultures are fixed with paraformaldehyde after 8 days *in vitro* and are processed for tyrosine hydroxylase, a specific marker for dopaminergic neurons, immunohistochemical staining. Dissociated cell cultures are prepared from embryonic rats. The culture medium is changed every third day and the factors are also added at that time.

Since the dopaminergic neurons are isolated from animals at gestation day 14, a developmental time which is past the stage when the dopaminergic precursor cells are proliferating, an increase in the number of tyrosine hydroxylase immunopositive neurons would represent an increase in the number of dopaminergic neurons surviving *in vitro*. Therefore, if an agonist or antagonist of the invention acts to prolong the survival of dopaminergic neurons, it would suggest that the agonist or antagonist may be involved in Parkinson's Disease.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

*Example 26: The Effect of Agonists or Antagonists of the Invention on the Growth of*

*Vascular Endothelial Cells*

On day 1, human umbilical vein endothelial cells (HUVEC) are seeded at  $2.5 \times 10^4$  cells/35 mm dish density in M199 medium containing 4% fetal bovine serum (FBS), 16 units/ml heparin, and 50 units/ml endothelial cell growth supplements (ECGS, Biotechnology, Inc.). On day 2, the medium is replaced with M199 containing 10% FBS, 8 units/ml heparin. An agonist or antagonist of the invention, and positive controls, such as VEGF and basic FGF (bFGF) are added, at varying concentrations. On days 4 and 6, the medium is replaced. On day 8, cell number is determined with a Coulter Counter.

An increase in the number of HUVEC cells indicates that the compound of the invention may proliferate vascular endothelial cells, while a decrease in the number of HUVEC cell indicates that the compound of the invention inhibits vascular endothelial cells.

The studies described in this example tested activity of a polypeptide of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), agonists, and/or antagonists of the invention.

*Example 27: Rat Corneal Wound Healing Model*

This animal model shows the effect of an agonist or antagonist of the invention on neovascularization. The experimental protocol includes:

a) Making a 1-1.5 mm long incision from the center of cornea into the stromal layer.

b) Inserting a spatula below the lip of the incision facing the outer corner of the eye.

c) Making a pocket (its base is 1-1.5 mm from the edge of the eye).

d) Positioning a pellet, containing 50ng- 5ug of an agonist or antagonist of the invention, within the pocket.

e) Treatment with an agonist or antagonist of the invention can also be applied topically to the corneal wounds in a dosage range of 20mg - 500mg (daily treatment for five days).

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test

the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

*Example 28: Diabetic Mouse and Glucocorticoid-Impaired Wound Healing Models*

5           A.       *Diabetic db+/db+ Mouse Model.*

To demonstrate that an agonist or antagonist of the invention accelerates the healing process, the genetically diabetic mouse model of wound healing is used. The full thickness wound healing model in the db+/db+ mouse is a well characterized, clinically relevant and reproducible model of impaired wound healing. Healing of the diabetic wound is dependent  
10 on formation of granulation tissue and re-epithelialization rather than contraction (Gartner, M.H. *et al.*, *J. Surg. Res.* 52:389 (1992); Greenhalgh, D.G. *et al.*, *Am. J. Pathol.* 136:1235 (1990)).

The diabetic animals have many of the characteristic features observed in Type II diabetes mellitus. Homozygous (db+/db+) mice are obese in comparison to their normal  
15 heterozygous (db+/+m) littermates. Mutant diabetic (db+/db+) mice have a single autosomal recessive mutation on chromosome 4 (db+) (Coleman *et al.* *Proc. Natl. Acad. Sci. USA* 77:283-293 (1982)). Animals show polyphagia, polydipsia and polyuria. Mutant diabetic mice (db+/db+) have elevated blood glucose, increased or normal insulin levels, and suppressed cell-mediated immunity (Mandel *et al.*, *J. Immunol.* 120:1375 (1978); Debray-  
20 Sachs, M. *et al.*, *Clin. Exp. Immunol.* 51(1):1-7 (1983); Leiter *et al.*, *Am. J. of Pathol.* 114:46-55 (1985)). Peripheral neuropathy, myocardial complications, and microvascular lesions, basement membrane thickening and glomerular filtration abnormalities have been described in these animals (Norido, F. *et al.*, *Exp. Neurol.* 83(2):221-232 (1984); Robertson *et al.*, *Diabetes* 29(1):60-67 (1980); Giacomelli *et al.*, *Lab Invest.* 40(4):460-473 (1979); Coleman,  
25 D.L., *Diabetes* 31 (Suppl):1-6 (1982)). These homozygous diabetic mice develop hyperglycemia that is resistant to insulin analogous to human type II diabetes (Mandel *et al.*, *J. Immunol.* 120:1375-1377 (1978)).

The characteristics observed in these animals suggests that healing in this model may be similar to the healing observed in human diabetes (Greenhalgh, *et al.*, *Am. J. of Pathol.*  
30 136:1235-1246 (1990)).

Genetically diabetic female C57BL/KsJ (db+/db+) mice and their non-diabetic (db+/+m) heterozygous littermates are used in this study (Jackson Laboratories). The



animals are purchased at 6 weeks of age and are 8 weeks old at the beginning of the study. Animals are individually housed and received food and water ad libitum. All manipulations are performed using aseptic techniques. The experiments are conducted according to the rules and guidelines of Human Genome Sciences, Inc. Institutional Animal Care and Use Committee and the Guidelines for the Care and Use of Laboratory Animals.

Wounding protocol is performed according to previously reported methods (Tsuboi, R. and Rifkin, D.B., *J. Exp. Med.* 172:245-251 (1990)). Briefly, on the day of wounding, animals are anesthetized with an intraperitoneal injection of Avertin (0.01 mg/mL), 2,2,2-tribromoethanol and 2-methyl-2-butanol dissolved in deionized water. The dorsal region of the animal is shaved and the skin washed with 70% ethanol solution and iodine. The surgical area is dried with sterile gauze prior to wounding. An 8 mm full-thickness wound is then created using a Keyes tissue punch. Immediately following wounding, the surrounding skin is gently stretched to eliminate wound expansion. The wounds are left open for the duration of the experiment. Application of the treatment is given topically for 5 consecutive days commencing on the day of wounding. Prior to treatment, wounds are gently cleansed with sterile saline and gauze sponges.

Wounds are visually examined and photographed at a fixed distance at the day of surgery and at two day intervals thereafter. Wound closure is determined by daily measurement on days 1-5 and on day 8. Wounds are measured horizontally and vertically using a calibrated Jameson caliper. Wounds are considered healed if granulation tissue is no longer visible and the wound is covered by a continuous epithelium.

An agonist or antagonist of the invention is administered using at a range different doses, from 4mg to 500mg per wound per day for 8 days in vehicle. Vehicle control groups received 50mL of vehicle solution.

Animals are euthanized on day 8 with an intraperitoneal injection of sodium pentobarbital (300mg/kg). The wounds and surrounding skin are then harvested for histology and immunohistochemistry. Tissue specimens are placed in 10% neutral buffered formalin in tissue cassettes between biopsy sponges for further processing.

Three groups of 10 animals each (5 diabetic and 5 non-diabetic controls) are evaluated: 1) Vehicle placebo control, 2) untreated group, and 3) treated group.

Wound closure is analyzed by measuring the area in the vertical and horizontal axis and obtaining the total square area of the wound. Contraction is then estimated by establishing

the differences between the initial wound area (day 0) and that of post treatment (day 8). The wound area on day 1 is 64mm<sup>2</sup>, the corresponding size of the dermal punch. Calculations are made using the following formula:

$$5 \quad [\text{Open area on day 8}] - [\text{Open area on day 1}] / [\text{Open area on day 1}]$$

Specimens are fixed in 10% buffered formalin and paraffin embedded blocks are sectioned perpendicular to the wound surface (5mm) and cut using a Reichert-Jung microtome. Routine hematoxylin-eosin (H&E) staining is performed on cross-sections of bisected wounds. Histologic examination of the wounds are used to assess whether the healing process and the morphologic appearance of the repaired skin is altered by treatment with an agonist or antagonist of the invention. This assessment included verification of the presence of cell accumulation, inflammatory cells, capillaries, fibroblasts, re-epithelialization and epidermal maturity (Greenhalgh, D.G. *et al.*, *Am. J. Pathol.* 136:1235 (1990)). A calibrated lens micrometer is used by a blinded observer.

Tissue sections are also stained immunohistochemically with a polyclonal rabbit anti-human keratin antibody using ABC Elite detection system. Human skin is used as a positive tissue control while non-immune IgG is used as a negative control. Keratinocyte growth is determined by evaluating the extent of reepithelialization of the wound using a calibrated lens micrometer.

Proliferating cell nuclear antigen/cyclin (PCNA) in skin specimens is demonstrated by using anti-PCNA antibody (1:50) with an ABC Elite detection system. Human colon cancer served as a positive tissue control and human brain tissue is used as a negative tissue control. Each specimen included a section with omission of the primary antibody and substitution with non-immune mouse IgG. Ranking of these sections is based on the extent of proliferation on a scale of 0-8, the lower side of the scale reflecting slight proliferation to the higher side reflecting intense proliferation.

Experimental data are analyzed using an unpaired t test. A p value of < 0.05 is considered significant.

#### *B. Steroid Impaired Rat Model*

The inhibition of wound healing by steroids has been well documented in various *in vitro* and

*in vivo* systems (Wahl, Glucocorticoids and Wound healing. In: Anti-Inflammatory Steroid Action: Basic and Clinical Aspects. 280-302 (1989); Wahlet *et al.*, *J. Immunol.* 115: 476-481 (1975); Werb *et al.*, *J. Exp. Med.* 147:1684-1694 (1978)). Glucocorticoids retard wound healing by inhibiting angiogenesis, decreasing vascular permeability (Ebert *et al.*, *Am. Intern. Med.* 37:701-705 (1952)), fibroblast proliferation, and collagen synthesis (Beck *et al.*, *Growth Factors.* 5: 295-304 (1991); Haynes *et al.*, *J. Clin. Invest.* 61: 703-797 (1978)) and producing a transient reduction of circulating monocytes (Haynes *et al.*, *J. Clin. Invest.* 61: 703-797 (1978); Wahl, "Glucocorticoids and wound healing", In: Antiinflammatory Steroid Action: Basic and Clinical Aspects, Academic Press, New York, pp. 280-302 (1989)). The systemic administration of steroids to impaired wound healing is a well establish phenomenon in rats (Beck *et al.*, *Growth Factors.* 5: 295-304 (1991); Haynes *et al.*, *J. Clin. Invest.* 61: 703-797 (1978); Wahl, "Glucocorticoids and wound healing", In: Antiinflammatory Steroid Action: Basic and Clinical Aspects, Academic Press, New York, pp. 280-302 (1989); Pierce *et al.*, *Proc. Natl. Acad. Sci. USA* 86: 2229-2233 (1989)).

To demonstrate that an agonist or antagonist of the invention can accelerate the healing process, the effects of multiple topical applications of the agonist or antagonist on full thickness excisional skin wounds in rats in which healing has been impaired by the systemic administration of methylprednisolone is assessed.

Young adult male Sprague Dawley rats weighing 250-300 g (Charles River Laboratories) are used in this example. The animals are purchased at 8 weeks of age and are 9 weeks old at the beginning of the study. The healing response of rats is impaired by the systemic administration of methylprednisolone (17mg/kg/rat intramuscularly) at the time of wounding. Animals are individually housed and received food and water *ad libitum*. All manipulations are performed using aseptic techniques. This study is conducted according to the rules and guidelines of Human Genome Sciences, Inc. Institutional Animal Care and Use Committee and the Guidelines for the Care and Use of Laboratory Animals.

The wounding protocol is followed according to section A, above. On the day of wounding, animals are anesthetized with an intramuscular injection of ketamine (50 mg/kg) and xylazine (5 mg/kg). The dorsal region of the animal is shaved and the skin washed with 70% ethanol and iodine solutions. The surgical area is dried with sterile gauze prior to wounding. An 8 mm full-thickness wound is created using a Keyes tissue punch. The wounds are left open for the duration of the experiment. Applications of the testing materials

are given topically once a day for 7 consecutive days commencing on the day of wounding and subsequent to methylprednisolone administration. Prior to treatment, wounds are gently cleansed with sterile saline and gauze sponges.

Wounds are visually examined and photographed at a fixed distance at the day of wounding and at the end of treatment. Wound closure is determined by daily measurement on days 1-5 and on day 8. Wounds are measured horizontally and vertically using a calibrated Jameson caliper. Wounds are considered healed if granulation tissue is no longer visible and the wound is covered by a continuous epithelium.

The agonist or antagonist of the invention is administered using at a range different doses, from 4mg to 500mg per wound per day for 8 days in vehicle. Vehicle control groups received 50mL of vehicle solution.

Animals are euthanized on day 8 with an intraperitoneal injection of sodium pentobarbital (300mg/kg). The wounds and surrounding skin are then harvested for histology. Tissue specimens are placed in 10% neutral buffered formalin in tissue cassettes between biopsy sponges for further processing.

Four groups of 10 animals each (5 with methylprednisolone and 5 without glucocorticoid) are evaluated: 1) Untreated group 2) Vehicle placebo control 3) treated groups.

Wound closure is analyzed by measuring the area in the vertical and horizontal axis and obtaining the total area of the wound. Closure is then estimated by establishing the differences between the initial wound area (day 0) and that of post treatment (day 8). The wound area on day 1 is 64mm<sup>2</sup>, the corresponding size of the dermal punch. Calculations are made using the following formula:

$$[\text{Open area on day 8}] - [\text{Open area on day 1}] / [\text{Open area on day 1}]$$

Specimens are fixed in 10% buffered formalin and paraffin embedded blocks are sectioned perpendicular to the wound surface (5mm) and cut using an Olympus microtome. Routine hematoxylin-eosin (H&E) staining is performed on cross-sections of bisected wounds. Histologic examination of the wounds allows assessment of whether the healing process and the morphologic appearance of the repaired skin is improved by treatment with an agonist or antagonist of the invention. A calibrated lens micrometer is used by a blinded observer to

determine the distance of the wound gap.

Experimental data are analyzed using an unpaired t test. A p value of  $< 0.05$  is considered significant.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

*Example 29: Lymphadema Animal Model*

The purpose of this experimental approach is to create an appropriate and consistent lymphedema model for testing the therapeutic effects of an agonist or antagonist of the invention in lymphangiogenesis and re-establishment of the lymphatic circulatory system in the rat hind limb. Effectiveness is measured by swelling volume of the affected limb, quantification of the amount of lymphatic vasculature, total blood plasma protein, and histopathology. Acute lymphedema is observed for 7-10 days. Perhaps more importantly, the chronic progress of the edema is followed for up to 3-4 weeks.

Prior to beginning surgery, blood sample is drawn for protein concentration analysis. Male rats weighing approximately ~350g are dosed with Pentobarbital. Subsequently, the right legs are shaved from knee to hip. The shaved area is swabbed with gauze soaked in 70% EtOH. Blood is drawn for serum total protein testing. Circumference and volumetric measurements are made prior to injecting dye into paws after marking 2 measurement levels (0.5 cm above heel, at mid-pt of dorsal paw). The intradermal dorsum of both right and left paws are injected with 0.05 ml of 1% Evan's Blue. Circumference and volumetric measurements are then made following injection of dye into paws.

Using the knee joint as a landmark, a mid-leg inguinal incision is made circumferentially allowing the femoral vessels to be located. Forceps and hemostats are used to dissect and separate the skin flaps. After locating the femoral vessels, the lymphatic vessel that runs along side and underneath the vessel(s) is located. The main lymphatic vessels in this area are then electrically coagulated or suture ligated.

Using a microscope, muscles in back of the leg (near the semitendinosus and adductors) are bluntly dissected. The popliteal lymph node is then located. The 2 proximal and 2 distal lymphatic vessels and distal blood supply of the popliteal node are then and

ligated by suturing. The popliteal lymph node, and any accompanying adipose tissue, is then removed by cutting connective tissues.

Care is taken to control any mild bleeding resulting from this procedure. After lymphatics are occluded, the skin flaps are sealed by using liquid skin (Vetbond) (AJ Buck).

5 The separated skin edges are sealed to the underlying muscle tissue while leaving a gap of ~0.5 cm around the leg. Skin also may be anchored by suturing to underlying muscle when necessary.

To avoid infection, animals are housed individually with mesh (no bedding). Recovering animals are checked daily through the optimal edematous peak, which typically  
10 occurred by day 5-7. The plateau edematous peak are then observed. To evaluate the intensity of the lymphedema, the circumference and volumes of 2 designated places on each paw before operation and daily for 7 days are measured. The effect plasma proteins on lymphedema is determined and whether protein analysis is a useful testing perimeter is also investigated. The weights of both control and edematous limbs are evaluated at 2 places.  
15 Analysis is performed in a blind manner.

Circumference Measurements: Under brief gas anesthetic to prevent limb movement, a cloth tape is used to measure limb circumference. Measurements are done at the ankle bone and dorsal paw by 2 different people then those 2 readings are averaged. Readings are taken from both control and edematous limbs.

20 Volumetric Measurements: On the day of surgery, animals are anesthetized with Pentobarbital and are tested prior to surgery. For daily volumetrics animals are under brief halothane anesthetic (rapid immobilization and quick recovery), both legs are shaved and equally marked using waterproof marker on legs. Legs are first dipped in water, then dipped into instrument to each marked level then measured by Buxco edema software(Chen/Victor).  
25 Data is recorded by one person, while the other is dipping the limb to marked area.

Blood-plasma protein measurements: Blood is drawn, spun, and serum separated prior to surgery and then at conclusion for total protein and Ca<sup>2+</sup> comparison.

Limb Weight Comparison: After drawing blood, the animal is prepared for tissue collection. The limbs are amputated using a quillotine, then both experimental and control  
30 legs are cut at the ligature and weighed. A second weighing is done as the tibio-cacaneal joint is disarticulated and the foot is weighed.

Histological Preparations: The transverse muscle located behind the knee (popliteal)

area is dissected and arranged in a metal mold, filled with freezeGel, dipped into cold methylbutane, placed into labeled sample bags at - 80EC until sectioning. Upon sectioning, the muscle is observed under fluorescent microscopy for lymphatics..

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

*Example 30: Suppression of TNF alpha-induced adhesion molecule expression by a Agonist or Antagonist of the Invention*

The recruitment of lymphocytes to areas of inflammation and angiogenesis involves specific receptor-ligand interactions between cell surface adhesion molecules (CAMs) on lymphocytes and the vascular endothelium. The adhesion process, in both normal and pathological settings, follows a multi-step cascade that involves intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule-1 (VCAM-1), and endothelial leukocyte adhesion molecule-1 (E-selectin) expression on endothelial cells (EC). The expression of these molecules and others on the vascular endothelium determines the efficiency with which leukocytes may adhere to the local vasculature and extravasate into the local tissue during the development of an inflammatory response. The local concentration of cytokines and growth factor participate in the modulation of the expression of these CAMs.

Tumor necrosis factor alpha (TNF-a), a potent proinflammatory cytokine, is a stimulator of all three CAMs on endothelial cells and may be involved in a wide variety of inflammatory responses, often resulting in a pathological outcome.

The potential of an agonist or antagonist of the invention to mediate a suppression of TNF-a induced CAM expression can be examined. A modified ELISA assay which uses ECs as a solid phase absorbent is employed to measure the amount of CAM expression on TNF-a treated ECs when co-stimulated with a member of the FGF family of proteins.

To perform the experiment, human umbilical vein endothelial cell (HUVEC) cultures are obtained from pooled cord harvests and maintained in growth medium (EGM-2; Clonetics, San Diego, CA) supplemented with 10% FCS and 1% penicillin/streptomycin in a 37 degree C humidified incubator containing 5% CO<sub>2</sub>. HUVECs are seeded in 96-well plates at concentrations of  $1 \times 10^4$  cells/well in EGM medium at 37 degree C for 18-24 hrs or

until confluent. The monolayers are subsequently washed 3 times with a serum-free solution of RPMI-1640 supplemented with 100 U/ml penicillin and 100 mg/ml streptomycin, and treated with a given cytokine and/or growth factor(s) for 24 h at 37 degree C. Following incubation, the cells are then evaluated for CAM expression.

5 Human Umbilical Vein Endothelial cells (HUVECs) are grown in a standard 96 well plate to confluence. Growth medium is removed from the cells and replaced with 90 ul of 199 Medium (10% FBS). Samples for testing and positive or negative controls are added to the plate in triplicate (in 10 ul volumes). Plates are incubated at 37 degree C for either 5 h (selectin and integrin expression) or 24 h (integrin expression only). Plates are aspirated to  
10 remove medium and 100 µl of 0.1% paraformaldehyde-PBS(with Ca++ and Mg++) is added to each well. Plates are held at 4°C for 30 min.

Fixative is then removed from the wells and wells are washed 1X with PBS(+Ca,Mg)+0.5% BSA and drained. Do not allow the wells to dry. Add 10 µl of diluted primary antibody to the test and control wells. Anti-ICAM-1-Biotin, Anti-VCAM-1-Biotin  
15 and Anti-E-selectin-Biotin are used at a concentration of 10 µg/ml (1:10 dilution of 0.1 mg/ml stock antibody). Cells are incubated at 37°C for 30 min. in a humidified environment. Wells are washed X3 with PBS(+Ca,Mg)+0.5% BSA.

Then add 20 µl of diluted ExtrAvidin-Alkaline Phosphatase (1:5,000 dilution) to each well and incubated at 37°C for 30 min. Wells are washed X3 with PBS(+Ca,Mg)+0.5%  
20 BSA. 1 tablet of p-Nitrophenol Phosphate pNPP is dissolved in 5 ml of glycine buffer (pH 10.4). 100 µl of pNPP substrate in glycine buffer is added to each test well. Standard wells in triplicate are prepared from the working dilution of the ExtrAvidin-Alkaline Phosphatase in glycine buffer: 1:5,000 ( $10^0$ ) >  $10^{-0.5}$  >  $10^{-1}$  >  $10^{-1.5}$ . 5 µl of each dilution is added to triplicate wells and the resulting AP content in each well is 5.50 ng, 1.74 ng, 0.55 ng, 0.18 ng. 100 µl  
25 of pNPP reagent must then be added to each of the standard wells. The plate must be incubated at 37°C for 4h. A volume of 50 µl of 3M NaOH is added to all wells. The results are quantified on a plate reader at 405 nm. The background subtraction option is used on blank wells filled with glycine buffer only. The template is set up to indicate the concentration of AP-conjugate in each standard well [ 5.50 ng; 1.74 ng; 0.55 ng; 0.18 ng].  
30 Results are indicated as amount of bound AP-conjugate in each sample.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test



the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

*Example 31: Production Of Polypeptide of the Invention For High-Throughput Screening Assays*

5

The following protocol produces a supernatant containing polypeptide of the present invention to be tested. This supernatant can then be used in the Screening Assays described in Examples 33-42.

10 First, dilute Poly-D-Lysine (644 587 Boehringer-Mannheim) stock solution (1mg/ml in PBS) 1:20 in PBS (w/o calcium or magnesium 17-516F Biowhittaker) for a working solution of 50ug/ml. Add 200 ul of this solution to each well (24 well plates) and incubate at RT for 20 minutes. Be sure to distribute the solution over each well (note: a 12-channel pipetter may be used with tips on every other channel). Aspirate off the Poly-D-Lysine solution and rinse with 1ml PBS (Phosphate Buffered Saline). The PBS should remain in the well until just prior to plating the cells and plates may be poly-lysine coated in advance for up to two weeks.

20 Plate 293T cells (do not carry cells past P+20) at  $2 \times 10^5$  cells/well in .5ml DMEM(Dulbecco's Modified Eagle Medium)(with 4.5 G/L glucose and L-glutamine (12-604F Biowhittaker))/10% heat inactivated FBS(14-503F Biowhittaker)/1x Penstrep(17-602E Biowhittaker). Let the cells grow overnight.

25 The next day, mix together in a sterile solution basin: 300 ul Lipofectamine (18324-012 Gibco/BRL) and 5ml Optimem I (31985070 Gibco/BRL)/96-well plate. With a small volume multi-channel pipetter, aliquot approximately 2ug of an expression vector containing a polynucleotide insert, produced by the methods described in Examples 8-10, into an appropriately labeled 96-well round bottom plate. With a multi-channel pipetter, add 50ul of the Lipofectamine/Optimem I mixture to each well. Pipette up and down gently to mix. Incubate at RT 15-45 minutes. After about 20 minutes, use a multi-channel pipetter to add 150ul Optimem I to each well. As a control, one plate of vector DNA lacking an insert should be transfected with each set of transfections.

30 Preferably, the transfection should be performed by tag-teaming the following tasks. By tag-teaming, hands on time is cut in half, and the cells do not spend too much time on PBS. First, person A aspirates off the media from four 24-well plates of cells, and then

person B rinses each well with .5-1ml PBS. Person A then aspirates off PBS rinse, and person B, using a 12-channel pipetter with tips on every other channel, adds the 200ul of DNA/Lipofectamine/Optimem I complex to the odd wells first, then to the even wells, to each row on the 24-well plates. Incubate at 37 degree C for 6 hours.

- 5 While cells are incubating, prepare appropriate media, either 1%BSA in DMEM with 1x penstrep, or HGS CHO-5 media (116.6 mg/L of CaCl<sub>2</sub> (anhyd); 0.00130 mg/L CuSO<sub>4</sub>·5H<sub>2</sub>O; 0.050 mg/L of Fe(NO<sub>3</sub>)<sub>3</sub>·9H<sub>2</sub>O; 0.417 mg/L of FeSO<sub>4</sub>·7H<sub>2</sub>O; 311.80 mg/L of KCl; 28.64 mg/L of MgCl<sub>2</sub>; 48.84 mg/L of MgSO<sub>4</sub>; 6995.50 mg/L of NaCl; 2400.0 mg/L of NaHCO<sub>3</sub>; 62.50 mg/L of NaH<sub>2</sub>PO<sub>4</sub>·H<sub>2</sub>O; 71.02 mg/L of Na<sub>2</sub>HPO<sub>4</sub>; .4320 mg/L of ZnSO<sub>4</sub>·7H<sub>2</sub>O; .002 mg/L of Arachidonic Acid; 1.022 mg/L of Cholesterol; .070 mg/L of DL-alpha-Tocopherol-Acetate; 0.0520 mg/L of Linoleic Acid; 0.010 mg/L of Linolenic Acid; 0.010 mg/L of Myristic Acid; 0.010 mg/L of Oleic Acid; 0.010 mg/L of Palmitic Acid; 0.010 mg/L of Palmitic Acid; 100 mg/L of Pluronic F-68; 0.010 mg/L of Stearic Acid; 2.20 mg/L of Tween 80; 4551 mg/L of D-Glucose; 130.85 mg/ml of L- Alanine; 147.50 mg/ml of L-Arginine-HCL; 7.50 mg/ml of L-Asparagine-H<sub>2</sub>O; 6.65 mg/ml of L-Aspartic Acid; 29.56 mg/ml of L-Cystine-2HCL-H<sub>2</sub>O; 31.29 mg/ml of L-Cystine-2HCL; 7.35 mg/ml of L-Glutamic Acid; 365.0 mg/ml of L-Glutamine; 18.75 mg/ml of Glycine; 52.48 mg/ml of L-Histidine-HCL-H<sub>2</sub>O; 106.97 mg/ml of L-Isoleucine; 111.45 mg/ml of L-Leucine; 163.75 mg/ml of L-Lysine HCL; 32.34 mg/ml of L-Methionine; 68.48 mg/ml of L-Phenylalanine; 20 40.0 mg/ml of L-Proline; 26.25 mg/ml of L-Serine; 101.05 mg/ml of L-Threonine; 19.22 mg/ml of L-Tryptophan; 91.79 mg/ml of L-Tyrosine-2Na-2H<sub>2</sub>O; and 99.65 mg/ml of L-Valine; 0.0035 mg/L of Biotin; 3.24 mg/L of D-Ca Pantothenate; 11.78 mg/L of Choline Chloride; 4.65 mg/L of Folic Acid; 15.60 mg/L of i-Inositol; 3.02 mg/L of Niacinamide; 3.00 mg/L of Pyridoxal HCL; 0.031 mg/L of Pyridoxine HCL; 0.319 mg/L of Riboflavin; 3.17 25 mg/L of Thiamine HCL; 0.365 mg/L of Thymidine; 0.680 mg/L of Vitamin B<sub>12</sub>; 25 mM of HEPES Buffer; 2.39 mg/L of Na Hypoxanthine; 0.105 mg/L of Lipoic Acid; 0.081 mg/L of Sodium Putrescine-2HCL; 55.0 mg/L of Sodium Pyruvate; 0.0067 mg/L of Sodium Selenite; 20uM of Ethanolamine; 0.122 mg/L of Ferric Citrate; 41.70 mg/L of Methyl-B-Cyclodextrin complexed with Linoleic Acid; 33.33 mg/L of Methyl-B-Cyclodextrin complexed with Oleic 30 Acid; 10 mg/L of Methyl-B-Cyclodextrin complexed with Retinal Acetate. Adjust

osmolarity to 327 mOsm) with 2mm glutamine and 1x penstrep. (BSA (81-068-3 Bayer) 100gm dissolved in 1L DMEM for a 10% BSA stock solution). Filter the media and collect 50 ul for endotoxin assay in 15ml polystyrene conical.

5 The transfection reaction is terminated, preferably by tag-teaming, at the end of the incubation period. Person A aspirates off the transfection media, while person B adds 1.5ml appropriate media to each well. Incubate at 37 degree C for 45 or 72 hours depending on the media used: 1%BSA for 45 hours or CHO-5 for 72 hours.

10 On day four, using a 300ul multichannel pipetter, aliquot 600ul in one 1ml deep well plate and the remaining supernatant into a 2ml deep well. The supernatants from each well can then be used in the assays described in Examples 33-40.

It is specifically understood that when activity is obtained in any of the assays described below using a supernatant, the activity originates from either the polypeptide of the present invention directly (e.g., as a secreted protein) or by polypeptide of the present invention inducing expression of other proteins, which are then secreted into the supernatant.  
15 Thus, the invention further provides a method of identifying the protein in the supernatant characterized by an activity in a particular assay.

*Example 32: Construction of GAS Reporter Construct*

20 One signal transduction pathway involved in the differentiation and proliferation of cells is called the Jaks-STATs pathway. Activated proteins in the Jaks-STATs pathway bind to gamma activation site "GAS" elements or interferon-sensitive responsive element ("ISRE"), located in the promoter of many genes. The binding of a protein to these elements alter the expression of the associated gene.

25 GAS and ISRE elements are recognized by a class of transcription factors called Signal Transducers and Activators of Transcription, or "STATs." There are six members of the STATs family. Stat1 and Stat3 are present in many cell types, as is Stat2 (as response to IFN-alpha is widespread). Stat4 is more restricted and is not in many cell types though it has been found in T helper class I, cells after treatment with IL-12. Stat5 was originally called  
30 mammary growth factor, but has been found at higher concentrations in other cells including myeloid cells. It can be activated in tissue culture cells by many cytokines.

The STATs are activated to translocate from the cytoplasm to the nucleus upon

tyrosine phosphorylation by a set of kinases known as the Janus Kinase ("Jaks") family. Jaks represent a distinct family of soluble tyrosine kinases and include Tyk2, Jak1, Jak2, and Jak3. These kinases display significant sequence similarity and are generally catalytically inactive in resting cells.

5           The Jaks are activated by a wide range of receptors summarized in the Table below. (Adapted from review by Schidler and Damell, *Ann. Rev. Biochem.* 64:621-51 (1995).) A cytokine receptor family, capable of activating Jaks, is divided into two groups: (a) Class 1 includes receptors for IL-2, IL-3, IL-4, IL-6, IL-7, IL-9, IL-11, IL-12, IL-15, Epo, PRL, GH, G-CSF, GM-CSF, LIF, CNTF, and thrombopoietin; and (b) Class 2 includes IFN- $\alpha$ , IFN- $\gamma$ ,  
10   and IL-10. The Class 1 receptors share a conserved cysteine motif (a set of four conserved cysteines and one tryptophan) and a WSXWS motif (a membrane proximal region encoding Trp-Ser-Xxx-Trp-Ser (SEQ ID NO:1548)).

          Thus, on binding of a ligand to a receptor, Jaks are activated, which in turn activate STATs, which then translocate and bind to GAS elements. This entire process is  
15   encompassed in the Jaks-STATs signal transduction pathway.

          Therefore, activation of the Jaks-STATs pathway, reflected by the binding of the GAS or the ISRE element, can be used to indicate proteins involved in the proliferation and differentiation of cells. For example, growth factors and cytokines are known to activate the Jaks-STATs pathway. (See Table below.) Thus, by using GAS elements linked to reporter  
20   molecules, activators of the Jaks-STATs pathway can be identified.

372

	<u>Ligand</u>	<u>JAKs</u>				<u>STATS</u>	<u>GAS(elements) or ISRE</u>
		<u>tyk2</u>	<u>Jak1</u>	<u>Jak2</u>	<u>Jak3</u>		
	<u>IFN family</u>						
5	IFN-a/B	+	+	-	-	1,2,3	ISRE
	IFN-g		+	+	-	1	GAS
	(IRF1>Lys6>IFP)						
	IL-10	+	?	?	-	1,3	
10	<u>gp130 family</u>						
	IL-6 (Pleiotrohic)	+	+	+	?	1,3	GAS
	(IRF1>Lys6>IFP)						
	IL-11(Pleiotrohic)	?	+	?	?	1,3	
	OnM(Pleiotrohic)	?	+	+	?	1,3	
15	LIF(Pleiotrohic)	?	+	+	?	1,3	
	CNTF(Pleiotrohic)	-/+	+	+	?	1,3	
	G-CSF(Pleiotrohic)	?	+	?	?	1,3	
	IL-12(Pleiotrohic)	+	-	+	+	1,3	
20	<u>g-C family</u>						
	IL-2 (lymphocytes)	-	+	-	+	1,3,5	GAS
	IL-4 (lymph/myeloid)	-	+	-	+	6	GAS (IRF1 = IFP
	>>Ly6)(IgH)						
	IL-7 (lymphocytes)	-	+	-	+	5	GAS
25	IL-9 (lymphocytes)	-	+	-	+	5	GAS
	IL-13 (lymphocyte)	-	+	?	?	6	GAS
	IL-15	?	+	?	+	5	GAS
	<u>gp140 family</u>						
30	IL-3 (myeloid)	-	-	+	-	5	GAS
	(IRF1>IFP>>Ly6)						
	IL-5 (myeloid)	-	-	+	-	5	GAS
	GM-CSF (myeloid)	-	-	+	-	5	GAS

373

Growth hormone family

	GH	?	-	+	-	5	
	PRL	?	+/-	+	-	1,3,5	
5	EPO	?	-	+	-	5	GAS(B-
	CAS>IRF1=IFP>>Ly6)						

Receptor Tyrosine Kinases

	EGF	?	+	+	-	1,3	GAS (IRF1)
10	PDGF	?	+	+	-	1,3	
	CSF-1	?	+	+	-	1,3	GAS (not IRF1)

To construct a synthetic GAS containing promoter element, which is used in the Biological Assays described in Examples 33-34, a PCR based strategy is employed to generate a GAS-SV40 promoter sequence. The 5' primer contains four tandem copies of the GAS binding site found in the IRF1 promoter and previously demonstrated to bind STATs upon induction with a range of cytokines (Rothman et al., Immunity 1:457-468 (1994).), although other GAS or ISRE elements can be used instead. The 5' primer also contains 18bp of sequence complementary to the SV40 early promoter sequence and is flanked with an XhoI site. The sequence of the 5' primer is:

10 5':GCGCCTCGAGATTTCCCCGAAATCTAGATTTCCCCGAAATGATTTCCCC  
GAAATGATTTCCCCGAAATATCTGCCATCTCAATTAG:3' (SEQ ID NO:1549)

The downstream primer is complementary to the SV40 promoter and is flanked with a Hind III site: 5':GCGGCAAGCTTTTTGCAAAGCCTAGGC:3' (SEQ ID NO:1550)

15 PCR amplification is performed using the SV40 promoter template present in the B-gal:promoter plasmid obtained from Clontech. The resulting PCR fragment is digested with XhoI/Hind III and subcloned into BLSK2-. (Stratagene.) Sequencing with forward and reverse primers confirms that the insert contains the following sequence:

20 5':CTCGAGATTTCCCCGAAATCTAGATTTCCCCGAAATGATTTCCCCGAAA  
TGATTTCCCCGAAATATCTGCCATCTCAATTAGTCAGCAACCATAGTCCCG  
CCCCTAACTCCGCCCATCCCGCCCCTAACTCCGCCCAGTTCGCCCATTCT  
CCGCCCCATGGCTGACTAATTTTTTTTATTTATGCAGAGGCCGAGGCCGCC  
TCGGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTA  
25 GGCTTTTGCAAAAAGCTT:3' (SEQ ID NO:1551)

With this GAS promoter element linked to the SV40 promoter, a GAS:SEAP2 reporter construct is next engineered. Here, the reporter molecule is a secreted alkaline phosphatase, or "SEAP." Clearly, however, any reporter molecule can be instead of SEAP, in this or in any of the other Examples. Well known reporter molecules that can be used instead of SEAP include chloramphenicol

30

acetyltransferase (CAT), luciferase, alkaline phosphatase, B-galactosidase, green fluorescent protein (GFP), or any protein detectable by an antibody.

The above sequence confirmed synthetic GAS-SV40 promoter element is subcloned into the pSEAP-Promoter vector obtained from Clontech using HindIII and XhoI, effectively replacing the SV40 promoter with the amplified GAS:SV40 promoter element, to create the GAS-SEAP vector. However, this vector does not contain a neomycin resistance gene, and therefore, is not preferred for mammalian expression systems.

Thus, in order to generate mammalian stable cell lines expressing the GAS-SEAP reporter, the GAS-SEAP cassette is removed from the GAS-SEAP vector using Sall and NotI, and inserted into a backbone vector containing the neomycin resistance gene, such as pGFP-1 (Clontech), using these restriction sites in the multiple cloning site, to create the GAS-SEAP/Neo vector. Once this vector is transfected into mammalian cells, this vector can then be used as a reporter molecule for GAS binding as described in Examples 33-34.

Other constructs can be made using the above description and replacing GAS with a different promoter sequence. For example, construction of reporter molecules containing NFK-B and EGR promoter sequences are described in Examples 35 and 36. However, many other promoters can be substituted using the protocols described in these Examples. For instance, SRE, IL-2, NFAT, or Osteocalcin promoters can be substituted, alone or in combination (e.g., GAS/NF-KB/EGR, GAS/NF-KB, IL-2/NFAT, or NF-KB/GAS). Similarly, other cell lines can be used to test reporter construct activity, such as HELA (epithelial), HUVEC (endothelial), Reh (B-cell), Saos-2 (osteoblast), HUVAC (aortic), or Cardiomyocyte.

*Example 33: High-Throughput Screening Assay for T-cell Activity.*

The following protocol is used to assess T-cell activity by identifying factors, and determining whether supernate containing a polypeptide of the invention proliferates and/or differentiates T-cells. T-cell activity is assessed using the



GAS/SEAP/Neo construct produced in Example 32. Thus, factors that increase SEAP activity indicate the ability to activate the Jaks-STATS signal transduction pathway. The T-cell used in this assay is Jurkat T-cells (ATCC Accession No. TIB-152), although Molt-3 cells (ATCC Accession No. CRL-1552) and Molt-4 cells (ATCC  
5 Accession No. CRL-1582) cells can also be used.

Jurkat T-cells are lymphoblastic CD4+ Th1 helper cells. In order to generate stable cell lines, approximately 2 million Jurkat cells are transfected with the GAS-SEAP/neo vector using DMRIE-C (Life Technologies)(transfection procedure described below). The transfected cells are seeded to a density of approximately  
10 20,000 cells per well and transfectants resistant to 1 mg/ml gentamicin selected. Resistant colonies are expanded and then tested for their response to increasing concentrations of interferon gamma. The dose response of a selected clone is demonstrated.

Specifically, the following protocol will yield sufficient cells for 75 wells  
15 containing 200 ul of cells. Thus, it is either scaled up, or performed in multiple to generate sufficient cells for multiple 96 well plates. Jurkat cells are maintained in RPMI + 10% serum with 1%Pen-Strep. Combine 2.5 mls of OPTI-MEM (Life Technologies) with 10 ug of plasmid DNA in a T25 flask. Add 2.5 ml OPTI-MEM containing 50 ul of DMRIE-C and incubate at room temperature for 15-45 mins.

20 During the incubation period, count cell concentration, spin down the required number of cells ( $10^7$  per transfection), and resuspend in OPTI-MEM to a final concentration of  $10^7$  cells/ml. Then add 1ml of  $1 \times 10^7$  cells in OPTI-MEM to T25 flask and incubate at 37 degree C for 6 hrs. After the incubation, add 10 ml of RPMI + 15% serum.

25 The Jurkat:GAS-SEAP stable reporter lines are maintained in RPMI + 10% serum, 1 mg/ml Gentamicin, and 1% Pen-Strep. These cells are treated with supernatants containing polypeptide of the present invention or polypeptide of the present invention induced polypeptides as produced by the protocol described in Example 31.

30 On the day of treatment with the supernatant, the cells should be washed and

resuspended in fresh RPMI + 10% serum to a density of 500,000 cells per ml. The exact number of cells required will depend on the number of supernatants being screened. For one 96 well plate, approximately 10 million cells (for 10 plates, 100 million cells) are required.

5           Transfer the cells to a triangular reservoir boat, in order to dispense the cells into a 96 well dish, using a 12 channel pipette. Using a 12 channel pipette, transfer 200 ul of cells into each well (therefore adding 100,000 cells per well).

          After all the plates have been seeded, 50 ul of the supernatants are transferred directly from the 96 well plate containing the supernatants into each well using a 12  
10   channel pipette. In addition, a dose of exogenous interferon gamma (0.1, 1.0, 10 ng) is added to wells H9, H10, and H11 to serve as additional positive controls for the assay.

          The 96 well dishes containing Jurkat cells treated with supernatants are placed in an incubator for 48 hrs (note: this time is variable between 48-72 hrs). 35 ul  
15   samples from each well are then transferred to an opaque 96 well plate using a 12 channel pipette. The opaque plates should be covered (using sellophene covers) and stored at -20 degree C until SEAP assays are performed according to Example 37. The plates containing the remaining treated cells are placed at 4 degree C and serve as a source of material for repeating the assay on a specific well if desired.

20           As a positive control, 100 Unit/ml interferon gamma can be used which is known to activate Jurkat T cells. Over 30 fold induction is typically observed in the positive control wells.

          The above protocol may be used in the generation of both transient, as well as, stable transfected cells, which would be apparent to those of skill in the art.

25

*Example 34: High-Throughput Screening Assay Identifying Myeloid Activity*

          The following protocol is used to assess myeloid activity of polypeptide of the present invention by determining whether polypeptide of the present invention  
30   proliferates and/or differentiates myeloid cells. Myeloid cell activity is assessed using

the GAS/SEAP/Neo construct produced in Example 32. Thus, factors that increase SEAP activity indicate the ability to activate the Jaks-STATS signal transduction pathway. The myeloid cell used in this assay is U937, a pre-monocyte cell line, although TF-1, HL60, or KG1 can be used.

5 To transiently transfect U937 cells with the GAS/SEAP/Neo construct produced in Example 32, a DEAE-Dextran method (Kharbanda et. al., 1994, Cell Growth & Differentiation, 5:259-265) is used. First, harvest  $2 \times 10^7$  U937 cells and wash with PBS. The U937 cells are usually grown in RPMI 1640 medium containing 10% heat-inactivated fetal bovine serum (FBS) supplemented with 100 units/ml  
10 penicillin and 100 mg/ml streptomycin.

Next, suspend the cells in 1 ml of 20 mM Tris-HCl (pH 7.4) buffer containing 0.5 mg/ml DEAE-Dextran, 8 ug GAS-SEAP2 plasmid DNA, 140 mM NaCl, 5 mM KCl, 375 uM  $\text{Na}_2\text{HPO}_4 \cdot 7\text{H}_2\text{O}$ , 1 mM  $\text{MgCl}_2$ , and 675 uM  $\text{CaCl}_2$ . Incubate at 37 degrees C for 45 min.

15 Wash the cells with RPMI 1640 medium containing 10% FBS and then resuspend in 10 ml complete medium and incubate at 37 degree C for 36 hr.

The GAS-SEAP/U937 stable cells are obtained by growing the cells in 400 ug/ml G418. The G418-free medium is used for routine growth but every one to two months, the cells should be re-grown in 400 ug/ml G418 for couple of passages.

20 These cells are tested by harvesting  $1 \times 10^8$  cells (this is enough for ten 96-well plates assay) and wash with PBS. Suspend the cells in 200 ml above described growth medium, with a final density of  $5 \times 10^5$  cells/ml. Plate 200 ul cells per well in the 96-well plate (or  $1 \times 10^5$  cells/well).

Add 50 ul of the supernatant prepared by the protocol described in Example  
25 31. Incubate at 37 degree C for 48 to 72 hr. As a positive control, 100 Unit/ml interferon gamma can be used which is known to activate U937 cells. Over 30 fold induction is typically observed in the positive control wells. SEAP assay the supernatant according to the protocol described in Example 37.

30 *Example 35: High-Throughput Screening Assay Identifying Neuronal Activity.*

When cells undergo differentiation and proliferation, a group of genes are activated through many different signal transduction pathways. One of these genes, EGR1 (early growth response gene 1), is induced in various tissues and cell types upon activation. The promoter of EGR1 is responsible for such induction. Using the EGR1 promoter linked to reporter molecules, activation of cells can be assessed by polypeptide of the present invention.

Particularly, the following protocol is used to assess neuronal activity in PC12 cell lines. PC12 cells (rat pheochromocytoma cells) are known to proliferate and/or differentiate by activation with a number of mitogens, such as TPA (tetradecanoyl phorbol acetate), NGF (nerve growth factor), and EGF (epidermal growth factor). The EGR1 gene expression is activated during this treatment. Thus, by stably transfecting PC12 cells with a construct containing an EGR promoter linked to SEAP reporter, activation of PC12 cells by polypeptide of the present invention can be assessed.

The EGR/SEAP reporter construct can be assembled by the following protocol. The EGR-1 promoter sequence (-633 to +1)(Sakamoto K et al., Oncogene 6:867-871 (1991)) can be PCR amplified from human genomic DNA using the following primers:

5' GCCCTCGAGGGATGACAGCGATAGAACCCCGG -3' (SEQ ID NO: 1552)

5' GCGAAGCTTCGCGACTCCCCGGATCCGCCTC-3' (SEQ ID NO: 1553)

Using the GAS:SEAP/Neo vector produced in Example 32, EGR1 amplified product can then be inserted into this vector. Linearize the GAS:SEAP/Neo vector using restriction enzymes XhoI/HindIII, removing the GAS/SV40 stuffer. Restrict the EGR1 amplified product with these same enzymes. Ligate the vector and the EGR1 promoter.

To prepare 96 well-plates for cell culture, two mls of a coating solution (1:30 dilution of collagen type I (Upstate Biotech Inc. Cat#08-115) in 30% ethanol (filter

sterilized)) is added per one 10 cm plate or 50 ml per well of the 96-well plate, and allowed to air dry for 2 hr.

PC12 cells are routinely grown in RPMI-1640 medium (Bio Whittaker) containing 10% horse serum (JRH BIOSCIENCES, Cat. # 12449-78P), 5% heat-inactivated fetal bovine serum (FBS) supplemented with 100 units/ml penicillin and 100 ug/ml streptomycin on a precoated 10 cm tissue culture dish. One to four split is done every three to four days. Cells are removed from the plates by scraping and resuspended with pipetting up and down for more than 15 times.

Transfect the EGR/SEAP/Neo construct into PC12 using the Lipofectamine protocol described in Example 31. EGR-SEAP/PC12 stable cells are obtained by growing the cells in 300 ug/ml G418. The G418-free medium is used for routine growth but every one to two months, the cells should be re-grown in 300 ug/ml G418 for couple of passages.

To assay for neuronal activity, a 10 cm plate with cells around 70 to 80% confluent is screened by removing the old medium. Wash the cells once with PBS (Phosphate buffered saline). Then starve the cells in low serum medium (RPMI-1640 containing 1% horse serum and 0.5% FBS with antibiotics) overnight.

The next morning, remove the medium and wash the cells with PBS. Scrape off the cells from the plate, suspend the cells well in 2 ml low serum medium. Count the cell number and add more low serum medium to reach final cell density as  $5 \times 10^5$  cells/ml.

Add 200 ul of the cell suspension to each well of 96-well plate (equivalent to  $1 \times 10^5$  cells/well). Add 50 ul supernatant produced by Example 31, 37 degree C for 48 to 72 hr. As a positive control, a growth factor known to activate PC12 cells through EGR can be used, such as 50 ng/ul of Neuronal Growth Factor (NGF). Over fifty-fold induction of SEAP is typically seen in the positive control wells. SEAP assay the supernatant according to Example 37.

*Example 36: High-Throughput Screening Assay for T-cell Activity*

NF-KB (Nuclear Factor KB) is a transcription factor activated by a wide variety of agents including the inflammatory cytokines IL-1 and TNF. CD30 and CD40, lymphotoxin-alpha and lymphotoxin-beta, by exposure to LPS or thrombin, and by expression of certain viral gene products. As a transcription factor, NF-KB regulates the expression of genes involved in immune cell activation, control of apoptosis (NF- KB appears to shield cells from apoptosis), B and T-cell development, anti-viral and antimicrobial responses, and multiple stress responses.

In non-stimulated conditions, NF- KB is retained in the cytoplasm with I-KB (Inhibitor KB). However, upon stimulation, I- KB is phosphorylated and degraded, causing NF- KB to shuttle to the nucleus, thereby activating transcription of target genes. Target genes activated by NF- KB include IL-2, IL-6, GM-CSF, ICAM-1 and class I MHC.

Due to its central role and ability to respond to a range of stimuli, reporter constructs utilizing the NF-KB promoter element are used to screen the supernatants produced in Example 31. Activators or inhibitors of NF-KB would be useful in treating, preventing, and/or diagnosing diseases. For example, inhibitors of NF-KB could be used to treat those diseases related to the acute or chronic activation of NF-KB, such as rheumatoid arthritis.

To construct a vector containing the NF-KB promoter element, a PCR based strategy is employed. The upstream primer contains four tandem copies of the NF-KB binding site (GGGGACTTTCCC) (SEQ ID NO:1554), 18 bp of sequence complementary to the 5' end of the SV40 early promoter sequence, and is flanked with an XhoI site:

5':GCGGCCTCGAGGGGACTTTCCCGGGGACTTTCCGGGGACTTTCCGGGAC  
TTTCCATCCTGCCATCTCAATTAG:3' (SEQ ID NO:1555)

The downstream primer is complementary to the 3' end of the SV40 promoter and is flanked with a Hind III site:

5':GCGGCAAGCTTTTTGCAAAGCCTAGGC:3' (SEQ ID NO:1550)

PCR amplification is performed using the SV40 promoter template present in the pB-gal:promoter plasmid obtained from Clontech. The resulting PCR fragment is

digested with XhoI and Hind III and subcloned into BLSK2-. (Stratagene) Sequencing with the T7 and T3 primers confirms the insert contains the following sequence:

5':CTCGAGGGGACTTTCCCGGGGACTTTCCCGGGGACTTTCCCGGGACTTTCC  
5 ATCTGCCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCCTAACTCCGCCC  
ATCCCGCCCCCTAACTCCGCCCAGTTCCGCCCCATTCTCCGCCCCATGGCTGA  
CTAATTTTTTTTATTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTA  
TTCCAGAAAGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAA  
GCTT:3' (SEQ ID NO:1556)

10       Next, replace the SV40 minimal promoter element present in the pSEAP2-promoter plasmid (Clontech) with this NF-KB/SV40 fragment using XhoI and HindIII. However, this vector does not contain a neomycin resistance gene, and therefore, is not preferred for mammalian expression systems.

15       In order to generate stable mammalian cell lines, the NF-KB/SV40/SEAP cassette is removed from the above NF-KB/SEAP vector using restriction enzymes Sall and NotI, and inserted into a vector containing neomycin resistance. Particularly, the NF-KB/SV40/SEAP cassette was inserted into pGFP-1 (Clontech), replacing the GFP gene, after restricting pGFP-1 with Sall and NotI.

20       Once NF-KB/SV40/SEAP/Neo vector is created, stable Jurkat T-cells are created and maintained according to the protocol described in Example 33. Similarly, the method for assaying supernatants with these stable Jurkat T-cells is also described in Example 33. As a positive control, exogenous TNF alpha (0.1, 1, 10 ng) is added to wells H9, H10, and H11, with a 5-10 fold activation typically observed.

### 25   *Example 37: Assay for SEAP Activity*

30       As a reporter molecule for the assays described in Examples 33-36. SEAP activity is assayed using the Tropix Phospho-light Kit (Cat. BP-400) according to the following general procedure. The Tropix Phospho-light Kit supplies the Dilution, Assay, and Reaction Buffers used below.

Prime a dispenser with the 2.5x Dilution Buffer and dispense 15 ul of 2.5x dilution buffer into Optiplates containing 35 ul of a supernatant. Seal the plates with a plastic sealer and incubate at 65 degree C for 30 min. Separate the Optiplates to avoid uneven heating.

- 5 Cool the samples to room temperature for 15 minutes. Empty the dispenser and prime with the Assay Buffer. Add 50 ml Assay Buffer and incubate at room temperature 5 min. Empty the dispenser and prime with the Reaction Buffer (see the table below). Add 50 ul Reaction Buffer and incubate at room temperature for 20 minutes. Since the intensity of the chemiluminescent signal is time dependent, and it
- 10 takes about 10 minutes to read 5 plates on luminometer, one should treat 5 plates at each time and start the second set 10 minutes later.

Read the relative light unit in the luminometer. Set H12 as blank, and print the results. An increase in chemiluminescence indicates reporter activity.

#### 15 Reaction Buffer Formulation:

# of plates	Rxn buffer diluent (ml)	CSPD (ml)
10	60	3
11	65	3.25
12	70	3.5
13	75	3.75
14	80	4
15	85	4.25
16	90	4.5
17	95	4.75
18	100	5
19	105	5.25
20	110	5.5
21	115	5.75
22	120	6
23	125	6.25
24	130	6.5



384

25	135	6.75
26	140	7
27	145	7.25
28	150	7.5
29	155	7.75
30	160	8
31	165	8.25
32	170	8.5
33	175	8.75
34	180	9
35	185	9.25
36	190	9.5
37	195	9.75
38	200	10
39	205	10.25
40	210	10.5
41	215	10.75
42	220	11
43	225	11.25
44	230	11.5
45	235	11.75
46	240	12
47	245	12.25
48	250	12.5
49	255	12.75
50	260	13

---

*Example 38: High-Throughput Screening Assay Identifying Changes in Small Molecule Concentration and Membrane Permeability*

5 Binding of a ligand to a receptor is known to alter intracellular levels of small molecules, such as calcium, potassium, sodium, and pH, as well as alter membrane potential. These alterations can be measured in an assay to identify supernatants which bind to receptors of a particular cell. Although the following protocol

describes an assay for calcium, this protocol can easily be modified to detect changes in potassium, sodium, pH, membrane potential, or any other small molecule which is detectable by a fluorescent probe.

The following assay uses Fluorometric Imaging Plate Reader ("FLIPR") to measure changes in fluorescent molecules (Molecular Probes) that bind small molecules. Clearly, any fluorescent molecule detecting a small molecule can be used instead of the calcium fluorescent molecule. fluo-4 (Molecular Probes, Inc.; catalog no. F-14202), used here.

For adherent cells, seed the cells at 10,000 -20,000 cells/well in a Co-star black 96-well plate with clear bottom. The plate is incubated in a CO<sub>2</sub> incubator for 20 hours. The adherent cells are washed two times in Biotek washer with 200 ul of HBSS (Hank's Balanced Salt Solution) leaving 100 ul of buffer after the final wash.

A stock solution of 1 mg/ml fluo-4 is made in 10% pluronic acid DMSO. To load the cells with fluo-4, 50 ul of 12 ug/ml fluo-4 is added to each well. The plate is incubated at 37 degrees C in a CO<sub>2</sub> incubator for 60 min. The plate is washed four times in the Biotek washer with HBSS leaving 100 ul of buffer.

For non-adherent cells, the cells are spun down from culture media. Cells are re-suspended to  $2.5 \times 10^6$  cells/ml with HBSS in a 50-ml conical tube. 4 ul of 1 mg/ml fluo-4 solution in 10% pluronic acid DMSO is added to each ml of cell suspension. The tube is then placed in a 37 degrees C water bath for 30-60 min. The cells are washed twice with HBSS, resuspended to  $1 \times 10^6$  cells/ml, and dispensed into a microplate, 100 ul/well. The plate is centrifuged at 1000 rpm for 5 min. The plate is then washed once in Denley Cell Wash with 200 ul, followed by an aspiration step to 100 ul final volume.

For a non-cell based assay, each well contains a fluorescent molecule, such as fluo-4. The supernatant is added to the well, and a change in fluorescence is detected.

To measure the fluorescence of intracellular calcium, the FLIPR is set for the following parameters: (1) System gain is 300-800 mW; (2) Exposure time is 0.4 second; (3) Camera F/stop is F/2; (4) Excitation is 488 nm; (5) Emission is 530 nm;

and (6) Sample addition is 50 ul. Increased emission at 530 nm indicates an extracellular signaling event caused by the a molecule. either polypeptide of the present invention or a molecule induced by polypeptide of the present invention, which has resulted in an increase in the intracellular  $Ca^{++}$  concentration.

5

*Example 40: High-Throughput Screening Assay Identifying Tyrosine Kinase Activity*

The Protein Tyrosine Kinases (PTK) represent a diverse group of transmembrane and cytoplasmic kinases. Within the Receptor Protein Tyrosine Kinase (RPTK) group are receptors for a range of mitogenic and metabolic growth factors including the PDGF, FGF, EGF, NGF, HGF and Insulin receptor subfamilies. In addition there are a large family of RPTKs for which the corresponding ligand is unknown. Ligands for RPTKs include mainly secreted small proteins, but also membrane-bound and extracellular matrix proteins.

15       Activation of RPTK by ligands involves ligand-mediated receptor dimerization, resulting in transphosphorylation of the receptor subunits and activation of the cytoplasmic tyrosine kinases. The cytoplasmic tyrosine kinases include receptor associated tyrosine kinases of the src-family (e.g., src, yes, lck, lyn, fyn) and non-receptor linked and cytosolic protein tyrosine kinases, such as the Jak family, members of which mediate signal transduction triggered by the cytokine superfamily of receptors (e.g., the Interleukins, Interferons, GM-CSF, and Leptin).

25       Because of the wide range of known factors capable of stimulating tyrosine kinase activity, identifying whether polypeptide of the present invention or a molecule induced by polypeptide of the present invention is capable of activating tyrosine kinase signal transduction pathways is of interest. Therefore, the following protocol is designed to identify such molecules capable of activating the tyrosine kinase signal transduction pathways.

30       Seed target cells (e.g., primary keratinocytes) at a density of approximately 25,000 cells per well in a 96 well Loprodyne Silent Screen Plates purchased from Nalge Nunc (Naperville, IL). The plates are sterilized with two 30 minute rinses with

100% ethanol, rinsed with water and dried overnight. Some plates are coated for 2 hr with 100 ml of cell culture grade type I collagen (50 mg/ml), gelatin (2%) or polylysine (50 mg/ml), all of which can be purchased from Sigma Chemicals (St. Louis, MO) or 10% Matrigel purchased from Becton Dickinson (Bedford, MA), or calf serum, rinsed with PBS and stored at 4 degree C. Cell growth on these plates is assayed by seeding 5,000 cells/well in growth medium and indirect quantitation of cell number through use of alamarBlue as described by the manufacturer Alamar Biosciences, Inc. (Sacramento, CA) after 48 hr. Falcon plate covers #3071 from Becton Dickinson (Bedford, MA) are used to cover the Loprodyne Silent Screen Plates. Falcon Microtest III cell culture plates can also be used in some proliferation experiments.

To prepare extracts, A431 cells are seeded onto the nylon membranes of Loprodyne plates (20,000/200ml/well) and cultured overnight in complete medium. Cells are quiesced by incubation in serum-free basal medium for 24 hr. After 5-20 minutes treatment with EGF (60ng/ml) or 50 ul of the supernatant produced in Example 31, the medium was removed and 100 ml of extraction buffer ((20 mM HEPES pH 7.5, 0.15 M NaCl, 1% Triton X-100, 0.1% SDS, 2 mM Na<sub>3</sub>VO<sub>4</sub>, 2 mM Na<sub>4</sub>P<sub>2</sub>O<sub>7</sub> and a cocktail of protease inhibitors (# 1836170) obtained from Boehringer Mannheim (Indianapolis, IN) is added to each well and the plate is shaken on a rotating shaker for 5 minutes at 4°C. The plate is then placed in a vacuum transfer manifold and the extract filtered through the 0.45 mm membrane bottoms of each well using house vacuum. Extracts are collected in a 96-well catch/assay plate in the bottom of the vacuum manifold and immediately placed on ice. To obtain extracts clarified by centrifugation, the content of each well, after detergent solubilization for 5 minutes, is removed and centrifuged for 15 minutes at 4 degree C at 16,000 x g.

Test the filtered extracts for levels of tyrosine kinase activity. Although many methods of detecting tyrosine kinase activity are known, one method is described here.

Generally, the tyrosine kinase activity of a supernatant is evaluated by

determining its ability to phosphorylate a tyrosine residue on a specific substrate (a biotinylated peptide). Biotinylated peptides that can be used for this purpose include PSK1 (corresponding to amino acids 6-20 of the cell division kinase cdc2-p34) and PSK2 (corresponding to amino acids 1-17 of gastrin). Both peptides are substrates for a range of tyrosine kinases and are available from Boehringer Mannheim.

The tyrosine kinase reaction is set up by adding the following components in order. First, add 10ul of 5uM Biotinylated Peptide, then 10ul ATP/Mg<sub>2+</sub> (5mM ATP/50mM MgCl<sub>2</sub>), then 10ul of 5x Assay Buffer (40mM imidazole hydrochloride, pH7.3, 40 mM beta-glycerophosphate, 1mM EGTA, 100mM MgCl<sub>2</sub>, 5 mM MnCl<sub>2</sub>, 0.5 mg/ml BSA); then 5ul of Sodium Vanadate(1mM), and then 5ul of water. Mix the components gently and preincubate the reaction mix at 30 degree C for 2 min. Initial the reaction by adding 10ul of the control enzyme or the filtered supernatant.

The tyrosine kinase assay reaction is then terminated by adding 10 ul of 120mM EDTA and place the reactions on ice.

Tyrosine kinase activity is determined by transferring 50 ul aliquot of reaction mixture to a microtiter plate (MTP) module and incubating at 37 degree C for 20 min. This allows the streptavidin coated 96 well plate to associate with the biotinylated peptide. Wash the MTP module with 300ul/well of PBS four times. Next add 75 ul of anti-phosphotyrosine antibody conjugated to horse radish peroxidase(anti-P-Tyr-POD(0.5u/ml)) to each well and incubate at 37 degree C for one hour. Wash the well as above.

Next add 100ul of peroxidase substrate solution (Boehringer Mannheim) and incubate at room temperature for at least 5 mins (up to 30 min). Measure the absorbance of the sample at 405 nm by using ELISA reader. The level of bound peroxidase activity is quantitated using an ELISA reader and reflects the level of tyrosine kinase activity.

#### *Example 41: High-Throughput Screening Assay Identifying Phosphorylation Activity*

As a potential alternative and/or compliment to the assay of protein tyrosine

kinase activity described in Example 40. an assay which detects activation (phosphorylation) of major intracellular signal transduction intermediates can also be used. For example, as described below one particular assay can detect tyrosine phosphorylation of the Erk-1 and Erk-2 kinases. However, phosphorylation of other molecules, such as Raf, JNK, p38 MAP. Map kinase kinase (MEK), MEK kinase, Src, Muscle specific kinase (MuSK), IRAK, Tec, and Janus, as well as any other phosphoserine, phosphotyrosine, or phosphothreonine molecule, can be detected by substituting these molecules for Erk-1 or Erk-2 in the following assay.

Specifically, assay plates are made by coating the wells of a 96-well ELISA plate with 0.1ml of protein G (1ug/ml) for 2 hr at room temp, (RT). The plates are then rinsed with PBS and blocked with 3% BSA/PBS for 1 hr at RT. The protein G plates are then treated with 2 commercial monoclonal antibodies (100ng/well) against Erk-1 and Erk-2 (1 hr at RT) (Santa Cruz Biotechnology). (To detect other molecules, this step can easily be modified by substituting a monoclonal antibody detecting any of the above described molecules.) After 3-5 rinses with PBS, the plates are stored at 4 degree C until use.

A431 cells are seeded at 20,000/well in a 96-well Loprodyne filterplate and cultured overnight in growth medium. The cells are then starved for 48 hr in basal medium (DMEM) and then treated with EGF (6ng/well) or 50 ul of the supernatants obtained in Example 31 for 5-20 minutes. The cells are then solubilized and extracts filtered directly into the assay plate.

After incubation with the extract for 1 hr at RT, the wells are again rinsed. As a positive control, a commercial preparation of MAP kinase (10ng/well) is used in place of A431 extract. Plates are then treated with a commercial polyclonal (rabbit) antibody (1ug/ml) which specifically recognizes the phosphorylated epitope of the Erk-1 and Erk-2 kinases (1 hr at RT). This antibody is biotinylated by standard procedures. The bound polyclonal antibody is then quantitated by successive incubations with Europium-streptavidin and Europium fluorescence enhancing reagent in the Wallac DELFIA instrument (time-resolved fluorescence). An increased fluorescent signal over background indicates a phosphorylation by polypeptide of the

present invention or a molecule induced by polypeptide of the present invention.

*Example 42: Assay for the Stimulation of Bone Marrow CD34+ Cell Proliferation*

5           This assay is based on the ability of human CD34+ to proliferate in the presence of hematopoietic growth factors and evaluates the ability of isolated polypeptides expressed in mammalian cells to stimulate proliferation of CD34+ cells.

          It has been previously shown that most mature precursors will respond to only a single signal. More immature precursors require at least two signals to respond.

10          Therefore, to test the effect of polypeptides on hematopoietic activity of a wide range of progenitor cells, the assay contains a given polypeptide in the presence or absence of other hematopoietic growth factors. Isolated cells are cultured for 5 days in the presence of Stem Cell Factor (SCF) in combination with tested sample. SCF alone has a very limited effect on the proliferation of bone marrow (BM) cells, acting in  
15          such conditions only as a "survival" factor. However, combined with any factor exhibiting stimulatory effect on these cells (e.g., IL-3), SCF will cause a synergistic effect. Therefore, if the tested polypeptide has a stimulatory effect on a hematopoietic progenitors, such activity can be easily detected. Since normal BM cells have a low level of cycling cells, it is likely that any inhibitory effect of a given polypeptide, or  
20          agonists or antagonists thereof, might not be detected. Accordingly, assays for an inhibitory effect on progenitors is preferably tested in cells that are first subjected to *in vitro* stimulation with SCF+IL+3, and then contacted with the compound that is being evaluated for inhibition of such induced proliferation.

          Briefly, CD34+ cells are isolated using methods known in the art. The cells  
25          are thawed and resuspended in medium (QBSF 60 serum-free medium with 1% L-glutamine (500ml) Quality Biological, Inc., Gaithersburg, MD Cat# 160-204-101). After several gentle centrifugation steps at 200 x g, cells are allowed to rest for one hour. The cell count is adjusted to  $2.5 \times 10^5$  cells/ml. During this time, 100  $\mu$ l of sterile water is added to the peripheral wells of a 96-well plate. The cytokines that  
30          can be tested with a given polypeptide in this assay is rhSCF (R&D Systems,

Minneapolis, MN, Cat# 255-SC) at 50 ng/ml alone and in combination with rhSCF and rhIL-3 (R&D Systems, Minneapolis, MN, Cat# 203-ML) at 30 ng/ml. After one hour, 10  $\mu$ l of prepared cytokines, 50  $\mu$ l of the supernatants prepared in Example 31 (supernatants at 1:2 dilution = 50  $\mu$ l) and 20  $\mu$ l of diluted cells are added to the media which is already present in the wells to allow for a final total volume of 100  $\mu$ l. The plates are then placed in a 37°C/5% CO<sub>2</sub> incubator for five days.

Eighteen hours before the assay is harvested, 0.5  $\mu$ Ci/well of [3H] Thymidine is added in a 10  $\mu$ l volume to each well to determine the proliferation rate. The experiment is terminated by harvesting the cells from each 96-well plate to a filtermat using the Tomtec Harvester 96. After harvesting, the filtermats are dried, trimmed and placed into OmniFilter assemblies consisting of one OmniFilter plate and one OmniFilter Tray. 60  $\mu$ l Microscint is added to each well and the plate sealed with TopSeal-A press-on sealing film. A bar code 15 sticker is affixed to the first plate for counting. The sealed plates is then loaded and the level of radioactivity determined via the Packard Top Count and the printed data collected for analysis. The level of radioactivity reflects the amount of cell proliferation.

The studies described in this example test the activity of a given polypeptide to stimulate bone marrow CD34+ cell proliferation. One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof. As a nonlimiting example, potential antagonists tested in this assay would be expected to inhibit cell proliferation in the presence of cytokines and/or to increase the inhibition of cell proliferation in the presence of cytokines and a given polypeptide. In contrast, potential agonists tested in this assay would be expected to enhance cell proliferation and/or to decrease the inhibition of cell proliferation in the presence of cytokines and a given polypeptide.

The ability of a gene to stimulate the proliferation of bone marrow CD34+ cells indicates that polynucleotides and polypeptides corresponding to the gene are useful for the diagnosis and treatment of disorders affecting the immune system and hematopoiesis. Representative uses are described in the "Immune Activity" and



"Infectious Disease" sections above, and elsewhere herein.

*Example 43: Assay for Extracellular Matrix Enhanced Cell Response (EMECR)*

5           The objective of the Extracellular Matrix Enhanced Cell Response (EMECR) assay is to identify gene products (e.g., isolated polypeptides) that act on the hematopoietic stem cells in the context of the extracellular matrix (ECM) induced signal.

10           Cells respond to the regulatory factors in the context of signal(s) received from the surrounding microenvironment. For example, fibroblasts, and endothelial and epithelial stem cells fail to replicate in the absence of signals from the ECM. Hematopoietic stem cells can undergo self-renewal in the bone marrow, but not in *in vitro* suspension culture. The ability of stem cells to undergo self-renewal *in vitro* is dependent upon their interaction with the stromal cells and the ECM protein  
15           fibronectin (fn). Adhesion of cells to fn is mediated by the  $\alpha_5\beta_1$  and  $\alpha_4\beta_1$  integrin receptors, which are expressed by human and mouse hematopoietic stem cells. The factor(s) which integrate with the ECM environment and responsible for stimulating stem cell self-renewal has not yet been identified. Discovery of such factors should be of great interest in gene therapy and bone marrow transplant applications

20           Briefly, polystyrene, non tissue culture treated, 96-well plates are coated with fn fragment at a coating concentration of  $0.2 \mu\text{g}/\text{cm}^2$ . Mouse bone marrow cells are plated (1,000 cells/well) in 0.2 ml of serum-free medium. Cells cultured in the presence of IL-3 (5 ng/ml) + SCF (50 ng/ml) would serve as the positive control, conditions under which little self-renewal but pronounced differentiation of the stem  
25           cells is to be expected. Gene products of the invention (e.g., including, but not limited to, polynucleotides and polypeptides of the present invention, and supernatants produced in Example 31), are tested with appropriate negative controls in the presence and absence of SCF(5.0 ng/ml), where test factor supernates represent 10% of the total assay volume. The plated cells are then allowed to grow by incubating in  
30           a low oxygen environment (5%  $\text{CO}_2$ , 7%  $\text{O}_2$ , and 88%  $\text{N}_2$ ) tissue culture incubator

for 7 days. The number of proliferating cells within the wells is then quantitated by measuring thymidine incorporation into cellular DNA. Verification of the positive hits in the assay will require phenotypic characterization of the cells, which can be accomplished by scaling up of the culture system and using appropriate antibody  
5 reagents against cell surface antigens and FACScan.

One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof.

If a particular polypeptide of the present invention is found to be a stimulator  
10 of hematopoietic progenitors, polynucleotides and polypeptides corresponding to the gene encoding said polypeptide may be useful for the diagnosis and treatment of disorders affecting the immune system and hematopoiesis. Representative uses are described in the "Immune Activity" and "Infectious Disease" sections above, and elsewhere herein. The gene product may also be useful in the expansion of stem cells  
15 and committed progenitors of various blood lineages, and in the differentiation and/or proliferation of various cell types.

Additionally, the polynucleotides and/or polypeptides of the gene of interest and/or agonists and/or antagonists thereof, may also be employed to inhibit the proliferation and differentiation of hematopoietic cells and therefore may be  
20 employed to protect bone marrow stem cells from chemotherapeutic agents during chemotherapy. This antiproliferative effect may allow administration of higher doses of chemotherapeutic agents and, therefore, more effective chemotherapeutic treatment.

Moreover, polynucleotides and polypeptides corresponding to the gene of  
25 interest may also be useful for the treatment and diagnosis of hematopoietic related disorders such as, for example, anemia, pancytopenia, leukopenia, thrombocytopenia or leukemia since stromal cells are important in the production of cells of hematopoietic lineages. The uses include bone marrow cell ex-vivo culture, bone marrow transplantation, bone marrow reconstitution, radiotherapy or chemotherapy of  
30 neoplasia.

*Example 44: Human Dermal Fibroblast and Aortic Smooth Muscle Cell Proliferation*

The polypeptide of interest is added to cultures of normal human dermal  
5 fibroblasts (NHDF) and human aortic smooth muscle cells (AoSMC) and two co-  
assays are performed with each sample. The first assay examines the effect of the  
polypeptide of interest on the proliferation of normal human dermal fibroblasts  
(NHDF) or aortic smooth muscle cells (AoSMC). Aberrant growth of fibroblasts or  
smooth muscle cells is a part of several pathological processes, including fibrosis, and  
10 restenosis. The second assay examines IL6 production by both NHDF and SMC. IL6  
production is an indication of functional activation. Activated cells will have  
increased production of a number of cytokines and other factors, which can result in a  
proinflammatory or immunomodulatory outcome. Assays are run with and without  
co-TNF $\alpha$  stimulation, in order to check for costimulatory or inhibitory activity.

15 Briefly, on day 1, 96-well black plates are set up with 1000 cells/well (NHDF)  
or 2000 cells/well (AoSMC) in 100  $\mu$ l culture media. NHDF culture media contains:  
Clonetics FB basal media, 1mg/ml hFGF, 5mg/ml insulin, 50mg/ml gentamycin,  
2%FBS, while AoSMC culture media contains Clonetics SM basal media, 0.5  $\mu$ g/ml  
hEGF, 5mg/ml insulin, 1 $\mu$ g/ml hFGF, 50mg/ml gentamycin, 50  $\mu$ g/ml Amphotericin  
20 B, 5%FBS. After incubation at 37°C for at least 4-5 hours, culture media is aspirated  
and replaced with growth arrest media. Growth arrest media for NHDF contains  
fibroblast basal media, 50mg/ml gentamycin, 2% FBS, while growth arrest media for  
AoSMC contains SM basal media, 50mg/ml gentamycin, 50 $\mu$ g/ml Amphotericin B,  
0.4% FBS. Incubate at 37°C until day 2.

25 On day 2, serial dilutions and templates of the polypeptide of interest are  
designed such that they always include media controls and known-protein controls.  
For both stimulation and inhibition experiments, proteins are diluted in growth arrest  
media. For inhibition experiments, TNF $\alpha$  is added to a final concentration of 2ng/ml  
(NHDF) or 5ng/ml (AoSMC). Add 1/3 vol media containing controls or polypeptides  
30 of the present invention and incubate at 37°C/5% CO $_2$  until day 5.

Transfer 60µl from each well to another labeled 96-well plate. cover with a plate-sealer, and store at 4°C until Day 6 (for IL6 ELISA). To the remaining 100 µl in the cell culture plate, aseptically add Alamar Blue in an amount equal to 10% of the culture volume (10µl). Return plates to incubator for 3 to 4 hours. Then measure  
5 fluorescence with excitation at 530nm and emission at 590nm using the CytoFluor. This yields the growth stimulation/inhibition data.

On day 5, the IL6 ELISA is performed by coating a 96 well plate with 50-100 µl/well of Anti-Human IL6 Monoclonal antibody diluted in PBS, pH 7.4, incubate ON at room temperature.

10 On day 6, empty the plates into the sink and blot on paper towels. Prepare Assay Buffer containing PBS with 4% BSA. Block the plates with 200 µl/well of Pierce Super Block blocking buffer in PBS for 1-2 hr and then wash plates with wash buffer (PBS, 0.05% Tween-20). Blot plates on paper towels. Then add 50 µl/well of diluted Anti-Human IL-6 Monoclonal, Biotin-labeled antibody at 0.50 mg/ml. Make  
15 dilutions of IL-6 stock in media (30, 10, 3, 1, 0.3, 0 ng/ml). Add duplicate samples to top row of plate. Cover the plates and incubate for 2 hours at RT on shaker. Plates are washed with wash buffer and blotted on paper towels. Dilute EU-labeled Streptavidin 1:1000 in Assay buffer, and add 100 µl/well. Cover the plate and incubate 1 h at RT. Plates are again washed with wash buffer and blotted on paper towels. Add 100  
20 µl/well of Enhancement Solution and shake for 5 minutes. Read the plate on the Wallac DELFIA Fluorometer. Readings from triplicate samples in each assay are tabulated and averaged.

A positive result in this assay suggests AoSMC cell proliferation and that the polypeptide of the present invention may be involved in dermal fibroblast  
25 proliferation and/or smooth muscle cell proliferation. A positive result also suggests many potential uses of polypeptides, polynucleotides, agonists and/or antagonists of the polynucleotide/polypeptide of the present invention which gives a positive result. For example, inflammation and immune responses, wound healing, and angiogenesis, as detailed throughout this specification. Particularly, polypeptides of the present  
30 invention and polynucleotides of the present invention may be used in wound healing

and dermal regeneration. as well as the promotion of vasculargenesis. both of the blood vessels and lymphatics. The growth of vessels can be used in the treatment of, for example, cardiovascular diseases. Additionally, antagonists of polypeptides and polynucleotides of the invention may be useful in treating diseases, disorders, and/or conditions which involve angiogenesis by acting as an anti-vascular (e.g., anti-angiogenesis). These diseases, disorders, and/or conditions are known in the art and/or are described herein, such as, for example, malignancies, solid tumors, benign tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas; arteriosclerotic plaques; ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma, retrolental fibroplasia, rubeosis, retinoblastoma, uveitis and Pterygia (abnormal blood vessel growth) of the eye; rheumatoid arthritis; psoriasis; delayed wound healing; endometriosis; vasculogenesis; granulations; hypertrophic scars (keloids); nonunion fractures; scleroderma; trachoma; vascular adhesions; myocardial angiogenesis; coronary collaterals; cerebral collaterals; arteriovenous malformations; ischemic limb angiogenesis; Osler-Webber Syndrome; plaque neovascularization; telangiectasia; hemophilic joints; angiofibroma; fibromuscular dysplasia; wound granulation; Crohn's disease; and atherosclerosis. Moreover, antagonists of polypeptides and polynucleotides of the invention may be useful in treating anti-hyperproliferative diseases and/or anti-inflammatory known in the art and/or described herein.

One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof.

#### *Example 45: Cellular Adhesion Molecule (CAM) Expression on Endothelial Cells*

The recruitment of lymphocytes to areas of inflammation and angiogenesis involves specific receptor-ligand interactions between cell surface adhesion molecules

(CAMs) on lymphocytes and the vascular endothelium. The adhesion process, in both normal and pathological settings, follows a multi-step cascade that involves intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule-1 (VCAM-1), and endothelial leukocyte adhesion molecule-1 (E-selectin) expression on endothelial cells (EC). The expression of these molecules and others on the vascular endothelium determines the efficiency with which leukocytes may adhere to the local vasculature and extravasate into the local tissue during the development of an inflammatory response. The local concentration of cytokines and growth factor participate in the modulation of the expression of these CAMs.

Briefly, endothelial cells (e.g., Human Umbilical Vein Endothelial cells (HUVECs)) are grown in a standard 96 well plate to confluence, growth medium is removed from the cells and replaced with 100  $\mu$ l of 199 Medium (10% fetal bovine serum (FBS)). Samples for testing and positive or negative controls are added to the plate in triplicate (in 10  $\mu$ l volumes). Plates are then incubated at 37°C for either 5 h (selectin and integrin expression) or 24 h (integrin expression only). Plates are aspirated to remove medium and 100  $\mu$ l of 0.1% paraformaldehyde-PBS(with Ca<sup>++</sup> and Mg<sup>++</sup>) is added to each well. Plates are held at 4°C for 30 min. Fixative is removed from the wells and wells are washed 1X with PBS(+Ca,Mg) + 0.5% BSA and drained. 10  $\mu$ l of diluted primary antibody is added to the test and control wells. Anti-ICAM-1-Biotin, Anti-VCAM-1-Biotin and Anti-E-selectin-Biotin are used at a concentration of 10  $\mu$ g/ml (1:10 dilution of 0.1 mg/ml stock antibody). Cells are incubated at 37°C for 30 min. in a humidified environment. Wells are washed three times with PBS(+Ca,Mg) + 0.5% BSA. 20  $\mu$ l of diluted ExtrAvidin-Alkaline Phosphatase (1:5,000 dilution, referred to herein as the working dilution) are added to each well and incubated at 37°C for 30 min. Wells are washed three times with PBS(+Ca,Mg)+0.5% BSA. Dissolve 1 tablet of p-Nitrophenol Phosphate pNPP per 5 ml of glycine buffer (pH 10.4). 100  $\mu$ l of pNPP substrate in glycine buffer is added to each test well. Standard wells in triplicate are prepared from the working dilution of the ExtrAvidin-Alkaline Phosphatase in glycine buffer: 1:5,000 ( $10^0$ ) >  $10^{-0.5}$  >  $10^{-1}$  >  $10^{-1.5}$ . 5  $\mu$ l of each dilution is added to triplicate wells and the resulting AP content in

each well is 5.50 ng, 1.74 ng, 0.55 ng, 0.18 ng. 100 µl of pNPN reagent is then added to each of the standard wells. The plate is incubated at 37°C for 4h. A volume of 50 µl of 3M NaOH is added to all wells. The plate is read on a plate reader at 405 nm using the background subtraction option on blank wells filled with glycine buffer only. Additionally, the template is set up to indicate the concentration of AP-conjugate in each standard well [ 5.50 ng; 1.74 ng; 0.55 ng; 0.18 ng]. Results are indicated as amount of bound AP-conjugate in each sample.

*Example 46: Alamar Blue Endothelial Cells Proliferation Assay*

This assay may be used to quantitatively determine protein mediated inhibition of bFGF-induced proliferation of Bovine Lymphatic Endothelial Cells (LECs), Bovine Aortic Endothelial Cells (BAECs) or Human Microvascular Uterine Myometrial Cells (UTMECs). This assay incorporates a fluorometric growth indicator based on detection of metabolic activity. A standard Alamar Blue Proliferation Assay is prepared in EGM-2MV with 10 ng /ml of bFGF added as a source of endothelial cell stimulation. This assay may be used with a variety of endothelial cells with slight changes in growth medium and cell concentration. Dilutions of the protein batches to be tested are diluted as appropriate. Serum-free medium (GIBCO SFM) without bFGF is used as a non-stimulated control and Angiostatin or TSP-1 are included as a known inhibitory controls.

Briefly, LEC, BAECs or UTMECs are seeded in growth media at a density of 5000 to 2000 cells/well in a 96 well plate and placed at 37-C overnight. After the overnight incubation of the cells, the growth media is removed and replaced with GIBCO EC-SFM. The cells are treated with the appropriate dilutions of the protein of interest or control protein sample(s) (prepared in SFM ) in triplicate wells with additional bFGF to a concentration of 10 ng/ ml. Once the cells have been treated with the samples, the plate(s) is/are placed back in the 37° C incubator for three days. After three days 10 ml of stock alamar blue (Biosource Cat# DAL1100) is added to each well and the plate(s) is/are placed back in the 37°C incubator for four hours. The

plate(s) are then read at 530nm excitation and 590nm emission using the CytoFluor fluorescence reader. Direct output is recorded in relative fluorescence units.

Alamar blue is an oxidation-reduction indicator that both fluoresces and changes color in response to chemical reduction of growth medium resulting from cell growth. As cells grow in culture, innate metabolic activity results in a chemical reduction of the immediate surrounding environment. Reduction related to growth causes the indicator to change from oxidized (non-fluorescent blue) form to reduced (fluorescent red) form. i.e. stimulated proliferation will produce a stronger signal and inhibited proliferation will produce a weaker signal and the total signal is proportional to the total number of cells as well as their metabolic activity. The background level of activity is observed with the starvation medium alone. This is compared to the output observed from the positive control samples (bFGF in growth medium) and protein dilutions.

15 *Example 47: Detection of Inhibition of a Mixed Lymphocyte Reaction*

This assay can be used to detect and evaluate inhibition of a Mixed Lymphocyte Reaction (MLR) by gene products (e.g., isolated polypeptides). Inhibition of a MLR may be due to a direct effect on cell proliferation and viability, modulation of costimulatory molecules on interacting cells, modulation of adhesiveness between lymphocytes and accessory cells, or modulation of cytokine production by accessory cells. Multiple cells may be targeted by these polypeptides since the peripheral blood mononuclear fraction used in this assay includes T, B and natural killer lymphocytes, as well as monocytes and dendritic cells.

25 Polypeptides of interest found to inhibit the MLR may find application in diseases associated with lymphocyte and monocyte activation or proliferation. These include, but are not limited to, diseases such as asthma, arthritis, diabetes, inflammatory skin conditions, psoriasis, eczema, systemic lupus erythematosus, multiple sclerosis, glomerulonephritis, inflammatory bowel disease, crohn's disease, ulcerative colitis, arteriosclerosis, cirrhosis, graft vs. host disease. host vs. graft



disease. hepatitis. leukemia and lymphoma.

Briefly. PBMCs from human donors are purified by density gradient centrifugation using Lymphocyte Separation Medium (LSM<sup>®</sup>, density 1.0770 g/ml, Organon Teknika Corporation, West Chester, PA). PBMCs from two donors are  
5 adjusted to  $2 \times 10^6$  cells/ml in RPMI-1640 (Life Technologies, Grand Island, NY) supplemented with 10% FCS and 2 mM glutamine. PBMCs from a third donor is adjusted to  $2 \times 10^5$  cells/ml. Fifty microliters of PBMCs from each donor is added to wells of a 96-well round bottom microtiter plate. Dilutions of test materials (50  $\mu$ l) is added in triplicate to microtiter wells. Test samples (of the protein of interest) are  
10 added for final dilution of 1:4; rhuIL-2 (R&D Systems, Minneapolis, MN, catalog number 202-IL) is added to a final concentration of 1  $\mu$ g/ml; anti-CD4 mAb (R&D Systems, clone 34930.11, catalog number MAB379) is added to a final concentration of 10  $\mu$ g/ml. Cells are cultured for 7-8 days at 37°C in 5% CO<sub>2</sub>, and 1  $\mu$ C of [<sup>3</sup>H] thymidine is added to wells for the last 16 hrs of culture. Cells are harvested and  
15 thymidine incorporation determined using a Packard TopCount. Data is expressed as the mean and standard deviation of triplicate determinations.

Samples of the protein of interest are screened in separate experiments and compared to the negative control treatment, anti-CD4 mAb, which inhibits proliferation of lymphocytes and the positive control treatment, IL-2 (either as  
20 recombinant material or supernatant), which enhances proliferation of lymphocytes.

One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof.

It will be clear that the invention may be practiced otherwise than as  
25 particularly described in the foregoing description and examples. Numerous modifications and variations of the present invention are possible in light of the above teachings and, therefore, are within the scope of the appended claims.

The entire disclosure of each document cited (including patents, patent applications, journal articles, abstracts, laboratory manuals, books, or other  
30 disclosures) in the Background of the Invention, Detailed Description, and Examples

is hereby incorporated herein by reference. Further, the hard copy of the sequence listing submitted herewith and the corresponding computer readable form are both incorporated herein by reference in their entireties. Moreover, the hard copy of and the corresponding computer readable form of the Sequence Listing of Serial No. 5 60/124,270 are also incorporated herein by reference in their entireties.

402

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209059
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer

**ATCC Deposit No.: 209059**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 209059**

## **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

405

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT <span style="float: right;">Further deposits are identified on an additional sheet <input type="checkbox"/></span>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209060
C. ADDITIONAL INDICATIONS (leave blank if not applicable) <span style="float: right;">This information is continued on an additional sheet <input type="checkbox"/></span>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
---	--

**ATCC Deposit No.: 209060**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 209060**

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.



Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
---	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209061
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer

**ATCC Deposit No.: 209061**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 209061**

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209062
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer

**ATCC Deposit No.: 209062**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 209062**

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209063
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer

**ATCC Deposit No.: 209063**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.



**ATCC Deposit No.: 209063**

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

417

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT <span style="float: right;">Further deposits are identified on an additional sheet <input type="checkbox"/></span>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209064
C. ADDITIONAL INDICATIONS (leave blank if not applicable) <span style="float: right;">This information is continued on an additional sheet <input type="checkbox"/></span>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
---	--

**ATCC Deposit No.: 209064**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 209064**

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT <span style="float: right;">Further deposits are identified on an additional sheet <input type="checkbox"/></span>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209065
C. ADDITIONAL INDICATIONS (leave blank if not applicable) <span style="float: right;">This information is continued on an additional sheet <input type="checkbox"/></span>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only
<input type="checkbox"/> This sheet was received with the international application
Authorized officer

For International Bureau use only
<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer

**ATCC Deposit No.: 209065**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 209065**

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

423

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209066
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer



**ATCC Deposit No.: 209066**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 209066**

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
---	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT <span style="float: right;">Further deposits are identified on an additional sheet <input type="checkbox"/></span>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit  20 May 1997	Accession Number  209067
C. ADDITIONAL INDICATIONS (leave blank if not applicable) <span style="float: right;">This information is continued on an additional sheet <input type="checkbox"/></span>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p style="text-align: center;">For receiving Office use only</p> <p><input type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer</p>	<p style="text-align: center;">For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
---	--

**ATCC Deposit No.: 209067**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 209067**

## **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT <span style="float: right;">Further deposits are identified on an additional sheet <input type="checkbox"/></span>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit  20 May 1997	Accession Number  209068
C. ADDITIONAL INDICATIONS (leave blank if not applicable) <span style="float: right;">This information is continued on an additional sheet <input type="checkbox"/></span>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p style="text-align: center;">For receiving Office use only</p> <p><input type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer</p>	<p style="text-align: center;">For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
---	--

**ATCC Deposit No.: 209068**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 209068**

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.



Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
---	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209069
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer

**ATCC Deposit No.: 209069**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 209069**

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

435

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
---	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> . line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT <span style="float: right;">Further deposits are identified on an additional sheet <input type="checkbox"/></span>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 12 January 1998	Accession Number 209579
C. ADDITIONAL INDICATIONS (leave blank if not applicable) <span style="float: right;">This information is continued on an additional sheet <input type="checkbox"/></span>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
---	--

**ATCC Deposit No.: 209579**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 209579**

## **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT <span style="float: right;">Further deposits are identified on an additional sheet <input type="checkbox"/></span>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 12 January 1998	Accession Number 209578
C. ADDITIONAL INDICATIONS (leave blank if not applicable) <span style="float: right;">This information is continued on an additional sheet <input type="checkbox"/></span>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g. "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input type="checkbox"/> This sheet was received with the international application</p> <p>Authorized officer</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>Authorized officer</p>
---	--

**ATCC Deposit No.: 209578**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.



**ATCC Deposit No.: 209578**

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 16 July 1998	Accession Number 203067
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer

**ATCC Deposit No.: 203067**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 203067**

## **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

444

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
---	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> . line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT	
Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 16 July 1998	Accession Number 203068
C. ADDITIONAL INDICATIONS (leave blank if not applicable)	
This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer

**ATCC Deposit No.: 203068**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 203068****DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 01 February 1999	Accession Number 203609
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	
For receiving Office use only	For International Bureau use only
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer



**ATCC Deposit No.: 203609**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 203609**

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

450

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 01 February 1999	Accession Number 203610
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer

**ATCC Deposit No.: 203610**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 203610**

## **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

453

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 17 November 1998	Accession Number 203485
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<b>For receiving Office use only</b>	<b>For International Bureau use only</b>
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer

**ATCC Deposit No.: 203485**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: 203485**

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.



Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 18 June 1999	Accession Number PTA-252
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer

**ATCC Deposit No.: PTA-252****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: PTA-252****DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT <span style="float: right;">Further deposits are identified on an additional sheet <input type="checkbox"/></span>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 18 June 1999	Accession Number PTA-253
C. ADDITIONAL INDICATIONS (leave blank if not applicable) <span style="float: right;">This information is continued on an additional sheet <input type="checkbox"/></span>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer

**ATCC Deposit No.: PTA-253**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

**ATCC Deposit No.: PTA-253****DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

462

Applicant's or agent's file reference number	PA102PCT	International application No.	UNASSIGNED
--	----------	-------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>91</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 22 December 1999	Accession Number PTA-1081
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer	Authorized officer

**ATCC Deposit No.: PTA-1081**

## **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

## **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

## **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

## **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

## **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.



**ATCC Deposit No.: PTA-1081**

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

*What Is Claimed Is:*

1. An isolated nucleic acid molecule comprising a polynucleotide having a nucleotide sequence at least 95% identical to a sequence selected from the group consisting of:

(a) a polynucleotide fragment of SEQ ID NO:X or a polynucleotide fragment of the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;

(b) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;

(c) a polynucleotide encoding a polypeptide fragment of a polypeptide encoded by SEQ ID NO:X or a polypeptide fragment encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;

(d) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y or a polypeptide domain encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;

(e) a polynucleotide encoding a polypeptide epitope of SEQ ID NO:Y or a polypeptide epitope encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;

(f) a polynucleotide encoding a polypeptide of SEQ ID NO:Y or the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X, having biological activity;

(g) a polynucleotide which is a variant of SEQ ID NO:X;

(h) a polynucleotide which is an allelic variant of SEQ ID NO:X;

(i) a polynucleotide which encodes a species homologue of the SEQ ID NO:Y;

(j) a polynucleotide capable of hybridizing under stringent conditions to any one of the polynucleotides specified in (a)-(i), wherein said polynucleotide does not hybridize under stringent conditions to a nucleic acid molecule having a nucleotide

sequence of only A residues or of only T residues.

2. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises a nucleotide sequence encoding a protein.

5

3. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises a nucleotide sequence encoding the sequence identified as SEQ ID NO:Y or the polypeptide encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X.

10

4. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises the entire nucleotide sequence of SEQ ID NO:X or the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X.

15

5. The isolated nucleic acid molecule of claim 2, wherein the nucleotide sequence comprises sequential nucleotide deletions from either the C-terminus or the N-terminus.

20

6. The isolated nucleic acid molecule of claim 3, wherein the nucleotide sequence comprises sequential nucleotide deletions from either the C-terminus or the N-terminus.

7. A recombinant vector comprising the isolated nucleic acid molecule of claim 1.

25

8. A method of making a recombinant host cell comprising the isolated nucleic acid molecule of claim 1.

30

9. A recombinant host cell produced by the method of claim 8.

10. The recombinant host cell of claim 9 comprising vector sequences.

11. An isolated polypeptide comprising an amino acid sequence at least  
5 95% identical to a sequence selected from the group consisting of:

(a) a polypeptide fragment of SEQ ID NO:Y or of the sequence encoded by  
the cDNA included in the related cDNA clone;

(b) a polypeptide fragment of SEQ ID NO:Y or of the sequence encoded by  
the cDNA included in the related cDNA clone, having biological activity;

10 (c) a polypeptide domain of SEQ ID NO:Y or of the sequence encoded by the  
cDNA included in the related cDNA clone;

(d) a polypeptide epitope of SEQ ID NO:Y or of the sequence encoded by the  
cDNA included in the related cDNA clone;

(e) a full length protein of SEQ ID NO:Y or of the sequence encoded by the  
15 cDNA included in the related cDNA clone;

(f) a variant of SEQ ID NO:Y;

(g) an allelic variant of SEQ ID NO:Y; or

(h) a species homologue of the SEQ ID NO:Y.

20 12. The isolated polypeptide of claim 11, wherein the full length protein  
comprises sequential amino acid deletions from either the C-terminus or the N-  
terminus.

25 13. An isolated antibody that binds specifically to the isolated polypeptide  
of claim 11.

14. A recombinant host cell that expresses the isolated polypeptide of  
claim 11.

30 15. A method of making an isolated polypeptide comprising:

- (a) culturing the recombinant host cell of claim 14 under conditions such that said polypeptide is expressed; and
- (b) recovering said polypeptide.

5           16.     The polypeptide produced by claim 15.

17.     A method for preventing, treating, or ameliorating a medical condition, comprising administering to a mammalian subject a therapeutically effective amount of the polypeptide of claim 11 or the polynucleotide of claim 1.

10

18.     A method of diagnosing a pathological condition or a susceptibility to a pathological condition in a subject comprising:

(a) determining the presence or absence of a mutation in the polynucleotide of claim 1; and

15

(b) diagnosing a pathological condition or a susceptibility to a pathological condition based on the presence or absence of said mutation.

19.     A method of diagnosing a pathological condition or a susceptibility to a pathological condition in a subject comprising:

20

(a) determining the presence or amount of expression of the polypeptide of claim 11 in a biological sample; and

(b) diagnosing a pathological condition or a susceptibility to a pathological condition based on the presence or amount of expression of the polypeptide.

25

20.     A method for identifying a binding partner to the polypeptide of claim 11 comprising:

(a) contacting the polypeptide of claim 11 with a binding partner; and

(b) determining whether the binding partner effects an activity of the polypeptide.

30

21. The gene corresponding to the cDNA sequence of SEQ ID NO:Y.

22. A method of identifying an activity in a biological assay, wherein the method comprises:

- 5       (a) expressing SEQ ID NO:X in a cell;
- (b) isolating the supernatant;
- (c) detecting an activity in a biological assay; and
- (d) identifying the protein in the supernatant having the activity.

10       23. The product produced by the method of claim 20.

## SEQUENCE LISTING

<110> Craig Rosen,  
Steve Ruben

<120> Human Colon Cancer Associated Gene Sequences and Polypeptides

<130> PA102PCT

<140> Unassigned

<141> 2000-03-08

<150> 60/124,270

<151> 1999-03-12

<160> 1556

<170> PatentIn Ver. 2.0

<210> 1

<211> 633

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (206)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (606)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (616)

<223> n equals a,t,g, or c

<400> 1

```
gcaggatgag ctacaggaag aatcagaaat gtcagaaaaa aagtcatgct cctcttctcc 60
cacccaaagt gagatatcca catcgctgcc tccagataga caaaggagaa aaagggagct 120
tcgcaccttt tcattttctg acgatgaaaa taaacctcct tcaccaaagg aaataaggat 180
cgaagtgtgct gaaggettca cctggnacag taacccttg aagtggagtg tggcagacgt 240
tgtgcggttc atcagatcca ctgactgtgc ctccattagc aagaatattc ctwgaccagg 300
aaattgatgg gcaggccctg ttgtctctta cccttcccac tgttcaagaa tgcattggact 360
taaaattggg ccctgcatca aactttgcc aacatagag aggrtcaagt ttgcttttta 420
tgagcagttt gccaaactgag aaggacaacc aaagttagct gggatctttg aaggcacaaa 480
tgcaggcaaa tccttcaccc tgctttatta agtgggagct gggaatagtc ctgggggggct 540
tctggggggc ttgcagggtg ttcagctttg ctctcttttg gcacttttcg gggggaaggg 600
aggganttca cagtttaggg gaaggccaaa aac                                     633
```

<210> 2  
<211> 295  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (147)  
<223> n equals a,t,g, or c

<400> 2  
agcggcacga gcggcacgag aagccctact cggatggggc acggactgtc caccttttct 60  
aatgtgtgtt gtcagcctgt gctgtggcat agacatggat gcaaggacca ctttggagac 120  
tggggtggcc tcaagagcac acagagnaag ggaagaaggg gccatcacag gatgccagcc 180  
cctgcctggg ttgggggcac tcagccacgg accagccctt tcctgggtat ttattctcta 240  
tttattgggg gataggagaa gaggcattct rcctgggtgg gacaaacccc tttaa 295

<210> 3  
<211> 442  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (378)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (422)  
<223> n equals a,t,g, or c

<400> 3  
aattcggcag agagagctgc tcagttagga cccagaggga accatggaaa cccagcgca 60  
ttkctyttcc tcctgctact ctggctccca gatattaccg cagaaattgt gttgacgcat 120  
ttccagacac cctgtctttg ttcctggggg aaagagccac cctctcctgc aggaccagtc 180  
agagtgttgg cagcaacttc ttaacctggt atgaacaaaa atctggccag tytcccaggc 240  
tcctcatgtt tggtaactcc cgcagsccac tggcatccca gacagggcca gtggcagtgg 300  
gtctgggaca gayttcacty tcaccatcag cagactggag gytgaagatt ttgcagtgtg 360  
ttwctgttca acaatwtngg ttctgttcaa caatgtttca attttggggc agggggccma 420  
gnttggaaty aaaggactgt gg 442

<210> 4  
<211> 754  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (446)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (662)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (700)

<223> n equals a,t,g, or c

<400> 4

```
tccgaagtcg gggaccctcc taccacctgt agagaagcgg gagtggatct aaaataaaat 60
ccaggawtct ggggggttcct agacggagcc agayttcgga aggggtgtcct gctactcctg 120
ctggggctcc tccaggacaa gggcacacaa ctgggttcgt taagcccctc tytcgctcag 180
acgccatgga gctggatctg tctccacctc atcttagcag ctctccggaa gacctttgcc 240
cagcccctgg aaccctctct ggaactcccc ggcccctga taccctctg cctgaggagg 300
taaagaggtc ccagcctctc ctcatcccaa ccaccggcag gaaacttcga gaggaggaga 360
ggcgtgccac ctccctcccc tctatcccca accccttccc tgagctctgc agtcctccct 420
cacagagccc cattctcggg ggcccntcca gtgcaagggg gctgctcccc gcgaatgcca 480
gccgccccca tgtagtaaaag gtgtacagtg aggatggggc ctgcagtctg tggaggtggc 540
agcaggtgcc acagytgcc acgtgtgtga aatgctggtg cacgagctma sgcttgagcg 600
acgagacctg ggggtttgtg gagtgccacc ccaactagca tggagcgggt tttgaggacc 660
angatccctg ttgaagtgc gttgctggcc ctgggggagn tagccgttcg tttccggaaa 720
tttggcaagt aggattttta aggttccaaa ttct 754
```

<210> 5

<211> 393

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (273)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (274)

<223> n equals a,t,g, or c

<400> 5

```
ttttctcttt gatgttctgg ccctgacttc tgaaaccagt gttctgggga gaggcatttg 60
agagtgacct agggcctggg aaccggggct tttctcgggt gtcttaggcc tgttctgcaa 120
ccaaggcaag gccaggattt ccggaaatat gaggaaggct ttgacccta ctctatgttc 180
acccagagac agatcatggg gaaggatgtc cggctcctac gcatcaagaa ggagggatcc 240
ttagacctgg ccctggaagg cgggtgtggac tcnnccattg ggaagggtgg cgtttctgct 300
gtgtatgagc ggggagctgc tgagcggcat ggtggcattg tgaaagggga cgagatcatg 360
gcaatcaacg gcaagattgt gacagattac acc 393
```

<210> 6  
<211> 539  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (486)  
<223> n equals a,t,g, or c

<400> 6  
gctcgtgccg ctgaaatgac ttccacggct gggacgggaa ccttccaccc acagctatgc 60  
ctctgattgg tgaatggtga aggtgcctgt ctaacttttc tgtaaaaaga accagctgcc 120  
tccaggcagc magccctcaa gcatcactta caggaccaga gggacaagac atgactgtga 180  
tgaggagctg ctttgcgcaa tttaacacca agaagaattg aggctgcttg ggaggaaggc 240  
caggaggaac acgagactga gagatgaatt ttcaacagag gctgcaaagc tgtggacttt 300  
agccagaccc ttctgccctc ctttgctggc gacacttctt caaatgcaga tggttgtgct 360  
cccttgccctg gggtttaccg tgcttctytg gagccaggta tcaggggccc agggccaaga 420  
attccacttt gggccctgcc aagtgaaggg gggtgttccc cagaaamtkt gggaagsctt 480  
ctgggntgtg aaagacayta tgcaagytca ggwtaacatc asgrgtsccc gggtgtgtgc 539

<210> 7  
<211> 804  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (758)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (759)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (771)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (802)  
<223> n equals a,t,g, or c

<400> 7  
aattcggcac gagttcaaca ccaagtgtcc ctctggcagt tgtgtgatga atcagtatct 60  
gagttcaaaa ttcccaaagg atttcagtac atcttgccgt gcacattttg aaagatacct 120  
tttatctcag aaaccaaagt gcctgctgca agcacctatt cctacaaata taatgacaac 180  
accagtgtgt gggaaccacc ttctagaagt gggagaagac tgtgattgtg gctctcctaa 240

```
ggagtgtacc aatctctgct gtgaagccct aacgtgtaaa ctgaagcctg gaactgattg 300
cggaggagat gctccaaacc ataccacaga gtgaatccaa aagtctgctt cactgagatg 360
ctaccttgcc aggacaagaa ccaagaacty taactgtccc aggaatcttg tgaattttca 420
cccataatgg tctttcactt gtcattctac tttctatatt gttatcagtc caggaaacag 480
gtaaacagat gtaattagag acattggctc tttgtttagg cctaattctt ctttttactt 540
tttttttctt ttttcttttt ttttaaagat catgaatttg tgacttagtt ctgcccyytg 600
gagaacaaaa gaaagcagtc ttccatcaaa tcaccttaaa atgcacggct aaactattca 660
gagttaacac tccagaattg ttaaattaca agtactatgc tttaatgctt ctttcatctt 720
actagtaagg cctattaaaa aaaataatac cacttganng gtgaaggctt ngcaatagga 780
agaagataga atccaggttt angg 804
```

<210> 8

<211> 720

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (714)

<223> n equals a,t,g, or c

<400> 8

```
gtgaggacag cctgccagag tctgggtctct ggacactatg ggcacacgac tcctcccagc 60
tctgtttctt gtcctcctgg tattgggatt tgccccacgg gctctcctga cacactctcc 120
ccctgcagag gtccaggggg cccaacagcc ccagcaagat gagatgccta gcccgacctt 180
cctcaccag gtgaaggaat ctctctccag ttactgggag tcagcaaaga cagccgcccc 240
gaacctgtac gagaagacat acctgcccgc tgtagatgag aaactcaggg acttgtacag 300
caaaagcaca gcagccatga gcacttacac aggcattttt actgaccaag ttctttctgt 360
gctgaagggg gaggagtaac agccagaccc cccatcagtg gacaagggga gagtccccta 420
ctcccctgat cccccagggt cagactgagc tcccccttcc cagtagctct tgcatcctcc 480
tcccaactct agcctgaatt cttttcaata aaaaatacaa ttcaagttgc ttctcatgga 540
tggcactgct tttctgagga ctcaaggtgc caagatggag gggctgactc agtccagcca 600
acatttaatg agcacctact ttatgtatgg agctctaacc catgggtcca tgggaataaa 660
gcagtgaata gtaacaataa ataattgtaa cagcaaaaaa aaaaaaaaaa aaanaaaaaa 720
```

<210> 9

<211> 540

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (463)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (524)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (535)

<223> n equals a,t,g, or c

<400> 9

```
ccaacagaga tgtatccaga gatccacagt tctggaggct gagaagtcta aaatcaaggc 60
accagcagat tccacatctc gtgaaggctc actctctgct tcacagatgg cactgtcttg 120
ctgtgttctc acatggcaga aggggcaaac aagccccctt gggcctcttt tataaaggca 180
ctaactctat gcctaaaggc agggccctca tgactctatc acctaccaa aggtccact 240
tctttatact attggagggg tagaaggaac ttcctttcta gacctgaag gtttaagaat 300
ttgaatctat aaaacaagct gacaatagac agattaacag gagaaaaagc atatacattt 360
tttaatgtgg gccagatggc agaagcttaa ataacacccc aagctacagg gaagtgaggc 420
ctctgatggg ggaggtagtt gacacaggct gtggggaggg gtnaggggga ggaatctgtg 480
gtggagcaaa tttgccttat tacactgata aatggtaatt tacnctaatt aagcntgggt 540
```

<210> 10

<211> 561

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (406)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (450)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (546)

<223> n equals a,t,g, or c

<400> 10

```
agaatgtcac tgagtggcct gaaccaaagc tcatggatac tggagatgaa gaaccagcag 60
gagaccccag gtgtgctctc atccgtactc tgtgacaccc cttagtggac tgttccaacc 120
agttggggcc gggagaagga ctagggaagc ttccttccca tctgcacctc ccagcctgga 180
gaggagcctg tgacttgccc tgttccttgg ctccctcaggc tggggtaagg tgtgggggtg 240
gctccagcct tgaggccagt ctccctgatgc tggattcctt gttttccctg caggcatcaa 300
acagaaaggc cttttgctaa gtagcagcct gatgcactcc gagtcagagc tggacagcga 360
tgatgccatc tttacatggc cagaccgaga gaagggcaaa ctccctngcat ggtcagaatg 420
gctctgtacc caacgggcag acccctctgn aaggccagga gcccgcgga rgagatcctg 480
tagccacctg gtctgtctyc tcagggcarg gccaggcaca attgcccggc cagttcttct 540
aacttnccga gttttgcggg g 561
```

<210> 11

<211> 393

<212> DNA

<213> Homo sapiens

<220>  
<221> misc feature  
<222> (346)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (381)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (383)  
<223> n equals a,t,g, or c

<400> 11  
tcgacccacg cgtccgggtg agtgccatct taaaacttac tggagattgg ttttatattt 60  
agatttatat aactgggtat gtgaatatat ttaaatactg gggaaattgc ttcaactgtct 120  
tagaaccaag caagattcac ctgtgttttg tggtcatgtt catttgctc ttaaaggcaa 180  
gggttggaaga taaataaggt agcaatgtct atagtgttg ccttaactat gccaatctaa 240  
ttataattcc ctgtatttaa aatggtttct tttacttatt gaaaggcatt ttagtgtggt 300  
ktatgtgtaa tattaaagat tattcaacac ctctcaraaa aaaaanraaa aagggggggc 360  
ccccctgggg gtcccaagct nancgtacgc ggg 393

<210> 12  
<211> 322  
<212> DNA  
<213> Homo sapiens

<400> 12  
taagaataca aaattagcca agcatgctgg cacatgcctg taatcccagc tactcgggag 60  
gctgaggtag gagaatcgct tgaacctggg aggcagagga tgcagtgagc cgggatcacg 120  
ccattgcact ccagcctggg ggacaagagt gaatctgtgt ctacccaaaa aaaaaaagaa 180  
aaagaaagat gcttaacaaa ggttaccata agccacaaat tcatraccac ttatccttcc 240  
agtttcaagt agaatatatt cataacctca ataaagttct ccctgctccc aaaaaaaaaa 300  
aaaaaaaaaa aaaaaaaaaa ag 322

<210> 13  
<211> 1907  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1834)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1843)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1888)

<223> n equals a,t,g, or c

<400> 13

```
gagaaataat aatatagctt tatagaatth tccatcttgt attaaaataa tcacatgtac 60
atcattgttaa ctcatgccat aacataagat tttgtacaac aatttccttt tgtgtgctgg 120
catcattaag gtttagtctg cccagatcac ctattagtag ctaatttata tattctgaat 180
taaaattatc tgtaatttta aaaacatttt atctattgtc tttcaaaata gtattaactg 240
agggtttttt tgtgtgtgtt tttctatttt gcttggtttt ttgaacatta ctggactctc 300
gttttagaag gaaaaacctt tcagctctac tctcacaatc ttatagcttt gtttgaacat 360
gccaaaaaac caggattagc tgcccatatt caaactcaca ggtttccaga ccgaatacta 420
ccaagaaaat tcgctttaac aacaaagatt cctgatacaa aaggctgcc acaatgttgc 480
atagtcagaa acccttacac gggacataaa tacctctgtg gagctttaca gtctggaatt 540
gttttacttc agtggtatga gccaatgcag aaattcatgt tgataaagca ctttgatttt 600
cctttgccaa gtcctttgaa tgtttttgaa atgctggtga tacctgaaca ggaataccct 660
atggtctgtg tagctattag caaaggcact gaatcgaatc aggtagttca gtttgagaca 720
atcaatttga actctgcac ttcattggtt acagaaattg gtgcaggcag ccagcagtta 780
gattccattc atgtaacaca gttggagaga gataccgttt tagtgtgttt agacaaattt 840
gtgaaaattg taaatctaca aggaaaatta aaatcaagta agaaactggc ctctgagtta 900
agttttgatt ttgcatttga atctgtatga tgccttcaag acagtgtgtt ggctttctgg 960
aaacatggga tgcagggtta aagcttcaag tcagatgagg ttaccagga gatttcagat 1020
gaaacaagag ttttccgctt attaggatca gacagggttg tcgttttgga aagtaggcca 1080
acagaaaatc ctactgcaca cagcaatctc tacatcttgg ctggacatga aaatagttac 1140
taagcaacag aaactgatct caaatgacag gaaaatgaat atactccatt gaaaggaaaa 1200
ataaggaaat tcaatacaaa ctgcactatg atttgcttta actattatgg gttatattgc 1260
aaatgatctg tactttaggg tagaattcaa tttttctgc agctggaaac agctagtcta 1320
tctcttgcca ctgtgtggtg gttatatcaa gtttgcttaa taaaagctat gagacaaata 1380
gtcctctagt tccaggaaac acagtctttt tttaaaaaaa acaatgtttg taacaagggt 1440
gccatggtat ttttagataa ctctgtatta tcttaagaga ggtaaattta gtgatcattt 1500
tatatcatgt cttattcctt cttaatgaac ataatttgtt aaattctcaa gcaaggtttt 1560
cacttttata ttggccattc tgtatgtttt tgtaaaacag aatatttaat ccttatttat 1620
taatctcttg ctggagtggg gtaatgtatc taacttttag caaaggaggg ttgcagagca 1680
gcttaaatth tttttataat gtataagaat tttgtttatc ttttaagagt agtaaagtac 1740
tttgagtgtt tgggggtcaa cacacacatg caatttgctt aacaaaagta ttttataata 1800
cagttcatac agaataccyt aaaagggagc ytangtttcc acnacagata agtggttaagg 1860
gtcataccgg agataatgat gatagtgnaa tctcctagaa ggggggtg 1907
```

<210> 14

<211> 1140

<212> DNA

<213> Homo sapiens

<400> 14

```
agaataaatt ccagggtctc agtctgcctt tggttcgcaa gtttgccac tcgattctgc 60
agtgtttgga tgctttgcac aaaaacagaa taattcactg tgaccttaag cccgagaaca 120
ttttgttaaa gcagcagggt agaagcggta ttaaagtaat tgattttggc tccagttgtt 180
acgagcatca gcgtgtctac acgtacatcc agtcgcgttt ttaccgggct ccagaagtga 240
```

```

tccttggggc caggratggc atgcccattg atatgtggag cctgggctgc attttagcag 300
agctcctgac gggttacccc ctcttgctg gggaagatga aggggaccag ctggcctgta 360
tgattgaact gttgggcatg cctcacagaa actgctggat gcatccaaac gagccaaaaa 420
ttttgtgagc tccaagggtt atccccgtta ctgcaactgtc acgactctct cagatggctc 480
tgtgttccta aacggaggcc gttcccggag gggaaactga ggggccacc ggagagcaga 540
gagtgggkka acgcgctgaa ggggtgtgat gatccccctt tccttgactt cttaaaacag 600
tgtttagagt gggatcctgc agtgcgcatg accccaggcc aggccttgcg gcacccttg 660
ctgaggaggc ggttgccaaa gcctcccacc ggggagaaaa cgtcatgaaa aggataactg 720
agagcaccgg tgctatcaca tctatatcca agttacctcc accttctagc tcagcttcca 780
aactgaggac taatttggcg cagatgacag atgccaatgg gaatattcag cagaggacag 840
tgttgccaaa acttgcttagc tgagctcacg tcccctgatg ctggtaacct gaaagatacg 900
acattgctga gccttactgg gttgaaaagg agtagctcag acctgtttt atttgctcaa 960
taactctact catttgtatc ttttcagcac ttaattttta tgtaagaaag ttgttcattt 1020
tgtttttata aaatacatga ggacaatgct ttaartttta aaaaaaaaaa aaaaaaaaaa 1080
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaagg gcggccgctc gcgatctaga 1140

```

<210> 15

<211> 2008

<212> DNA

<213> Homo sapiens

<400> 15

```

gccaggagac cctgaaacat gaaaccaaac aggccttgat attttttttt ttttaattac 60
tttccccttt tgcttgattc ttcttccttg gtatcatatt caaaggagga aagaatggat 120
gacacttagg gacaggctac taagcagaat aggtattagt tggtttttta ttatttttaa 180
atttataatg ctctcatgta ttgaagggtc tactttaaaa actgtgttaa tgtacttgca 240
aatctcctgc tggctcatga aacagcagaa ttccagccaa ggcaaatca gttggatcta 300
gggcttgaaa actgcccag attaaagagc taagatgaaa tagtttgaat aaactggtaa 360
aataacaatt catactatct ctacatatct ttaggatag aatttttttt tcctgctggg 420
tagattgtcc agtgacttat ggcatgaatt tctttcatg ctaccttcaa tcttcaacta 480
aagatttcta aaaggggtta gaaatgaggc agtagtttat taaatacata gaagtacaca 540
gctattatat gctgtggctt tgagaagtta acttttgtgg aatatgaaac caaaggaaga 600
atttccatgt agataaatta agaataggga aaacatcta cctaaaagat ggtgtccct 660
aaaaaactgg aaacatctga aatgctctat ttatgttatt attcctggga gcttatagcc 720
cattattttt actttttttt tttaattcag aagactagaa cagaacttaa attttcaaaa 780
cttttgatca taatgctttt gccatactg tctcgtcctt agccccagtg acatgtgctg 840
atcctcctgc ctttagttct aaatgggtct gaatagcttt aaaagatgaa taagaaaaaa 900
gatcaagctc ttttgaggct agagggctca tatggagatc taaaaccctc catgttcatt 960
tccagacttg gtcaggcaca tacatagtaa attataatca atcatgggaa ttacataagg 1020
ataatgaggc ccaactgaaa ccaagtttca gtctgcctta cctttaccctg tccttgagaa 1080
cagcgggtcca ggagaatcag gcagtctgtg gcctcctgta gcagggcgct cttaacagac 1140
tcaggtgtaa ggtttggtc ccttgctaca tcacaaatca gtttcaagag ggccttcagt 1200
aagaccacaa gtctgcagga aactctggaa tcaggaagaa aagctatgtt catactctaa 1260
atctggatat taaaattgga agagacttca aagactgtca agtggaagc tatcatttcc 1320
taaatgaagg aacttaggtc aaagttaa at gaaaaagacc taaaaacaga accaaagaca 1380
gcctctagat ttcttaccct caagtctcct gtttagcatac tgcctataca cacagacaca 1440
ccctctgcca cactgctctc ttcttccag aagcttggtt ctactgtaag caacagctcc 1500
ttcatgggct gagaagggga aaccaggatc tccccacca agggcctata cttttatttt 1560
tcaactctat taactgaact atgcttgag agagccctga atcctttaac tttaatgcca 1620
tcttaggcct ggaagttaga gtgagggaaa tgagcttggtc ttctgggact gtgtcaagtt 1680
gaattttctg tcatttaatt tcagatccta gctcatcatc agtgaagtcc agcctactta 1740

```

```
cttctaacta ttaacctttc taaaagtttt catcgcttg gtaaagctcc agaaatggac 1800
aatgctagtg actgcacaat attgtgactg tacttaatgc cactgaactg tacacttta 1860
aatggaaaaa ttatatgtat ttttaccaca ataaacaaaa aaccctaaaa aaactttaat 1920
gaaaggtgga aaataattta acttayaatg tgaaaatata atgtgaaatg tacaataaat 1980
catatztatg gcaaaaaaaaa aaaaaaatt 2008
```

<210> 16  
<211> 371  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (350)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (360)  
<223> n equals a,t,g, or c

```
<400> 16
agagagctag agggactagg agataatgtg tatgtagggt tatgtgatgg gatatcaccc 60
tgaagagttg tgtcttttgt ggccagtgc aaatccagga aatgaatgtt gctgatagg 120
ataaatcttg aggctgaggg cgggtggtac agatgtgtat gggaaacccc aaccctata 180
tattgtaaat agatgggctg ggctaaacat tgttgccgtt tcatacttct accaactcag 240
cttttacaca ataaagctct actgtctctg aaaaaaaaaa aaaaaaaaaa aaaaaaaa 300
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaattn gggggggggn 360
cccccccccc c 371
```

<210> 17  
<211> 763  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (6)  
<223> n equals a,t,g, or c

```
<400> 17
aaaaanaaaa aaaaaaaaaa aaacggaaat aaagtttaaa aaatcaatca acatggcctt 60
taattttaac aattttaaca gcaagtgggt gggggagttc tcagatgagc aactggagct 120
ggaagcactt ctgtgggtcaa gcaggcagcc catgggggtg catcttcctg ttgggggatc 180
atccattttc ttcaatgaat agttttaagt cttgtcaaat gctcacacag agggccgcta 240
ttaaggaggc agacaggcaa cattcaatac gaaggcagga caagctcagc cccgctcctt 300
cattcgggca tgtgtcatta gggatgacat tctctgaagg ctgcccggct tgaatggcca 360
aatccctgca tcatggcttt ctttaattcc ctctgctccc aactcacaaa atgaggacct 420
ctcttttaag acgaaaagg cactgttcct caaaggatata catttggaac ttcaataatg 480
aaagcatctc ttgcttgcca ggtggaatat aggcaathtt ggatttttaa tgcattggcat 540
ggggcgggag tgaaatatct tgccagggct tgtttgccct ataattggag agaaccaggc 600
```



ctctggatga tacggtatca aacactgctg ctcttttctg ttttcttttg tgggaaagg 660  
aggaggatag aatggagagg aattagtggg agcctggggg aagttcaaaa taaagaaact 720  
gtgaaatcct ccacctcaaa gttgggtctg caccaggatt ctg 763

<210> 18

<211> 1926

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (898)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1024)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1083)

<223> n equals a,t,g, or c

<400> 18

aataacttga ctggaattct agaaaccgct gtcagagcca ccaacgcaca gtttgacagt 60  
cctgagatcc tgcgaaggct ggacgtgctg ctgctggagg tctctccagg tgacactgga 120  
tgggatgtct tcagcctcga ttatcatgtt gacggaccaaa ttgcaactgt gtttactcga 180  
gaatgtatga gccactacct aagagtattt aacttcctct ggagggcgac ggatggaata 240  
catcctcact gacatacggg agggacacat gtgcaatgca aagctcctga gaaacatgcc 300  
agagttctcc ggggtgctgc accagtgtca cattttggcc tctgagatgg tccatttcat 360  
tcacagatg cagtattaca tcacatttga ggtgcttgaa tgttcttggg atgagctttg 420  
gaacaaagtc cagcaggccc aggatttgga tcacatcatt gctgcacacg aggtgttctt 480  
agacaccatc atctcccgtc gcctgctgga cagtgaactc agggcacttt taaatcaact 540  
tagagctgtg tttgatcaaa ttattgaact tcagaatgct caagatgcaa tatacagagc 600  
tgctctggaa gaattgcaga gacgattaca gtttgaagag aaaaagaaac agcgtgaaat 660  
tgagggccag tggggagtga cggcagcaga ggaagaggag gaaaataaga ggattggaga 720  
atttaaagaa tctataccaa aaatgtgctc acagttgcga atattgacct atttctacca 780  
gggtatcgtg cagcagtttt tgggtgtact gacgaccagc tctgacgaga gtcttcggtt 840  
tcttagcttc aggtctggact tcaacgagca ttacaaagcc agggagccca ggctccgntg 900  
tgtctctggg taccaggggg cggcgcattc ccacacgtga arctcgcggt cctcccargg 960  
agctgcgggt gatgttcgtt gcaactgctag acacgaaatt cccattgacg tcctgcagga 1020  
actnatkret gcaggtgtcc tgcccttccg cccacgagtg cgccatgttt cagcggaggc 1080  
cgntgtggga gaagccacgt cgtgtttcam atgtcggagt cgaatgcatt tktaaatccc 1140  
taagtcaagt aggtctggctg cactgttcac atttgtctct aaaagtcttc atcgctaaaa 1200  
gataccataa tttgctgagg cttcttaagc tttctatgtt ataatttata tttgtcactt 1260  
taaaaaatcc atttctttta gaaaaaatta gggatgatag atattcatta gttaagatgg 1320  
taacgtcatt gctatttttt taacatcctc ttttagaggta atttttgtta acataaccaa 1380  
aaattaaatt gaaacaaaat gtcccaacta agaaaatata tagagcattt tatttttttt 1440  
tagtgttgta aaatattaac ctctgtgaga tcctttgtat cttaatgcat tacctttaca 1500  
catattttatt cttattttct ctcttttcag agtttacatt tttatattta atttactatt 1560

```

tcagatTTTT aaaatagtat agaaaaaagt aggagtgata gagaacaaaa atactcttat 1620
acagtgcac ccaaataccg cgaatgcac agctaaagca gcgtgtaaat aggagtgcg 1680
agaaagttaa tggagtattt tttttcaaa gttcctgata agcattggaa agaaatcgac 1740
atggataatg aagatttcct ttttccttgc ctattttttc attgtaaata tttatatact 1800
actgmccaag atgttggggg gggggggatt gttttttgta aaaatgtcat tatcagggtca 1860
cataaatctg cctttatgtt gcataagtga aaatttagaa aattaaaagc aattatcttt 1920
magaaa                                           1926

```

<210> 19

<211> 2301

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (190)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2052)

<223> n equals a,t,g, or c

<400> 19

```

tcttatcaca tctaagcctt accaggtaga gaaggtagta aatacacttt agaagtaaaa 60
atatgaagta ccgagaggct aaaccactg gcctaagatc tcaccaagt tcatgaaaac 120
caggactagg acccacggct cccaaagccc gttcttgctg tgttgctgctg cctccatctc 180
cgtcagaagn agcctttcca gaatgattct gggcatatac taagaagagc aggtatggaa 240
agatctattg tcagggaatc ttagaattcc ctacacgagt gggagaaaga tgtccaaatt 300
ccttacgcat ggtattcatg atggtgccct atctaagtcc aggactgttt tcctacagcg 360
tgcctcaaaa gtgttgtaga gggcaggatt ctacattcac agcctgttcc atctacgaga 420
ttttccagat gctacttggt gtagacattc ctaactcatg gtacttagcc accagagatc 480
atgatggaat gagtgggtgg cttttctacc tgccattccc tcagaattca tgarggggtg 540
gggacagggg gaccggaatt gtcttagcac cccaatgtta tgacaaaact atgctacttt 600
agaaacgcag tctgtttttc accaattgac atactactga tctgaagtaa ccagtgccat 660
cataagaaat tactgcatta agaaaatcct tgctgtgccc tttgaaaagc tgttcagaaa 720
tcatttacag tgatctttca tctcggtcgc tgtagtgaac attttagtgt gataaatctc 780
aaaattctaa acaaattacc cacttttata ttggaaatct ctaccagaac tccctcttca 840
tttttwaagg catacatttg cttgttttca agatcaagaa ttctgagcta gctttaagta 900
gcaaaactgat ttatatgtgc aattatagga tgcattaaga tgaatgatag cctttacata 960
ttgaaaactt tgcagacggt ttgttttgaa aatggcattg tatagtaaat gcaaattaat 1020
tttgtaaaat tatgtttaaag agtatgttca gacactttct gccatggcca aaaagtatgt 1080
atgaaagtat gtgtgtattt gtttgtaaaa ggatgccaat gttttacctg atatcttagt 1140
gacacttcag ttatctatgc attctttaga tctgtgatcc ggtaaacagg cagccatggt 1200
cacgatgcct tctatgtctt accatatttt taattaacct gttaaataca gcttaaaata 1260
tttttatttt atttattctt tttttactga aatatactgc attattgtgt taatgtatta 1320
tctttcctgg atattatctc ccagtgtatc cagatctaag taatctcagt gaactataca 1380
ttgcctaaaa agtgggtttt taatgatttg tagtcacatt tctattggga tatgtagaag 1440
aaaaggcaaa atgctttaaag ttccctttat tttttaaaag cagctagata gacacagact 1500
tgccacctca tacatctgct ccttggaac atcaagggga acgactagcc aacatgccta 1560
tggctaaaaa ctttcctttg cagactaaag cactgcttgg tgcttcgttt ttctaccctt 1620

```

cacaacatgt gtgatttcat ctaagagata tatacatgta cacatgccct ttgtttccac 1680  
ctggatacaa gatcactcat agctaattag gaccattgtt ttttgttcat ctgtcttggt 1740  
gcatgaaggg acatttagacc catttccatt aaaataagtt cttggtgata aactgtggca 1800  
ctgctacttc tttttaaatc cactttatga tttcaagatg gacacttgta agatgactcg 1860  
acacaaggcc attgcctgga agccccagag ctttcctctg tttgtatggc ccgttcatgt 1920  
cccaggcatt gcaacacaaa ctcaagattt caccacaaca tgacaagcat tttcctaact 1980  
gatattagca caatttaact aataagcccc ttcgctctct agttggccag gcttaaccta 2040  
atacacatct anactgtgtg ccacacggcc agtagaaagt ttaacttcag cttcagggca 2100  
aagataccca ctcacaccgt gtcaacgcaa gcagtagttc ctggcctcca gagcagetta 2160  
cttcccctga aagaacgctt tgttttcctt tatgccctt tcctgttgac cacttttaca 2220  
catttaaatg taatttggtg tgagaataaa tttagctgca taaaaaaaa aaaaaaagg 2280  
gcggccgctc gcgatctaga a 2301

<210> 20

<211> 538

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (507)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (514)

<223> n equals a,t,g, or c

<400> 20

agaggccgcc aacatgatcc tgggtgatga tgacttctca gccatcatga atgcagtgga 60  
ggaaggcaag ggtattttttt acaacatcaa aaactttgtc cgattocagc tgagcacgag 120  
catctccgcc ctgagtctca tcaactctgtc caccgtgttc aacctgcccc gccccctcaa 180  
cgccatgcag atcctatgga tcaacatcat catggatggg ccaccgggca gaggtgaggc 240  
agggcggtgt ggagccctgt gtctctttac ctacctgcgg ggcttcctcc aggggctgct 300  
ggctgtgccc aaggctatag ggatgaacaa atacagccac tttccatcag gagtccccag 360  
aaaactgaag tgtgttgac tgagtgaga ctgggagtag aaggcagagg agaaagtacc 420  
tgggccggca gagctgggtg aggatggaac tttctgcttc ctctggctgg atgctctctc 480  
tgggcaaacc tgcattgggtt aattctnatg cttnaatttc aagtcacca gtcactgg 538

<210> 21

<211> 1403

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1370)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1386)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1393)

<223> n equals a,t,g, or c

<400> 21

```
ggcacgagtg gccacatttc cagtacccag tagtcatctg tgccaggggg ttatccaggt 60
acagaacatt cccatcggtg cagaagggtc tatcagctag cactgggttg gacgacactt 120
gccaaagacga gctggctaga ggatrgttct ccggacctgg tcccacgtgg tcccagctg 180
gctggaggcg tgatcctggg tgtggccctg tggtccgcc atgaccgca gaccaccaac 240
ctcctgtatc tggagctggg agacaagccc gcgcccaca cttctatgt aggcattctac 300
atcctcatcg ctgtggggcg tgtcatgatg ttctgttggt tcctgggctg ctacggggcc 360
atccaggaat cccagtgcct gctggggacg ttcttcacct gcctggteat cctgtttgcc 420
tgtgaggtgg ccgccggcat ctggggcttt gtcaacaagg accagatcgc caaggatgtg 480
aagcagttct atgaccaggc cctacagcag gccgtggttg atgatgacgc caacaacgcc 540
aaggctgtgg tgaagacctt ccacgagacg cttgactgct gtggctccag cacttgact 600
gctttgacca cctcagtgtc caagaacaat ttgtgtccct cgggcagcaa catcatcagc 660
aacctcttca aggaggactg ccaccagaag atcgatgacc tcttctccgg gaagctgtac 720
ctcatcgcca ttgctgccat cgtggctcgt gtgatcatga tcttcgagat gatcctgagc 780
atggtgctgt gctgtggcat ccggaacagc tccgtgtact gagggccgc agctctggcc 840
acagggacct ctgcagtgcc ccctaagtga cccggacct tccgaggggg ccatcaccgc 900
ctgtgtatat aacgtttccg gtattactct gctacacgta gcctttttac ttttggggtt 960
ttgtttttgt tctgaacttt cctgttacct tttcagggtc gacgtcacat gtaggtggcg 1020
tgtatgagtg gagacgggcc tgggtcttgg ggactggagg gcaggggtcc ttctgccctg 1080
gggtcccagg gtgctctgcc tgcctcagcca ggctctcct gggagccact cggccagaga 1140
ctcagcttgg ccaacttggg gggctgtgtc caccagccc gccgctcctg tgggctgcac 1200
agctcacctt gttccctcct gccccgggtc gagagccgag tctgtgggca ctctctgcct 1260
tcatgcacct gtcctttcta acacgtcgcc ttcaactgta atcacaacat cctactccgt 1320
catttaataa agaaggaaca tcaggcatgc taaaaaaaaa aaaaaaaaaa ksgggggggg 1380
gcccgnatcc canttggccc aat 1403
```

<210> 22

<211> 478

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (474)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (475)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (476)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (478)

<223> n equals a,t,g, or c

<400> 22

```
gagcagaaag tagatgctta atggcagtgt tctctgaccc agacatgaat cagaatcacc 60
tggaagggct tgtaataaca aattgctagg ccacaaccct aaagtttctg attcagggta 120
gggcaaggcg aggccttaaac ttcaggccag gggccacttt aagaattgct atatggccag 180
ggccggggcg ggtggctcac gcctgtaatc ccagcacttt gggaggccga ggtgggcgga 240
tcacaaggtc aggagatcga gaccatcctg gctaacacgg tgaaaccctg tctgtagtaa 300
aaatacaaaa aaattagcca ggcatggtgg tgggtgcctg tagtcccagc tacttgggag 360
gctgaggcag gagaatggtg tgaacccagg aggtggagct tgcagtgagc cgagatcgtg 420
ccactgcact ccagcctggg caacagagcg agacttccgt ctcaaaaaaa aaannnnn 478
```

<210> 23

<211> 1252

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1227)

<223> n equals a,t,g, or c

<400> 23

```
tttcgagctc tgcaccgagg agctgccctg gacttgagtc ccttgcatcg gagtcccat 60
ccctcccgcc aagccatatt ctgttgatg agcttcagt cctaccagac agcctttatc 120
tgcttgggc tcctgggtgca gcagatcatc ttcttcctgg gaaccacggc cctggccttc 180
ctggtgctca tgctgtgct ccatggcagg aacctcctgc tcttcctgct cctggagtcc 240
tcgtggccct tctggctgac tttggccctg gctgtgatcc tgcagaacat ggcagcccat 300
tgggtcttcc tggagactca tgatggacac ccacagctga ccaaccggcg agtgctctat 360
gcagccacct ttcttctctt cccctcaat gtgctggtgg gtgccatggt ggccacctgg 420
cgagtgtctc tctctgccct ctacaacgcc atccaccttg gccagatgga cctcagcctg 480
ctgccaccga gagccgcact ctcgaccccg gctactacac gtaccgaaac ttcttgaaga 540
ttgaagtcag ccagtcgcat ccagccatga cagccttctg ctccctgctc ctgcaagcgc 600
agagcctcct acccaggacc atggcagccc cccaggacag cctcagacca ggggaggaag 660
acgaagggat gcagctgcta cagacaaagg rctccatggc caaggagct agggccgggg 720
ccagccgcgg cagggctcgc tggggtctgg cctacacgct gctgcacaac ccaaccctgc 780
aggtcttccg caagacggcc ctgttggtg ccaatggtgc ccagccctga gggcagggaa 840
gggtcaacca cctgccatc tgtgctgagg catgttctg cctaccatcc tcctccctcc 900
ccggctctcc tcccagcatc acaccagcca tgcagccagc aggtcctccg gatcacggtg 960
gttkggtgga ggtctgtctg cactgggagc ctcargargg ctctgtcca cccacttggc 1020
tatgggagag ccagcagggg ttctggagaa aaaaactggt gggttagggc cttggtccag 1080
gagccagttg agccagggca gccacatcca ggcgtctccc taccctggct ctgccatcag 1140
ccttgaaagg gcctcgaata aaccttctct tggaaccact ccaagcccag ctccactcag 1200
ccttggcctt cagccttggt gaaacancca aggcattcct ccaccctca ag 1252
```

<210> 24  
<211> 1074  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (928)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (934)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1028)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1031)  
<223> n equals a,t,g, or c

<400> 24  
gctggccttt gctctgcgga ctggcgcccc cctggcacag aggtgacatc tcaagggccc 60  
aggcagccct cttctagtgg tgccaagagg cggaggctgc gggctgccct tgggtcccag 120  
cccactcgct cagccctgag gtttccctct gcttccccag ggagcttgaa ggccaagcag 180  
tccatggcgg gaatccstgg tagggagagt aatgccccat ctgtgcccac tgtctccctg 240  
ctgccggggg cgcctggagg caatgccagc tccaggacag aggctcaggt gcccaacggg 300  
caaggcagcc caggggggctg tgtctgttca agtcaggctt ccccgggccc tcgcgcagca 360  
gcgcctccac gggcagcccc gggccccacc ccacgcactg aagaggccgc ctgggctgcc 420  
atggccctga ccttccctgt ggtgctgctc accctggcca cgctctgcac acggytgac 480  
agaaacttcc gacgcgggga gagcatytac tggggggcca cagcggacag ccaggacaca 540  
gtggctgctg tgctgaagcg gaggctgctg cagccctcgc gccgggtcaa gcgctcgcgc 600  
cggagacccc tcctcccgcc cacgccggac agcggcccgg aaggcgagag ctcgagtgta 660  
cggcctggga cctgccactg tggcgtgcgg ctctccccg cgcgcgagag ccgcgacctc 720  
tgccacgtgg accgcgcgcg gggcgctccc tgggtggcgt ggcgcggcac tggccgagca 780  
ctgcgggggc tttctcctt gttggttgct gagtgggcgg ccaaggggag aaaaggagcc 840  
gcttctgcct cccttgccaa aactccgttt ctaattaaat tatttttagt agaaaaaaaa 900  
aaaaaaaaaa aaaaaggcgg ccgtttanag gatncctcga aggggcccga gttaacgcgt 960  
gcatgcgaag tcataactct ctccctataa tgatcgtatt ataagtaagc actggccgtc 1020  
gtttttanaa ngtcgtgaat ggggaaattt gctaactttg ggaacttttt gaaa 1074

<210> 25  
<211> 1186  
<212> DNA  
<213> Homo sapiens

<400> 25

tatcagctca agccttacac cayccacctc atcaaggacc tccacttttt ccttcgagtg 60  
ctcatccaac tgtaccaccg tatccctcac aagctacaca tcataccact ttgggaccgg 120  
gacccagca ccagccttct ggaacagggc cacattgtcc attacctgtc acaggctctc 180  
atctccagcc ccaaggacca aacagtattc caacacctac tgcttcaggg ttctgtctc 240  
atcctggctc tgtggccctg ccacatgggg ttcaaggacc tcagcaggca tctccagtgc 300  
ctggacagat tccaattcac agagcacagg tgccaccaac atttcaaac aattaccatg 360  
ggtcagggtg gcattaaaaat ggactccaaa aacatttttt taaatgttct gtaagataaa 420  
ctgtatatatt catatgtacc tgtaaggta ctttttaaag cttgtacatg aacctttgta 480  
taaaaaacac cagtgcctct tcgttgattt tttctcattt ttgcttttta aaattccttt 540  
aaaaaatgtg ctgttaagcc agtattaggt atctttattt tgtaagtga cattccagct 600  
gtttttttct ggcagatctg atgctgattt gatgctgtat gatctttttt ttttttttag 660  
ttaaattcat ttagtgaatg ttctattatt ttatacatc acattaagta ctcagctaag 720  
taatggcact atgaggattt tttttttctt tcctgtcagc agcagttctg tgaatgcac 780  
ttaggtataa aaatgcaata cagattttta tattttgggt tggacatggc tcattttgtt 840  
ttaccagtta ttgcaagca aaatgtaatt taatgtatag atgatttcta atgtctcctg 900  
acaaactgta aatactgcat ttcttttgcg tatataattg cttacagctt ttctcatttg 960  
atatatagca ttgtacatat gacaagtctt ttgcaaaaact gtgtgatctt tgtgaaagta 1020  
gtacagtata tgacctttta tttctttttt attttaaata tactgtcaca ctgaagcact 1080  
ggttgggcat ttaattcat gtaataaat cacaattatg tcagttccca cgcgtccg 1140  
gacgcgtggg cggacgcgtg ggcggacgcg tgggcggacg cgtggg 1186

<210> 26

<211> 888

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (670)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (675)

<223> n equals a,t,g, or c

<400> 26

gccccaccc gctgtgactg cattctggga tccccagcct gggaatccaa gagctgtcgg 60  
ccatttttat tcctccctcc cagacctgac cccttcacg gggctcaaga gacctctctc 120  
tccaaatctc catttgcctc ctctggctaa gctggaaaat gcacactctg ccctgggtgt 180  
ttccatatta tccgcctgcc ctctctcctg ggtgcctccc gtagccttag taagggtctt 240  
gctttccttg gccctagag ctgagccatg ctttgccata aagggtgtcc cggcttgcaa 300  
ccaatgtgtc tgcttgtgca tctgtctgtg ggtgtggtgg ggaggagggg gaccaggtgg 360  
gtactggcac tctgggggtcc ggactttatg tccatggagg cccaattga ctcagttcaa 420  
gggtcactga ggctttgctg atgtaggagg agggccagag ggaggctcca cccagccgg 480  
gctgagccag ggaacctggg acaaaggtca ggtggctgat tccaggtagt gttttggagc 540  
tgggcagtca gtggctgggc ggggacatat gcccagagc caccatgaac tcccaggggc 600  
ctccaggcag gggccctcca tcccgcacca agtctttcaa catgatgtcc ccgacgggcg 660  
acaactcggc ctacnggctg agattaaggc aggaagagc ctgaagccga cggccagag 720  
caaggggctg accacagtgt tttcaggcat cgggcagccg gccttcagg taggcgggc 780  
cagcaggagc ctgcgacctg gcttcctctg ccctaggcca ccgggcgctc agccccaccg 840

cttctccctg cagcccgatt cgccgctgcc ttctgtgtca cctgcact

888

<210> 27

<211> 789

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (420)

<223> n equals a,t,g, or c

<400> 27

gggtcgaccc acgcgtccgg ttggtcttgt gtctataaga atgatcaagc tgcaaaggat 60  
aatccaacta aaagtcttca ggaagaagaa ccatgtccaa ggtttgccca tcagcttgta 120  
tacgatgagc tacacaaggt tcattactta ttggtggga atccaggaaa atcttgctct 180  
ccaaagatga gattagatga cttctgggtca ctgaagttgt gtagaccttc aaaagattat 240  
ttactgaggc attgcaagta cctcataaga aaacacakgt ttgaagaaaa ggcccaagtg 300  
gatcccttta gtgctctgaa atatttaciaa aatgatcttt atataactgt ggatcattca 360  
gaccacagaag agacaaaaga gtttcagctc ctggcatcag ctctattcaa atctggttcn 420  
agattttaca gctctgggct tttctgatgt ggatcacacc tatgctcaaa gaactcagct 480  
ctttgacacc ttagtaaatt tcttctctga cagcatgact cctcctaaag gcaacctggg 540  
agacctcatc acactgtaac tgaagagtca ctggacacag aaatggaaaa caggagtcca 600  
ttttccgctc tttggattgc agtccactg actgacagta aagctgcagt gattgaggac 660  
tgcaccagag ttctgaaggg atcttaacca tcacaagttt ttacctctt ccttcatgcc 720  
tgacctcaac cccgctctcc tcacctctatt cctaaattag gctaataaag tgaaattggg 780  
atactttcc 789

<210> 28

<211> 847

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (799)

<223> n equals a,t,g, or c

<400> 28

ctgtcctgag ctgttctactg cttggtggct accttctaag agtgagcatc tcacaagcag 60  
gtgtcttaag tgaggaaatg gaagctgcag cttcttaaac ctgggaatta gtagagcatt 120  
acctctgctg tattctatta gaggtcaagc catcactgaa gccatattca aggagagggg 180  
tcgtgcacac tcttccggaa atacgaccac atgagggtctg ccatcctgga aaaaatgcct 240  
cttggtggagc gagatggccc tcaggctgat gaggaagcaa aggaaagcaa agaagcagcc 300  
cagctttcag aagcagcccc agtgcccaca gagccccagg cctcacagct cctggatctg 360  
ctagatctcc tggatggggc ttctggggat gtccagcatc ctccccatct ggaccctcc 420  
ccaggagggtg ccctggtaca cctgcttgac ctccctgtg twcctccacc cccagctccc 480  
atcccagatc tcaaagtgtt tgagcgtgar ggagtacagc tgaatctgtc tttcattcca 540  
ccccctgaaa acctgcttt gctgttaatc accatcactg ccaccaactt ctgagagggg 600  
gatgtcacc atttcatctg ccaggctgct gtgcccaga gtctccagct gcagctgcag 660  
gccccagtg ggaacacagt tccagctcgg ggtggccttc ctatcaccca gctcttcaga 720



atcctcaatc ctaacaaggc cccctgcgg ctaaagctgc gctcactacg accactttca 780  
ccagtcggtg caggagatnt ttgaggtgaa caactgcctg tggaatcgtg gcagtaatgt 840  
ctccaat 847

<210> 29

<211> 666

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<400> 29

gganccatgg gagtatgcac atgggatcat aatccattct gtgggttgga aaaagaaaat 60  
gttaacctct gcttttagagg gtagctacta gctttgttgg ggataaaagt gtaatacatg 120  
cacttttgaa ctctgaaagt ttgccaatct gaaaaggggt gtttctgaag accactatct 180  
tttacgaaca cttaaaaata agtgtttgca gttgtgtatg ggcacgatac tgtattcttt 240  
acatttttat ggccctacag ctacttctta tccctgcaag tatataaatt aaaaccaagt 300  
cacttttagaa cagctttgaa actagagttt caaaggtaaa aggatctcat gtttctgaat 360  
ctgcgtaaaag caagatggct gtgatttgac aggtttaatt gctagktttt atagggtggat 420  
agaaatgaat agtttgaggt ctttaaaatg ttttaaaaaa tgtttgctta ctatctatat 480  
atatgacatt attcccaatt agttttatat ctccaagata tatatatgta tatagggtata 540  
tacacatatg tatatatata tagtctatat attctatata agaatatatt ccaataagaa 600  
tatattccat acgggaatat attagtcatt gatgtatttt gccggtaaaa ttaaaagata 660  
ttttaa 666

<210> 30

<211> 517

<212> DNA

<213> Homo sapiens

<400> 30

cgcctggctt cctgggtctg gctgctgccg cccgcgggtg tccgcccgtg tcgcgcgggg 60  
gcaccaagga gccgttgag ggtccgggag gagggccgct cgtgtggaag tcgtcgacgc 120  
cgccgctcgt ccgtccctcc gtccgttctc gctcccggcc gccatcatgc tggcgcctcat 180  
ctcccgcctg ctggactggg tccgttcgct cttctggaag gaagagatgg agctgacgct 240  
cgtggggctg cagtactcgg gcaagaccac cttcgtcaat gtcacgcgt caggtaatt 300  
cagtgaagat atgataccca cagtgggctt caacatgagg aaggtaacta aaggtaacgt 360  
cacaataaag atctgggaca taggaggaca accccgattt cgaagcatgt gggagcggta 420  
ttgcagagga gtcaatgcta ttgtttacat gatagatgct gcagatcgtg aaaagataga 480  
agcttcccca aatgagctaa cataatcttc tagataa 517

<210> 31

<211> 2675

<212> DNA

<213> Homo sapiens

<400> 31

gcgaggtcac gtgacggagc gccggagcgg agggagccgg ggctgggagt tctcctgagg 60

```

gaagaggagt ggagtagggg ggacgcggcg gggcggttga caatgagttt tcttgagggc 120
ttttttggtc caatttgtga gatcgatatt gttcttaatg atggggaaac caggaaaatg 180
gcagaaatga aaactgaaga tggcaaagta gaaaaaact atctcttcta tgacggagaa 240
tccgtttcag gaaaggtaaa cctagccttt aagcaacctg gaaagaggct agaacaccaa 300
ggaattagaa ttgaatttgt aggtcaaatt gaacttttca atgacaagag taatactcat 360
gaatttgtaa acctagttaa agaactagcc ttacctggag aactgactca gagcagaagt 420
tatgattttg aatttatgca agttgaaaag ccatatgaat cttacatcgg tgccaatgtc 480
cgcttgaggt attttcttaa agtgacaata gtgagaagac tgacagattt ggtaaaagag 540
tatgatctta ttgttcacca gcttgccacc tatcctgatg ttaacaactc tattaagatg 600
gaagtgggca ttgaagattg tctacatata gaatttgaat ataataaatc aaagtatcat 660
ttaaaggatg tgattgttgg aaaaatttac ttcttattag taagaataaa aatacaacat 720
atggagttac agctgatcaa aaaaagagatc acaggaattg gacccagtac cacaacagaa 780
acagaaacaa tcgccaaata tgaataatg gatgggtgcac cagtaaaagg tgaatcaatt 840
ccaataaggc tatttttagc aggatatgac ccaactccaa caatgagaga tgtgaacaaa 900
aaattttcag taaggtaactt tttgaattta gtgcttgttg atgaggaaga ccggagtagc 960
ttcaaacagc aggagataat tttatggaga aaagctcctg aaaaactgag gaaacagaga 1020
acaaactttc accagcgatt tgaatctcca gaatcacagg catctgccga acagcctgaa 1080
atgtgaactg aacaggagaa aaaaagaaaa gcmaaaaact cctgtwacc ttgarattaa 1140
gttcagcagg ttaaagatgg ttgcagctgg agggggcgga aaaaggccaa aactccatat 1200
atgttagtct tcctttatct tacagcgay wtttatttta tgatataatg aaatgttcgt 1260
tcatgtatat acatttttaa aagtgtttc tttgaaacac tggaactttg ttaagctgcc 1320
tttttttttt taacttccta ctttgatgat aagcactcag atatatatca gcgtaaacat 1380
gaaaaatttt catgtgagta ggctgggtatt tgtaattttg ctttctttct gcataatgtt 1440
gattataaat cctctctttt caggctaattg attacctctt attctctaca tgcaaaaaat 1500
taaataatttt gtgttcaaatt aaaattagaa aacytgagtg gcctcttggtg tcctgcagag 1560
atttaaaaca tggcatctca atatttttga gaactacatt tgtttttaac atatgtgttt 1620
gagaaaagca tatggagtgt ttcaccgcag gcacttctga gtaccattcc atggcttcca 1680
gaattttatc ctctttgagg tcttctgtgc tatgaatatt agatttcttt cccaaggga 1740
ttatgtggca ggtcattatg gccttctttt ttttgccat attaaagtaac agttttgcta 1800
tattccagta gtaccgtgt gtgttttctg caatgtggag ttgacttagc ttggcatttt 1860
agatttgtaa aaactatttt tccataaat actttgaaac gtatttatat atttcaattt 1920
aaggaatctt tttgccatgt gtatgcaaat attattttct tcatacattc attttctttt 1980
caggggaaaa ttttggtatg ggggactcag gaggacctgt gaagcatgta gttatctaga 2040
tctgggtaat ttcattgtta ttaaaactga actttggcta gttaaactca tattgaaact 2100
tcatctagtc tcttaatttt ttaacactaa attcaagtca tttgttttaa gtctctaaaa 2160
aagaagattg cagtcattca ttcatatgca tggggctctga tcgcaaatc actaaatgtg 2220
gagtgtagga accaaaatga aacctgctgt atggaaacta ctttactta tggttcattg 2280
gtttttgtac caatattttt tatgcacttc agtgcaagtc ttgtcagtta accttacttt 2340
atgagtaagc taaataaccc aaattacatt tctttaaac tgttttacta ctatggcact 2400
ttgataaaat ggtcaggaac caactttact ggcaaaaggg tccatgtacc accatgtgct 2460
ggagcatctg ttctacatgt ggatcwat gaatggtaat gtttctcttc atgtaagtgc 2520
ctattcagag ttctcagaatt ttaaaatgcc aaatattttc atggtcattt gcatgtagta 2580
agccagaaaa tattcaaaga gattttgaaa accaatttga ttaaccagc ctcaaattgt 2640
gcaaccatga tgtataataa agaatttgaa acaga 2675

```

&lt;210&gt; 32

&lt;211&gt; 277

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

<221> misc feature

<222> (109)

<223> n equals a,t,g, or c

<400> 32

```
agccgcaccc ccagcacttc ggacatggcc gaggaaggca gaggggccag cgggggcccc 60
ccagggtcgg agacctcgga gtctctcagt gactcactct acgactcgnt gtcctcttgt 120
gggagtcagg gctgaggggc tgcgccacgc cacggccccg ctggagctgg ggaccacaga 180
ctggaccggc tctcttcattg cccagccccc ggagacgggg accccttccc tgaaggggacc 240
aaggaggcag gtggataaga aggttgaaaa ggggggtt 277
```

<210> 33

<211> 921

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (839)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (846)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (886)

<223> n equals a,t,g, or c

<400> 33

```
cngtggcttt cctgcaccac tgccccccac caggatgatg gagagtaaga tgattgctgc 60
catacactcc agcagtgcag atgccaccag cagttcaaata tatcattcct ttgtcactgc 120
ttcatccacc tctgtggacg atgcattgcc ttaccactt cctgtccac aacctaagca 180
tgcttctcag aaaacagttt actcctcctt tgctaggccc gatgtcacca ctgaaccctt 240
tggtccagat aactgtttgc atttcaatat gactccaaac tgccagtacc gtccccagag 300
tgtacctccc catcacaata aattggagca gcaccaagtg tatggtgcca ggtcagagcc 360
accagcctcc atgggtcttc gttataacac atatgtggcc ccaggaagaa acgcatctgg 420
acaccactcc aagccatgca gccgggtcga gtatgtgtct tctttgagct cctctgtcag 480
gaatacctgt taccgccgaag acattccacc gtaccctacc atccggagag tgcagtctct 540
ccatgtcccg ccgtcttcca tgattcgtct tgttcccat tccggagag aagttcccc 600
agatgatgag ccagcctact gcccaagacc tctgtaccaa tataagccat atcagtcctc 660
ccaggccccg tcagattatc atgtcactca gcttcagcct tactttgaga atggccgggt 720
ccactacagg tatagcccat attccagttc ttctagtcc tattacagtc cagatggggc 780
cctgtgtgat gtggatgcct atggacartc cagttgagac cctttcaacg gctttccant 840
```

cgagantttg ttttttaciaa tcctaggttg caaggaaaga gctttntaca gttatgctgg 900  
gtttgggtcc aggtccccgg g 921

<210> 34

<211> 1467

<212> DNA

<213> Homo sapiens

<400> 34

aaaaaaaaa gaaaagttct gtgttgatgt acagttttct ctaagaagaa gcgaggtggt 60  
tgaatttttg aagcacttct tgaatcggat taacccatgc tcttattgaa ttttttcatc 120  
tgctctggtt agtttgatat taaagcaaaa ttaagaggtc ttagtttttc ctatagaact 180  
tttaatatgt caaaagctat attgtctaaa tttcagtact taagcaaata ctgagtagtg 240  
ttttaaatc agaaatagag cttctattat gaacacatga gaatgatttt tttctcttaa 300  
tcattattaa ggaaatattt taatttcatg gtcataataa ggtgataagt aatacctgat 360  
tgtttccttt tctgttctag taactcagag gagatactg ttttatttgt gatagcaaat 420  
tcctaaatga acattaggca agtggatatca ttatcaggcc agctgcagcc tcttgccctg 480  
acctgcattc ctagaatttc tttgttgctg taattcttga ttaagtgacc ttgactttca 540  
ttttgtaatt ttgctaatac tcagcaaat cacttgcatt acgttactgc caaatatgaa 600  
ggcagttgaa ttattatgag tgattgtggc agaggtttgt gccatggtga aaactttgat 660  
gtttgtctgt gttcattgga tccatctttt taaatgacat taccatgagt ctgttgtcaa 720  
acctaaatat ctttgtttga atttaaaatg ggactctata ttgtttagt tcaggtcttc 780  
attgactaag agattgagag aaatctgaca taagaaaata ttgttttcac tgcaggaata 840  
aagaggaagt aacagtgaat ccaatatagt tcatattgtt attgtccaat catcaagtta 900  
actaagcatt atcagattac gtttatttct catacatatg gatattaact taaggtaaaa 960  
aagctggatg tgaaggatct gaaaaggcat taatttatgt actaattcta taaacatgta 1020  
ttaataattg cagtattatt aaatacagat ggactcaatg tacctttgaa aagaccacta 1080  
atttagaaaa caaagctaag tgcagtcatt acaagaagca aagaaatact taagttagaa 1140  
aaaaattaaa atgaagggat ggtctaagtt ttcttcatgc tggaacaaat gttaaagaag 1200  
cagtgattgc ttacaatgta tgtgataaaa taataccttt cacaatcaaa attttaatag 1260  
taaatataag ataaaaattt tattaaataa tgaaaacgta tttgtactga atttagtcac 1320  
tagagaacat cgtaacaaaa tacatgaaac aaaagtagcc agaaatgtta gaacaggtgg 1380  
aaatgtatac attatttgat ggtttgtttt tttatggaaa taaacaacat acatagaatt 1440  
aaatgggtgat caaaaacatg gaaaaaa 1467

<210> 35

<211> 2077

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (730)  
<223> n equals a,t,g, or c

<400> 35  
cggacgggtgg gncgncgaca caatggggcca yggagttccc gttcgatgtg gacgcgctgt 60  
tcccggagcg gatcacggtg ctggaccagc acctggaggc cccagcccg cggacccgga 120  
accacaacgc cggcccgtgt tgatctacag cagcaaatta tgaccattat agatgaactg 180  
ggcaaggctt ctgccaaggc ccagaatctt tccgctccta tctactagtgc atcaaggatg 240  
cagagtaacc gccatgttgt ttatattctc aaagacagtt cagcccgacc ggctggaaaa 300  
ggagccatta ttggtttcat caaagttgga tacaagaagc tctttgtact ggatgatcgt 360  
gaggctcata atgaggtaga accactttgc atcctggact tttacatcca tgagtctgtg 420  
cangccatgg ccatgggcga gaactcttcc agtatatgtt gcagaaggag cgagtggaac 480  
cgcaccaact ggcaattgac cgaccctcac agaagctgct gaaattcctg aataagcact 540  
acaatctgga gaccacagtc ccacaggtga acaactttgt gatctttgaa ggcttctttg 600  
cccatcaaca tcctccagca aggaagctgc cacccaagag agcagaggga gacatcaagc 660  
catactcctc tagtgaccga gaatttctga aggtagctgt ggagcctcct tggcccctaa 720  
acagggcccn tcgccgcgcc acacctccag cscaccacc ccccgctcc agcagcctgg 780  
gaaactcacc agaacgaggt cccctccgcc cctttgtgcc agagcaggag ctgctgcgtt 840  
ccttgccctc ctgcccccca caccctaccg cccgccttct gttggctgct gaccctgggg 900  
gcagcccagc tcaacgtcgt cgcaccagct cccttccccg ctctgaggag agtcgatact 960  
aacagctacc ctctccctgc cctgggagac ctgggggtggg cagggaaccc ctccctgaga 1020  
acctcagacc cactcttcca ttgcatcctg taggaccag tggaacctga cagagcccat 1080  
aggattccct cttctacttt cttagacagc agggatgtca gggctctcaa ctgcctaaca 1140  
ctttgtagct tttcttaaca caaaagcacc ccttctctcc taacttgggc tctgaatact 1200  
ttcccaacag gaagtctgat ctggtgccag acttcttggg tagatggctc atacatttat 1260  
ctagagaagc acactcttgc ttgctgtcaa acttttagamc accatggaag gtctaagggc 1320  
atcctgtgcc agggaaactt ttttaaggaa tttatctatg ggataaaccc catattccct 1380  
ctagtgtcta ctgggtggctc taatactgct ttgtgctgcc tgccacactt gccctttgag 1440  
cctgcgaatg gccgctagtg agcaagctct gcttcagagc agtctagtta ggtagaacag 1500  
ggacttacca gcttcccaaa gggatctact caccattgcc aaactcttca tttccacatt 1560  
ttgtgtaggt gtcagggaa cccaaaactgg tgttgctttg gggctctctaa aggagattgg 1620  
ctgacaccac catttcccc agatccagat tctctgaggg aggttggttc ttgagagtag 1680  
atccagagtg tcaaggatct gttagatcct ggaatccctt cttgcatcca tccctccctg 1740  
gtagctaggt cccgatatac tcctgtcttg tgagattgtc gagatgagat gggggaccac 1800  
tcttctctct tccttccctc ctcccttccct ccatagcaag gacgacctc cctgctccat 1860  
gcccagagta tagctagatc ccttcccctc cctaccctct gaatgtgtgc tagatcaggt 1920  
gcccactgt gtttcctgaa atccttggga gccggatctc cccatctccc ctactcactc 1980  
ttcccttttc ttctctcagt gttgtctgaa taaagtgtga aatcttttgt gttttctaaa 2040  
ttgacatttt caatgaaaaa aagaatcaca aaaaaaa 2077

<210> 36  
<211> 384  
<212> DNA  
<213> Homo sapiens

<220>

<221> misc feature

<222> (366)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (370)

<223> n equals a,t,g, or c

<400> 36

```
ccagcaggag aatcctcccc tgccccttgg ctcaaaggcc ctggagccca cctcccagaa 60
gcccggtgtg ggggcgggcc acgggggaga tcccaagctc agtccccaca aagttcaggg 120
ccggtcggag gcaggggcag gtccgggtcc aaagcaagga caccacagct cttccgactc 180
cagcagcagc tccagcgatt cggacacgga tgtraagtcc cacgctgctg gctccaagca 240
gcacgagagc atccccggga aggccaagaa gcccaaagtg aagaagaagg agaagggcaa 300
gaaggagaag ggcaagaaga aggaggctcc ccactgaagg gcctggacaa ggctcattaa 360
atttcntctn tgccaaaaaa aaaa 384
```

<210> 37

<211> 468

<212> DNA

<213> Homo sapiens

<400> 37

```
gcgatgctgg gtgtggcagg cctcctgagc cggctggagg aggacaggct gctgctgcta 60
ccgaaggagg atgkctgtcg ctgggccttg gctgtaggca gctgggctta ctgccgggcc 120
ctgcatacac agcgccctcca gtgggagtga cagttggata cagccaggca gggtttctgc 180
cctgccgaac actttccctc ccacctgcct gctcctggcg ctttctccct aggggtagac 240
tcttctgcct actgaagtgg gtttgctgca cattgactgg tcaggggcag agtctgggtg 300
ctgtcccttg gccacgtgtg gggacttgct tagaccagaa tgaaaggaca ggggtcccaga 360
cacgtttggg ggtcctgatt ctgggctgga cacggttggt gatccagaga agaggcctag 420
tctccaataa atcttaggaa ttttgtagga aaaaaaaaaa aaaaaaaaaa 468
```

<210> 38

<211> 1095

<212> DNA

<213> Homo sapiens

<400> 38

```
ggcacgagga taatgagcat aagcgttcac tgaccaagac tccagccaga aagtctgcac 60
atgtgaccgt gtctgggggc acccaaaaag gcgaggctgt gcttgggaca cacaaattaa 120
agaccatcac ggggaattct gctgctgtta ttacccatt caagttgaca actgaggcaa 180
cgcgactcc agtctccaat aagaaaccag tgtttgatct taaagcaagt ttgtctcgtc 240
ccctcaacta tgaaccacac aaaggaaaagc taaaaccatg ggggcaatct aaagaaaata 300
attatctaaa tcaacatgtc aacagaatta acttctacaa gaaaacttac aaacaacccc 360
atctccagac aaagggaagag caacggaaga aacgcgagca agaacgaaag gagaagaaag 420
caaaggtttt gggaatgcga aggggcctca ttttggtga agattaataa ttttttaaca 480
tcttgtaaat attcctgtat tctcaacttt tttccttttg taaatTTTTT ttttttgctg 540
tcateccccc tttagtcaag agatcttttt ctgctaactg ttcatagtct gtgtagtgtc 600
catgggttct tcatgtgcta tgatctctga aaagacgtta tcaccttaaa gctcaaatc 660
```

tttgggatgg tttttactta agtccattaa caattcaggt ttctaacgag acccatccta 720  
aaattctggt tctagatttt taatgtcaag ttcccaagtt cccctgctg gttctaata 780  
taacagaact gcagtcctct gctagccaat agcatttacc tgatggcagc tagttatgca 840  
agcttcagga gaatttgaac aataacaaga atagggttaag ctgggataga aaggccacct 900  
cttcactctc tatagaatat agtaaccttt atgaaacggg gccatatagt ttggttatga 960  
catcaatatt ttacctaggt gaaattgttt aggccttatgt accttcgttc aaatatcctc 1020  
atgtaattgc catctgtcac tcactatatt cacaaaaata aaactctaca actcatctaa 1080  
catgcttact taaaa 1095

<210> 39

<211> 1757

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (596)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (647)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (648)

<223> n equals a,t,g, or c

<400> 39

gccagccacc attttatctc tctaaagtct ggtcccagta ttaaacctat tcttttagtaa 60  
actcatatta ctgttctaaa ttgaagaaat tatttattac tctgtacttc tagactcaaa 120  
attctttatc aaagatagtc tcaaagaggt agtacaagtc ctgtttaact gcactttttc 180  
acattcacag tgcttcctct gatattcttc cttacatcat tatacactgt tgatatcatt 240  
ttactcttct ttctcttcta catttcttaa attttggttc tttcctgta catgtgtttt 300  
agcggggccc ttttctttga actttgtcta attagcctgt acatttttgt ttcttttaag 360  
gtagaacaga tctttttttg tttctccttt taagtctact ggttttaaaa gaggtaaatg 420  
tatccataga ccacagtgcc ttgctttttc ctctgccagc acatggagca cgggattaga 480  
tgcacaaacc tatttaggga actatttttg tagatgtttg agtttataca gaaattgcag 540  
ctgggtatttt attttgctgt acatttactc aacttgtcca ttagtattta actatntcca 600  
gagtttggtt aggagtaaga attgacccat tcgttagttt accatanntt ttcttggtat 660  
aaaaaggagc cagaaataag ccttattgct aaataattaa ttatgtaagc ccacctaggt 720  
cctgcataag atccccctca catacttcac aatatatatg tgtgtgtgtg tgtgtgtgtg 780  
tgtgtgtgtg tgtgtgtgtg tgtgtatktg gctaaaaaat tatactgcca aaattactga 840  
ttataaatac ttgactacac tgattgatgg gacaaaatga ttaaagtatt ttcagggatc 900  
ttattccata tgcaccacc aaagatttct acagtgttat aaagtatata aatattccaa 960  
atttctgtgg ttaaataattt ttttcttttt tttccttttt tagaataaca cagtctgtgc 1020  
tttccaaaaa tgcttgaact tttatgttgt taagaaatat ataatgatat cttacattaa 1080  
gcatgagtct aatttgtatt aattgggatg gactaaattt tcatttgatt atcaggaaaa 1140  
ttaaggagtt atatatattaa aagcaatttt ctgtgttttc ttctttgtaa gttgactcat 1200  
ttgtgaagca attaggcaaa ttttgagaag atcattgtta ttgtggtttg cagtatatat 1260

```

ttcttagtaa atatcactta agattaaatt tttcagaaag aaaattatag cttttttccc 1320
aaaatatttt taagatttaa tctttttgta gtatgtaca gatttaatta tattaactct 1380
tttttaagac attgaccatg acttaacatt ttgccttcta acacctttta aatctatgta 1440
ctttaatagt taagagaaaa taagtttgca gatttttaat aatctgtttg taaaaggcta 1500
tctctaagcc tagtatgtgg gtaattttac aggtgtgttt tttgataact ttaatatata 1560
ataaactcat tttattttgtg gcaatttcgcg tttctttttt tatgccagag tacatatgtt 1620
ggattccatg aattgggtatt acttattatt atgtgttgat taaatatatg cacacactta 1680
ggattacaga tcacagagca aattatgaaa atcataaaca ttctggtatg gtcattccata 1740
ggattatgaa aaagaaa 1757

```

&lt;210&gt; 40

&lt;211&gt; 1945

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 40

```

accgggagct ggtgacggat ggcggggccg ccagcccctg gcgctgcaac tgggaacagt 60
tggtgaaccc gcgaccaagc gaggcggacc ctgaagcgga ccccgaggaa gccactgctg 120
ccagggtgat tgacaggttt gatgaagggg aagatgggga aggtgatttc ctagtagtgg 180
gtagcattag aaaactggca tcagcctccc tcttgacac ggacaaaagg tattgcggca 240
aaaccacctc tagaaaagca tggaatgaag accattggga gcagactctg ccaggwtcgt 300
ctgatgagga aatatctgat gaggaagggt ctggagatga agattcagag ggactgggtc 360
tggaggaata tgatgaggac gacctgggtg ctgctgagga acaggagtgt ggtgatcaca 420
gggagagcaa gaagagcaga agccactctg caaaaacacc gggcttcagt gtccagagta 480
tcagtgaatt tgagaaattt accaagggaa tggatgacct tgggagcagt gaggaggagg 540
aagacgaaga gagtggcatg gaagaagggg atgacgcgga agactcccaa ggcgagagtg 600
aggaagacag ggctggagat agaaacagtg aggatgatgg tgtggtgatg accttctcta 660
gtgtcaaaat ttctgaggaa gtggagaaag gaagagccgt gaagaaccag atagcactgt 720
gggaccagct cttggaagga aggatcaaac tacaaaaagc tctgttgacc accaaccagc 780
ttcctcaacc agatgttttc ccattgttca aggacaaagg tggcccagaa ttttccagt 840
ccctgaaaaa tagtcacaag gcacttaaag cattgttgag gtcattggta ggtcttcagg 900
aagagtgtct tttccagtac ccagacacta gatattctag agatgggaca aagcccaatg 960
cgggaagtga ggagatttct agtgaagatg atgagctggt agaagagaag aagcagcaac 1020
gargaagggt ccctgcaaa aggaagctgg agatggagga ctatcccagc ttcattggca 1080
agcgctttgc cgactttaca gtctacagga accgcacact tcagaaatgg cacgataaga 1140
ccaaactggc ttctggaaaa ctggggaagg gttttgtgct ctttgaacgc tcaatcttga 1200
ctcagatcga ccatattctg atggacaaag agagattact tcgaaggaca cagaccaagc 1260
gctcygtcta tcgagttctt ggcaaacctg agccagcagc tcagcctgtc ccagagagtt 1320
tgccagggga accggagatc cttcctcaag cccctgctaa tgctcatctg aaggacttgg 1380
atgaagaaat ctttgatgat gatgactttt accaccagct ccttcgagaa ctcatagaac 1440
ggaagaccag ctctttggat cccaacgatc aggtggccat gggaaggcag tggcttgcaa 1500
tccagaagtt acgaagcaaa atccacaaaa aagtagatag gaaagccagc aaaggcagga 1560
aacttcggtt tcatgtcctt agcaagctac tgagtttcat ggcacctatt gaccatacta 1620
caatgaatga tgatgccagg acagaactgt accgctctct ttttgccag ctccaccctc 1680
ccgacgaagg ccacggggat tgacatcgcc cactccgac acccagtggg cgcttggt 1740
ggtgcggctg ctggtccaga tggaggaaac cagtgaactt atggggctga gctagtaggg 1800
aagcccctgg aaagatgctg cgttccgaac ctgtgcctaa tacacgcaag ggcgctgtcc 1860
cgccaacccc cgcttttaaa cgccacaaat aaagagcatt gttaccgcca agtacgacgc 1920
ggccgcgaat taccggaccg gtaac 1945

```

&lt;210&gt; 41



<211> 588  
<212> DNA  
<213> Homo sapiens

<400> 41  
aggcgtatac caccatgact gaaaacaaaa gacttttttt tgagactccc tctcaaaaac 60  
aaaacaaaac aaaaaaatta gacaaatgct acattaatgt ttgggtgggc agattctact 120  
ttgaatctga agtttgcaga tatgcctata gatttttgga gtttaccact ttcttattct 180  
gtatcattaa tgtaatatTT taaattacta tatatgttac catttttctg gatttagtaa 240  
gaaatttgca gttttggttt gatgtaacaa ggggttttaat gtaatttatg ttagattttg 300  
catttttttc attactgtta tattttaacc tgactgactg atctaattgt attagtattg 360  
tgaataatca tgtgaaatgt tttgagacag agtactatat ttgtgaatat aattttatgg 420  
tttttttcac ttagaacctt tctgtgtgga aaactaagaa aattgctttc tgctgtataa 480  
tctggcattc attgtagatt aaagcttatt tttctgtgaa taaaacgtat tcaataaaat 540  
actattcttt aaaattawaw mawaaaaaaaa aaaaaaaaaa aaaaaaaaaa 588

<210> 42  
<211> 1568  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (104)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (112)  
<223> n equals a,t,g, or c

<400> 42  
cattagattt cactttttta aaaaacccag tggacattgc tataaataag atttatttgg 60  
ctacaaataa cctgggatgt tgcttattat gattgatgcc tgcnggtttg tncccaagct 120  
gagtgaattt gaacctcgct cctccctactc attttgatga ctgaggctgg tttataagaa 180  
aaggaagttt ggagaagaaa accgagatta gaaaatatca tgttttggtt ggagataaga 240  
accagggatg gcaagtacca gtgtgtacaa atgtatttca cggagtttga aggaacgcat 300  
aatcaagagg gaaaacaatt tgccttcat tggacgtatt atttggattt gggtagagca 360  
caaaatggaa tgtggtctgt taggagcatt ctgtttgttc ttttgtccct gatgtgatga 420  
atcattgccca catgctagat ggactcttca tatccagggt ttgtccctca gggctgagca 480  
ctgtattaaa gagtttttgt tgagtcattt aaccttagtg tccacatcca gatcagctgt 540  
aaaatgggga agacgtgtgc tgatttggaa tgaatgcaaa atatcactat cattttccta 600  
attacagagg agcaaagggt atcttcagcc ctttcagttc tatgctcaca tattcaaata 660  
tcaaagttaa tttagctgaa gttatttaaa aatcaagtct ttcaatatct gttcaaagaa 720  
aaagaacaca ctttgaaaat tctgcaaagc tgtctcccag tctttaaaat gtctggaagc 780  
actctccttc tttacaatac caacatcact ggcccagaat cttccctgtg ctagggttga 840  
aatataaata aattacttgt tttgtaaact tttgtaaaga atatttttgt agaaataact 900  
caaacatatt ctttgggtta tatttataca tatgtgaaat aaatatacta tcaaaagggt 960  
atattttata caaaaagtaa attgctacct tttgtatgct aatatgcaaa gttttgtata 1020  
atatgatggg ttatttttag ctctacactt aaaccatagg tgggtgagtg ggaacttttg 1080  
aaaactatca agaggcttgt tagacaaatt tatattctga aacctcaata agaaagcatt 1140

ccaggtttca atccttggtt tttgtcctgc tcccaaattc ttttttaaac ccatagttct 1200  
tgtgtcttat ttgattcttc tgctgtgcac attgtattgg tccttggtgc atgtagtcta 1260  
ctgtgtgttt tccgatttta taaggcagca tttctccata caaaaaraaa aaaaatgatg 1320  
tacatataaa cgcttttrtt gtatggctcc tccatgttac tgtatatatc tgccagcact 1380  
tcccagttac actcctgtga gtcagcttat tttacccta acataaatag tatgttttgt 1440  
agtagttatc aaatttaaga gataaagcaa tcagaatgtt tggattttct tctatcttaa 1500  
tgtgaatttc ataattaatg tctattttatt cagctattca ttaaaataca ggattccttg 1560  
gggaaaaa 1568

<210> 43

<211> 1060

<212> DNA

<213> Homo sapiens

<400> 43

gcttgtcatg agaagggtgt aaatatccaa aaagaccccg gtgaatctct cggcatgacc 60  
gtcgcagggg gagcatcaca tagaraatgg gatttgcccta tctatgtcat cagtgttgag 120  
cccggaggag tcataagcag agatggaaga ataaaaacag gtgacatttt gttgaatgtg 180  
gatgggggtcg aactgacaga ggtcagcccg agtgaggcag tggcattatt gaaaagaaca 240  
tcatcctcga tagtactcaa agctttggaa gtcaaagagt atgagcccca ggaagmctgc 300  
agcagcccg cagccctgga ctccaaccac aacatggccc caccagtga ctgggtcccca 360  
tcctgggtca tgtggctgga attaccacgg tgcttgata actgtaaaga tattgtatta 420  
cgaagaaaca cagctggaag tctgggcttc tgcattgtag gaggttatga agaatacaat 480  
ggaaacaaac cttttttcat caaatccatt gttgaaggaa caccagcata caatgatgga 540  
agaattagat gtggtgatat tcttcttgct gtcaatggta gaagtacatc aggaatgata 600  
catgcttgct tggcaagact gctgaaagaa cttaaaggaa gaattactct aactattgtt 660  
tcttggcctg gcactttttt atagaatcaa tgatgggtca gaggaaaaca gaaaaatcac 720  
aaataggcta agaagttgaa acactatatt tatcttgctca gtttttataat ttaaagaaag 780  
aatacattgt aaaaatgtca ggaaaagtat gatcatctaa tgaaagccag ttacacctca 840  
gaaaatatga ttccaaaaaa attaaaacta ctagtttttt ttcagtgtgg aggatttctc 900  
attactctac aacattgttt atattttttc tattcaataa aaagccctaa aacaacaaaa 960  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa gggcggccgc tctagaggat 1020  
ccaagcttac gtacgcgtgc atgcgacgtc atagctcttc 1060

<210> 44

<211> 1344

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (144)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (163)

<223> n equals a,t,g, or c

<400> 44

cccacgcgtc cggggccacc agggcctcct ggccccctg ggcccccagc ccctgttggg 60

```
ccaccccatg cccggatctc ccagcatgga gaccattgc tgtccaacac cttcactgag 120
accaacaacc actggcccca ggnnaccac tgggcctcca ggnctccag ggcccatggg 180
tccccctggg cctcctggcc ccacaggtgt ccctgggagt cctggtcaca taggaccccc 240
aggccccact ggacccaaag gaatctcttg ccaccaggga gagaaggcg agagaggact 300
gcgtggggag cctggccccc aaggctctgc tggggcagcg gggggaactg gccctaaggg 360
agaccctggt gagaagagcc actgggctcc tagcttacag agcttcctgc agcagcaggc 420
tcagctggag ctctgggcca gamgggtcam cctcctggaa gccatcatct ggccagaacc 480
agagctgggg tctggggcg ggcctgccgg cacaggcacc ccagcctcc ttcggggcaa 540
gaggggaggga catgcaacca actaccggat cgtggccccc aggagccggg acgagagagg 600
ctgagggtgg tggcgccccc tgaggcagac caggccaggc tccccctcct acctggactc 660
ggccagctgc ctccagggac cgcccgcca tatttattaa tgcctcagg gtcccttctg 720
ccatctaggc cttaggggta agcaggtctc agtcctggca ccatgcacat gtctgaggct 780
gagcaagggc tgagaggaga ggcttgggccc tcagtctccc tctgtgaagt ggggggaggc 840
aggccttcaa ggagggatag aggtacaagg cttcgtctca tctgctgtct gagcatccag 900
gccccaaagg actgagggag tcaggagctg gggtcggca catgcagaga tgacagggca 960
gggggcagtc ttcctcccc tccccgacca aacctcgggg agccctcctg tgccctccc 1020
tccttgttgt ccagtgtgg gytccccacc ccgaggtcag gctgccaat cctctgactg 1080
gatcaccggg ggcttcttgc ctcatgtctt ccctctgagc cccagggccc tccgcctct 1140
cagggtgggg atggggacat ggagaggaag gggccgccta ctcctgcaa tgcttgtgac 1200
agatgccagg aggtagatgt gtgctggcca ataaaggccc ctacctgatt cccgcacaaa 1260
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa gcgccgctc tagaggatcc aagcttacgt 1320
acgcgtgcaa cgcggtcat agct 1344
```

<210> 45

<211> 892

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (890)

<223> n equals a,t,g, or c

<400> 45

```
ttgagaagtt ggatgaatat atatatagac acttcttttg tcacactttt tccccctccat 60
atggacccag tcgacctgat aaaaagcaac gtatggtaaa tattgaaaac tccaggcatc 120
gaaaacaaga gcagaagcac cttcagccac agccttataa aagggaagg aaatggcata 180
aatatggtcg cactaatgga agacaaatgg caaatcttga aatagaattg gggcaattac 240
cttttgatcc tcaatactga ttcacaattg agttaaatta gacaactgta agagaaaaat 300
ttatgctttg tataatgttt ggtattgaaa ctaatgaaat taccaagatg acaatgtctt 360
ttcttttgtt tctaagtatc agtttgataa ctttatatta ttcctcagaa gcattagtta 420
aaagtctact aacctgcatt ttcctgtagt tttagctcgt tgaatttttt ttgacactgg 480
aaatgttcaa ctgtagtttt attaaggaag ccaggcatgc aacagatttt gtgcatgaaa 540
tgagacttcc tttcagtgtg agagottaaa gcaagctcag tcatacatga caaagtgtaa 600
ttaacactga tgtttgtgtt aaatttgtag cagagcttga gaaaagtaca ttgttctgga 660
atttcatcat taacatttta taatcttaca ctacttctt gtctttttgt ggggttcaaga 720
gccctctgac ttgtgaagaa tttgctgccc tcttaagagc ttgctgactt gttttcttgt 780
gaaatttttt gcacatctga atatcgtgga agaaacaata aaactacacc atgaggaaaa 840
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaccccg ggggggccc ga 892
```

<210> 46

<222> (476)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (478)

<223> n equals a,t,g, or c

<400> 22

```
gagcagaaag tagatgctta atggcagtgt tctctgaccc agacatgaat cagaatcacc 60
tggaagggct tgtaataaca aattgctagg ccacaaccct aaagtttctg attcagggta 120
gggcaaggcg aggccttaaac ttcaggccag gggccacttt aagaattgct atatggccag 180
ggccggggcg ggtggctcac gcctgtaatc ccagcacttt gggaggccga ggtgggcgga 240
tcacaaggtc aggagatcga gaccatcctg gctaacacgg tgaaaccctg tctgtagtaa 300
aaatacaaaa aaattagcca ggcatggtgg tgggtgcctg tagtcccagc tacttggggag 360
gctgaggcag gagaatggtg tgaacccagg aggtggagct tgcaagtgagc cgagatcggtg 420
ccactgcact ccagcctggg caacagagcg agacttccgt ctcaaaaaaa aaannnnn 478
```

<210> 23

<211> 1252

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1227)

<223> n equals a,t,g, or c

<400> 23

```
tttcgagctc tgcaccgagg agctgccctg gacttgagtc ccttgcatcg gagtccccat 60
ccctcccgcc aagccatatt ctgttggtatg agcttcagtg cctaccagac agcctttatc 120
tgccctgggc tcctgggtga gcagatcatc ttcttcctgg gaaccacggc cctggccttc 180
ctggtgctca tgcctgtgct ccatggcagg aacctcctgc tcttccgttc cctggagtcc 240
tcgtggccct tctggctgac tttggccctg gctgtgatcc tgcagaacat ggcagcccat 300
tgggtcttcc tggagactca tgatggacac ccacagctga ccaaccggcg agtgtcttat 360
gcagccacct ttcttctctt cccctcaat gtgctgggtg gtgccatggt ggccacctgg 420
cgagtgtctc tctctgccct ctacaacgcc atccaccttg gccagatgga cctcagcctg 480
ctgccaccga gagccgcaat ctgcaccccg gctactacac gtaccgaaac ttcttgaaga 540
ttgaagtcat ccagtcgcat ccagccatga cagccttctg ctccctgctc ctgcaagcgc 600
agagcctcct acccaggacc atggcagccc ccaggacag cctcagacca ggggagggaag 660
acgaagggat gcagctgcta cagacaaagg rctccatggc caaggagct agggccgggg 720
ccagccgcgg cagggtctgc tggggtctgg cctacacgct gctgcacaac ccaaccctgc 780
aggtcttccg caagacggcc ctgttgggtg ccaatggtgc ccagccctga gggcagggaa 840
ggtcacccca cctgcccatc tgtgctgagg catgttctct cctaccatcc tcctccctcc 900
ccggtctctc tcccagcatc acaccagcca tgcagccagc aggtcctccg gatcacysgtg 960
gttkggtgga ggtctgtctg cactgggagc ctcargargg ctctgctcca cccacttggc 1020
tatgggagag ccagcagggg ttctggagaa aaaaactggt ggggttagggc cttggtccag 1080
gagccagttg agccagggca gccacatcca ggctctctcc taccctgggt ctgccatcag 1140
ccttgaaagg gcctcgaata aaccttctct tggaaacct ccaagcccag ctccactcag 1200
ccttggcctt cacgcttgtg gaaacancca aggcattcct ccacccctca ag 1252
```

<210> 24  
<211> 1074  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (928)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (934)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1028)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1031)  
<223> n equals a,t,g, or c

<400> 24  
gctggccttt gctctgcgga ctggcgggccc cctggcacag aggtgacatc tcaagggccc 60  
aggcagccct cttctagtgg tgccaagagg cggaggctgc gggctgccct tggccccag 120  
ccactcgct cagccctgag gttccctct gttcccccag ggagcttgaa ggccaagcag 180  
tccatggcgg gaatccstgg tagggagagt aatgcccac ctgtgcccac tgtctccctg 240  
ctgccggggg cgccctggagg caatgccagc tccaggacag aggtcaggt gcccaacggg 300  
caaggcagcc caggggggctg tgtctgttca agtcaggctt ccccgggccc tcgcgcagca 360  
gcgcctccac gggcagcccc gggccccacc ccacgcactg aagaggccgc ctgggctgcc 420  
atggccctga ccttccctgct ggtgctgctc accctggcca cgctctgcac acggytgac 480  
agaaacttcc gacgcgggga gagcatytac tggggggcca cagcggacag ccaggacaca 540  
gtggctgctg tgetgaagcg gaggtgctg cagccctcgc gccgggtcaa gcgctcgcgc 600  
cggagacccc tcctcccgcc cacgccggac agcggcccgg aaggcgagag ctcggagtga 660  
cggcctggga cctgccactg tggcgtgcgg ctctcccccg cgccgcgagg ccgcgacctc 720  
tgccacgtgg accgcgcgcg gggcgtccc tgggtggcga ggcgcggcac tggccgagca 780  
ctgcgggggc tttcctcctt gttggttgct gagtgggagg ccaaggggag aaaaggagcc 840  
gcttctgcct cccttgccaa aactccgttt ctaattaaat tatttttagt agaaaaaaaa 900  
aaaaaaaaaa aaaaaggcgg ccgtttanag gatnccctga agggggccaa gttaacgcgt 960  
gcatgcgaag tcataactct tcacctataa tgatcgatt ataagtaagc actggccgtc 1020  
gtttttanaa ngtcgtgaat ggggaaattt gctaactttg ggaacttttt gaaa 1074

<210> 25  
<211> 1186  
<212> DNA  
<213> Homo sapiens

<400> 25

```

tatcagctca agccttacac cayccacctc atcaaggacc tccacttttt ccttcgagtg 60
ctcatccaac tgtaccaccg tatccctcac aagctacaca tcataccact ttgggaccgg 120
gaccccagca ccagccttct ggaacagggc cacattgtcc attacctgtc acaggctctc 180
atctccagcc ccaaggacca aacagtattc caacacctac tgcttcaggg ttctgtcctc 240
atcctggctc tgtggccctg ccacatgggg ttcaaggacc tcagcaggca tctccagtgc 300
ctggacagat tccaattcac agagcacagg tgccaccaac atttcaaac aattaccatg 360
ggtcagggtg gcattaaaaat ggactccaaa aacatttttt taaatgttct gtaagataaa 420
ctgtatatatt catatgtacc tgtaaggtta ctttttaaag cttgtacatg aacctttgta 480
taaaaaacac cagtgtctct tcgttgtatt tttctcattt ttgcttttta aaattccttt 540
aaaaaatgtg ctgttaagcc agtattaggt atctttattt tgtaagtga cattccagct 600
gtttttttct ggcagatctg atgctgattt gatgctgtat gatctttttt ttttttttag 660
ttaaattcat ttagtgaatg ttctattatt ttatacatac acattaagta ctcagctaag 720
taatggcact atgaggattt tttttttctt tcctgtcagc agcagttctg tgaatgcata 780
ttaggtataa aaatgcaata cagattttta tattttgggtg tggacatggc tcattttggt 840
ttaccagtta ttgcaagca aaatgtaatt taatgtatag atgatttcta atgtctcctg 900
acaaactgta aatactgcat ttcttttgcg tatataattg cttacagctt ttctcatttg 960
atatatagca ttgtacatat gacaagtctt ttgcaaaaact gtgtgatctt tgtgaaagta 1020
gtacagtata tgacctttta tttctttttt attttaaata tactgtcaca ctgaagcact 1080
ggttgggcat ttttaattcat gttaataaat cacaattatg tcagttccca cgcgtccg 1140
gacgcgtggg cggacgcgtg ggcggacgcg tgggcggacg cgtggg 1186

```

<210> 26

<211> 888

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (670)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (675)

<223> n equals a,t,g, or c

<400> 26

```

gccccacccc gctgtgactg cattctggga tccccagcct gggaatccaa gagctgtcgg 60
cccattttat tcttccctcc cagacctgac cccttcacag gggctcaaga gacctctctc 120
tccaaatctc catttgcctc ctctggctaa gctggaaaat gcacactctg ccctgggtgt 180
ttccatatta tccgcctgcc ctctctcctg ggtgcctccc gtagccttag taagggtctc 240
gctttccttg gcccctagag ctgagccatg ctttgccata aaggtgctcc cggcttgcaa 300
ccaatgtgtc tgcttggtga tctgtctgtg ggtgtggtg ggagggagg gaccaggtgg 360
gtactggcac tctggggctc ggactttatg tccatggagg cccaattga ctcagttcaa 420
gggtcactga ggctttgctg atgtaggag agggccagag ggaggtcca cccagccgg 480
gctgagccag ggaacctggg acaaaggtca ggtggctgat tccaggtagt gttttggagc 540
tgggcagtca gtggctgggc ggggacatat gcccaagagc caccatgaac tcccaggggc 600
ctccaggcag gggccctcca tcccgcacca agtctttcaa catgatgtcc ccgacggg 660
acaactcggn ctacnggctg agattaaggc aggcaagagc ctgaagccga cggcccagag 720
caaggggctg accacagtgt tttcaggcat cgggcagccg gccttccagg taggcggg 780
cagcaggagc ctgcgacccg gcttccctgg ccctaggcca ccgggcgctc agccccaccg 840

```

cttctccctg cagcccgatt cgccgctgcc ttctgtgtca cctgcact 888

<210> 27

<211> 789

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (420)

<223> n equals a,t,g, or c

<400> 27

gggtcgaccc acgcgtccgg ttggtcttgt gtctataaga atgatcaagc tgcaaaggat 60  
aatccaacta aaagtcttca ggaagaagaa ccatgtccaa ggtttgccca tcagcttgta 120  
taogatgagc tacacaaggc tcattactta ttggtggga atccaggaaa atcttgctct 180  
ccaaagatga gattagatga cttctgggtca ctgaagttgt gtagaccttc aaaagattat 240  
ttactgaggc attgcaagta cctcataaga aaacacakgt ttgaagaaaa ggcccaagt 300  
gatcccttta gtgctctgaa atatttataa aatgatcttt atataactgt ggatcattca 360  
gaccagaag agacaaaaga gtttcagctc ctggcatcag ctctattcaa atctggttcn 420  
agattttaca gctctgggct tttctgatgt ggatcacacc tatgctcaaa gaactcagct 480  
ctttgacacc ttagtaaatt tctttcctga cagcatgact cctcctaaag gcaacctggg 540  
agacctcatc acactgtaac tgaagagtca ctggacacag aaatggaaaa caggagtcga 600  
ttttccgctcy tttggattgc agctccactg actgacagta aagctgcagt gattgaggac 660  
tgcaccagag ttctgaaggg atcttaacca tcacaagttt ttacctctt ccttcatgcc 720  
tgacctcaac cccgctctcc tcctctatt cctaaattag gctaataaag tgaaattggg 780  
atactttcc 789

<210> 28

<211> 847

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (799)

<223> n equals a,t,g, or c

<400> 28

ctgtcctgag ctgttcactg cttggtggct accttctaag agtgagcatc tcacaagcag 60  
gtgtcttaag tgaggaaatg gaagctgcag cttcttaaac ctgggaatta gtagagcatt 120  
accctgctg tattctatta gaggtcaagc catcactgaa gccatattca aggagaggga 180  
tcgtgcacac tcttcggaa atacgaccac atgagggtg ccatcctgga aaaaatgcct 240  
cttggtggagc gagatggccc tcaggctgat gaggaagcaa aggaaagcaa agaagcagcc 300  
cagctttcag aagcagcccc agtgcccaca gagcccagg cctcacagct cctggatctg 360  
ctagatctcc tggatggggc ttctggggat gtccagcatc ctccccatct ggacccctcc 420  
ccaggagggtg ccctggtaca cctgcttgac cttccctgtg twcctccacc ccagctccc 480  
atcccagatc tcaaagtgtt tgagcgtgar ggagtacagc tgaatctgtc tttcattcga 540  
ccccctgaaa accctgcttt gctgttaatc accatcactg ccaccaactt ctgagagggt 600  
gatgtcacc atttcatctg ccaggctgct gtgcccaaga gtctccagct gcagctgcag 660  
gccccagtg ggaacacagt tccagctcgg ggtggccttc ctatcaccca gctcttcaga 720

atcctcaatc ctaacaaggc cccctgctg ctaaagctgc gctcactacg accactttca 780  
ccagtcggtg caggagatnt ttgaggtgaa caactgcctg tggaatcgtg gcagtaatgt 840  
ctccaat 847

<210> 29

<211> 666

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<400> 29

gganccatgg gagtatgcac atgggatcat aatccattct gtgggttgga aaaagaaaat 60  
gttaacctct gcttttagagg gtagctacta gctttgttgg ggataaaaagt gtaatacatg 120  
cacttttgaa ctctgaaagt ttgccaatct gaaaaggggt gtttctgaag accactatct 180  
tttacgaaca cttaaaaata agtggttgca gttgtgtatg ggcacgatac tgtattcttt 240  
acatttttat ggccctacag ctacttctta tccctgcaag tatataaatt aaaaccaagt 300  
cacttttagaa cagctttgaa actagagttt caaaggtaaa aggatctcat gtttctgaat 360  
ctgcgtaaaag caagatggct gtgatttgac aggtttaatt gctagktttt atagggtggat 420  
agaaatgaat agtttgaggt ctttaaaatg ttttaaaaaa tgtttgctta ctatctatat 480  
atatgacatt attcccaatt agttttatat ctccaagata tatatatgta tatagggtata 540  
tacacatatg tatatataca tagtctatat attctatata agaatatatt ccaataagaa 600  
tatattccat acgggaatat attagtcatt gatgtatttt gccggtaaaa ttaaaagata 660  
ttttaa 666

<210> 30

<211> 517

<212> DNA

<213> Homo sapiens

<400> 30

cgctcggett cctgggtctg gctgctgccc ccgcgcggtg tccgcccggtg tcgcgcgggg 60  
gcaccaagga gccgttgag ggtccgggag gagggccgct cgtgtggaag tcgtcgacgc 120  
cgccgctcgt ccgtccctccc gtccgttctc gctcccggcc gccatcatgc tggcgctcat 180  
ctcccgcctg ctggactggt tccgttcgct cttctggaag gaagagatgg agctgacgct 240  
cgtggggctg cagtactcgg gcaagaccac cttcgtcaat gtcctcgcgt cagggtcaatt 300  
cagtgaagat atgataccca cagtgggctt caacatgagg aaggtaacta aaggtaacgt 360  
cacaataaag atctgggaca taggaggaca accccgattt cgaagcatgt gggagcggta 420  
ttgcagagga gtcaatgcta ttgtttacat gatagatgct gcagatcgtg aaaagataga 480  
agcttcccga aatgagctaa cataatcttc tagataa 517

<210> 31

<211> 2675

<212> DNA

<213> Homo sapiens

<400> 31

gcgaggtcac gtgacggagc gccggagcgg agggagccgg ggctgggagt tctcctgagg 60



gaagaggagt ggagtagggg ggacgcggcg gcggcgttga caatgagttt tcttggaggc 120  
ttttttggtc caatttgtga gatcgatatt gttcttaatg atggggaaac caggaaaatg 180  
gcagaaatga aaactgaaga tggcaaagta gaaaaaact atctcttcta tgacggagaa 240  
tccgtttcag gaaaggtaaa cctagccttt aagcaacctg gaaagaggct agaaccacaa 300  
ggaattagaa ttgaatttgt aggtcaaatt gaacttttca atgacaagag taatactcat 360  
gaatttgtaa acctagtga agaactagcc ttacctggag aactgactca gagcagaagt 420  
tatgattttg aatttatgca agttgaaaag ccatatgaat cttacatcgg tgccaatgtc 480  
cgcttgagggt attttcttaa agtgacaata gtgagaagac tgacagattt ggtaaaagag 540  
tatgatctta ttgttcacca gcttgccacc tatcctgatg ttaacaactc tattaagatg 600  
gaagtgggca ttgaagattg tctacatata gaatttgaat ataataaatc aaagtatcat 660  
ttaaaggatg tgattgttgg aaaaattttac ttcttattag taagaataaa aatacaacat 720  
atggagttac agctgatcaa aaaagagatc acagggaattg gaccagtagc cacaacagaa 780  
acagaaacaa tcgccaaata tgaaataatg gatggtgcac cagtaaaagg tgaatcaatt 840  
ccaataaggc tatttttagc aggatatgac ccaactccaa caatgagaga tgtgaacaaa 900  
aaattttcag taaggtagctt tttgaattta gtgcttgttg atgaggaaga ccggagtagc 960  
ttcaaacagc aggagataat tttatggaga aaagctcctg aaaaactgag gaaacagaga 1020  
acaaaactttc accagcgatt tgaatctcca gaatcacagg catctgccga acagcctgaa 1080  
atgtgaactg aacaggagaa aaaaagaaaa gcmaaaaact cctgtwacc ttgarattaa 1140  
gttcagcagg ttaaagatgg ttgcagctgg agggggcgga aaaaggccaa aactccatat 1200  
atgttagtct tcctttatct tacagcgay wtttatttta tgatataatg aaatgttcgt 1260  
tcatgtatat acatttttaa aagtgtttc tttgaaacac tggaactttg ttaagctgcc 1320  
tttttttttt taacttctta ctttgatgat aagcactcag atatatatca gcgtaaacat 1380  
gaaaaatttt catgtgagta ggctggtatt tgtaattttg ctttcttct gcataatgtt 1440  
gattataaat cctctctttt caggctaattg attacctctt attctctaca tgcaaaaaat 1500  
taaataatttt gtgttcaaatt aaaattagaa aacytgagtg gcctcttggtg tcctgcagag 1560  
atttaaaaca tggcatctca atatttttga gaactacatt tgtttttaac atatgtgttt 1620  
gagaaaagca tatggagtgt ttcaccgcag gcacttctga gtaccattcc atggcttcca 1680  
gaattttatc ctctttgagg tcttctgtgc tatgaatatt agatttcttt cccaaggga 1740  
ttatgtggca ggtcattatg gccttctttt ttttggccat attagtaac agttttgcta 1800  
tattccagta gtaccgttgt gtgttttctg caatgtggag ttgacttagc ttggcatttt 1860  
agatttgtaa aaactatttt ttccataaat actttgaaac gtatttatat atttcaattt 1920  
aaggaatctt tttgccatgt gtatgcaaat attattttct tcatacatc attttctttt 1980  
caggggaaaa ttttgggatg ggggactcag gaggacctgt gaagcatgta gttatctaga 2040  
tctgggtaat ttcattgtta ttaaaactga actttggcta gttaaactca tattgaaact 2100  
tcacttagtc tcttaatttt ttaacactaa attcaagtca tttgttttaa gtctctaaaa 2160  
aagaagattg cagtcattca ttcatatgca tggggtctga tcgcaaatac actaaatgtg 2220  
gagtgttaga accaaaatga aacctgctgt atggaaacta ctttacttta tggttcattg 2280  
gtttttgtac caatattttt tatgcacttc agtgcaagtc ttgtcagtta acctactttt 2340  
atgagtaagc taaataaacc aaattacatt tctttaaacc tgttttacta ctatggcact 2400  
ttgataaaat ggtcaggaac caactttact ggcaaaaggg tccatgtacc accatgtgct 2460  
ggagcatctg ttctacatgt ggatcwat gaatggtaat gttttccttc atgtaagtgc 2520  
ctattcagag tttcagaatt ttaaaatgcc aaatattttc atggtcattt gcatgtagta 2580  
agccagaaaa tattcaaaga gattttgaaa accaattgta ttttaaccagc ctcaaatgtg 2640  
gcaaccatga tgtataataa agaatttgaa acaga 2675

&lt;210&gt; 32

&lt;211&gt; 277

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

<221> misc feature

<222> (109)

<223> n equals a,t,g, or c

<400> 32

```
agccgcaccc ccagcacttc ggacatggcc gaggaaggca gaggggccag cgggggcccc 60
ccagggtcgg agacctcgga gtctctcagt gactcactct acgactcgnt gtcctcttgt 120
gggagtcagg gctgaggggc tgcgccacgc caccggcccc ctggagctgg ggaccacaga 180
ctggaccggc tctcttcattg cccagcccc ggagacgggg accccttccc tgaagggacc 240
aaggaggcag gtggataaga aggttgaaaa ggggggtt 277
```

<210> 33

<211> 921

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (839)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (846)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (886)

<223> n equals a,t,g, or c

<400> 33

```
cngtggcttt cctgcaccac tgccccccac caggatgatg gagagtaaga tgattgctgc 60
catacactcc agcagtgcag atgccaccag cagttcaaata tatcattcct ttgtcactgc 120
ttcatccacc tctgtggacg atgcattgcc ttaccactt cctgtccac aacctaaagca 180
tgcttctcag aaaacagttt actcctcctt tgctaggccc gatgtacca ctgaaccctt 240
tggtccagat aactgtttgc atttcaatat gactccaaac tgccagtacc gtccccagag 300
tgtacctccc catcacaata aattggagca gcaccaagtg tatggtgcca ggtcagagcc 360
accagcctcc atgggtcttc gttataacac atatgtggcc ccaggaagaa acgcatctgg 420
acaccactcc aagccatgca gccgggtcga gtatgtgtct tctttgagct cctctgtcag 480
gaatacctgt taccgccgaag acattccacc gtaccctacc atccggagag tgcagtctct 540
ccatgctccg ccgtcttcca tgattcgctc tgttccatt tcacggacag aagttcccc 600
agatgatgag ccagcctact gcccaagacc tctgtaccaa tataagccat atcagtcctc 660
ccaggccccg tcagattatc atgtcactca gcttcagcct tactttgaga atggccgggt 720
ccactacagg tatagcccat attccagttc ttctagtcc tattacagtc cagatggggc 780
cctgtgtgat gtggatgcct atggacartc cagttgagac cctttcaacg gctttccant 840
```

cgagantttg ttttttaciaa tcctaggttg caaggaaaga gctttntaca gttatgctgg 900  
gtttgggtcc aggtccccgg g 921

<210> 34

<211> 1467

<212> DNA

<213> Homo sapiens

<400> 34

aaaaaaaaa gaaaagtctt gtgttgatgt acagtttctc ctaagaagaa gcgagggtgg 60  
tgaatttttg aagcacttct tgaatcggat taacccatgc tcttattgaa ttttttcac 120  
tgctctgttt agtttgatat taaagcaaaa ttaagaggtc ttagtttttc ctatagaact 180  
tttaatatgt caaaagctat attgtctaaa tttcagtact taagcaaata ctgagtagtg 240  
ttttaaatct agaaatagag cttctattat gaacacatga gaatgatttt tttctcttaa 300  
tcattattaa ggaaatattt taatttcatg gtcataataa ggtgataagt aatacctgat 360  
tgtttccctt tctgttctag taactcagag gagatacgtg ttttatttgt gatagcaaat 420  
tcctaaatga acattaggca agtggtatca ttatcaggcc agctgcagcc tcttgccctg 480  
acctgcattc ctagaatttc tttgttgctg taattcttga ttaagtgacc ttgactttca 540  
ttttgtaatt ttgctaatac tcagcaaat cacttgcatg acgttactgc caaatatgaa 600  
ggcagttgaa ttattatgag tgattgtggc agaggtttgt gccatggtga aaactttgat 660  
gtttgtctgt gttcattgga tccatctttt taaatgacat taccatgagt ctgttgtcaa 720  
acctaaatat ctttgtttga atttaaaatg ggactctata ttgttgtagt tcagggtctt 780  
attgactaag agattgagag aaatctgaca taagaaaata ttgttttcac tgcaggaata 840  
aagaggaagt aacagtgaat ccaatatagt tcatattgtt attgtccaat catcaagtta 900  
actaagcatt atcagattac gtttatttct catacatatg gatattaact taaggtaaaa 960  
aagctggatg tgaaggatct gaaaaggcat taatttatgt actaattcta taaacatgta 1020  
ttaataattg cagtattatt aaatacagat ggactcaatg tacctttgaa aagaccacta 1080  
atttagaaaa caaagctaag tgcagtcatt acaagaagca aagaaatact taagttagaa 1140  
aaaaattaaa atgaagggat ggtctaagtt ttcttcatgc tggaacaaat gttaaagaag 1200  
cagtgattgc ttacaatgta tgggataaaa taataccttt cacaatcaaa attttaatag 1260  
taaatataag ataaaattta tattaaataa tgaaaacgta tttgtactga atttagtcac 1320  
tagagaacat cgtaacaaaa tacatgaaac aaaagtagcc agaaatgtta gaacagggtg 1380  
aaatgtatac attatttgat ggtttgtttt tttatggaaa taaacaacat acatagaatt 1440  
aaatggtgat caaaaacatg gaaaaaa 1467

<210> 35

<211> 2077

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (730)  
<223> n equals a,t,g, or c

<400> 35  
cggacggtgg gncgncgaca caatggggcca yggagttccc gttcgatgtg gacgcgctgt 60  
tcccggagcg gatcacggtg ctggaccagc acctggaggg cccagcccg cgcacccgga 120  
accacaacgc cggcccgtgt tgatctacag cagcaaatta tgaccattat agatgaactg 180  
ggcaaggcctt ctgccaaagg ccagaatctt tccgctccta tcaactagtgc atcaaggatg 240  
cagagtaacc gccatgttgt ttatatcttc aaagacagtt cagcccgacc ggctggaaaa 300  
ggagccatta ttggtttcat caaagttgga tacaagaagc tctttgtact ggatgatcgt 360  
gaggctcata atgaggtaga accactttgc atcctggact ttacatcca tgagtctgtg 420  
cangccatgg ccatgggcga gaactcttcc agtatatgtt gcagaaggag cgagtggaaac 480  
cgcaccaact ggcaattgac cgaccctcac agaagctgct gaaattcctg aataagcact 540  
acaatctgga gaccacagtc ccacaggtga acaactttgt gatctttgaa ggcttctttg 600  
cccatacaaca tcctccagca aggaagctgc caccacagag agcagaggga gacatcaagc 660  
catactcctc tagtgaccga gaatttctga aggtagctgt ggagcctcct tggcccctaa 720  
acagggcccn tcgcccgcgc acacctccag cscacccacc ccccgctcc agcagcctgg 780  
gaaactcacc agaacgaggt cccctccgcc cctttgtgcc agagcaggag ctgctgcgtt 840  
ccttgccgct ctgccccca caccctaccg cccgccttct gttggctgct gaccctgggg 900  
gcagcccagc tcaacgtcgt cgcaccagct cccttccccg ctctgaggag agtcgatact 960  
aacagctacc ctctccctgc cctgggagac ctgggggtggg cagggaaccc ctccctgaga 1020  
acctcagacc cactcttcca ttgcatcctg taggaccag tggaacctga cagagcccat 1080  
aggattccct cttctacttt cttagacagc agggatgtca gggctctaaa ctgcctaaca 1140  
ctttgtagct tttcttaaca caaaagcacc ccttctctcc taacttgggc tctgaatact 1200  
ttcccaacag gaagtctgat ctgttgccag acttcttggg tagatggctc atacatttat 1260  
ctagagaagc acactcttgc ttgctgtcaa acttttagamc accatggaag gtctaagggc 1320  
atcctgtgcc agggaaactt ttttaaggaa tttatctatg ggataaacc catattccct 1380  
ctagtgtcta ctgggtggctc taatactgct ttgtgtgcc tgccacactt gccctttgag 1440  
cctgcgaatg gccgctagtg agcaagctct gcttcagagc agtctagtta ggtagaacag 1500  
ggacttacca gcttcccaaa gggatctact caccattgcc aaactcttca tttccacatt 1560  
ttgtgtaggt gtcagggaa cccaaactgg tgttgctttg gggctctctaa aggagattgg 1620  
ctgacaccac catttcccc agatccagat tctctgaggg aggttggttc ttgagagtag 1680  
atccagagtg tcaaggatct gttagatcct ggaatccctt cttgcatcca tccctccctg 1740  
gtagctaggt ccgatatac tcctgtcttg tgagattgtc gagatgagat gggggaccac 1800  
tcttctctct tccttctctc ctcttctctc ccatagcaag gacgacctc cctgctccat 1860  
gcccagagta tagctagatc ccttccccct cctaccctct gaatgtgtgc tagatcaggt 1920  
gccccactgt gtttctctgaa atccttggga gccggatctc cccatctccc ctactcactc 1980  
ttcccttttc ttctctcagt gttgtctgaa taaagtgtga aatcttttgt gttttctaaa 2040  
ttgacatttt caatgaaaaa aagaatcaca aaaaaaa 2077

<210> 36  
<211> 384  
<212> DNA  
<213> Homo sapiens

<220>

<221> misc feature

<222> (366)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (370)

<223> n equals a,t,g, or c

<400> 36

```
ccagcaggag aatcctcccc tgccccttgg ctcaaaggcc ctggagccca cctcccagaa 60
gcccggtgtg ggggcggggc acgggggaga tcccaagctc agtccccaca aagttcaggg 120
ccggtcggag gcaggggagc gtccgggtcc aaagcaagga caccacagct cttccgactc 180
cagcagcagc tccagcgatt cggacacgga tgtraagtcc cacgctgctg gctccaagca 240
gcacgagagc atccccgggca aggccaagaa gcccaaagtg aagaagaagg agaagggcaa 300
gaaggagaag ggcaagaaga aggaggctcc ccactgaagg gcctggacaa ggctcattaa 360
atttctctn tgccaaaaaa aaaa 384
```

<210> 37

<211> 468

<212> DNA

<213> Homo sapiens

<400> 37

```
gcgatgctgg gtgtggcagg cctcctgagc cggttgagg aggacaggct gctgctgcta 60
ccgaaggagg atgkctgtcg ctgggccttg gctgtaggca gctgggctta ctgccggggc 120
ctgcatacac agcgcttcca gtgggagtga cagttggata cagccaggca gggtttctgc 180
cctgccgaac actttccctc ccacctgect gctcctggcg ccttctccct aggggtagac 240
tcttctgcct actgaagtgg gtttgctgca cattgactgg tcaggggcag agtctgggtg 300
ctgtcccttg gccacgtgtg gggacttgct tagaccagaa tgaaaggaca ggggtcccaga 360
cacgtttggg ggtcctgatt ctgggctgga cacggttggt gatccagaga agaggcctag 420
tctccaataa atcttaggaa ttttgtagga aaaaaaaaaa aaaaaaaaaa 468
```

<210> 38

<211> 1095

<212> DNA

<213> Homo sapiens

<400> 38

```
ggcacgagga taatgagcat aagcgttcac tgaccaagac tccagccaga aagtctgcac 60
atgtgaccgt gtctgggggc acccaaaaag gcgaggctgt gcttgggaca cacaaattaa 120
agaccatcac ggggaattct gctgctgtta ttacccatt caagttgaca actgaggcaa 180
cgcgactcc agtctccaat aagaaaccag tgtttgatct taaagcaagt ttgtctcgctc 240
ccctcaacta tgaaccacac aaaggaaagc taaaaccatg ggggcaatct aaagaaaata 300
attatctaaa tcaacatgtc aacagaatta acttctacaa gaaaacttac aaacaacccc 360
atctccagac aaagggaagag caacggaaga aacgcgagca agaacgaaag gagaagaaag 420
caaagggtttt gggaatgcga aggggcctca ttttggtgga agattaataa ttttttaaca 480
tcttgtaaat attcctgtat tctcaacttt tttccttttg taaatttttt ttttttgctg 540
tcatccccac tttagtcacg agatcttttt ctgctaactg ttcatagtct gtgtagtgtc 600
catgggttct tcatgtgcta tgatctctga aaagacgtta tcaccttaaa gctcaaattc 660
```

tttgggatgg tttttactta agtccattaa caattcaggt ttctaacgag acccatccta 720  
aaattctgtt tctagatttt taatgtcaag ttcccaagtt cccctgctg gttctaatat 780  
taacagaact gcagtcctct gctagccaat agcatttacc tgatggcagc tagttatgca 840  
agcttcagga gaatttgaac aataacaaga atagggttaag ctgggataga aaggccacct 900  
cttcactctc tatagaatat agtaaccttt atgaaacggg gccatatagt ttggttatga 960  
catcaatatt ttacctaggt gaaattgttt aggcttatgt accttcgttc aaatatcctc 1020  
atgtaattgc catctgtcac tcactatatt cacaaaaata aaactctaca actcatctaa 1080  
catgcttact taaaa 1095

<210> 39

<211> 1757

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (596)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (647)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (648)

<223> n equals a,t,g, or c

<400> 39

gccagccacc attttatctc tctaaagtct ggtcccagta ttaaacctat tcttttagtaa 60  
actcatatta ctgttctaaa ttgaagaaat tatttattac tctgtacttc tagactcaaa 120  
attctttatc aaagatagtc tcaaagaggt agtacaagtc ctgtttaact gcactttttc 180  
acattcacag tgcttctctc gatattcttc cttacatcat tatacactgt tgatatcatt 240  
ttactcttct ttctcttcta catttcttaa attttgggtc ttttcctgta catgtgtttt 300  
agcggggccc ttttctttga actttgtcta attagcctgt acatttttgt ttcttttaag 360  
gtagaacaga tctttttttg tttctccttt taagtctact ggtttttaaaa gaggtaaatg 420  
tatccataga ccacagtgcc ttgctttttc ctctgccagc acatggagca cgggattaga 480  
tgcacaaacc tatttaggga actatttttg tagatgtttg agtttataca gaaattgcag 540  
ctggtatttt attttgctgt acatttactc aacttgtcca ttagtattta actatntcca 600  
gagtttggtt aggagtaaga attgacccat tcgttagttt accatanntt ttcttggtat 660  
aaaaaggagc cagaaataag ccttattgct aaataattaa ttatgtaagc ccacctaggt 720  
cctgcataag atccccctca catacttcac aatatatatg tgtgtgtgtg tgtgtgtgtg 780  
tgtgtgtgtg tgtgtgtgtg tgtgtatktg gctaaaaaat tatactgccaa aaattactga 840  
ttataaatac ttgactacac tgattgatgg gacaaaatga ttaaagtatt ttcagggatc 900  
ttattccata tgtcaccacc aaagatttct acagtgttat aaagtatata aatattccaa 960  
atttctgtgg ttaaataattt ttttcttttt tttccttttt tagaataaca cagtctgtgc 1020  
tttccaaaaa tgcttgaact tttatgttgt taagaaatat ataatgatat cttacattaa 1080  
gcatgagtct aatttgtatt aattgggatg gactaaattt tcatttgatt atcaggaaaa 1140  
ttaaggagtt atatatattaa aagcaatttt ctgtgttttc ttctttgtaa gttgactcat 1200  
ttgtgaagca attaggcaaa ttttgagaag atcattgtta ttgtggtttg cagtatatat 1260

ttcttagtaa atatcactta agattaaatt tttcagaaag aaaattatag cttttttccc 1320  
aaaatatttt taagatttaa tctttttgta gtatgctaca gatttaatta tattaactct 1380  
tttttaagac attgaccatg acttaacatt ttgccttcta acacctttta aatctatgta 1440  
ctttaatagt taagagaaaa taagtttgca gatttttaat aatctgtttg taaaaggcta 1500  
tctctaagcc tagtatgtgg gtaattttac aggtgtgttt tttgataact ttaatatata 1560  
ataaactcat tttattttgtg gcaattcgcg tttctttttt tatgccagag tacatatgtt 1620  
ggattccatg aattgggtatt acttattatt atgtgttgat taaatatatg cacacactta 1680  
ggattacaga tcacagagca aattatgaaa atcataaaca ttctggtatg gtcattcata 1740  
ggattatgaa aaagaaa 1757

<210> 40

<211> 1945

<212> DNA

<213> Homo sapiens

<400> 40

accgggagct ggtgacggat ggcggggccg ccagcccctg gcgctgcaac tgggaacagt 60  
tggtgaaccc gcgaccaagc gaggcggacc ctgaagcgga ccccgaggaa gccactgctg 120  
ccagggtgat tgacaggttt gatgaagggg aagatgggga aggtgatttc ctagtagtgg 180  
gtagcattag aaaactggca tcagcctccc tcttgacac ggacaaaagg tattgcggca 240  
aaaccacctc tagaaaagca tggaatgaag accattggga gcagactctg ccaggwtcgt 300  
ctgatgagga aatatctgat gaggaagggg ctggagatga agattcagag ggactgggtc 360  
tggaggaata tgatgaggac gacctgggtg ctgctgagga acaggagtgt ggtgatcaca 420  
gggagagcaa gaagagcaga agccactctg caaaaacacc gggcttcagt gtccagagta 480  
tcagtgcatt tgagaaattt accaaggga tggatgacct tgggagcagt gaggaggagg 540  
aagacgaaga gagtggcatg gaagaagggg atgacgcgga agactcccaa ggcgagagt 600  
aggaagacag ggctggagat agaaacagtg aggatgatgg tgtggtgatg accttctcta 660  
gtgtcaaagt ttctgaggaa gtggagaaag gaagagccgt gaagaaccag atagcactgt 720  
gggaccagct cttggaagga aggatcaaac tacaaaaagc tctgttgacc accaaccagc 780  
ttcctcaacc agatgttttc ccattgttca aggacaaagg tggcccagaa ttttccagt 840  
ccctgaaaaa tagtcacaag gactttaaag cattgttgag gtcattggta ggtcttcagg 900  
aagagttgct tttccagtac ccagacacta gatattctagt agatgggaca aagcccaatg 960  
cgggaagtga ggagatttct agtgaagatg atgagctggt agaagagaag aagcagcaac 1020  
gargaagggt ccctgcaaaag aggaagctgg agatggagga ctatccagc ttcatggcaa 1080  
agcgtttgc cgactttaca gtctacagga accgcacact tcagaaatgg cacgataaga 1140  
ccaaactggc ttctggaaaa ctggggaagg gttttggtgc ctttgaacgc tcaatcttga 1200  
ctcagatcga ccatattctg atggacaaag agagattact tcgaaggaca cagaccaagc 1260  
gctcygtcta tcgagttctt ggcaaacctg agccagcagc tcagcctgtc ccagagagtt 1320  
tgccagggga accggagatc cttcctcaag cccctgctaa tgctcatctg aaggacttgg 1380  
atgaagaaat ctttgatgat gatgactttt accaccagct ctttcgagaa ctcatagaac 1440  
ggaagaccag ctccttgat cccaacgata aggtggccat ggggaaggcag tggcttgcaa 1500  
tcagaaggtt acgaagcaaa atccacaaaa aagtagatag gaaagccagc aaaggcagga 1560  
aacttcggtt tcatgtcett agcaagctac tgagtttcat ggcacctatt gaccatacta 1620  
caatgaatga tgatgccagg acagaactgt accgctctct ttttggccag ctccaccctc 1680  
ccgacgaagg ccacggggat tgacatcgcc cactccgac acccagtggg cgccttggtc 1740  
ggtgcggctg ctggtccaga tggaggaaac cagtacttt atggggctga gctagtaggg 1800  
aagcccctgg aaagatgctg cgttccgaac ctgtgcctaa tacacgaag ggcgctgtcc 1860  
cgccaaccc cgcttttaaa cgccacaaat aaagagcatt gttaccgcca agtacgacgc 1920  
ggccgcgaat taccggaccg gtaac 1945

<210> 41

<211> 588  
<212> DNA  
<213> Homo sapiens

<400> 41  
aggcgtatcac caccatgact gaaaacaaaa gacttttttt tgagactccc tctcaaaaac 60  
aaaacaaaac aaaaaaatta gacaaatgct acattaatgt ttgggtgggc agattctact 120  
ttgaatctga agtttgcaga tatgcctata gatttttggg gtttaccact ttcttattct 180  
gtatcattaa tgtaatatatt taaattacta tataatgttac catttttctg gatttagtaa 240  
gaaatttgca gttttgggtt gatgtaacaa ggggttttaat gtaatttatg ttagattttg 300  
catttttttc attactgtta tattttaacc tgactgactg atctaattgt attagtattg 360  
tgaataatca tgtgaaatgt tttgagacag agtactatat ttgtgaatat aattttatgg 420  
tttttttcac ttagaacctt tctgtgtgga aaactaagaa aattgctttc tgctgtataa 480  
tctggcattc attgtagatt aaagcttatt tttctgtgaa taaaacgtat tcaataaaat 540  
actattcttt aaaattawaw mawaaaaaaa aaaaaaaaaa aaaaaaaa 588

<210> 42  
<211> 1568  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (104)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (112)  
<223> n equals a,t,g, or c

<400> 42  
cattagattt cactttttta aaaaacccag tggacattgc tataaataag atttatttgg 60  
ctacaaataa cctgggatgt tgcttattat gattgatgcc tgcnggtttg tncccaagct 120  
gagtgaatt gaacctcgtc ctccctactc attttgatga ctgaggctgg ttataaagaa 180  
aagggaagtt ggagaagaaa accgagatta gaaaatatca tgttttgggt ggagataaga 240  
accagggatg gcaagtacca gtgtgtacaa atgtatttca cggagtttga aggaacgcat 300  
aatcaagagg gaaaacaatt tgtccttcat tggacgtatt atttggattt gggtagcaa 360  
caaatggaa tgtggtctgt taggagcatt ctgtttgttc ttttgtccct gatgtgatga 420  
atcattgcca catgctagat ggactcttca tatccagggt ttgtccctca gggctgagca 480  
ctgtattaaa gagtttttgt tgagtcattt aaccttagtg tccacatcca gatcagctgt 540  
aaaatgggga agacgtgtgc tgatttgaa tgaatgcaa atatcactat cattttccta 600  
attacagagg agcaaaggtt atcttcagcc ctttcagttc tatgctcaca tattcaaata 660  
tcaaatgtaa tttagctgaa gttatttaaat aatcaagtct ttcaatatct gttcaaagaa 720  
aaagaacaca ctttgaaaat tctgcaaagc tgtctcccag tctttaaaat gtctggaagc 780  
actctccttc tttacaatac caacatcacg ggcccagaat cttccctgtg ctagggttga 840  
aatataaata aattacttgt tttgtaaact tttgtaaaga atattttggg agaaataact 900  
caaacatatt ctttgggtta tatttataca tatgtgaaat aaatatacta tcaaaagggt 960  
atattttata caaaaagtaa attgctacct tttgtatgct aatatgcaa gttttgtata 1020  
atatgatggg ttatttttag ctctacactt aaaccatagg tgggttgagt ggaacttttg 1080  
aaaactatca agaggcttgt tagacaaatt tatattctga aacctcaata agaaagcatt 1140



```
ccaggtttca atccttggtt tttgtcctgc tcccaaattc ttttttaaac ccatagttct 1200
tgtgtcttat ttgattcttc tgctgtgcac attgtattgg tccttggtgc atgtagtcta 1260
ctgtgtggtt tccgatttta taaggcagca tttctccata caaaaaraaa aaaaatgatg 1320
tacatataaa cgcttttrtt gtatggctcc tccatgttac tgtatatatc tgccagcact 1380
tcccgattac actcctgtga gtcagcttat tttacccta acataaatag tatgttttgt 1440
agtagttatc aaatttaaga gataaagcaa tcagaatgtt tggattttct tctatcttaa 1500
tgtgaatttc ataattaatg tctatttatt cagctattca ttaaaataca ggattctttg 1560
gggaaaaa 1568
```

<210> 43

<211> 1060

<212> DNA

<213> Homo sapiens

<400> 43

```
gcttgtcatg agaaggtggt aaatatccaa aaagaccccg gtgaatctct cggcatgacc 60
gtcgcagggg gagcatcaca tagaraatgg gatttgcta tctatgtcat cagtgttgag 120
cccgaggagg tcataagcag agatggaaga ataaaaacag gtgacatttt gttgaatgtg 180
gatggggctg aactgacaga ggtcagccgg agtgaggcag tggcattatt gaaaagaaca 240
tcatcctcga tagtactcaa agctttggaa gtcaaagagt atgagcccca ggaagmctgc 300
agcagcccg cagccctgga ctccaaccac aacatggccc caccagtga ctggtcccca 360
tctgggtcga tgtggctgga attaccacgg tgcttgata actgtaaaga tattgtatta 420
cgaagaaaca cagctggaag tctgggcttc tgcattgtag gaggttatga agaatacaat 480
ggaaacaaac cttttttcat caaatccatt gttgaaggaa caccagcata caatgatgga 540
agaattagat gtgggtgatat tcttcttgct gtcaatggta gaagtacatc aggaatgata 600
catgcttgct tggcaagact gctgaaagaa cttaaaggaa gaattactct aactattgtt 660
tcttggcctg gcactttttt atagaatcaa tgatgggtca gaggaaaaca gaaaaatcac 720
aaataggcta agaagttgaa acactatatt tatcttgta gtttttatat ttaaagaaag 780
aatacattgt aaaaatgtca ggaaaagtat gatcatctaa tgaaagccag ttacacctca 840
gaaaatatga ttccaaaaaa attaaaacta ctagtttttt ttcagtgtgg aggatttctc 900
attactctac aacattgttt atattttttc tattcaataa aaagccctaa aacaacaaaa 960
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa gggcgccgc tctagaggat 1020
ccaagcttac gtacgcgtgc atgcgacgtc atagctcttc 1060
```

<210> 44

<211> 1344

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (144)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (163)

<223> n equals a,t,g, or c

<400> 44

```
cccacgcgtc cggggccacc agggcctcct ggccccctg ggcccccagc ccctgttggg 60
```

```

ccaccccatg cccggatctc ccagcatgga gaccattgc tgtccaacac cttcactgag 120
accaacaacc actggcccca ggnnaccac tgggcctcca ggnctccag ggcccatggg 180
tccccctggg cctcctggcc ccacaggtgt ccctgggagt cctggtcaca taggaccccc 240
aggccccact ggacccaaag gaatctctgg ccaccaggga gagaaggcg agagaggact 300
gcgtggggag cctggccccc aaggctctgc tggggcagcg gggggaactg gccctaaggg 360
agaccctggt gagaagagcc actgggctcc tagcttacag agcttcctgc agcagcaggc 420
tcagctggag ctctggcca gamgggtcam cctcctggaa gccatcatct ggccagaacc 480
agagctgggg tctggggcgg gccctgccgg cacaggcacc ccagcctcc ttcggggcaa 540
gaggggaggga catgcaacca actaccgat cgtggccccc aggagccggg acgagagagg 600
ctgaggggtg tggcgccccc tgaggcagac caggccaggc tccccctcct acctggactc 660
ggccagctgc ctccagggac cgcccgcca tatttattaa tgcctcagg gtcccttctg 720
ccatctaggc cttaggggta agcaggtctc agtctggca ccatgcacat gtctgaggct 780
gagcaagggc tgagaggaga ggcttgggccc tcagtttccc tctgtgaagt ggggggaggc 840
aggccttcaa ggagggatag aggtacaagg cttcgtctca tctgctgtct gagcatccag 900
gccccaaagg actgagggag tcaggagctg gggctcggca catgcagaga tgacagggca 960
gggggcagtc ttcctcccc tccccgacca aacctcgggg agccctcctg tgccctccc 1020
tccttgttgt ccagtgtgg gytccccacc ccgaggtcag gctgccaat cctctgactg 1080
gatcaccggg ggcttcttgc ctcatctct ccctctgagc ccccaggccc tcccgcatct 1140
caggttgggg atggggacat ggagaggaag gggccgccta ctctgcaa tgcttgtgac 1200
agatgccagg aggtagatgt gtgctggcca ataaaggccc ctacctgatt ccccgcaaaa 1260
aaaaaaaaaa aaaaaaaaaa aaaaaaaagg gcggccgctc tagaggatcc aagcttacgt 1320
acgcgtgcaa cgcggtcat agct 1344

```

&lt;210&gt; 45

&lt;211&gt; 892

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (890)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 45

```

ttgagaagtt ggatgaatat atatatagac acttctttgg tcacactttt tccccctccat 60
atggacccag tcgacctgat aaaaagcaac gtatggtaaa tattgaaaac tccaggcatc 120
gaaaacaaga gcagaagcac cttcagccac agccttataa aagggaagggt aaatggcata 180
aatatgggtcg cactaatgga agacaaatgg caaatcttga aatagaattg gggcaattac 240
cttttgatcc tcaatactga ttcacaattg agttaaatta gacaactgta agagaaaaat 300
ttatgctttg tataatgttt ggtattgaaa ctaatgaaat taccaagatg acaatgtctt 360
ttcttttgtt tctaagtatc agtttgataa ctttatatta ttcctcagaa gcattagtta 420
aaagtctact aacctgcatt ttcctgtagt tttagcttctg tgaatttttt ttgacactgg 480
aaatgttcaa ctgtagtttt attaaggaag ccaggcatgc aacagatttt gtgcatgaaa 540
tgagacttcc tttcagtgtg agagcttaaa gcaagctcag tcatacatga caaagtgtaa 600
ttaacactga tgtttgtgtt aaatttgag cagagcttga gaaaagtaca ttgttctgga 660
atctcatcat taacatttta taatcttaca ctacttctt gtctttttgt ggggttcaaga 720
gccctctgac ttgtgaagaa tttgctgccc tcttaagagc ttgctgactt gttttcttgt 780
gaaatttttt gcacatctga atatcgtgga agaaacaata aaactacacc atgaggaaaa 840
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaccccg ggggggccc n ga 892

```

&lt;210&gt; 46

<211> 496  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (496)  
<223> n equals a,t,g, or c

<400> 46  
aattcggcag agtcggagtg tggtagttct cctagttgca gtcaggcttc atacgctatt 60  
gtcctgcccc taagtccccg ttttgtgtgt ggtagagca gccagcgggt acagaatgga 120  
ttttggaaga gggagtcacc actggacctc caagggaagcc acgtgcagac atctacaacc 180  
ttcgatctcc tgacgagttt attgttggtc aaaaccaggc tttgattgaa ccaggatgaa 240  
tgcgggtgtt ggaagtagaa tatatatata catataaaat tgaaactggc gatggaatat 300  
gagaggagcc ctctggaag aaaaggacag accctgtgct ttcattgaaag tgaagatctg 360  
gctgaaccag ttccacaagg ttactgtata catagcctga gttttaaagg ctgtgcccac 420  
ttcaagaatg tcattgktag actttgaaat ttctaactgc ctacctgcat aaagaaaata 480  
aaatctttta aatcan 496

<210> 47  
<211> 1229  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (764)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1165)  
<223> n equals a,t,g, or c

<400> 47  
attcggaaacg agagctgata tggaagggtt atttctttct ggccaatact ttttgggtatt 60  
tctaaatatt gcaatcttga tttttactat taaatttggt aattgtcagt tctggccttt 120  
ttgcataaag agttggtcca ttaacttgcc aatttgaagc ttctaactag atattcccta 180  
ctgaaagttt tggatttgtt tttagtttgt ggagcagtct tagctgggga caggtaattg 240  
acaacggcag agatactttc ttttcctagg attctaagtc tgtaatccac atcctcaatg 300  
tattcacagg acttttaaat tctctccaaa tgaggrragg aaatatcctg gtgctttcta 360  
atgggttact aaaagtgtg tttagaacaa cagattttta taggcatctt cctttgttat 420  
gtgtcattag ccttttgccc gtttacctta gggctctttg aaggagaaat ggatgggaga 480  
aaacctgtca cttggcgaaa gtaaaaggga taattaactg gctcagagct tatgtgcaga 540  
gttccaagcc ccaaagttaa tctagaacca ctcgataaca ccaataaaaa tatttatttc 600  
acatctgtta tatatctgga aaatgxtcta agcatcttac acatatttct cattaaatcc 660  
acaggtgacc attgtgaggt agawattttg ktctaawttt ccagatgagg aagctgagac 720  
cctaaaaggt taggtgacag gttatacaac ttggagtgtg ggaggaggag agaggaaacct 780  
gaacagggca agttggggat ctgacttttg tttgggtaga tgtaagcaca ttgtattttt 840  
ggcttagatg ctttattcat catggctgaa ggtaatacca tttactcact caccgaaaaat 900

B4 (cont'd)

```
tgtttacaat aatctagatg aatttgctgt ctttggacat ctgtcttttg actggacccc 960
agtatatagt ctgtggaagc tcacttaagg agaragctcc tttttgtttg gttagagaaa 1020
ttttctgtcc taaaagtaga aatagcccct tctaggtaag gatggagcat ttgatcatc 1080
tggtttcatt atattcctct aacagggttg aaccgattgt ttttgagtac ttgtttcaaa 1140
cttctgagta ttttccttct ggaanatagc tcagtgtttt aaaatttaca tgaacttaaa 1200
aggttaattt ttttttaaaa gaatggtta 1229
```

<210> 48

<211> 1411

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1410)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1411)

<223> n equals a,t,g, or c

<400> 48

```
catcctggct ccttgagtgg gagtratata acctctatcc taactgtcct tgtccctcct 60
ctccccacag ctggattatc accgaggcct cttggtggac cgtccctctg aaactaagac 120
agaggagcag ggaataccac ggcccctgca cccccaccc ccacccccgg tccagccacc 180
acagcacccc cgggcagagc agcgggagca ggaacgggca gtgcgggaac agtgggcaga 240
acgggaacgg gaaatggagc ggcgggagcg gactcgatca gagcgtgaat gggatcggga 300
caaagtctga gaagggtccc gttcccgatc aaggtcccggt gaccgcccgc gcaaggaaacg 360
tgcgaagtct aaagaaaaga agagtgaaga gaaagagaaa gccagggagg aaccacctgc 420
caagctgctg gatgaccttt tccgaaaagc caaggcagct ccctgcatct attggctccc 480
actgactgac agccagatcg ttcagaaaga ggcagagcgg gccgaacggg ccaaggagcg 540
ggagaagcgg cgaaaggagc aagaagaaga agagcaaaaag gagcgggaga aggaagccga 600
gcgggaacgg aaccgacagc tggagcgaga gaaacgtcgg gagcacagtc gggagagggg 660
caggagagaga gagagagaaa gggagcggga caggggggac cgagatcggg atagggaag 720
ggaccgagaa cgaggcaggg aaagggatcg cagggaacac aagcgccaca gcagaagccg 780
gagtcggagc acacctgtgc gggaccgggg tgggcgccc tagctgggaa aacactagag 840
ctgcaggtac cagccactcg gcccagggg gttatggcca cagagggata ggcacagtct 900
ccaccacctt ggagccaagg gtctttcaca tcacctatcc ctacatacat accaaatgga 960
aaagtggcca tccttttccc cccaaacaca ccccttaac ctatctcttg ggacttagcc 1020
cgacctccc tctcatttcc cattaagtct gagaggcaag agctagggtta ggcaaggagg 1080
tggttggcca gagatgggga acagccagggt gcccagtcct tctgattttt cctccatcct 1140
gettaccacc tccctgggta cttacagcct tctcttggga acagccgggg ccaggactgg 1200
gtcacctatg agctgaatca gcattctctc ctgagtccca gggcccctgc agttcccagt 1260
ctcttctgtc ctgcagccct tgcctctttc ccacaggttc cactttatat ccaccttttc 1320
cttttgttca atttttatct ttattttttt tattattaaa tgatgtggtc tatggaaaaa 1380
aaaataaaaa tctgacttag ttttaaaaan n 1411
```

<210> 49

<211> 1685

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1606)

<223> n equals a,t,g, or c

<400> 49

```

cgctnttccc cccacacccc gtgtggccag ggatccccgc atggcccac ttagaaactc 60
aactatttgg tggatgctaa acacttcact tcaggcaatc ccaaggcatt tgctccaggg 120
tatccgatga gattacagct gttaagcttg ctttccattt cataacttgc tgtgcagcta 180
gttaccaccc ccatgctgaa gagtaaagca aagtgccttg gttcggcagt ggaatccacc 240
cccagcactc tgctcgcaact ggagcggtca agtccgggta tgtgagaaca gactaggact 300
ctcttgctgc ctctaattgc atttcactgt caccctcccc agtnttctga tgggtgtgcat 360
gtgaggagaa gatgagggta ggactgagaa gtgcagaagt tggaacagtg gtaaggctgt 420
tttaaaataa gatgttttgt tttaataata tgctcctggc acaaagctag gagtaaatgt 480
gactccaaag ggagttcagt taatctctga aatgcacaaa acctagctat tttctccctc 540
tcatcacagt ctgagctctgg tccattgcta cccaattct ctggggacat aaaaccaggc 600
tggaaggga caggaaggtt tgaaatagt acatatcat cactagtccc aagggctaag 660
gaatagttag ttattctgg aaggaaactgg gaagcttagt ctaattagt cctggggatg 720
acctatgcaa tcacaccgct tatgaccatc ctagagaggg ccctgagcac cagcttgatc 780
ttagggattt ccaaagtaac ctgctttttg cctggatagg gttaaaatag acctttcttg 840
cctatccttg ccttaacctt tctgcctgag gttggcctga gattgtgagt caacgacttt 900
gctatctttt cctcagtgtt gaactttcat taagaaataa agtcctagct tcttacagag 960
aggggtccaa atggtgaatg ctcatcctgc ctgggattca aggaattagc tcagagrttg 1020
gcccctagct tttctgcctt tgtaggggac agcaaaagg gaaaatttgc tgcagaaaat 1080
tccaaaagat tgctgtagct ctacagggga agtggttaa atcagctaaa cctgggttgg 1140
ggtgctttct gccagtggg tcttggcata agtagattaa tcctgctctt ttaagaaaag 1200
gcaacttatt caggcagctt ggaaaggggg ttctcagaaa actcagtttc tttattcctt 1260
cttttctccc aactactgtt actggttata gaggtctttg gactctaaag accaatgttt 1320
ggccactaac tggactaata tgtatctttc tgtgatttca tcatagaggt ctgttttgtg 1380
aggggttggg gtgcagaaaa ctttgattaa atcttaatgg gaggctgggt gacctggatt 1440
atctacagt agcagactta aatggaacag aagtttatgt gtccaaatga tggaatcatt 1500
aaacctgagt gacttgacct gtgtggttcc ttaatagtat ctatatatct agacaaaaat 1560
agattgtgaa tgtaaatggt gaatgaaaag gatggaaata atgtnttcat atgttaatcc 1620
atgagcttga atccaggag gaataacctg gtgctttaac caccttagtt ataacacatt 1680
tctta

```

<210> 50

<211> 660

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (515)

<223> n equals a,t,g, or c

<400> 50

```
cggcacgcgt gggcctactt tcacgcttcc tcccctcccc ctctctccctt atcccttcgc 60
tttcgctctt ttccgtcgag gccgacccct gagttgtgag tctgggggtct ggttggtgaa 120
aaagagccct tgaagctgga agacgggaga ggacaaaagc atgtcttccc ttcctgggtg 180
cattggtttg gatgcagcaa cagctacagt ggagtctgaa gagattgcag agctgcaaca 240
ggcagtggtt gaggaactgg gtatctctat ggaggaactt cggcatttca tcgatgagga 300
actggagaag atggattgtg tacagcaacg caagaagcag ctagcagagt tagagacatg 360
ggtaatacag aaagaatctg aggtggctca cgttgacca ctctttgatg atgcatccag 420
ggcagtgact aattgtgagt ctttggtgaa ggactctctac tccaagctgg gactacaata 480
ccgggacagt agctctgagg acgaatcttc ccggnctaca gaaataattg rgattcctga 540
tgaagatgat gatgtcctca gtattgattc aggtgatgct gggagcagaa ctccaaaaga 600
ccagaagctc cgtgaagcta tggctgcctt aagaaagtca gctcaagatg ttcagaagtt 660
```

<210> 51

<211> 1572

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1555)

<223> n equals a,t,g, or c

<400> 51

```
tnagtgaag aatgtgccat attacatatt gcaacctaat ttgttaaaac taactccagc 60
actaaagctg aaatgccaca aacactaaaa gtataaatat gtctgatttt tgaaacacat 120
aagctttgct ctttaggcag gaatgatctt ttcaaatcat tagcacaata tttaaataatc 180
taaaaaattta agagatccat actttctgta gctttacaat taatttaagt actaaaaaga 240
caaggatttc ttttaagaaa tttatagcat ttactgtgtt atttaaatgc taagccaaaag 300
tatctgcact taggtatacc tctttatgcc aataatgatt ttaatgaagg ctcttttcag 360
atgtaacctt atgaaggaaa tatctgcttt gtgtatatgc cagttagaat actggtttct 420
aaagtctgtc aaattgtatt tcagtgccac aaaaaccagt tttgaggtct tagacttata 480
attctttgaa taaaactgat aacttatttg tataattgga gtggagacct acctccataa 540
ttagataaac tctttttgga ttataatcag aattttgcct tttttcttct caaattatta 600
catatgtatg tattatataat ccacatatat agttttccct gattaaatgg atattaaaaat 660
aattgcggtt gcttcaggac tttttgcttc tatatttaag tatattgttt ttatagcaag 720
aacatattct gaatgtttta taaatcttta ataatttata tgtaggtaat atttttgtat 780
cacaatgcat tatttttttc ctcttttctc tccaaactat accactgtat ttaccacttc 840
taagagtgcac tgacgcaggg ccagatgacc cttgaagtag tcattatgta gcaataaatg 900
```

```

aagcctgaaa cagggtttttt tacitccact ttaatcccta gaaatttctt ggcaacttcg 960
catattttca ttgacaccgg tgtataagta taaatttaaa tgaactaatt acttttgcgcat 1020
atttttaaatt ctttatatgg tagttatttt ttataacagg atattaacat aagttaaatc 1080
ctatgtattt gaaattgtta cagagctttc ctctttactt caaacagcaa aaaagtgggg 1140
ggcatattgt agtcctgtca ttttaagttat gtwaaaaatt taatcattat tttgatgctt 1200
taaacattct catgtgtaat atatgttttt gtatcaaaaa cactcatata tttcaagaaa 1260
aagaaattat gttaaatagc cctgttttta gaaaaatatt tatgaagcat ctcaacttga 1320
agatcaagtc aaagttataa ctcaggatct gargtctcaa gctaggagag actgagaatt 1380
ttaatcagtt tgggcatata rtttgactg aatcacatct gtagtactta gccaaagaca 1440
atttgarga raatatcagc cttctggaar tagtacttc ctgaacaatg taaagtgtcg 1500
caratattca ataaaatggc aacctgttaa aaaaaaaaaa aaaaaaaaaa acccnaaggg 1560
ggggggggccc cg 1572

```

<210> 52

<211> 635

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (632)

<223> n equals a,t,g, or c

<400> 52

```

gctgctccag ctgttcgaag gtgatccaga cgcaagatgg ctgtcctctc taaggaatat 60
ggttttgtgc ttctaactgg tgctgccagc tttataatgg tggcccacct agccatcaat 120
gtttccaagg cccgcaagaa gtacaaagtg gagtatccta tcatgtacag cacggaccct 180
gaaaatgggc acatcttcaa ctgcattcag cgagcccacc agaacacgtt ggaagtgtat 240
cctcccttct tattttttct agctgttgga ggtgtttacc acccgcgat agcttctggc 300
ctgggcttgg cctggattgt tggacgagtt ctttatgctt atggctatta cacgggagaa 360
cccagcaagc gtagtcgagg agccctgggg tccatcgccc tcctgggctt ggtgggcaca 420
actgtgtgct ctgctttcca gcatcttggg tgggttaaaa gtggcttggg cagtggaccc 480
aaatgctgcc attaaagaat tataggggtt taaaaactct cattcatttt aaatgactta 540
cctttatttc cakttacatt ttttttctaa atataataaa aacttacctg gcatcagcct 600
catacctaaa aaaaaaaaaa aaaaaaaac tnggg 635

```

<210> 53

<211> 1367

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (106)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (958)

<223> n equals a,t,g, or c

&lt;400&gt; 53

```
ggccacgttg ttatctcttt gatcaagttg ttttacgtgt cacagtagag tctgaccagt 60
taccataacc aaacattttg tgcgtgtgct attggtgctg cgatantctc ctttgggtgg 120
aacacagtga agatcgacat gagtgcagcc cggagagatc ctcttccaat tggtccattt 180
ggattagctg catttgctac cactttgttt gccttgggat tagcttttagg aacaaccata 240
gctgttggga tgttgttttt tatccagatg aaaataattc tcagaaacaa aacttctatt 300
gagtcatgga ttgaagagaa ggctaaagat cgaattcagt attatcaact agatgaagtc 360
tttgtttttc catatgatat gggaagtaga tggaggaaact ttaaacaggt atttacgtgg 420
tcaggggtcc ctgaaggaga tggacttgag tggccagtaa gagaaggctg tcaccaatac 480
agcttaacaa tagaacagtt gaaacaaaaa gcagataaga gagtcagaag tggtcgctat 540
aaagtaatag aagattatag tgggtgcctgc tgccctctga ataaaggaat caaaccttc 600
ttcacaagtc cctgcaccga agagcctcga atacagctgc aaaaagggga attcatttta 660
gccacaagag gtttacgata ctggttatat ggagacaaaa ttcttgatga ttctttata 720
gaaggtgttt caagaataag ggggttggttc cctagaaaat gtgtggaaaa gtgtccctgt 780
gatgctgaaa cagatcaagc cccagagggg gagaagaaaa atagatagct gctgttaaaa 840
caaaattatc ctttaagtct gcttaattac ttgaaaattg tacatattac taaagaatta 900
tgcaatgagc ctactctggt taagatgttc ttttctctca aggtgcccta gtgccatnga 960
tttaaataatt tttattacca ttttgaaatg gagaagccat tctgcatatg ctttgaatt 1020
cctgcccttc tttaccacct cttctctccc ctcaaaggaa aaacatttca tccaagtaag 1080
ttaacggcat tttctgtagg attttcctta tgcactgcac actctggacc tcacctgcag 1140
atacagttcc ccccttgcca ggagcatctg catgtggtac ttctcttttc cctcagttga 1200
tatttcttat atgatattct agatactata gaactcaatt tgtcagattc agtataacct 1260
cagattttgt tacctgtctt ttaaaaatgc agattttgtc aaatcaaata aagatcaatg 1320
gatgttgggt ataawmaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaa 1367
```

&lt;210&gt; 54

&lt;211&gt; 378

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (14)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (29)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (363)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 54

```
ggcagtggtg gggngtgaga accctgggnc ctgctgaaaa gcctcctctg taggaggtca 60
cccagcagga caragaagca ggaggaggac agggccacar aggaagccaa gaacggtgaa 120
aaggccaggc ggwggttcara ggagggtggac ggccagcacc cggcccaaga ggagggtccc 180
gaatcgcccc agacctctgg cccagagcag aaaataggtg tgggagcccc agggaggaaa 240
agccarytg agaggaagca gagwtggaaa aggctacaga ggtgaagggg gagaggggtgc 300
```



```

aaaatgaaga ggtgggacct gaacatgaca gccaaagaaac aaagaagctt gaggagggag 360
ctncagtga ggcgaccc                                     378

```

```

<210> 55
<211> 1058
<212> DNA
<213> Homo sapiens

```

```

<400> 55
tcgggtatga ggctgggact aagccaaggg attcaggtgt ggtgccggtg ggaactgagg 60
aagcgcccaa gcttttttgt tctgaactcc cactgcgttg tggattcctg aggatgggat 120
gactgtatct tgattaccct gagttttcaa gatggcagca tctatgcatg gtcmgcccag 180
tccttctcta gaagatgcaa aactcagaag accaatggtc atagaaatca tagaaaaaaa 240
ttttgactat cttagaaaag aaatgacaca aaatatatat caaatggcga catttggaac 300
aacagctggt ttctctggaa tattctcaaa ctctcctgtt agacgctgct tcaagggttaa 360
acatgatgct ttgaagacat atgcatcatt ggctacactt ccatttttgt ctactgttgt 420
tactgacaag ctttttgtaa ttgatgcttt gtattcagat aatataagca aggaaaactg 480
tgttttcaga agctcactga ttggcatagt ttgtggtgtt ttctatccca gttctttggc 540
ttttactaaa aatggacgcc tggcaaccaa gtatcatacc gttccactgc caccaaaagg 600
aagggtttta atccattgga tgacgctttg tcaaacacaa atgaaattaa tggcgattcc 660
tctagtcttt cagattatgt ttggaatatt aaatggtcta taccattatg cagtatttga 720
agagacactt gagaaaacta tacatgaaga gtaacaaaaa aaatgaatgg ttgctaactt 780
agcaaaatga agtttctata aagaggactc aggcattgct gaaagagtta aaagtaactg 840
tgaacaaata atttgttctg tgccttttgc ctggtatata gcaaatactc aaaaagtatt 900
caataattca atcaataaat ataagtttca tcttacacgt aagatacagg tcttatctcc 960
tgatggtgtg tccattttgc ctggtatata acagataata aatatccagt gtcaataaat 1020
gtaacaataa aagtttcatc tttcctcttt gtatgtgg                                     1058

```

```

<210> 56
<211> 682
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (4)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (667)
<223> n equals a,t,g, or c

```

```

<400> 56
gggnccggaa catattccct tactcaaaag attgcatgac tgaatttgct taaggaaaaa 60
aaaaattgta tcaagtccat taatacaatt atacattaat tatattacat taatacaata 120
tatggtttgt gaattcagag acattaccag tttgcctcct tctctcaata gaacttgat 180
tttcattttc ttggttaagc agttgtctcc taatattatc ccatatgcta cctagtttgc 240
tggtcccaag cagtttactg tacttcaacta gatttggtac ctgctctccc ctggacttct 300
ttttcaatat tctagccttt cctagatgta aatctttacc tccttgtag tgaaattaga 360
tataagccat gatttggaaga ggaagaaat ctggaatact taatttcatt taattatcta 420

```

tgctgatgaa tgcctgtatc attgttaata aaggagaatt gaaaatactc atttctactt 480  
tctgccctca aatttctgtt tctatctcaa ctaggcaaga atcagcaggg tgcattgaygc 540  
cattttaagc tgcttcacat cagactgaaa tcctaattac agttcataag tgaaacagac 600  
taattcmatg ggcaatacct ttkgataagg tccygtgctt aaaggaggca agtataaatt 660  
ttcccantaa ggaatccccg gt 682

<210> 57

<211> 644

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (27)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (458)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (619)

<223> n equals a,t,g, or c

<400> 57

ggagncctggg cctgtgctggc ggccgcngta gcgctttgga aggcgcacgg ggcgaagatg 60  
gcggcggacg acaggaggcg ctgagggagt tcgtggcggg gacgggcgcc gaggaggacc 120  
gggcccgcctt ctttctcgag tcggccggct gggacttgca gatcgcgcta gagcttttta 180  
tgaggacgga ggggatgaag acattgtgac catttcgcag gcaacccccca gttcagtgtc 240  
cagaggcaca gccccagtg ataataagagt gacatccttc agagacctca ttcatgacca 300  
agatgaagat gaggaggaag aggaaggcca gaggtgagtc ttctagaggg ggtcaggggg 360  
acagttcaca gggagtcca gggtaatgtg taaatcacct agaacaggac ctggtaaaac 420  
atgtttggtt tattgttagc cttactact gtgggctngt ctgtgtgggt tatatcttag 480  
gaagtctctt ctactccttg tagcttagaa gtgacccttg ttccgttact taatgtattt 540  
attgaggaat attaggggag ggaaaccaag gaaaagatct agcattccca ctttttggtg 600  
ttgactaaaa aggatttgna aatcagtttg taaaagaagg tgct 644

<210> 58

<211> 766

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

&lt;222&gt; (760)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 58

```

gggtcgaccc acgcgtccgg aatgttttgg tgaataaatc tgttcttcag caaccctacc 60
tgcttctcca aactgcctaa agagatccag tactgatgac gctgttcttc catctttact 120
ccctggaaac taaccacgtt gtcttctttc cttcaccacc acccaggagc tcagagatct 180
aagctgcttt ccattctttc tcccagcccc aggacactga ctctgtacag gatggggccg 240
tcctcttgcc tccttctcat cctaateccc cttctccagc tgatcaaccy ggggagtact 300
cagtgttctt tagactccgt tatggataag aagatcaagg atgttctcaa cagtctagag 360
tacagtccct ctctataaag caagaagctc tcgtgtgcta gtgtcaaaag ccaaggcaga 420
ccgtcctcct gccctgctgg gatggctgtc actggctgtg cttgtggcta tggctgtggg 480
tcgtgggatg ttcagctgga aaccacctgc cactgccagt gcagtgtggg ggactggacc 540
actgcccgtc gctgccacct gacctgacag ggaggaggct gagaactcag ttttgtgacc 600
atgacagtaa tgaaaccagg gtcccaacca agaaatctaa ctcaaactgc ccacttcatt 660
tgttccattc ctgattctwg ggtaataaag acaaactttg tacctcaaaa aaaaaaaaaa 720
aaaactcgag gggggggccc gaamcaattc gggctatagn agagcg 766

```

&lt;210&gt; 59

&lt;211&gt; 2361

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1174)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 59

```

gttctagatc gcgagcggcc gccctttttt tttttttttt tttggaaagc aaggatcaca 60
cttccccctc cctgttcctt aatccctttt ctaaaaaggg gggaaaatcc ggatggattt 120
tagggattgg tctggtgtca gctgtgtttt attgcacacc taaatcctga ttataggctt 180
ttcattttct cgcaaagcct ttattttggc agttaagcca aatgtgtttt ccagaaagtt 240
agttattttt tcctctttct ttctttctt tcctcccttt tcccgtctg accccaaacg 300
ttattgtcca aacatgactg gacagcagct tttgtttctt gacctgtaa tatgacagtc 360
tgctaataat gacagaaggt gcagtttttg gggtatagtc gtgattttcg ctaatcaatc 420
atattagcag gaaaaaaaaa gacttgtttc tgttgactt gagtcttaag aaaaagtgcc 480
catagtttag tgacaatttc caaaggcttt agtaccacct gtatttcaaa atggggggacc 540
caaactcccg gaagaaacaa gctctgaaca gactacgtgc tcagcttaga aagaaaaaag 600
aatctctagc tgaccagtgt gacttcaaga tgtatattgc ctttgtattc aaggagaaga 660
agaaaaagtc agcacttttt gaagtgtctg aggttatacc agtcatgaca aataattatg 720
aagaaaatat cctgaaaggt gtgcgagatt ccagctattc cttggaaagt tccctagagc 780
ttttacagaa ggatgtggta cagctccatg ctctcgcata tcagtctatg agaagggatg 840
taattggctg tactcaggag atggatttca ttctttggcc tcggaatgat attgaaaaaa 900
tcgtctgtct cctgttttct aggtggaaag aatctgatga gccttttagg cctgttcagg 960
ccaaatttga gtttcatcat ggtgactatg aaaaacagtt tctgcatgta ctgagccgca 1020
aggacaagac tggaatcgtt gtcaacaatc ctaaccagtc agtgtttctc ttcatcgaca 1080
gacagcactt gcagactcca aaaaacaaag ctacaatctt caagttatgc agcatctgcc 1140
tctacctgcc acaggaacag ctacccact gggncagttg gcaccataga ggatcacctc 1200
cgtccttata tgccagagta gactactgac cagcaaaatg gagaagatca gagaatgcag 1260
cagcagtttt ttttcttggt ttcttaccac tttattcttt cagagtttaa agaaaaatgga 1320

```

```

ctcatgcaca gaacactatg cattttgaaa cttgttcac cttggattttt ttaaatacatt 1380
tttatctcag aacttaaaaca aaaattagat gtcgtgcacg gactgtgtga aagaagatgc 1440
tttgcatatt tgctgcactg catcagtatc ttactaaaaa tgtgaaatga aaggactatt 1500
gtacactgaa atgcttaaat gtatctgaaa gcacaagggtg atactcattt ttatgggtctt 1560
cccatttgtg ctgggtttttg cctctttgac atctgtcatc agtattttaga ggggtgagaag 1620
tgaatgtaac aggtataaat aacattttta aaaacaataa ctttgctata atcacagttg 1680
ttccagagca ctgtcagata cattctaattg accagaactg gtttaaaaaa agaaaatata 1740
accatgggaa rgaaatctta aatgaaaaac gcatctcatt gtaggcattt ttgcctcata 1800
ttttactggg ccagtgttgt ttcttggtac tcatgtattt tttttttcca gatctctttc 1860
cccaagttgc tattgtaaga gtattctgct gcgtgtggat gcagttatac acattaaagc 1920
agatctggag tctgaagtag ctataaagca gctataaaac agaaatacat gcatagctgc 1980
agaaaccatg ataggtagag gacttttctt ttgggttttgt tttgttttgt tttgttttgt 2040
ttttggtttt acagagaaga gatttttatt acaaagaaaa aaattccagt gaattgtgca 2100
gaaatgctgg tttttacacc atcctaaaga aaaactttac aagggtgttt tggagtagaa 2160
aaaaggttat aaagtggaa tcttaaatg taaaattaac cattgagtg caaagttcta 2220
aaagcagaac tcattttgtg caatgracat aagggaagac tactgtatag gtttttkttt 2280
tctcctttta aatgaaraaa arcttgctta aggggtgcat acttttattg gagtaaactt 2340
gaatgatcct actcccttgg a 2361

```

<210> 60

<211> 1472

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (129)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (130)

<223> n equals a,t,g, or c

<400> 60

```

aattcggcac gagcccagat ggcgctggag gaccaggccg ccacactgga gtataagacc 60
atcaaggaac atctcagcag caagagtccc aaccatgggg tgaaccttgt ggagaacctg 120
gacagcctnn ccccaaaagt tccacagcgg gaggcctccc tgggtcccc gggagcctcc 180
ctgtctcaga ccggtctaag caagcggctg gaaatgcacc actcctcttc ctacgggggtt 240
gactataaga ggagctaccc cacgaactcg ctcacgagaa gccaccaggc accactctca 300
aaagaaacaa cactaactcc tccaattcct ctcacctctc cagaaaccag agctttggca 360
ggggagacaa cccgccgccc gcccgcgaga ggggtggactc catccagggtg cacagctccc 420
agccatctgg ccaggccgtg actgtctcga ggcagcccag cctcaacgcc tacaactcac 480
tgacaaggtc ggggctgaag cgtacgccct cgctaaagcc ggacgtaccc cccaaaccat 540
cctttgctcc cttttccaca tccatgaagc ccaatgatgc gtgtacataa tcccaggggg 600
agggggtcag gtgtcgaacc agcaggcaag gcgagggtgc cgctcagctc agcaagggtc 660
tcaactgcct cgagtaccca ccagaccaag aargcctgcg gcagagccga ggacgctggg 720
tcctcctctc tgggacacag gggactcac gaaaactggg ccgcgtgggt tgggaagggt 780
ttgcaacggc ggggactcac cttcattctc ttcccttact tccccccaca cctacaaca 840
ggtcggaccc acaaaagact tcagttatca tcacaaacat gagccaaaag cacataccta 900
ccccatcccc caccmccmca cacacacaca catgcacaca acacatacac acacacgcac 960

```

```

agaggtgaac agaaactgaa acattttgtc cacaacttca cgggacgtgg ccagactggg 1020
tttgcgttcc aacctgcaaa acacaaatac atttttttaa atcaagaaaa tttaaaaaga 1080
caaaaaaaaa agaattcatt gataattcta actcagactt taacaatggc agaagtttac 1140
tatgcgcaaa tactgtgaaa tgcccgccag tgttacagct ttctgttgca gcagataaat 1200
gccatgttgg gcaactatgt catagatttc tgctcctcct ctcttttaat gaaataacgt 1260
gaccgttaac gcaagtaact ctttatttat tgttcaccct ttttttcctt aaggaaagga 1320
ctcttccaaa tatcatccta tgaacagctc ttcagaaagc ccattgaaag ttaaaactatt 1380
taacgtgaaa tccattaact ggaataattg agtttcttta tttttacaat aaattcactg 1440
agtaaataaa aaaaaaaaaa aaaaaaaaaa aa 1472

```

<210> 61

<211> 1672

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (884)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1583)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1645)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1663)

<223> n equals a,t,g, or c

<400> 61

```

ccagcctcca ggcacccggg atccagcgcc gccgctcata acacccgcga ccccgagct 60
aagcgcagct cccgacgcaa tggacccggc gctggcagcc cagatgagcg aggctgtggc 120
cgagaagatg ctccagtacc ggcgggacac agcaggctgg aagatttgcc gggaaggcaa 180
tggagtttca gtttcctgga ggccatctgt ggagtttcca gggaacctgt accgaggaga 240
aggcattgta tatgggacac tagaggaggt gtgggactgt gtgaagccag ctggttgagg 300
cctacgagtg aagtgggatg agaatgtgac cggttttgaa attatccaaa gcatcactga 360
caccctgtgt gtaagcagaa cctccactcc ctccgctgcc atgaagetca tttctcccag 420
agattttgtg gacttggtgc tagtcaagag atatgaggat gggaccatca gttccaacgc 480
caccatgtg gagcatocgt tatgtcccc gaagccaggt tttgtgagag gatttaacca 540
tccttgtggt tgcttctgtg aacctcttcc aggggaaccc accaagacca acctggtcac 600
attcttccat accgacctca gcggttacct cccacagaac gtgggtggact ccttcttccc 660
ccgcagcatg acccggtttt atgccaacct tcagaaagca gtgaagcaat tccatgagta 720
atgctatcgt tacttcttgg caaagaactc ccgtgactca tcgaggagct ccagctgttg 780
ggacaccaag gagcctggga gcacgcagag gcctgtgttc actctttgga acaagctgat 840
ggactgcgca tctctgagaa tgccaaccag aggcggcagc ccanccttc ctgcctcctg 900

```

ccccactcag ggttggcgtg tgatgagcca ttcattgtgtt ccaaactcca tctgcctgtt 960  
acccaaacac gcctctcctg gcagggtaga cccaggcctc taaccatctg acagagactc 1020  
ggcctggaca ccatgcgatg cactctggca ccaaggcttt atgtgcccac cactctcaga 1080  
gaccacgttt cctgactgt catagagaat catcatcgcc actgaaaacc aggcctgtt 1140  
gccttttaag catgtaccgc tccctcagtc ctgtgtgca gcccccaaa tatatttttc 1200  
tgatatagac cttgtatatg gctttaatgc cgaaaatat ttatttttcc ttaaaaaagg 1260  
tgtcaacttg gaaataatgg tttaaaaaca ggataagcat taaggaaaaa cactttcaat 1320  
gtgtcttcca tttgatgaat ttgtkttkct ctctttatcc ccgcaagtgg agtttcatgt 1380  
cctcggtgaa accagacagt gtgaatctgt tccagcccaa atctgcagca ttagggatga 1440  
gttctcrgaa gtgattctga actgagcacg cactcatgtc tgcattggga actctgggga 1500  
gaagagcctt ccttttcttt cccttgggcc atttgccctt ccttgctgctc ttactgaggg 1560  
cggaggcagg gagggctctt gtnctttcca gggccctggg cagggccatc ctggccattc 1620  
agggaagat gggaagagtt aggnctccg ttttaggcag cntgggtgg ga 1672

<210> 62

<211> 1540

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1265)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1468)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1507)

<223> n equals a,t,g, or c

<400> 62

gcggacgggtg ggtcgaccca cgcgtccgct actaacaact taccacagt cggagactgc 60  
tttctgaaaa ggccactcac gtgaacacta gggatgaaga tgagtrtacc cctcttcac 120  
gagcagccta cagtggacac ttagatattg ttcaggagct cattgcacag ggggccgatg 180  
ttcatgcagt gactgtggat ggctggacgc ccctgcacag tgcttgtaag tggaataata 240  
ccagagtggc ttctttctta ctgcagcatg atgcagatat caatgcccaa acaaaaggcc 300  
tcttgacccc cttgcatctt gctgctggga acagagacag caaggatacc ctagaactcc 360  
tcctgatgaa ccgttacgtc aaaccagggc tgaaaaaaca cttggaagaa actgcatttg 420  
atattgccag gaggacaagt atctatcact acctctttga aattgtggaa ggctgtacaa 480  
attcttcacc tcagtcttaa caattctagt aattttccta agtttctaaa taccagtgcc 540  
tcctgtgtgt gagatgtatt ccataatca aagttgacgt caaacatctt actacaaaaa 600  
ttcagtgaac ttattataa cattcttcca agtgaattgc ctgactttra tgtcaaaatg 660  
tatttgaaag taatttgcat atatctttaa ttatttctgt ggagtttgtg atttttttat 720  
cagaaataat tttaatgtgt gtatacttaa aaacttgaca cgggttgtag agaaactggg 780  
atttttgggtg ctgatacaag agaaatgtat ttttaaatat cccacatcct ggatctttgt 840  
tggggtattta gtatattgac atataatttt ataagggtgag gtaactcaga acttaattta 900  
aaagtcttaa atattctgat acaattcagc tgtcttctct accttaccat agccagttgc 960

```
tttcatttta aaccagagca agtaacatat tagtgacttg aatcttcata agttaaagta 1020
aaaaacagca aaaaacctag atctttgtct tttagaacac agaccatttt caggaaagca 1080
gtagactaag tgtttaattc atgaatattg tatactgcat cccctaccac aatttacaca 1140
atcctgtgga tagtcctacc tcacctggt caacctacat gatccttaag ctaatggcga 1200
atcacgatga ccttgtagac atgcacacaa ctataccttt gtccaacaga tcataatata 1260
tctgnctatc caactggttt tacctgccta atcctactga tttgggcact gcttgatar 1320
tctctcaagt tcacaggaaa tgttgatttt ctaaggtcct catttttaca gagtatacag 1380
gcaaagtgac aggggaaaag gaattagtct aagagtaagg ggatgattat tatrttgagg 1440
staaaaccac aaagtggctc aggctttnaa aaaaaaacac tgtggataat gacaaaaagc 1500
ataagtnaaa atatttgaga aaaataaagt acaagaaatg 1540
```

<210> 63

<211> 1044

<212> DNA

<213> Homo sapiens

<400> 63

```
aacaccttca tccatgaaga tatctggaac attcgtagta tctgcagcac caccaatatac 60
caatgcaaga acggcaagat gaactgccat gaggggtgtag tgaagggtcac agattgcagg 120
gacacaggaa gttccagggc acccaactgc agatatcggg ccatagcgag cactagacgt 180
gttgctcatt cctgtgaggg taaccacacag gtgcctgtgc actttgacgg ttagatgcca 240
ccatgtaggg attatcgcca gtggttgacc ttacacttac tccttaaata gcagtgaagta 300
atgcatttga gctgtcccag gctctgtctc ctcagctcat ttcctactct tttctctat 360
ataactcatt ctattaaata cattgcacca aagagatatg gagacataaa cctgtaataga 420
atgaggctgg gcttttctgt aataagcttc cttttataat actggtcagc ttagctctct 480
cagatcctat cctgtggaat ttagttatta tgtgtattta tgtagtattt caaacatttc 540
aaaatgcttt catctatggt tatcacattt taataccaca gcacttataa tgatgtcact 600
acatatagaa gctcaaagtt aagggtattg ctgaagactg taaagttaat ggaagaattg 660
agacaaaaat ccagtgtagc tggccactta tccagggtct tttctacttc atcacaagga 720
atgttttgaa agtgtctgct ttttttatcc ttaaaattca cctgtcaggg aggcattaaa 780
aatttggaag tgatgcccag caaaatgtga gctctgtatt ttttgccatt cttatgtttg 840
ggtttaataa gattaagaaa atgatactgg gaattttctt tttcctgaaa ctttgaatca 900
ccctagtaag tcaaagtact aaaaaatgta ctagatcatt aagacttatg tgctcttact 960
gattgaaaga ttttttatgt tttccttgta ataaaggacc taaaccgaag gtacctgaaa 1020
aaaaaaaaa aaaaaaaact cgag 1044
```

<210> 64

<211> 851

<212> DNA

<213> Homo sapiens

<400> 64

```
cacgagagaa ggtggttatt tatacaaaca tggacatact cactcccaag ggctgatgag 60
atgctgaatt ttctttgggg gcatcatta attgtcccag ctgcagcgac tggagcaagt 120
ctggaagctg cctgtgctaa gaccaccacag ctgtccctgg gttctcatcc tagggccttc 180
tttgcttcca ggtcagggga cctgcttcaa tgagaaagca actgaattga ggctaggaga 240
ggtagggaga gctgagttct gacttcacct gtgcagaact ctctgcccc atgttacctg 300
gactggaaca gactgtgaat atagcagaag gttccaagaa ctctggtgtc tgacctagaa 360
gaggcacagt tctctctact ggaaagaaaa cgatgtagcc gattgcacaa ggggtccaag 420
ggaagacca ggatggccca tcaaaggaaac ctgggggagg atgcaggagg ctgaagggat 480
gcacctggca tttctctcac tgtgtcttta ccgcatcagc aacccccaac ttttgggcct 540
```

```
actctgcccc ccatgcgtga ataccttget tggatgctgt gcttttccgg tttgtctcta 600
agcccccttc tccagggcat gttgggttcc ctggcctctc agtgtcctaa ctggagccca 660
gagtgccttg ttctgagcca ggagacggct gagcactggc cctccacacc taagcgtcct 720
ttacattaac ttattggtct tgtataacac ctggtgccat tgccaagtgg ctgtgtcctc 780
agctacagag ctggaattgt gtgggggttta gtgctaaata cttcaataaa gtctgttttt 840
tgtgattggc t 851
```

<210> 65

<211> 2793

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2793)

<223> n equals a,t,g, or c

<400> 65

```
ccacgcgtcc ggattacatg tagttattga gaatcctttc gaattcagtg gcttaatcat 60
gaatgtctaa atattgttga cattaggatg atacatgtaa attaaagtta catttgttta 120
gcatagacaa gcttaacatt gtagatgttt ctcttcaaaa atcatcttaa acatttgcat 180
ttggaattgt gttaaataga atgtgtgaaa cactgtatta gtaaacttca tcacctttct 240
acttccttat agtttgaact ttccagtttt tgtagtctcc aaacagttgc tcaattttaga 300
gcaaattaat ttaacacctg ccaaaaaaag gctgctgttg gcttatcagt tgccttttaa 360
ttcaaatgct catgtgactt ttatcacatc aaaaaatatt tcattaatga ttcaccttta 420
gctctgaaaa ttaccgcgtt tagtaattat agtgggctta taaaaacatg caactctttt 480
tgatagtatt ttgagaattt tggtgaaaaa tatttagctg agggcagtat agaacttata 540
aaccaatata ttgatatttt taaaacattt ttacatataa gtaaactgcc atctttgagc 600
ataactacat ttaaaaaata agctgcataat ttttaaatca agtgtttaac aagaatttat 660
attttttatt ttttaaaatt aaaaaataatt tatatttcct ctgttgcatg aggattctca 720
tctgtgctta taatggtagt agattttatt tgtgtggaat gaagtgaggc ttgtagtcat 780
ggttctagtg tttcagtttg ccaagtctgt ttactgcagt gaaattcatc aaatgtttca 840
gtgtgggttt ctgtagccta tcatttactg gctatttttt tatgtacacc tttaggattt 900
tctgcctact ctatccagtt gtccaaatga tatcctacat tttacaaatg ccctttcagt 960
ttctattttc tttttccatt aaattgccct catgtcctaa tgtgcagttt gtaagtgtgt 1020
gtgtgtgtgt ctgtgtgtgt gtgaatttga ttttcaagag tgctagactt ccaatttgag 1080
agattaaata atttaattca ggcaaacatt tttcattgga atttcacagt tcattgtaat 1140
gaaaatgtta atcctggatg acctttgaca tacagtaatg aatcctggat attaatgaat 1200
ttgttagtag catcttgatg tgtgttttaa tgagtatttt tcaaagtgtg gcattaaacc 1260
aaagttagga tactggaagt gtttatatca agttccattt ggctactgat ggacaaaaaa 1320
tagaaatgcc ttcctatgga gagtattttt cctttaaaaa attaaaaagg ttaattattt 1380
tgaaaaaaaa aaatcgacct acgcgtccgg attacatgta gttattgaga atcctttcga 1440
attcagtggc ttaatcatga atgtctaaat attgttgaca ttaggatgat acatgtaaat 1500
taaagttaaa tttgttttag atagacaagc ttaacattgt agatgtttct cttcaaaaat 1560
catcttaaac atttgcattt ggaattgtgt taaatagaat gtgtgaaaca ctgtattagt 1620
aaacttcata acctttctac ttccttatag tttgaacttt tcagtttttg tagttcccaa 1680
acagtgtgct aatttagagc aaattaattt aacacctgcc aaaaaaaggc tgctgttggc 1740
ttatcagttg tctttaaatt caaatgctca tgtgactttt atcacatcaa aaaatatttc 1800
attaatgatt caccttttag tctgaaaatt accgcgttta gtaattatag tgggcttata 1860
aaaacatgca actctttttg atagttattt gagaattttg gtgaaaaata tttagctgag 1920
ggcagtatag aacttataaa ccaatatatt gatattttta aaacattttt acatataagt 1980
```



```
aaactgccat ctttgagcat aactacattt aaaaataaag ctgcatattt ttaaatacaag 2040
tgtttaacaa gaatttatat tttttatttt ttaaaattaa aaataattta tatttcctct 2100
gttgcatgag gattctcatc tgtgcttata atggttagag attttatttg tgtggaatga 2160
agtgaaggctt gtagtcatgg ttctagtgtt tcagtttgcc aagtctgttt actgcagtga 2220
aattcatcaa atgtttcagt gtgstyttct gtagyctatc atttactggc tattttttta 2280
tgtacacctt taggattttc tgcctactct atccagttgt ccaaatgata tcctacattt 2340
tacaaatgcc ctttcagttt ctattttctt ttccattaa attgccctca tgcctaatag 2400
tgcagtttgt aagtgtgtgt gtgtgtgtct gtgtgtgtgt gaatttgatt ttcaagagt 2460
ctagacttcc aatttgagag attaaataat ttaattcagg caaacatttt tcattggaat 2520
ttcacagttc attgtaatga aaatgttaat cctggatgac ctttgacata cagtaatgaa 2580
tcttgatat taatgaattt gttagtagca tcttgatgtg tgttttaatg agttattttc 2640
aaagttgtgc attaaaccaa agttggcata ctggaagtgt ttatatcaag ttccatttgg 2700
ctactgatgg acaaaaaata gaaatgcctt cctatggaga gtatttttcc tttaaaaaat 2760
taaaaagggtt aattattttg aaaaaaaaaa acn 2793
```

<210> 66

<211> 303

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (108)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (278)

<223> n equals a,t,g, or c

<400> 66

```
agattaagca tacttaacca ctccttattt gtagattcac tttcaacctt aaaaattaat 60
accagtttgc ataaaccaat atctgaaaag aacaggaaat gttaatgnca agcaacagct 120
attaatactg atgtgaatgg atgcatttgt tttgcagtgg tgactggcct aggcagggtt 180
gggatctgtg aaagaattga ttcattttca aaattattcc ataaagttaa aaagttacac 240
tttaaaggca acaggtcata cagttcttta aaatctgnat ccaactgtag ctttatttaa 300
aag 303
```

<210> 67

<211> 1410

<212> DNA

<213> Homo sapiens

<400> 67

```
ccacgcgtcc ggtccctagg agataagagt atcttgcaca gcagggtgcag gtttccagc 60
agctcaggca agagtccgat gtttgtgcc tctgatcctg atgtctggag agatagccat 120
gtgtgagcct gaatttgcca atgacaaggc cagggagccg agcgtgggtg gcagggtggc 180
agtgtcctgg tacgaacggg ttgtgcagcc atgtctggtc gaactgctgg gctctgctct 240
cttcatcttc atcgggtgcc tgtcggcat tgagaatggg acggacactg ggctgctgca 300
gccggccctg gccacgggc tggctttggg gctcgtgatt gccacgctgg ggaatatcag 360
tgggtggacac ttcaaccctg cgggtgtccct ggcagccatg ctgatcggag gcctcaacct 420
```

```
ggatgatgctc ctcccgact ggggtctcaca gctgctcggg gggatgctcg gggctgcctt 480
ggccaaggcg gtgagtcctg aggagaggtt ctggaatgca tctggggcgg cctttgtgac 540
agtccaggag caggggaggg tggcaggggc gttggtggca gagatcatcc tgacgacgct 600
gctggccctg gctgtatgca tgggtgccat caatgagaag acaaagggcc ctctggcccc 660
gttctccatc ggctttgccg tcaccgtgga tatectggct gggggccctg tgtctggagg 720
ctgcatgaat cccgcccgtg cttttggacc tgcggtggtg gccaccact ggaacttcca 780
ctggatctac tggctggggc cactcctggc tggcctgctt gttggactgc tcattagggtg 840
cttcattgga gatgggaaga cccgcctcat cctgaaggct cagtgaagca gagctcgtgg 900
gattcctgct gctccagggtg tcctcagctc acctgtccca gactgaggac aggggagttc 960
ctgcatttcc tgccagggca gagggccaga ggagcgaccc cctgcttcca ctgcttgggc 1020
ctgctttctc agatagactg actgctgagg aggtcttagg ttcttggaat tcctttgtgc 1080
tcatcagaga cccagcctg gggaacacgc tgcccgcact gccagagag cagtgcacaa 1140
accacaacac gagcgtgttt cttgagagga atgtccccga gttggacaag gaggtgttt 1200
ctgcacatca gctcatttcc cgcaccccat ttcttgcttg attgctttgt tgggggcctg 1260
gccacttctt tgcttctcaa gctgacaatt ctactttgc aataaatagt ccagtgtttc 1320
cttccaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1380
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1410
```

<210> 68

<211> 1024

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<400> 68

```
angggganga agggaagggg agggaagggg ggggtcacgcg ggggcgcgcg cgcgcaccgg 60
gagccgctcg raggcgagtg gaactggatc ggggtttgctg ccagcggcgt gagcttcggc 120
cgccatttta caacagctcc actcgcgccg gacacaggga gcagcgagca cgcgtttccc 180
gcaacccgat accatcggac aggatttctc cgcctcagcc caacggggag atctctggaa 240
acatggctac agaacatggt aatggaaatg gtactgaaga gcccatggat actacttctg 300
cagttatcca ttcagaaaat tttcagacat tgcttgatgc tggtttacca cagaaagtgt 360
ctgaaaaact agatgaaatt tacgttgacg ggctagtgtc acatagtgtg ttagatgaaa 420
gagctattga agctttaaaa gaattcaatg aagacgggtc attggcagtt cttcaacagt 480
ttaagacag tgatctctct catgttcaga acaaaagtgc ctttttatgt ggagtcatga 540
agacttacag gcagagagaa aaacaagggg ccaaagtagc agattctagt aaaggaccag 600
atgaggcaaa aattaaggca ctcttggaag gaacaggctc acacttgatg tgaccactgg 660
acagagggaag tatggaggac cacctccaga ttccgtttat tcaggctcagc agccttctgt 720
tggcactgag atattttgtg gaaagatccc aagagatcta tttgaggatg aacttggtcc 780
attatttgag aaagcataag gttctcagag tgatagagct ggaaggatca taaaggatcat 840
ctagtctaag ggttctcaaa ctggaaggaa cattagggtc atcctggaga gtttactggg 900
ccccgtctca gaggttctga tgctgtaaat caggcgggac ccctgaattt tcatttctaa 960
gaagctcaca ggtgctacta atgttgaaga gaacctatga tctagttcaa cttctgggat 1020
```

tctt

1024

&lt;210&gt; 69

&lt;211&gt; 1848

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1761)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1844)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1847)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 69

agactcggat ggtagtcgcg tgtccaacag ccarccttcc ttcccagtgagg agatcttgcc 60  
cttcctctac ttgggctgtg ccaaagactc caccaacttg gacgtgttgagg aggaattcgg 120  
catcaagtac atcttgaacg tcaccccca tttgccgaat ctctttgaga acgcaggaga 180  
gtttaaatac aagcaaattc ccatctcgga tctactggagc caaaacctgt ccaggttttt 240  
ccctgaggcc atttctttca tagatgaagc ccggggcaag aactgtgggtg tcttggtaca 300  
ttgcttggtc ggcattagcc gctcagtcac tgtgactgtg gcttacctta tgcagaagct 360  
caatctgtcg atgaacgatg cctatgacat tgtcaaaatg aaaaaatcca acatatcccc 420  
taacttcaac ttcattgggtc agctgctgga ctctcgagagg acgctgggac tcagcagccc 480  
atgtgacaac aggggttccag cacagcagct gtattttacc accccttcca accagaatgt 540  
ataccagggtg gactctctgc aatctacgtg aaagacccca caccctcct tgctggaatg 600  
tgtctggccc ttcagcagtt tctcttgga gcatcagctg ggctgctttc tttgtgtgtg 660  
gcccagggtg tcaaaatgac accagctgtc tgtactagac aagggtacca agtgcggaat 720  
tggttaatac taacagagag atttgctcca ttctctttgg aataacagga catgctgtat 780  
agatacaggc agtaggtttg ctctgtaccc atgtgtacag cctaccatg cagggactgg 840  
gattcgaggc cttccaggcg catagggtag aaccaaatag tagggtagga gcatgtgttc 900  
tttagggcct tgtaaggctg tttccttttg catctggaac tgactatata attgtcttca 960  
atgaagacta attcaatttt gcatatagag gagccaaaga gagatttcag ctctgtatatt 1020  
gtggtatcag tttggaaaaa aaaatctgat actccatttg attattgtaa atatttgatc 1080  
ttgaatcact tgacagtgtt tgtttgaatt gtgtttgttt tttcctttga tgggcttaaa 1140  
agaaattatc caaagggaga aagagcagta tgccacttct taaaacagaa caaaacaaa 1200  
aaagaaaatt gtgctctttt ctaatccaaa gggatatatt gcagcatgct tgactttacc 1260  
aattctgatg acatctttac ggacactatt atcactaaga ccttggtatg gcgaagtctt 1320  
tagtcttttt catgtatttt cctcatgatt ttttctcttt atgtagtttg actatgcctt 1380  
acctttgtaa atattttttgc ttgtgttgtc gcaaaaggga taatctggga aagacaccaa 1440  
atcatgggct cactttaaaa aaagaaagaa taaaaaacc ttcagctgtg ctaaacagta 1500  
tattacctct gtataaaatt cttcaggagg tgtcacctca aatgcaatac tttgggttg 1560  
ttctcttctt ttaaaaaaat ttgtataaaa ctggaagtgt gtgtgtgtga gcatgggtac 1620  
ccatttgata agagaaatgc atttgattgt gaagaaggga gagttaaatt ctccattatg 1680

ttcgtggtgt aaagtttwwa gctggaatth attataagaa tgtaaaacct taaattatta 1740  
ataaataact attttggcta naaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1800  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaggg gggncnc 1848

<210> 70

<211> 2682

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (647)

<223> n equals a,t,g, or c

<400> 70

gaatacccca ggatttatgt ataaaaacct gcagtgtctg gttattgatg aagctgatcg 60  
tatctttgat gtggggtttg aagaggaatt aaagcaaat attaaacttt tgccaacacg 120  
tagacagact atgctctttt ctgccaccca aactcgaaaa gttgaagacc tggcaaggat 180  
ttctctgaaa aaggagccat tgtatgttgg cgttgatgat gataaagcga atgcaacagt 240  
ggatggtctt gaacagaaga accgaaagaa gaagcttatg gtcttctttt catcttgtat 300  
gtctgtgaaa taccactatg agttgctgaa ctacattgat ttgcccgctt tggccattca 360  
tggaagcaa aagcaaaata agcgtacaac cacattcttc cagttctgca atgcagattc 420  
gggaacacta ttgtgtacgg atgtggcagc gagaggacta gacattcctg aagtcgactg 480  
gattgttcag tatgaccctc cggatgaccc taaggaatat attcatcgtg tgggtagaac 540  
agccagaggc ytaaatggga gagggcatgc cttgctcatt ttgcgcccag aagaattggg 600  
ttttcttcgt tacttgaaac aatccaaggt tccattaagt gaatttngac ttttcttgg 660  
ctaaaatttc tgacattcag tctcagcttg agaaattgat tgaaaagaat tactttcttc 720  
ataagtcagc ccaggaagca tataagtcac acatacgagc ctatgattcc cattctctga 780  
aacagatctt taatgttaat aacctaaatt tgccctcagg tgcctctgca tttggtttca 840  
agggtgctcc ctctggtgat ctgaacgtca acagtaatga aggcaagcag aaaaagcgag 900  
gaggtggtgg tggatttggt taccagaaaa ccaagaaagt tgagaaatcc aaaatcttta 960  
aacacattag caagaaatca tctgacagca ggcagttctc tctactgaaca catgccttcc 1020  
tttcatcttg aataactttg tcctaaaatg aatttttttt ccccttgatt taacaggatt 1080  
ttttagtagt ttagaatttg gacttaccta acaagagtat aaattgactt gggttgcaag 1140  
cactgagcac tgttacttct atcacgtctc tcttttattt ctgggatata aaacaggctt 1200  
taagtttctt ggttgcccaa gggcagagca aggaatatct ggtgtttctt gtgatgataa 1260  
tatttttaatt ttaaatatcc ctccctcata caagtgtatg ttaccatttt aatataattc 1320  
tttttgtagt tttccttctt gttttgtgaa gatttttgtg gcatggattg ctgtgctcac 1380  
tgctgtaaaa ggtgacctag tgtactgggc agctggtggc ggtgcagaaa agagtctcag 1440  
gttatttttt gtttttagtt atttcttgga ccttgacagt atctaataac tcctcctgaa 1500  
aatgctgcag tataaaagag caaagagctt tgggaaatag ctaagaagca ccttaagatt 1560  
agggtggcat tgctttttata gattcttgat tttaaagcaa caggcctttc tcagggtgtg 1620  
catttttttg agcaaaaact atgggttgta atttgaaata agtgctacta agcagttata 1680  
acgtttgatg gctggggggg aggaagagga tggaaattgag atgtttgagc ctcatattaca 1740  
tcaatagagg tgtaattgtac tgcatctctt catttggtta cataacaaag actttcatac 1800  
aaagaacgat gatgctcctc attaagattt gtttaattca aggtgggttg gatttggtta 1860  
gcctttgcac tctgtagagt acttagaaga caagggaac ttacttgagg ttagagccaa 1920  
gctgtcagac ggtgcccagc acacattaat gttagcttct ttctgagaaa aaaataacct 1980  
ttccaggccc tgaaacaaaa aatacatttg ctgtgaagat tgaaaatgaa caaagttaga 2040  
aaaaaaaaa gcaaaatcag tgatttagtc agatgagttt ttcgtttagt gagcacttga 2100  
tttctagtgt gttttgtaca gtatataact acaagatagt acattttgta gcagttcaaa 2160

```
gccaaagttg ctagcatcat tttgctgttg tgccagttaa tcataggatc ccattaaata 2220
agtgtgctaa catcgaatat agagaaaact ggtaaagaac attccagtag gaaaagaaaa 2280
gaacaatctt ccatttctgg gcttggccac catcaccttg gtcggacctg tcctggactt 2340
ccaaccttga ctgctgagct cctggcttag cttcttgggt tcctaattcc tgggtgttta 2400
taattctctc cacgatcatg tttttctgat ttttttttc agaaataatg ttttttaaaa 2460
gacaaaaaca aaggaagaa tattaatta ctgagcagaa gtaaatactg ttggtatttt 2520
gtacataatc taatttttat atgcatgtty atgcttttta atttttttat caaaaattaa 2580
gtcatctacc tactacttgt aaccagcttg tttcataaca tgttattttc ctgtgtcatt 2640
aaataattac ttcaatgttg aaaaaaaaaa aaaaaaaaaa aa 2682
```

&lt;210&gt; 71

&lt;211&gt; 412

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 71

```
ggcagagcca acagacaccc tccactctga ggtctcacct tcgcctttgc tgaagtctcc 60
ccgcagccct ctccaccag aggtctccct ataccgagac ccaccatssw wccatcctga 120
ggaccgcccc aacctctgga gccccccact cagtaggtct gaaggcctcc atttgtaccg 180
aaacaccccg ctacgcgtga cagcctccta ggytccctga ggtacctttc caccagacc 240
ctccttcccc accccataag ccctgagact cccgcctttr acctgacgat cttccccctt 300
cccgcttca ggttctctct aggcgtcag aggcgctct ggggggttgc ctcgagtcct 360
cccacccctc cccaccacc accgctcccg cggcaagcca gcccgtagcag aa 412
```

&lt;210&gt; 72

&lt;211&gt; 1361

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (46)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 72

```
taagaacttt tgtccttccc ttcttgaggt ccttttttga ttgtgncttt agtatcaagt 60
tcagcagttg tttcaagagc agctgagata atwaattcaa ccaaattggcg ccttggttct 120
ttawggtatc tgawactcct ctaggacttg cgagggccgt gtcttgagta gtgtgtgmcc 180
cttggtctac gttgcctctg ttttcctcaa gttgccagac ttagaagmct tgatgaaaag 240
ggagaaccag aagattctga ctcccctggt gagcctggac accccaggga aagcaacagt 300
acaggtggtc attctggccg accctgacgg acatgaaatt tgctttgtcg gggatgaagc 360
atttcgagaa ctttctaaga tggatccaga ggaagcaaaa ttggttgatg atgcaatggc 420
agcagataaa agtgacgagt ggtttgccaa acacaataaa ccaaagctt caggttaacg 480
gaagacatga tgcagagcaa gcctctgtga ttcctgcccc gcacctgtga ggctgacgt 540
gtcagttccc aataaatgct cttctgattt gttcccgtta caggcaagga ggcttgggta 600
gtgcagattt gtgtatttca atctttgaaa gctctgatgt aatttagaaa tgaaatccaa 660
tcatgagtcc aggtagagaa cgcctgctgt aatctacact gttgctggga ctgcgcattc 720
tgtatataac tgtgttgat gagtgacaga tgattgtcca gactaggaca gcggcatgaa 780
catgactttg gttgggattg cggatagtta gggttacctc tgaatcgtgt agcttttatg 840
agagcagctg tgcaagtga tccacattaa tgccttgtcg tgggtgccatt cccagcgcc 900
gacgatacgc tcttctattg tcttattctg gcaggttttg acgttttaaa ttttttaaag 960
```

```

aaatatttatt ccttggaacca aaagggtttgg ttaaccaccc cctcttact tgctttcaca 1020
ttttgagtgt ccagaggaaa cagaaaggaâ tgagtgtgtg acgttgctgc acgcctgact 1080
ctgtgcgagc ttctttctgt gtatatattt tgttttattt ttttcctgtg atatttttaa 1140
tcccgacaga acatcatgtg agatttcttt aaaatggatt aaacgatttc ttcagcctga 1200
aaaaaaagggt tttgaaaatg ttttcttgta gttttgtttg gttctaaaca acaaataagg 1260
tttaatcact cgaaatggaa ttatattgtg tattcattga ataaattttt tttgaaagta 1320
agcttctgaa atcaaaaaaa aaaaaaaaaa aaaaaaaaaa a 1361

```

&lt;210&gt; 73

&lt;211&gt; 928

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 73

```

cagcaatggc agcatctgcc ttgatatacct gcggtctcag tggctctccag cgttgactgt 60
gtcaaaagtt ctcttggtcca tctgctcgtc gctctgcgac cccaaccccg atgacccct 120
ggtgccagag atagcacaca cctacaaggc cgacagagag aagtacaaca gactagcaag 180
agagtggaca caaaaatatg ctatgtaagt gccttgaggg ttttacatga gacactgtcc 240
aagagaagct ggcagagagg tcttccctta aaactttggg ctggtggctg agccattcaa 300
agagcatcat ctgttcttca aacaaatgtt ggtcaccac tctctccagc tgcagcatgt 360
tggtgccatt ttcagcaatt acggccttga cagtgccacc tctttgatgc caaatcagca 420
accattgttg ttatgatctg cagtcttcct ggtgacactg gaatctctct ctctgccgcc 480
tcagtttgtc tgctgggtctc ttgggggggcc aggcctgcac gtctctccta cccggcctca 540
aatggtgctg ctgcccataga tgggtaccaca ccagggcctc agcctggccc ctcaccacat 600
accctttgcc ttttagaact cagtgccatc ctgggtgccc agggcagarc aggcctttgtt 660
cgcacctcat ctgctgcaga accacatcct gaggagtctc agcttatcct ggagggaatt 720
gggaacagtg tcaactgggaa gtgaaggcct agccctgtgg ctccaccag tctcctcctg 780
cagtgccacg tgggtgaattt tctcgccctc acaccaagaa agcagcaaag tggaaaattt 840
tcaaggatac aaaggcacat aacamcccca taagragatg attaaggttt tttagaagca 900
agagcaaaat tttgaaaacc tctaggag 928

```

&lt;210&gt; 74

&lt;211&gt; 1186

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 74

```

gcggacgcgt gggcagcccc ggcggctgcc cttgggtgct cccttccctg cccgacaccc 60
agaccgacct tgaccgcccc cctggcagga gcaggacagg acggccggac gcggccatgg 120
ccgagctccc ggggcccttt ctctgcgggg ccctgctagg ctctctgtgc ctgagtgggc 180
tggccgtgga ggtgaaggta cccacagagc cgctgagcac gcccctgggg aagacagccg 240
agctgacctg cacctacagc acgtcggtgg gagacagctt cgccttgagg tggagctttg 300
tgcagcctgg gaaacccatc tctgagtccc atccaatcct gtacttcacc aatggccatc 360
tgtatccaac tggttctaa gtaaaagcggg tcagcctgct tcagaacccc cccacagtgg 420
gggtggccac actgaaactg actgacgtcc acccctcaga tactggaacc tacctctgcc 480
aagtcaacaa cccaccagat ttctacacca atgggttggg gctaataaac ctactgtgc 540
tggttcccc cagtaatccc ttatgcagtc agagtggaca aacctctgtg ggaggctcta 600
ctgcactgag atgcagctct tccgaggggg ctccaaagcc agtgtacaac tgggtgcgtc 660
ttggaacttt tctacacct tctcctggca gcatgggttca agatgaggtg tctggccagc 720
tcattctcac caacctctcc ctgacctcct cgggcacctc ccgctgtgtg gccaccaacc 780
agatgggcag tgcacctctg gagctgacct tstctgtgac cgaaccctcc caaggccgag 840

```

tggccggagc tctgattggg gtgctcctgg gcgtgctggt gctgtcagtt gctgcgttct 900  
gcctggtcag gttccagaaa gagaggggga agaagcccaa ggagacatat gggggtagtg 960  
accttcggga ggatgccatc gctcctggga tctctgagca cacttgatg agggctgatt 1020  
ctagcaaggg gttcctggaa agaccctcgt ctgccagcac cgtgacgacc accaagtcca 1080  
agctccctat ggtcgtgtga cttctcccga tccctgaggg cggtgagggg gaatatcaat 1140  
aattaaagtc tgtgggtacc aaaaaaaaaa aaaaaaaagt cgacgc 1186

<210> 75

<211> 933

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (791)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (794)

<223> n equals a,t,g, or c

<400> 75

gtctggatca tattgtagat aaagtaaaag aatgtgtgga tcattttaagt agagatgagg 60  
atgaagagaa actggtagcc tcactatggg gagcagagag atgtttacga gtttttagaaa 120  
gtgtaactgt gcataatccc gaaaatcaaa gctacttgat agcatataaa gattcccaac 180  
ttattgtttc atcagctaaa gcattacagc attgtgaaga actgattcag cagtacaacc 240  
gtgctgagga cagcatatgc ttagctgaca gtaagcctct gcctcaccag aatgtaacta 300  
accatgtagg caaagcagtg gaggactgca tgagggccat catcgggggtg ttgcttaatt 360  
taactaatga taatgagtgg ggcagcacca aaacaggaga gcaggacggt ctcataggca 420  
cagcgtgaa ctgtgtgctt cagggtccaa agtacctacc tcaggagcag agatttgata 480  
ttcagtgctt gggcttaggt ctgctgataa atctagtggg gtatagtgtc cggaatcggc 540  
actgtcttgt caacatggaa acatcgtgct cttttgattc ttccatctgt agtgaggaga 600  
gggatgatag tttaaggata ggtggacaag ttcattgctgt ccagcttttag tgcagctatt 660  
ccttgagcga gagcgggagc cccagctagc agaaagtaaa acagatgagt tgatcaaaga 720  
tgctccacc actcagcatg ataagagtgg agagtggcaa gaaacaagtg gagaaataca 780  
gtgggtgtca ntgnaaaaga ctgatggtac agaagagaaa cataagaagg aggaggagga 840  
tgaagaactt gacctccaat aaaggtatat ttactttgaa tgggtgtattt aaattgaaga 900  
tagtggtttg attttgtttt ttctctccaa acc 933

<210> 76

<211> 1964

<212> DNA

<213> Homo sapiens

<400> 76

ggtttgccag ggcggggcgc ctgcggaaga tgggtggcgc cgtggcgtgt ggctcccgtc 60  
gtctggccaa gtctcagcgc agcgcaccgg ccggcgtctc gttggcctgg agcccacacc 120  
caccgggtcc ctgacccgcg gccccccgcg cccgggtccc ggcatgcctc gcgcccgtaa 180  
gggcaacacg ctccggaagg gtggctcagc ccgtggagga ggtgcccgga gcagtgccca 240  
agctgactcg ggttcacgtg acgatgaggc agccagttag gcccgacga ccgacagtga 300

```
atgccccagc cttctcagca ccactgcaga ggacagcctt ggggggggatg tcgtggatga 360
gcagggccag caggaagacc ttgaggaaaa gctgaaggag tatgtggact gtctcacaga 420
caagagtgcc aagacccggc aggtgctctt gagagcctgc gcctggccct agcgtcccgc 480
ctactccccg acttcttgct ggagcgccgc ctcacgctag ccgatgccct ggaaaagtgc 540
ctcaagaaag ggaaggcgga ggaacaagcc ctggctgctg ctgtgctagg cctgctctgc 600
gtgcagctgg gccctggacc taaggggtgag gagctgtttc acagcctgca gcctctgctg 660
gtctctgtgc tcagtacag cacagctagc cctgctgccc ggctccactg tgcttctgcc 720
cttggcctgg gctgctacgt ggctgccgct gacatccagg acctggtctc ttgccttgcc 780
tgcttagaaa gtgttttcag cgggttctat ggcttggggg gcagctccac aagtcctgtg 840
gttcttgcca gcctgcacgg cctgctctct gctgccctgc aggcctgggc attgctgctc 900
accatctgcc ctagcaccca aatcagccac atccttgaca ggcagctgcc cggctgccc 960
cagctcttgt ccagtgaag tgtgaacctg cggatcgctg ccggtgaaac cattgactg 1020
ctctttgagc ttgcccggga ccttgaggag gaggttgttt acgaggacat ggaggccctc 1080
tgcagtgtcc tgcgcaactct ggccactgac agtaacaagt accgtgccaa ggctgatcgt 1140
cggcgccagc gctctacttt ccgcgccgtg ctgcaactcc tggagggcgg tgaatgcgaa 1200
gaagagatag tgcgcttcgg ctttgagggt ctctacatgg acagctgggc tcggcaccgg 1260
atctacgctg ccttcaagga agtgcgtgggt tcgggcatgc accaccacct ccagaacaat 1320
gagctactcc gtgacatctt tggcctgggc cctgtgctgt tgctggatgc cactgccctg 1380
aaggcctgca aggttccacg ctttgagaag cacctgtaca atgctgctgc cttcaaagcc 1440
cggaccaagc ctggaagccg tgtgcgggac aagcgggcag acatcctgtg aagcaggacc 1500
tgctgaagag gagactttct atgcccttg tccgtatttt taacagaaga cagtgcaca 1560
actggtctcc accagtattt gtcactttat tttttttaat gacaaaacca aaaacagaca 1620
tgggggtggg agctgggggc ccggacactt gggaccctga cccctttgtc cctgcactca 1680
gccctgtggc cccttctgt cctgtctcag gccaggctaa atatgtgcct tcctcagggc 1740
tgtggggcag gcaactaggg gcctttccct tcctttcctt tctcaggcct tgctccccc 1800
ggatgaccca ctcttagggg ggtggtggca tctggacaaa tgccaccaca gcaggtgggg 1860
tggcaaagct acctggaatg gatttgtgtg ctgattttta aggattatta cagataatta 1920
aacagaacgg tcagccttca aaaaaaaaaa aaaaaaaaaa aaaa 1964
```

<210> 77

<211> 1802

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1680)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1747)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1757)

<223> n equals a,t,g, or c

<220>

<221> misc feature



&lt;222&gt; (1800)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 77

```

acgcgtccgc ttccatctgc tctggaatta aatatgcatt tcaggtgatt ggagagctac 60
attcccaact cgatggatcc gaagtactgc tgctgactga tggggaggat aacactgcaa 120
gttcttgtat tgatgaagtg aaacaaagtg gggccattgt tcattttatt gctttgggaa 180
gagctgctga tgaagcagta atagagatga gcaagataac aggaggaagt ctttttatg 240
tttcagatga agctcagaac aatggcctca ttgatgcttt tggggctytt acatcaggaa 300
atactgatct ctccsagaag tcccttcagc tcgaaagtaa gggattaaca ctgaatagta 360
atgcctggat gaacgacact gtcataattg atagtacagt gggaaaggac acgttctttc 420
tcatcacatg gaacagtctg cctcccagta tttctctytg ggatcccagt ggaacaataa 480
tggaataatt cacagtggat gcaacttcca aaatggccta tctyagtatt ccaggaactg 540
saaaggtggg cacttgggca tacaatctty aagccaaagc gamcccagaa acmttaacta 600
ttacagtwac ttctcgagca kcaaaattct tctgtgcctc caatcacagt gaatgctaaa 660
atgaataagg acgtaaacag tttcccagc ccaatgattg tttacgcaga aattctacaa 720
ggatatgtac ctgttcttgg agccaatgtg actgctttca ttgaatcaca gaatggacat 780
acagaagttt tggaaactttt ggataatggt gcaggcgctg attctttcaa gaatgatgga 840
gtctactcca ggtatttttac agcatataca gaaaatggca gatatagctt aaaagttcgg 900
gctcatggag gagcaaacac tgccaggcta aaattacggc ctccactgaa tagagccgcg 960
tacataccag gctgggtagt gaacggggaa attgaagcaa acccgccaag acctgaaatt 1020
gatgaggata ctcagaccac cttggaggat ttcagccgaa cagcatccgg aggtkcattt 1080
gtggtatcac aagtcccaag ccttccttgc ctgaccaata cccaccaagt caaatcacag 1140
accttgatgc cacagttcat gaggataaga ttattcttac atggacagca ccaggagata 1200
attttgatgt tggaaaagtt caacgktata tyataagaat aagtgcaggt attcttgatc 1260
taagagacag ttttgatgat gctcttcaag taaatactac tgatctgtca ccaaaggagg 1320
ccaactccaa ggaaagcttt gcatttaaac cagaaaatat ctcagaagaa aatgcaaccc 1380
acatatattt tgccattaaa agtatagata aaagcaattt gacatcaaaa gtatccaaca 1440
ttgcacaagt aactttgytt atccctcaag caaatcctga tgacattgat cctactccta 1500
ctcctactcc tactcctgat aaaagtcata attctggagt taatatttct acgctggtat 1560
tgtctgtgat tgggtctgtt gkaattgkta actttatttt aagtaccacc atttgaacct 1620
taacgaagaa aaaaatcttc aagtagacct agaagagagt tttaaaaaac aaaacaatgn 1680
aagtaaagga tatttctgaa tcttaaaatt catcccatgt gtgatcataa actcataaaa 1740
ataattntaa gatgtcngga aaaggatact ttgattaaaa taaaaaact catggatatn 1800
ta 1802

```

&lt;210&gt; 78

&lt;211&gt; 995

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 78

```

cggggtgcct ggggcagacg agggcggtt ctccgcggac agctagggag agtgtcctgg 60
gtgtcagcca gaacatgtct ttcaacctgc aatcatcaaa gaaactgttc attttcttag 120
gaaaaactact gtttagtctt ctggaggcta tgatttttgc cttactccca aagccacgga 180
agaacgtttg tggtgaaata gtcctcatca cagggtgctg aagtggactc ggaaggctct 240
tagccttgca gtttgcccgg ctgggatctg ttctgttct ctgggatatc aataaggagg 300
ggaatgagga aacatgtaag atggctcggg aagctggagc cacaagagt cagcctata 360
cctgcgattg cagccaaaag gaaggagtgt atagagtasc cgaccaggtt aaaaaagaag 420
tcggcgatgt ttccatccta atcaacaatg ccggaatcgt aacaggcaaa aagttccttg 480
actgtccaga tgagcttatg gaaaagtcatt ttgatgtgaa tttcaaagca catttatgga 540

```

cttataaagc ctttctacct gctatgattg ctaatgacca tggacatttg gtttgcattt 600  
caagttcagc tggattaagt ggagtaaagtg ggctggcaga ttactgtgca agtaaatttg 660  
cagccttttg gtttgcagaa tctgtatttg tagaaacatt tgcctaaaaa caaaagggga 720  
tcaaaaccac gattgtgtgc ccctttttta taaaaactgg aatgktgaa gggtgtacta 780  
caggctgtcc ttctctgttg ccaattctgg aacccaaata tgcagttgaa aaaatagtag 840  
aagctattct acaagaaaaa atgtacttgt atatgccaaa gttgttatac ttcagatgt 900  
ttcttaaaag gtaattacat cagcttctat tacttcccta acatgccagt ctacagttta 960  
ctccaaatcc cmccaggaaa aaccactttt aaaaa 995

<210> 79

<211> 1215

<212> DNA

<213> Homo sapiens

<400> 79

gcaggaccgt cattgacgcc atgagcgcgc tgctgcggct gctgcgcacg ggtgccccag 60  
ccgctgcgtg cctgcgggtg gggaccagtg cagggaccgg gtcgcgccgt gctatggccc 120  
tgtaccacac tgaggagcgc ggccagccct gctcgcagaa ttaccgcctc ttctttaaga 180  
atgtaactgg tcaactacatt tccccctttc atgatattcc tctgaagggtg aactctaaag 240  
aggaaaatgg cattcctatg aagaaagcac gaaatgatga atatgagaat ctgtttaata 300  
tgattgtaga aatacctcgg tggacaaatg ctaaaatgga gattgccacc aaggagccaa 360  
tgaatcccat taaacaatat gtaaaggatg gaaagctacg ctatgtggcg aatatcttcc 420  
cttacaaggg ttatatatgg aattatggta ccctccctca gacttgggaa gatccccatg 480  
aaaaagataa gagcacgaac tgctttggag ataatgatcc tattgatgtt tgcgaaatag 540  
gctcaaagat tctttcttgt ggagaagtta ttcagtgtaa gatccttggg attttggctc 600  
ttattgatga aggtgaaaca gattggaaat taattgctat caatgcgaat gatcctgaag 660  
cctcaaagtt tcatgatatt gatgatgtta agaagttcaa accgggttac ctggaagcta 720  
ctcttaattg gtttagatta tataaggtag cagatggaaa accagaaaac cagtttgctt 780  
ttaatggaga attcaaaaac aaggcttttg ctcttgaagt tattaatcc actcatcaat 840  
gttggaagc attgcttatg aagaagtgt atggaggagc tataaattgc acaaactgc 900  
agatatctga tagccctttc cggtgcactc aagagggaagc aagatcatta gttgaatcgg 960  
tatcatcttc accaaataaa gaaagtaatg aagaagagca agtgtggcac ttccttggca 1020  
agtgattgaa acatctgaaa ttctgctgtc aagattccca tctctaagga ctccaagtgc 1080  
tagagacaag ggggtctatg agcatttact gacttcctgt taaaacttca ttttttcaaa 1140  
ctttttgagc tatgcaatat ataaataaac agtaagaatt ttaaattaaa aaaaaaaaaa 1200  
agggcgcccg ctcta 1215

<210> 80

<211> 2660

<212> DNA

<213> Homo sapiens

<400> 80

gcagacttga ttagcctgcc taccactgta gagggacttc agaagagtgt agcttccatt 60  
ggcaataactt taaacagcgt ccatcttgct gtggaagcac tacagaaaac tgtggatgaa 120  
cacaagaaaa cgatggaatt actgcagagt gatatgaatc agcacttctt gaaggagact 180  
cctggaagca accagatcat tccgtcacct tcagccacat cagaacttga caataaaacc 240  
cacagtgaga atttgaaaca ggatatcctg taccttcaca actctttaga ggaggtaaac 300  
agtgccttag tggggtacca gagacagaat gatcttaaac tcgagggaat gaacgagaca 360  
gtcagtaatc ttaccagag agtcaacctg atagaaagcg atgtggttgc tatgagcaag 420  
gtagaaaaga aagcaaacct gtccttcagc atgatgggtg atagatctgc cactctgaaa 480

agacagtctt tggwtcaagt caccaacaga acagatacag taaaaatcca aagcataaag 540  
aaagaagata gttcaaattc tcaggtatcc aagctaagag agaaactcca gctgatcagt 600  
gctcttataa acaaacctga gagcaacmga cctccagaga ccgccgatga agagcaagta 660  
gagagtctca catcaaagcc atcagcattg ccaaaatttt cacagtctct tggagacca 720  
gttgagaaag ctgcccact aagacctatc tccctaccag gagtttctag cactgaagat 780  
cttcaggatt tattccgcaa gactggccag gacgtggatg ggaagctgac ctaccaggaa 840  
atctggacct ccctaggttc tgctatgcca gaaccagaga gcttgagagc atttgattcc 900  
gatggagatg gaagatactc attcctggag ctaagggtag ctttaggtat ctacttcat 960  
caggcatatt ttagaaatgg actgcctaata atctatttac ctaacaaca aacaaccctt 1020  
acttaccat cagtcctcta gtctccaaa ctactgtagc agatactttg ccaccttta 1080  
acttgtttga agaagctata taaaagttat ttttttaaag aagaagacca tttacttat 1140  
gatgttcaga aatctatgat ttcctacaac cagtaagatc ttacatttta aaattgccag 1200  
aaaaaaaaatt aaagccctct tttttctct ttcctttttt tgaggggagg agacctatc 1260  
ttttaagct gggaaatgta tatagagaga gaataagcca cttttatatt tcacttaa 1320  
ttgcttaaa ttagctgcac tttatagaga ctacagaaaat gtcttttctt taaaagatag 1380  
gccttttctg tttgtaaata tttaaatgaa agaaagcatt gtgcatattg tgtggaaagt 1440  
aggaagaatg gttttgaaca ggatatgaac aaatgactta ttaaaaattg ctgatctggt 1500  
gtaggtggca gctgaaacta catccatgtc tccataaggy atccctcaa ggcccaggcg 1560  
ctgccagggg gtttgcctg gtagctggag gaaccgattt cagggagtag aactggaga 1620  
caatactgac tccaggcatg gctcatggaa gtaggattct ggttcttgt tcctattccc 1680  
tcagctaata ccaacctggg aatcagagaa gtcttgggga tttttctcat ttttagtact 1740  
atctcagggt ttatgagcat aaaaagttat ccattgggga gctccattt ccctgctgag 1800  
tgagctagat tgccttcccc acccaccac ttaagtctgt cttaaagccg tagctggctc 1860  
ccaccaccag taccatctcc atttgaatgg cagggtctaa tccccccagc cattatctca 1920  
cactgaccac ccagagcttt agaagagagc tgtgcttcta attttgacc agaaaaccat 1980  
acccttgag attttaccta gaggtctaac aagagcctaa tatgtttctc tgggggatga 2040  
ctaaagccaa aaaggctgtg agatgaaaca tgtgaaataa tattcagttt ccttaccatt 2100  
accagctcag aagtagctag aggttttcta ccaaaggat gccaaagtat agcagggcag 2160  
gcctggagct agggccttca catggtggta gcaagttttt caaatctaata acaatcaagt 2220  
acaatacttc ctttaaatgc ttctgtggac ctggcatgaa agatccctag attgaaagga 2280  
ataatacctc catgtctcct gtatgttgag tctagaattg ctgtgttgt cttagaagca 2340  
gtctttgggc aacaacttga aaggggaaaa aaaaactaca aaaacttaac tttggtatag 2400  
gccaaagtca ggagaaagta gagaaagctg tcatgccaca gacttcttta gtggagatca 2460  
tttctttttt aactttgttc aggttgccct tcaccatgga tacagtccg tacccttaa 2520  
catttaaggg ctgttttttt tttctttaca tgatgttcag cttggtatta accaaactta 2580  
aatttttttt ccagaagtat taaaatttag ttaaagcaaa aaaaaaaaaa aaaaaaaaaa 2640  
aaaaaaaaaa gggcgccgc 2660

<210> 81

<211> 1790

<212> DNA

<213> Homo sapiens

<400> 81

ccttgcccta tctgaccaca ctatttaagt tttttatctt aaatttataa aactgaaatc 60  
tgaaactgta tgatagtcag taggcctaaa actccccctt gactttgaga atttgaagg 120  
attcccttcc atcctgaagt ctactttctt gtcatttaag ggtgagagaa gggaagcttc 180  
tgtgcctttc tagaaattaa caaagaacct gttgggtcct agaccagaaa tccagcacgt 240  
tatcctagca tgaaactccc ttttaaaaag tgaacaccca aagagatgtt acaaatgaag 300  
atatagcccc ttcagcatct ctggagacca ataccacaat aaggaataat aacaacctag 360  
gaataaaggc aggagttttt acataggatg cacgatatcc aaagggactt tataaacaca 420

```

agccattgag tcttaagacc tgacacatgg caaggrtagg acatgtgaga gaaaatggat 480
ggacgggttg agaaaagagg ggaagagacc atgcagttga actaacttct ttttaatttc 540
aaacagggtat tttttgcatc cgtgcgatct ggaggaagta gccaaagtgt tttcatgacc 600
ctcaacagaa attccatgat gaactggtaa cagaagagca cttggcactt atcttcatgg 660
cgttatttct aattttaaag aacataactc atgtggactt atgccagtct agaggcagaa 720
tcagaaggct tgggtgaaca tatcgctttc cttttttcct ctccctccgc ccctcccagt 780
acagtccatc tttcaatggt gcagcctggt tgagaaggag agaaaaaggt ggcaggaatt 840
tccaggagat ccccaagaat gctgccttgt ctgtggacaa agatggacca tgtgcccttc 900
ggaattaggg atagaaacaa atattgtgtg ctcttaacga ttaagctgtg ttatggtggg 960
ttttcagggt tttacctttt ttctttaccc ctttactctg caagaatggg gaaagaatgc 1020
atactgcgaa aatgagtctt ttaaattctg tctgcctact agttttaagt atatggtatg 1080
ttgtaaaatt tccaatgatg agagacagca caataaatgt accttatctc cttaggctga 1140
aggccataac tacatagtgg agtaatttaa gaactctctt gccttcacca acccaaaagg 1200
ttgctttttg atagcaactg gctaataaat ttttaaaaga gaagaaaaat actagttttc 1260
ccctcttttg ggaaatagat tttaaatggc taaactacta gccttataac tactagtcta 1320
ataaaatcaa ctaccacttt tgtgaatctg acaggccaca tttttatatg gccctttaca 1380
gaatggagtg tgtgaacag gatactaacg ccattgagtt gagctggcct agcgatggag 1440
ggacactcta acacaacttt ccctcagcta ttatgcaaca gatcagggaa aaagatggga 1500
tgacagatgg ggtcagacag aaagagcttc tgggaacaa gcttacatag tcttttttaa 1560
aatgcacaaa gcctcccagc taagaggtca cttggtttgg gcttcattag gactgagact 1620
ttgttgagtt ctttctggga cttggagagt ggatgatatt caggctctga acattcccag 1680
cgctctcccg aggggtccac tttctcaaga tgaaaactgt gactgaaaaa attataata 1740
aatgtttctg agctgcaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1790

```

&lt;210&gt; 82

&lt;211&gt; 1350

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 82

```

agtgggctgg ccatttcttg ttctctctcc cgtctctgga agctttctgc tcgtgggtgc 60
gaaaggtaac cgaagcggct caggaaggca gctgtcactg agccctgga acagagcgag 120
agtatcgtaa gtaaccaggc tcagccggtt tctcaggccg ctctagtcaa ataaaccata 180
aagatcagac tcgggcttct tcaactcctt ctctccgtgg tttcgccatt agcttccggt 240
tccggggagg ggccgagttt tcttcgaaga tttggggctc cgcgatacag ttaggatggc 300
tgtagtacct ctgctgttgt tggggggttt gtggagcgct gtgggagcgt ccagcctggg 360
tgtcgttact tgcggctccg tggggaagct actcaatacg cgccacaacg tccgactgca 420
ctcacacgac gtgcgctatg ggtcaggtag tgggcagcag tcagtgacag gtgtaacctc 480
tgtggatgac agcaacagtt actggaggat acgggggaag agtgccacag tgtgtgagag 540
gggaaccccc atcaagtgtg gccagcccat ccggctgaca catgtcaaca ctggccgaaa 600
cctccatagt caccacttca cttcacctct ttctggaac caggaagtga gtgcttttgg 660
tgaggaaggt gaaggtgatt atctggatga ctggacagtg ctctgtaatg gaccctactg 720
ggtgagagat ggtgaggtgc ggttcaaaca ctcttccact gaggtactgc tgtctgtcac 780
aggagaacaa tatggtcgac ctatcagtgg gcaaaaagag gtgcatggca tggcccagcc 840
aagtacagaa aactactgga aagccatgga aggcattctc atgaagccca gtgagttgtt 900
gaaggcagaa gccaccatg cagagctgtg aatctagagg ctctgagcca ctgttaacgc 960
acaatgttca cagacatctg ttgctgcctc accttgggat ccctgccaca agttccttgg 1020
gcagtggcca tgtcaccatt gagatgaaga tatacaacag aaaatagtgg ctgtgtttgg 1080
aagcttcagc cctgcacatt tgaactagtc actctcccag acttgctgtg gtcagttctt 1140
tctgagtaga ggacttgctg gtaaaggggc agatgctttt tattagtact gataaaacaa 1200
actgagggaa acatccctct tagctgggaa acttttactc ttcaggagct tggcatcatg 1260

```

gactgttaat gtatgtgatt ttccccctat tttctctctc caaaatgata aaaacaataa 1320  
ttttaaaaaa aaaaaaaaaa aaactcgagg 1350

<210> 83

<211> 1746

<212> DNA

<213> Homo sapiens

<400> 83

ggcatcagta aggtctgtat ttaaatgtgg atgtagacat cataattacc aagacaagaa 60  
attgttttga gaaattctct gatgtttttc ttcttcagggt ttcacgtgcc acgatcatgg 120  
tgccacggta ctgcagtatg cacccaaaca gcaactccta atctcggggg gtaggaaaag 180  
acacgtctgc atttttgaca tcargcaaag gcagctcatt cacacgttcc aggcccatga 240  
ctcagctatt aaggctctgg ccttggatcc ctatgaggaa tattttacca caggttcagc 300  
agaaggtaac ataaagggtt ggagattgac aggccatggc ctaattcatt catttaaaag 360  
tgaacatgct aagcagtcct ttttctgaaa cattggggct ggagtcagtc agattgacat 420  
catccagggc aatcggtctt tctcctgtgg tgcagatggc acgctgaaaa ccagggtttt 480  
gcccaatgct tttaacatcc ctaacagaat tcttgacatt ctataaagat tgggggtttt 540  
tttttatata catttcagtt aaaaggcaca ctacagtcac cactaggcaa ttctgctttc 600  
taagcagttg tattgaaaac agagaatctc tgtgtagaat ttgaatatga cccaagctga 660  
gtattatcta aacagggttg tggaatgaat gcgcagtgtac cttattatgc tgacatacta 720  
aaaaaaaaaa aacctagtat tgtatgaagg atagctattc tttacagcat ttagcaaacc 780  
tgattcagaa aacatttgag attagcaaat tagtaacttg aaataatgaa aaggacgttt 840  
ataccaaatt aaggaagaaa atgttgctga tttgggtttt tcttcctgtt cttaccactg 900  
actgaagcat gcctgcagtc tctcctcttg ttgaatgaag gataatcata aggtgtttgt 960  
taggagcgct agaccacctg gaaaactttc ttagctgtgg agcagtgccg agtgaccagt 1020  
tctctgctgt gagaggccgt ttccattctt tctgctgaa tatttttctt gttagtgttt 1080  
atactgagct agtactgtaa cttgcaaatt agtgcaaatt taaatgcaat gttttactca 1140  
caatttgcac attcacattt tttggactgc tagtttttct atttaaataat ttgccttcat 1200  
gttaggaatg tactatgtga acatgacata tttgtagtta accaaacaca ccttcttagt 1260  
ccagtttagt actttttctt ttctgtgtatt caagggttaa cacccaaaca tttaaggata 1320  
tgttgaaact acaccaatag agcatttcat atcataatta aaatgaatgt taggcttctt 1380  
gtggccagtt aatagttgat gagattggtg acattattta ttgccacagc ctattgtata 1440  
aactatgcag agttaaatat ttgcttgtaa aatattagcc aatgttgtca ttattttgat 1500  
gtatttctct ggttatgacc aaaaatatgt tgagatactg aaactaatgt ctgtgtgttt 1560  
aaatgtttac cagcaaatg tcttatcatg ttaatgagaa tgttcaatgc ctgtgtggta 1620  
aatagtaaat acaatggcat aaaagtaact ttctctgaag atgtgatgtt caggctgtga 1680  
aatatatatg taaaagaaaa ataatgtta tttgttagaa aaaaaaaaaa aaaaaaaaaa 1740  
ctcgta 1746

<210> 84

<211> 1491

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (176)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (711)

<223> n equals a,t,g, or c

<400> 84

```

cccacgcgtc cgaatcaaca aagaatctga agtttacaag atgcttcagg agaaacagga 60
gttgaatgaa cccctgaaac agtctacctc tttcctgatt ttgcaggaaa tcctggagtc 120
tgagataaaa ggggatctca acaaccctca ggattcagaa gtgttaaaac tcctgnaccc 180
traagtgrmt gcatcaattg gaaatgctca gaagggtgcc atgtgtgaca aatgtggtcc 240
tggcattgta ggcattgttg taaagctgcg gggaccatca tcccctccct gaatgttacg 300
tgtgcactga ttgtgacamt cacccgaaag agaagggttt tttttttttt tttccatcaa 360
atctactgtg aagagcatgc ccaggagcaa gtcacaccac ttgagggtac gatgtgatca 420
tcatgttccc caagtgatec agcagacctg cactgaccac cgttctccag ccagcctctg 480
ctgcagctag ttctctaaat gttctggcct tgtctcttga aagttctgta cttattcccc 540
caccccccaa cccgcttacc ttggttttat ccctgctcat tgaaccttga gtcccttgct 600
ttggttaact gactcacact gactgtgtgg tgcccgccca cttttacaat gaatggcaaa 660
ctgtttttgt tcagtgtccc cttgccggca acactgtgta ccttctccc ntcagttctt 720
ctctgctgca aatggacatc agccacattt gaaccaaatac aaatataata tgtctgacat 780
tgatttcatt tttgctccat ctatagactc ccagaaaaaa raaawaaaaa aaatgcaaag 840
aaaatttaaa tgaacaaaca gacccttctg gaacctactg tgacatgaga tgtgtccaca 900
aggcgaggtt tcaggcacac actgaaggag catctgctgg acagccctcc ccgcccccaa 960
gtccttacca acctgtgcca ctgcataccc tgtaaaaagt gtgtggtggt tggtaatgga 1020
ggagttttga agaataagac atrrggrgaa aaaatcgacy cctatgatgt aataataaga 1080
atgaataatg gtcctgtttt aggacatgaa gaagaagttg ggagaaggac aaccttccga 1140
ctttttttat cagaatctgt tttttccaga tccctattca caatgaccct aatacgacag 1200
tgattcctca ctgcttttaa gccacatgat ttaagggtggc tgttggaatt gttgatgggt 1260
gacaaaataa acactaatgg tttttggaag aaaccagcct taaacctgat ttataaacct 1320
tatcaaatcc gaattattaga tcctttcatt atcagaacag cagcttatga actgcttcat 1380
tttccaaaag tgtttcccaa aaatcagaaa cctaaacacc caacaacagg aattattgcc 1440
atttttacat aacctctatg attttaataa aaaaaattat gtaaaaaaaaa a 1491

```

<210> 85

<211> 968

<212> DNA

<213> Homo sapiens

<400> 85

```

ctgcagttaa gtgaaaagaa aatccagcct cccctccaa aaaaaaaaaa aaaaaaaaaa 60
atttaatttt taaaaattag tggatatggca ataagacact tcagaggcta tcttaacctc 120
tgaataccca tcttctagtt taaagacaga gacatcccat ctggaaaatg ttaacttggtg 180
ttgccatctc gttgccggag taagtagaca taagacagag ttttaagaagt aaaaatatag 240
aaaaattttg atggtcacaa tgagataaat attagaatat tactattcca atgattaaat 300
gaggatcttg aaataaatlc tgaagtcttc caatttttac atttattgga ggggtccctg 360
agtctctgtc acttttttat ttaagtctct tgctcttatt ttgtgcataa atgttaaacc 420
ttccaaaaat gaaatgttag ctttctttct tttacttttt attaaattta atagaaaata 480
tgacctgagt agttaaaaag tattttgcat tatttgcagt aagatgtctc tagcactgct 540
caaagggcaa attttaaaac ttcagtctgg gtgaaagatt tgctagtttt acagaaagat 600
ttgctatctt aaactcaagc tggtttttct gttctcatgt aagtgactgg gatgctgtct 660
tatgaattct tccaagggtc tgtttgtgaa ataaacatta catgagagct ttcctgtcat 720
ctacactata tgttgtctgg agtggtgaac aaatttattt tagtttctaa gttgtaattct 780
atcctcatat ggtctatacg attttgaatg tgtgccacta catactgaga tgataatgct 840

```

gtacaatttt aagtggtagc agtttctgta tgcagtaggc tgaaatattt tgatgaactg 900  
cttaattttt ggattttatt ttttaagttg tataatttat tttcttgcaa aataaaaaatg 960  
taatataa 968

<210> 86

<211> 3068

<212> DNA

<213> Homo sapiens

<400> 86

cgacagaagg ggagggtggt tttataagag gcgtcattgg cgcccgagct gtgaccgccg 60  
ccactggggc agccagcaca atcgggcgga ggtggcgctg ccccttcaga cctgaaagat 120  
gtctgaaaat tccagtgaca gtgattcatc ttgtggttgg actgtcatca gtcagtgggg 180  
gtcagatata gaaatgttga attctgtgac cccactgac agctgtgagc ccgcccaga 240  
atgttcatct ttagagcaag aggagcttca agcattgcag atagagcaag gagaaagcag 300  
ccaaaatggc acagtgccta tggaagaaac tgcttatcca gctttggagg aaaccagctc 360  
aacaattgag gcagaggaac aaaagatacc cgaagacagt atctatattg gaactgccag 420  
tgatgattct gatattgtta cccttgagcc acctaagtta gaagaaattg gaaatcaaga 480  
agttgtcatt gttgaagaag cacagagttc agaagacttt aacatgggct cttcctctag 540  
cagccagtat actttctgtc agccagaaac tgtattttca tctcagccta gtgacgatga 600  
atcaagtagt gatgaaacca gtaatcagcc cagtcctgcc tttagacgac gccgtgctag 660  
gaagaagacc gtttctgctt cagaatctga agaccggcta gttgctgaac aagaaactga 720  
accttctaag gagttgagta aacgtcagtt cagtagtggt ctcaataagt gtgttatact 780  
tgctttgggtg attgcaatca gcattgggatt tggccatttc tatggcaciaa ttcagattca 840  
gaagcgtcaa cagttagtca gaaagataca tgaagatgaa ttgaatgata tgaaggatta 900  
tctttcccag tgtcaacagg aacaagaatc ttttatagat tataagtcac tgaaagaaaa 960  
tcttgcaagg tggtggacac ttactgaagc agagaagatg tcctttgaaa ctcaaaaaac 1020  
gaaccttgct acagaaaatc agtatttaag agtatccytg gagaaggaag aaaaagcctt 1080  
atcctcatta caggaagagt taaacaaact aagagaacag attagaatat tggaagataa 1140  
agggacaagt actgaattag ttaaagaaaa tcagaaactt aagcagcatt tggaagagga 1200  
aaagcagaaa aaacacagct ttcttagtca aaggagact ctggtgacag aagcaaagat 1260  
gctaaagaga gaactggaga gagaacgact agtaactacg gctttaaggg gggaactcca 1320  
gcagttaagt ggtagtcagt tacatggcaa gtcagattct cccaatgtat atactgaaaa 1380  
aaaggaaaata gcaatcttac gggaaagact cactgagctg gaacggaagc taaccttcga 1440  
acagcagcgt tctgatttgt gggaaagatt gtatgttgag gcaaaagatc aaaatggaaa 1500  
acaaggaaca gatggaaaaa agaaaggggg cagaggaagc cacagggcta aaaataagtc 1560  
aaaggaaaaca tttttgggtt cagttaagga aacatttgat gccatgaaga attctaccaa 1620  
ggagtttgta aggcatacata aagagaaaaa taagcaggct aaagaagctg tgaaggaaaa 1680  
tctgaaaaaa ttctcagatt cagttaaact cactttcaga cactttaaaag ataccaccaa 1740  
gaatatcttt gatgaaaagg gtaataaaaag atttgggtgct acaaaagaag cagctgaaaa 1800  
accaagaaca gtttttagtg actattttaca tccacagtat aaggcaccta cagaaaacca 1860  
tcataataga ggccctacta tgcmaaatga tggaaggaaa gaaaagccag ttcactttta 1920  
agaattcaga aaaaatacaa attcaaagaa atgcagtcct gggcatgatt gtagagaaaa 1980  
ttctcattct ttcagaaagg cttgtttctgg tgtatttgat tgtgctcaac aagagtccat 2040  
gagccttttt aacacagtgg tgaatcctat aaggatggat gaatttagac agataattca 2100  
aaggtagatg ttaaaagaaac tggatacttt ttgtcactgg aacgaacttg atcagttcat 2160  
caataagttt ttcctaaacg gtgtctttat acatgatcag aagctcttca ctgactttgt 2220  
taatgatgtt aaagattatc ttagaaacat gaaggaatat gaagtagata atgatggagt 2280  
atttgagaag ttggatgaat atatatatag acacttcttt ggtcacactt tttcccctcc 2340  
atatggaccc aggtcggttt acataaaacc gtgtcattac agtagtttgt aacatttgta 2400  
gattggatag catttttatg atttgatgag tttcttgtaa ggttaccgtt tctaagagtt 2460

gtgctttatg gccactgaga gaattcagaa taaattgaaa gatggagtct aaaaattatt 2520  
agctgttaca aatggaacat ttcattataa cgtgatcact ttgacttgag caaatgggtt 2580  
aattttttatc ttaaaaaatca gttaagaata tataaaatcc tactttggcc aagtttggtt 2640  
cttttcatta tagtttatat gaaaagatca ccttaagtga aattattttc ctttaatctt 2700  
ttatgtatatt attcactttt ggaagctagg aatgagcaac acaaatttta ctctgaagtc 2760  
agaagagctc atatataata attctaattgt cccacctatt ttcacttgtc cattccatgt 2820  
accagcttag ttatgatact tagtcacata attatctttg ataaaggtag aggcacaaag 2880  
aggcaaaacta agcaagtcaa attctaattgt gtgtacttca taataatttt ttatccattt 2940  
tcattctttat attctgtaac atgaaactta cctaattctt aaatgttagc ttcatTTTTT 3000  
acctttgaaa tacttaatct ttctgaataa atataatgtg tctataaaat aaaaaaaaaa 3060  
aaaaaaaaa 3068

<210> 87

<211> 2230

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2227)

<223> n equals a,t,g, or c

<400> 87

ggcacagccg tgctccgggt aagatggcag cggacggaca gtgctcgctc cccgcttcat 60  
ggcggccggt gacctcacc cacgtcgaat atcctgcagg tgatctctcy ggccacctcc 120  
ttgcctacct gagcctcagc cctgtatttg tcactcgctcg tttcgtgacc ctcatcatat 180  
ttaagcggga gtgcacacga tctccttcct tgggggcctg gcaactgaacg aggggggtcaa 240  
ctggctgatc aaaaacgtca tccaggagcc acggccctgt ggaggccccc acacagcagt 300  
gggcaccaag tacgggatgc cctccagcca tccccagttt atgtggttct tctccgtcta 360  
ttccttcctt ttctgttatt taagaatgca ccaaacaaac aacgccaggt tcctggactt 420  
gctgtggagg cacgtgctct cctggggaact cctcgctgtg gccttcctag tctcctacag 480  
cagggtctac ctgctgtacc acacctggag ccagggtgctc tatggaggca tcgctggagg 540  
cctcatggcc atcgctgtgt tcactctcac ccaggaggte ctcaccccg cgttccccag 600  
gatagcagcc tggcctgtct ccgagttctt cctaattccga gacacaagcc tcattcccaa 660  
cgtactctgg tttgagtaca cggtaacccg ggcagaagcc aggmaccagac aacgcaagct 720  
ggggacgaaa ctgcagtgc cagtgggtgt ggctgggtcc agcctccaga tctggccccg 780  
acgatgcctt gcaggatgga caggatgaca gacaggagac aagcagagac ctctacagac 840  
ccaagtcacc aagtggagcc tttttttttt ttattttta tttaatgaac aaggtggacc 900  
aaagggtga accagccct caaccaggac cctggggggc ctgctgcctg ggggcccgtg 960  
ccagagaccc tcgctgtgct gctgccagcc cctggctggg gcagaaagt ccctcggcat 1020  
gggcacctg gtgtggggtg gaggaggagg gctcgccct ctggtctcgg ggccaggaat 1080  
tccagggtgc gtgagaagta cacactattt attttttgg tttktcagag gcaggcagga 1140  
ttttggagct ggaagaatct gctctccgtt ggctgccctg tgaacagagg gctcccgtc 1200  
agcttcccag gcccttcgcc ctatgccag aggcagactg cctctccctg ggccgggggtg 1260  
gcctgggtgc caggaggagg ggagcatacc ccacaccct cctgccaccg ttgccgttcc 1320  
agaacctcg tcagtgttc cctgtctggg ggcagggcc agagcgagca cgcgtctggc 1380  
ggctgctgtc gttgtgttct acccgtact gacccaacac cacaagggtt ttctctggtc 1440  
ccctgtccct aagacaataa tcgctttctg acaaaggagc ctgcacattt ggggtgagcag 1500  
acccaagctg tttacagctc tttctgtcc tgccatccag tagcagttag tcttcatccc 1560  
cacgtgaaca aaatgggaag gagccgtgag gagaggagt aggcacagc caccggaagt 1620  
ccctcgctct tccctctgtg tgctctgaat atgtccttgc ccttctgac ccattctctga 1680



```
ccagctggga acctgcttgg ggtccccctc aaacctgtgt ctggggtgtg ggctcacaga 1740
tccctatcag cctgggttcgt gggaggggtc ttcctaaagg gacccccatc tctaagtcac 1800
tctgaaaggg agttgtggag aggagacgcc tccagactct cagaagtttt gaggactgaa 1860
ctgggtcact cgggatctgt gttcgaatcc tccccacccc tttctttgtg gagtttccta 1920
acctgctgct gaagcacaaat gttttggtgc tttcttttct catttgtaa aggcagtgtc 1980
caaaagccat tccagatgcc aagaccaggg gcttatttct agggaaggta ggtcgttttc 2040
catgtttccc tcccgttatt tttatttttt actttttgcc tgagacaagc cgagtatgag 2100
gtgggttgat ttaagaaaaa tcaatgaaat tgtttactac tgttttaaaa taaaaccgta 2160
aactctgaaa aaaaaaaaaa aaaaaaaaaa aaaaactcga gggggggccc ggtacccaat 2220
cgcatacncat 2230
```

<210> 88

<211> 1163

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (159)

<223> n equals a,t,g, or c

<400> 88

```
actgccccaa gctcaaggag atcaatttcc gtgggaacaa gctgaggagc aagcgcctgg 60
agaagatggg cagcggctgc cagaccagat ccattcctgga gtacctgcgc gtcggaggcc 120
gtgggtggcgg gaaagggcāa gggccgtgcg agggctcgna gaaggaagag agccggagaa 180
gaggaggggag aggaagcaga ggcgggaagg tggatgatggg gargagcagg acgtgggaga 240
tgccggcccg ctgctgtctc gggtcctgca cgtctctgaa aaccccgta ccttgacagt 300
cagagtgagc cccgaggtcc gggatgtgcg gccctacatt gtggggggccg tgggtgcgagg 360
catggacctg cagccaggga atgcaactcaa gccttccctc acctcgaga ccaagctcca 420
cgaagatctc tgtgagaaga ggacggctgc cacccttgcc acccacgagc tccgtgccgt 480
caaagggccc ctgctgtact gcgcccggcc cccacaggac ctcaagattg tccccttggg 540
gcggaagaa gccaaaggcca aggagctggg gcggcagctg cagctggagg ccgaggagca 600
gaggaagcag aagaagcggc agagtgtgtc gggcctgcac agataccttc acttgctgga 660
tggaatgaa aattaccctg gtcttgtgga tgcagacggt gatgtgattt ccttcccacc 720
aataaccaac agtgagaaga caaaggttaa gaaaacgact tctgatttgt ttttggaagt 780
aacaagtgcc accagtctgc agatttgcaa ggatgtcatg gatgccctca ttctgaaaat 840
ggcagaaatg aaaaagtaca ctttagaaaa taaagaggaa ggatcactct cagatactga 900
agccgatgca gtctctggac aacttccaga tcccacaacg aatcccagtg ctggaaagga 960
cgggccctcc cttctggtgg tggagcaggt ccgggtggtg gatctggaag ggagcctgaa 1020
ggtggtgtac ccgtccaagg ccgacctggc cactgcccct ccccacgtga ctgtcgtgcs 1080
ctgacscag ggcgcctgt ccgcgtttgt ttggccggtt ttgcggaggt ttctatgcgg 1140
caatgctgaa ttatccgtta gat 1163
```

<210> 89

<211> 1939

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (31)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1609)

<223> n equals a,t,g, or c

<400> 89

```
agcaacctat agatcatgan aggcaacggt nanctgacag taccggtcgg aattcccggg 60
tcgacccacg cgtccrgcgg taaccgccac agctgccagc gacaggatgg agagcgactc 120
agactcagac aagagtagcg acaacagtgg cctgaagagg aagacgcctg cgctaaagat 180
gtcgggtctcg aaacgagccc gaaaggcctc cagcgacctg gatcaggcca gcgtgtcccc 240
atccgaagag gagaactcgg aaagctcatc tgagtoggag aagaccagcg accaggactt 300
cacacctgag aagaaagcag cgggtccgggc gccacggagg ggcctcttgg ggggacggaa 360
aaaaaagaag gcgcccgcag cctccgactc cgactccaag gccgattcgg acggggccaa 420
gcctgagccg gtggccatgg cgcggtcggc gtctctctcc tcctcttctt cctcctcctc 480
cgactccgat gtgtctgtga agaagcctcc gaggggagag aagccagcgg agaagcctct 540
cccgaagccg cgagggcgga aaccgaagcc tgaacggcct ccgtccagct ccagcagtga 600
cagtgcacgc gacgaggtgg accgcatcag tgagtggagc cggcgggagc aggcgcggag 660
gcgcgagctg gagggccggc ggcggcgaga gcaggaggag gagctgcggc gcctgcggga 720
gcaggagaag gaggagaagg agcggaggcg cgagcggggc gaccgcgggg aggctgagcg 780
gggcagcggc ggcagcagcg gggacgagct cagggaggag gatgagcccg tcaagaagcg 840
gggacgcaag ggccggggcc ggggtccccc gtctctctct gactccgagc ccgaggccga 900
gctggagaga gaggccaaga aatcagcgaa gaagccgcag tcctcaagca cagagcccgc 960
caggaaacct ggccagaagg agaagagagt gcggcccag gagaaagcaac aagccaagcc 1020
cgtgaagggt gagcggacct ggaagcggtc cgagggcttc tcgatggaca ggaaggtaga 1080
gaagaagaaa gagccctccg tggaggagaa gctgcagaag ctgcacagtg agatcaagtt 1140
tgccctaaag gtcgacagcc cggacgtgaa gaggtgcctg aatgccctag aggagctggg 1200
aaccctgcag gtgacctctc agatcctcca gaagaacaca gacgtggtgg ccacctgaa 1260
gaagattcgc cgttacaaag cgaacaagga cgtaatggag aaggcagcag aagtctatac 1320
ccggctcaag tcgcgggtcc tcggcccaaa gatcgaggcg gtgcagaaag tgaacaaggc 1380
tgggatggag aaggagaagg ccgaggagaa gctggccggg gargagctgg ccggggagga 1440
rgccccccag gagaaaggcg gargacaagc ccagcaccga tctctcagcc ccagtgaatg 1500
gcgaggccac atcacagaag ggggagagcg cagaggacaa ggagcacgag gagggtcggg 1560
actcgaggga ggggccaagg tgtggctcct ctgaagacct gcacgacanc gtacgggagg 1620
gtcccgcact ggacaggcct gggagcgacc ggcaggagcg cgagagggca cggggggact 1680
cggaggccct ggacgaggag agctgagccg cgggcagcca ggcccagccc ccgcccagcg 1740
tcaggctgcc cctctccttc cccggctcgc aggagagcag agcagagaac tgtggggaac 1800
gctgtgctgt ttgtatttgt tcccttgggt ttttttttcc tgccataatt ctgtgatttc 1860
caaccaacat gaaatgacta taaayggttt tttaatgaaa aaaaaaaaaa aaaaggcgcg 1920
ccgctctaga ggatccctc 1939
```

<210> 90  
<211> 2032  
<212> DNA  
<213> Homo sapiens

<400> 90  
ggcacaggcg gccgcccgcg cgccaagttc ctcagccctt ggctcctgcc cagtgttttag 60  
ggtgttggcg gagaaaaagg gaagagtcac cgctgtcg ggctaggata tgatgggtga 120  
gaggtgtcaa accaaattct ctcggtttg aaacggagaa aatctaaaaa tgaggatgtg 180  
aggaaagagt ccgctctcaa ggcgcgttgt ggtctatccg agccccgtcc cctgggctcc 240  
ctcgggctgg ggtgaggcgg gcagctacgc gtggggtagg accatcttac gctgggaccc 300  
cgccaaggag ccccaaggaa taggtgaaag ggcagggggc tggctctcgg ggcgccaccc 360  
acgctcttga aatctgggtg attgcgagcg gccgctcagc gtccccaca ccacagaccc 420  
gcgcccgcga cgaccagca gccgccatgg ctctgtctcg aggtgtgttt gtagttgctg 480  
ctaagcgaac gccctttgga gcttacggag gccttctgaa agacttcaact gctactgact 540  
tgtctgaatt tgcgtccaag gctgccttgt ctgctggcaa agtctcacct gaaacagttg 600  
acagtgtgat tatggcaat gtcctgcaga gttcttcaga tgctatataat ttggcaaggc 660  
atgttggttt gcgtgtggga atcccaaagg agaccacagc tctcacgatt aataggtctt 720  
gtggttctcg ttttcagtc attgtgaatg gatgtcagga aatttgtgtt aaagaagctg 780  
aagttgtttt atgtggagga accgaaagca tgagccaagc tccctactgt gtcagaaatg 840  
tgcgttttgg aaccaagctt ggatcagata tcaagctgga agattcttta tgggtatcat 900  
taacagatca gcatgtccag ctccccatgg caatgactgc agagaatctt gctgtaaaac 960  
acaaaataag cagagaagaa tgtgacaaat atgccctgca gtcacagcag agatggaaag 1020  
ctgctaataa tgctggctac tttaatgatg aaatggcacc aattgaagtg aagacaaaga 1080  
aaggaaaaca gacaatgcag gtagacgagc atgctcggcc ccaaaccacc ctggaacagt 1140  
tacagaaact tcctccagta ttcaagaaag atggaactgt tactgcaggg aatgcatcgg 1200  
gtgtagctga tgggtgctgga gctgttatca tagctagtga agatgctgtt aagaaacata 1260  
acttcacacc actggcaaga attgtgggt actttgtatc tggatgtgat ccctctatca 1320  
tgggtatttg tcctgtccct gctatcagtg gggcactgaa gaaagcagga ctgagtcta 1380  
aggacatgga tttggtagag gtgaatgaag cttttgctcc ccagtacttg gctgttgaga 1440  
ggagtgttga tcttgacata agtaaaacca atgtgaatgg aggagccatt gctttgggtc 1500  
accactggg aggatctgga tcaagaatta ctgcacacct ggttcacgaa ttaaggcgtc 1560  
gaggtggaaa atatgccgtt ggatcagctt gcattggagg tggccaaggt attgctgtca 1620  
tcattcagag cacagcctga agagaccagt gagctcactg tgaccatcc ttactctact 1680  
tggccaggcc acagtaaaac aagtgcctt cagagcagct gccacaactg gccatgccct 1740  
gccattgaaa cagtgattaa gtttgatcaa gccatggtga cacaaaaatg cattgatcat 1800  
gaataggagc ccatgctaga agtacattct ctcagatttg aaccagtga atatgatgta 1860  
tttctgagct aaaactcaac tatagaagac attaaaagaa atcgtattct tgccaagtaa 1920  
ccaccacttc tgccttagat aatatgatta taaggaaatc aaataaatgt tgccttaact 1980  
tcaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aagggggagg gg 2032

<210> 91  
<211> 1788  
<212> DNA  
<213> Homo sapiens

<400> 91  
ttccccaccg cttccccaga ggtggaagaa acccgaracg ttccgaagtc aacgcaagca 60  
aaggggagtg cgggtcgggg aggaatatct ttttggaac gtaatatgg ccttggggct 120  
ctccagccct ttgggacttc caatgggac ttagaagcag ccgaagcagc gtgagggcgg 180

```
cagccagggc cagccacgat ttgaacgctc tgccttgag ctcttctgga ccgaggagcc 240
caaagcccta ccctcaccat tcaccagggtt acagttctta tccgcgtgaa tacacatggc 300
tctgttacga aaaattaatc aggtgctgct gttccttctg atcgtgaccc tctgtgtgat 360
tctgtataag aaagttcata aggggactgt gcccaagaat gacgcagatg atgaatccga 420
gactcctgaa gaactggaag aagagattcc tgtggtgatt tgtgctgag cagggaggat 480
gggtgccact atggctgcca tcaatagcat ctacagcaac actgacgcca acatcttggt 540
ctatgtagtg ggactccgga atactctgac tcgaatacga aaatggattg aacattccaa 600
actgagagaa ataaacttta aaatcgtgga attcaaccgg atggctcctca aagggaagat 660
cagaccagac tcacgaggc ctgaattgct ccagcctctg aactttgttc gattttatct 720
ccctctactt atccaccaac acgaagaaag tcactatatt ggacgatgat gtaattgtac 780
aagggtgatat ccaagaactg tatgacacca ccttgcccct gggccacgag gcggctttct 840
cagatgactg cgatttgccc tctgctcagg acataaacag actcgtggga cttcagaaca 900
catatatggg ctatctggac taccggaaga aggccatcaa ggaccttggc atcagcccca 960
gcacctgctc tttcaatcct ggtgtgattg ttgccaacat gacagaatgg aagcaccagc 1020
gcatcaccaa gcaattggag aaatggatgc aaaagaatgt ggaggaaaac ctctatagca 1080
gctccctggg aggggggtg gccacctccc cartgctgat tgtgtttcat gggaaatatt 1140
ccacaattaa cccctgtgg cacataaggc acctgggctg gaatccagat gccagatatt 1200
cggagcattt tctgcaggaa gctaaattac tccactggaa tggaagacat aaaccttggg 1260
acttccttag tgttcacaac gacttatggg aaagctggtt tgttcctgac cctgcaggga 1320
tatttaaact caatcaccat agctgatata actctacct taaaatattc cctgtataga 1380
aatgtggaat tgtcccttg tagccaacta taacattgtt ctttatgaat attaccttg 1440
atacatatga tccacaatat aaaaaccaa aactactgtg tgcaaattat accttggacc 1500
atataggcat tgattaactt ctttaagtac atgtgataac tatggaaatc aagattatgt 1560
gactgaaaaa cataaaggaa gagaccatc tagataacag caatcaacct gcttaattct 1620
gaatgacaat tatatccaca aatttttaaa acttctacat gtatttttca catgaagatc 1680
tccttaacag gttgccaacc ttttctttta taaaactatt acatttaaaa tatggacgtc 1740
tgaaaaataa aatattcatc attttttaaaa aaaaaaaaaa aaaaaaaa 1788
```

<210> 92

<211> 495

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (402)

<223> n equals a,t,g, or c

<400> 92

```
gggtcgaccc acgcgtccga ccacattcct cctctaaaga agcccttggg agcacagctc 60
atcaccatgg actggacctg gaggttcctc tttgtggtgg cagcagctac aggtgtccag 120
tcccagggtg agctgggtga gtctggggct gaggtgaaga agcctgggtc ctcggtgaag 180
gtctcctgca aggtcttctg aggcaccttc agcagctatg ctatcagctg ggtgagacag 240
gcccttggac aagggtctga gtggatggga gggatcatcc ctatcttttg tacagcaaac 300
tacgcacaga agttccaggg cagagtcacg attaccgagg acgaatccac gagcacagcc 360
tacatggagc tgagcagcct gagatctgag gacacggcca tntattactg tgcgaraagk 420
ccctmagcgg gttatctatc ccaactacta ccacggtatg gacgtctggg gccaggggac 480
cacggtcacc gtctc 495
```

<210> 93

<211> 1377

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1367)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1371)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1376)

<223> n equals a,t,g, or c

<400> 93

```
ggacccacgc gtccgagact tttgaaggaa gaaatcaatt atgatgataa actacaggta 60
agagttgggt gttctaggtc ctgttcttca ggctttttat attcagaaat atgatacatg 120
tataacagct taggcagtc ttcgctagtt gggtcacatta ggggtgacaac caaagattaa 180
caccaacatg tattttaattg tatgatttat agtgtccctt ttggcttaac actttcaaac 240
atttttctta tatttggtt tcttagttcc ctattatttt tttaaatctg gaagttgtca 300
ttttttaatt aatttctgtc gaactgaagt gattagaaat atcaacatct ctttcagggt 360
aaaaatattt tgtatcatgc agtcaaagaa atggtgagag ccttgaagat acacgaggat 420
gaagtagasg atatggaaga aaattaagtg tgatccagtt tgatattttt aggttggtga 480
actgggatta cttaaccttg aatgatgata tgatgcaca ctgactttaa gcttcataaa 540
accatcagtg ccaagaaatt ctctttgtag taattacttg ttactgacac cacagcagta 600
tagcatatgt cacagtcctt gtgattcaat gttataaaac aagcagaatt ttaaaagcag 660
cactatatag ctgttttcta ttatagtgt tatgatgttt gtgaaaatgc cagattttaa 720
atgatgtatt tatttttgggt aaaaaataaa aaattctatg ctatattgtt gatcaagtgt 780
aaatgtgacc ttgtacagtt tactaaaatt actgatattt ttcactacat tgagacagtt 840
actgtgagaa taggacacaa acaccagcta ttgcctgcat ctgggaaatt gctgaatcgc 900
acagcagtc tgcataatc agaaaattac tgccaaataa ttgtaaaatt tgtaaagtat 960
aaagtatata aagtagatac taaatacaga cacttcaata ttttgttgaa gctattgact 1020
gtacaattaa acattttcaa aaggtgtaatt ttatttataa ttgtctcatt ttggtaaaat 1080
ttatgtgaac ttttaaagct aaatattaaa cttaatatgc tatgtaaata tatacatata 1140
tacatttaat gatgtatttt tttaaaacat tggcttgctt ttgttaaagt gcaagtgtta 1200
catatggctt tgtacattaa agttgaaagg ggttttacat tttccattaa aaggacttta 1260
tcaaaaaaaaa aaaaaaaaaa aaamamamaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1320
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aagggngngc nttttna 1377
```

<210> 94

<211> 2819

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (82)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (83)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (84)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2816)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2817)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2818)

<223> n equals a,t,g, or c

<400> 94

```

ttttgtattt ttttttagta gagacagggt ttcactgtgt cagccaggat ggtcttgatc 60
tctggcccaa gcttttaaaa cnnnaaaacg gtggccaggc acggcagcac acacttgtaa 120
ttctagcact tcaggaggcc gagatagaag gatcactcga gcccaggaat tcgagaccag 180
ccctgacgat ataaataggg aaagagagag agagagagag agagcgctg cacgcgaggg 240
agaatgcctg cccctctcca gcctggccaa cagaaggaga tcctgtctca aagaaagtga 300
aaatgcttca gctagaatta taggataatc ctgkgtgaga taatttacat agygactgga 360
agagtatta aatattgctt tcttgytgct aagttctgta gttgggtag atatctaag 420
cgtaactatt gtgaaagtca agagattcta attttccag aaaataatgt tgagtttcca 480
tgaagaacag gaagtactgc cagaaacttt ccttgctaatt ttcccttctc tgataaagat 540
ggacattcac aaaaaagtaa ctgacccaag tgtggccaaa agcatgatgg cttgcctcct 600
gtcttcactg aaggctaatt gctcccgagg agctttctgt gaagtgagac cagatgataa 660
aagaattctg gaattttaca gcaagttagg atgttttgaa attgcaaaaa tggaaggatt 720
tccaaaggat gtgggtatac ttggtcggag cctgtgacat ttgttgacac tgtgaactgt 780
ccaaaagtct cttaactgca ccttgtgaat ggtagttgag gtcttcatac agttcagcct 840
ctagaatggg aacaaatcag ccaattggat tcgaaacaaa gaagactatg taaaactcac 900
ccatcacact ttgagactac tcaactggtg gaagaatata gtattgcagc aaatcctgta 960
tgaaagagag atgtgggctt cctttttgag tcttgtgtta ggtgctgaga ccttttacat 1020
gggcttatac agggagagag tcttcaataa atgtagtcag cactattttc tgcattccagt 1080
gtgggtgctg ttctcacctg agagtaatca agataacatc tgtcatcttc cttgggtttat 1140
tgagtgaagt gcctctcagt cttaggggac atggcagaga tgaaagaaaag aaagagtggg 1200
tttcagaagt gtcagggttg agtgattcca agtgggatgg ttgtggcatt agtttaagct 1260
gaataaataa tttcaatttg gggcagttat tctgcttttt gttaaagccgt ggccaattgt 1320
ctcctgtaat gactgttggt tcaggcatgt tgtactttgt agggacaaat gtgcatttgt 1380

```

```
ttgtggcaaa agcctacaat tgacaaactt gtaaatttct ttgtatataa actagctgta 1440
acctgactat cctttgtgtt tactgttttt gtaaatttct ttcctctata aatgaaagg 1500
tgttggttca gaatggcact ttgaataatg taaaccagtg aaaagtggat tttctttact 1560
tttgtctttg ggtttggggt tgtttttgtt ctttttgaag ttttattatt tttaaagtgc 1620
ctcccaccta ggcgtaggcc atgaccattt ggggtacgag agcctaattt tgtaggactt 1680
aatctgttga aaagtgcagt tacttctgga aattaacctc aatattagggt cagcatgtga 1740
aatgttgat ttgacatgtc aggtagggtt cagggactga ttggtcccat tggccctcag 1800
gtcagttgtt taatctcaag acctgttact actgatttta ttaaatacaga gtctttaatt 1860
cttgcatgtt tgtatctaata ttctgaacga atgagcacac ttaaccagt tatttacagt 1920
taccttttct ctttaaccgg attgtgaaag cttcatgtat ttaatttag attctgtgtt 1980
tttaagggtt ctgagcatga agctggcaga tagtcggcag gactcatttt ttcacatggt 2040
ctggctgatt tctccataga ttgataacag tattttgtta tcttgcttct ctgtagtttt 2100
gcatcagctg ttaactttg agctgagtga ggggagagg gtaaagagaa agaaacttaa 2160
gttttctttc acagaactcc accattgtgg gctttgagag agccctaaag cattgtacct 2220
agtgttacct agtgacttcc aaccaaagcc tttgagtatg cactaaatag gtgagaagaa 2280
aggagagaag gtttttaggt tagaaacctt taaccgatag aaggatatgg tatgttgtaa 2340
agctggaacc aagtttgcatt ttttgagggc ttgagatgaa ggaagactc ttaccagata 2400
gtaagacagc tgagttttcc tcagttttct cgtcttaaca ctagtggaca attctagcat 2460
tttgtttgga ggatttcaga gttaacctca tgggaattcag gattttttag caagtttgct 2520
tttggtttta tcttggttt tagtaatcat gttggctggt ctggtcacag gtgactgtga 2580
aacagatgcc ctggtcttgc tttcatcact ctaggatcat gaagtgttat gctatttcct 2640
ggttatgaat attaggttg gaattacatt tttattgatt gtttgatca gagctcagtt 2700
cctgtagaaa acgaactgta aaagaccatg caagaggcaa aataaaactt gaagtgaatg 2760
cttaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaannna 2819
```

<210> 95

<211> 705

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (488)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (682)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (684)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (687)

<223> n equals a,t,g, or c

<400> 95

gcggcctggc taactcctgc caggcagtgc cttcccga gcgtgccctc gccgctggta 60  
cggtccttac ctggtctgga aagagctggg aggcctcaca gagaaggctg tggttccct 120  
gggcctctac actgggcagc tggccctgaa ctgggcatgg ccccccattc tctttggtgc 180  
ccgacaaatg ggctgggcct tgggtgatct cctgctggtc agtggggcgg cggcagcact 240  
accgtggcct ggtaccaggt gagcccgctg gccgcccgcc tgctctacc ctacctggcc 300  
tggtggcct tcgcgaccac actcaactac tgcgtatggc gggacaacca tggctggcgt 360  
gggggacggc ggctgccaga gtgagtggc ggcccaccag ggactgcagc tgcaccagca 420  
ggtgccatca cgcttgatgt gtggtggcgc tcacgctttc atgaccactg ggcttgctag 480  
tctgtcangg ccttggccca ggggtcagca gagcttcaga ggtggcccca cctgagcccc 540  
caccggggag cagtgcctg tgctttctgc atgcttagag catgttcttg gaacatggaa 600  
ttttataagc tgaataaagt ttttgacttc ctttaaaaaa aaaaaaaaaa aaggggggcc 660  
cgtaaccaat tggccctaaa gngngtngtt taaaattaat ggccg 705

<210> 96

<211> 3472

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (69)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3457)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3466)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3470)

<223> n equals a,t,g, or c

<400> 96

attaaagcca gaaccagatg atctcattga cgaagacctc aactttgtgc agganaatcc 60  
cttatctcng aaaaaaccta cagtgcact tacatatggg tcttctcgcc cttctattga 120  
aatattatga ccacctgcaa gtgaaatgc agatagtggg gttcatttaa acaggttgca 180  
atttcaacag cagcagaata gtattcatgc tgccaagcag cttgatatgc agagtagttg 240  
ggtatatgaa acaggacgtt tgtgtgaacc agagggtgctt aacagcttag aagaaacgta 300  
tagtccggtt tttagaaaca actcggagaa aatgagtatg gaggatgaaa actttcggaa 360  
gagaaagtgg cctgtggtaa gttcagttgt taaagtaaaa aaattcaatc atgatggaga 420



```

agaggaggaa gaagatgatg attacgggtc tcgaacagga agcatctcca gcagtgtgtc 480
tgtgcctgca aagcctgaaa ggagaccttc tcttccacct tctaaacaag ctaacaagaa 540
tctgattttg aaggctatat ctgaagctca agaatccgta acaaaaacaa ctaactactc 600
tacagttcca cagaacacaga cacttccagt tgctcccaga actcgaactt ctcaagaaga 660
attgctagca gaagtgggtcc agggacaaa taggaccccc agaataagtc cccccattaa 720
agaagaggaa acaaaaggag attctgtaga aaaaaatcaa ggaactcaac agaggcaatt 780
attatccccg ctgcaaatcg acccagtaat ggcagaaact ctgcagatga gtcaagatta 840
ctatgacatg gaatccatgg tccatgcaga cacaagatca tttattctga agaagccaaa 900
gctgtctgag gaagtagtag tggcaccaaa ccaagagtcg gggatgaaga ctgcagattc 960
ccttcgggta ctttcaggac accttatgca gacacgagat cttgtacaac cagataaacc 1020
tgcaagtccc aagtttatag tgacgctgga tgggtgtcccc agccccccag gatacatgtc 1080
agatcaagag gaggacatgt gctttgaagg aatgaaaccc gtaaaccaaa ctgcagcctc 1140
aaacaaggga ctgagaggtc tcctccaccc acagcagttg cacttgctga gcaggcagct 1200
tgaggacca aatggtagct tttctaacgc tgagatgagt gaactgagtg tggcacagaa 1260
accagaaaaa cttttggagc gctgcaagta ctggcctgct tgtaaaaatg gggatgagtg 1320
tgcctaccat caccocatct caccctgcaa agccttcccc aattgtaaat ttgctgaaaa 1380
atgtttgttt gtccacccaa attgtaaata tgatgcaaag tgtactaaac cagattgtcc 1440
cttcactcat gtgagtagaa gaattccagt actgtctcca aaaccagttg caccaccagc 1500
accaccttcc agtagtcagc tctgcccgtta cttccctgct tgtaagaaga tggaatgtcc 1560
cttctatcat ccaaaacatt gtaggtttaa cactcaatgt acaagaccgg actgcacatt 1620
ctaccatccc accattaatg tcccaccacg acatgccttg aaatggattc gacctcaaac 1680
cagcgaatag caccagtcct tgccctggcag aagatcatgc agtttggaag ttttcatgta 1740
ctgatgaaag atactctaca gaacttgta aatctttgaa acttggaata tattgctttc 1800
ataatatgaa gttttattgc ctatctatct gaagtgtcta atttttcaag tttgtaagtt 1860
tattatgtgg ttttaacatt ggggtgtttt gttttgtttt tactatgaaa agacagctta 1920
aggaagagct aaattctggt aaaatatttg gggcatgttt gtgcactgct gttgtgagga 1980
tcagcatatg aaattgacat catggtagt catggtagt cagcttaggg ggctacacgg 2040
ttgctgtgtg agtgagagag tgcagtgagg cagttgtcat tattctaaaa attgtactac 2100
tttactttt ccaaagatt atataatgtt cataatccac catgaaaaca gcattggcca 2160
aaggtagtga ggctgcttaa aatattcaat tctgcttttt aatttttaag tgaatttagt 2220
ttgaaaagca tgattataca ggctctcag gctgagtgct actttggtta agttcccagt 2280
tttctgctt tctgtgacag gatgaatgag gtgggtatgg acagtggagg cagctggaat 2340
ggcaagtgca gaaaatagga acagttctat acagtgtctt catttactaa taacataatg 2400
ccttctaaat aatttttttg ggaaactaca ttatcacaaa attatacaaa tttttttaca 2460
agtatttaca tactgtatct gaaaacagac tttaaagtca caagattata aatgtacata 2520
tgtatttctc cattctgaaa aataacattc tcagaatcca cagaaaatat acttagttac 2580
tactgaagat aatttttgaa atgtaaaaat tagattttaa tagtatattt taaatgacag 2640
aactataatt acagagatca gatcagatag gtaaacgca agatagatag gatgaaactt 2700
ttggcctact gtattactta cagagttttt ttgtgtgtgg tttttaaaac tgtaaggca 2760
agaagtgtca aatgcttttag agttaaataa cagatcactg atttcaaaga cttggtgtat 2820
agtgttaaaa attaaagctt aaaaggtggt tagaaaagt gattaatgca aaaggggtta 2880
taaagactgc aacattctca ggaccaaatt aaactgctaa aaaaaaaaaa aaagttcatt 2940
gacttgctta gtcgtatact caaatgatga taaacctaca tgtgcaaagg ctcacgttta 3000
agattgtcaa gccagcagtc tactgttgtg ttgccattgc ttttccattg ggagaagaaa 3060
gaattaacca gtcattaaac catttggtta gttgcacttt gctgtgctga tcccacagga 3120
aaggcttgaa acacgagaag cagcaaagac agagcacaca agtgcataag gctgttgtct 3180
tcggcctggg tgaaatgaca gttcctcttc attctaaagg tttactccat tgaatttaag 3240
gcatttgctt attccagtg tgagatgctt tgcactctct cagaagaaat ttatttttaa 3300
ttgtttaaat atctggaaat acttttagct atcatttata aagatagttt tgttctcagt 3360
ttcactataa attatagaac aaatgggaaa caagggttta atttagttca gccattttac 3420
aaggaaataa taaaatacta aaatctggak tgttcmntta cctttncnccn cc 3472

```

<210> 97  
<211> 1216  
<212> DNA  
<213> Homo sapiens

<400> 97  
ggagcgtgac ttcattctcaa aaaaaaaaaa aaaaaaatta ttctgtacca tcacarccttt 60  
tcacaacgat ggcaagcctt atgtcttggg agcctgtttt gctaggcaaa gttacaagtg 120  
acctaattggg agctcaaatt tgtgtgtgtc tctctgtgtg tttgtgtgtg tgtgtgcact 180  
caagacctct aacagcctcg aagcctgggg tggcatcccg gccttgccat tagcatgcct 240  
catgcatcat cagatgacaa ggacaaccct catgacgaag caacatgaat tagggggcct 300  
cttgcccttg gtccaaaatt gtcaatcaga aatgaacata aaggactcca gagcagtggg 360  
actgtctgtc aaaagactct gtatatcttt tgtggatgag ttttgtgaga gaacagagag 420  
accattgtac ctggcacaag ggctsttcat gaaaaggagg acttactggg aggtgcaaga 480  
cagtggcatt tctcctctcc tcttgcctgt cagcacagcc ctggattgca gccccgaggc 540  
tgagaccaga caaagcccgg gaggcagaaa gatgctccaa gaaccaacac tatcaatgtc 600  
tttgcaaatt ctcacaggat tcctgtgggt ccagctttgg aactgggaaa cctttcttcg 660  
gatccgcact cattccactg atgccagctg cccctgaagg atgccagtac tgtggtgtgt 720  
gagtctcagc agccgcccac acgctcctaa ctctgctgca tggcagatgc ctagggtggaa 780  
atagcaaaaa caaggcccag gctggggcca gggccagagg ggaaggccct ggattctcac 840  
tcatgtgaga tcttgaattc ctttctttgt tctgtttgtt tagttagtat catctggtaa 900  
aatagttaaa aaacaacaaa aaactctgta tctgtttcta gcatgtgctg cattgactct 960  
attaatcaca tttcaaattc accctacatt cctctcctct tcaactagct ctctgaagggt 1020  
gtcctggcca gccctggaga agcactgggt tctgcagcac cctcagttc ctgtgcctca 1080  
gccacaggc cactgtgata atggtctgtt tagcacttct gtatttattg taagaatgat 1140  
tataatgaag atacacactg taactacaag aaattataaa tgtttttcac atcaaaaaaa 1200  
aaaaaaaaaa aaaaag 1216

<210> 98  
<211> 1186  
<212> DNA  
<213> Homo sapiens

<400> 98  
ggcacgagaa ataattcact ggagtttgtt aaaccatatg gattctcagg ctctctctctt 60  
gaagattctg attcagtagg tctgggagtg gcgcccctgga ttttgatcaa aattgtagag 120  
cattttaagg tgagtacctg agggagaact taaagacatc ttagttgggg agtagtcctt 180  
ttgaatttta cagctagata taatcttcag tcagataaaa tttatgggag ctggtgtctt 240  
atgcctgact cttagtaatt tcataccggt ttgaagtacg tgtgcccag cctaaagcct 300  
tgactttcag aatgttgtct tttgattctt ctgtcttgat ttgattaggg gtgaaattta 360  
gaagtcttag taatgtaact tgaagatgtt aaacaaaaat ctcaagtaaa atgaaaagca 420  
aatatgggct actgaattaa gaaactggca ttctagtatt aaatcctcac ttcaggagct 480  
tttaaaaaata ctgagacccc ccataacca gagattcaga ttcaaagact gaggatagga 540  
ccttagcatt gtagctatct aaagtctcta atgtgcaccc aggggtggga atcaccaatg 600  
tgggtgtgaa aatgcctaca aagggtttta gtgccttaga agtcctaaga agcccaatct 660  
gtatcaaagc agatccattt tgcaaggatc tttcttttag aactttctca gttctcttag 720  
taagaacttt agaagtaatc ttgataataa gcacagacag cctaacagca gaggcaactt 780  
aaataactcc tgagcagttg gcactagaac agaatacttg gaatgacacc aaagttaacc 840  
aagtccagca tatgtccaaa gagttaagtg tttcatttac tgtagcattc tgggtgagaa 900  
attggttgct gaaatcttaa gacagtgggtc tcaaccttgg ctgcacattg gaatcacctg 960

taggggtttta aagcatccaa atggtaatta acaggcagca aaacttcaga actagtctctg 1020  
catctactgt gcaaagatca tgattaactg tcaagacact ggtagaacag aacaagcaaa 1080  
agattaagag ttcaaaagta aatgcaacca wtttaacatg tagtggttatt aaaaaattac 1140  
aaaggcctag accagcctgg gcaacagaga ccatgcttaa aaaaaa 1186

<210> 99

<211> 1120

<212> DNA

<213> Homo sapiens

<400> 99

aattcggcac gaggtgacca ggagtcgacg tgtgcagaag tcctggtaat ctggctccttg 60  
ttcccgtctg gataccagct tccttcagca gcgcaggcgg tggccctga ggcccgtgga 120  
aggagtcaaa cttgcgggaa ttttgcagtt tatctgcagg gctgttggtt ccagcaagac 180  
ccaaagctag aaaaggagga ggaagaaact gacccgatca gtgccagaag tcattgtatt 240  
caaagaagaa taagcaagaa agaaaagaag gaaggaagag aggtagacag atacaagatg 300  
aaatcctgtc aaaaaatgga aggaaaacca gaaaatgaga gtgaaccaa gcatgaggaa 360  
gagccaaagc ctgaggaaaa gccagaagag gaggagaagc tagaggagga ggccaaagca 420  
aaaggaactt tttagaaaa gctgattcaa tctctccagg agtttaaaga agatatacac 480  
aacaggcatt taagcaatga agatatgttt agagaagtgg atgaaataga tgagataagg 540  
agagtcagaa acaaacttat agtgatgcgt tggaagggtta atcgaaacca tccttacctt 600  
tatttaaatgt agtttacctt gatttttatc tgatattaac aataccatat agcttgcttt 660  
ttattagcat tccttgatat tcctttgtcc atatttctac ttataacctg ttgctattaa 720  
tggtttttaga tgtatctctt gttatctgca tctcattgtt tattgtattt tgaaccaatc 780  
tacaagtctc tgtcttttaa taaaagaact ttacacattt gtaaaaaaga gggtcttggt 840  
aagatataaa atggaaaaag gctaagtaat atgtgaatat catatttttg aaaggtaaaa 900  
agtacatttg tatattacat atatggacat aacttgtgaa ggatgaaaga aagtacagcc 960  
tctcgggtgt gggattatga atgatttttc tccttttgct tgtttgattt ttctatatct 1020  
ctaaaattaa cacacattat tattgctaga ataataaaag ttttataaaa aagaagcaaa 1080  
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aggggggggga 1120

<210> 100

<211> 1225

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (286)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (287)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (288)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1213)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1225)

<223> n equals a,t,g, or c

<400> 100

```
cttgctctgt caccagggct gggagtgcag tggcatgatc tctgcaacct ctacctccca 60
ggttcaagca attcttgtgc ctgagcctcc caagtaactg ggactacagg tgcacgctac 120
cacacctggc tgattttttt tatgttttag tagagacagg gtttcaacca tgttgcccag 180
gttggtctca aactcctgag ctgaggcaat ccaccgcct tggcctccca aagtgctagg 240
attacagggt tgagccacca caccagcta ttttttcttt cggttnnnaa ttttaaagtt 300
gggggggggc tcaatttggt taccctggct ggtctcgaac tccgggactt aagcgatcct 360
ctggctccaa gccactacc agtctcagg ttttttacta aaagatcact accttttttt 420
ctcttatctg ctgccatgtg agatgtggct ttcaccttcc gccatgattg tgaggccttc 480
ccagccacgt rgaactgtaa gtccaataaa cctcttttgt aaattaaaaa aaaaaaatca 540
ctatttaaga tactaggatg gattgtgact gttgaggagt acttacatat cctacatttg 600
actacattat ttccaaacca agtattccat ccaaaggaac atactgctat catagagacc 660
aaggagggac tgtttaaggt tgccaagggt aagcgagctg agaggctttg tcctcgtgcc 720
agtaactctg aaatctctct taattcctgc tgtccaggca gcagaatgcc atggtttccc 780
caagtaggta gctgcttttag cakttaaagc ccaaagtgtc gttctgttga tcagagggtc 840
ctgaatttct gaagtgggtg ttcgtttctg gtgactgagt taatccttta caatccctct 900
tgtaaaagtgt gctaatagaa agaatccacc tttcaaagct gcagaaccag accgtgccct 960
aaattgacca acgtarctga tgtgcctcag gaagtctctt gccagctgtc cctgtgaaga 1020
ccccctctc cccccagct gctgccttgc aactgaagc atctcagact gtgcaaagcc 1080
rtgtagtcat caagacagta aatcccaggg cttggttaag tgctgtgtga taacttgttt 1140
ggatgagact taacttaaaa ccacttaca taaacttggg aaactaccgt caaaaaaaaa 1200
aaaaaaaaat ttnggggggg cccgn 1225
```

<210> 101

<211> 1213

<212> DNA

<213> Homo sapiens

<400> 101

```
ggtagataaa ttgactagct gataagtaaa attaaaagag gaattttctc tttcaggtag 60
gattattgac tgtgctttta ctgtcacttt taatcccaaa tatgatacgt tattaaaagc 120
tgtaaaagat gctactaaca ctggaataaa gtgtgctgga attgatgttc gtctgtgtga 180
tgttggtgag gccatccaag aagttatgga gtcctatgaa gttgaaatag atgggaagac 240
atatcaagtg aaaccaatcc gtaatctaaa tggacattca attgggcaat atagaatata 300
tgctggaaaa acagtgccga ttgtgaaagg aggggaggca acaagaatgg aggaaggaga 360
agtatatgca attgaaacct ttggtagtac agggaaaagg gttgttcatg atgatattga 420
atgttcacat tacatgaaaa attttgatgt tggacatgtg ccaataaggc ttccaagaac 480
aaaacacttg ttaaatgtca tcaatgaaaa ctttggaaacc cttgccttct gccgcagatg 540
gctggatcgc ttgggagaaa gtaataactt gatggctctg aagaatctgt gtgacttggg 600
cattgtagat ccatatccac cattatgtga cattaaagga tcatatacag cgcaatttga 660
acataccatc ctgttgcgtc caacatgtaa agaagttgtc agcagaggag atgactatta 720
```

aacttagtcc aaagccacct caacaccttt attttctgag ctttggtgga aaacatgata 780  
ccagaattaa tttgccacat gttgtctggt ttaacagtgg acccatgtaa tactttttatc 840  
catgtttaaa aaagaaggaa tttggacaaa ggcaaaccgt ctaatgtaat taaccaacga 900  
aaaagctttc cggactttta aatgctaact gtttttcccc ttcctgtcta ggaaaatgct 960  
ataaaactca aattagtttag gaatgactta tacgttttgt tttgaatacc taagagatac 1020  
tttttgata tttatattgc catattctta cttgaatgct ttgaatgact acatccagtt 1080  
ctgcacctat accctctggg gttgcttttt aaccttcctg gaatccattt tctaaaaaat 1140  
aaagacattt tcagatctga gaaaaaaaaa aaaaaaaaaa aaaaaaacyc gggggggggc 1200  
ggmcccaat tcg 1213

<210> 102

<211> 1564

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1509)

<223> n equals a,t,g, or c

<400> 102

ctgatgcagt aatatattca gtttatctat gcattgctgg ggtcttgata taagatggaa 60  
acagtgtttc ttatctaaag ttttgattat cagcaagttg aatggacact ttagttattt 120  
aaataaagat ttttgaccaa aatccagaaa atgggtatgag agaaaaataa attccagcta 180  
gtttaataga tttttaaatg tcaatctgat ttttagctctt agagagtgtt aactagctkg 240  
taatgtttac ttttaattcc ttgttaaaat gaggcaataa ttgcaagat ttttgtatat 300  
aagtgtaaat tcttcatatc tttttagatc taattcaata ttttctgact acttctgcc 360  
tgtataatac catttttgtg catgcttgga tgtgacattc ataaattgta ccactatgac 420  
tttatccatg taaaatagct atttattgaa ttttctttta aaagctggat ttactgggtt 480  
ttttttttct ctcagtttaa acatcttaac agaraawttg ttactgttta ttaaaagaat 540  
tgcatttgga agcaagaaaa caaccggatt tgcaatcatg tgaagaaaca ataatgcctt 600  
tattatcaag tgtaagcac aattcttata acaaactgtg ataaattctt tttgtttttt 660  
tttcttttgc ccattattt tcttatgaac aaaccaaaaa ttcattggtg gcagttgcag 720  
tggtggctga tatatctttt atgtacaggg aatttgaaaa ggacagtgga ttcatttaga 780  
agtgtaaactg gtgctgtgat tatagcaata catttgtttag ttgtacttca tctttttcat 840  
gctagctttt taaatgttta gttttctctt tgtcatggtc agctgctgaa tttacttgaa 900  
ggatgtagaa tactgtttta aaaatactaa aatttgtaaa attagatcaa agaattgtgc 960  
aatcatttcc tttttaattt ttaaaatggt gaggctcata aatatttgag aacatcagat 1020  
ctaataagagc atagtgtatc tatttaatta accaaagtct ctagtgaata tttcaacttt 1080  
gaatgtaaac taacaaataa acctgaccac caaggagatt gtttgcccag agtttcaaag 1140  
cacattgtct acaaatggaa attgaaataa tttataaaat attgacgtta ctatgttttt 1200  
taaaaagtct ctaatttttt cactaaatgg aggaaactat tagttttatt gttaaataatg 1260  
gtagatatta atattctctt tagatgacca gtgattccaa ttgtcccagt ttgaaataag 1320  
tacctgtgta gtatgagata aattagtgtc aatcagaaca agtttcagta tcagatgttc 1380  
aagaggaagt tgctattgca ttgattttta tatttgtaaa taaacactga tttttttgag 1440  
cattattttg tatttgttgt actttaatac ctgggtgtaca gttccagaaa taaaaatctg 1500  
ggaatcttna aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa gggcgggccgc 1560  
tcta 1564

<210> 103

<211> 1457

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 103

```
aattcggcac gagccgttca agggctctta gaggtggcca aagactcaat cccccgaagt 60
cactggaaaa agaccccagtg ggtcctaaag gcaacagcag gactacgctt actgccagaa 120
cacaaagcca aggctctgct ctttgaggta aaggagatct tcaggaagtc acctttcctg 180
gtaccaaagg gcagtgttag catcatggat ggatccgacg aaggcatatt agcttgggtt 240
actgtgaatt ttctgacagg tcagctgcat ggccacagac aggagactkt ggggaccttg 300
gacctagggg gagcctycac ccaaatcacg ttcctgcccc agtttgagaa aactctggaa 360
caaactccta kgggctacct cacttccttt gagatgttta acagcactta taakctctat 420
acacatagtt acttgggatt tggattgaaa gctgcaagac tagcaaccct gggagccctg 480
gagacagaag ggactgatgg gcacactttc cggagtgcct ktttaccgag atgkttggaa 540
gcagagtgga tctttggggg tgtgaaatac cagtatggtg scaaccaaga aggggaggtg 600
ggctttgagc cctgctatgc cgaagtgctg aggggtggtac gaggaaaact tcaccagcca 660
gaggaggtcc agagaggttc cttctatgct ttctcttact attatgaccg agctgttgac 720
acagacatga ttgattatga aaaggggggt attttaaaag ttgaagattt tgaaagaaaa 780
gccagggaag tgtgtgataa cttggaaaac ttcacctcag gcagtccttt cctgtgcatg 840
gatctcagct acatcacagc cctgtttaaag gatggctttg gctttgcaga cagcacagtc 900
ttacagctca caaagaaagt gaacaacata gagacgggct gggccttggg ggccaccttt 960
cacctgttgc agtctctggg catctcccat tgaggccacg tacttccttg gagacctgca 1020
tttgccaaca cttttttaag gggaggagag agcacttagt ttctgaacta gtctggggac 1080
atcctggact tgagcctaga gatttaggtt taattaattt tacacatcta atgtgaactg 1140
ctgcctaacc actcaagagt acacagctgg caccagagca tcacagagag ccctgtgagc 1200
caaaaagtat agtttttgaa cttaaccttg gagtgaagac ccagggacag gtccctggaa 1260
accaaagaaa aatcgcatth caacccttg agtgcctcat tccactgaat atttaaattt 1320
tcctcttaaa tggtaaaact acttattgca atcccaagac ccatcaatat cagtattttt 1380
ttcctcccta tacagtgcc tgcccacct tatctgcacc cacctcccct gaaaaagaaa 1440
aaaaaaaaaa ctcgtag                                     1457
```

&lt;210&gt; 104

&lt;211&gt; 785

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (748)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 104

```
gtgctgatga aaatatggag gaaatgaaac tctcatgggt tttgcagga atctaagtca 60
gtgctgtgtt gtgaatgtag gtgtaccctt tgaattcata tgttgaatcc taaccccaa 120
agcaatggca ttaagagggtg gggcctttgg ggctgggata caggagtga ccactgcgcc 180
tggctgatcc cagcactttt caaatgatgc cgctcaaagc cgtgacttgg cctactttga 240
acagcaaact tgttgctgct gttgtcaacc tgaaggcctc tcaaatgcca gttcaagca 300
gggtgtgaat tggccagtgat cagatctcag gagtccctgtg ttgagagtgt ggctttcagc 360
tgcggggagc tgcacttggg ggggaaagcc aggcaggtca ccctcacagc cagataatgt 420
ggaggtcaga acccaaggaa gggagtgaga cctccactcc cagtggggga cctggccacc 480
catccttggg gacctgagaa agcgtacttc acctgggggt gaaggctggg tggggccaga 540
gggaccagtg ccctcctcag tgcttagggg cagagccacc tgcagcaatg gtatctgcat 600
```

attagccctt ctccaccttc tttctcccgc tgaatcattt ccctcaaagc ccaagagctg 660  
tcaactgctt tttctccctg ggaagaatgc gtggactctg cctgggtgata gactgaagcc 720  
agaacagtgc cacaccctcg ccttaatncc ttgctagggtg tctcagattt atgagacttc 780  
ttagt 785

<210> 105

<211> 921

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<400> 105

aggggaaggac cctcccctag agtctctgga gggaactggn atacaattgc agagtgcact 60  
aaacagttgc cccagaaaga catgtcttgt tttaaagccc agaacctgaa attattatag 120  
atattattcg gtaataagga actttgcatg tgtaattact taaggatatg aagatgagat 180  
tgtcctggat tattaagcac cctaaatgcc atgtacagggt gtccttccaa gagaacagaa 240  
gaggagacac agacacagag caggaggaca cgtggagaca gaggcagact ggagtgatgc 300  
ggccacaagc ccaggacac ctggagcccc caggagctgg gagaggcagg aaggatcctc 360  
ccctagagcc tccaggggga actggaggat gcgtaagaga cccagaactt ccacagaagg 420  
agggaaatta acctcctgct tctctagact gttccaaagc tgaaccctag aaagcaaagc 480  
tgatacagaa gcatccaggc tgcaggagta caggctcga gtgctgagcg tgggccttg 540  
gtgtgtctca tgggggaaaa aaaactgtga aaaacctcag agtagcatct tcacagtaac 600  
gcacggacga tccctaaact gccttgtaaa caaaaatgag agcttgagtc agaggaagcc 660  
gagacaatat ccttcctcga caacgtgcga gaacctgac gtcccccagc aaaggaagac 720  
gttgcaagca ggcaaaatgc gtcgattttt ttttttgctc agtatgatga tttttgcagc 780  
cacttggtta tggagagcag ccgacacccc ctcttacagc cgtggatgtt tcctggaagc 840  
tgactcagtc tgttcactgg ttgagctttg agtgaaaaga taacacagggt ctattgactc 900  
acacacatgt tttaagatgg a 921

<210> 106

<211> 592

<212> DNA

<213> Homo sapiens

<400> 106

gtgatctgca tgtggcaggg ctgcgcagtg gagcgccagc tgggcaggat gacgagccag 60  
acccctctgc cccagtcctc ccggcccagg cggccgacga tgcctactgt tgtggagctg 120  
aacgtcgggg gtgagttcca caccaccacc ctgggtaccc tgaggaagtt tccgggctca 180  
aagctggcag agatgttctc tagcttagcc aaggcctcca cggacgcgga gggccgcttc 240  
ttcatcgacc gccccagcac ctatttcaga cccatcctgg actacctgcg cactgggcaa 300  
gtgcccacac agcacatccc tgaagtgtac cgtgaggctc agttctacga aatcaagcct 360  
ttggtcaagc tgctggagga catgccacag atctttggtg agcagggtgtc tcggaagcag 420  
tttttgctgc agtgccgggc tacagcgaga acctgggagc tcatggtgcg cctggcacgt 480  
gcagaagcca taacagcacg gaaktccagg tgyttgtgtg cctggtgaaa cttgagggag 540  
caggatgcat tattattcag aggtcctgtg tttttcttgc aggataagaa gg 592

<210> 107

<211> 2248  
<212> DNA  
<213> Homo sapiens

<400> 107

```
tctgtggagta cgacatggcg cgcgagctgc gggcgctgct gctgtggggc cgccgcctgc 60
ggcctttgct gcgggcgccc gcgctggcgg ccgtgccggg aggaaaacca attctgtgtc 120
ctcggaggac cacagcccag ttgggccccca ggcgaaaccc agcctggagc ttgcaggcag 180
gacgactgtt cagcacgcag accgccgagg acaaggagga acccctgcac tcgattatca 240
gcagcacaga gagcgtgcag ggttccactt ccaaacatga gttccaggcc gagacaaaga 300
agcttttggg cattgttgcc cgttccctgt actcagaaaa agagggtgtt atacgggagc 360
tgatctccaa tgccagcgat gccttgga aaactgcgtc caaactgggt tctgacggcc 420
aagcactgcc agaaatggag attcacttgc agaccaatgc cgagaaaggc accatcacca 480
tccaggatac tgggtatcggg atgacacagg aagagctggt gtccaacctg gggacgattg 540
ccagatcggg gtcaaaggcc ttcttgatg ctctgcagaa ccaggctgag gccagcagca 600
agatcatcgg ccagtttggg gtgggtttct actcagcttt catggtggct gacagagtgg 660
aggtctatc ccgctcggca gccccgggga gcctgggtta ccagtggctt tcagatggtt 720
ctggagtgtt tgaaatcgcc gaagcttcgg gagttagaac cgggacaaaa atcatcatcc 780
acctgaaatc cgactgcaag gagttttcca gcgaggccc ggtgcgagat gtggtaacga 840
agtacagcaa ctctgtcagc ttccccttgt acttgaatgg aaggcggatg aacaccttgc 900
aggccatctg gatgatggac cccaaggatg tcsgtgagt gcaacatgag gagttctacc 960
gctacgtcgc gcaggctcac gacaagcccc gctacacct gcaactataag acggacgcac 1020
cgctcaacat ccgcagcatc ttctacgtgc ccgacatgaa accgtccatg tttgatgtga 1080
gccgggagct gggctccagc gtttgactg tacagccgca aagtcctcat ccagaccaag 1140
gccacggaca tcctgccc aa gtggctgcgc ttcatccgag gtgtgggtgga cagtgaggac 1200
attcccctga acctcagccg ggagctgctg caggagagcg cactcatcag gaaactccgg 1260
gacgttttac agcagaggct gatcaaattc ttcatgacc agagtaaaaa agatgctgag 1320
aagtatgcaa agttttttga agattacggc ctgttcatgc gggaggggcat tgtgaccgcc 1380
accgagcagg aggtcaagga ggacatagca aagctgctgc gctacgagtc ctcggcgctg 1440
ccctccgggc agctaaccag cctctcagaa tacgccagcc gcatgcgggc cggcaccgcg 1500
aacatctact acctgtgcgc ccccaaccgt cacctggcag agcactcacc ctactatgag 1560
gccatgaaga agaaagacac agaggttctc ttctgctttg agcagtttga tgagctcacc 1620
ctgtgcacc ttctgtgagt tgacaagaag aagctgatct ctgtggagac ggacatagtc 1680
gtggatcact acaaggagga gaagtttgag gacagggtccc cagccgccga gtgcctatca 1740
gagaaggaga cggaggagct catggcctgg atgagaaatg tgctggggtc gcgtgtcacc 1800
aacgtgaagg tgaccctccg actggacacc caccctgcca tggtcaccgt gctggagatg 1860
ggggctgccc gccacttcct gcgcatgcag cagctggcca agaccagga ggagcgcgca 1920
cagctcctgc agcccacgct ggagatcaac cccaggcacg cgctcatcaa gaagctgaat 1980
cagctgcgcg caagcgagcc tggcctggct cagctgctgg tggatcagat atacgagaac 2040
gccatgattg ctgctggact tgttgacgac cctagggcca tgggtgggccg cttgaatgag 2100
ctgcttgtca aggccttggg gcgacactga cagccagggg gccagaagga ctgacaccac 2160
agatgacagc cccacctcct tgagctttat ttacctaaat ttaaaggat ttcttaacct 2220
gaaaaaaaaa aaaaaaaaaa cctctgcc 2248
```

<210> 108  
<211> 785  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature



<222> (769)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (771)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (785)

<223> n equals a,t,g, or c

<400> 108

```
cccagcccat aaagatctgt gaccggcagc cccagacctg cctgccttcc tgacttctgt 60
tccagagcaa aggtcattca gccgcttgaa tcagcctttt cccccaccc ggtccccaac 120
tttctttacc cgataaggaa ggtcagcatt caaagtcaag aagcgccatt tatcttcccg 180
tgcgctctac aaatagttcc gtgagaaaga tggccgggaa ctcgacacctg ctggctgctg 240
tctctattct ctcggcctgt cagcaaagtt attttgcttt gcaagttgga aaggcaagat 300
taaaatacaa agttacgccc ccagcagtc ctaggtcacc agagtttgag agagtatttc 360
gggcacaaca aaactgtgtg gagttttatc ctatattcat aattacattg tggatggctg 420
ggtgggtattt caaccaagtt tttgctactt gtctgggtct ggtgtacata tatggccgct 480
acctatactt ctggggatat tcagaagctg ctaaaaaacg gatcaccggt ttccgactga 540
gtctggggat tttggccttg ttgacctcc taggtgccct gggaattgca aacagctttc 600
tggatgaata tctggacctc aatattgcc aaaaactgag gcggcaattc taactttttc 660
tcttcccttt aatgcttgca gaagctgttc ccaccatgaa ggtaatatgg tatcatttgt 720
taaataaaaa taaagtcttt aaaaaaaaaa aaaaaaaaaa gggggggcnc nctaaaaaat 780
ccaan 785
```

<210> 109

<211> 611

<212> DNA

<213> Homo sapiens

<400> 109

```
ggcacagtgg tggaaggtgg gtgtgtagtc gtggtacttt acgcctcggg gtttagggag 60
gagcctaagg taaggagtca gaaacgggga gtaaccgagc tgcggctttt atataaggtc 120
agtggtaggt aaggaagggg ccttaacctc tgctggtgac cagaagcctg catttctgca 180
ttctgcttaa ttccctttcc ttagatttga aagaagccaa cactaaacca caaatataca 240
acaaggccat tttctcaaac gagagtcagc ctttaacgaa atgaccatgg ttgacacaga 300
gatgccattc tggcccacca actttgggat cagctccgtg gatctctccg taatggaaga 360
ccactcccac tcctttgata tcaagccctt cactactgtt gacttctcca gcatttctac 420
tccacattac gaagacattc cattcacaag aacagatcca gtggttgagc attacaagta 480
tgacctgaaa cttcaagagt accaaagtgc awtcaaagtg gagcctgcat ctccacctta 540
ttattctgag aagactcagy tctacaataa gcctcatgaa gagccttcca actccctcat 600
ggcaattgaa t 611
```

<210> 110

<211> 664

<212> DNA

<213> Homo sapiens

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (614)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (616)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (633)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (649)  
<223> n equals a,t,g, or c

<400> 110  
aattcggcac gagtttggtt tttncctcta tgtaggtatc tggtaaagta atgaatttat 60  
cacaaatttt tnccaggccc tttctgggta ctgtggcttt atggcagcca rcctttatgc 120  
tcgttccata tttggtgaag atgcacttgc aaatgtcagc attgagaagc caattcacca 180  
gggaccagat gctgctgtta ccggccatat aagaattcgt gcaaagagcc agggaatggc 240  
cttaagtctt ggagataaaa tcaacttgtc acagaagaaa actagtatat aaaaataaac 300  
aaaaagtcct tgaagcttta cagttaattt aggtatgggc ttactggact ccaacatctt 360  
ttgtactctt tcatgcttat atagaatctg agttcatgct gaatactttt cagccaataa 420  
tttatagcct ttcccttaaa tcaagattga gtttaaaatt atagtttgct ttttgtctta 480  
acagttctga atgctgtcct caaagtatat aatgtttcat gtaccaagac ccttttcaca 540  
gtcaataaac agatctattc ataaaaaaaaa aaaaaaaaaaagg ggcggcccg ctagaggac 600  
cccaagctta cgtncncgtg cattgcgacg tcntagctct tttataggng tcaccctaaa 660  
tttc 664

<210> 111  
<211> 4065  
<212> DNA  
<213> Homo sapiens

<400> 111

```

tcccgcgcgc gccgcgtgcg tccgcccagc gccagtcgcg gtcccgcacc gccgcgggca 60
gcctgcgcgc gccatggcca cctccccgca gaagtcgcct tctgtcccca agtctccac 120
tccaagtcg ccccgctccc gcaagaaaga tgattccttc ttggggaaac tcggaggggac 180
cctggccccg aggaagaaaag ccaaggaggt gtccgagctg caggaggagg gaatgaacgc 240
catcaacctg cccctcagcc caattccctt tgagctggac cccgaggaca cgatgctgga 300
ggagaatgag gtgcaacaa tgggtgatcc aaactcacgc agacscctaa gcttcaagaa 360
ctgatgaagg tattaattga ctggattaat gatgtgttg ttggagaaag aatcattgtg 420
aaagacctag ctgaagattt gtatgatgga caagtcctgc agaagctttt cgagaaactg 480
gagagtgaga agctaaatgt ggctgaggtc acccagtcag agattgctca gaagcaaaaa 540
ctgcagactg tcctggagaa gatcaatgaa accctgaaac ttccctcccag gagcatcaag 600
tggaatgtgg attctgttca tgccaagagc ctggtggcca tcttacacct gctcgttgct 660
ctgtctcagt atttccgtgc accaattcga ctccagacc atgtttccat ccaagtgggt 720
gtggtccaga aacgagaagg aatcctccag tctcggcaaa tccaagagga aataactgg 780
aacacagagg ctctttccgg gaggcataaa cgtgatgcct ttgacacctt gttcgacct 840
gccccagaca agctgaatgt ggtgaaaaag acactcatca ctttcgtgaa caagcacctg 900
aataaactga acctggaggt cacagaactg gaaacccagt ttgcagatgg ggtgtacctg 960
gtgctgctca tggggctcct ggagggctac tttgtgcccc tgcacagctt cttcctgacc 1020
ccggacagct ttgaacagaa ggtcttgaat gtctcctttg ctttgagct catgcaagat 1080
ggaggggttg aaaaagccaaa accgcggcca gaagacatag tcaactgtga cctgaaatct 1140
acactacgag tgtgtacaa cctcttcacc aagtaccgta acgtggagtg aggggctgcc 1200
ctgggcccac cactgcccac gagttcttgc tgttgccgta ctggaccctc ctccgaactg 1260
ccttaccctg cttattcctg tctcttgac tgtgctctcc cacaagtcca gctgcaacct 1320
agagatagtg gaaactgaaa ttaggaagga aatcatcaat aactcagtgg gctgacctat 1380
ccctcccagg cgctggggac caacctagca atgaagggtt ggaagggtgt tcccttccc 1440
gtgccaggtc cagatttccc tccatgattt ggaaccagc ttaggcaaaa gagtcccac 1500
aagatgaaaa taaagatcct agttaccatt caaaggatgc taactgtgtg tcaggcccca 1560
cactaagtgc tctgctctga tatactcaag gccattaatc ttcaggactc ccattgacgt 1620
aggtgtttca tccccctttt acagatgagg aaactaaggc ttggagggtt aatgacttgc 1680
cagaagtttg aatttttttc ctctttgaac ataacctctc cttctcctt aaaggtaacc 1740
actattctga gtccaatcat caaggttttg cttttctttt tagctaagta tgcattcctc 1800
aatagtagac agtacaacat gtttataaca agccaattac attatgttct ttgcatgttc 1860
taaagttgtg tatgtgtgtg cacatctgag cacgtgcaca tgtacacctg agccaaaaac 1920
acgagaaccc actgatctca ccactggggc aagctaggtc agagcttagt gattcacact 1980
gaaattggca aattggattt aaccacaatta atagtgtgtg tgtggcagga gtcattgtcc 2040
tcacatcctt tgtacaaatg aaaattactc ttaattcctt cagatttata ataactctgt 2100
actttggtt cagggtgaca tttgggaagg attttgttta gaattaatgg agtggcacat 2160
tttgagcct ttttgcttga ttgcatgtaa tggaaatgcc ctatattttc ctgcaaaata 2220
agtactaaat tcattatcgt taagcaaatg tacaatatgc tcaggcaccg cagagagctg 2280
ggcacgggcc catgtgagca tcactttgga agtagggctc ttcaacaggg acccttgaac 2340
tttaaagaaa ggaacttctt tttgccttct aattgatcat ttagactatt ctggctaagt 2400
ctgcccacat gtaattaccg gctaattcaa gcgaggaaaa atgtaagtca tttagacca 2460
agccaagcag tttctttgcg tgggttactc aagggttgt ggttacttgt atctcctcta 2520
tgtgaacttg actttgaaag acagagctct agtgtgccag cctgctaagt cctgtaagaa 2580
tagggaagg cggagggggg tgggcagtga ctaggggacg agaagcatgg ggaaaatatt 2640
tgactctaa acatacagag atagaggtgg ggcttgtggt acttaacact ttagccatc 2700
aactgactga gaccttgggc taaataatca attgtgctga tattacatct cgttatggaa 2760
tgttctaaa tatgccaggt agacaccagc ccaagtacct tcctccagaa gtctgtgact 2820
acctgtcac tacttttagc ccattccaca aagccatct ctggtttgag aattcatttt 2880
gatctgtatc tacaccaccc aaagttaggc ctctataat gtccaaaaca ttcttttcag 2940
cctttttatt tcttactgta ctgtctctta ctgtactgtc tatctgcagt aattgaggac 3000
ccataaaatt tagataacta catgtctttg ctcttagaat tgtcactcag cataatgagc 3060

```

```
atttaacata caaaggcaat gtactgtttt gtgttgatct atgtaaaaga atacaattct 3120
tttttacata attagtgaat ttttattttt tattaggaaa cactaaatag tgtaatatct 3180
cttttgcttt taaaaaaatt cctggtagca aatcaagata aataattgct tcattttctt 3240
gagcaatact gaagcaggat gaagtaagag gaatgcattc atttaaacat gctttgcttt 3300
atgaattttg tctctttttt ggtctctttt tcttatattc aagttacaaa tgtacaagta 3360
tccttactaa gagtgtctct tttgtatttt acatatatac agtatgaaa tacattggaa 3420
cactaggaaa gtttttaaat aacagttcta atttatcaga aaattgtgtt ttgggattga 3480
gttctttgtc tcagcccaga atcccaggtc ctgggcctgg ttttctaag ctgtcatctc 3540
agttcgatat tttacttttag aayctggaat ctcctactta atatatgacc atgactttga 3600
aaggcaaaaag aggaatcaag aataaataaa acaaacttaa tcttcatctt taaaaaaaag 3660
aaaaaagaaa ccaaaatgag aatcaacact tcataggctc actgggtttt cttttctttt 3720
ctgttaattt aaactcagtt atttttaatg cttaatacat acatggtgca aaatttaaaa 3780
agcgcaaata ggtatctagt ggaaaacctc agcctccctc tctctccggc acccattacc 3840
tctccctgga ggcaactggt ttgatccatt tcttacacac actgccagag atactctagg 3900
catgtaaagc acaaacatac atataaaatc tgcgggcttc aaaaaatata agtaggatgt 3960
catctatact gtcatacact ttgtttttta tcacttactt aatgttatat cttggatatt 4020
gtattaccct gggattataa aagaactcct ttcacatttt aaaat 4065
```

<210> 112

<211> 1492

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1487)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1491)

<223> n equals a,t,g, or c

<400> 112

```
atctctgnct cgtatccgcc ttgcctccac aagtgtctggg attacaggtg tgagccacca 60
caccgcgcct atattgtttt gaaagcatac tctatatata gttaygggca gaggcacagg 120
catcctcagc agctgattca ggagatgatg gtaaagctag ctaactatga attaaacatt 180
cacatatcca gtctacctgg tccagtaata atacaagcaa atcttgtatt tcaggaacaa 240
atcaagggtt tcttaatttt ttggcttata tacaatgaag taaaaacttg ataaacatgg 300
tttcaaattg aggaggagag tcttggatgt atgttttaat atgtatacct tataattctg 360
cctctagcca aatgctatgt ttgcaaaatg tggcatctgt tagtttttat tgtctgtgtc 420
ttctttgttt actatacctt gggtaatttt gtgttaccaa aaaaaaaaaa aaaaggaagt 480
gtaatgtcag acacacaaga aaagcaaatc agtggtgtgaa gcttaaagta caatttcaaa 540
ggtcattacc aacagcaggg ttttttttat actttaaaaa cattatgcta catatcattg 600
ccattttcat attttggggg tttgctactc ttatacaatg gaatcaatgg aaatgtcatc 660
cagccactga attgccatta ttatatctaa aaagtttcta agatgacagt tatcactatt 720
```

```

ttgtttttatc tccatgctga catttgaaag aaggtactag tatccctcta gccagattgc 780
ttagttttttc gttggtaatc aaacaacagt tgtactaaag gaaagtaaag ctaggacctc 840
aatcagaatc atagttgcct gcatatatgg taacaaggtc gtgtgcattt gctttcacag 900
tgatgagtgga gaggatgaga agaaattatt tgacattttt ctgtgggtga atagaagaca 960
cctttctttt gtcttttaggt ttagggaggag atactaagat actggatgtt tatcctatct 1020
tagtttggtt ggagtaataa gagagaagaa gaggggtggac tttggctttt cagtgttttt 1080
tcccctaaag agtgatattg ctgacgtttc tatcaatttt acacataata tgtggctatg 1140
aaaccatata tctcacttaa gtaacaaagt aatcactttg tctatcacta agtaatagac 1200
aaaaatcatt gtctattatt taaagccaac aaaacagtgt aacagtttta agttcaataa 1260
tgттаagtat tgtatagaaa tatattggag gcaaagttca gttgatgaca attgtgtata 1320
tgttactgat gctgtaaatt atttttaata aagaaaattg tattatcaaa aaaaaaaaaa 1380
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1440
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaagg gggccnttt na 1492

```

&lt;210&gt; 113

&lt;211&gt; 1482

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 113

```

attttttttt tttttttttt tttttaagct caaattttta ttaaccttgg aacaaatgca 60
ataattcctt acagtcatat agcattttac aattctgaaa gaattttcac atataccaat 120
tgaaccttca caacagccct gtgaggtagg cagggtagggt gttactttcc tactgctagt 180
gaggagaaca aggctaagag gtgaagtaag gtcacacagt tggtaaatga tggagctagg 240
actagaacct aggcttctg acttgctgcc tccctgagaa cattcaagta ataatatcct 300
atgctatata atgaatatat atctcctatg atgttgatca ggtctatttt tatacatttt 360
acctgttttt atattacctt tccctaatac tgaaaaacac taaaactgat acgagacatt 420
tgagacattt ctctctgtt actggacttt cttagatata tcaaacacta tcctaagatg 480
aaacttctgt tttgaggatc cttggctata aattctcaat tatgatacga acattttattt 540
tacaaattct acaaaagtat gttgaactta agaaaaacaa aacagggtgtg tttatattct 600
caaaagcttt gccatctttc ccaatatgac tttaatatgt gtataaatgg aaaacaggga 660
aagggtgttca gcaacattac agtattattg ggaaacctat gcagagtgc cataaatgca 720
agttacatca cattaatttg ttttctttgt tggccttata gaggatgaac cattagtgtc 780
tttcagggtt gatcctgtct tatatgtgac atcctcagca acaagctaaa atgatctgaa 840
ttataccaat agcggggctc aagcagcagt gatcaaaaca taatatgtat gtggtaaaaa 900
ggaacacttg ttcttcagtg gttttgccta ggtccagtgt aattacttat caaaacatgt 960
tttaagctac agcatctctg ttaaatttag aaatgtgaaa catggaagag ttatcaactt 1020
ggaatacaat actaaaactg aatataactg acccaaaact acctgtcaaa agcacagtaa 1080
agcttaacag gcataaaaac taaggggtaa aacccaactg ctctgacata agagtgaaaa 1140
acagcaaatg caaacatca ggttaaagtg aatcacaaaa cattaggtcat gtagagcatg 1200
ttttaaaaat aggaaaatga cactgagctg tattaccagg aataatattt ttaaaattcc 1260
aggatggcc ttctacattt aatagcaatg gagagaaaca agcctatggg ggaggtgcag 1320
aaaatgaatg ggatctagaa agggagtga gtttggaagt taaggaagtc aaagaaacaa 1380
atacatccaa aatggattta gaatctctcc tctaaatcca tcctttccaa aaaatgtttc 1440
ctatattgag agatttggtg aaaaaaaaaa aaaaaaagtc ga 1482

```

&lt;210&gt; 114

&lt;211&gt; 3731

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

<220>

<221> misc feature

<222> (652)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3730)

<223> n equals a,t,g, or c

<400> 114

```
aaaaacttag tttaggggtga cacgtataga aggtacgccg tgcaggtacc ggtccggaat 60
tcccgggtcg acccacgcgt cggagctcc atccccgcct ccccgccag ccgacccggc 120
tccttcacct tcccggggga cagcgactcc ctccagcggc agacaccccg ccacgcggmc 180
cctggcaagg atactgaccg catgagcacg tgctcctcgg ccagcgagca gtccgtgcag 240
tccaccaga gcaacgggag tgaaagcagc agcagtagca acatctccac catgttggtg 300
acacacgatt acacggcagt raaggaggat gagatcaacg tctaccaagg agaggctcgt 360
caaattctgg ccagcaacca gcagaacatg tttctgggtg tccgagccgc cactgaccag 420
tgccccgcag ctgagggctg gattccaggc tttgtcctgg gccacaccag tgcagtcac 480
gtggagaacc cggacgggac tctcaagaag tcaacatctt ggacacagc actccgttta 540
agggaaaaat ctgagaaaaa agataaagac ggcaaaaagg aaggcaagtt agagaacggg 600
tatcggaagt caggggaagg actcagcaac aaggatctct tgaaagcttc tncaatccca 660
actacattta tgaacgttcc cccagaatt cgtcattcca ttgagttagg tcacgtgtga 720
gacaggggag accgttggtc ttagatgtcg agtctgtggc cgccccaaag cctcaattac 780
ctggaagggc cctgaacaca acaccttgaa caacgatggg cactacagca tctcctacag 840
tgacctggga gaggccacgc tgaagattgt gggcgtagac acggaagatg acggcatcta 900
cacgtgyatc gctgtcaatg acatgggttc agcctcatcg tggccagcc tgagggctcct 960
aggtccaggg atggatggga tcatggtgac ctggaagac aactttgact cttctacag 1020
tgaagtggct gagcttgga ggggcagatt ctctgtcgtt aagaaatgtg atcagaaagg 1080
aaccaagcga gcagtggcca ctaagtttgt gaacaagaag ttgatgaagc gcgaccagg 1140
caccatgag cttggcatcc tgcagagcct ccagacccc ctgcttgctg gcctcctcga 1200
cacctttgag acccccacca gctacatcct ggtcttagaa atggctgacc agggctgcct 1260
cctggactgc gtgggtgcgac ggggaagcct cactgaaggg aagatcaggg cgcacctggg 1320
ggaggttctg gaagctgtcc ggtacctgca caactgcagg atagcacacc tggacctaaa 1380
gcctgagaat atcctgggtg atgagagttt agccaagcca accatcaaac tggctgactt 1440
tggagatgct gttcagctca acacgacct ctacatccac cagttactgg ggaacctga 1500
attcgcagcc cctgaaatca tctcgggaa ccctgtctcc ctgacctcgg atacgtggag 1560
tggtggagtg ctcacatacg tacttcttag tggcgtgtcc cccttcctgg atgacagtgt 1620
ggaagagacc tgctgaaca tttgccgctt agactttagc tcccagatg actacttta 1680
aggagtgagc cagaaggcca aggagtctgt gtgcttctcc tgcaggagga ccccgccaag 1740
cgtcccctcg ctgcgtggc cctccaggag cagtggctgc aggcggcaa cggcagaaa 1800
cacgggcgtc ctgcacacgt ccagactgac ttccttcatt gagcggcgca aacaccagaa 1860
tgatgttcga cctatccgta gcattaaaaa ctttctgcag agcaggcttc tgcctagagt 1920
ttgacctatc cagaagttct ttctcattct ctttcacctg ccaatcagct gttaatctga 1980
attttcaaga gaaaacaagc aaacataact gatcagctgc cggatgttct atcgtgtgaa 2040
attgcattcc aagttagctg tgctcagcag tgcttgaca cagagctgca agctgcgctg 2100
gggtggagga ccgtcactta cactctkccc aaggcagagg tcgcattgct gtatcacagt 2160
attttattca ggtttctgca aaaaaataaa aagataactt ttttaaaaca acatgaatag 2220
aattttgcaa atttaacggt ttcaagattt attcaaggaa acaaaatgcc tatgttcaac 2280
cactggtgtt aatgaacaaa gatactgtgc gtctctgggg aagacgcacc taggtggcgg 2340
ccactcccat ggccttgtct aggactcaga gaccactcgg ctctgagctt ccaggcgcct 2400
```

cgtctgtgtg catctcaccg ccgacgtggc ttctgaaacg tgcattcaac ctcaaacttt 2460  
tgcataaaat agaataaagc gttttgctct gatgaaatgt aggccttact tgtatataag 2520  
actgttcctg ccttcgggtc gtcatcttcc cacctgcctc ccctaccac cccccacca 2580  
ccacctggg cttcctctgg ggggtccgag gtcttcccat cacatgaaga catcagggtg 2640  
ggctctgcc cactgcccc cccctgttcc ctgccccaa cgtcaatca gattgtggag 2700  
cagtacacag tcagatgaaa atactgtaaa tgcactcatt ggggggtttt tgggtttact 2760  
tcatatcatg tgcaatgttg tggctttaac attttatgca actatttatg aagacctctg 2820  
ttgtacctgt aataaatata tagaaaaagc acatacttcg tatgggtgagc tttatgggtt 2880  
tgtgtgtgtg ttgggggttg cgggtgggtg ggtagggctg tagccctgtg ccatcggttc 2940  
aaagagactt ttcgtgaaat ttgttggtt tgaggactgt aaaagtgtt tcatactctg 3000  
aatataaaac tggataatag ggtaatgtt taaaatttat tatgctatta ttcagaatgc 3060  
caaagtatta ttttttttcc caaaatcagt ctggacattt actacttttt agactttttg 3120  
acgttgaaact ttctgtataa aaattggctg ggttttgagc ttttggttaag aaataaaaagc 3180  
cgattaagca ctggccgcc cgcggtgtg acccaatgcc cgagtcactg tggcagcatt 3240  
cgactgtgtg tggggagtcc tttcaactca aggaggctg gtttctgggc accctcgaag 3300  
tttctgtgat gtctttttat cttctcgtg tgaactgcac tacaaaagag accagcccgc 3360  
ttcccaagcc agccagacac ctgggtcttg agccataaac tggcgtagtt aagcttgca 3420  
gcttccagtg tattttattt attctttgt tgggtttttg tttgtttctt cttgtaaaat 3480  
tgtacagaaa ctttttaaaa gaaattggat tcgaaactgg atgtgtattc gtaacctcat 3540  
aatttttatt tgtgtattgt ttcttttatt atttcagtta aatttttaca ttattttgca 3600  
tgtatatattc tttgtacaga gaccttacat gtttacacag tatgatgtga tgtaaatatt 3660  
ttattttgcc atcagttatt ttaaaaaatt aaacatattt gcctgaaaaa aaaaaaaaaa 3720  
ggggggcgcn c 3731

<210> 115

<211> 1315

<212> DNA

<213> Homo sapiens

<400> 115

ggcggcagcg ccggaagga ggccaagagc gcgggcggcg aggcaagatg gcggcaacca 60  
agaggaaacg gcgtggaggc tttgcagttc aggcgaagaa gccaaaaaga aacgaaatag 120  
atgcggagcc gccagctaag cggcacgcc cagcagagga ggtggaggaa gaagagaggg 180  
accggatccc agggcccggt tgcaaggga agtggaaaaa taaggacgg attctcatct 240  
tttcttccag aggaataaat tttagaacaa gacatttaat gcaggacttg agaatgttga 300  
tgctcattc taaagcagat actaaaatgg atcgttaagg taagctattt gtgattaacg 360  
aggtttgtga aatgaagaac tgtaataaat gcatctattt tgaagctaag aaaaaacagg 420  
atctctatat gtggctttca aattcacctc acggaccatc tgctaaattc cttgttcaaa 480  
atattcatac cctcgtgaa ctgaagatga ctggaaactg tttgaaagg tctcggcccc 540  
ttttgtcttt tgacctgct tttgatgaat taccacatta tgctttgkta aaagaactct 600  
taattcagat ctttagtaca ccacggatc atcccaaaag ccaaccattt gtggaccacg 660  
tgtttacttt caccattttg gataatagga tatggtttcg gaactttcag atcatagaag 720  
aagatgctgc tctttagtaa ataggacct gttttgtctt aaatctcata aagattttcc 780  
agggaagttt tggaggacca actttatatg aaaatcctca ctaccagtca ccaaactatg 840  
atcggcgtgt cataagatcc atcacagctg caaaatacag agagaaacag caagtgaag 900  
atgtgcaaaa actgagaaag aaagagccga agactcttct tccacatgat cccactgcag 960  
atgtttttgt aacaccagct gaggagaaac caatagaaat acagtgggtg aaaccagagc 1020  
caaaagttga tttgaaagca agaaagaaac ggatttaca aaggcaaaga aaaatgaaac 1080  
agaggatgga cagtgggaaa acāaaataag tcaatggaaa cctgatttgt ttttcagtta 1140  
cttttatatt atttgtatt caatgtgtaa atacttttat tatctaatac tatcttacgt 1200  
ctaattagt tagcatctac aagaaagaaa aattaagatc ttaaaatcag tgattatctt 1260

tttctaaata aaatatcacc agaattcatc agttaaaaaa aaaaaaaaaa aaaaa 1315

<210> 116

<211> 1320

<212> DNA

<213> Homo sapiens

<400> 116

ggctggcttc tgcgtggtgc agctgcgcac gtgtttcagc cggcagcgct ttaagatttc 60  
cggggatgga atccgaaatg gaaacgcaga gcgccrgggc agaggagggc tttaccagg 120  
tcacccgcaa ggggtggccga cgggcgaaga aacgacaggc tgaacagctg tccgcagcag 180  
gagagggcgg ggatgcgggc cgcattggaca cagaggaggc caggccggcg aagaggcccg 240  
tcttcccacc cctctgtggg gacgggctcc tgagtgggaa agaagaaaca aggaaaattc 300  
cagtcccagc taacagatac acaccattga aagaaaactg gatgaagata tttactccta 360  
ttgtggaaca tttgggactt cagatacgtt ttaacttgaa atcaagggaat gtagaaatca 420  
ggacttgtaa rgaaaccaag gatgttagtg ctctgacaaa agcagctgat tttgtgaaag 480  
cttttattct cggctttcag gtggaggatg cacttgccct catcagggtg gatgacctct 540  
tcctagagtc ttttgaaatt acagatgta aaccctaaa gggagaccat ctatccaggg 600  
caatagggaag aatcgctggc aaaggaggaa aaaccaaatt caccatagag aatgtgacac 660  
ggacaaggat agttttggct gatgtgaaag ttcacatcct tggctccttc caaaatatca 720  
agatggcaag aactgccatt tgcaacctaa tcttgggaaa tcctccttcc aaggtttatg 780  
gcaatattcg agctgtggct agcagatcag cagatcgatt ctgatttcaa gtcagagact 840  
ttttatcttg cctttggact ctggtgaaaa atactttaca gtggtcggtc acaagaaacc 900  
atctgaacaa tttcagtcatt ttgaagcctc cgtcccttct tccattctca gccagaagca 960  
taaacagaaa agaaagattt aagaggattc aactcaaca ggtttttagga taatttaaatt 1020  
atcaaaaatt gattgttata cttacacatt aggtataatt tatcatttat ctgaaatcac 1080  
atgtagcaga ttgcatagtc tgtaatcctc tcagagggaa acttcttggt taaacagctc 1140  
tatatggatt tatactttta tatttataaa tttataactt catacaaatt tataaacatt 1200  
tctttataaa ttgtaattta atagattatc tcagaaaaac ctctctgaat gatgaccctt 1260  
ccttaataact gggatgatgt tgaatatattg tttgttggca gacagggtct cactttgtca 1320

<210> 117

<211> 2025

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1339)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1916)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1944)

<223> n equals a,t,g, or c



&lt;400&gt; 117

```
ttatttttaca gcctcaaata tttctcatta tcttgtcact tagttcttca tgtttctcct 60
tctgactttt aataatggta ataggaaaac aaaacccaaa gcttttcaga acttcagtgt 120
gaggtttcct attttracaa gttaacttgt aaatactcag gttttacgat gtataattta 180
cctaatagac caaactaact catggagata ttttgaacta ttatttaggt acaaacttta 240
taaagaatgt tagtatgtca taaaatataa cattacagct tatttaaaac caaatatagt 300
tgaacatatt taaaatacat tttcacagaa tggatgaatt agttgtttct tcagagttac 360
ttatgaacag ttgaatgctt taaaatgttc tgtctgtagg taacatctaa aacacaagt 420
ggtttattta aattttttaa atttgaaatt ttttatttgc aaaaaattgt tttatgcttt 480
attatatcgc aaatgagtgt cagatttttg agtaccatg atcatgcttc catttttttt 540
agtttttaac caccaaaacca atatttttcc tttaaatttt aatcttataa tatagaaatc 600
ttatgtaaat gaaattttgt catgtttcaa ataaagagaa ctgaagtaga aaatagaaat 660
gccagtaaac aacataatgt ttaatttaca acttacatta ggggtttggg ggaatgctaa 720
ttatatattg agaataataca ttagaactct tcaaaatggg ctcttctaag gaggtcacta 780
ctgaacaaaa ttgttccctc ttctgtttaa tagaatagg ttaaatgact agtcaaatga 840
attattttct tcttggttaa taaattaaat cttactttct ttaatgacc aaccttaggt 900
aaaacaaaaa tattgtaatc ctagaatta tccctccagct ttctcacctg aaaatctatt 960
gaagtgtacc ctgggtcatcc taataatggg atgagggaa gttccagcag atttcaggct 1020
gttctttaaag tttttgttgg tcattttctc aatagtacat gaaatcaaga tgcttatgag 1080
catggaaatg tatttaaagt ttttgcttgt gtcctcctca gtcagaatag aaaagtaact 1140
gaaatactct tacctttctg tccttgataa aatagtaaag aaaacccaaac aaaccaggc 1200
ctgatgggaa aaatgattcc tttattctag caacttactt tctgttggtg tgggaaatgt 1260
tattaatttc tattactaaa gtccatatca caaaatgata ttaataata acctgggggt 1320
aaatcatgaa ttttttttnc tacgtgtgag tataaaaagac aaaagttgaa cagcatggaa 1380
tctcattgcc aaattattag tgaatgtata gttcagggtat tctttgagac acacagtatc 1440
attaatttcc gaattgtatt tcagtgttat tttttgttgg tgaccactaa gcttctgtct 1500
taatacaaa gctgttacct ctacagaatt taagtctgaa gatgtaaaga gagaacaggc 1560
cttgtgtaac agaagatact cttttttatg ctccttactg tgatcacaga aaaattaaaa 1620
atccaagtgc tctctagatt tgttgataaa ctttttatgc ttgcatttaa acttgaaatg 1680
tatgagcaga atgagacaat cagttaaatc agaaatgaga agtattataa tgtaaaggcc 1740
ttgttttgct gtagcaataa aatgaccaag tgcaatgact tgatttaata aaatcatatt 1800
ttaaagtgct tgstatgaaw atttttggct ataaaatttt accctgactt gttttcaata 1860
actgttacgt aatgcagttt gatgtgttaa cctaaccatt caaaaaaaaa attganaggg 1920
ggaatctcaa aatagtatat actncactaa cttgtttaca ggtgctgtat ttaaagcat 1980
gcttctctct caaaaagaaa aattaaagga ttttattgcc aaacc 2025
```

&lt;210&gt; 118

&lt;211&gt; 1295

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1286)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1292)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 118

```

ggcacgaggt gcagttacac gttttcctcc aaggagcctc ggacgttgtc acggggttgg 60
ggtcggggac agagcgggtga ccatggccag gctggcggtg tctcctgtgc ccagccactg 120
gatggtggcg ttgctgctgc tgctctcagc agctgagcca gtaccagcag ccagatcgga 180
ggaccggtac cggaatccca aaggtagtgc ttgttcgcgg atctggcaga gcccacgttt 240
catagccagg aaacgggggt tcacggtgaa aatgcactgc tacatgaaca gcgcctccgg 300
caatgtgagc tggctctgga agcaggagat ggacgagaat cccagcagc tgaagctgga 360
aaagggccgc atggaagagt cccagaacga atctctcgcc accctcacca tccaaggcat 420
ccggttttag gacaatggca tctacttctg ccagcagaag tgcaacaaca cctcggaggt 480
ctaccagggc tgcggcacag agctgcgagt catgggattc agcaccttgg cwcagctgaa 540
gcagaggaac acgctgaagg atggtatcat catgatccag acgctgctga tcatcctctt 600
catcatcgtg cctatcttcc tgctgctgga caaggatgac agcaaggctg gcatggagga 660
agatcacacc twcagaggcc tggacattga ccagacagcc acctatgagg acatagtga 720
gctgcggaca ggggaagtga agtggctctg aggtgagcac ccaggccagg agtgagagcc 780
aggtcgcccc atgacctggg tgcaggctcc ctggcctcag tgactgcttc ggagctgcct 840
ggctcatggc ccaaccctt tccyggaccc cccagctggc ctctgaagct ggcccaccag 900
agctgccatt tgtctccagc ccctggtccc cagctcttgc caaagggcct ggagtagaag 960
gacaacaggg cagcaacttg gagggagttc tctggggatg gacgggaccc agccttcttg 1020
gggtgctatg aggtgatccg tccccacaca tgggatgggg gaggcagaga ctggtccaga 1080
gcccgc aaat ggactcggag cygagggcct cccagcagag cttgggaagg gccatggacc 1140
caactgggcc ccagaagagc cacaggaaca tcattcctct cccgcaacca ctcccacccc 1200
agggagccct ggcctccagt gccttcccc gtggaataaa cgggtgtgtcc tgagaaacca 1260
maaaaaaaaa aaaaaaaaaa aaaaangggg gnccc 1295

```

&lt;210&gt; 119

&lt;211&gt; 1257

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 119

```

tggacagacc tcagcaacac agcaatgtgc actttgtagt aaagaaatac caacttgagt 60
ttttaaaaaa cctagttagt cctacattcc cttttcttta aaaaaacttt attgttcaca 120
ttattttaat gactatgaga taatgtatat gacagcactt tgagaaaata tcaactgtaa 180
tataactata aggttgtagt attgtctggt taaaagataa gacagttgat tcaatgtgga 240
tggaccctgt ggggtacctg aaaatgtaga tacgtaagaa tcacctctgt catttatcac 300
atttagaaat atgaaactgc ttaacaggta tgagcaggta tagcaagtgt ttgctaaagt 360
tgtagttcag agctgaatta ctacaggaaa ctagggacca actttttggt ttaattccga 420
tctttaaaaa gtaagaatgt gtactcactc cagaacacag aagctcttcc aaggacctg 480
actcaagaag gatgaggtcc tcttactctt ctccatttat ccactatatg cttggccatt 540
tatoctaaat gtggtgggaa cagacttggt atctgttgat gttgacagtg tcttttttaa 600
cctatgtcct gcatagtttt gttaggttta cagggggagg tggatggcca taaaaccagt 660
gcactttggg aattactttt ctaggatttc ctaccagtta taaatgacat tgacatttgt 720
catctttttt ttctttttct aaaaagaata gctgaattta attcacctat tataaaatac 780
tcaaaagtaa attgcmittg tggccacttc tgaattatag ctacatttca ttatgacccc 840
ttctgctcwc ttccattttg ctactgatgt cattcttggt atcaggctgt gccctacca 900
ggagttcata ttgggttgac agggttatct atatttttgt tcttgatttt tgagttttat 960
catcttgcat taaattgttc cacctggatt tggggttcat ctctgtgccc taaggatctg 1020
ctatgaccaa tcctctttt gtaggtgggt ctctggctta agtattgata ggcttcagcg 1080
gtttgtgtct ctgtcttagc ttgtatcaag ccagtagtag ctacttcct ttgtaaattc 1140
ctgcttcagt ctgggatccg taggagtatg tgagaacttc tgaaacgtct ccaactctta 1200
acagtcaaga tatctatatc atttgawag agttctggkt ttccaactac taagacc 1257

```

<210> 120  
<211> 397  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (325)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (378)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (395)  
<223> n equals a,t,g, or c

<400> 120  
ccccaggaaa ataccaaacc taggtttaaa aataggggaag ggaagggaga gaagaaaggg 60  
aagataaaga aagcccaacc tccttccaaa atgtcatgag aatcttgagc acatatgggc 120  
cttggcatga ccacatgacc tgcagagccc ctgttataga actcattttt atattttcct 180  
tagtataaca gttaatatata tatgtcattt ttgttaatag tgtctttttg tcattttact 240  
ttttaaaaga ttttattgaa atatacatac aggaaagtgc atctatcata agtgtgccaa 300  
attgatggaa ttctaaaatc tttantggta cctgttttagc acatagattg gacacggaac 360  
ataactaaca accagaantc tccgtgtact ccctncc 397

<210> 121  
<211> 876  
<212> DNA  
<213> Homo sapiens

<400> 121  
cccacgcgtc cgggaagtgc ttactcgtcg tctccatgcg ccggttcctg ggcgtcttag 60  
agccaaggcg cgaggctcgg agtgagaggt agagctggag gggaccctaa gcgccctccg 120  
cccgggacgt gagccgctgc gccaccggg ctagaccggg cgccatcatg ctgcttctgc 180  
caagcgcgcg ggacggccgg ggcaccgcca tcaccacgc tctgacctct gcctctacac 240  
tctgtcaagt tgaacctgtg ggaagatggg ttgaagcttt tgtaagagg agaaacagaa 300  
atgcttctgc ctcttttcag gaactggagg ataagaaaga gttatccgag gaatcagaag 360  
atgaagaatt gcagttggaa gagtttccca tgctgaaaac acttgatccc aaagactgga 420  
agaaccaaga tcattatgca gttcttggac ttggccatgt gagatacaag gctacacaga 480  
gacagatcaa agcagctcat aaagcaatgg ttttaaaaca tcaccagac aaacggaaaag 540  
cagctggtga accaataaaa gaaggagata atgactactt cacttgcata actaaagctt 600  
atgaaatggt atctgatcca gtgaaaagac gagcatttaa cagtgtagat cctacttttg 660  
ataactcagt tccttctaaa agtgaagcaa aggataatct cttcgaagtg tttacccag 720  
tgtttgaaag gaattccaga tgggtcaaata aaaaaaatgt tcctaaactt ggtgatatga 780  
attcatcatt tgaagatgta gatataatct attctttctg gtataatctt gattcttgga 840  
gagaattttc ttatttagat gaagaagaaa aaaaaa 876

<210> 122  
<211> 1278  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (107)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (128)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (149)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1228)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1231)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1262)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1269)  
<223> n equals a,t,g, or c

<400> 122  
ccaggaaggc ctttggaatg caaacatttt tgggtcccat cgaaatgttc gaaagactaa 60  
ggaagataaa aagagttgac gggcgccgac ctgaaggact gcgtcanaca acagcctgag 120  
cagcaatnca gcctccccag cgtgcaganc tgccggcgcc tgcgtgagag gagggtcgcc 180  
agctggggccg tgtcctttga gcgcctgctg caggaccccg tcggtgtccg ctacttctct 240  
gatttttctaa ggaaagaatt cagtgaagaa aacattttat tctggcaggc ctgtgaatat 300  
tttaatcatg ttctctgcaca tgacaaaaag gagctttcct acagggcccg ggagattttc 360  
agtaagtttc tctgcagcaa agccaccacc ccggtcaaca tcgacagcca ggcccagcta 420  
gcagacgacg tcctccgcgc acctcaccca gacatgttca aggagcagca gctscagatc 480  
ttcaatctca tgaagtttga tagctacact cgctttctga agtccccgct gtaccaggga 540

```

atgcatcctg ggcggaagtg gagggccgtg cactcccgga ctgcagcag gtccccagca 600
gcccggttc caagcacagc ctcggttcag accactccag tgtgtccacg ccaaaaaagt 660
taagtggaaa atcaaaatcc ggccgatccc ttgaatgaag agctggggga tgaggacagc 720
gagaagaagc ggaaaggcgc gtttttctcg tggctcgcgga ccaggagcac cgggaggtcc 780
cagaaaaaga gggagcacgg ggaccacgca gacgacgccc tgcatgccaa tggaggcctg 840
tgtcgcggag agtcgcaggg ctctgtgtcc tctgcgggga gcctggacct gtcggaggcc 900
tgccaggactt tggcaccgga gaaggacaag gccaccaagc actgctgcat tcatctcccg 960
gatgggacat cctgcgtggt ggctgtcaag gcgggcttct ccatcaaaga catcctgtcc 1020
ggactctgtg agcggcatgg catcaacggg gcggccgcgg acctcttctt ggtggcggg 1080
gacaagcctc tgggtgcttg accaagacag tagcatcttg ggagtcaagg gacctgcgcc 1140
ttaggaaaag cggcaccttt gttttcgggt tggatctttg tttccgattt aaccggttca 1200
tggggattca aggccaagcc caccaagncc nttacggagg tgctgcggcc ctggtggcca 1260
gntacggcnt ggactcat                                     1278

```

<210> 123

<211> 3115

<212> DNA

<213> Homo sapiens

<400> 123

```

ggcacgagcg cgggcagcga gcgcactcgg cggacgcaag ggcgggcggg agcacacgga 60
gcactgcagg cgccgggttg ggacagcgctc ttcgctgctg ctggatagtc gtgttttcgg 120
ggatcgagga tactcaccag aaaccgaaaa tgccgaaacc aatcaatgtc cgagttacca 180
ccatggatgc agagctggag tttgcaatcc agccaaatac aactggaaaa cagctttttg 240
atcagggtgt aaagactatc ggcctccggg aagtgtggtt ctttggcctc cactatgttg 300
ataataaagg atttcctacc tggctgaagc tggataagaa ggtgtctgcc caggaggtca 360
ggaaggagaa tcccctccag ttcaagttcc gggccaagtt ctaccctgaa gatgtggctg 420
aggagctcat ccaggacatc acccagaaac ttttcttctt ccaagtgaag gaaggaatcc 480
ttagcgatga gatctactgc cccctgaga ctgccgtgct cttggggctc tacgctgtgc 540
aggccaagtt tggggactac aacaaagaag tgcacaagtc tgggtacctc agctctgagc 600
ggctgatccc tcaaagagtg atggaccagc acaaacttac cagggaccag tgggaggacc 660
ggatccaggt gtggcatgcg gaacaccgtg ggatgctcaa agataatgct atgttggaat 720
acctgaagat tgctcaggac ctggaaatgt atggaatcaa ctatttcgag ataaaaaaca 780
agaaaggaa acagactttg cttggagttg atgcccttgg actgaatatt tatgagaaag 840
atgataagtt aaccccaaag attggcttct cttggagtga aatcaggaac atctctttca 900
atgacaaaaa gtttgtcatt aaaccatcg acaagaaggc acctgacttt gtgttttatg 960
ccccacgtct gagaatcaac aagcggatcc tgcagctctg catgggcaac catgagttgt 1020
atatgcgccg caggaagcct gacaccatcg aggtgcagca gatgaaggcc caggcccggg 1080
aggagaagca tcagaagcag ctggagcggc aacagctgga aacagagaag aaaaggagag 1140
aaaccgtgga gagagagaaa gagcagatga tgcgcgagaa ggaggagttg atgctgcggc 1200
tgcaggacta tgaggagaag acaaagaagg cagagagaga gctctcggag cagattcaga 1260
gggccttgca gctggaggag gagaggaagc gggcacagga ggaggccgag cgcctagagg 1320
ctgaccgtat ggctgcactg cgggctaagg aggagctgga gagacaggcg gtggatcaga 1380
taaagagcca ggagcagctg gctgcggagc ttgcagaata cactgccaaag attgccctcc 1440
tggaagaggc gcggaggcgc aaggaggatg aagttgaaga gtggcagcac agggccaaag 1500
aagcccagga tgacctgtg aagaccaagg aggagctgca cctggtgatg acagaccccc 1560
cgccccacc accccccgtg tacgagccgg tgagctacca tgtccaggag agcttgagg 1620
atgagggcgc agagcccacg ggctacagcg cggagctgtc tagtgagggc atccgggatg 1680
accgcaatga ggagaagcgc atcactgagg cagagaagaa cgagcgtgtg cagcggcagc 1740
tgctgacgct gagcagcgag ctgtcccagg cccgagatga gaataagagg acccacaatg 1800
acatcatcca caacgagaac atgaggcaag gccgggacaa gtacaagacg ctgcggcaga 1860

```

tccggcaggg caacaccaag cagcgcacg acgagttcga ggccctgtaa cagccaggcc 1920  
aggaccaagg gcagaggggt gctcatagcg ggcgctgcc gcccgcac gcttgtcttt 1980  
agtgtccaa gtctaggaac tccctcagat cccagttcct ttagaaagca gttacccaac 2040  
agaaacattc tgggctggga accagggagg cgccttggt tgttttcccc agttgtaata 2100  
gtgccaaagca ggcctgattc tcgcgattat tctcgaatca cctcctgtgt tgtgctggga 2160  
gcaggactga ttgaattacg gaaaatgcct gtaaagtctg agtaagaaac ttcattgtgg 2220  
cctgtgtgat acaagagtca gcatcattaa aggaaacgtg gcaggacttc catctgtgcc 2280  
atacttggtc tgtattcgaa atgagctcaa attgattttt taattttctat gaaggatcca 2340  
tctttgtata ttacatgct tagaggggtg aaaattattt tggaattga gtctgaagca 2400  
ctctgcaca cacagtgatt ccctcctccc gtcactccac gcagctggca gagagcacag 2460  
tgatcaccag cgtgagtggg ggaggaggac acttgatat ttttttagtt tttttttttt 2520  
tggtttaaca gttttagaat acattgtact tatacacctt attaatgac agctatatac 2580  
tatttatata caagtataa tacagatttg taacattagt tttaaaagg gaaagttttg 2640  
ttctgtatat tttgttacct ttacagaat aaaagaatta catatgaaaa accctctaaa 2700  
ccatggcact tgatgtgatg tggcaggagg gcagtgggtg agctggacct gcctgctgca 2760  
gtcacgtgta aacaggatta ttattagtgt tttatgcatg taatggacta tgcacacttt 2820  
taattttgtc agattcacac atgccactat gagctttcag actccagctg tgaagagact 2880  
ctgtttgctt gtgtttgttt ggcagtctct ctctgccatg gccttggcag gctgctggaa 2940  
ggcagcttgt ggaggccgtt gggtccgcc actcattcct tctcgtgcac tgctttctcc 3000  
ttcacagcta agatgccatg tgcaggtgga ttccatgccg cagacatgaa ataaaagctt 3060  
tgcaaggca aaaaaaaaaa aaaaaraaa maaaaaaaaa maaaraaaaa aaaaa 3115

<210> 124

<211> 379

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (340)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (366)

<223> n equals a,t,g, or c

<400> 124

atgaatcggg ttattgaaga agatggaacc agtgcttaat ttgtcttgtc taagggtggaa 60  
atcttgtgct gtttaaaaag cagattttat tctttgcctt ttgcatgact gatagctgta 120  
actcacagt aacatgcttt cagtcaagta cagattgtgt ccactggaaa ggtaaatgat 180  
tgctttttta tattgcatca aacttggaa atcaaggcat ccaaaacact aagaattcta 240  
tcatcaciaa aataattcgt ctttctaggt tatgaagaga taattatttg kctggtaagc 300  
atttttataa acccacycat tttatattta graaaatccn aaanggggtg gggacgccct 360  
tgtagngacc ttccaatac 379

<210> 125  
<211> 1267  
<212> DNA  
<213> Homo sapiens

<400> 125  
ggcacagttg aggctggtga ctgtggccgg ctgggagtag gcggcagtga gtttccctgg 60  
gagggcagcg cgcttggcgc ttctcccctc ccccgatct gcctccagtc tcggacttgg 120  
ttgttgccgc ctcggctcc ggctgagctg ggagagttgg aggaggtggc ggccggcaga 180  
ggtgatgtct gggagccctt ccttgacagc ccgggcccag aagagtccct gcaggaagca 240  
tcaccagggc tggcagatca tggtagcagc agcgggggtg gctgggaagt gaaacggagc 300  
cagcggctga ggagggggccc cagcagcccc cgaaggccct atcaggacat ggagtatgaa 360  
agacgtggtg gtcgtggtga caggactggc cgctatggag ccactgaccg ctgcaggat 420  
gatggtgggg agaaccgcag ccgagaccac gactaccggg acatggacta ccgttcatat 480  
cctcgcgagt atggcagcca ggagggcaag catgactatg acgactcatc tgaggagcag 540  
agtgcggagg attcctacga ggctccccg ggctccgaga ctacgcgtag gcggcggcgg 600  
cggcacaggc acagccccac cggcccgcga ggcttcccc gagacggcga ctatcgggac 660  
caggactatc ggaccgagca agggaggagg agggaggagg rgaggatgag gaggaggagg 720  
agaaggccag taacatcgtc atgctgagga tgctgccaca ggcascact gaggatgaca 780  
tcctgtggcca gytgcagtcg cacggcgtgc aagcacggga rgctcggytg atgcggaaca 840  
aatcttcagg tcagagccgg ggcttcgcct tcgtcgagtt tagtcacttg caggacgctc 900  
acgatggatg gaagccaatc agcactccct caacatcctg ggccagaagg tgctgatgca 960  
ctacagtgac cccaagccca agatcaatga ggactggctg tgcaataagt gtggcgctca 1020  
gaacttcaaa cgccgagaga agtgcttcaa atgtggcgtg cccaagtcag aggcagagca 1080  
gaagctgccc ctccgmacga ggytgatca gcagacactg ccactgggtg kccgggagct 1140  
gagccagggc ctgcttyccc tgccgcagcc ctaccaggcc caggagagtc tggcctccca 1200  
agccctgtca cagggtctcg agccaagctc agagaacgcc aatgacacca tcattttgcg 1260  
caacctg 1267

<210> 126  
<211> 841  
<212> DNA  
<213> Homo sapiens

<400> 126  
gcgttacsat cgtccgtgcg caccgcccgg cgtccagggtg agtctcccat ctgcagagac 60  
gcggacgcgc cggcccgcag ttggcctgcg gagcgcgggtg gacggtttgg cgcccaccag 120  
gcgatcaata ctttgattt ttaatttcta gatttgcaa ttcttcgctg aagtcatcat 180  
gagctttttc caactcctga tgaaaaggaa ggaactcatt cccttggtgg tgttcatgac 240  
tgtggcggcg ggtggagcct catctttcgc tgtgtattct ctttggaata ccgatgtgat 300  
ccttgatcga aaaaaaatc cagaaccttg ggaaactgtg gaccctactg tacctcaaaa 360  
gcttataaca atcaaccaac aatggaaacc cattgaagag ttgcaaaatg tccaaagggt 420  
gaccaaata cgagccctcg cctctttctt ctgaagagta ctctataaat ctagtggaaa 480  
catttctgca caaactagat tctggacacc agtgtgcgga aatgcttctg ctacattttt 540  
agggtttgtc tacatttttt gggtcttgga taaggaaatta aaggagtgc gcaataactg 600  
cactgtctaa aagtttgtgc ttattttctt gtaaatttga atattgcata ttgaaatttt 660  
tgtttatgat ctatgaatgt ttttcttaaa atttacaag ctttgtaaat tagattttct 720  
ttaataaaat gccatttgtg caagaaaaaa aaaaaaaaaa aaagggcggc cgctctagag 780  
gatccctcga ggggcccag cttacgcgtg catgcgacgt catagctctg tccctacgaa 840  
g 841

<210> 127  
<211> 1172  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (119)  
<223> n equals a,t,g, or c

<400> 127  
tactatttat agcttttagat agggcctccc ttccctctt ctttctttgt tctctttcat 60  
taaaccctt cccagtttt tttttatact ttaaaccctg ctcccatgg ccttggcct 120  
ttctgaagct gcttctctt ataaaatagc ttttgccgaa acatagttt tttttagcag 180  
atcccaaat ataataaggg ggatgggtgg atatttgtgt ctgtgttctt ataatatatt 240  
attattcttc cttggttcta gaaaaataga taaatatatt ttttccagga aatagtgtgg 300  
tggttccagt ttgatgttg tgggtggttg agtgagtga ttttcatgtg gctgggtggg 360  
ttttgctt tttctcttg cctgttctg gtgccttctg atggggctgg aatagtgtgag 420  
gtggatggt ctacccttc tgccctctgt ttgggacca gctggtgtt tttggtttgc 480  
tttcttcagg ctctagggt gtgctatcca atacagtaac cacatgcggc tgtttaaagt 540  
taagccaatt aaaatcacat aagattaaaa attccttct cagttgcaact aaccacgtt 600  
ctagaggcgt cactgtatgt agttcatggc tactgtactg acagcgagag catgtccatc 660  
tggtggacag cactattcta gagaactaaa ctggcttaac gagtcacagc ctgagctgtg 720  
ctgggacgac cctgtctcc ctgggtagga ggggggggaa tgggggaggg ctgatgaggc 780  
cccagctggg gcctgttgc tgggaccctc cctctctga gaggggaggc ctggtggctt 840  
agcctgggca ggtcgtgtct cctcctgacc ccagtggtg cggtgagggg aaccaccctc 900  
cctgtctgca ccagtggcca ttagctcccg tcaccactgc aaccagggt cccagctggc 960  
tggtcctct tctgccccca gtgcccttcc ccttgggtg tgttgagtg agcacctct 1020  
ctgtaggcac ctctcacact gttgtctgtt actgattttt ttgataaaa agataataaa 1080  
acctggtact ttctaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1140  
aaaaaggcg gccgtcgcg atctagaact ag 1172

<210> 128  
<211> 891  
<212> DNA  
<213> Homo sapiens

<400> 128  
acccacgcgt ccgtgagatt ctctcccagg ccacaagaca tttcctgctc ggaaccttgt 60  
ttactaat tccactgttt taaggccctg cactgaaat gcaagctcag gcgcccgttg 120  
tcgttgtgac ccaacctgga gtcggtccc gtccggcccc ccagaactcc aactggcaga 180  
caggcatgtg tgactgtttc agcgactgag gagtctgtct ctgtggcaca ttttgtttcc 240  
cgtgccttgg gtgtcaagtt gcagctgata tgaatgaatg ctgtctgtgt ggaacaagcg 300  
tcgcaatgag gactctctac aggaccgcat atggcatccc tggatctatt tgtgatgact 360  
atatggcaac tctttgctgt cctcattgta ctctttgcca aatcaagaga gatataca 420  
gaaggagagc catgcgtact ttctaaaaac tgatggtgaa aagctcttac cgaagcaaca 480  
aaattcagca gacacctctt cagcttgagt tcttcaccat cttttgcaac tgaaatatga 540  
tggaatatgct taagtacaac tgatggcatg aaaaaaatca aatttttgat ttattataaa 600  
tgaatgttgt ccctgaactt agctaaatgg tgcaacttag tttctccttg ctttcatatt 660  
atcgaaattt ctggcttata aactttttta attacatttg aaatataaac caaatgaaat 720  
attttactga taagattctt catgcttctt tgctctcctt aaaatgtctt tttcactagt 780



tagttccaag ggtcagtctc ataattttgt tcttatactt tgatttcctt tttctttttt 840  
ttttttttta atagagttgg gggatcyttc yttctttttt tttttttttt t 891

<210> 129

<211> 2461

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1164)

<223> n equals a,t,g, or c

<400> 129

tttcaattct tggntttctg ttcccttcta ccaaaaccca gcataggact cagtgtacac 60  
ttactttaaa acaaaaactc acattttcta gctgcagggt atggcctcag tcattttaat 120  
acagcctgga atgagtttgc ttattacca gtcactttcg tagtgaatgt tcaaacccca 180  
aagcaaagt tggcatctcc ttgtccataa aggagaaagc caggttatag gagaaagaga 240  
gagaaaggcg catgtctgtt tgcacagaga gaggcaattt tgtctacctt tcgagaatca 300  
gttataaaca gaagggcctc ttaggatttt gagctctcct gacaatgaag gaaaagctct 360  
cttgagtata caagttccac actcattacc tttcagtggt gacccatcac ccactacaat 420  
ttgttgaagg aagggagtgt cagagatatg ctttaaagtt gtactttagg ctgaaattct 480  
ctctgtatth ggacctgcag atgttgtgta cagaaccgat gcatggcagg gtcaggaaagc 540  
taggagagtg aaggcgcttg tggagacagc tctgtagcaa atgaaacacg gaagcctccg 600  
ggaatgtgth tgtgtcacca gcagcaggca tttccctgtc ctccccaccc ccagtctcca 660  
catccccagc agcctcttcc agaagcatgt cagggagacg gacaggtgct ctcttctcg 720  
tgcaccacat ccaagtccac ccaccgtgga cgcagtgtga ctaaagtctg gccttgaaga 780  
gaaaccctca gccagcttgt ctgttgtcca ggtccctcag tgtctctggt ttccctgcc 840  
tgcataatth aagcattagt gccaaatata tctgtcatat tctctctcct ggagactgag 900  
aaatgtccag actttttcag actagtggag ggaaggaatg ttacataact aagtggaggc 960  
ctggaactgt caggatttga cagggctgga ccagagaccc ttccgcctct gcctagtgtg 1020  
tctgtcaggc aggcagcagc catcaatcca agaattgagc atggcggcaa gactktgtg 1080  
gagaaaggaa cccagccgag gtctgagttt cagacagaaa ctggggagtt gggacatctt 1140  
ctctgtgcca ggcttcattg acancatcgg tcttcattg asctgagccc aagccctcag 1200  
tggaacctgt caagagcatc agcagcatgg agctgaagac cgagcccttt gatgacttcc 1260  
tgttcccagc atcatccagg cccagtggct ctgagacagc ccgctccgtg ccagacatgg 1320  
acctatctgg gtcttcttat gcagcagact gggagcctct gcacagtggc tccctgggga 1380  
tgggggccat ggcacagagc tggagccctt gtgactccg gtggtcacct gtactcccag 1440  
ctgactgct tacacgtctt ccttcgtctt cacctacccc gaggtgact ccttccccag 1500  
ctgtgcagct gccaccgca agggcagcag cagcaatgag ccttctctg actcgtcag 1560  
ctcaccacg ctgctggccc tgtgaggggg caggggaagg gaggcagccg gcaccacaa 1620  
gtgccactgc ccgagctggt gcattacaga gaggagaaac acatcttccc tagagggttc 1680  
ctgtagacct agggaggacc ttatctgtgc gtgaaacaca ccaggctgtg ggctcaagg 1740  
acttgaagc atccatgtgt ggactcaagt ccttacctct tccggagatg tagcaaacg 1800  
catggagtgt gtattgttcc cagtgcactc tcagagagct ggtagttagt agcatgttga 1860  
gccaggcctg ggtctgtgtc tcttttctct ttctccttag tcttctcata gcattaacta 1920

atctattggg ttcattattg gaattaacct ggtgctggat attttcaa at tgtatctagt 1980  
gcagctgatt ttaacaataa ctactgtgtt cctggcaata gtgtgttctg attagaaatg 2040  
accaatatta tactaagaaa agatacgact ttattttctg gtagatagaa ataaatagct 2100  
atatccatgt actgtagttt ttcttcaaca tcaatgttca ttgtaatgtt actgatcatg 2160  
cattgttgag gtggtctgaa tgttctgaca ttaacagttt tccatgaaaa cgttttattg 2220  
tgttttta at ttatttatta agatggattc tcagatattt atatttttat tttatttttt 2280  
tctaccttga ggtcttttga catgtggaaa gtgaatttga atgaaaaatt taagcattgt 2340  
ttgcttattg ttccaagaca ttgtcaataa aagcatttaa gttgaatgcg aaaaaaaaaa 2400  
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaagggcggc cgctcgcgat ctagaactag 2460  
t 2461

<210> 130

<211> 2197

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1381)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2194)

<223> n equals a,t,g, or c

<400> 130

gacgagatct gtgtcagaac gtgctgttga ggcgatacaa aacccgagag aggcgtgagc 60  
agcgtgtgtt ttgagagcgg kagcgaggrg cgccggctgr ggtgtgtgct cctgagctct 120  
tcagaaacca ggctgctttc aggaacattg ctgtggattc ccagggccta ttccactaga 180  
agcaagatgg ctgaactcaa tactcatgtg aatgtcaagg aaaagatcta tgcagttaga 240  
tcagttgttc ccaacaaaag caataatgaa atagtcctgg tgctccaaca gtttgatttt 300  
aatgtggata aagccgtgca agcctttgtg gatggcagtg caattcaagt tctaaaagaa 360  
tggaatatga caggaaaaaa gaagaacaat aaaagaaaaa gaagcaagtc caagcagcat 420  
caaggcaaca aagatgctaa agacaagggtg gagagggcctg aggcagggcc cctgcagccg 480  
cagccaccac agattcaaaa cggcccatg aatggctgcg agaaggacag ctctccaca 540  
gattctgcta acgaaaaacc agcccttatc cctcgtgaga aaaagatctc gatacttgag 600  
gaaccttcaa aggcacttcg tggggtcaca ggcccaaata ttgagaaatc agtgaaggat 660  
ttgcaacgct gcaccgtttc tctaactaga tatcgcgtca tgattaagga agaagtggat 720  
agttccgtga agaagatcaa agctgccttt gctgaattac acaactgcat cattgacaaa 780  
gaagtttcat taatggcaga aatggataaa gttaaagaag aagccatgga aatcctgact 840  
gctcgtcaga agaaagcaga agaactaaag agactcactg accttgccag tcagatggca 900  
gagatgcagc tggccgaact cagggcagaa attaagcact ttgtcagcga gcgtaaatat 960  
gacgaggagc tcgggaaagc tgcccggttt tcctgtgaca tcgaacagct gaaggcccaa 1020  
atcatgctct gcggagaaat tacacatcca aagaacaact attcctcaag aactccctgc 1080  
agctccctgc tgcctctgct gaatgcgcac gcagcaacct ctgggaaaca gagtaacttt 1140  
tcccgaat catccactca caataagccc tctgaaggca aagcggcaaa ccccaaatg 1200  
gtgagcagtc tcccagcac cgccgacccc tctcaccaga ccatgccggc caacaagcag 1260  
aatggatctt ctaaccaaag acggagattt aatccacagt atcatacaa caggctaaat 1320  
gggcctgcc aatgcaggg cagtgggaat gaagccgagc cactgggaaa gggcaacagc 1380  
ngccacgaac acagaagaca gccgcacaac ggcttccggc ccaaaaacaa aggcggtgca 1440

```
aaaatcaaga ggcttccttg gggatgaaga ccccgaggc cccggcccat tctgaaaagc 1500
cccggcgaag gcagcacgct gcagacacct cggaggccag gcccttccgg ggtagtgctg 1560
gtagggtttc acagtgcatt ctctgcccc aagagaataga agttccaca gatgcagcag 1620
ttctctcagt cccggctgtg acgttggttg cctgagctag gaggaaaaag agcagttttc 1680
actcagtttt ggttccctgc ccgagggtgct gacccaattc gctgccaaaa gagtgtcaat 1740
cagaatatac aaatcccgtg tggttgtgtc atcctctctt aatcattttt actaattcta 1800
ataatcagct ctagcttgct tcataatttt catggctttg ctgatctgt tgatgctttc 1860
tctcatcaag actttgcagc attttagcca ggcagtattt actcattatt aggaaaatca 1920
agatgtggct gaagatcaga ggctcagtta gcaacctgtg ttgtagcagt gatgtcagtc 1980
cattgattgt ctttagagag ttaatgttac aaaaaagaat tcttaataat cagacaaaaca 2040
tgatctgctg aggacacatg cgcttttgta gaatttaaca tctgggtgtt ttctgaaaaa 2100
atatatatac atatattgct ttatttgaaa caaattaaaa tatgctgcat ttgaaaaaaa 2160
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaanaaa 2197
```

<210> 131

<211> 464

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (397)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (405)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (420)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (449)

<223> n equals a,t,g, or c

<400> 131

```
attcatctcg ttcattgcta cccccgtta gatcctcggc ggtgccaggt ttcgtcgaat 60
ggaaacccaa atgggtataa gcgttcact ttggcagcgt tgctaaagca accaccacca 120
gcgttgaac gggtggctac taccaattta tggaccgcct attaatggc atgggttacag 180
ccaatacgat agtgagaaaa ccaaacgca gcctagttag agtagaaagt gtaacaccat 240
tgccacaac tggttgctgc ctactgtcgc taaggcggct taggcaaat ttgctgcagc 300
gtacgcggag agttgtttac caaagatgcc ttacaacct gcgctgaaag ggggctgctg 360
cttatgccaa ttatgtttta aggctggctt ctgggtanttt tgcnaatgg ttttgatttn 420
agggttacca tttgttttcc ccaattanc cctttgcgcg cccg 464
```

<210> 132

<211> 1950

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1941)

<223> n equals a,t,g, or c

<400> 132

```
gggggtggctt gccaccacaca gcaattgtga ctttgaaaagg ccattccacc gttctatcaa 60
tccagctgct tcaggatgat gggcaacgtg gtaagaccag tgaattccac gaacatgagc 120
ccactgctgc acttctatgg ccgtaaatta acttgagaaa gtggaatcga attccgatgt 180
tgaattttcc ttctggcccc attcatgtgg cagggtgtga ttcaggattg tcctcccggg 240
ctggcagcag ggccccagcg gcaccatgtc tgccctcgga gtcaccgtgg ccctgctggt 300
gtgggcgggc ttctctctgc tgggtgtccat gtggaggcag gtgcacagca gctggaatct 360
gccccagcg cctttcccg cttccatcat cggaacctc ttcagttgg aattgaagaa 420
tattcccaag tccttcaccc ggttggcccc gcgcttcggg ccggtgttca cgctgtacgt 480
gggctcgag cgcatggtgg tgatgcacgg ctacaaggcg gtgaaggaag cgctgctgga 540
ctacaaggac gagttctcgg gcagaggcga cctccccgcg ttccatgcgc acagggacag 600
gggaatcatt tttaataatg gacctacctg gaaggacatc cggcggtttt ccctgaccac 660
cctccggaac tatgggatgg ggaacacagg caatgagagc cgcatccaga gggaggccca 720
cttcctgctg gaagcactca ggaagaccca aggccagcct ttcgaccca cttcctcat 780
cggctgcgcg ccctgcaacg tcatagccga catcctcttc cgcaagcatt ttgactacaa 840
tgatgagaag tttctaaggc tgatgtatgt gtttaatgag aacttcacc tactcagcac 900
tccctggctc cagctttaca ataattttcc cagctttcta cactacttgc ctggaagcca 960
cagaaaagtc ataaaaaatg tggtgaagt aaaagagtat gtgtctgaaa ggggtgaagga 1020
gcaccatcaa tctctggacc ccaactgtcc ccgggacctc accgactgcc tgctcgtgga 1080
aatggagaag gaaaagcaca gtgcagagcg cttgtacaca atggacggtg tcaccgtgac 1140
tgtggccgac ctgttctttg cggggacaga gaccaccagc acaactctga gatatgggct 1200
cctgattctc atgaaatacc ctgagatcga agagaagctc catgaagaaa ttgacagggg 1260
gattgggcca agccgaatcc ctgccatcaa ggataggcaa gagatgccct acatggatgc 1320
tgtggtgcat gagattcagc ggttcatcac cctcgtgccc tccaacctgc cccatgaagc 1380
aaccgagac accattttca gaggatacct catccccaag ggcacagtcg tagtgccaac 1440
tctggactct gttttgtatg acaaccaaga atttcctgat ccagaaaagt ttaagccaga 1500
acacttcctg aatgaaaatg gaaagttaa gtacagtgc tatttcaagc cattttccac 1560
agggaaaacga gtgtgtgctg gagaaggcct ggctcgcatg gagttgtttc ttttgttgtg 1620
tgccattttg cagcatttta atttgaagcc tctcgttgac ccaaaggata tcgacctcag 1680
ccctatacat attgggtttg gctgtatccc accacgttac aaactctgtg tcattccccg 1740
ctcatgagtg tgtggaggac accctgaacc ccccgtttc aaacaagatt tcgaattggt 1800
tgaggctcag atttctcaaa ctgattcctt tctttgcata tgagtatttg aaaataaata 1860
ttttccaga atataaataa atcatcacat gattatttta actawaaaaa aaaaaaaaaa 1920
aaaaaaaaaa aaaaaaaaaa naaaaaaaaa 1950
```

<210> 133

<211> 2093

<212> DNA

<213> Homo sapiens

<400> 133

```
cacgcgttcg cccacgcgts sgctgggttt ctgaactgct gggtttctgc ttgctcctct 60
ggagatgcag cgtctgttga ctccagtga ggcattctg caactgacaa gagcgggtgca 120
```

```
ggaaacctcc ctcacacctg ctcgcctgct cccagtagcc caccaaaggt tttctacagc 180
ctctgctgtc cccctggcca aaacagatac ttggccaaag gacgtgggca tcctggccct 240
ggaggtctac ttcccagccc aatatgtgga ccaaactgac ctggagaagt ataacaatgt 300
ggaagcagga aagtatacag tgggcttggg ccagaccctg atgggcttct gctcagtcca 360
agaggacatc aactccctgt gcctgacggg ggtgcaacgg ctgatggagc gcatacagct 420
cccattgggac tctgtgggca ggctggaagt aggcactgag accatcattg acaagtccaa 480
agctgtcaaa acagtgtcct tggaaactct ccaggattca ggcaatactg atattgaggg 540
catagatacc accaatgcct gctacggtgg tactgcctcc ctcttcaatg ctgccaactg 600
gatggagtcc agttcctggg atggtcggtt tgccatggtg gtctgtggag acattgccgt 660
ctatcccagt ggtaatgctc gtcccacagg tggggccgga gctgtggcta tgctgattgg 720
gcccagggcc tctggccctg gagcgagggc tgaggggaac ccatatggag aatgtgtatg 780
acttctacaa accaaatttg gcctcggagt acccaatagt ggatgggaag ctttccatcc 840
agtgtacttt gcgggccttg gatcgatggt acacatcata ccgtaaaaaa atccagaatc 900
agtggaagca agctggcagc gatcgaccct tcacccttga cgatttacag tacatgatct 960
ttcatacacc cttttgcaag atggtccaga agtctctggc tcgcctgatg ttcaatgact 1020
tcctgtcagc cagcagtgac acacaaacca gcttatataa ggggctggag gctttcgggg 1080
ggctaaagct ggaagacacc tacaccaaca aggacctgga taaagcactt ctaaaggcct 1140
ctcaggacat gttcgacaag aaaaccaagg cttcccttta cctctccact cacaatggga 1200
acatgtacac ctcatccctg tacgggtgcc tggcctcgtc tctgtccac cactctgcc 1260
aagaactggc tggctccagg attggtgcct tctcttatgg ctctggttta gcagcaagtt 1320
tcttttcatt tcgagtatcc caggatgctg ctccaggctc tcccctggac aagttggtgt 1380
ccagcacatc agacctgcca aaacgcctag cctcccgaag gtgtgtgtct cctgaggagt 1440
tcacagaaat aatgaaccaa agagagcaat tctaccataa ggtgaatttc tccccacctg 1500
gtgacacaaa cagccttttc ccaggtaact ggtacctgga gcgagtggac gagcagcatc 1560
gccgaaagta tgcccggcgt cccgtctaaa ggtgttctgc agatccatgg aaagcttcct 1620
gggaaacgta tgctagcaga gcttctcccc gtgaatcata tttttaagat cccactctta 1680
gctggtaaat gaatttgaat cgacatagta gccccataag catcagccct gtagagttag 1740
gagccatctc tagcggggcc ttcatctctc tccatgctgc aatcactgtc ctgggcttat 1800
ggtgctatgg actaggggtc ctttgtgaaa gagcaagatg gagcaatgga gagaagacct 1860
cttctgaat cactggactc cagaaatgtg catgcagatc agctgttgcc ttcaagatcc 1920
agataaactt tcctgtcatg tgtagaact ttattattat taatattgtt aaacttctgt 1980
gctgttcctg tgaatctcca aattttgtac cttgttctaa gctaatatat agcaattaaa 2040
aagagagaaa gaggaaaaaa aaaaaaactt tggggggggc cgggaccca att 2093
```

<210> 134

<211> 729

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (646)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (665)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (725)

<223> n equals a,t,g, or c

<400> 134

```
gctcgtgccg aattcggcac gagtcggcac gaggtccaag ggggtgtgtg ttcacgggaa 60
tgctgagtac cagcccggtt ctccagttta ttccctccaag tgccaggact gcgtgtgcac 120
ggacaagggtg gacaacaaca ccctgctcaa cgtcatcgcc tgcacccacg tgccctgcaa 180
cacctcctgc agccctggct tcgaactcat ggaggccccc ggggagtgtg gtaagaagtg 240
tgaacagacg cactgtatca tcaaacggcc cgacaaccag cacgtcatcc tgaagcccgg 300
ggacttcaag agcgaccgga agaacaactg cacattcttc agctgcgtga agatccacaa 360
ccagctcatc tcgtccgtct ccaacatcac ctgccccaac tttgatgcca gcatttgcac 420
ccgggggtcc atcacattca tgcccaatgg atgctgcaag acctgcaccc ctcgcaatga 480
gaccagggtg ccctgctcca ccgtccccgt caccacggag gtttcgtacg ccggctgcac 540
caagaccgtc ctcatgaatc attgctccgg gtcctgcggg acatttgtca tgtamtcggc 600
caaggccagg ccctggacca cagcttgctc ctgctgcaaa gaaganaaaa ccagccagcg 660
tgagntggtc ctgactgccc aatggcgggtc gctaacacac acctacacca catcgagact 720
gccantgcc                                     729
```

<210> 135

<211> 1189

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1160)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1175)

<223> n equals a,t,g, or c

<400> 135

```
gtaanacnga cagtacngta cggaattccc gggtcgaacc cacgcgtcct ggggtgagag 60
ggtgacgcat gtgccctctg gcagtctgct gctgtgtcca ggtccgact ccagctgggc 120
```

tgtaactggg cttggccccc gccttagggc ccgccagcag gcgaagcagg gagatgtcag 180  
actgctacac ggagctggag aaggcagtca ttgtcctggt ggaaaacttc taaaaatatg 240  
tgtctaagta cagcctgggtc aagaacaaga tcagcaagag cagcttccgc gagatgctcc 300  
agaaagagct gaaccacatg ctgtcggaca cagggaaccg gaaggctgcg gataagctca 360  
tccagaacct ggatgccaat catgatgggc gcacagcgtt cgatgagtag tggaccttga 420  
taggcggcat caccggcccc atcgccaaac tcacccatga gcaggagcag cagagcagca 480  
gctagagacc cctttggcca caccctccag gcactggcct gatgccccgc cctgggtgctc 540  
tccccaggct cctcctcag cctcctgccc acccagggcc ctttactctc ttctccctcc 600  
agaccttctt ctgaccttgg ctgaactggg gtccctttgt gagggtctca gtctagaggt 660  
acctccctcc ctgggggggtc tcagctcctg gaggcgcagg cccttggggc ccctctgtga 720  
gatctcaatg ctgtctgggg accctaagag tttctcacc tgttcagtct catctaacct 780  
tccaatgtct gatgttcctg ccaaattcct gcctgattct gggtccgtcc tgacctccaa 840  
aggtcagctt ggtgcttgag gtctccctgc tcttggtggc agtggttagca gcaacagcag 900  
cagcagcagc agcagcagca gcagagacct ctccactttc ccttagcccc tctgctgggt 960  
agagaggcac ttccagggac ttccctccag ctgcctcttc atctgggaat gagctaagca 1020  
aggctgagcc tcctcctggt gcttgaaata atgatgatat aaaggctgga tttggagttt 1080  
gtatccccctg gtccctctggg atgctcatta aaaccttccc actccttgga aaaaaaaaaa 1140  
aaaaaargcg ggsggtttan aggatccaac ttacntacc gtgcattgc 1189

<210> 136

<211> 1466

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1291)

<223> n equals a,t,g, or c

<400> 136

cngetttagt cttccatttc acccttgcag ccagctgttg gccacggccc tgccctctgg 60  
tctgccgtgc atctccctgt gccctcttgc tgccctgctg tctgctgagg taagggtggga 120  
ggaggggtac agccacatcc caccctctcg tccaatccca taatccatga tgaaaaggta 180  
ggtcacgtgg cctcccaggc tgacttccca acctacagca ttgacgccaa cttggctgtg 240  
aaggaaagagg aaaggatctg gccttgtggg cactggcctc tgagccctgc tgatggctgg 300  
ggctctcggg catgcttggg agtgccaggg gctcgggctg cctggcctgg ctgcacagaa 360  
ggcaagtgtt ggggctcatg gtgctctgag ctggcctgga ccctgtcagg atgggccccca 420  
cctcagaacc aaactcactg tccccactgt ggcattgagg cagtggagca ccatgtttga 480  
gggcgaaggc cagagcgttt gtgtgttctg gggaggggag gaaaagggtg tggaggccct 540  
aattatggac tggtgggaaa aggggtttgt ccagaaggac aagccggaca aatgagcgac 600  
ttctgtgctt ccagagggaag acgagggagc aggagcttgg ctgactgctc agagtctgtt 660  
ctgacgccct ggggggttct gtccaacccc agcaggggag cagcgggacc agccccacat 720  
tccacttgtg tcatgcttga gaacctatatt atttgtatt tatttgaaca gagttatgtc 780  
ctaactatatt ttatagattt gtttaattaa tagcttgtca ttttcaagtt cattttttat 840  
tcatatttat gttcatgggt gattgtacct tcccaagccc gccagtgagg atgggaggag 900  
gaggagaagg ggggccttgg gcgctgcagt cacatctgtc cagagaaatt ccttttggga 960

```

ctggaggcag aaaagcggcc agaaggcagc agccctggct cctttccttt ggcaggttg 1020
ggaagggctt gccccagcc ttaggatttc agggtttgac tgggggcgtg gagagagagg 1080
gaggaacctc aataaccttg aaggtggaat ccagttatct cctgcgctgc gagggtttct 1140
ttatttctact cttttctgaa tgtcaaggca gtgagggtgc tctcactgtg aatttggtgt 1200
gggcgggggc tggaggagag ggtggggggc tggctccgtc cctcccagcc ttctgctgcc 1260
cttgcttaac aatgccggcc aactggcgac ntcacggttg cacttccatt ccaccagaat 1320
gacctgatga ggaaatcttc aatasgacgc aaagatcaat gcaaaaattg ttctatctga 1380
acataatact ggagctcgtc caaaaagcac actacgacag aactggacgt tcgcagcgtc 1440
cattcaaaagc agcctcctca tcaagt 1466

```

&lt;210&gt; 137

&lt;211&gt; 140

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 137

```

ggttcaccta cggaaacctt gttacgactt ttacttcttc tagatagtca agttcgaccg 60
tcttctcagc gctccgccak ggccgtgggc cgaccccggc ggggccgatc cgarggcctc 120
actaaacat ccaatcggtg 140

```

&lt;210&gt; 138

&lt;211&gt; 4142

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 138

```

gaggggagcg agcggcgctt tgggggaggg gtcgcgtagg cgcctcacct gaccctgcgg 60
ccgtgcggtt gctgtccgg ggcaggtctc cttccaggcc aggggcccgg aatcatgtac 120
ataaagcagg tgattatcca ggggttttca agttacagag atcaaaacaat tgtagatccc 180
ttcagttcaa aacataatgt gattgtgggc agaaatggat ctggaaaaag taactttttt 240
tatgcaattc agtttgttct cagtgatgag tttagtcatc ttcgtccaga acagcgggtg 300
gctttattgc atgaaggtag tggctcctcgt gttatttctg cttttgtgga gattattttt 360
gataattcag acaaccgggt accaatcgat aaagaggaag tttcacttcg aagagttatt 420
ggtgccaaaa argatcagta tttcttagac aagaagatgg tcacgaaaaa tgatgtgatg 480
aacctccttg aaagcgctgg tttttctcga agcaatcctt attatatgtg taaacaagga 540
aagatcaacc agatggcaac agcaccagat tctcagagat taaagctatt aagagaagta 600
gctggtacta gagtgtaga cgaacgaaaag gaagaaagca tctccttaat gaaagaaaca 660
gagggcaaac gggaaaaaat caatgagttg ttaaaataca ttgaagagak attacatact 720
ctmgaggaag aaaaggaaga actagctcag tatcagaagt gggataaaat gagacgagcc 780
ctggaatata ccatttaca tcaggaaactt aacgagactc gtgccaaact tgatgagctt 840
tctgctaagc gagagactag tggagaaaaa tccagacaat taagagatgc tcagcaggat 900
gcaagagata aaatggagga tatcgaaacg caagttagag aattgaaaac aaaaatttca 960
gctatgaaag aagaaaaaga acagcttagt gctgaaagac aagagcagat taagcagagg 1020
actaagttgg agcttaaagc caaggattta caagatgaac tagcaggcaa tagtgaacaa 1080
aggaacggtt tattaaaaga gaggcagaag ctgcttgaaa aaatagaaga aaagcagaaa 1140
gaactggcag aaacagaacc caaattcaac agtggtgaaag agaaagaaga acgaggaatt 1200
gctagattgg ctcaagctac ccaggaaaga acggatcttt atgcaaagca gggtcgagga 1260
agccagttta catcaaaaga agaaagggat aagtggatta aaaaggaact caagtcttta 1320
gatcaggcta ttaatgacaa gaaaagacag attgctgcta tacataagga tttggaagac 1380
actgaagcaa ataaagagaa aaatctggag cagtataata aactggacca ggatcttaat 1440
gaagtcaaa ctcgagtaga agaactggac agaaaatatt acgaagtaaa aaataagaaa 1500

```



gatgaactmc aaagtgaaa aaactacttg tggagagaag agaatgcaga acagcaagca 1560  
cttgctgcta aaagagaaga tcttgaaaag aagcaacaac ttcttagagc agcaacagga 1620  
aaggccattt taaatggaat agacagcata aacaaagtgc tagaccactt ccgtcgaaaa 1680  
ggaataaacc agcatgttca aaatggctat catgggtattg taatgaataa ctttgaatgt 1740  
gaaccagctt tctacacatg cgtggaagtc actgctggaa acaggttatt ttatcacatt 1800  
gttgattcag atgaagtcag cacgaagatt ttaatggagt ttaataaaat gaatcttcct 1860  
ggagaggtta cttttctgcc tcttaacaag ttagatgtca gggatacagc ctatcctgaa 1920  
accaatgatg ctattcctat gatcagcaaa ctgaggtaca atcccagatt tgacaaagct 1980  
ttcaaacatg tggttggaag gactcttatt tgcgttagca tggaaagttc aaccagctg 2040  
gcccgtgctt tcaactatgga ctgtattact ttggaagggt accaagtcag ccacggggt 2100  
gctctaactg ggggttatta tgacacaagg aagtctcgac ttgaattgca aaaagatgtt 2160  
agaaaagcag aagaagaact aggtgaactt gaagcaaac tcaatgaaaa cctgcgcaga 2220  
aatattgaaa ggattaataa tgaaattgat cagttgatga accaaatgca acagatcgag 2280  
accagcaaaa ggaaatttaa agcatctaga gatagcatat tatcagaaat gaagatgcta 2340  
aaagagaaga ggcagcagtc agagaaaacc ttcattgccta agcaacgtag cttacagagt 2400  
ttggaggcaa gcttgcagtc tatggagtct accagagagt cattgaaagc agaactggga 2460  
actgatttgc tttctcaact gagtttgaa gatcagaaga gagtagatgc actgaatgat 2520  
gagattcgtc aacttcagca ggaaaacaga cagttgctaa atgaaagaat taaattagaa 2580  
ggtattatta ctcgagtaga gacttatctc aatgagaatc tgagaaaacg cttggacca 2640  
gtagaacagg aacttaatga gctgagagag acagaagggg gtactgttct cacagccaca 2700  
acatcagaac ttgaagccat caataaaaaga gtaaaagaca ctatggcacg atcagaagat 2760  
ttggacaatt ccattgataa aacagaagct ggaattaaag agcttcagaa gagtatggag 2820  
cgctggaaaa atatggaaaa agaacatatg gatgctataa atcatgatac taaagaactg 2880  
gaaaagatga caaatcgga aggcagctta ttgaagaaga aagaagagt tatgaagaaa 2940  
attcgagaac ttggatcact tccccaggaa gcatttgaaa agtaccagac actgagcctc 3000  
aaacagttgt ttcgaaaact tgagcagtc aacacagaat taaagaagta cagccatgtt 3060  
aacaaaaagg ctttggrtca gtttgtaaat ttctccgagc agaaagaaaa gttaataaag 3120  
cgtaagaag agttagatak gggttacaaa tcgatcatgg aactgatgaa tgtacttgaa 3180  
cttcggaaat atgaagctat tcagtttaact ttcaaacagg tatctaagaa cttcagttaa 3240  
gtattccaga agtttagtacc tgggtggcaa gctacttttg tgatgaagaa aggagatgtg 3300  
gagggcagtc agtctcaaga tgaaggagaa gggagtgggt agagtgaag gggttctggc 3360  
tcacaaaagca gtgtcccatc agttgaccag ttactggag ttggaattag ggtgtcattt 3420  
acaggaaaaac aaggtgaaat gagagaaatg caacagcttt caggtggaca gaaatccttg 3480  
gtagcccttg ctctgatttt tgccattcag aaatgtgacc cggctccatt ttacttgttt 3540  
gatgaaattg accaggctct ggatgctcag cacagaaagg ctgtgtcaga tatgattatg 3600  
gaacttgctg tacatgctca gtttattaca actactttta ggctgaact gcttgagtca 3660  
gctgacaaat tctatgggtg aaagttcaga aataaggtta gtcataattga tgtgatcaca 3720  
gcagagatgg ccaaagactt tgtagaagat gataccacac atggttaatt ggaaaatact 3780  
acctactggg ttgggagatg tatatagtaa tatgattctc ataccagga actgtaaatt 3840  
taaacctaaa tatttggcca atagttttca gacttaaagc atcatagtcc ttttatattt 3900  
gtctttgtat tttataagat actctgtaat gtcattgttg tactgatatg ttaagaattt 3960  
aatctcctgt acaacttttt gtaaaatgtt ctgctcctat tttaaatgtt ttgaaacatg 4020  
ctaaatattc tttcctaatt attttatcac ttatactacc ttttttatag cttcaattaa 4080  
ataatcgggt ttatgactaa aaaaaaaaaa aaaaaacysg gsgggggggc cggtaaccaa 4140  
tt 4142

<210> 139

<211> 1747

<212> DNA

<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1659)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1704)  
<223> n equals a,t,g, or c

<400> 139  
aagactccat ttcaaaaaaa aaaaaaaaaa aaaatccact catataaaaag gtgagctcag 60  
ctcactgggc catttctcag tggcttctcc atcctcattt gcaaacctca gagggataag 120  
gcagttgaac ctgatgagca agaattataa cagcaaggaa acattaatgc ttagaattct 180  
gagatccagc acaactcagt ctgtgggagc tcagctcgct gccagggat aggtatgacc 240  
tatgtctgcc ttaggctgct gggagatgcc attctccagt ttcagaagca ggcagggcaa 300  
aggtcaagac tgtggtattg gggctctttg gctctgaagg atcctggaac cactgatttt 360  
ggtttattcc ctccagggtc taaagagaac aagaggtgct agctcttacc aaaacagatg 420  
gtagagagag ttgctggcta tttaaaaagc tcttctcatc kttaattcac ytcttctttt 480  
cacctcttta accactcctc aggaacagaa cacttctagg actgggggtc ttttagctcc 540  
ataagcaagt gagcagatgg gacaagttag tcttttctcc ctagaaacaa aggggatgcc 600  
cagtggtttc cctttgcttc ccaacctaaa atttcaagtt taataaaata gcaattagca 660  
gaagtgacca aattgggaga taattatcag tcagtaggaa agacacagat ttcggtcata 720  
aagaatgtaa gggctataag tagaaacttt ctataacct aatgatgtta tagaattatt 780  
tttgagcagg agcagaaaaga ttaaatatga tcacttcata cttctaaatc agaaatagga 840  
agattaaaac cacagaacag tttgtgattt ctattgctgt agctaggtat cttactctgt 900  
ccactcttgt tcaagtatct aactcttctg gaaaccaa at aggttttaga agagattatc 960  
ctatattcct atcagtataa tactaaaatg taacttttta atcatctggt ttttaaaaga 1020  
taaacagttt agcccctctc tccagagagc aaacatagga atatgactca ggagcctcct 1080  
agggcttatc atcagccctc acaccgctt cccctccaa cccacagcct ttgcttcag 1140  
gtggcaggat tactactttg cctcttcagc agcatctact ctaggcata tgatcatttt 1200  
agacactggg agaagagaac ctcaaactag gaggaaaaga cagagcctcc acttagtttt 1260  
gggaggggat ggcagacagt caaggagatg agcgtcctaa ggcagtgttg gatagggtca 1320  
gatgcaccac ccatggagag gtttgtcaac acaaagacat ggaaggtag aggtttgtca 1380  
acaaaaagac atggaagggt aggtttgtca acacaaagac atggaagatt agaggtttgt 1440  
caacacaaag acacaggaag aatgggctgc agaagattta gatgttttcc atttgggcac 1500  
attttactta gctggagaac taggtttaaa acagcctggg taggaaaatt agaascaagc 1560  
tggatgcagt gggctccatg cctgttaatc ccaacacttt tgggaggttc caggcaggaa 1620  
agatcacttg ggccaagaa gtccaacctg ccagcgganc ttaagattca caccacttgc 1680  
actcccaccc tggggtttaa ttanaaccaa aacccttttc tccgaaaaaa aaaaaaaaaa 1740  
aaaaaaaa 1747

<210> 140  
<211> 1240  
<212> DNA  
<213> Homo sapiens

<400> 140  
gcggacgcgg ctggaggcgc ggcggcaggg ctgggcggcg gcggcggcgg cggatcatgga 60  
acgccaagag gagtctctgt ccgcgcggcc ggccctggag accgaggggc tgcgcttcct 120  
gcacaccacg gtgggctccc tgctggccac ctatggctgg tacatcgtct tcagctgcat 180

```
ccttctctac gtggtctttc agaagctttc cgcccggcta agagccttga ggcagaggca 240
gctggaccga gctgcggctg ctgtggaacc tgatgttgtt gttaaaccgac aagaagcttt 300
agcagctgct cgactgaaaa tgcaagaaga actaaatgcg caagttgaaa agcataagga 360
aaaactgaaa caacttgaag aagaaaaaag gagacagaag attgaaatgt gggacagcat 420
gcaagaagga aaaagttaca aaggaaatgc aaagaagccc caggaggaag acagtcctgg 480
gccttccact tcatctgtcc tgaaacggaa atcggacaga aagcctttgc ggggaggagg 540
ttataacccg ttgtctggtg aaggaggcgg agcttgctcc tggagacctg gacgcagagg 600
cccgtcatct ggcggatgag gctaagaatc ttgttagtgt cacttttgac attagcaaga 660
tgaaccctta accctcgatt caattgcctt acgcacgctt ttcacagtga ctagccaagg 720
ggaggtgggg ttgatttctg ttctaacta cacctgcata tgtcagggtc ccagtcagca 780
aaaggtatag atgttgccctc taggcattgag gtcattggtc acattctact tggagacagt 840
gattgcattc attgatttca tggtaattg ctagttggta ggtaaaggcc tctagatgat 900
tagcaatctt gataaaagag gcctagtaat gttcttttga ggtagaaat ccttgctgct 960
aggacagtct ctgtgacagg ttgcgttgaa tgatgtcttc cttatcaatg gtgagccac 1020
cagtggagat tactgatgtg gacagttgat ggggtttgtt tctgtatatt tatttttatg 1080
tacagaactt tgtaaaaacg aaactattta aaaaacaaga ataacatttt tagcatcttt 1140
attcaaggag atttatggac ttcaatttgt ctatcaaaaca ttaaatagct ttttattaca 1200
acctccaaaa aaaaaaaaaa aaaaaaaaaa aaawaaacaa 1240
```

<210> 141  
<211> 671  
<212> DNA  
<213> Homo sapiens

```
<400> 141
gtatcctgca ggtcccggtc cggaattccc gggcttacct acgcgtccgc gtgcgcaayg 60
tgccctggga atttggcgac gtaattcccc actatgtgct gggccagagc acctgtgccc 120
tgttcctcag cctccgctac cacaacctgc acccagacta catccatggg cggctgcaga 180
gcctggggaa gaacttcgcc ttgcgggtcc tgcttgtcca ggtggatgtg aaagatcccc 240
agcagggcct caaggagctg gctaagatgt gtatcctggc cgactgcaca ttgatcctcg 300
cctggagccc cgaggaaagt gggcgggtacc tggagacctc caaggcctat gagcagaaac 360
cagcggacct cctgatggag aagctagagc aggacttcgt ctcccgggtg actgaatgtc 420
tgaccaccgt gaagtcagtc aacaaaacgg acagtcagac cctcctgacc acatttggat 480
ctctggaaca gctcatcgcc gcatcaagag aagatctggc cttatgcca ggccctgggc 540
ctcagaaagc ccggaggctg tttgatgtcc tgcacgagcc cttcttgaaa gtaccctgat 600
gacccagct gccaaaggaa cccccagtgt aataataaat cgtcctccca ggccaggcaa 660
aaaaaaaaa a 671
```

<210> 142  
<211> 3265  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (3234)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (3256)

<223> n equals a,t,g, or c

<400> 142

```
ggcaccgtgg acattgagag cctgacgggc taccgcacct accgctgtgc ccaccccttg 60
gccacactct tcaagatcct ggcgctcttc tacatcagcc tagtcatctt ctacggcctc 120
atctgcatgt atacactgtg gtggatgcta cggcgctccc tcaagaagta ctcgtttgag 180
tcgatccgtg aggagagcag ctacagcrac atccccgacg tcaagaacga cttcgccctc 240
atgctgcacc tcattgacca atacgacccg ctctactcca agcgcttcgc cgtcttcctg 300
tcggargtga gtgagaacaa gctgcggcag ctgaacctca acaacgagtg gacgctggac 360
aagctccggc agcggctcac caagaacgcg caggacaagc tggagctgca cctgttcagt 420
ctcagtggca tccctgacac tgtgtttgac ctggtggagc tggaggtcct caagctggag 480
ctgatecccc acgtgaccat cccgcccagc attgcccagc tcacgggcct caaggagctg 540
tggctctacc acacagcggc caagattgaa gcgcccgcgc tggccttcct gcgcgagaac 600
ctgcggggcg tgcacatcaa gttcacgcag atcaaggaga tcccgtgtg gatctatagc 660
ctgaagacac tggaggagct gcacctgacg ggcaacctga gcgcggagaa caaccgctac 720
atcgctcatc acgggctgcg ggagctcaaa cgcctcaagg tgctgcggct caagagcaac 780
ctaagcaagc tgccacaggt ggtcacagat gtgggcgtgc acctgcagaa gctgtccatc 840
aacaatgagg gcaccaagct catcgctctc aacagcctca agaagatggc gaaacctgac 900
tgagctggag ctgatccgct gtgacctgga gcgcateccc cactccatct tcagcctcca 960
caacctgcag gagattgacc tcaaggacaa caacctcaag accatcgagg agatcatcag 1020
cttcacgac ctgcaccgcc tcacctgcct taagctgtgg tacaaccaca tcgcctacat 1080
ccccatccag atcggcaacc tcaccaacct ggagcgcctc tacctgaacc gcaacaagat 1140
cgagaagatc cccacccagc tcttctactg ccgcaagctg cgctacctgg acctcagcca 1200
caacaacctg accttctctc ctgccgacat cggcctcctg cagaacctcc agaacctagc 1260
catcacggcc aaccggatcg agacgtccc tccggagytc tccagtgcc ggaagctgcg 1320
ggccctgcac ctgggcaaca acgtgctgca gtcactgccc tccagggtgg gcgagctgac 1380
caacctgacg cagatcgagc tgcggggcaa cgggctggag tgcctgcctg tggagctggg 1440
cgagtgccca ctgctcaagc gcaggcttg tgggtggagga ggacctgttc aacacactgc 1500
caccgaggt gaaggagcgg ctgtggaggg ctgacaagga gcaggcctga gcgaggccgg 1560
cccagcacag caagcagcag gaccgtgcc cagtcctcag gcccggaggg caggcctagc 1620
ttctccaga actcccgac agccaggaca gcctcgtggc tgggcaggag cctggggccg 1680
cttgtgagtc aggccagagc gagaggacag tatctgtggg gctggcccct tttctccctc 1740
tgagactcac gtccccagc gcaagtgtct gtggaggaga gcaagtctca agagcgagt 1800
atgttgataa tcagggtctc ctccctggag gccagctctg cccagggggc tgagctgcca 1860
ccagaggtcc tgggaccctc actttagttc ttggtattta tttttctcca tctccacct 1920
ccttcacca gataacttat acattcccaa gaaagttag cccagatgga aggtgttcag 1980
ggaaaggtgg gctgcctttt ccccttgctc ttatttagcg atgccgccgg gcatttaaca 2040
cccacctgga cttcagcaga gtggtccggg gcgaaccagc catgggacgg tcacccagca 2100
gtgccgggct gggctctgcg gtgcggtcca cgggagagca ggccctccagc tggaaaggcc 2160
aggcctggag cttgcctctt cagtatttgt ggcagtttta gttttttgtt ttttttttt 2220
taatcaaaaa acaatttttt taaaaaaaaa aagctttgaa aatggatggt ttgggtatta 2280
aaaagaaaaa aaaaacttaa aaaaaaaaaa aactaacgg ccagttagtt ggagtctcag 2340
ggcagggtgg cagtttccct tgagcaaagc agccagacgt tgaactgtgt ttcctttccc 2400
tgggcgcagg gtgcagggtg tcttccgcat ctggtgtgac cttggtccag gagtctatt 2460
tgttcctggg gagggaggtt tttttgtttg ttttttgggt ttttttgggt tcttgttttc 2520
tttctcctcc atgtgtcttg gcaggcactc atttctgtgg ctgtcggcca gagggaatgt 2580
tctggagctg ccaaggaggg aggagactcg ggttggctaa tccccggatg aacgggtgctc 2640
cattcgcacc tcccctctc gtgcctgccc tgcctctcca cgcacagtgt taaggagcca 2700
agaggagcca cttcgccag actttgtttc cccaccgct gcggcatggg tgtgtccagt 2760
gccaccgctg gcctccgctg cttccatcag ccygtgcgc acctggtcct tcatgaagag 2820
cagacactta gaggctggtc gggaatgggg aggtcgcccc tgggagggca ggcgttggtt 2880
```

```
ccaagccggt tcccgccctt ggcgcctgga gtgcacacag cccagtcggc acctggtggc 2940
tggaagccac cctgcttttag atcactcggg tccccacctt agaaggggtcc ccgccttaga 3000
tcaatcacgt ggacactaag gcacgtttta gagtctcttg tcttaatgat tatgtccatc 3060
cgtctgtccg tccatttgtg ttttctgcgt cgtgtcattg gatataatcc tcagaaataa 3120
tgcacactag cctctgacaa ccatgaagca aaaatccgtt acatgtgggt ctgaacttgt 3180
agactcggtc acagtatcaa ataaaatcta taacagaaaa aaaaaaaaaa gggngccgtc 3240
taaagatcaa cttctncctt gatca 3265
```

<210> 143

<211> 765

<212> DNA

<213> Homo sapiens

<400> 143

```
gcccacgcgt ccgcccacgc gtccgcggac gcgtgggggg tgacattgag ctcaccagcg 60
ccaccgtccc cggcgaagtt ctgcgctggt cggcggagta gcaagtggcc atggggagcc 120
tcagcgggtct gcgcctggca gcaggaagct gtttttaggtt atgtgaaaga gatgtttcct 180
catctctaag gcttaccaga agctctgatt tgaagagaat aaatggattt tgcacaaaaac 240
cacaggaaaag tcccggagct ccatcccgcga cttacaacag agtgccttta cacaaacctt 300
cggattggca gaaaaagatc ctcatatggt caggtcgctt caaaaaggaa gatgaaatcc 360
cagagactgt ctggttggag atgcttgatg ctgcaaaaga caagatgcga gtgaagatca 420
gctatctaata gattgccctg acggtggtag gatgcatctt catggttatt gagggcaaga 480
aggctgcccc aagacacgag actttaacaa gcttgaactt agaaaagaaa gctcgtctga 540
aagaggaagc agctatgaag gccaaaacag agtagcagag gtatccgtgt tggctggatt 600
ttgaaaatcc aggaattatg ttataacgtg cctgtattaa aaaggatgtg gtatgaggat 660
ccatttcata aagtatgatt tgcccaaacc tgtagcattt ccgtatttct gctgtagaag 720
tagaaataaaa ttttcttaaa taaaaaaaaa aaaaaaaaaa tcgag 765
```

<210> 144

<211> 1694

<212> DNA

<213> Homo sapiens

<400> 144

```
gcccacgcgt ccgggttgct ctattattat tattattatt atttgccttt ttttaatcac 60
catttatttg tgtaatcttt ctccattgat tggtgtcat tcttataata tctgaactac 120
cccataaaat aattctctga cttaaaggca tttagctttt gcttatcgtt tttacatcct 180
ctattcaact aagacactgt cttgagagtt attttttcca gatggatcgt tggcctaaat 240
tttcacactt ctcccctggt catccttttt cctcttcctt gcttcctggg aataaaagga 300
acttttttaa aaaaattaat tagtccacag gwctmattat ctttctttat gattaatcta 360
tgactttttg gtacaagaac aatggaaaaa gtgaattaag gtaatgaaca aaacctttca 420
cccacttaaa cattttccag ttttgagatt cctcttcgtg tttgtggtgt cttccccttg 480
ttacccttct tgcctttttt ctctgactat ggtaatttgg tctttaggct catatcagtc 540
tccccgagac attctgcagt cattatcacc tttttgggtg gattttattt tgttttattt 600
tgtttttttt aaaaaataaa ctttttaaca ttggtgcata tttgcttggg atagagcttg 660
tgtaattttac caatcgtatt gattgtaagt gattgtgcc tgcagaggta tatttaacaa 720
gacaaaaata atcttggtta ataaaggagc ccatgagatt tgagtcagggt tgtaagtga 780
atcacttaca cttttggata gaatttatac tcctgctctt ataaatcagt ggtagactta 840
ccatttttta aagttttctt gcattttttt gtttttttat tgccacagct ccctattctt 900
tcttgccctg ctccaccccc ctgttcagga aaaaaaaaaa ttgagcctta aagtgcagc 960
tgatttttta attgctgaat tttgtgaaat tttacttttt ccaagtgttt ccaacttta 1020
```

```
aaagagaagt gaagacaaat aggttggaat ggtgaagaca aatggrrttg ratttcacag 1080
gctgtgaata attccttagg atctggcaaa ccgtgaagtc ttatttgaag accttatctc 1140
ctgagagttc ttttgagta ggaaaaagaa ccctatttga aatagaccgt ttttctcttg 1200
tttttaattc gttaaatatt tctgattttt aagcagcttt caaaacaagt gtggtggaaa 1260
aaaagaaata gtagtaggaa gatgttttagg gcagcagaac tctgggtcta aataagtaca 1320
tgttcccact tgttgccgat ttttgagagt actagggcca tctttctcaa ttttgatta 1380
tttggtgtga tgtttatata aaagatgccc attttgtaa aatgctattt cctttattac 1440
cttggaact gactcagcct catgttgctc ctaattagt ttaaggctc ccatgagttg 1500
cagataaaat gatttatatt aacaagtaga aggaggtgat tcaccttttg gattgtaaat 1560
atatgaaaat gtctacaagg tctttatctg ctttctgtca gcatttatat taaatgataa 1620
attaatgagg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1680
aaaaaagggc ggcc 1694
```

<210> 145

<211> 823

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (182)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (731)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (743)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (749)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (755)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (817)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (821)

<223> n equals a,t,g, or c

<400> 145

```
tgtcacagac tacttcatca gtcgcttata tggagctggg accaagggtt ctgccaggcc 60
ttgggatcag ctcttggggg tcagagcagc cttcccacat cctctggcac tgctgaactt 120
ttgcagcagc tctttcctcc tctyttggat gcccttcgag agcccagggt acgacggatt 180
tnctgccagc ctgcagatcc tgcgcctgtc gccctgcagg tctctgtacc cttcagacca 240
ccttgctctg gttcctgggc agagctcagc agtacttggc agcatgggac ccagcttcct 300
tcctgtctct gatccaaaag gacttacctc ctctgttgca tgaggcagaa gctttgtata 360
gcctggcctc agaggaaaag ttagctcttg aagtggagca gcagctgggc ctggagatcc 420
agaagctgac tgcacagatc cagctcctgc ctgaagagtc actaagtgtc ttttctcaag 480
aatgtcataa acaagccatg caaggtttca agctctacat gccacggggt cgggtactggc 540
ggcttcgtct ctgtcctgaa cctcccagtg ctccatagtg gtatgtctgg ttagtggtcc 600
gcaccgtact ggagcctgtg ttgcaaggat tgcaagggtt gcacctcaag cccaggcccc 660
tgcccttggg caggctctga cggscatcgt ggggtgcctg cttgaccaca ttcttacc 720
tgggattcgg nttcaacctg canggagcnc tkcancttaa acaagacttt ggaatggtca 780
ggagtttgtg gaaaagagca tggacctgtc cctgatntcg nca 823
```

<210> 146

<211> 1134

<212> DNA

<213> Homo sapiens

<400> 146

```
caaaagcata gagaaattat aaaattcaag aacagatggt agaatggaaa ctgatctaga 60
ggttataata aaggataata gtcttgtgct gacaccatca cacatcaaag cctacatggt 120
gatgactctt caaggattag aatatttaca tcaacattgg atcctacata gggatctgaa 180
accaaacaac ttgttgctag atgaaaatgg agttctaaaa ctggcagatt ttggcctggc 240
caaactctttt gggagcccca atagagctta tacacatcag gttgtaacca ggtggtatcg 300
ggcccccgag ttactatttg gagctaggat gtatggtgta ggtgtggaca tgtgggctgt 360
tggtctgtata ttagcagagt tacttctaag gggtcccttt ttgccaggag attcagacct 420
tgatcagcta acaagaatat ttgaaacttt gggcacacca actgaggaac agtggccgga 480
catgtgtagt cttccagatt atgtgacatt taagagtttc cctggaatac ctttgcac 540
catcttcagt gcagcaggag acgacttact agatctcata caaggcttat tcttatttaa 600
tccatgtgct cgaattacgg ccacacaggc actgaaaatg aagtatttca gtaatgcgcc 660
agggccaaca cctggatgtc agctgccaag accaaactgt ccagtggaaa ccttaaagga 720
gcaatcaaat ccagcttttg caataaaaag gaaaagaaca gaggccttag aacaaggagg 780
attgcccaag aaactaattt tttaaaagaga aactggaca acattttact actgagggaa 840
atagccaaaa aggcataata tggaaaata gtaaacatta agtaaagtgt gtagaagtga 900
gtttgtaaat attctacaca tgtaaaatat gtaaaactat gggttatttt tattaaatgt 960
attttaaaat aaaaatttaa ttctggtttt tctgattaga gtgcmaaagt gagaaaagtt 1020
caatactctt gaatgtagaa ttgaaaatgc attagggaaa acttaataaa aattattacc 1080
agttatttgg aagatctgac ccatatagta tcacaaatct gtagtagcat gggt 1134
```

<210> 147

<211> 1486

<212> DNA

<213> Homo sapiens

<400> 147

```
gcggacgcgt ggggggcggg gtgtcgtttc ctttcgctga tgcaagagcc tagtgcggtg 60
```

gtgggagagg tatcggcagg ggcagcgctg ccgccggggc ctggggctga cccgtctgac 120  
ttcccgtccg tgccgagccc actcgagccg cagccatgtc tggggacgag atgatttttg 180  
atcctactat gagcaagaag aaaaagaaga agaagaagcc ttttatgtta gatgaggaag 240  
gggataccca aacagaggaa acccagcctt cagaaacaaa agaagtggag ccagagccaa 300  
ctgaggacaa ggatttgga gctgatgaag aggacactag gaaaaaagat gcttctgatg 360  
atctagatga cttgaacttc tttaatcaaa agaaaaagaa gaaaaaaact aaaaagatat 420  
ttgatattga tgaagctgaa gaagggtgtaa aggatcttaa gattgaaagt gatgttcaag 480  
aaccaactga accagaggat gaccttgaca ttatgcttgg caataaaaag aagaaaaaga 540  
agaatgttaa gttcccagat gaggatgaaa tactagagaa agatgaagct ctagaagatg 600  
aagacaacaa aaaagatgat ggtatctcat tcagtaatca gacaggccct gcttgggcag 660  
gctcagaaag agactacaca tacgaggagc tgctgaatcg agtggtcaac atcatgaggg 720  
aaaagaatcc agatatggtt gctggggaga aaaggaaatt tgtcatgaaa cctccacaag 780  
tcgtccgagt aggaaccaag aaaacttctt ttgtcaactt tacagatatc tgtaaactat 840  
tacatcgta gcccaaacat ctcccttgc ttttggttggc tgaattgggt acaagtgggt 900  
ctatagatgg taataaccaa cttgtaatca aaggaagatt ccaacagaaa cagatagaaa 960  
atgtcttgag aagatatatc aaggaatatg tcacttgtca cacatgccga tcaccggaca 1020  
caatcctgca gaaggacaca cgactctatt tcctacagtg cgaaacttgt cattctagat 1080  
gttctgttgc cagtatcaaa accggcttcc aggctgtcac gggcaagcga gcacagctcc 1140  
gtgccaaagc taactaatth gctaactcact gattttgcaa agcttggtgt ggagatgtgg 1200  
ctggacaggt ttgccatcag agtggatata ccgttgattt aaaaacaaga taaaaaagct 1260  
gccaaagattt ttggcgagt gttgggtctga agtccttgca agacgctgat gctcaagctg 1320  
ttgacatact cattgcctac tttaacacct gtcagagaaa cgtgatattg ggtaaggagg 1380  
tgctttttta aaatcgttca tagacttctg taaaatgcaa gataaattaa agttattata 1440  
acagtataa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 1486

<210> 148

<211> 153

<212> DNA

<213> Homo sapiens

<400> 148

cgcctgtgca gcgcaagatc gaggctcgct cggcagagga ctccttcaca ggcttcgtcc 60  
ggaccctgta ctttgctgac acctacctga aggagtcca aggctgagcg gccaggcctc 120  
cagaacatgg agctggcgcc tgtgcagcgc aag 153

<210> 149

<211> 882

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (25)

<223> n equals a,t,g, or c

<220>



<221> misc feature

<222> (870)

<223> n equals a,t,g, or c

<400> 149

```
acgaaggcca aagntgggtg caccncgggtg cgccgtctag actagtggat cccgggtcag 60
gattcgcacg tgccctcctg tctcagtatg gcgctgtcct gggttcttac agtcctgagc 120
ctcctacctc tgctggaagc ccagatccca ttgtgtgcca acctagtacc ggtgcccac 180
accaacgcca ccctggaccr gatcactggc aagtggtttt atatcgcatc ggcctttcga 240
aacgaggagt acaataagtc ggttcaggag atccaagcaa ctttctttta cttcaccccc 300
aacaagacag aggacacgat ctttctcaga gagtaccaga cccgacagga ccagtgcac 360
tataacacca cctacctgaa tgtccagcgg gaaaatggga ccatctccag atacgtggga 420
ggccaagagc atttcgctca cttgctgac ctcagggaca ccaagacctc catgcttgct 480
tttgacgtga acgatgagaa gaactggggg ctgtctgtct atgctgacaa gccagagacg 540
accaaggagc aactgggaga gttctacgaa gctctcgact gcttgcgcat tcccaagtca 600
gatgtcgtgt acaccgattg gaaaaaggat aagtgtgagc cactggagaa gcagcacgag 660
aaggagagga aacaggagga gggggaatcc tagcaggaca cagccttga tcaggacaga 720
gacttggggc catcctgccc ctccaacccg acatgtgtac ctcagctttt tccctcactt 780
gcatcaataa agcttctgtg tttggaacag ctaaaaaaaa aaaaaaaaaa aaaaaaaaaa 840
actcgagggg gggcccgkaa cccaatcgcn tgatattatt ag 882
```

<210> 150

<211> 1508

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (126)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (155)

<223> n equals a,t,g, or c

<400> 150

```
ctaaggaggg gtgaaccggc ccaggtcgga aacggagcag gtcaaaactc ccgtgctgag 60
gtgggaggat cgcttgagcc caggagttct gggctgtagt gcgctatgcc gatcgggtgt 120
ccgcantcta gccttggaac cagtgcgaaga ctgtncaaaa aacagcaaca garagcagga 180
cgtgagactt ctacctgctc actcagaatc atttctgcac caacctggc cacgtttgtg 240
gagctcagta ccaaagccaa gatgcccatt gtgggcctgg gcacttgga gtctcctctc 300
ggcaaagtga aagaagcagt gaagggtggc attgatgcag gatatcggca cattgactgt 360
gcctatgtct atcagaatga acatgaagtg ggggaagcca tccaagagaa gatccaagag 420
aaggctgtga agcgggagga cctgttcac ctcagcaagt tgtggccac tttctttgag 480
agacccttg tgaggaaagc ctttgagaag accctcaagg acctgaagct gagctatctg 540
gacgtctatc ttattcactg gccacaggga ttcaagtctg gggatgacct tttcccaaaa 600
gatgataaag gtaatgcat cggtggaaaa gcaacgttct tggatgcctg ggaggccatg 660
gaggagctgg tggatgaggg gctggtgaaa gcccttgggg tctccaattt cagccaactc 720
cagatcgaga agctcttgaa caaacctgga ctgaaatata aaccagtgc taaccagggt 780
gagtgtcacc catacctcac gcaggagaaa ctgatccagt actgccactc caagggcac 840
```

accgttacgg cctacagccc cctgggctct ccggatagac cttgggccaa gccagaagac 900  
ccttcctgc tggaggatcc caagattaag gagattgctg caaagcacia aaaaaccgca 960  
gccaggttc tgatccggtt ccataatccag aggaatgtga ttgtcatccc caagtctgtg 1020  
acaccagcac gcattgttga gaacattcag gtctttgact ttaaattgag tgatgaggag 1080  
atggcaacca tactcagctt caacagaaac tggagggcct gtaacgtgtt gcaatcstct 1140  
catttggaag actatccctt cgatgcagaa tattgagggt gaatctcctg gtgagattat 1200  
acaggagatt ctctttcttc gctgaagtgt gactacctcc actcatgtcc catttttagcc 1260  
aagcttattt aagatcacag tgaacttagt cctgttatag acgagaatcg aggtgctgtt 1320  
ttagacattt atttctgtat gttcaactag gatcagaata tcacagaaaa gcatggcttg 1380  
aataaggaaa tgacaatttt ttccacttat ctgatcagaa caaatgttta ttaagcatca 1440  
gaaactctgc caacactgag gatgtaaaga tcaataaaaa aaataataat cataaaaaaa 1500  
aaaaaaaa 1508

<210> 151  
<211> 1232  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1213)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1217)  
<223> n equals a,t,g, or c

<400> 151  
naactgngct agcatgccca gccacagag agcctccact agagtgatgc taagtggaaa 60  
tgtgaggtgc agctgccaca gagggccccc accagggaaa tgtctagtgt ctagtggatc 120  
caggccacag gagagagtgc cttgtggagc gctgggagca ggacctgacc accaccagga 180  
ctccagcctg ggtgacaggg tgaacgccat ctcaaaaaat aaaaattaaa aaataaaaaa 240  
agaacctgga tctcaattta atttttcata ttcttgcaat gaaatggact tgaggaagct 300  
aagatcatag ctagaaatac agataattcc acagcacatc tctagcaaat ttagcctatt 360  
cctattctct agcctattcc ttaccacctg taatcttgac catatacctt ggagttgaat 420  
attgttttca tactgctgtg gtttgaatgt tccctccaac actcatgttg agacttaatc 480  
cctaagtgtg caatactgaa aggtggggcc tttgagatgt gattggatcg taaggctgtg 540  
ccttcattca tgggttaatg gattaatggg ttatcacagg aatgggactg gtggctttat 600  
aagaagagga aaagagaact gagctagcat gccagccca cagagagcct ccactagagt 660  
gatgctaagt ggaaatgtga ggtgcagctg ccacagaggg ccccaccag ggaaatgtct 720

```

agtgtctagt ggatccaggc cacaggagag agtgccttgt ggagcgctgg gagcaggacc 780
tgaccaccac caggacccca gaactgtgga gtcagtggca gcatgcagcg ccccttggg 840
aaagcttttag gcaccagcct gcaaccatt cgagcagcca cgtaggctgc acccagcaaa 900
gccacaggca cggggctacc tgaggccttg gggggccaat ccctgctcca gtgtgtccgt 960
gaggcagcac acgaagtcaa aagagattat tctcttccca cagatacctt ttctctccca 1020
tgacccttta acagcatctg cttcattccc ctcaccttcc caggctgatc tgaggtaaac 1080
tttgaagtaa aataaaagct gtgtttgagc atcaaaaaaa aaaaaaaaaa aaaaaaaaaa 1140
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1200
aaaaaaaaaa aangggnggc cgttttaaag ga 1232

```

<210> 152

<211> 999

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (917)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (951)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (995)

<223> n equals a,t,g, or c

<400> 152

```

gcgcagctcc gccggcgctt ggtcccagcg cccgcggcgc cgcgtccccg gccaacccat 60
ggcrtccctcc gcggccggct gcgtggtgat cggtggcagt ggagtcattg ggygaagctg 120
ggccatgctg tttgccagtg gaggcttcca ggtgaaactc tatgacattg agcaacagca 180
gataaggaay gccctggaaa acatcagaaa ggagatgaag ttgctggagc aggcagggttc 240
tctgaaaggc tccctgagtg tggaagagca gctgtcactc atcagtgggt gtcccaatat 300
ccaagaagca gtagaggggy ccatgcwcat ycwgtgaatc cgccatacta catcccgtg 360
gttgagctgg tccccaccc ggagacggcc cctacgacag tggacagaac ccacgccctg 420
atgaagaaga ttggacagtg ccccatgcga gtccagaagg aggtggccgg ctctggtctg 480
aaccgcctgc aatatgcaat catcagcgag gcctggcggc tagtggagga aggaatcgtg 540
tctcctagtg acctggacct tgtcatgtca gaagggttg gcatgcggtg tgcattcatt 600
ggaccctctg aaaccatgca tctcaatgca gaaggtatgt taagctactg cgacagatac 660
agcgaaggca taaaacatgt cctacagact tttggaccca ttccagagtt ttccagggcc 720
actgctgaga aggttaacca ggacatgtgc atgaaggctc ctgatgacct ggagcactta 780
gctgccagga ggcagtggag ggacgagtgc ctcagtagac tcgccaagtt gaaragtcaa 840
gtgcagmyaa sctggaratt tccacctttt cttttcagct tgattgcatt tgactatatt 900
ttacagccag tgattgnagt ttcattgtaa tatgtggcaa aatatttttg naattatttt 960
ctaataccctt tcttaagtac tctggggccc tgcanttat 999

```

<210> 153

<211> 1212

<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (794)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1047)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1146)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1176)  
<223> n equals a,t,g, or c

<400> 153  
cacgcccacc tctctcctgg agcgcctgggc cttcgctggc cgcaccggca gccatgagct 60  
cggagatgga gccgctgctc tgggcctgga gctattttag gcgcaggaag ttccagctct 120  
ggccgatcta tgcacgcaga tgctggagaa gtcccccattat gaccaggcgg ctgctgcaga 180  
tgggcattta taacggccag ctttttaaca atctggggct gtgttgcttc tatgcccagc 240  
agtatgatat gactctgacc tcatttgaac gtgccctttc tttggctgaa aatgaagaag 300  
aggcagctga tgtctgttac aacttgggac atgtagctgt gggaatagga gatacaaatt 360  
tggcccatca gtgcttcagg ctggctctgg tcaacaacaa caaccacgcc gaggcctaca 420  
acaacctggc tgtgttgag atgcggaagg gccacgttga acaggcaagg gcaactattac 480  
aaactgcatc atcattagca ccccatatgt atgaaccgca ttttaatttt gcaacaatct 540  
ctgataagat tggagatctg cagagaagct atgttgctgc gcagaagtct gaagcagcat 600  
ttccagacca tgtggacaca caacatttaa ttaacaatt aaggcagcat tttgctatgc 660  
tctgattgtt ccttagacca catatgttct tatgaagcmg cattatgcaa ggggaaaaaa 720  
gcaactatgtc tgtgtatgta tgtatatagt gtaatacgta tattttaaca aacctgtcct 780  
tgatattagt taanggtgac acataagggt gacacagaat gtgtaatgca aatttcatag 840  
taatagtaac ttataaaat aatattataa aatacaggat ttaaaccttt ctaaatagat 900  
cctgaaactg tctctcacat tatatagtag atgtttgttt ataattgttta caaaacattt 960  
tgggtgaattt cctcaatgtt ttataaatgt acatttttta agtccttaag ctgactctta 1020  
gccatcatgt agcttaagga gtctggnaat ctggccattg aaaactggca cctttgaagc 1080  
caggtgtggt tagcatgtgc ctatagccc agcttacttg gggaggtggg aggtggggag 1140  
ggattnatga aattaggagg acttttcct ttaagnactt ttaaaaaaat ggtattttga 1200  
aaacctattt tt 1212

<210> 154  
<211> 2361  
<212> DNA  
<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (92)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 154

```
ggagccttgc cttgctgctc tacctccacc atgccaagtg gtcccaggct gcacccatgg 60
cagaaggagg agggcagaat catcacgaag gntgaagttc atggatgtct atcagcgcac 120
actgccatcc aatcgagacc ctggtggaca tcttccagga gtaccctgat gagatcgagt 180
acatcttcaa gccatcctgt gtgcccctga tgcgatgcgg gggctgctgc aatgacgagg 240
gcctggagtg tgtgcccact gaggagtcca acatcaccat gcagattatg cggatcaaac 300
ctcaccaagg ccagcacata ggagagatga gcttcctaca gcacaacaaa tgtgaatgca 360
gaccaaagaa agatagagca agacaagaaa aatgtgacaa gccgaggcgg tgagccgkgc 420
aggaggaagg agcctccctc agggtttcgg gaaccagatc tctcaccagg aaagactgat 480
acagaacgat cgatacagaa accacgctgc cgccaccaca ccacacccat cgacagaaca 540
gtccttaatc cagaaacctg aaatgaagga agaggagact ctgcgagag cactttgggt 600
ccggagggcg agactccggc ggaagcattc ccggggcggg gacccagcac ggtccctctt 660
ggaattggat tcgccatttt atttttcttg ctgctaaatc accgagcccg gaagattaga 720
gagttttatt tctgggattc ctgtagacac acccaccac atacatacat ttatatatat 780
atatattata tatatataaa aataaatatc tctattttat atatataaaa tatatatatt 840
ctttttttta attaacagtg ctaatgttat tgggtgtcttc actggatgta tttgactgct 900
gtggacttga gttgggaggg gaatgttccc actcagatcc tgacagggaa gaggaggaga 960
tgagagactc tggcatgac ttttttttgt cccacttggg ggggccaggg tcctctcccc 1020
tgcccaggaa tgtgcaaggc cagggcatgg gggcaaatat gacccagttt tgggaacacc 1080
gacaaacca gccctggcgc tgagcctctc taccacaggc cagacggaca gaaagacaga 1140
tcacaggtac agggatgagg acaccggctc tgaccaggag tttggggagc ttcaggacat 1200
tgctgtgctt tggggattcc ctccacatgc tgcacgcgca tctcgcccc aggggactg 1260
cctggaagat tcaggagcct gggcggcctt cgcttactct cacctgcttc tgagtgtccc 1320
aggagrccac tggcagatgt cccggcgaag agaagagaca cattgttggg agaagcagcc 1380
catgacagct ccccttcctg ggactcgccc tcactcctct cctgctcccc ttcccttccc 1440
gcagcctaaa aggacctatg tcctcacacc attgaaacca ctagtctctg cccccagga 1500
gacctggttg tgtgtgtgtg agtggttgac cttcctccat cccctggtcc ttcccttccc 1560
ttcccagggc acagagagac agggcaggat ccacgtgccc attgtggagg cagagaaaag 1620
agaaagtgtt ttatatacgg tacttattta atatcccttt ttaattagaa attaaaacag 1680
ttaatttaat taaagagtag ggtttttttt cagtattctt ggtaaatatt taatttcaac 1740
tatttatgag atgtatcttt tgctctctct tgctctctta tttgtaccgg tttttgtata 1800
taaaattcat gtttccaatc tctctctccc tgatcgggtg cagtcactag ctatcttga 1860
acagatatth aattttgcta acactcagct ctgccctccc cgatcccctg gctccccagc 1920
acacattcct ttgaaataag gtttcaatat acatctacat actatatata tatttggcaa 1980
cttgtatttg tgtgtatata tatatatata tgtttatgta tatatgtgat tctgataaaa 2040
tagacattgc tattctgttt tttatatgta aaaacaaaac aagaaaaaat agagaattct 2100
acatactaaa tctctctcct tttttaattt taatatttgt tatcatttat ttattgggtg 2160
tactgtttat ccgtaataat tgtggggaaa agatattaac atcacgtctt tgtctctagt 2220
gcagtttttc gagatattcc gtagtacata tttattttta aacaacgaca aagaaataca 2280
gatatatctt aaaaaaaaaa aagcattttg tattaaagaa ttaattctg atctcaaaaa 2340
aaaaaaaaaa aaaaaggggg g 2361
```

&lt;210&gt; 155

&lt;211&gt; 1831

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 155

```
aaaggtgaga atgcacaaa acagctctgg gttgggtacc acagttttgc ttggtagaaa 60
gaaaccagt taggaaagga gacgccacca gacatcttca acagacaaga ttctttctgc 120
ctttttcaaa agatgctctc tgcagcagta agactataga tagagttgat tggaaatatca 180
tgtgaccag tatgctactg ctaggcataa ttatcaaaaa ttcatttttc tcattaaata 240
ttgttaattg ctcgccacat aaagagaagc tagagctcac cagtcttggt ggtgtcctag 300
accttcctct aaagcagtct tgggaagctg gatcatcagw tctttagcct agacagagtg 360
tcgctggtaa ataaaggaga cacaggtaac ccagagtggg cagtgatttg cgtggggagw 420
cacagtggat ctggggcctc tgatactttg yttcckaaaa cagccccag ttttcggctt 480
gcctatgaga tgatgttcat gtgcttcctt gaaaccaggt ggaaagaaa gggagaatt 540
aattttctca ttctgttgct gttgaacgta atgtaatctt aatactgtag ccttcctaga 600
agcccttccc tctttttcat gctgtaaaagt caaatatttg atatccttaa cataaatttt 660
aaaaattaag gtcattaggr agcaaatgtc tatttccaaa gcaatgagct tgttgtgact 720
gtgattttat tcttctatag tatttttttc ctcatcttaa ctgagaggag aaaataatac 780
tcttttgcaa tctccttagg ttctccctt ccccttggtg ccccttctag tgtcttaaga 840
ctttgtctta acaagtataa cattacattt tggtgttaaa acctttcgaa actgtattca 900
gtgattcttc caagtttatc tgctctgcac tatttcacta ataaaccctg gctaccacgt 960
agcccttgat ctccaagtag tttacctatg caagacctgt gacactctga attcacttct 1020
ctttctttca gaaagtagtc ataaatggag cttaattata aaggtaaaac ttgtctccaa 1080
ccagtttcat tttggccatt tctttttcaa aatgtcagct gttttcctcc aagatttttc 1140
acaaaaaaa tgatcataag tgctggaata tataatactt tgcaggcata aaataaccca 1200
gacatactct catatttctt tgggtgtattt tgggtggtaa aacttaccag cattaaatgt 1260
aaaatataat gaggagttaa ttccttacct agaactattt cttcctttta agattcataa 1320
gtaacctttt atttttacag agctacgtat aacttcaca ttacagtcag ggacctgagg 1380
tgtaacttac taagtgaacc ccaaggttat tttatcttgc aaaagaaacc taaaccaaac 1440
taagggcctt acagtttatg gttagactga atcaaaagct ataacctcaa tttttccaaa 1500
aacagcttct gactgcaaaa gcaagtcata cagttgttag gtatgaaata gcaactgatca 1560
ggaaatgcat cttcgagat ggtatttcct tcagaaaaga cttttctact ttaatatata 1620
attaagccat aacagtttca tgctgtggaa agagggtgaa aaggttcatt ttaagagatt 1680
atataatatg aactttcaca tttactgtga aatgtctaac tttgccagtg cttcagcaag 1740
tttttttggg ggggtgatgg gggaggggta gtattgggtt ttwggaggkt ttccaaatct 1800
gtggaacttt gggagagggg acagttggtt g                                     1831
```

&lt;210&gt; 156

&lt;211&gt; 1186

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1045)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1078)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

<222> (1118)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1134)

<223> n equals a,t,g, or c

<400> 156

```
ggcacgagcg ggcctggccg aggttcgggc tccgttggcc gaggggggcg tacggagggtg 60
gcagctgttg gaggaggcgg cgtggaaggc cgaggagctc aagcccggac caatccccac 120
gttccggggc ggcaccctga ccctgcagcg taccgggaag cgaaaccggc cggatggggc 180
gctgagcccg aatcgggcac tgtgtggagc cccctggagc tgagatcagg atgttccgct 240
tcatgaggga cgtggagcct gaggatccca tgttcctgat ggatcccttt gctattcacc 300
gtcagcatat gagccgtatg ttgtcagggtg gctttggata tagcccttc ctcagcatca 360
cagatggcaa catgccaggg accaggcctg ccagccggcg gatgcagcag gctggagctg 420
tctccccctt tgggatgctg ggaatgtcgg gtggtttcat ggacatgttt gggatgatga 480
atgacatgat tggaaacatg gaacacatga cagctggagg caattgccag accttctcat 540
cttccactgt catctcctac tccaatacgg gtgatgggtg cccaaggtc taccaagaga 600
catcagagat gcgctcggca ccaggcggga tccgggagac acggaggact gtccgggatt 660
cagacagtgg actggagcag atgtccattg ggcatcacat ccgggacagg gtcacatcc 720
tccagcgctc ccgaaaccat cgcacggggg accaggagga gcggcaggac tatatcaacc 780
tggatgagag tagggccgca gcgtttgatg acgagtggcg gcgggagacc tcccgattcc 840
ggcagcagcg tcccctggag ttccggcggc ttgagtcctc aggggctggg ggacgaaggc 900
ggaggggccc ccccgccctg ccatccaggg acctgaggay tcccctttcc cgacaktccc 960
gccgytatga ctggtgaggg ccccgggcct caagcctctt ctttgtaaca ggctgagagg 1020
ctgagaaatc aatcccctga ataantttt cctctccgat tccccatccc ccaatttnat 1080
aattaaattt aaacagggaa agccgggccc ccaactgntt ccttgggggt cttnagggga 1140
gaacttttaa cgggaccttt ttccctaact ttttccttct ttaaaa 1186
```

<210> 157

<211> 1448

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (456)

<223> n equals a,t,g, or c

<400> 157

```
ggcctgaacc cggggctggt gggcctttct gtgtcctact ccttgcaggt gacatttgct 60
ctgaactgga tgatacgaat gatgtcagat ttggaatcta acatcgtggc tgtggagagg 120
gtcaaggagt actccaagac agagacagag gcgccttggg tgggtggaagg cagccgccct 180
cccgaagggt ggcacccacg tggggagggt gagttccgga attattctgt gcgctaccgg 240
ccgggcctag acctggtgct gagagacctg agtctgcatg tgcacgggtg cgaraagggtg 300
gggatcgtgg gccgcactgg ggctggcaak tcttccatga ccytttgctt gttccgcac 360
ctggaggcgg caaagggtga aatccgcatt gatggcctca atgtggcaga catcggcctc 420
catgacctgc gctctcagct gaccatcatc ccgcangacc ccactctgtt ctccggggacc 480
ctgcgcatga acctggaccc ctccggcagc tactcagagg aggacatttg gtgggctttg 540
gagctgtccc acctgcacac gtttgtgagc tcccagccgg cagcctggga cttccagtgc 600
```

```
tcagagggcg gggagaatct cagcgtgggc cagaggcagc tcgtgtgcct ggcccagagc 660
ctgctccgca agascgcat cctggtttta gacgaggcca cagctgccat cgacctggag 720
actgacaacc tcattccaggc taccatccgc acccagtttg atacctgcac tgcctgacc 780
atcgcacacc ggcttaacac tatcatggac tacaccaggg tcctggtcct ggacaaagga 840
gtagtagctg aatttgattc tccagccaac ctcatcgag ctagaggcat cttctacggg 900
atggccagag atgctggact tgcctaaaat atattcctga gatttcctcc tggcctttcc 960
tggttttcat caggaaggaa atgacaccaa atatgtccgc agaatggact tgatagcaaa 1020
cactgggggc accttaagat tttgcacctg taaagtgcct tacagggtaa ctgtgctgaa 1080
tgcttttagat gaggaatga tccccaaagt gtgaatgaca cgcctaaggt cacagctagt 1140
ttgagccagt tagactagtc cccggctctc cgattcccaa ctgagtgtta tttgcacact 1200
gcactgtttt caaataacga ttttatgaaa tgacctctgt cctccctctg atttttcata 1260
ttttctaaag tttcgtttct gttttttaat aaaaagcttt ttctcctgg aacagaagac 1320
agctgctggg tcaggccacc cctaggaact cagtcctgta ctctggggtg ctgcctgaat 1380
ccattaaaaa tgggagtact gatgaaataa aactacatgg tcaacagtaa aaaaaawaa 1440
aaaaaaaaa 1448
```

<210> 158  
<211> 1004  
<212> DNA  
<213> Homo sapiens

```
<400> 158
ggcagagctc cagactactt taaatgtctc tsctctgact gaattgaagg aattgtaagt 60
ttcagttgct gaatatatca gtatatctga actccggatc tttttatttc ctatttttgg 120
cttcctacat aaattaataa agtctgtcta ttttaagggt ttctgggagt agttttgtct 180
atattttaat catagatgtg ctccctagtc tcagtcctat ttcagtaaaa ccatctttct 240
ggccaaatct ctaacacggt ttttacttca gtagtgaggg caatgagaag ctttattaag 300
aaagatccta tttaaagggc taatttggtg ttgaaagcat gctgatataa agtccagtat 360
ttgaggatat aaagaggatg tgcactgagc tgtgctgatg ttcagcattt attatacttt 420
aatgggtag tgcttcttga ccattataga acaacaaact gtcaaagggt taatacagat 480
gacccagacc tgacattaaa tcctcttgat tagaaataat taaatgaatt atttattcat 540
ttctctcctc tgccaaatct acttagcccc acaaaaatgc cccagctcag ttaacatttt 600
tttgtttttc actttaggta tctcttaggc aaatagagat ataaattgta ataggaaaca 660
gtctctaaat gtgaggctga atacagcttc agtctggctc tctaatagga caaaagccag 720
tccatgtggt gtctctmact gatttagctt tttcttttct ttgaacaatt cggcatgaat 780
tgaaaccagg ttttcctgtg gaaagttata gcttgattgg gagatagaag ttgaattgag 840
ttctttcttg caactcttag tgtttatttt tatatctcag taagacgagg ataccttcag 900
tttgaatctg cataatgttc actgccaac tccttctcat ttaatgctta tggccttcac 960
atttctgtat aataaagatc aattatcagc tmaaaaaaaa waaa 1004
```

<210> 159  
<211> 1509  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1420)  
<223> n equals a,t,g, or c

<400> 159



agagagagag actagttctc tcttactcct aggcctttcg gtttgccgca cgggcaggaa 60  
agcgtgcgtg cggctaagag agtgggcgct ctccgcccgc ctgacgatgg aagaactgga 120  
gcaaggcctg ttgatgcagc catgggcgtg gctacagctt gcagagaact ccctcttggc 180  
caagggtttt atcaccaagc agggctatgc cttgttggtt tcagatcttc aacagggtgtg 240  
gcatgaacag gtggacacta gtgtggtcag ccagcgagcc aaggagctga acaagcggct 300  
cactgctcct cctgcagctt tcctctgtca tttggataat ctccctcgcc cattgttgaa 360  
ggacgctgct caccctagcg amgctacctt ctccctgtgat tgtgtggcag atgcactgat 420  
tctacgggtg cgaagtgagc tctctggcct ccccttctat tggaatttcc actgcatgct 480  
agctagtcct tccctgggtc cccaacattt gattcgtcct ctgatgggca tgagtctggc 540  
attacagtgc caagtgaggg agctagcaac gktacttcat atgaaagacc tagagatcca 600  
agactaccag gagagtgggg ctacgctgat tcgagatcga ttgaagacag aaccatttga 660  
agaaaattcc ttcttggaas aatttatgat agagaaactg ccagaggcat gcagcattgg 720  
tgatggaaag ccctttgkca tgaatctgca ggatctgtat atggcagtca csacacaaga 780  
ggtccaagtg ggacagaagc atcaaggcgc tggagatcct catacctcaa acagtgcctc 840  
cctgcaagga atcgatagcc aatgtgtaaa ccagccagaa caactgggtc cctcagcccc 900  
aaccctctca gcacctgaga aagagtccac gggacttca ggccctctgc agagacctca 960  
gctgtcaaa gtcaagagga agaagccaag gggctctctc agttaatctg ttgtggcctc 1020  
agctgctgag gatggacttg gagaayagct tccaagcttc acctgaaag aagcttacat 1080  
ggcagcaata tttctaaaat agtgatacag tcagaggcct cctgtaaggg cgagagaact 1140  
gaagtgtgat ttgacaggcc cacagggaat tggccttccc tgttcaagtg gaagccagtc 1200  
tctgagaatc ccgtgctctc ctctcttttg gtggagggtt ttaggttca ggtttctacc 1260  
atggacttta ggtatatagg gcaagtcagc aagaaagcac cacacactca ggaagccttg 1320  
tctaccttcc cctagcgtct ctagccagcc agccccagat actcctcaga gaccacttc 1380  
tctcttttgc atggaataaa aagcactcac agtgccctgn cttttgggat tacttatggc 1440  
tgtggaactt catgaaccca atttcacttt ccttcaactg gtccccaccc cattgttgtc 1500  
tctgggatg 1509

<210> 160

<211> 2160

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (470)

<223> n equals a,t,g, or c

<400> 160

gctcgtgccg tggatgcggc tctgcaggat gaagatgaga tacagggtgga tgcacatca 60  
tttgaaagca ctgcaaataa gaaatccctc tcctcttcct caggaacccc tgcacatcag 120  
ctttatccac agtctcgggg gctggttcca aagtaaagcc agcttctcct ctcccagggc 180  
ggaaacagca tttgccttct gagagaagag actagcaaaa agctgcagag aggattcggc 240  
ccaaactcag aactgttccc ctgaggagaa gcggtggcct ctttgcagat caaccaactt 300  
aatctggttg aacgtgctgt tcctaactctg gcactcagcc cctctgggaa acatctttta 360  
attagcatct cagaaatgca tgggtaagggt aaagtgcgat agttcaagtg gaaagcaaga 420  
gaatgaccag tgaccttgct tccttcccc ttgccttctt ctcccccttn ccctgtgctc 480  
cctttctctc ctctctcctt ttctagcctg ttcttwacat ggggctccct tctgttgaa 540  
caatagggca gaatcaggrg tcaccttagc aggaccacat ctttgagacc tcgggataaa 600  
atgacagtga ggttgaaaag tgaaaaccct aggaacttga ataggtgcct gttcttgtag 660  
ggagaaatga gaaatcgcat ttggatccag gccccagggt ggcaccatca gcagtcttgc 720  
ttccatgcac ctcagtaaga agtggatctg cttttgggac ctgctcagtg aggaaatctc 780

ttccaatttc tgcttctgaa tgattcaatg ttgggagcaa tagaaataac attccctttg 840  
 ccttctctga gtgttttaggg aaatagcttc tttaaaacct caaaaccatg accatcctgt 900  
 caaagaccta agtctgtaag ctggtgccat gtccatacac catgtcactt tactcttcat 960  
 ttgtcaccat cttttcccat gcacgcatac tctgaacatc cttgtgtggg cccatcctct 1020  
 gcatccagag catgctctgc agtgggcctg ttttgtggaa gaaaggaggc tgtctctgcc 1080  
 ttctctgatg ggactggagt tgaggggaag agctgtattg tggcacttct gaattccccg 1140  
 ttttgttcca tattggtata gagagcagaa gagtagctag gcagatgcag agatggagac 1200  
 atgagactca gtgcagtggg caggggaagac ataacagatg gaagcaaagg aatcctgcct 1260  
 gccttcagca gagaattcac cgaatcctag aactgtggct ccctccaggc agagcctaag 1320  
 atgctggtga agaatagctg tgtgattgaa taggctcaaa ggagagtcca gaattcccat 1380  
 ttacatatta ctagtgttgg ttgtaagttt tagttccttg tattattgag attcagagct 1440  
 tcattttatg ttggtcatta ggtgaatatt actcattttc cctcaagaga agctcataag 1500  
 tgtgtgtggg tgtgagagca cgatggtgcc tgtgttctgt gaatgtgtcc atatgtgtct 1560  
 gtaagagaga cagagaccaa gaacttgccc aatttttagaa atacactaat gtgcagttgt 1620  
 tgccttttgt ctgtattgaa ggcccattga atgactaatc caggctggaa gcattcccat 1680  
 gtgggtgtct gagtccatga gccaaagcctg aggggacagt gagtctccag gtctgccaca 1740  
 ctggtgcacc ttgctggcac ggtgcctcag gaagggtggc actcargtgg gccttgagtt 1800  
 atattttaac tcagctgctc agtccccagg gcacatttct ggatcagaac ccatgggaaa 1860  
 caggaggtag taagtgaat gtcttagcat tctgcaaaat ggagatctgt tgtccagcgg 1920  
 cttatctcct ttttagtaac ctttctttct gaaccaggg cccttttcag cttccctca 1980  
 tattttcttg agatcaaaact ttacttcttt cttatttact aagaatttgc ctgtttgaat 2040  
 aagaacaaaa cgctaagggt ggtagcctaa gctgattttc tgctgggtac acgtgtctct 2100  
 cacaccacat ttcctcaaa ctaatctgaa ttctgtaggc taaaaatatt catgtagcaa 2160

<210> 161

<211> 3609

<212> DNA

<213> Homo sapiens

<400> 161

ctggtaatcg aaaatgttaa catgcctgag sagattgtta ttcacgcact gcagtgtact 60  
 cactatgtaa tcctttggca acttgctaag ataactgaaa gcagctctac aaaggaggac 120  
 ttgctgcgtt taaagaaaca aatgagagta ttttgtcaga tatgtcaaca ttacctgacc 180  
 aacgtgaata ctactgttaa ggaacaggcc ttcactattc tgtgtgatat tttgatgac 240  
 ttcagccatc agattatgtc aggagggcgt gacatgttag agccattagt gtataccct 300  
 gattcttcat tgcagtctga gttgctcagc tttatttttg atcatgtctt cattgaacag 360  
 gatgatgata ataatagtgc agatggtcag caagaggatg aagccagtaa aattgaagct 420  
 ctgcacaaga gaagaaattt acttgacgca ttttgtaagc taattgtata tactgtggtg 480  
 gagatgaata cagctgcaga tatcttcaaa cagtatatga agtattataa tgactatgga 540  
 gatatcatca aagaaacaat gagtaaaaca aggcagatag acaaaattca gtgtgctaag 600  
 acccttattc tcagctctgca acagctttta atgaaatgat acaagaaaat ggctataatt 660  
 ttgatagatc atcctctaca tttagtggca taaaagaact tgctcgacgt tttgcttta 720  
 cttttggact tgatcagttg aaaacaagag aagccattgc catgctacac aaagatggca 780  
 tagaatttgc ttttaaagag cctaattccg aaggggagag ccatccacct ttaaatttgg 840  
 catttcttga tattctgagt gaattttctt ctaaactact tcgacaagac aaaagaacag 900  
 tgtatgttta cttggaaaag ttcattgacct ttcagatgtc actccgaaga gaggatgtgt 960  
 ggcttccact gatgtcttac cgaaattctt tgctagctgg tggatgatgat gacaccatgt 1020  
 cagtcattag tggaaacagc agccgggggt caacagtacg gagtaaaaaa tcaaaaccat 1080  
 ctacaggaaa acggaaagtg gttgagggca tgcagctttc actcactgaa gaaagtagta 1140  
 gtagtgacag tatgtggtta agcagagaac aaacactgca caccctgtt atgatgcaga 1200  
 caccacaact cacctccact attatgagag agcccaaaag attacggcct gaggatagct 1260

```
tcatgagtgt ttatccaatg cagactgaac atcatcaaac acctcttgat tataatcggc 1320
gtggcacaag cctaattgaa gatgatgaag agccaattgt ggaagatggt atgatgtcct 1380
cagaaggagg gattgaggat cttaatgagg gaatggattt tgacaccatg gatatagatt 1440
tgccaccatc aaagaacaga cgagagagaa cagaactgaa gcctgatttc tttgatccag 1500
cttcaattat ggatgaatca gttcttgagg tgtcaatggt ttaataccag tacacaatta 1560
aatctgtggt gaagtcattt tctaagtgga agaggaaatt ttaaagtgtg gtagatacag 1620
tgaaattctg tacagatttt tctctaagga gaatatgaca tgcttatgct taccaagatc 1680
aagtgcattg aggggcagtt ttgtttgccg gaataaacgt aaaggacaag taaacaattt 1740
gatgataagc tacagttttt cttagaaagt aaatatttta tttatgcgct gttagtgtggc 1800
ttttgaatcg attatttcat gctttttttt aaaaaaaaaa aaaacaaaat aacaatctga 1860
agaggcattt ggtacagata tgaattctct tacatttatt tactgggtgt actaaataat 1920
gatgacctct gctggatttc tgtttacatc cagaaaacaa tgttaaggat gtattttattc 1980
ccctaccctg aagaaagtgt aggatagaat tgttttttagc attctaaatt taaatgctta 2040
aaacgtcaat caacaaaact ttgtttttaa tattgtaatt gtggagaaaa gtaactttat 2100
aagcagaact tttaacaatt tttcatctaa aagtatttta agatattttt aaaatccaag 2160
agcttctcta tacttttcag aaatatccag atgcagtga ctgccagaag gtaaccagtc 2220
tcaaacatgc ttatcccatt atcaaccctg aaagtttgct tgccttttaa gataaaaatg 2280
taatgttggt atattccttc cagtaatgcc actgtatttt gtctccaaat aaaagaagct 2340
tattgtagta tgtttgcaga aaaattctaa acaaaaatta tacagcttat tagagtgtgg 2400
gaatagggat ctaaaatttta aataaaaatta tatatatata taaattggtg ctgattttat 2460
aattgcgcag tttgtttagt tttttcttac ttttaaattc caacttaaaa ttatgagggt 2520
tcagaaatat attgaaagt taacaatggt taaaaataga aaagcatgag tgttcatgct 2580
ttaaaatgat ttttaaaatt gtattttata ttgttttata tatctgtctt tgcaagcagt 2640
cttcagggtta aagatacttc taacagggtta cagtacattt cctctgtatg taaattagat 2700
gggataatag aattcataac ccataatatt ctttgaaagc taagctttaa acttcatttt 2760
atgtcctttc acaataaat tagtttaaaa cagaaagtgg ctacttgcca ttttgacatc 2820
aactcatttt gcgaggctta ggcagctaga catcgtttaa aacaaaatat taacttatat 2880
tacatgtgta tctatctatt gtcagtcgtc tctcagttct tgaggatat tattttaatc 2940
attccatgcc ttaatatgct tgcaatacaa gaatatcttc agatgggtga ataccaaaag 3000
gctttcagtt tttagtcaga aatcaagcat tgggctgtgg tagccaaaaa ccatagggtta 3060
gctaaaaaga tcatgataca attattttat taagtcatgg ttaataacaa atgaatccag 3120
acttgtctaa cagattttcc atcaacaaat attgttatgt gcaaaagtat tgcctatggt 3180
gttttacaca ccaactgcatt aactagaact gctgagagga ctgtatatat gattttaaac 3240
ctaagttgat tttttttctc actcttgaaa ggagtacttc tttgtgaaag cagttcttac 3300
agctttgttt tcaaccagct aaaaatgttt tatatattac tctaacctgt tgcctccac 3360
attctattgt cctaattgta ctgtttctg atttgtattt atgtcttgag acagtaactt 3420
tttgaataaa aataaaccta cagtatgttg tatgttttct cttgtactca aagggggagg 3480
gtggctataa atggtttgca aa'tttatctc tattatcaca tcttttaatg tgtttgggga 3540
ataatttata gagaatacca tcagtttata tttttaataa atcatatgta tttacaatga 3600
aaaaaaaaa 3609
```

<210> 162

<211> 1603

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1600)

<223> n equals a,t,g, or c

&lt;400&gt; 162

```
gttcaggaga gatcacgctg ctgccctccc gggacaaccc ccgtcgcctg cgcgtgctgc 60
tgcgctacaa agtgggagac caggaggaga agaccaaaga ctttgccatg gaggactgag 120
cgttgccctt tctcccagct acctcccaaa gcagcctgac ctgctgggga gaggcgtagm 180
gagtcggagg ggaaagggag atcccacgtg caagtagggg gaatatctcc cccttttccc 240
tcatagcctc tagggaggga gagtgacttc attctccatt tkaagagatt cttctggtga 300
tgtttactta aaaagtgate cccctcaaca acggatacag cgtgcttatt attgggcatt 360
tagcctcaaa agcatgtagt accaagcact tgtatttccg tataattttgt ttcgcggggg 420
agtgaggggg aagaacacgg atgaaaatgt cagtttttga aggggtccatg cacatccctg 480
acacctcaca ccttatctaa gtctgaagct ggggagaaaag ggggttcattt agacttcata 540
catttccagt acgacttttag tatctctcca gagccatatt ttctcagtcg gaattaattc 600
cccctcccta ggtgcctgta ggctatggta cttcttcctc attgttttct aggtaaactt 660
cactactggt aattaagggg aaggatatga ggaagcagtt taaatagccc tgttctcatt 720
actctgacca catacatcat aggggtgctaa agttgatgaa cacattaatc cgttaagtaa 780
aatggacttt gtaattgtac agcataccta agaaactcag aagggtgcatt taagagagag 840
acctgaaaga aatagtatgg atttttaaaa attcttgtct ctactattat aaccaaaaaa 900
tatttcttgt atgtcccata aaaatatttg kgtaattctt atgaaacagg ctggtagagg 960
aggtttctga gcctagccca agggcttatt catcaccatg ggtaaattat ttaaactcac 1020
ttaattaagg aaaatatttt cccagctaga aaagtatact cattctcatt taaactctct 1080
catttgaggg gatcatgtga gttggcctac ttacaagtag tgaaagtcc cttttcagtt 1140
ttgttttggt ttgttttggt ttctctttc actcagccaa atgtgaaagt tgtgaattta 1200
ggaaaatcac ttgtaatgaa gtgtgaatct tgttatcaaa tttatttctc tgatgtttcc 1260
ttccttatcc ttgtagccaa taaaacattg acattctcac gttttataga tgaggtaaaa 1320
agtcttgtgt gctgtgagtt ataatgcttt tgccttttta atattattag ttcttaagt 1380
ttacagcccc ttcagaatat aacttcagga caattcaaac tatgcttaat gtatgatttt 1440
cgagcttctg tatgctaaga aaataggtgt gaaaaactgg tgttctgaaa tagcctaaca 1500
tttattgtaa ttctgaattt tctgcccttt tattcattgc atattaaagt attagagtat 1560
aaaaactaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa ccc 1603
```

&lt;210&gt; 163

&lt;211&gt; 853

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 163

```
gaataaaccc aacctacaga gcatcatagc ttagcctagc ctgctttaaa tgtgctcaga 60
aaacttccat tagcctgcaa ttaggcaaaa tcatcaaaaca taaaaccatc aaacataaaa 120
tatttataaa gtgttgaata tctcatatag tttattgaat acctgcatcc aaaagatgct 180
ggcaacacag cacactttag agcattgggt gtttactctc ttgatgggtat ggctgcccag 240
catcaagagt tatcatactg caaatcgata gcccaggaaa agagcaaaaat tcaaagttca 300
aagtagagtt tttactgaat gcttgctttt gcaccgtcgt aaagttgaaa agaatttaaa 360
ttgaaccatc ataagctgca gactgtgcat tttatattga aaagttaata tttttaattt 420
ttaatgcaga gaagtaccca aagcataaga acacaacaca ttttcacaaa gcaaacacag 480
ccatggaacc agcacccata tcaactaaca aaatactagt ttgggctttt ttgtacttta 540
tacaaatgga ctcatataat gttcatcttt tgggtctgcc tgctttcatt caatattagg 600
tttggtgggt catctctgct gtgtgtagtt ctttctgtt ctttatacag tgttccaaag 660
tatagtatat tacagtttac ccattctact cttgatagta aatgttttca catttgggct 720
attacaaata gtgctgcagt gaacattcac atacacatct tttgggtgaac atgtgttaca 780
tttccaagta caattgctgg gtgatgagta tgcatactct taaaacatgg ttgtaccaat 840
ttacacctct acg 853
```

<210> 164  
<211> 1917  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1433)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1856)  
<223> n equals a,t,g, or c

<400> 164  
gccacgcgt ccgcggacgc gtgggaaact tttgtaaaaa aagttttatc ttaaatgtac 60  
aacagctcca agacaacatt aattccagct atacgagaag tttcttcaca ggtataagat 120  
gatctctgaa ttcacctggc ccaaccatga ccttccttca gacaaagagg ctgtcaagaa 180  
actaattgaa cgggtgtggtt ttcaggatga tgtagcttat gggaagacca aaattttcat 240  
tcgaacaccc cgaacattgt ttaccttgga agaactccgt gccagatgc tcataaggat 300  
tgtcctcttt ctacaaaasg tgtggcgggg caccckggcc cgcattgcgt acaaaagaac 360  
caaggcagct ctgacaataa tcaggactta ccggcgctac aaagtgaagt cgtacatyca 420  
cgargtgcc agacgcttcc atggcgctca gaccatgcga gactacggga agcacgtgaa 480  
gtggccaagc cctcctaaag ttcttcgccg ttttgaggag gccctgcaga cgattttcaa 540  
tagatggaga gcattccagc tcatacaagag cattccggcc tcagacctgc cccagggtcag 600  
ggcaaagggt gcagccgtgg aaatgttgaa ggggtcaaagg gctgacctcg ggctccagag 660  
ggcctgggag ggcaactatc ttgcttcaaa gccagatata cctcagacct caggcacttt 720  
tgtcctgtgt gctaataaat tgaaacggaa ggacaaatac atgaatgtcc tcttttcctg 780  
tcacgtccgt aagtaaatac atttagtaag gtggaagaca gagcaatttt tgactactgac 840  
cgtcacctgt ataaaatgga tccactaaa cagtacaagg tgatgaagac tatccctcta 900  
tacaatttga ctggtctgag tgtctccaat ggaaaggacc aacttgtagt gttccatacg 960  
aaagacaaca aagacctcat tgtctgcctc ttcagcaaac agccaacca tgagagtcga 1020  
attggagaac ttgttgaggt gctggtgaat catttcaaga gtgagaagcg ccaccttcaa 1080  
gtgaacgtca ccaaccagat acagtgcagc ctgcacggga agaagtgcac cgtctccgtg 1140  
gagacgcggc tcaaccagcc ccagcccagc ttcaccaaga atcgctcggg cttcactcctc 1200  
agcgtgcccc ggaactgacg ccccgcgagg gcctggcccc gagccccgcc aactccagag 1260  
tcttgggtcc cagtccagct gctgcctccc aaccatgcc cgctagaaac ctgctgcgag 1320  
ggccccctcc agaggagccc cgccccgtga agatttcctt cctggttttc tgcccttggt 1380  
atcatcttcc tctgtcctta ctgtccacgg tccctgttca ataagccaaa gancctggtg 1440  
ccccgcccag acccttgggc tgacgtccag accaatctca cccarargc aactggatgg 1500  
tgcttttagt tgggtgcggat gccccgtggc aggtcaagtc agagcacctg gacagggtgc 1560  
ctcctgtctg ctgacctgc agaggggaagg ggtggggatg caggaccccc ctctgcggga 1620  
gccccatagc cacctctytt gcccgaagggt agccagccct ggggacccag ctcaaggagg 1680  
ctctgctcag agttcggcgg acccaccaca acccaactcc cagccgccag ccaaagccac 1740  
tggttgagca gagtacccca cagggccagc ccctcagcca ggagccagtg gaggagcggg 1800  
acagcccata cagcagagtg agtccatcct tcccagggtc tccccgggga gactcncctt 1860  
gccaccaagg cccccaccag ggctctgacc accgctctgg agaggacagt gtggcat 1917

<210> 165  
<211> 2420

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 165

```
gcacctccgt ggcggcggtt gcagcgtgga cgccggatga gttgctttta ggcttgctgg 60
ccgcgggggc tgtccaggca cgcgaggccc ctccagcaaca aaatgcttca acaagttcca 120
gaaaacataa attttcctgc tgaagaagag aaaatcttgg agttttggac tgaatttaat 180
tgttttcagg aatgcttaaa gcaatcaaaa cataaaccaa aatttacctt ctatgatggg 240
cctccttttg caactggact gcctcactat ggacatatac ttgcgggtac aattaaagat 300
atagttacaa gatatgctca ccagagtggg tttcatgttg acagaagatt tggatgggat 360
tgccatggct tacctgtgga atatgaaatt gataagacac tgggaatcag aggaccagag 420
gatgtggcca aaatggggat tacagagtat aacaatcagt gccgagcaat tgtgatgaga 480
tattctgctg agtgggaagtc tactgttagc agacttggcc gatggattga ctttgacaat 540
gactataaaa ctctgtatcc acaattcatg gaatcagtcct ggtgggtcctt caaacaactc 600
tatgataaag gccttggtta tagaggtgtg aaagtcatgc cttctctac ggcatgtaac 660
actccacttt ccaacttcga gtcacaccag aattataagg atgttcaaga tccttcagta 720
tttgtaactt tcccttgga agaagatgaa actgtatctt tagttgcttg gacaaccact 780
ccctggactc tacctagtaa ccttgctgtg tgtgttaatc cagaaatgca atatgtgaaa 840
attaaagatg ttgccagagg acgattactc attttaatgg aagccagatt gtcagccctc 900
tataaattgg agagtgacta tgagatcctt gaaagatttc ctggtgccta tcttaaaggc 960
aagaagtaca ggccctgtt tgactatttc ctgaagtgtg aagagaatgg cgctttcact 1020
gtgcttggtg acaactatgt gaaggaagaa gaaggcacag gggttgtcca ccaagctcct 1080
tacttcgggtg ctgaggacta tcgggtctgt atggacttta acattattcg gaaagactca 1140
ctccctgttt gccctgtgga tgcttcaggc tgcttcacaa cggaggtgac agatttcgca 1200
ggacagtatg tgaaggatgc tgacaaaagt atcatcagga ctttgaagga acaaggccga 1260
cttctggttg ccaccacct cactcacagc tacccttttt gctggagatc agacactcct 1320
ctaatttaca aagcagtgcc cagctggttt gtgcgagtgg agaacatggg ggaccagctc 1380
ctaaggaaca atgacctgtg ctactgggtc ccagagtggg tacgagaaaa acgatttgga 1440
aattggctga aagatgcacg tgactggaca atttccagaa acagatactg gggcaccctc 1500
atcccactgt gggtcagcga tgactttgag gaggtgggtat gcattgggtc agtggcggaa 1560
cttgaagaac tgtcaggagc aaagatctca gatctccaca gagagagtgt tgaccacctg 1620
accattcctt cacgctgtgg gaagggatcc ttgcaccgca tctctgaagt gtttgactgt 1680
tggtttgaga gtggcagcat gccctatgct caggttcatt acccgtttga aaacaagagg 1740
gagtttgagg atgcttttcc tgcatatttc attgccgagg gcacgcacca aaccagagga 1800
tggttttata ccctgctggt gctggccacg gccctctttg gacaaccgcc tttcaagaac 1860
gtaattgtga atgggcttgt cctggcaagt gatggccaaa aaatgagcaa acggaaaaag 1920
aattatccag atccagtttc catcatccag aagtatggtg ctgatgccct cagattatat 1980
ctgattaact cccctgtggt gagagcagaa aacctccgct tttaaagaaga ggggtgtgcg 2040
gacgtcctta aggatgtact gctccatgg tacaatgcct atcgcttctt aatccagaac 2100
gttctgaggg tccagaagga ggaagaaata gaatttctct acaatgagaa cacggttaga 2160
gaaagcccca acattacaga ccggtggatc ctgtccttca tgcagtctct cattggcttc 2220
tttgagactg aaatggcagg tgagtctctc ttggtctgtc ctcccaggaa taaggactat 2280
tctctttgta ackgcccttt tgatatttaa tagtggaat attgagagat acagamaatt 2340
aaataattgt ttccttttac ctctcatata gttttgttaa ggcttgtaa ttgtcgtgat 2400
atctttgttt aagacctggg 2420
```

&lt;210&gt; 166

&lt;211&gt; 2061

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 166

```
gccggcaccg cagcagcccc aggagggcgc gggcrcgrgg cccgggtgcgt gcagcctgca 60
cctcagcgag cgcgccgaact ggcaagtactc gcagcgcgag ctggacgccg tcgaggtcctt 120
cttctcgcgc acggccccggg acaaccggct cggctgcatg ttctgtgcgt gcgcgccctc 180
cagccgctac acgctgctct tctcgcacgg caacgcctg gacctgggcc agatgtgcag 240
cttctacatt ggcctcggct cccgcacaa ctgcaacatc ttctcctacg actactcggg 300
atacggcgct agtcgggcaa gccctccgag aagaacctct acgccgacat cgacgccgcg 360
tggmaggcgc tgcgcacccg gtatggcggt agtcccagaga acattatcct ctatgggtcag 420
agcattggga ctgtccccac ggtagacttg gcctcgaggt atgaatgcgc agggtaattc 480
tccattcccc tctgatgtct ggtttgctg tggtttttcc ggataccagg aaaacatact 540
gctttgatgc tttccccagc attgacaaga tatctaaagt cacctctcct gtgttggtca 600
ttcatggtag agaggatgag gtcacgcatt tctcccatgg cctagcgatg tacgagcgct 660
gtccccgagc cgtggagccc ctttgkktg aaggggctgg gcataatgac atagagcttt 720
atgcacaata cctagaaaga ctaaacagt tcatatctca cgaacttcct aattcctgaa 780
gacaacaact tgatcttacc tcatttactg tgaacagaag agtcctctgt tttgcacatg 840
ctttaactgg gtagctgtaa aggcttgata accatgaaga agtgcccaac ctttaggggtg 900
ttctaataca agagctgatg aaatctcagt cttttgtatc tagagggtgt tctgctaatt 960
cacacaacac gttaaacatga acagtcgtga tccccagctt cattaccttg caggaatggg 1020
aatgagagct gaatgtaggg acaattttct agtgcgtgat aaagtagcct cgcactctgt 1080
tctcaacctt atccatcatt tctgacattc atgcaggact tgccctgttg ccaccaatgt 1140
tctcgggtatt tcacatgcag ctctctttct gccactggat acatgggttc aatccatttg 1200
tgaagctgtg atagtgtaac tggaaagcta gtgtggtgaa aattccttta ttattttttg 1260
ttaacatgct gatctttccc ggacaaatga actgaagggt aatttacttg aactctcgtg 1320
tacagcttca tcaactgtaa ccatataaat ataactggaa tattcttaaa caaaaagaaa 1380
ctaggggttt ttttaagtgt aaatttatta ctagccaaca gagttttact attttgattg 1440
tctgggtggt ttaacaaaga gcctagctga ctttccttct gtaaagtcct cctttagggc 1500
ttttttaaag tactgtacat atttgcaatc acattgtgca tagattctta atggtagata 1560
tgatttcttt tgtcaggcta caacaatgaa ctgcagattc cttgtttgta atgtaaatga 1620
ttgaatacat tttgttaata tgtttttatt cctatgtttt gctattaaaa attttataac 1680
atttccaaga caaaaattcc aagtttatgc tttgaagaat ttatgtaatt aaaatttcac 1740
taaactaatc tttttagttt aggaattatt tgggttttga cactggaagt tgcgccaaat 1800
aagcatcaga aataggagat gcttaacatt gctatactac ttgtgttggt taggggtttg 1860
gatttggggg ttctttgggt ttaatttttt tttccacatt taaaagcctt aaatgtactg 1920
taagcctcag atcgtgttac aactggactg cggttgattg ccagtttgtg tactgttgct 1980
tggatgcggc acagtgggtg gtaatggaat aaaggatgca tggatcagaa aaaaaaaaaa 2040
aaaaaaaaaa aaaaaaaaaa a 2061
```

&lt;210&gt; 167

&lt;211&gt; 2567

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (16)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (55)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (74)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 167

```
ggagaaggcg gcggtnggcg gcgtggacgg cccgcagcgg gacggccgcg gcgangggcg 60
acagccgggc gcanccggcg yacaggggcc cccgcggcg cctcagctca cagagacgct 120
gggcttctac gagagcgacc ggcggcggga gaggcgscgg gccgcacaga gctttcattg 180
ttgaggttcc tcagtgtga actaacaaga ggttacttcc ttgaacataa tgaggccaag 240
tatacagaaa gaagagaaa agtatacact tgtttgcgaa taccaagaga attggaaaaa 300
ctgatggttt ttggaatctt tctgtgcctg gatgcgtttt tgtatgtgtt caccctgctt 360
cctttaagag ttttctggc actattcagg ctctcactt tgcttgcta tggcttaagg 420
gacagacggt tgcttcagcc tgcccagggt tgtgacattt tgaagggtgt catttttggt 480
atctgctatt ttatgatgca ctatgttgac tactccatga tgtaccacct gataaggggg 540
cagtcctgca tcaagctcta catcatctac aacatgctgg aggtagctga tcgtctgttt 600
tcatcttttg gacaagacat attagatgct ctctattgga cagcaacaga gcctaaagaa 660
agaaaaagag cccacattgg ggtgattcct cactttttca tggctgttct ctatgtcttt 720
ttgcatgcaa ttcttataat gttcaagca acaactctca atgtagcttt taactcacac 780
aacaagtctt tgtctactat catgatgtct aataatyttg ttgaaattaa aggaagtgtt 840
ttcaagaagt ttgaaagaa caatctcttt caaatgtcaa atagcgatat taaggaacga 900
ttcacaaayt atgtgctytt actgatagtg tgtctaagaa acatggaaca gttttcttgg 960
aatccasatc atctctgggt gttgtttcca gatgtctgta tggtaattgc atcagaaatt 1020
gccgtggata ttgtaaaaca tgcttttatt actaaattca atgacattac tgcagatgtc 1080
tacagtgaat atagagccag tcttgctttt gaccttggtt gcagccgaca gaaaaatgca 1140
tacctgatt acagtgactc tgtagcacgg aggatgggct ttattcctct cccactagct 1200
gttttactca tcagagttgt aacaagctca attaaagtgc aaggaatcct gtcttatgcc 1260
tgtgtcatat tcttctatct tgggttgata tccctgaaag tacttaatag catcgtgctg 1320
ttggggaaat cgtgccagta tgtgaaggaa gccaaaatgg aagagaagct gtcgaatcct 1380
cccgaacct gcactccagg caagccgtcc agtaaatacac agaacaaatg taaaccctct 1440
caaggccttt ccacagaaga aaacctgtct gcctccatca ccaaacaacc tattcatcaa 1500
aaggaaaata tcataccatt acttgtgaca agcaattctg atcagttttt gacaactcca 1560
gatggtgacg agaaggacat aacgcaggac aattctgaat taaaacacag atcctcaaag 1620
aaagatttgt tagagataga caggttcaca atttgtggaa accgaattga ctgaatctgt 1680
ggcttcatgc gctgaagaag ctgggtcctg gggcaacaag tgctgtgttg ccaggacaaa 1740
tagatgctaa acatggcact taaatattta tttaaaaact taaattatta ttggcaagca 1800
aatcttagta tctttcttcc agtaatatgg cctggctgag ggtcagacca caggacagga 1860
gcgacctccg gccttgactg tctgggaagc ttgatggatt ataaaacttc ctctgcctg 1920
gccaaagcag agcatcattt ccaggaccca acaaaggcaa catcaaaatc tgttttgctt 1980
tgtcagctcg ggcttccaga atgttgaatt tgctcaagg cctcttcagt ataaggaaat 2040
acctggaaaa ctgtgaaact ttaccacga cgtaattctt ccagtctcat actattttca 2100
caaacagttt tcaaacgtta ctcatctgc caaagcatca aaaaaattaa acataagtca 2160
agataaatgt tcttaccacc agaataaccc ttaaagatgt atcttaatta atcagaataa 2220
aaggctacct taaataagac atgatgaata gtagcatttt gtaggggtta aaaaaaatg 2280
ctaaactagt ttatttatta aaaaaataa taatgaaggc tatgcattac tgggaaaaat 2340
ccttcataat ttttcagttt actcttttaa gcaaaatgtg agctgtatgt catttaattg 2400
gtggataaaa caaatttctt taaaaaggg cactttttac accaagggaag cagagcagtg 2460
ttaactttaa ggtatactta actgattttg ctttaaaact aattacytcc mtaaattatt 2520
acmgctaaag ggttycgrtg ttggarccgg gcyggaaaat tgtccat 2567
```



<210> 168  
<211> 2324  
<212> DNA  
<213> Homo sapiens

<400> 168  
cccacgcgtc cggtccttcc ggtatcgcg tgcctcagggg cttttcaacc ctctgtcagt 60  
cggcgatcgc aagcaggctc ttctaagttc ccgacgcctc ttggcccggg aaactccggg 120  
aacccccacac tgctttcctc tgcccagccc gagactcggg tcagttactg gacgaaactg 180  
ctctcccagc tccttgcgcc gctccccgga ttgcttcaga aggtgctaata ttggagccaa 240  
cttttcgggtg gaatgtttcc gaccagatgg ctagattttg ctggagtcta cagcgccctg 300  
agagccctga agggacggga gaaaccagcc gccccacag cgcagaaatc tttgagttcg 360  
ctgcagctcg actcctcaga cccctcggtc accagtcccc ttgattggct agaggagggg 420  
atccactggc aatactcgcc cccagacctt aaattggagc ttaaggccaa gggaggtgct 480  
ttggaccctg cagcacaggc ttttctctta gagcagcagc tgtggggagt ggagctgttg 540  
cccagtagcc ttcaatcccc tctgtactct aaccgggaac ttggctcttc gccctctggg 600  
cttctaataa ttcaacgcat agacaatttc agtggtggtat cctatttgct gaacccttcc 660  
tacctggact gctttcctag gctagaagtc agctatcaga acagtgatgg aaatagcgag 720  
gtagtcggct tccagacact aaccccagag agcagctgcc tgagagagga ccattgtcat 780  
ccccagccgy tgartgcaga actcattccg gsctcgtggc agggatgtcc acctctttct 840  
acggaaggcc taccagaaat tcaccatctt cgcagaaac ggctggaatt ccttcaacag 900  
gctagcaagg ggcaagatwt acccaccctt gaccaggata atggctacca cagcctggag 960  
gaggaacaca gccttctccg gatggatcca aaactctgca gagataacct aacacagttt 1020  
gttctctgctg ctggagacat tcctggaaac acccaggaat ccactgaaga aaaaatagaa 1080  
ttattaacta cagaggttcc acttgctttg gaagaagaga gcccttctga gggctgtcca 1140  
tctagtgaga tacctatgga aaaggagcct ggagagggcc gaataagtgt agttgattac 1200  
tcatacctag aagggtgacct tcccatttct gccagaccag cttgtagtaa caaactgata 1260  
gattatattt tgggaggtgc atccagtgc ctggaaacaa gttctgatcc agaagggtgag 1320  
gattgggatg aggaagctga ggatgatggt tttgatagt atagctcact gtcagactca 1380  
gaccttgaac aagaccctga agggcttcac ctttggaact ctttctgcag ttagatcct 1440  
tataatcccc agaactttac agcaacaatt cagactgctg ccagaattgt tcctgaagag 1500  
ccttctgatt cagagaagga tttgtctggc aagtctgatc tagagaattc ctcccagtct 1560  
ggaagccttc ctgagacccc tgagcatagt tctggggagg aagatgactg ggaatctagt 1620  
gcagatgaag cagagagtct caaactgtgg aactcattct gtaattctga tgaccctac 1680  
aaccctttaa attttaaggc tccttttcaa acatcagggg aaaatgagaa aggtgtcgt 1740  
gactcaaaga ccccatctga gtccattgtg gccatttctg agtgtcacac cttactttct 1800  
tgtaagggtg agctgttggg gagccaagaa agtgaatgtc cagactcggg acagcgtgac 1860  
gttctttctg gaggaagaca cacacatgtc aaaagaaaaa aggtaacctt cttgaagaa 1920  
gttactgagt attatataag tggatgatg gatcgcaaag gaccatggga agaatttgca 1980  
agggatggat gcaggttcca gaaacgaatt caagaaacag aagatgctat tggatattgc 2040  
ttgacatttg aacacagaga aagaatgttt aatagactcc agggaaacatg cttcaaagga 2100  
cttaatgttc tcaagcaatg ttgagttggc agcctgtagt cctagctagc atacactacc 2160  
tcttacctga gaggtgtctt ttaaaaacaa atcttggcag ctgtcctttg acattttttt 2220  
tttagrggaa tgtaactggm ctrgtaattt ttttttttgc aacatatccc cactccagaa 2280  
acattccagg tttgaagcca gccctggata atgaaggatg aact 2324

<210> 169  
<211> 1784  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (200)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1759)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1778)  
<223> n equals a,t,g, or c

<400> 169  
gagaattacc ttcagctgta tcaattacag tacacaggaa ttgttacgat ttcctaaact 60  
tcatgatgcc atagttgaag tggtgacttg tcttcttcgt aaaagggtgc ctgttacaaa 120  
tgaaatggtc cataacttag tggcaattga actggcttat atcaacacaa aacatccaga 180  
ctttgctgat gcttgtgggn taatgaacaa taatntagag gaacaaagga gaaacaggct 240  
agccagagaa ttaccttcag ctgtatcacg agacaagggt gcactctggag gtggtggggt 300  
tgagatgggt gttcaagaac caaccacagg caactggaga ggaatgctga aaacttcaa 360  
agctgaagag ttattagcag aagaaaaatc aaaacccatt ccaattatgc cagccagtcc 420  
acaaaaaggt catgccgtga acctgctaga tgtgccagtt cctgttgac gaaaactatc 480  
tgctcgggaa cagcgagatt gtgaggttat tgaacgactc attaaatcat attttctcat 540  
tgtcagaaag aatattcaag acagtgtgcc aaaggcagta atgcattttt tggttaatca 600  
tgtgaaagac actcttcaga gtgagctagt aggccagctg tataaatcat ccttattgga 660  
tgatcttctg acagaatctg aggacatggc acagcgagg aaagaagcag ctgatatgct 720  
aaaggcatta caaggagcca gtcaaattat tgctgaaatc cgggagactc atctttggtg 780  
aagagaacta tgtaatactg agactttgtt gactcaaaac ttgctagtta ctgcctacct 840  
gagtagaatc ttattttatga actcctgtgt attgcaatgg tatgaatctg ctcatgtgga 900  
gactggctat aaactgaaaa gtgtattcca aattgcagaa cacatcacac atttaatcca 960  
aataataaat ggctgtttct aaagtttccc agtatatata aaatacatca agtctgtctt 1020  
gtgacagttt catctgaact taacttaaaa acaactgtta atgttctagt tgtgcaaagc 1080  
agtttgctg tggataagat gacctgtgta ataactcttg ttagtagtct taaagctgct 1140  
gccatagtcc tccaagaaga aagcaccaag acaacatttc atatgactat aatgcatgta 1200  
ctatataagc tgatctggct ttgaaagatg tgagttggca agttcctcac atagagtcat 1260  
tgtattccac ctgtccttca atttagtttt ttctgagctt ctttgcagcc tttgatgtgt 1320  
ttttaagaaa gctgaatgca caagaggatc tgtgacactg acatggctgt ggtgtgcata 1380  
ctgtgtagtt acatagccct tccaattctg ggtccatttg cactagcaaa ttaaaatatg 1440  
ctttgattca tacttaaac tgaaagcagg aatgcctaca ttaattccta cattaaaaac 1500  
agccatctac ccttgattat ctagwaagac ttggtaatga tggtcagttc ctttttagatt 1560  
tcagaaaaatc aaatgatgac ctaaaatttc cttaatttgc aaatacagta gtaattaagg 1620  
tacatctcta aagtggagca cttacaccag gctctaagat tcactttgag gtggaactta 1680  
aaaccagtgt actgtatgta tgcattggta atagctactt tkgcttcata gcttccatac 1740  
caacmaaata tatttrtttna gratagtatg aaagtcangg gagg 1784

<210> 170  
<211> 1296  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1261)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1276)  
<223> n equals a,t,g, or c

<400> 170  
ggcggtgcag aggcggcagg aagatggagt tggggagttg cctggagggc gggagggagg 60  
cggcggagga agagggcgag cctgaggtga aaaagcggcg acttctgtgt gtggagtgtg 120  
cctcggtcgc aagctgcgat gccgcagtgg ctcatgtctt cctggccgag aacgactggg 180  
agatggaaag ggctctgaac tcctacttcg agcctccggt ggaggagagc gccttggaac 240  
gccgacctga aaccatctct gagcccaaga cctatgttga cctaaccaat gaagaaacaa 300  
ctgattccac cacttctaaa atcagcccat ctgaagatac tcagcaagaa aatggcagca 360  
tgttctctct cattacctgg aatattgatg gattagatct aaacaatctg tcagagaggg 420  
ctcggagggg gtgttcctac ttagctttgt acagcccaga tgtgatattt ctacaggaag 480  
ttattccccc atattatagc tacctaaaga agagatcaag taattatgag attattacag 540  
gtcatgaaga aggakatttc acagctataa tgttgaagaa atcaagagtg aaattaaaaa 600  
gccaagagat tattcctttt ccaagtacca aaatgatgag aaacctttta tgtgtgcatg 660  
tgaaygtgtc aggaaatgag ctttgcctta tgacatccca tttggagagc accagagggc 720  
atgctgcgga acgaatgaat cagttaaaaa tggttttaa gaaaatgcaa gaggctccag 780  
agtcagctac agttatattt gcaggagata caaatctaag ggatcgagag gttaccagat 840  
gtggtggttt acccaacaac attgtggatg tctgggagtt tttgggyaaa cctaaacatt 900  
gccagtatac atgggataca caaatgaact ctaatcttgg aataactgct gcttgtaaac 960  
ttcgttttga tcgaatattt ttcagagcag cagcagaaga gggacacatt attccccgaa 1020  
gtttggacct tcttggatta gaaaaactgg actgtggtag atttcctagt gatcactggg 1080  
gtcttctgtg caacttagat ataattattgt aaaatgcttt tcaagtgtgg gttttgccct 1140  
gattgttgca aatacaattt ccaccttctg gaaaggtagg tttgctgtgg aggaaataat 1200  
gwactagatc attgtcacag aaaaaccaac tatgatttat ggkkggtgtt tcmccaryat 1260  
nagacggaaa gaccncccc ttcttcccc cccctt 1296

<210> 171  
<211> 1897  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (952)  
<223> n equals a,t,g, or c

<400> 171

```

gagaaaactg acttcgagga attctttcta aggtgtcaga tgcctgatac attcaattca 60
tggtttctta taacctact ccacgtctgg atgtgtctag tccgaatgaa gcaggaaggc 120
cggagtggga agtacatgtg tcgtatcata gttcatttta tgtgggagga tgttcagcag 180
cgcgcagagt catgggggtt aatccctata tcctgaagaa gaacatgac ctcagacaa 240
atcatttcta tgcagcgcac ttgggatatg atgaggggat cctttcagat gatcatgggc 300
tggccgctgc cctctggaga accttcttca accggaaatg tgaagaccct cgacatcttg 360
aattgctggg agagtatgtg aggaaacaga tacagtacct ggactccatg aacggggagg 420
atctgcttct gacaggggag gtgagctggc gccctctagt ggagaagaat cctcagagca 480
tcctgaagcc ccattctccg acttacaacg acgagggact ttgatgggct gggcctccgc 540
acggcccgcc agctggcttc gaggaacctc caggagagaa gtgcctgttg gtccaggacc 600
ctgcagaaaag tggcctgaac tgacctctga acagcatctg tcaaatacct ggccccattt 660
gtgttgagtt tcctcttagt gtgcccagga gtctgatctg ctgggggtaca gggctgggag 720
aacccttagc tctcccgggg tgcctctcc cttaggggaa gccccgagtg agagtcccc 780
agcacacact ccccaacccc ctccagcaac tacatgtgac tgatagcttt tcccaaaggc 840
caaggaaggg atggtgtagg ttcaaaaggg aaacccccca gggcctgctg tggcctagga 900
gcagattgta atgctgccga gtccggtcgg tgaccacgcy ttgtccctcg gntttcagcc 960
atgggggttg gttggccatt aaaagaaaca gagacttctc tctgccatgg cccttcttta 1020
ttccagggac ttagaaactt gcctgagatg gtggacgcag taatgagggc accgcgcast 1080
cagttagaga cggagaaagg gaagaggctg ggatggctc tgcctgctct gcctctagtt 1140
catggagatg tgtctctgtt caggccaaga tacagccagc caggcctgtc gtctgggacc 1200
caggaggcct ctgatgacca agggctttca catcctaagt catttggaag gaggccttga 1260
gaacaaagtc acctttgtca ctcccagtg actgaatgag gaacatgctg tctcctgtct 1320
tggcctcccc tttcatgaga tactggggag aagagaacat tcctcctggc ttagttgtag 1380
cagaccaga cctgtgccc gctttgggtc cccttcccaa cttctgaagc acgtgctgca 1440
gagccacctt ggtctgagca cctgaggacc agccccctc cctcagtgcc gggtcattctc 1500
ttgggggatt ttcttaaaag gaagaaaggg ggtggggaac catattgccc ctcccccccc 1560
catcaaactt ccttcattta acttgctata aaatgagtc tataaagaaa ctctatatgg 1620
gtgaggtata tcccacttct gtgaaaacat taaaaatcaa accgcttctc tcagttttatt 1680
taagatgctt ttgttgcgag cggagctcta gagtgaagcc tcctgtgtgt gtgtgagata 1740
ataaacacct gtaactcatt acagctgggc actatttaca taaaccagag ctgagccagg 1800
caggaatttg ctgattaatt tttttttaat ggagtgaagt ataccatgca ccaaaataaa 1860
ctttactgtg tgtacctaaa aaaaaaaaaa aaaaaaa 1897

```

&lt;210&gt; 172

&lt;211&gt; 1723

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 172

```

cggggagttc acctccgccc gtcacctcct ccccttgctg cctagggtcca cccgagcccc 60
ctcccccggg ccgccccga gcacgaagtt ggcgggagcc tataaaagct ggtgccggcg 120
cgaccgsgg acacacagtg caggcgccca agccgcgccc gccagatcgg tgccgattcc 180
tgccctgccc cgaccgccag cgcgaccatg tcccatcact ggggggtacgg caaacacaac 240
ggacctgagc actggcataa ggacttcccc attgccaaagg gagagcgcca gtccccctgtt 300
gacatcgaca ctcatagag caagtatgac ccttccctga agccccctgtc tgtttcctat 360
gatcaagcaa cttccctgag gatcctcaac aatggctcatg ctttcaacgt ggagtttgat 420
gactctcagg acaaaagcagt gctcaaggga ggacccttg atggcactta cagattgatt 480
cagtttctact ttactgggg ttacttgat ggacaagggt cagagcatac tgtggataaa 540
aagaaatatg ctgcagaact tcaacttggt cactggaaca ccaaatatgg ggattttggg 600
aaagctgtgc agcaacctga tggactggcc gttctaggta tttttttgaa ggttggcagc 660
gctaaaccgg gccttcagaa agttgttgat gtgctggatt ccattaaaac aaagggcaag 720

```

agtgtgact tcactaactt cgatcctcgt ggcctccttc ctgaatccct ggattactgg 780  
acctaccag gctcactgac caccctcct cttctggaat gtgtgacctg gattgtgctc 840  
aaggaaccca tcagcgtcag cagcgagcag gtgttgaaat tccgtaaact taacttcaat 900  
ggggagggtg aaccgaaga actgatggtg gacaactggc gccagctca gccactgaag 960  
aacaggcaaa tcaaagcttc cttcaaataa gatggtccca tagtctgtat ccaaataatg 1020  
aatcttcggg tgtttccctt tagctaagca cagatctacc ttggtgattt ggaccctggt 1080  
tgctttgtgt ctagttttct agacccttca tctcttactt gatagactta ctaataaaat 1140  
gtgaagacta gaccaattgt catgcttgac acaactgctg tggctggttg gtgctttgtt 1200  
tatggtagta gtttttctgt aacacagaat ataggataag aaataagaat aaagtacctt 1260  
gactttgttc acagcatgta ggggtgatgag cactcacaat tgttgactaa aatgctgctt 1320  
ttaaacata ggaaagtaga atgggtgagt gcaaatccat agcacaagat aaattgagct 1380  
agttaaggca aatcaggtaa aatagtcatt attctatgta atgtaaacca gaaaaataa 1440  
atgttcatga tttcaagatg ttatatttaa gaaaaacttt aaaaattatt atatatttat 1500  
agcaaagtta tcttaaataat gaattctgtt gtaatttaat gacttttgaa ttacagagat 1560  
ataaatgaag tattatctgt aaaaattgtt ataattagag ttgtgatata gagtatattt 1620  
ccattcagac aatatatcat aacttaataa atattgtatt ttagatataat tctctaataa 1680  
aattcagaat tctaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 1723

<210> 173

<211> 1416

<212> DNA

<213> Homo sapiens

<400> 173

ccagtagctt ggaaagtaga gatgactaat gtttttagcct tttcttgagg aaaaggaaga 60  
actcttcttg aatattttca cagatgattg tgattgcttt aaatgacctc tgtggcaatt 120  
taaattagat ggatttaatc tcagtaatgt gctggctgca taaatgtcat gttttaatag 180  
gaaaagttac ttgtaaatct ttagaccttt gttgtcactt aggctgggga gtcactacct 240  
tatttgcat cttactagtt ggggggacct tttccgtgta cagtgatggg acttttgtga 300  
cctttactct cactatgcaa tagagggttt catgtagtta atctgacatg tcaaaattgg 360  
gaagactgta accttttttt ttttttttta agatttctct tttttgtgtc cctcaatact 420  
tagcagatgt tcatttggtg gaaattctta ttacttacat gaatgagttt gaatttagtg 480  
gcaaggaaga aaaaaaaaaa tcaaattatt gttttaaaag aagaaaactt gcaaagtaca 540  
taagtatttt taaaaaatca atcgaaacaga aaggaatgca tgctgttttt caatggctta 600  
gacatgcttt ttattcactg actagtattc acttttttac aacttgatc aaaacaaatg 660  
atctttgttt ttgtcacagg caaaaacagg ttgacactgg tgggttggct ttattaatta 720  
attttttttc tattagggtt tctttaataa tgttaaattt cttaaattata gcatatgttt 780  
tagttaattc tgaaatcagt tacttcattt gttaatttat cctcatatc atgaatattg 840  
ttttttaaat ktccctatac maatttgcatt cacttctttt cttacagctt ttgcagttwa 900  
tatattctaa acttgaaaat gtggtatcaa tcaataatag aagtatcact ggaggattta 960  
tttagctttg tatttcttaa ttttagctct agctactaaa gtatgtaagc cttaaagttt 1020  
aaaatgtttt tcttaaatga gctttatata caaacatttt catttacttt atgaaatggg 1080  
aggagatagt cactgtgct tatgtttttt tgtttaattt ctatattctg aagcagtgc 1140  
gatatagggt atgctaatac agtgagcaag gtggaacatg tacaatataa ggagaagctg 1200  
taaaaatcac agtataaaat tatgaagttt ggtaactgta aaatgtactg tatttatatg 1260  
taactctcat tctaaaagtt gccacaaaag ctgaattgga agcttcatgt ctgcatgaaa 1320  
tttcttatat ttttaatgtg tatgatgaaa ttaatttttc ttgaatatta aagtctgcc 1380  
attgctatga aaaaaaaaaa aaaaaaaaaa actcga 1416

<210> 174

<211> 1956

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (24)

<223> n equals a,t,g, or c

<400> 174

```
nctnantaag ggaacaaagc tggngctcca ccgcggtgcc gaccgctcta gaactagtgg 60
atcccccggg ctgcaggaat tcggcacgag gatcaaccgg atttttagga tatgcaatct 120
aacaagacca caggaagggt atctgatggt gcaacagttt cagtacctag gatgggcttc 180
tcatcgagaa gtgcctgggt ccaaaagggtc attcttgaaa ctgatacttc aggtggaaaa 240
gtggcaggag gaatgcgagg aagggaagg ccggacgatt atccactgcc taaatggtgg 300
cgggcggaagt ggcatgttct gtgctatagg catcgttggt gaaatggtga aacgggcaaa 360
atgttgctga tgttttccat gcagtaaagr cactgaggga acagcaagcc aaacatggtg 420
ggaagccccg gagcaatacc gtttctgcta tgatgtagct ttggagtacc tgggaatcat 480
cttagttggg tgagactctt taaagtgcac ccatgaagra acctgtccat ctattgagcc 540
agcagctggt gtacctgtta cacttggtga gaaagatttt aatgtggggg gtgggagact 600
tttacatttg agaggtaaaa gtattttttt tatgaagttg tgtatcttaa taaaaaggac 660
tgaattagtt tttattacta tattaaagca tcaacatttc atgccacata aattatattt 720
aataagaacc agattgaaat gagaacgtat tgggtgttgt acagtgaaca tgccaccttt 780
tttctcatgg tttcagtaga gcagctacca catgttgcac gagttcatac tttctacgtg 840
gcatttttct ccctttctaa aatgaaagct gatgaatctt aaaaggaaga agaaaagaaa 900
agctgtgcaa attcatagta aagttcgttt tttatatggt tccagtgtag cagatctcta 960
tataaatata taaatatata taactggctt attttctttt aatgtgcaat gatggctgga 1020
tcatttttaa aaaaaagggt tctttttaga aaataacata agccaaagac tcaagtgtaa 1080
atatgtctat atggagaaag cacattatat ttattggtta cttacattcc ttttttgatg 1140
gctaaaatac taccaccaca caatcatctt ttttttcctg aagaaagctt tttcttttagc 1200
taaaatcaat tgtaaacgat ttttgtagat tattttttgt atgttttagt gtaagtagaa 1260
gataaacttt ttattcataa accaggaagc aatgttcttt atagtgatc tcttggttac 1320
atgcttggtg attaaatttg tgtaaaatcc cttggcaatt ggggtctttta atataggacc 1380
aaattaaaac attttgctga atatgtatag tttttcacia ttctattagg taaataatgg 1440
tttggtgatc atacatgaga aatgtacaca ttaaaaggcc ttgctgacaa cttgcacaat 1500
gttgaacata gcctttaagc atcattttaa ttttaaagga atggagtttt tcagcctgtg 1560
gcccgact ggtcaagaaa acaagatggc aacatatatg ctttcagggt caaatttgag 1620
```

caaactgtaa actgtcaggg tgataaaatg tttctcttga tgtttacatg cacaagcttt 1680  
gcgttctgac tataaaaagt gtgaacaaat caatgccaga ttcttggttt gcgcattgtc 1740  
atgggattct taagtgaacc tttctaaatg tggctctgtt cacatgctcc acgtagctgt 1800  
aacttcacat catcagcttg cagtttgtaa ttgactaaag cattccagtg tcctctttct 1860  
agattgccag ctcatgacat ggtgcttata aagatttaat taaagtaaga atgaaataaa 1920  
gtttttataa ttataaaaaa aaaaaaaaaa aaactc 1956

<210> 175

<211> 1689

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1688)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1689)

<223> n equals a,t,g, or c

<400> 175

ggctgcaggt cgacactagt ggatccaaag aattcggcas akctcttatt cctcactttc 60  
cacccccgta ttttgtaatg accatgagca atgtttttac tttttgtata atgggggtggg 120  
gtggagtgagg ggcctctgag agtcagcctg aggtcttttag aggaccagct attgtagcac 180  
cttgatact tgaagttaa tgctcagttg ggtcgggtgg cagttgactt ggtggctggc 240  
atgttcagca gtgcctgggg ccctgtttct gggcagcctt tgaggatttt ctatgatatt 300  
gaatgacagt ttaaagtggc aactcaggcc cagctcatgc ccttttttgc ctggacatgt 360  
gctattttta ttcacttata tatcaattac ttgtaagggt taaactttca aacagggaagt 420  
atattgggac aaaagggctc ttggggatta gatatccctt taatctgtga ccattgggca 480  
aaaaattttc ctgcagcaaa agtctgaggc tgttgggacc atttttgcag ctttaatcct 540  
tagcctcttt tgactgtata tttgtgttta aaatgcagag ctcaactgaa tatttccttt 600  
tttgttttgt tttgttttgt tttagaagt aggttgtttt cctgaaccgt aaacttgtat 660  
cattttaact tgcacaaagg aagtctgttc ttggtattgc tcttgcaactt gggttttttg 720  
ttattgtttt gtgtggattt tttaaagctt ttctgttcac cctcctgcca ggaaaaatccc 780  
agaaagctta atgatacccc aaaatgatta caccagggga ggaaaaaaag gagcgctttc 840  
tagggtcaga atcgtggaga gaatactcag aaatgaacct ctttaaagcc ttgcaggaat 900  
gagtcactct tacttaatga aatgttaaag ccaattaaaa agcatgctgt gatgccagc 960  
ttccctttcc acagggtgca tgcgtctcct gctggtgaat cacatgcggc aagaggcaac 1020  
tggtccaca gcctgggatg ctgccgtacc aagaggaaaag aagcagcaaa atgcctttac 1080  
gttgttctaa acccccagcg cataaagtgt agaggaggga tggccaaggg tgggtggtag 1140  
aaagtgtgtt caggctgaca ctggcaatga gtacagataa tttcactttc ctctccagg 1200  
ggcaaaggct gatggcctct acctttgtat ccaggagaaa ctgcagagca gccctgtgac 1260  
tttacaaaat atgctacctc aaagtgtac cgataaacct ttctaattgt aagkscctta 1320  
ctaagggcac atgtcttaat caaagttagt tttttgtttt ctggtttgtt tttttttttt 1380  
tgtatattga tgaatgagat ctacacctatt aaatatatta ttggattatg gttcctgaag 1440  
gtcattagag tgtgtgtgtg tgtgtgtgtg tgtgtgtgtg ttttatgact taaatatctt 1500  
tacgtgtgtt ttttagagct tggttcttta aagatttggg gaagatatgt aaattaccaa 1560  
ggcacttggg ttttctgttt tatatactaa taatcagggc ctaagttaaa taaaaatatg 1620  
tgtgcagtga ttttaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1680

aaaaaaaann

1689

&lt;210&gt; 176

&lt;211&gt; 1016

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (895)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (928)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (970)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (992)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1001)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 176

```
taagagagct ttgcaaaaaa aaaaagaaaa aagaaaaaaa aaaaaccacg tttctttggt 60
gagctgtgtc ttgaaggcaa aagaaaaaaa atttctacag tagtctttct tgtttctagt 120
tgagctgcgt gcgtgaatgc ttatttttct ttgtttatga taatttctact taacttttaa 180
gacatatttg cacaaaacct ttgtttaaag atctgcaata ttatatatat aaatatatat 240
aagataagag aaactgtatg tgcgagggca ggagtatttt tgtattagaa gaggcctatt 300
aaaaaaaaaa gttgttttct gaactagaag aggaaaaaaa tggcaatttt tgagtgccaa 360
gtcagaaagt gtgtattacc ttgtaaagaa aaaaattaca aagcaggggt ttagagttat 420
ttatataaat gttgagattt tgcactattt tttaataata atatgtcagt gcttgcttga 480
tggaacttct tcttgtgtct gttgagactt taaggagaga atgtcggaa ttcagagtcg 540
cctgacggca gagggtgagc ccccggtggag tctgcagaga ggccttgagg aggagcggcg 600
ggctttcccg aggggccact gtccctgcag agtggatgct tctgcctagt gacaggttat 660
caccacgtta tatattccct accgaaggag acaccttttc cccctgacc cagaacagcc 720
tttaaatacac aagcaaaata ggaaagttaa ccacggaggc accgagttcc aggtagtggg 780
tttgcccttc ccaaaaatga aaataaactg ttaccgaagg aattagtttt tcctcttctt 840
ttttccaact gtgaagggtc ccgtggggtg gagcatgggt cccctcacia gccgnacggc 900
tggtgcccgg gctaccaggg acatgccnga gggctcgatg acttgctctt gcagggcgct 960
ttggtggtgn ttaactggct aaaggttacc gntgaaggca ngtcgggtaa ctggcc 1016
```



<210> 177  
<211> 1364  
<212> DNA  
<213> Homo sapiens

<400> 177  
gaatcccact cccttctccc acttggttaat tagttacata cttttttgta attggtttatt 60  
tggttgctgt ctccctctca agaatgcagg gaccatgtct gcattctgca gtaatcacta 120  
ctgcacaccc agaatctatt acagatcctg gcatgtagct gatgcataaa tatttggtga 180  
atgaaagtct gtacattgta tttatgctat tggatttgct atgacctgaa actaaaagga 240  
gttggtggaag agatttctta tgggaacagaa atatcccttt tgattaatat cacaatctcg 300  
taaattgaga aaacaaawaa tatatactac tggagcattc atgtatagtt ggagattatg 360  
actcatttat tgggtgtgtt ttggactcag aacaaagatg agggaaatatt ccttaaagct 420  
ctgtattgaa ataacgaaaa gcagtcacat tttaataata gaagcttcct agcttactct 480  
ttctgtaatc ttcttttcct aaatgtaaga gagcctcata attatgaggc ttattactag 540  
agtaaggctg tcaaaggcag caaaatgtct ttctgtttgg aagaataaca taaacttgac 600  
atgtatggtg ggggacagaa gggttcaaaa gtttaagaat ctgtgtgtgc ttaacaaata 660  
gatgcttctc aaggasstta cgytagtggt tactctgtcc agtcagggtt ttttcttctt 720  
taacttgggt tcatttcctg atggcacaca tgaagtttgg atcatatggt ttgactttag 780  
ctatggtcct tagctatggg gagcagcatc agcgacctgt gacatgtaaa ttaaaaatac 840  
aatgccaggg cccttcccca gccctctga tagagaacct cttggccatc tgtattttta 900  
gatgttccag gttagtctga ttaacaccct tgggttaagaa ccattgggag gatctgattg 960  
ccagtttaag gggaccttca agcctgtagg tctttatagt taaaaaaaaa aaaagatttt 1020  
aaaaatcatg catatgttgt ggctgaawtc tggtttagca catactgctt ttaatggcct 1080  
gaaatgtttt tcccaaataa attstcttgt tatagctttc atgtgtgatt tgggtccagct 1140  
tcttgttttg aagatactta cgggggggaa cactttgtga tttctcttag taacatatta 1200  
accacttaa aaacccttct tattacaggt cttcacattt aggcctaatg tgcttaattc 1260  
aaatgtaaaa atacacctgc ctttgttctc agtgaaagta tgtaataaat aaatgagggg 1320  
ttggcaaact actgccacc atctgttttt ttatggccta tgaa 1364

<210> 178  
<211> 740  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (38)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<400> 178  
tggctgggac tccaggcgca taccaccatg actggctnat ttttggttt ttagtagaga 60  
cggggtttca ccatgttggc caggctggtc ttgaacttct ggccccaagt catctgctg 120  
cctcagcctc ccaaggtgct gggattacaa gtgtgagcca ctgtgtacag nctttgtgtt 180  
aacttacttt gaattagccc cttattccaa agctgcctcc tgaaaggasg cttcctaaaa 240  
ggtgttgctt tggggtaaat aagaggtgct ggtgaagtga gactagcttg cgcattcttc 300

tgccatgaag gaaactagct ccgcagacgt ttactaacc acagcagacc ccctccttga 360  
ggaaccacaga agggcagaga gcatcagatg aaatcaactg ctgagagagg gaagtgagtg 420  
ctgtgttggc accgctgcc aaaaactcttg agaatgagca tcgtgtgcc cttatccact 480  
gcttgccgac ttcagtagca agagcctcca gaatgctcat ggataaacat catctttgtg 540  
gccacacatt gttttatgag ctgagtcac agactggctg gctccttaaa tgctgctgtg 600  
tgattctcta ggcagcagaa aacaaggaga gaagatatga agtgtatctc atcgagcttt 660  
gtagagggcc agtatcgatt caccaaagggt gatgggggat ttaccattat ggagtttgc 720  
tgtgataaaa aattattgat 740

<210> 179

<211> 1410

<212> DNA

<213> Homo sapiens

<400> 179

gaaaatgtat ataataggca aggaaagaaa tacagtactg tttctggacc cttataaaat 60  
cctgtgcaat agacacatac atgtcacatt tagctgtgct cagaagggt atcatcaycc 120  
tacaactcac attagagaac atcctggctt ttgagcactt ttcaaacaat caagttgact 180  
cacgtgggtc ctgaggcctg cagcacgtcg gatgctaccc cactatgaca gaggattgtg 240  
gtcacaaact gatggctgcg aagacctacc ctccgtttt ctactagata ggaggatggt 300  
agaagtttgg ctgctgtcat aacatccaga gcyttgtcgt atttggcaca cagcagaggc 360  
ccagatatta gaaaggctct attccaataa actatgagga ctgccttatg gatgatttaa 420  
gtgtctcact aaagcatgaa atgtgaattt ttattgttgt acatacgatt taaggatttt 480  
aaagtatttt cttctctgtg agaaggttta ttgttaatac aagggtataat aaaattatcg 540  
caacccctct ccttccagta taaccagctg aagttgcaga tgtagatat ttttcataaa 600  
caagttcgag tcaaagttga aaattcatag taagattgat atctataaaa tagatataaa 660  
tttttaagag aaagaattta gtattatcaa agggataaag aaaaaaacat tatttaagat 720  
gtgaaaatta cagtcacaaa tactgttctt tccaggctat gtataaaata catagtga 780  
attgtttagt gatattacat ttatttatcc agaaaactgt gatttcagga gaacctaa 840  
tgctggtgaa tttttcaac tttttccctc actaattggt acttttaaaa acataacata 900  
aattttttga agtctttaat aaataaccca taattgaagt gtataatata aaaaatttta 960  
aaaatctaag cagcttattg tttctctgaa agtgtgtgta gttttacttt cctaaggaat 1020  
taccaagaat atccttttaa atttaaaagg atggcaagtt gcatcagaaa gctttatatt 1080  
gagatgtaaa aagattccca aacgtggtta cattagccat tcatgtatgt cagaagtgca 1140  
gaattggggc acttaatggt caccttgtaa cagttttgtg taactcccag tgatgctgta 1200  
cacatatttg aagggtcttt ctcaaagaaa tattaagcat gttttgttgc tcagtgtttt 1260  
tgtgaattgc ttggttgtaa tttaattctg agcctgatat tgatatggtt ttaagaagca 1320  
gttgtagcaa gtgaaattat tttggagatt ataataaata tatacattca aaaaaaaaaa 1380  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1410

<210> 180

<211> 1493

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1328)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (1352)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1376)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1406)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1436)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1484)  
<223> n equals a,t,g, or c

<400> 180  
ggccaaatct tcccgggctg ctgtgggcaa caagatgttt gtcaagggtg cccctgaggg 60  
cgctcatcgac cgctgtaact atgtgcgagt tggcaccacc cgggtgccac tgacggggcc 120  
ggtgaaggaa aagatcatgg cggtgatcaa ggagtggggc actggccggg acaccctgcg 180  
ctgcttgcc ctggccaccc gggacacccc cccgaagcga gaggaaatgg tcctggatga 240  
ctctgccagg ttcttgagat atgagacgga cctgacattc gtgggtgtag tgggcatgct 300  
ggaccctccg cgcaaggagg tcacgggctc catccagctg tgccgtgacg ccgggatccg 360  
ggtgatcatg atcactgggg acaacaaggg cacagccatt gccatctgcc ggcgaattgg 420  
catctttggg gagaacgagg aggtggccga tcgcgccctac acgggcccag agtcgacga 480  
cctgcccctg gctgaacagc gggaagcctg ccgacgtgcc tgctgcttcg cccgtgtgga 540  
gccctcgcac aagtccaaga ttgtggagta cctgcagtcc tacgatgaga tcacagccat 600  
gacaggtgat ggcgtcaatg acgcccctgc cctgaagaag ctgagattgg cattgccatg 660  
ggatctggca ctgccgtggc caagactgcc tctgagatgg tgctggctga cgacaacttc 720  
tccaccatcg tarctgctgt ggaggarggc cgcgccatct acaacaacat gaagcagttc 780  
atccgctacc tcatttcctc caacgtgggc gaggtggtct gtatcttcct gaccgctgcc 840  
ctggggctgc ctgaggccct gatcccgggtg cagctgctat ggggtgaactt ggtgaccgac 900  
gggctcccag ccacagccct gggcttcaac ccaccagacc tggacatcat ggaccgcccc 960  
ccccggagcc ccaaggagcc cctcatcagt ggctggctct tcttccgcta catggcaatc 1020  
gggggctatg tgggtgcagc caccgtggga gcagctgcct ggtggttcct gtacgctgag 1080  
gatgggctc atgtcaacta cagccagctg actcacttca tgcagtgcac cgaggacaac 1140  
accactttg agggcataka ctgtgaggtc ttcgaggccc ccgagcccat gaccatggcc 1200  
ctgtccgtgc tggtgaccat cgagatgtgc aatgcactga acagcctgtc cgaraaccag 1260  
tccctgctgc ggaattgcm a cccctggggg traacaattc ttgggctggc tgggsttcca 1320  
ttcttgnct tcttccaatg ttcccctggc ancttcctc aattccctcc taatgnttga 1380  
accccccttg cccgaatgaa tctttnaagg cttccggggc ccttggaacc ttcaanccaa 1440  
gttgggttaa tggttcctcc aagattttca attggccagt taantggggg ttc 1493

<210> 181  
<211> 2040  
<212> DNA  
<213> Homo sapiens

<400> 181  
gcatgagctc atgcaagagg caggggatga gtgtgagccc gagtgggtgtg atgccgagga 60  
cccactcttc atcctgtaca ccagtggctc cacaggcaaa cccaaggggtg tggttcacac 120  
agttgggggc tacatgctct atgtagccac aaccttcaag tatgtgtttg acttccatgc 180  
agaggatgtg ttctgggtgca cggcagacat tggttggatc actggtcatt cctacgtcac 240  
ctatggggcca ctggccaatg gtgccaccag tgttttgttt gaggggattc ccacatatcc 300  
ggacgtgaac cgctgttgga gcattgtgga caaatacaag gtgaccaagt tctacacagc 360  
accacagcc atccgtctgc tcatgaagtt tggagatgag cctgtcacca agcatagccg 420  
ggcatccttg caggtgttag gcacagtggg tgaacccatc aaccttgagg cctggctatg 480  
gtaccaccgg gtggtaggtg ccagcgcgtg ccccatcgtg gacaccttct ggcaaacaga 540  
gacaggtggc cacatgttga ctccccctcc tgggtgccaca cccatgaaac ccggttctgc 600  
tactttccca ttctttggtg tagctcctgc aatcctgaat gaggccgggg aagagttgga 660  
aggtgaagct gaaggttatc tgggtgttcaa gcagccctgg ccagggatca tgcgcacagt 720  
ctatgggaac cacgaacgct ttgagacaac ctactttaag aagtttctct gatactatgt 780  
tacaggagat ggctgccagc gggaccagga tggctattac tggatcactg gcaggattga 840  
tgacatgtc atgttatctg gacacctgct gagtacagca gaggtggagt cagcacttgt 900  
ggaacatgag gctgttgca aggcagctgt ggtggggccac cctcatcctg tgaaggggtga 960  
atgcctctac tgctttgtca ccttgtgtga tggccacacc ttcagcccca agctcaccga 1020  
ggagctcaag aagcagatta gagaaaagat tggcccccatt gccacaccag actacatcca 1080  
gaatgcacct ggcttgccca aaaccgctc agggaaaatc atgagggcag tgcttcggaa 1140  
gattgtctag aatgacctg acctcgggga catgtctact gtggctgacc catctgtcat 1200  
cagtcacctc ttcagccacc gctgcctgac catccagtga acatgatcct gacctttacc 1260  
taggattcct cctgtcccaa actttgcccc tctcttttgc cccctcagga gtgctgaggg 1320  
ccagtgttga cccacactac cctcccttga ccagtgtct gggaccggaa accagctttg 1380  
tctccaggtg gagacaacat cctgtgactg ccaggcagaa aggacagggc ccaggtcagc 1440  
ctcagtctgc tgtgcctcca gactgcagag ctctcagaac ccagaacaga gacgaaaagg 1500  
ctacctctc tacccaagtt aagtgttcaa aggggatgtg agggcctcca ctgaagcagg 1560  
gaggcagctg tgtaatccta tgtcagctct cttaggaagc cccagtactt atattgggca 1620  
tgcacttgcc cttaaaaaa atgatttgtg agtccaggaa caatttacta tttttaaaat 1680  
atattgtctc ttctgttctg ggtctgaatt cccttttgtg ccagatgcca gtactgtctg 1740  
cccattggct ccaggggctg tatgggcaga ttcagtctcc agagggtatt cagatcatct 1800  
gcttctttga aggagtaaat gtgttttgtt cctagggcca gaggagcttg tcttccttgt 1860  
cctctgttcc caccctcccc tgaacagaac ccagcccata agagacattc tcagatgaaa 1920  
ctctgttttc ttgcccagc caggctcaag ccctgtggtt gtaggaataa agcctgtgat 1980  
ctcaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaactcgaa 2040

<210> 182  
<211> 969  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220> .

<221> misc feature

<222> (128)

<223> n equals a,t,g, or c

<400> 182

```
agacagttct nattctcccc agggcagggga gcaggttatg accaggacta aggtcccaaa 60
gtccccaccc tgaaccctc cctgctgttc caccgctccc tcatatccac ccctgcccc 120
tctcctgnac tttggtcacg ctagcatctt ctgctgatcc tgaaattgta ccagcggcaa 180
gatgtggcct ggaaggggac tttaagttct ccacaactgc cagcaatcct tccaccaggc 240
aaaacacatc atctaaggaa aagaagttag gtttgcttag ggcgtggcag cttcggataa 300
acgcaggact ccgcctggca gcccgatttc tcccggaaacc tctgctcagc ctggtgaacc 360
acacaggcca gcgctctgac atgcagaagg tgaccctggg cctgcttggt ttcttggcag 420
gctttcctgt cctggacgcc aatgacctag aagataaaaa cagtcctttc tactatgact 480
ggcacagcct ccaggttggc gggctcatct gcgctggggt tctgtgcgcc atgggcatca 540
tcatcgatcat gagttagtgg aggaagctcg gggagcaggc gggccggggc tggggctccc 600
ctcccctgac cactcagctc tccccaacag gtgcaaatg caaatgcaag tttggccaga 660
agtccggtca ccattcaggg gagactccac ctctcatcac cccaggctca gcccaaagct 720
gatgaggaca gaccagctga aattgggtgg aggaccgttc tctgtcccca ggtcctgtct 780
ctgcacagaa acttgaactc caggatggaa ttcttcctcc tctgctggga ctcttttgca 840
tggcagggcc tcatctcacc tctcgcaaga gggctctctt gttcaatttt ttttwatcta 900
aaatgattgt gcctctgccc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 960
aaaaaaaga                                     969
```

<210> 183

<211> 1452

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (18)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1430)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1441)

<223> n equals a,t,g, or c

<400> 183

```
gtcagccac gcgtccnncc acgggtccggt ggggagaagc cgggaggact ggggtgcgcct 60
```

gcagggatcg gaagccggtt ggggtgtgag aggttttctc gctctagggg gattcttcaa 120  
gcaatcacta tgtcaacaga cacaggtggt tcccttcctt catatgagga agatcagggg 180  
tcaaaactca ttcgaaaagc taaagaggca ccattcgtac ccggttggaa agcgggtttt 240  
gcagcaattg ttgcatatgg attatataaa ctgaagagca ggggaaatac taaaatgtcc 300  
attcatctga tccacatgcg tgtggcagcc caaggctttg ttgtaggagc aatgactggt 360  
ggatggggtt attccatgta tcgggaattc tgggcaaaac ctaagcctta gaagaagaga 420  
tgctgtcttg gtcttggttg aggagcttgc tttagttaga tgtcttatta ttaaagttag 480  
ctattattgt tggaaataaa ctaatttgta tgggtttaga tggtaacatg gcattttgaa 540  
tattggcttc ctttcttgca ggcttgattt gcttggtgac cgaattacta gtgactagtt 600  
tactaactag gtcattcaag gaagtcaagt taacttaaac atgtcaccta aatgcacttg 660  
atggtgttga aatgtccacc ttcttaaat tttaatgaat acttagttct aaagaagata 720  
acaggccaat cctgaaggta ctccctgttt gctgcagaat gtcagatatt ttggatgttg 780  
cataagagtc ctatttgccc cagttaattc aacttttgtc tgctgtttt gtggactggc 840  
tggtctctgt agaactctgt ccaaaaagtg catggaatat aacttgtaaa gcttcccaca 900  
attgacaata tatatgcatg tgtttaaacc aaatccagaa agcttaaaaca atagagctgc 960  
ataatagtat ttattaaaga atcacactg taaacatgag aataacttaa ggattctagt 1020  
ttagtttttt gtaattgcaa attatatttt tgctgctgat atattagaat aattttttaa 1080  
tgtcatcttg aaatagaaat atgtatttta agcactcacg caaaggtaaa tgaacacgtt 1140  
ttaaagtgtg gtgttgctaa tttttccat aagaattgta aacattgaac tgaacaaatt 1200  
acctataatg gatttggtta atgacttatg agcaagctgg tttggccaga cagtataccc 1260  
aaacttttat ataataaca gaaggctatc acacttggtg aattctcttg tctaactctg 1320  
atttgcatc catggtgtta acatggtata tgtattgtta ttaaagtaag tgacccatgt 1380  
caaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1440  
naaaaaaaaa aa 1452

<210> 184

<211> 2119

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2090)

<223> n equals a,t,g, or c

<400> 184

aaattgaaac ttctaataaa aatgatatga ctatagatat attacatgct gatggtgaaa 60  
gacctaattgt tctagaaaac ctagacaact caaaggaaaa gactggttga tcagaagcag 120  
caaaaactga agatacagtt ctctgcagca gtgatacaga tgaggagtgt ttaatcattk 180  
wtacagaatg taaaaataat agtgatggaa agacagctgt tgtgggttct aacttaagtt 240  
ccagaccagc tagtccaaat tcttcctcag gacaggcttc tgtaggaaac cagactaata 300  
ctgcttgwtg tctgaagag tcatgtgttt taaaaaaacc tatcaaacga gtatataaaa 360  
aatttgatcc agttggagag attttaaaaa tgcaggatga gctcttwaag ccaatttcca 420  
gaaaagtacc agaattgccc ttaatgaatt tagaaaattc taaacagcct tctgtttctg 480  
agcaattgtc tggctcttca gactcctcta gttggccgaa atctggatgg ccttctgcat 540  
ttcagaagcc aaaaggacga ttgccatag aacttcagga ctatgttgaa gatacatcgg 600  
aatacctagc tcctcaggaa ggaaattttg tttataagtt atttagcctg caagacctgt 660  
tgttactcgt acgctgcagt gtccagagga tagagacaag accacgttct aaaaaacgga 720  
agawwatyag aagacaattt ccagtttatg tactaccaa agtagagtat caagcttggt 780  
atggagtga agctctgact gaaagtgaac tttgtcgctt atggactgaa agtttattgc 840  
attccaacag ctcatTTTTT gttgggcata tcgatgcatt tacttcaaaa ctttttctac 900

tggaagaaat tacctcagaa gaattaaaag aaaagctttc agcactcaag atttccaatt 960  
tatttaacat cctccaacac attctaaaga aactaagtag cttgcaggag ggttcctact 1020  
tgttatctca tgcagcagaa gattcttcac tcctgattta taaggcctct gatggaaaag 1080  
ttactaggac agcatacaat ttgtataaaa cacattgcgg ccttcctgggt gtaccttcca 1140  
gtctctcagt tccctgggtc ccattagatc ccagcctggt attaccatat catatccatc 1200  
atggaagaat accttgact tttccaccga aatcactgga taccacaaca caacaaaaga 1260  
ttggtggaac gagaatgcct acacgcagcc acaggaatcc agtttccatg gaaacaaaaa 1320  
gcagttgctt gcctgctcag caagttgaaa ctgaaggagt ggctccacat aaaagaaaaa 1380  
taacttgagg actgtaccat ggaaaactaa atttaaaaaa mcagttataa cagtgtttaa 1440  
tttagataag tttgagggaa aataatcagt aggcaagagg aacatttttc ctgtagtagc 1500  
tagagtgcct tgaaaaaatg tgttggctat gtgaaggagt atttcaacta aaatggaatg 1560  
gtatgctttt cacccttraa gtttgaggag gatcttgata tgttttaaca ttatcatggc 1620  
agggaaatat ataaagaaga aaaatatttt tacattaaac cttttctaaa aattgtaaat 1680  
agaaaaataa tttggttttt tatcaagaac aacacttatc gttatgtatt gtgttagtta 1740  
tattgccagt ctgttgcgac tgactcaaaa agttaaatgt tgccactgct gaagatgatt 1800  
atgagcatcg caaactttgt ttctgacca ttttgacagt ttttatatac tcctttaaaa 1860  
tgatgaatgt tacagggttaa taaagttaat acctttaaaa acttggtgaa attccattac 1920  
agaagccaaa aataaaaact ccctgcctct gaaaagtcag attactgact tcttgtttgg 1980  
caaccatcag tttgtttaat aaaagaaaaa atttgggtgt ataacatgtt tgatgacaga 2040  
tgctctatc tctagattca agctgagtgt tgaaatacac tgctgaaagn aagagatagg 2100  
tatgttttcc agaaaaaaa 2119

<210> 185

<211> 1325

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1319)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1320)

<223> n equals a,t,g, or c

<400> 185

atgactgggg agcgacccag ncacggcgct cccgggacag acgctggggg ccscggaatc 60  
tctccctgga tattggcact gaagtgtttg cccctggacc gggctctggt attcagaaac 120  
agcgggagcc acggaagggc cgcctcatcg tgtgtggcca tgggacgctg gagcgggacg 180  
gagtctcttg tctcctcagc gatgatcatg gtgcctcctg gcgctacgga agtgggggtca 240  
gcggcatccc ctacggtcag cccaagcagg aaaatgattt caatcctgat gaatgccagc 300  
cctatgagct ccagatggc tcagtcgtca tcaatgcccg aaaccagaac aactaccact 360  
gccactgccg aattgtcctc cgcagctatg atgcctgtga tacaactaagg ccccgatgat 420  
tgaccttcga ccctgagctc gtggaccctg tggtagctgc aggagctgta gtcaccagct 480

ccggcattgt cttcttctcc aaccacagcac atccagagtt ccgagtgaac ctgaccctgc 540  
gatggagctt cagcaatggg acctcatggc ggaaagagac agtccagcta tggccaggcc 600  
ccagtggcta ttcattccctg gcaaccctgg agggcagcat ggatggagag gagcaggccc 660  
cccagctcta cgtcctgtat gagaaaggcc ggaaccacta cacagagagc atctccgtgg 720  
ccaaaatcag tgtctatggg acactctgag ctgtgccact gccacagggg tattctgcct 780  
tcaggactct gccttcagga acacgggtct gtagagggtc tgctggagac gcctgaaaga 840  
cagttccatc ttcctttaga ctccagcctt ggcaaaatca ccttcccttt accagggaaa 900  
tcacttcctt taggactgaa agctaggcgt cctctcccac aaaaaagtcc tgccctcatc 960  
tgagaatact gtctttccat atggctaagt gtggccccac caccctctct gcctcccggy 1020  
acattgattg gtcctgtctt gggcagggtct agtgagctgt agaattgaat caatgtgaac 1080  
tcagggaact ggggaaggct gagcctcctc tttggtgttg cggtaagata accgacaggy 1140  
ctggtgaaaag tccccagatg gcaggatatt tggtttcaga gtaaggacta ggtgcaccac 1200  
catgactgac tatcaatcaa aatgtttgta acttaaaatt tttaatgaag gataatgaat 1260  
attaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaann 1320  
aaaaa 1325

<210> 186

<211> 433

<212> DNA

<213> Homo sapiens

<400> 186

aattcggcac gagggcgag gccccagcca gctcaggcta cactatccca ggatcagcat 60  
ggccgtccgc cagtgggtaa tcgccctggc cttggctgcc ctcttggtt tggacaggga 120  
agtgccagtg gcagcaggaa agctcccttt ctcaagaatg cccatctgtg aacacatggt 180  
agagtctcca acctgttccc agatgtccaa cctgggtctgc ggcactgatg ggctcacata 240  
tacgaatgaa tgccagctct gcttggtccc gataaaaacc aaacaggaca tccagatcat 300  
gaaagatggc aaatgctgat cccacaggag cacctcaagc catgaagtgt cagctggaga 360  
acagtgggtg gcatggagag gatatgacat gaaataaaag atccagccca aaaaaaaaaa 420  
aaaaaaaaaa aaa 433

<210> 187

<211> 859

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (803)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (853)

<223> n equals a,t,g, or c

<400> 187

cccacgcgtc cgcccacgcg tccgcccacg cgtccgaccg gggtttttcg tgagctcgtc 60  
tctgatctcg cgcaagagtg acacacaggt gttcaaagac gcttctgggg agtgagggaa 120  
gcggtttacg agtgacttgg ctggagcctc aggggcgggc actggcacgg aacacaccct 180  
gaggccagcc ctggctgccc aggcggagct gcctcttctc ccgcggttg gtggaccgc 240



tcagtagcga gttggggaag ctctttcact tcggaggatt gctcaacaac catgctgggc 300  
atctggaccc tcctacctct ggttcttacg tctgttrcta gattatcgtc caaaagtgtt 360  
aatgcccaag tgactgacat caactccaag ggattggaat tgaggaagac tgttactaca 420  
gttgagactc agaacttgga aggcctgcat catgatggcc aattctgcca taagccctgt 480  
cctccagggtg aaaggaaagc tagggactgc acagtcaatg gggatgaacc agactgcgtg 540  
ccctgccaag aagggaagga gtacacagac aaagcccatt tttcttccaa atgcagaaga 600  
tgtagattgt gtgatgaagg acatggctta kaagtggaaa taaactgcac ccggacccag 660  
aatmccaagt gcagatgtaa accaaacttt ttttgkaact ctactgtatg tgaacactgt 720  
gacccttgca ccaaattgtga acatggaatc atcaagggaat gcacactcac cagcaacacc 780  
aagtgc aaaag aggaaggatc canatctaac ttgggggtggc tttggcttct tcttttgcca 840  
attccctaatt tgnntgggt 859

<210> 188

<211> 833

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (65)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (798)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (803)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (809)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (812)

<223> n equals a,t,g, or c

<400> 188

tcgcagagat tacaccactg caacgagact cgggcccaga cgagatctgc ctgggcgaca 60  
cagtnagact ctgtctcaaa ataaataaat aagtaaatag aacctcctga gctaccctgg 120  
cttataagga ttcagattac tttaggaaat taggcattag cactaggagg ggggaagatg 180  
gctggcaaaa cttctagcta gcaacctatg tctagcacat gggtaactaa ccatagcgag 240  
atcctgaaca catatcctct aggtgcaggt ggagggaacg atgtccaata cctgaagcag 300  
aatctcacat ggacggaacg tctgtatttc cctctcctgc acgaatcact catcattctt 360  
ggagggtctt tctgcattcc tctttttctt ctctcccttc ccctgccttt tgtcttttct 420  
aaagagtctg aactccgatt tccatgctct cctgctacat taataagcaa aacctgcttg 480

```

tgtgtacggg tctttactgg aaacatgact ttttgtttct gtattgggtt tactgtcacc 540
cagttttcta gtttaatatc tagcaaaact aaatctgaat gtactcgctt tttccggtta 600
gtatgccaaag cacctcgggt gaaaggcttg actcaaacca gaagtcttgc tggaaattcgt 660
ctctgaacac ttgaaaaaca gaaaccctga gccgcaacaa acatgcctct gtgtgtcggg 720
attgcctttg tctctgcttc catgtggctt ttccttttgt agctatgctt agtgacataa 780
tcttccctct tcaagcantc tgngttggnc cnttcccggt ccccccccg tgc 833

```

&lt;210&gt; 189

&lt;211&gt; 2211

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 189

```

ggcacgagga gtacagggcc cgcgcgatgcg tggattgtcg tcttctgtcc aagttgggtcg 60
cttccctgcg ccaaagttag cagtagccaa catgtcaggg tgggagtcatt attacaaaac 120
cgagggcgat gaagaagcag aggaagaaca agaagagaac cttgaagcaa gtggagacta 180
taaattattca ggaagagata gtttgatttt tttgggtgat gcctccaagg ctatgtttga 240
atctcagagt gaagatgagt tgacaccttt tgacatgagc atccagtgtt tccaaagtgt 300
gtacatcagt aagatcataa gcagtgatcg agatctcttg gctgtggtgt tctatggtac 360
cgagaaagac aaaaattcag tgaattttta aaatattttac gtcttacagg agctggataa 420
tccaggtgca aaacgaattc tagagcttga ccagtttaag gggcagcagg gacaaaaacg 480
tttccaagac atgatgggcc acgatcttga ctactcactc agtgaagtgc tgtgggtctg 540
tgccaacctc tttagtgatg tccaattcaa gatgagtcatt aagaggatca tgctgttcac 600
caatgaagac aacccccatg gcaatgacag tgccaaagcc agccgggcca ggaccaaagc 660
cgggtgatctc cgagatacag gcattcttct tgacttgatg cacctgaaga aacctggggg 720
ctttgacata tcttgtttct acagagatat catcagcata gcagaggatg aggacctcag 780
ggttcacttt gaggaatcca gcaagctaga agacctgttg cggaaagggtc gcgccaagga 840
gaccaggaag cgagcactca gcaggttaa gctgaagctc aacaaagata tagtgatctc 900
tgtgggcatt tataatctgg tccagaaggc tctcaagcct cctccaataa agctctatcg 960
ggaaacaaat gaaccagtga aaaccaagac cgggaccttt aatacaagta caggcggttt 1020
gcttctgcct agcgatacca agaggtctca gatctatggg agtcgtcaga ttatactgga 1080
gaaagaggaa acagaagagc taaaacgggt tgatgatcca ggtttgatgc tcatgggttt 1140
caagccgttg gtactgctga agaaacacca ttacctgagg ccctccctgt tcgtgtaccc 1200
agaggagtct ctggtgattg ggagctcaac cctgttcagt gctctgctca tcaagtgtct 1260
ggagaaggag gttgcagcat tgtgcagata cacacccgcg aggaacatcc ctcttattt 1320
tgtggctttg gtgccacagg aagaagagtt ggatgaccag aaaattcagg tgactcctcc 1380
aggcttccag ctggtctttt taccctttgc tgatgataaa aggaagatgc ctttactga 1440
aaaaatcatg gcaactccag agcaggtggg caagatgaag gctatcggtg agaagcttcg 1500
cttcacatac agaagtgaac gctttgagaa ccccggtgctg cagcagcact tcaggaaacct 1560
ggaggccttg gccttggtatt tgatggagcc ggaacaagca gtggacctga cattgccccaa 1620
ggttgaagca atgaataaaa gactgggctc cttggtggat gagttaaagg agcttggtta 1680
cccaccagat tacaatcctg aagggaaggt taccaagaga aaacacgata atgaagggtc 1740
tggaagcaaa aggcccaagg tggagtattc agaagaggag ctgaagaccc acatcagcaa 1800
gggtacgctg ggcaagttca ctgtgcccat gctgaaagag gcctgccggg cttacgggct 1860
gaagagtggg ctgaagaagc agagctgctt ggaagccctc accaagcact tccaggactg 1920
accagaggcc gcgcgtccag ctgcccttcc gcagtgtggc caggctgcct ggcttgttcc 1980
tcagccagtt aaaatgtgtt tctcctgagc taggaagagt ctacccgaca taagtcgagg 2040
gactttatgt ttttgaggct ttctgttgcc atggtgatgg tgtagccctc ccactttgct 2100
gttccttact ttactgcctg aataaagagc cctaagtttg tactataaaa aaaaaaaaaa 2160
aaaaaaaaaa aaagtcgacc ggccgttaat ttagtagtag taggcggccg c 2211

```

<210> 190  
<211> 1659  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1582)  
<223> n equals a,t,g, or c

<400> 190  
atcgggttca agaagaaaat gctaggctta agaagaaaa agagcagttg cagcaggaaa 60  
tcgaagactg gagtaaatta catgctgagc tcagttagca aatcaaata tttgagaagt 120  
ctcagaaaaga tttggaagta gctcttactc acaaggatga taatattaat gctttgacta 180  
actgcattac acagttgaat ctggttagagt gtgaatctga atctgagggt caaaataaag 240  
gtggaaaatga ttcagatgaa ttagcaaatg gagaagtggg aggtgaccgg aatgagaaga 300  
tgaaaaatca aattaagcag atgatggatg tctctcggac acagactgca atatcggtag 360  
ttgaagagga tctaaagctt ttacagctta agctaagagc ctccgtgtcc actaaatgta 420  
acctggaaga ccaggtaaag aaattggaag atgaccgcaa ctactacaa gctgccaaag 480  
ctggactgga agatgaatgc aaaaccttga ggcagaaagt ggagattctg aatgagctct 540  
atcagcagaa ggagatggct ttgcaaaaaga aactgagtca agaagagtat gaacggcaag 600  
aaagagagca caggctgtca gctgcagatg aaaaggcagt ttcggctgca gaggaagtaa 660  
aaacttacaa gcggagaatt gaagaaatgg aggatgaatt acagaagaca gagcgggtcat 720  
ttaaaaacca gatcgctacc catgagaaga aagctcatga aaactggctc aaagctcgtg 780  
ctgcagaaaag agctatagct gaagagaaaa gggaagctgc caatttraga cacaaattat 840  
tagawttaac acaaaagatg gcaatgctgc aagaagaacc tgtgattgta aaaccaatgc 900  
caggaaaacc aaatacacaa aaccctccac ggagaggctc tctgagccag aatgtctttt 960  
ggcccatccc ctgtgagtgg tggagaatgc tcccctccat tgacagtgga gccaccctgt 1020  
agacctctct ctgctactct caatcgaaga gatatgccta gaagtgaatt tggatcagt 1080  
gacgggcctc tacctcatcc tcgatggctc gctgaggcat ctgggaaacc ctctccttct 1140  
gatccaggat ctggtacagc taccatgatg aacagcagct caagaggctc tcccctacc 1200  
aggggtactcg atgaaggcaa ggttaatatg gctccaaaag ggccccctcc tttcccagga 1260  
gtccctctca tgagcaccac catgggaggc cctgtaccac caccattcg atatggacca 1320  
ccacctcagc tctgcgagcc ttttgggcct cggcacttcc tccacccttt ggccctggt 1380  
tgcgctccacc actaggctta agagaatttg caccaggcgt tccaccagga agacgggacc 1440  
tgccctctcca ccctcgggga tttttacctg gacacgcacc atttagacct ttaggttcac 1500  
ttggcccaag agagtacttt attcctggta cccgattacc accccaacc catggtcccc 1560  
aggaataccc accamcacct gnttgtaar gagratttat kgcgttcagt gttagagatg 1620  
aggcctcaac tggcttctta gaggcattag ccagggatt 1659

<210> 191  
<211> 3894  
<212> DNA  
<213> Homo sapiens

<400> 191  
cacacttgaa gctgaaaaag aaagaagaaa atctgggcta tcctcaagag ttcagtttctg 60  
aaaccaaggt tctgagccca aatatactca agaactaact ctgaagaggc agaaacagaa 120  
agtgtgcatg gaggaacccc tgtggctaca ggataatata agagataaac tgcgtcccat 180  
tcccataact gcctcagtgg agatccaaga gccaaagctct cgtaggcgag tgaattcact 240  
tccagaagtt cttccaattc tgaattcaga tgaacccaag acagctcata ttgatgttca 300

cttcttaaaa gagggatgtg gagacgacaa tgtatgtaac agcaacctta aactagaata 360  
taaattttgc acccgagaag gaaatcaaga caaatttwct tatttacc aa ttcaaaaagg 420  
tgtaccagaa ctagtcttaa aagatcagaa ggatattgct ttagaaataa cagtacaaa 480  
cagccctcc aacccaagga atcccacaaa agatggcgat gaygcccag aggcctaaact 540  
gattgcaacg tttccagaca ctttaacctt ttctgcatat agagaactga gggctttccc 600  
tgagaaacag ttgagttgtg ttgccaacca gaatggctcg caagctgact gtgagctcgg 660  
aaatcctttt aaaagaaatt caaatgtcac tttttatttg gttttaagta caactgaagt 720  
caccttgac accccagatc tggatattaa tctgaagtta gaaacaacaa gcaatcaaga 780  
taatttggt ccaattacag cttaaagcaaa agtgggtatt gaactgcttt tatcggtctc 840  
gggagttgct aaaccttccc aggtgtattt tggaggtaca gttgttggcg agcaagctat 900  
gaaatctgaa gatgaagtgg gaagtttaat agagtatgaa ttcagggtaa taaacttagg 960  
taaacctctt acaaacctcg gcacagcaac cttgaacatt cagtggccaa aagaaattag 1020  
caatgggaaa tggttgcttt atttggtgaa agtagaatcc aaaggattgg aaaaggtaac 1080  
ttgtgagcca caaaaggaga taaactccct gaacctaacg gagkctcaca actcaagaaa 1140  
gaaacgggaa attactgaaa aacagataga tgataacaga aaattttctt tatttgctga 1200  
aagaaaatac cagactctta actgtagcgt gaacgtgaac tgtgtgaaca tcagatgcc 1260  
stgcggggg ctggacagca aggcgtctct tattttgctc tcgaggttat ggmacagcac 1320  
atttctagag gaatttcca aactgaacta cttggacatt ctcatgagag ccttcattga 1380  
tgtgactgct gctgccgaaa atatcaggct gccaaatgca ggcactcagg ttcgagtgc 1440  
tgtgtttccc tcaaagactg tagctcagta ttcgggagta ccttggtgga tcctcctagt 1500  
ggctattctc gctgggatct tgatgcttgc tttattagt tttatactat ggaagtgtgg 1560  
tttcttcaag agaaataaga aagatcatta tgatgccaca tatcacaagg ctgagatyca 1620  
tgctcagcca tctgataaag agaggsttac ttcyगतgca tagtattgat ctacttctgt 1680  
aattgtgtgg attcyttaaa cgctctaggt acgatgacag tggtccccga taccatgctg 1740  
taaggatccg gaaagaagag cgagagatca aagatgaaaa gtatattgat aacctgaaa 1800  
aaaaacagtg gatcacaag tggaacgaaa atgaaagcta ctcatagcgg gggcctaaaa 1860  
aaaaaaagct tcacagtacc caaactgctt tttccaactc agaaattcaa tttggattta 1920  
aaagcctgct caatccctga ggactgattt cagagtgcac acacacagta cgaacctaca 1980  
gttttaactg tggatattgt tacgtagcct aaggctcctg ttttgcacag ccaaatttaa 2040  
aactgttgga atggattttt ctttaactgc cgtaatttaa ctttctgggt tgcctttrtt 2100  
tttggcggtg ctgacttaca tcatgtgttg gggaagggcc tgcccagttg cactcaggtg 2160  
acatcctcca gatagtgtag ctgaggaggc acctacactc acctgcacta acagagtggc 2220  
cgctctaacc tcgggcctgc tgcgcagacg tccatcacgt tagctgtccc acatcacaag 2280  
actatgcat tggggtagtt gtgtttcaac ggaaagtgt gtcttaaaact aaatgtgcaa 2340  
tagaagggtg tgttgccatc ctaccgtctt ttctgtttc ctagtgtgt gaatacctgc 2400  
tcacgtcaaa tgcatacaag tttcattctc ctttacta aaacacacag gtgcaacaga 2460  
cttgaatgct agttatactt atttgtatat ggtatttatt ttttctttt tttacaaacc 2520  
attttgttat tgactaacag gccaaagagt ctccagttta cccttcaggt tggtttaata 2580  
aatcagaatt agagcatggg aggtcatcac tttgacctaa attatttact gcaaaaagaa 2640  
aatctttata atgtaccag agagagttgt ttttaataact tatctataaa ctataacctc 2700  
tccttcatga cagcctccac cccacaaccc aaaaggttta agaaatagaa ttataactgt 2760  
aaagatgttt atttcaggca ttggatattt tttactttag aagcctgcat aatgtttctg 2820  
gatttcatac tgtaacattc aggaattctt ggagaaaatg ggtttattca ctgaactcta 2880  
gtgcggttta ctactgctg caaatactgt atattcagga cttgaaagaa atggtgaatg 2940  
cctatggtgg atccaaactg atccagtata agactactga atctgctacc aaaacagtta 3000  
atcagtgaat cgatgttcta tttttgttt tgttctctcc cctatctgta tttccaaaaa 3060  
ttactttggg gctaatttaa caagaacttt aaattgtgtt ttaattgtaa aaatggcagg 3120  
gggtggaatt attactctat acattcaaca gagactgaat agatatgaaa gctgattttt 3180  
tttaattacc atgcttcaca atgttaagtt atatggggag caacagcaaa cagggtgctaa 3240  
tttgttttg atatagtata agcagtgtct gtgttttgaa agaatagaac acagtttgta 3300  
gtgccactgt tgttttgggg gggctttttt ctttctggaa atcttaaaacc ttaagatact 3360

aaggacgttg ttttggttgt actttggaat tcttagtcac aaaatatatt ttgtttacaa 3420  
aaattttctgt aaaacagggtt ataacagtggt ttaaagtctc agtttcttgc ttggggaact 3480  
tgtgtcccta atgtgttttag attgctagat tgctaaggag ctgatacttt gacagtgttt 3540  
ttagacctgt gttactaaaa aaaagatgaa tgcctgaaa aggggtgttg gaggggtggtt 3600  
caacaaagaa acaaagatgt tatggtgttt agatttatgg ttgttaaaaa tgcacatctca 3660  
agtcaagtca ctggtctgtt tgcatttgat acatttttgt actaactagc attgtaaaat 3720  
tatttcatga ttagaaatta cctgtggata ttgtataaaa agtgtgaaat aaatttttta 3780  
taaaagtgtt cattgtttcg taacacagca ttgtatatgt gaagcaaact ctaaaattat 3840  
aatgacaac ctgaattatc tatttcatca aaaaaaaaaa aaaaaaaaaa aaaa 3894

<210> 192

<211> 695

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (23)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<400> 192

annctataca ncatacaggg aanggtanac tgacagtagc gtcggattcc cgggtcgacc 60  
cacgcgtccg ctgagccatt agaaaatcca tttaaaaaga tgaaaaacaa cattgttgat 120  
gctgcaaaca atcacagtcg ccagaaagta ctgtatgggt ccttgcttaa ccaggaagag 180  
ctgaaattta gcagaaatga tcttgaattt aaatatcctg ctgggtcatgg ctcagccagc 240  
graagtgaac acaggagttg ggccagagag agcaaaagct ttaatgttct gaaacagctg 300  
cttctctcag aaaactgtgt gcgagatttg tccccgcaca gaagtaactc tgtggctgac 360  
agtaaaaaga aaggacacaa aaataatgtg accaacagca aacctgaatt tagcatttct 420  
tctttaaatg gactgatgta cagttccact cagcccagca gttgcatgga taacaggaca 480  
ttttcatacc cagggtgtagt aaaaactcct gtgagtccta ctttccctga gcacttgggc 540  
tgtgcagggt ctagaccaga atctgggctt ttgaatgggt gttccatgcc cagtgaagaa 600

ggacccatta agtgggttat cactgatgcg gagaagatga gtatgaaaag cctctccaga 660  
ttgaccaaac cacccatac twtattacat gcttc 695

<210> 193  
<211> 3131  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (10)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (26)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (3128)  
<223> n equals a,t,g, or c

<400> 193  
gggnncaaan gctggagctc caccgnggtg cgtccgctct agaactagtg gatcccccg 60  
gctgcaggat tcggcacgag gccacttctt gggggccgcg gcggggccgc tggctgcact 120  
cagcgcggga gccgggagct agcggccgcc gccatgtccc accagaccgg catccaagca 180  
agtgaagatg ttaaagagat ctttgccaga gccagaaatg gaaagtacag acttctgaaa 240  
atatctattg aaaatgagca acttgtgatt ggatcatata gtcagccttc agattcctgg 300  
gataaggatt atgattcctt tgttttacc cgtgtggagg acaacaacc atgctatata 360  
ttattcaggt tagattctca gaatgccag ggatatgaat ggatattcat tgcattggtct 420  
ccagatcatt ctcatgttcg tcaaaaaatg ttgtatgcag caacaagagc aactctgaag 480  
aaggaatttg gaggtggcca cattaaagat gaagtatttg gaacagtaaa ggaagatgta 540  
tcattacatg gatataaaaa atacttgctg tcacaatctt cccctgcccc actgactgca 600  
gctgaggaag aactacgaca gattaaaatc aatgaggtac agactgacgt ggggtgtggac 660  
actaagcatc aaacactaca aggagtagca tttcccatct ctcgagaarc ctttcaggct 720  
ttggaaaaat tgaataatag acagctcaac tatgtgcagt tggaaataga tataaaaaat 780  
gaaattataa ttttggccaa cacaacaaat acagaactga aagatttgcc aaagaggatt 840  
cccaaggatt cagctcgtaa ccatttcttt ctgtataaac attcccatga aggagactat 900  
ttagagtcca tagtttttat ttattcaatg cctggataca catgcagtat aagagagcgg 960  
atgctgtatt ctagctgcaa gagccgtctg ctagaaattg tagaaagaca actacaaatg 1020

gatgtaatta gaaagatcga gatagacaat ggggatgagt tgactgcaga cttcctttat 1080  
gaagaagtac atcccaagca gcatgcacac aagcaaagtt ttgcaaaacc aaaaggctcct 1140  
gcaggaaaaa gaggaattcg aagactaatt agggggcccag cggaaactga agctactact 1200  
gattaaaagtc atcacattaa acattgtaat actagttttt taaaagtcca gcttttagta 1260  
caggagaact gaaatcattc catgttgata taaagtaggg aaaaaaattg tacttttttg 1320  
aaaatagcac ttttcaactc tgtgtgtttt taaaattaat gttatagaag actcatgatt 1380  
tctatttttg agttaaagct agaaaagggt tcaacataat gtttaatttt gtcacactgt 1440  
ttcatagcg ttgattccac acttcaaata cttcttaaaa ttttatacag ttggggccagt 1500  
tctagaaagt ctgatgtctc aaagggtaaa cttactactt tcttgtggga cagaaagacc 1560  
ttaaaatatt catattactt aatgaatatg ttaaggacca ggctagagta ttttctaagc 1620  
tggaacttta gtgtgccttg gaaaaggccg caagttgctt actccgagta gctgtgctag 1680  
ctctgtcaga ctgtaggatc atgtctgcaa cttttagaaa tagtgcttta tattgcagca 1740  
gtctttttata tttgactttt ttttaatagc attaaaattg cagatcagct cactctgaaa 1800  
ctttaagggg accagatatt ttctatactg caggatttct gatgacattg aaagacttta 1860  
aacagcctta gtaaattatc tttctaattg tctgtgaggg caaacattta tgttcagatt 1920  
gaaattttaa ttaatatcat tcaaaaggaa acaaaaaatg ttgagtttta aaaatcagga 1980  
ttgacttttt tctccaaaac catacattta tgggcaaatt gtgttcttta tcaactccga 2040  
gcaaaatact agatttaaaa ttactttaaa gtccctggta ttaacaggct aacgtagata 2100  
aacaccttaa taatctcagt taatactgta tttcaaaaca catttaactg ttttctaatt 2160  
ctttgcatta tcagttacaa cctagagaga ttttgagcct catatttctt tgatacttga 2220  
aatagaggga gctagaacac ttaatgttta atctgttaaa cctgctgcaa gagccataac 2280  
tttgaggcat tttctaaatg aactgtgggg atccaggatt tgtaatttct tgatctaaac 2340  
tttatgctgc ataaatcact tatcggaaat gcacatttca tagtgtgaag cactcatttc 2400  
taaaccttat tatctaagggt aatatatgca ctttcagaa atttgtgttc gagtaagtaa 2460  
agcatattag aataattgtg ggttgacaga tttttaaaat agaatttaga gtatttgggg 2520  
ttttgtttgt ttacaataaa tcagactata atatttaaac atgcaaaata actgacaata 2580  
atgttgcact tgtttactaa agatataagt tgttccatgg gtgtacacgt agacagacac 2640  
acatacacc aaattattgc attaagaatc ctggagcaga ccatagctga agctgttatt 2700  
ttcagtcagg aagactacct gtcatgaagg tataaaataa tttagaagtg aatgtttttc 2760  
tgtaccatct atgtgcaatt atactctaaa ttccactaca ctacattaaa gtaaatggac 2820  
attccagaat atagatgtga ttatagtctt aaactaatta ttattaaacc aatgattgct 2880  
gaaaatcagt gatgcatttg ttatagagta taactcatcg tttacagtat gttttagtgt 2940  
gcagtatcat acctagatgg tgaataacat attcccagta aatttatata gcagtgaaga 3000  
attacatgcc ttctggtgga cattttataa gtgcatttta tatcacaata aaaatttttt 3060  
ctcttttaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 3120  
aaaaaaaaaa a 3131

<210> 194

<211> 2058

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2045)

<223> n equals a,t,g, or c

<400> 194

gccactccgg gtttatttgt ttacaagcgg attacgtcag ctctccctc tcttccctat 60  
ctctggaccc gcctcctgaa ctcttttccc gccctttcg gctccgaacc ggcttgcgtc 120  
acaatggtgc gatattcgga ttggctggag tcggccatca cgctccacgt acgccacttc 180

cttttcgtgg cactataaag ggtgctgcac ggcgcttgca tctcttcgcc tctcggagct 240  
ggaaatgcag ctattgagrt cttcgaatgc tgccggagctg gaggcggagg cagctgggga 300  
ggtccgagcg atgtgaccag gccgccatcg ctctctctct cctctctcct gccgcctcct 360  
gtctcgaaaa taactttttt agtctaaaga aagaaagaca aaagtagtcg tccgccccctc 420  
acgcctctctc ttcctctcag ccttcgcgcc ggtgaggaag cccgggggtg ytgctccgcc 480  
gtcggggccg cgccgcccag ccccgggccg cccggggccg ccccgcacgc cgcccccatg 540  
catcccttct acaccgggc cgccaccatg ataggcgaga tcgccgccgc cgtgtccttc 600  
atctccaagt ttctccgcac caaggggctc acgagcgagc gacagctgca gaccttcagc 660  
cagagcctgc aggagctgct ggcagaacat tataaacatc actgggtccc agaaaagcca 720  
tgcaagggat cgggttaccg ttgtattcgc atcaaccata aaatggatcc tctgattgga 780  
caggcagcac agcggattgg actgagcagt caggagctgt tcaggcttct cccaagtga 840  
ctcacactct gggttgacct ctatgaagtg tcctacagaa ttggagagga tggctccatc 900  
tgtgtgctgt atgaagcctc accagcagga ggtagcactc aaaacagcac caacgtgcaa 960  
atggtagaca gccgaatcag ctgtaaggag gaacttctct tgggcagaac gagcccttcc 1020  
aaaaactaca atatgatgac tgtatcaggt taagatatag tctgtggatg gatcatctga 1080  
tgatgatgga taaatttgat ttttgctttg ggtgggctcc tcttggggat ggattatgga 1140  
atttaaacca tgtcacagct gtgaagatct ggcacaagat agaatggtaa aaaaaaaaaa 1200  
aaattttaag tgacagtgcc atagtttgga cagtacctt caatgattaa ttttaatagc 1260  
ctgtgagtcc aagtaaatga tcactttatt tgctagggag ggaagtccta ggggtggtttc 1320  
agtttctccc agacatacct aaatttttac atcaatcctt ttaaagaaaa tctgtatttc 1380  
aaagaatctt tctctgcagt aaatctcgca ggggaatttg cactattaca cttgaaagtt 1440  
gttattgtta accttttcgg cagcttttaa taggaaagtt aaacgtttta aacatggtag 1500  
tactggaaat tttaacaagac ttttacctag cacttaaata tgtataaatg tacataaaga 1560  
caaactagta agcatgacct ggggaaatgg tcagaccttg tattgtgttt ttggccttga 1620  
aagtagcaag tgaccagaat ctgccatggc aacaggcttt aaaaaagacc cttaaaaaga 1680  
cactgtctca actgtggtgt tagcaccagc cagctctctg tacatttgct agcttgtagt 1740  
tttctaagac tgagtaaact tcttattttt agaaagtgga ggtctggttt gtaactttcc 1800  
ttgtacttaa ttgggtaaaa gtcttttcca caaacacca tctattttgt gaactttggt 1860  
agtcactttt tatttggtaa attatgaact ggtgtaaatt tgtacagttc atgtatattg 1920  
attgtggcaa agttgtacag atttctatat tttggatgag aaatttttct tctctctata 1980  
ataaatcggt tcttatcttg gcattttaaa aaaaaaaaaa aaaaaaaaaa gggcgggcgc 2040  
tctanaagat ccaagctt 2058

<210> 195

<211> 831

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (44)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (791)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (793)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (806)

<223> n equals a,t,g, or c

<400> 195

```
anccctcact aaggggaacaa aagctgggnag ctccaccgcg gtgncgaccg ctctagaact 60
agtggatccc ccgggctgca ggaattcggc agagttcgac ctctgctgca gcccggtgccg 120
ccgcccgcctc ctgggaagag aggaagcggg agaggagccc acgtcgcctg tcaccaata 180
tctccagccg cgcagtcgcc aagagtgtaa gatgttcgcc tgcgccaagc tcgcctgcac 240
cccctctctg atccgagctg gatccagagt tgcatacaga ccaatttctg catcagtgtt 300
atctcgacca gaggctagta ggactggaga gggctctacg gtatttaatg gggcccagaa 360
tgggtgtgtct cagctaatacc aaagggagtt tcagaccagt gcaatcagca gagacattga 420
tactgctgcc aaattttattg gtgcagggtgc tgcaacagta ggagtggctg gttctgggtgc 480
tggtattgga acagtctttg gcagccttat cattgggttat gccagaaacc cttcgtgaa 540
gcagcagctg ttctcatatg ctatcctggg atttgccttg tctgaagcta tgggtctctt 600
ttgtttgatg gttgctttct tgattttgtt tgccatgtaa caaattactg cttgacatgt 660
tggcattcat attaattacg gatgtaattc tgtgtatctt actgtgactc cgaaaactgt 720
agtattggtg tcatgggaat gtacgttatt tccaaagtca tttcattaaa gatgaaaact 780
ttaattcctc ngngattgga ctacanaagt tagattaccc caagagacgg c 831
```

<210> 196

<211> 961

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (31)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (32)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (923)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (947)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (953)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (954)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (960)

<223> n equals a,t,g, or c

<400> 196

```
tagatagaac agatgttttg tgtgaaattt nntatcttta acttaatwaa ccagcaggaa 60
ctgtatgaac acaacacacc caactgacaa acagagagaa ctaacatggt tatttagctg 120
tatgtatata tgcttaacta cacccgagga agctgtagag ttagaaaaac atgaaccatt 180
aacagatgtg gcctccctgc agaactttta ctttgaaaaa gaagtacgtc tgaaccagat 240
tcacatgttt gatatttgga tgcagagaaa atggggcaga aagcatcgca acagttggct 300
ctgaaggaca gcaaagaggt gcccgtcgtc tgtgargtgg tcagtgaagc tatagtccat 360
gcagctcaga aactgaagga gtaccttgga tttgaatatc ctccaagtaa actctgcca 420
gctgcaaata ctctgaatga gatcttctta atccatttca tcactttctg ccaagaaaag 480
ggagttgatg agtggctgac caccaccaag atgaccaagc accaagcctt cctgtttggt 540
gcagactgga tttggacctt ttggggatcy gacaagcaaa taaagcttca gctcgcagta 600
cagactctgc agatgtcttc acctcctcct gtggaatcta agccttgtga cctttccaat 660
ccagaatcaa rggтарagga rtcttcctgg aagaaaagta gatttgataa gctggaagaa 720
ttctgtaact taataggaga ggattgcctg ggtctgttta tcatctttgg tatgccagga 780
aagcctaaag acatcagggg agttgtcctg gacagtgtca aaagtcagat ggtgaggagc 840
catctgccag gagggaaggc tgtggctcas tttgtcctgg aaactgaaga ttgtgtgttc 900
atcaaagagc tgctcaaaat tgnctgagta agaaagacgg gctgganaga agnnggcaan 960
g                                                                                      961
```

<210> 197

<211> 606

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (488)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (500)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (603)

<223> n equals a,t,g, or c

<400> 197

```
gcttggtct gtcccggtg gacgacgccg tggctgcaa caccgccag tgygcccaga 60
ggagggacag gagaggcgt gaaggaagag ggcaggggat cgagccttca cccgcctctg 120
ccaccccagg gactcgggga gtatgccgca tgccagtcac acgccttcat gaagggcggt 180
ttcaccttcg tcacaggcac cggcatggcc tttggcttgc agatgttcat tcagaggaag 240
tttccatacc ctttgcagtg gagcctccta gtggccgtgg ttgcaggctc tgtggtcagc 300
tacggggtga cgagagtggg gtcggagaaa tgcaacaacc tctggctctt cctggagacc 360
gggcagctcc ccaaagacag gagcacagat cagagaagct aggagagctc cagcaggggc 420
acagaggatt gggggcagga ggagtctgga acacagcctt catgccccct gaccccaggc 480
cgaccctncc cacaccctan ggtaccccag tcgtatcctc tgtccgcagc tgtggccagg 540
cctgacaaac acctgcagat ggctgctgcc caacctggga ccttgcccag gaggttggag 600
canaaa 606
```

<210> 198

<211> 393

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (253)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (354)

<223> n equals a,t,g, or c

<400> 198

```
cccacgcgtc cgcccacgcg tcctggacct cctgtgcaag aacatgaaac acctgtgggt 60
cttctctctg ctggtggcag ctcccagatg ggtcctgtcc caggtgcagc tgcaggagtc 120
gggcccagga ctggtgaagc cttcacagac cctgtccctc acctgcactg tctctggtgg 180
ctccatcagc agtgggtgctt actactggag ctggatccgc cagcaccagc ggaagggcct 240
ggagtggatt ggntwcatct attacagtgg gascacctac tacaayccgt ccctcaarag 300
tctagttasc atatcastag acacgtctaa gaaccasttc tccctgaasc tgancctctgt 360
gackgccgcg gacacggmcg tgtattactg tgc 393
```

<210> 199

<211> 1061

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1035)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1056)

<223> n equals a,t,g, or c

<400> 199

```
gccccacgct gaccaccggc gtggagggaa ggcctctgag actctgcact gagcaccatt 60
ttggacttgt gtgtccagga gtcattgtccc ccgacgagta ccaytcaggg gtcaacaact 120
ctgtgtacac caacgtcctg gtccagaaca ggtagacac aagatcccct cacctcacc 180
cacccccgcc ccagctggag acctgccccg gtgccccac taggcaggca gcagctggaa 240
gtgtaggggt tgcagctcc cccamctacc tccacctcca gcctgcgctt tgctgtgcc 300
ctggcccagg acctgggtct tccatcccc agccaktggc tggcggtggc tgacaagatc 360
aagggtacct ttgacgtkga gcagaacttc caccggagt tcgatgggtg tgagcctggt 420
gaktggaccc cttcaaggy tctcccttg ccgtcgagac cctcgagtct gtccctggaac 480
accttccagt cagcggcacc tccctgtagg agaggtggtg aagcaggcag acgtcgtgct 540
cctgggatac cmagtcacct tctccctgag tctgatgtt cgcaggaaaa atctggagat 600
ttacgaggct gtgacgtccc cccagggcc cgccatgacc tggagcatgt ttgctgtggg 660
ctggatggag ctgaaggacg cagtgcgggc ccggggcctc ctggacagga gctttgcca 720
catggctgaa cccttcaagg tgtggacgga gaatgcagac gggtcaggcg ctgtgaactt 780
cctgacaggc atggggggct tctgcaggcg gtggtcttcg ggtgcacggg gttcagggtc 840
acccgagcgg gtgtgacctt tgacctgtg tgtctgtcgg ggatctccag artgagcgy 900
tccggcatct tctaccaggg gaacaagctc aacttctctt tttccgagga ctccgtgacc 960
gtggaggtca cagctcgagc agggccctgg gctcctcacc tggaggctga gctgtggcca 1020
ttccagtcce ggmtnttct tgtkcmggam macaangggc t 1061
```

<210> 200

<211> 1359

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1005)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1128)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1342)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1343)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1344)

<223> n equals a,t,g, or c

<400> 200

```
tcacgcgtcc ggggctgcag taggtcccgg caaccgcagg ctgcggggcg gcgctggggcg 60
cgggatccga ctctagtcgt aatggaggcg ggcggttttc tggactcgct catttacgga 120
gcatgcgtgg tcttcaccct tggcatgttc tccgccggcc tctcggacct caggcacatg 180
cgaatgaccc ggagtgtgga caacgtccag ttcctgccct ttctcaccac ggaagtcaac 240
aacctgggct ggctgagtta tggggctttg aagggagacg ggatcctcat cgtcgtcaac 300
acagtgggtg ctgcgcttca gacctgtat atcttggcat atctgcatta ctgccctcgg 360
aagcgtgttg tgctcctaca gactgcaacc ctgctagggg tcctttctcct gggttatggc 420
tacttttggc tcctggtacc caacctgag gcccggttc agcagttggg cctcttctgc 480
agtgtcttca ccatcagcat gtacctctca cactggctg acttggctaa ggtgattcaa 540
actaaatcaa ccaatgtct ctctaccca ctaccattg ctacccttct cacctctgcc 600
tcctgggtgcc tctatgggtt tcgactcaga gatccctata tcatgggtgc caactttcca 660
ggaatcgta ccagctttat ccgcttctgg cttttctgga agtaccacca ggagcaagac 720
aggaactact ggctcctgca aacctgaggc tgctcatctg accactgggc accttagtgc 780
caacctgaac caaagagacc tccttgtttc agctgggcct gctgtccagc tcccagggtg 840
cagtgggttg tgggaacaag agatgacttt gaggataaaa ggaccaaaga aaaagcttta 900
cttagatgat tgattggggc ctaggagatg aaatcacttt ttatttttta gagatttttt 960
tttttaattt tggaggttg ggtgcaatct ttagaatatg ccttnaaagg ccgggcgcgg 1020
tgctcacgcc tgtaatccca gcactttggg aggccaaagg gggcgatcg cctgaggta 1080
ggagttcaag accaacctga ctaacatggt gaaaccccat ctctactnaa aatacaaaat 1140
tagccaggca tgatggcaca tgctgtaat ccagatact tgggaggctg aggcaggaga 1200
attgcttgaa ccaggagggt ggaggttgca gtgagctgag atcgtgccat tgtgatatga 1260
atatgcctta tatgtgata tgaatatgcc ttaaaataaa gtgttcccca cccctgaaaa 1320
aaaaaaaaaa aaaaaaaaaa annnaaaaag ggcggccgc 1359
```

<210> 201

<211> 726

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (30)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (179)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (724)  
<223> n equals a,t,g, or c

<400> 201  
ttcgaantta cccttcatta aagggaacan aagttggagc ttccaccgcg gtggcgggccg 60  
ctctagaact agtggatccc ccgggctgca ggaattcggc acgaggagag aactagtctc 120  
gcgagagcg cagcgmacgg ccacagacag ccctgggcat ccaccgacgg cgcacggang 180  
ccagcagagc cggaaggcgc gccccgggca gagaaagccg agcagagctg ggtggcgctct 240  
ccgggcccgc gctccgacgg gccagcgccc tccccatgtc cctgctccca cgccgcgccc 300  
ctccggtcag catgaggctc ctggcgggcg cgctgctcct gctgctgctg gcgctgtaca 360  
ccgcgcgtgt ggacgggtcc aaatgcaagt gctcccggaa ggaccaaga tccgctacag 420  
cgagctgaag aagctggaaa tgaagccaaa gtaccgcgac tgcgaggaga agatggttat 480  
catcaccacc aagagcgtgt ccagggtaccg aggtcaggag cactgcctgc accccaagct 540  
gcagagcacc aagcgcttca tcaagtggta caacgcctgg aacgagaagc gcaggggtcta 600  
cgaagaatag ggtgaaaaaac ctcagaaggg aaaactccaa accagttggg agacttgctgc 660  
aaaggacttt gcagattaaa aaaaaaaaaa aaaaaaaaaa aaaagccttt ctttctcaca 720  
ggcnta 726

<210> 202  
<211> 2714  
<212> DNA  
<213> Homo sapiens

<400> 202  
gctttgtttg ccatttccta caggtgaaac gccatcatta ggattcactg taacgttagt 60  
gctattaaac tactagcat ttttattaat ggccgttatc tacactaagc tatactgcaa 120  
cttggaaaaa gaggacctct cagaaaactc acaatctagc atgattaagc atgtcgcttg 180  
gctaattctt accaattgca tctttttctg ccctgtggcg tttttttcat ttgcaccatt 240  
gatcactgca atctctatca gccccgaaat aatgaagtct gttactctga tttttttcc 300  
attgcctgct tgctgaatc cagtcctgta tgttttcttc aacccaaagt ttaaagaaga 360  
ctggaagtta ctgaagcgac gtgttaccaa gaaaagtgga tcagtttcag tttccatcag 420  
tagccaaggt ggtgtgtctg aacaggatct ctactacgac tgtggcatgt actcacattt 480  
gcagggcaac ctgactgttt gcgactgctg cgaatcgttt cttttaacaa agccagtatc 540  
atgcaaacac ttgataaaat cacacagctg tcctgcattg gcagtggctt cttgccaaag 600  
acctgagggc tactgggtccg actgtggcac acagtssgcc cactctgatt atgcagatga 660  
agaagattcc tttgtctcag acagtctga ccagggtgag gcctgtggac gagcctgctt 720  
ctaccagagt agaggattcc ctttgggtcg ctatgcttac aatctaccaa gagttaaaga 780  
ctgaactact gtgtgtgtaa ccgtttcccc cgtcaaccaa aatcagtggt tatagagtga 840  
accctattct catctttcat ctgggaagca cttctgtaat cactgcctgg tgtcacttag 900  
aagaaggaga ggtggcagtt tttttctcaa accagtcatt ttcaaagaac aggtgcctaa 960  
attataaatt ggtgaaaaat gcaatgtcca agcaatgtat gatctgtttg aaacaaatat 1020  
atgacttgaa aaggatctta ggtgtagtag agcaatataa tgtagttttt ttctgatcca 1080  
taagaagcaa atttatacct atttgtgtat taagcacaag ataaagaaca gctgttaata 1140  
ttttttaaaa atctatttta aaatgtgatt ttctataact gaagaaaata tcttgctaata 1200  
tttacctaata gtttcatcct taatctcagg acaacttact gcagggccaa aaaagggact 1260

gtcccagcta gaactgtgag agtatacata ggcattactt tattatgttt tcacttgcca 1320  
tccttgacat aagagaacta taaattttgt ttaagcaatt tataaatcta aaacctgaag 1380  
atgttttttaa aacaatatta acagctgtta gggttaaaaa atagctggac atttgttttc 1440  
agtcattata cattgctttg gtccaatcag taattttttc ttaagtgttt tgtgattaca 1500  
ctactagaaa aaaagtaaaa ggctaattgc tgtgtgggtt tagtcgattt ggctaaacta 1560  
ctaactaatg tgggggttta atagtatctg agggatttgg tggcttcatt taatgttctc 1620  
attaatgaat acttccta atcgttggct ctactaatat tttccaattt gctgggatgt 1680  
cacctagcaa tagcttgat tatatagaaa gtaaactgtg gtcaatactt gcatttaatt 1740  
agacgaaacg gggagtaatt atgacacgaa gtacttatgt ttatttctta gtgagctgga 1800  
ttatcttgaa cctgtgctat taaatggaaa tttccataca tcttcccat actatTTTT 1860  
ataaaagagc ctattcaata gctcagaggt tgaactctgg ttaaacaaga taatatgtta 1920  
ttaataaaaa tagaagaaga aagaataaag cttagtcctg tgtctttaa aattaaaaat 1980  
tttacttgat tcccatctat gggctttaga cctattactg ggtggagtct taaagttata 2040  
attgttcaat atgttttttg aacagtgtgc taaatcaata gcaaaccac tgccatatta 2100  
gttattctga atatactaaa aaaatccagc tagattgcag ttaataatt aaactgtaca 2160  
tactgtgcat ataataaatt tttatcttat gtaaattatt tttagaacac aagttgggaa 2220  
atgtggcttc tgttcatttc gtttaattaa agctacctcc taaactatag tggctgccag 2280  
tagcagactg taaattgtg gtttatatac tttttgcatt gtaaatagtc tttgtgtac 2340  
attgtcagtg taataaaac agaactcttg tatatcaaaa tcatgtagtt tgtataaaat 2400  
gtgggaagga tttatttaca gtgtgttgta attttgtaag gccaactatt tacaagtttt 2460  
aaaaattgct atcatgtata tttacacatc tgataaatat taaatcataa cttggtaaga 2520  
aactccta taaaagggtt tttccaaaat tcagggttatt gaaaayttt cattttattc 2580  
atttaaaaac tagaataaca gatataaaa agtggttaatc tttgtgctat atgggtatga 2640  
atacaatatt gtactcagtg ttttgaatta ttaaagttc tagaaagcaa aaaaaaaaaa 2700  
aaaaaaaaa gtag 2714

<210> 203

<211> 422

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (419)

<223> n equals a,t,g, or c

<400> 203

gacggagccg gaagcaggaa gcagcctgk ctcccagga cctgcctggt tgggggaatt 60  
ggaggcttct aggaggtggc acggtgcacg ccaagatggc tgtgtccaca gaggagctgg 120  
aggccacggt tcaggaagtc ctggggagac tgaagagcca ccagtttttc cagtccacat 180  
gggacactgt tgccttcatt gttttctca ccttcattgg caccgtgctg ctctgctgc 240  
tgctggtcgt cgccactgc tgctgctgca gctcccccg gccccgcagg gaaagcccca 300  
ggaaggaaag acccaaggga gtggataact tggccctgga accctgacct tgtgtctcct 360  
gcccgtggc agtaacaaag ccttctgtct gcccagaaa aaaaaaaaaa aaaaaaang 420  
gg 422

<210> 204

<211> 2339

<212> DNA

<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (18)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (19)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (47)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (91)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (125)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (199)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2238)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2321)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2329)  
<223> n equals a,t,g, or c

<220>



<221> misc feature

<222> (2334)

<223> n equals a,t,g, or c

<400> 204

```
anacatggcc aatcaatnnt ctttcagcgt caagaatacg ggacatncac caggaccctg 60
tgaactgacc gctgtgcctg cccttcaagt ncaaggccaa ggattgcact gtgcccata 120
acacntgcat ccagaacccc tgtcagcatg aggacactgc cacctgagtg acagcccca 180
ggatgggttc agctgytcnt gccctctggg ctttragggg cagcgggtgtg agatcaaccc 240
agatgactgt gaggacaacg actgcgaaam caatgccacc tgcgtggacg ggatcaacaa 300
ctacgtgtgt atctgtccgc ctaactacac aggtgagcta tgcgacgagg tgattgacca 360
ctgtgtgcct gagctgaacc tctgtcagca tgaggccaag tgcaccccc tggacaaagg 420
attcagctgc gagtgtgtcc ctggctacag cgggaagctc tgtgagacag acaatgatga 480
ctgtgtggcc cacaagtgcc gccacggggc ccagtgcgtg gacacaatca atggctacac 540
atgcacctgc cccaggggct tcagtggacc cttctgtgaa cccccccac ccatggctct 600
actgcagacc agcccatgcg accagtacga gtgccagaac ggggccaggt gcacgtgtgt 660
gcagcaggag cccacctgcc gctgccacc aggcttcgcc ggcccagat gcgagaagct 720
catcactgtc aacttcgtgg gcaaagactc mtacgtggaa ctggcctccg ccaaggtccg 780
accccaggcc aacatctccc tgyaggtggc cctgacaagg acaacggmat cttctctac 840
aaaggagaca atgacccctt ggcaactggg ctgtaccagg gccacgtgcg gctggcttat 900
gacagcctga gttccctctc aaccacagtg tacagtgtgg agacagtga trtgaggcag 960
tttcacagtg tggagctggt gacgctaaac cagaccctga acctagtagt ggacaaagga 1020
actccaaaga gcctggggaa gctccagaag cagccagcag tgggcatcaa cagccccctc 1080
taccttgagg gcacccccac ctccaccggc ctctccgcct tgcgccaggg caccgaccgg 1140
cctctaggcg gcttccacgg atgcatccat gaggtgcgca tcaacaacga gctgcaggac 1200
ttcaaggccc tcccaccaca gtccctgggg gtgtcaccag gctgcaagtc ctgcaccgtg 1260
tgcaagcacg gcctgtgccg ctccgtggag aaggacagcg tgggtgtcga gtgccgccc 1320
ggctggaccg gccactctg cgtacaggag gcccgggacc cctgcctcgg ccacagatgc 1380
caccatggaa aatgtgtggc aactgggacc tcatacatgt gcaagtgtgc cgagggctat 1440
ggaggggact tgtgtgacaa caagaatgac tctgccaatg cctgctcagc cttcaagtgt 1500
caccatgggc agtgccacat ctacagacaa ggggagccct actgcctgtg ccagcccggc 1560
tttagcggcg agcactgcca acaagagaat ccgtgcctgg gacaagtagt ccgagagggtg 1620
atccgccgcc agaaaggtta tgcacatgt gccacagcct ccaagggtgcc catcatggaa 1680
tgtcgtgggg gctgtggggc ccagtgtgc cagcccaccc gcagcaagcg gcggaaatac 1740
gtcttccagt gcacggacgg ctccctcgtt gtagaagagg tggagagaca cttagagtgc 1800
ggctgcctcg cgtgttccta agcccctgcc cgctgcctg ccacctctcg gactccagct 1860
tgatggagtt gggacagcca tgtgggaccc cctggtgatt cagcatgaag gaaatgaagc 1920
tggagaggaa ggtaaagaag aagagaatat taagtatat gtaaaataaa caaaaaatag 1980
aacttatttt tattatggaa agtgactatt ttcattttt attatataaa tatattacac 2040
catctgcgta tatgtacat atagttagtt atttttacca agttttgtgt tgtgtatttg 2100
ttgtgttttt aaaaatagct gtttaaaaat ttaagaaaaa aatagactaa taaaaatgct 2160
ttaaaacaaa aggataagaa taaagaatga tagcctgtct gaggaaggag gaagatgttt 2220
tcatgtttat gaaacggnat tatgtcggca gtagaccaag agctgctcat gagatcagaa 2280
aaaggaataa gaggaagaga gagggaggaa aagacctgt ntctgtttnt taantccct 2339
```

<210> 205

<211> 1655

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature  
<222> (1548)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1559)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1564)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1623)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1643)  
<223> n equals a,t,g, or c

<400> 205

```
ttcggggcta gcgtcggcga ggcttgagct tgcagcgcgc ggcttcctg ctttctcgcg 60
gccaccccg ctccggcggc ctcggcgcg gcggggctgg aggtgcggga gccgctctcc 120
gccggtcggg ccccgcgcg ctgagcccag gccgccagcg ccgcgggcmc gtgcggtgtc 180
cctgagctcc tgctccccgc cgggctgctc cgagcaacgg tgcttcggag ctccaaactc 240
gggctgcccg ggcaagtgtc ttcatgaacc cagaggatgt ccgggaagca ctacaagggt 300
cctgaagtca gttgttgcat caaatacttc atatttggt tcaatgtcat attttggtt 360
ttgggaataa catttcttgg aattggactg tgggcatgga atgaaaaagg agttctgtcc 420
aacatctctt ccatcaccga tctcggcggc tttgaccag tttggctctt ccttgtggtg 480
ggaggagtga tggtcatttt gggatttgca ggggtgcatt gagcgctacg ggaaaacact 540
ttccttctca agtttttttc tgtgttctg ggaattattt tcttctgga gctcactgcc 600
ggagttctag catttgtttt caaagactgg atcaaagacc agctgtattt ctttataaac 660
aacaacatca gagcatatcg ggatgacatt gatttgcaa acctcataga cttcaccag 720
gaatattggc agtgctgtgg ggcttttgga gctgatgatt ggaacctaaa tatttacttc 780
aattgcacag attccaatgc aagtcgagag cgatgtggcg ttccattctc ctgctgcact 840
aaagatcccg cagaagatgt catcaacact cagtgtggct atgatgccag gcaaaaacca 900
gaagttgacc agcagattgt aatctacacg aaaggctgtg tgccccagtt tgagaagtgg 960
ttgcaggaca atttaacat cggtgctggt attttcatag gcattgcatt gctgcagata 1020
tttgggatat gcctggccca gaatttggtt agcgatatcg aagctgtcag ggcgagctgg 1080
tagacccct gcaaccgctg ctgcaagaca ctggacagac ccagctttcg ggacctccc 1140
gcgtgccgaa ctgatcttcg agctgcatgg acctaatcac agatgcagcc tgcagtctcg 1200
cctaattggag ctgccattag gggagtgtaa aactgggaaa tgctgtcac tgacagaatt 1260
aaaaaaaaaa ataaccagta tgaaagtcgt tgcgccgtga atctctactg tagccatgaa 1320
tttatggaca gttagatgct taccaaaaaa gaaaaaaagg gagggtaggg gaccagatg 1380
tacttgaatg tgcagaaaat acattcttgt cctcatcttc cgtaattgga gggctgggag 1440
argcagcttt gctcttcacc acaccttgga cggaccacct tctttctggt ccatggcctg 1500
aaggagtggc atctcctcaa aggactcagc ccctcacctg ggagggancg agtttctgnc 1560
```

cccncttaga tttttaatcc agcttggtgg tccaccggtt tgttctgccc cccctgggg 1620  
agncaagatt atcaagcctt gcnegcactt cttgt 1655

<210> 206  
<211> 5145  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (17)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (5126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (5143)  
<223> n equals a,t,g, or c

<400> 206  
gtcngattcg cggccgnatc ggaggtttcg gctaagttgg aggtactggc cacgactgca 60  
tgcccgcgcc cgccaggtga tacctccgcc ggtgaccag gggctctgcg acacaaggag 120  
tctgcatgtc taagtgttag acatgtctag ctttgtggat acgaggactt tggtgctgct 180  
tgcagtaacc ttatgcctag caacatgcca atctttacaa gaggaactg taagaaagg 240  
cccagccgga gatagaggac cacgtggaga aaggggtcca ccaggccccc caggcagaga 300  
tggtgaagat ggtccacag gccctcctgg tccacctggt cctcctggcc cccctggtct 360  
cgggtggaac tttgctgctc agtatgatgg aaaaggagtt ggacttggcc ctggaccaat 420  
gggcttaatg ggacctagag gccacactgg tgcagctgga gcccaggcc ctcaagggtt 480  
ccaaggacct gctggtgagc ctggtgaacc tgggtcaact ggtcctgcag gtgctcgtgg 540  
tccagctggc cctcctggca aggtggtga agatggtcac cctggaaaac ccggacgacc 600  
tggtgagaga ggagttgttg gaccacaggg tgctcgtggt ttccctggaa ctccctggact 660  
tcctggcttc aaaggcatta ggggacacaa tggctctggat ggattgaagg gacagcccg 720  
tgctcctggt gtgaagggtg aacctggtgc ccctggtgaa aatggaactc caggtaaac 780  
aggagcccgt gggcttcctg gtgagagagg acgtgttggg gccctggcc cagctggtgc 840  
ccgtggcagt gatggaagtg tgggtcccgt gggctcctgct ggtccattg ggtctgctgg 900  
ccctccaggc ttcccaggtg cccctggccc caagggtgaa attggarctg ttggtaacgc 960  
tggtcctgct ggtcccgccg gtcccctggg tgaagtgggt cttccaggcc tctccggccc 1020  
cgttggaact cctggtaatc ctggagcaaa cggccttact ggtgccaaagg gtgctgctgg 1080  
ccttcccggc gttgctgggg ctcccggcct ccctggacc cgcggtattc ctggccctgt 1140  
tggtgctgcc ggtgctactg gtgccagagg acttgttggg gagcctggtc cagctggctc 1200  
caaaggagag agcggtaaca aggggtgagc cggctctgct gggccccaag gtccctcctg 1260  
tcccagtggt gaagaaggaa agagaggccc taatggggaa gctggatctg ccggccctcc 1320

aggacctcct gggctgagag gtagtcctgg ttctcgtggg cttectggag ctgatggcag 1380  
 agctggcgctc atgggccctc ctggtagtcg tggtgcaagt ggccctgctg gactccgagg 1440  
 acctaatgga gatgctggtc gccctgggga gcctggctctc atgggaccca gaggtcttcc 1500  
 tggttccctt ggaaatatcg gccccgctgg aaaagaaggt cctgtcggcc tccctggcat 1560  
 cgacggcagg cctggcccaa ttggcccmgc tggagcaaga ggagagcctg gcaacattgg 1620  
 attccctgga cccaaaggcc ccaactggtga tcctggcaaa aacggtgata aagggtcatgc 1680  
 tggctcttgc ggtgctcggg gtgctccagg tcctgatgga aacaatggtg ctcagggacc 1740  
 tcctggacca cagggtgttc aagggtgaaa aggtgaacag ggtcccgtg gtcctccagg 1800  
 ctccaggggt ctgcctggcc cctcaggtcc cgctggtgaa gttggcaaac caggagaaaag 1860  
 gggctctccat ggtgagtttg gtctccctgg tcctgctggg ccaagagggg aacgcgggtcc 1920  
 cccaggtgag agtgggtgctg ccggtccctac tggctctatt ggaagccgag gtccttcttg 1980  
 acccccaggg cctgatggaa acaagggtga acctggtgtg gttggtgctg tgggcaactgc 2040  
 tggctccatct ggtccctagt gactcccagg agagaggggt gctgctggca tacctggagg 2100  
 caaggagaaa aagggtgaac ctggtctcag aggtgaaaatt ggtaaccctg gcagagatgg 2160  
 tgctcgtggg gtctcctggt ctgtaggtgc ccctggctct gctggagcca cagggtgaccg 2220  
 gggcgaaact gggctgctgg tcctgctggg cctgctgggc ctgggggaaag ccctgggtgaa 2280  
 cgtggtgagg tcggtcctgc tggccccaat ggatttgctg gtcctgctgg tgctgctggg 2340  
 caacctggtg ctaaaggaga aagaggagcc aaagggccta agggtgaaaa cgggtgttgtt 2400  
 ggtccacacag gccccgttg agctgctggc ccagctgggc caaatggtcc ccccggtcct 2460  
 gctggaagtc gtggtgatgg agggccccct ggtatgactg gtttccctgg tgctgctgga 2520  
 cggactggtc ccccaaggacc ctctggtatt tctggccctc ctgggtcccc tggctcctgt 2580  
 gggaaagaag ggcttcgtgg tcctcgtggg gaccaagggtc cagttggccg aactggagaa 2640  
 gtaggtgcag ttggtccccc tggcttcgct ggtgagaagg gtccctcttg agaggctggg 2700  
 actgctggac ctccctggcac tccaggtcct cagggtcttc ttggtgctcc tgggtattctg 2760  
 ggtctccctg gctcgagagg tgaacgtggg ctaccagggtg ttgctggtgc tgtgggtgaa 2820  
 cctggtcctc ttggcattgc cggccctcct gggggccctg gtcctcctgg tgctgtgggt 2880  
 agtcctggag tcaacggtgc tcctggtgaa gctggctcgt atggcaaccc tgggaacgat 2940  
 ggtcccccag gtcgcgatgg tcaaccggga cacaaggag agcgcggtta ccctggcaat 3000  
 attggtcccg ttggtgctgc aggtgcacct ggtcctcatg gcccgtggg tcctgctggc 3060  
 aaacatggaa accgtggtga aactggtcct tctggtcctg ttggtcctgc tgggtgctgtt 3120  
 ggcccaagag gtcctagtgg cccacaaggc attcgtggcg ataagggaga gcccgggtgaa 3180  
 aaggggcccc gaggtcttcc tggcttaaag ggacacaatg gattgcaagg tctgcctggg 3240  
 atcgtggtc accatggtga tcaagggtgct cctggctccg tgggtcctgc tgggtcctagg 3300  
 ggccctgctg gtccttcttg ccctgctgga aaagatgggc gactggaca tcctggtaca 3360  
 gttggacctg ctggcattcg aggcctcag ggtcaccaag gccctgctgg ccccccgtgt 3420  
 cccctggcc ctccctggacc tccaggtgta agcgggtggg gttatgactt tgggtacgat 3480  
 ggagacttct acagggtgta ccagcctcgc tcagcacctt ctctcagacc caaggactat 3540  
 gaagttgatg ctactctgaa gtctctcaac aaccagattg agacccttct tactcctgaa 3600  
 ggctctagaa agaaccacgc tcgcacatgc cgtgacttga gactcagcca cccagagtgg 3660  
 agcagtggtt actactggat tgaccctaac caaggatgca ctatggatgc tatcaaagta 3720  
 tactgtgatt tctctactgg cgaaacctgt atccgggccc aacctgaaaa catcccagcc 3780  
 aagaactggt ataggagctc caaggacaag aaacacgtct ggctaggaga aactatcaat 3840  
 gctggcagcc agtttgaaata taatgtagaa ggagtgactt ccaaggaaat ggctacccaa 3900  
 cttgccttca tgcgcctgct ggccaactat gcctctcaga acatcaccta cactgcaag 3960  
 aacagcattg catacatgga tgaggagact ggcaacctga aaaaggctgt cattctacag 4020  
 ggctctaata atgttgaaact tgttgctgag ggcaacagca ggttcactta cactgttctt 4080  
 gtagatggct gctctaaaaa gacaaatgaa tggggaaaga caatcattga atacaaaaca 4140  
 aataagccat cagcctgccc ctctcttgat attgcacctt tggacatcgg tgggtgctgac 4200  
 cagggaattct ttgtggacat tggcccagtc tgtttcaaat aaatgaactc aatctaaatt 4260  
 aaaaaagaaa gaaatttgaa aaaactttct ctttgccatt tcttcttctt cttttttaac 4320  
 tgaaagctga atccttccat ttcttctgca catctacttg cttaaattgt gggcaaaaaga 4380

gaaaaagaag gattgatcag agcattgtgc aatacagttt cattaactcc ttcccccgct 4440  
cccccaaaaa tttgaatttt tttttcaaca ctcttacacc tgttatggaa aatgtcaacc 4500  
tttgtaagaa aaccaaaata aaaattgaaa aataaaaaacc ataaacattt gcaccacttg 4560  
tggcttttga atatcttcca cagaggggaag tttaaaaccc aaacttccaa aggtttaaac 4620  
tacctcaaaa cactttccca tgagtgtgat ccacattggt aggtgctgac ctagacagag 4680  
atgaactgag gtccttggtt tgttttgttc ataatacaaa ggtgctaatt aatagtattt 4740  
cagatacttg aagaatggtg atgggtgctag aagaatttga gaagaaatac tcctgtattg 4800  
agttgtatcg tgtgggtgat tttttaaaaa atttgattta gcattcataat tttccatctt 4860  
attcccaatt aaaagtatgc agattatttg cccaaatctt cttcagattc agcatttggt 4920  
ctttgccagt ctcatcttca tcttcttcca tgggtccaca gaagctttgt ttcttgggca 4980  
agcagaaaaa ttaaattgta cctattttgt atatgtgaga tgtttaaata aattgtgaaa 5040  
aaaatgaaat aaagcatggt tgggtttcca aaagaaaaaa aaaaaaaaaa aacycgrggg 5100  
ggggcccgww acccaattgg cccangggg ggccggttac atnca 5145

<210> 207

<211> 487

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (470)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (483)

<223> n equals a,t,g, or c

<400> 207

tccgccctcc cgctcgctccc ctgctcgggg tcagctagtg tccctctctgc tcggccgcgg 60  
gctcccgag gactgcaggc aggatgacgc aaaacacggt gattgtgaat ggagttgcta 120  
tggcctctag gccatccag cccaccacg tcaacgtcca catccaccag gagtcaactt 180  
tgacacaact gctgaaagct ggagggtctc tgaagaagt tctttttcac cctggggaca 240  
ctgtgccttc cacagccagg attggttatg agcagctggc tctaggggtg actcagatat 300  
tgctgggggt tgtgagttgt gttcttgag tgtgtctcag cttggggccc tggactgtgc 360  
tgagtgcctc agctgtgcct tctgggcggg gtctgtggtg atcgcarcar gastkgggcc 420  
attgtccatg araarcaccc gggcaaactk gytggctata ttscagccgn tcacccggca 480  
agntttg 487

<210> 208

<211> 2296

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (202)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (252)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2258)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2285)  
<223> n equals a,t,g, or c

<400> 208  
gaagaattag gcttggtttc aggttacata aataatagag cagatggttg cctttgggtc 60  
ttgaacaaaa ataagactta ctaaaggaag agtgagtttt tagaagagaa ctttacgagc 120  
gtgacattat gcattactcc acatccaccc ttttaagaatt gatttattac aaaattatgt 180  
tctatttttaa agtccactcc cncaaaatac tgatttcttc catggattat ttttatatga 240  
tttgtacaaa tnttttctga aatttaaatt gacaagcaat gttataaaaa tattgctaatt 300  
cttctgctta tttttcagcc tttaaagtct gaaatactat aaaacactga gagtatctat 360  
gtctttctga attttaaagt aaaattcatg tccatatgga gacttacata ttccccaatc 420  
tttccatgaa ttgcattttt ttctaatact tatctctgtt aagactccat tgaaagttaa 480  
acaaaaagcc gatataatag tttgggtttt ttttttttgc ttatttttagt attttgaatc 540  
agagaatact tggccaagct cgtatttgta aactaaaacc ccttgttatt tgtatcttct 600  
gcatttcagt tttactgtaa gaacatacat yttgaaatta tgaacatttt tttcataaaa 660  
attaaatgct ttaagaaatg gagaaggaaa aatagctttt atcaattttt ttctcctcaa 720  
gattctgtaa taaacctcaa agtctggtgt agaattggtat tttcccgttt gaggtcttgg 780  
tagttttttt ttttttttta aacatggtgc cacttttaat taactaaatg ttacaaaatt 840  
ctcagcattt gtttttgtct ggtagtatta ttgagtcctt tcatacactt cttaaaatgt 900  
gaaaatctat gttttcagta ttatgacagt atctgcagat actataataa tatgcttttg 960  
ccaaatttgc tktttataga gtgaaccaag atgtcagttt tgtattgggg atatgtttta 1020  
cataaataga actcatttta aagtatggtt caagtactgc tcttcttttt atgggggaaat 1080  
tgatttttaa ggagcgattc ttttcctata taaaagctat tgaggcttag ctttattcat 1140  
acatgagtga tttggttata actcaatcaa aatttttatc tttaaatctg agacaagtat 1200  
tatattttaa actagatcta ttaatacatt catcactgcc tgaaaatttg ctgttctaatt 1260  
gwttgtgaat tttcactcat tacctagagt aaacttattg catattttca taatcagtca 1320  
aaataataaa actaaaaaca aaaagtaaaa attagttccc aagtaaatat atcagtgttt 1380  
cctgtgtttg ggcagaagtg caaagtagtt ttaatttctc acgttgtaga aaaagaggcc 1440  
aaaaaggtca ccttagttta tttttccaaa acataacttt aggtattcta atgtattttg 1500  
ttagttgctt agaaatggaa ataaaatata tgtgcttatt aaataatgca cagtacacta 1560  
gattatagag tttatttttg cttttatgct ttaaagaatg catgccc aaaactactac 1620  
caacaagagg atttttttaa atcacagaat tgatatttat ctcaagacta tcttaagcta 1680  
atgtacttct gttacataat taaactattt ctgctattat ttttaaagca gtattatttt 1740  
ataaccaatt ctaaaattca gctttaaaaa tattgracat accttcctac cacttacgct 1800  
tcaagtttca tttattgaat accagggtca tatcttagaa ttgtatataa aacaacatgt 1860  
aaccatttca tgaaaaacgt ttttaagtat tgctttttgc tgctatgttc tgcaattgagc 1920  
ctagttttgc cattgtcccc tgaatgtagt attatctata gattatacat aactacatct 1980  
attgcttttg gtggtaaatc aagatttagt tgtaattttc cagctgtgaa aatgttgctt 2040  
tgtattttaa agggtttcat gaatggaaac ctaagtaaaa ctaagctcat tagtgacaga 2100  
cttgttttct tcttgttatt cctccagcaa ctccctcacc accacgcctc cctgcctacc 2160

atccccggaa ggggtgcttat tctttaacaa agagaatcta aaaaaaaac aaaaaactgt 2220  
tgtctatatt cacgtaatgt cctggcttta ttccctgngt ttagagagca ttcctgggtg 2280  
tacantgact ttgatg 2296

<210> 209

<211> 625

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (25)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (600)

<223> n equals a,t,g, or c

<400> 209

ntctcattcn acaccaacc ttcannttoa actacaactt ctccgctttg ggcaaacacc 60  
gtcactcttg ctggaggcaa gcttcattcc aaaggggtga aatacttcca tcactttacc 120  
ctcagtctct gtggaaccaa gggtaggaaa atgtctgtgt gcaccgacaa tgtcactgac 180  
ctccggattc ctgaggggtga gtcaggggtc tccaaatcta tcacagccta cgtctgccag 240  
gcagtcatca tccccccaga ggtgacaggc tacaaggccg gggtttcctc acagcctgtc 300  
agccttgctg atcgacttat tggggtgaca acagatatga ctctggatgg aatcacctcc 360  
ccagctgaac ttttccacct ggaagtccctg ggaataccgg acgtgatctt cttttatagg 420  
tccaatgatg tgaccagtc ctgcagttct gggagatcaa ccaccatccg cgtcaggtgc 480  
agtccacaga aaactgtccc tggaagtttg ctgctgccag gaacgtgctc agatgggagc 540  
tgtgatggct gcaacttcca cttcctgtgg gaaaamsgs tgsttgcccg ctctgctcan 600  
tggtgacta ccatgctatc gtcac 625

<210> 210

<211> 1551

<212> DNA

<213> Homo sapiens

<220>  
<221> misc feature  
<222> (760)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1543)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1544)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1545)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1546)  
<223> n equals a,t,g, or c

<400> 210  
ttaaggtgt ccgtcttggg ctccgcggcc tcggcccgt gcactccacc tccgccccct 60  
cggaactcct cccctctgct tctactctc ctgctccagt gcggatcggt tcgcaactgc 120  
ttgccactcg tcccgtgcct ggctgtttty ccatttcccg gccccctett cttgagtact 180  
ttacccccctg catttgggga cagggaactgg aaaagggggcg ggtggagcgt ccagtggaga 240  
agaaggaagc gagggccgca gaggaggagg atcggcggac tgtggggagg agacccacg 300  
ccaccctttc tggatcatct cctcccgcc ccgcccctgc gcacactccc tcgcgggcga 360  
gctactttcg gaccaggaaa gtaagagcgg ccctgggtga cagcgccgcg gggccagtcc 420  
cggggttagc cgcgcgtctg ctgccttctg gtccgtcgcg ctcccagcca gggcacagcg 480  
gaccgaggat ggcttcgacc acaacctgca ccaggttcac ggacgagtat cagcttttcg 540  
aggagcttgg aaagggggca ttctcagtgg tgagaagatg tatgaaaatt cctactggac 600  
aagaatatgc tgccaaaatt atcaacacca aaaagctttc tgctagggat catcagaaac 660  
tagaaagaga agctagaatc tgccgtcttt tgaagcacc taatattgtg cgacttcatg 720  
atagcatatc agaagagggc tttactact ttggtggttn gattaagtta ctggaggatga 780  
actgtttgaa gacatagtgg caagagaata ctacagtga gctgatgcca gtcattgcat 840  
tcagcagatc ctggaggctg tgctacactg ccatcagatg ggcgtggtcc atcgggacct 900  
gaagcctgag aatttgcttt tagctagcaa atccaaggga gcagctgtga aattggcaga 960  
ctttggctta gccatagaag ttcaagggga ccagcaggcg tggtttggtt ttgctggcac 1020  
acctggatat ctttctycar aagttttacg taaagatcct tatggaaagc cagtggatat 1080  
gtgggcatgt ggtgtcatte tctatattct acttgtgggg tatccaccct tctgggatga 1140  
agaccaacac agactctatc agcagatcaa ggctggagct tatgattttc catcaccaga 1200  
atgggacacg gtgactcctg aagccaaaga cctcatcaat aaaatgctta ctatcaaccc 1260  
tgccaaacgc atcacagcct cagaggcact gaagcaccca tggatctgtc aacgttctac 1320  
tggtgcttcc atgatgcaca gacaggagac tgtagactgc ttgaagaaat ttaatgctag 1380  
aagaaaacta aagggtgcca tcttgacaac tatgctggct acaaggaatt tctcagcagc 1440



caagagtttg ttgaagaaac cagatggagt aaaggagtca actgagagtt caaatacaac 1500  
aattgaggat gaattcagct tggacttaac caggttgact cannnngggg g 1551

<210> 211  
<211> 1011  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (309)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (801)  
<223> n equals a,t,g, or c

<400> 211  
tcgacccacg cgtccgggag aatggcgggc gaaggctgga tttggcgttg gggctggggc 60  
cggcgggtgcc tgggaaggcc tgggcttctc ggccccggcc ctggccccac tacacctctc 120  
tttcttcttt tgttgttggg gtctgtgact gcggatataa ctgacggcaa cagtgaacat 180  
ctcaagcggg agcattcgct cattaagccc taccaagggg tcggttccag ctctatgcc 240  
ctctgggact tccagggcag cactatgctc acgagccagt acgtacgtct gaccctgac 300  
gagcgcagna aagagggctc tatctggaac caccagccgt gcttcctcaa agactgggaa 360  
atgcacgtcc acttcaaagt ccacggcaca gggaagaaga acctccatgg agacggcatc 420  
gccttggtgt acacccggga ccgcctcgtg ccagggcctg tgtttggaag caaagataac 480  
ttccacggct tagccatctt cctggacacc taccccaatg atgagaccac tgagcgcgtg 540  
ttcccgtaca tctcgggtgat ggtgaacaat ggctccctgt cctacgacca cagcaaggat 600  
gggcgctgga ccgagctggc gggctgcaag gctgacttcc gcaaccgcga tcacgacacc 660  
ttcctggctg tgcgctactc ccggggccgt ctgacgggtg tgaccgacct ggaggacaag 720  
aacgagtgga agaactgcat tgacatcacg ggagtgcgcc tgcccaccgg ctactacttc 780  
ggggcctccg ccggcaccgg nracctgtct gacaatcatg acatcatctc catgaaagct 840  
gttccaagct gatggtggaa gcacacgccc gacgaggaga agcatcgact tggaccaaga 900  
tcgagcccag cgtcaacttc tcaagtcgcc caaagacaac gtggacgacc ccacggggaa 960  
ctttcgcagc gggcccctga mggggtggcg ggtgtttcct gctgctgctg t 1011

<210> 212  
<211> 1639  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1630)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1637)  
<223> n equals a,t,g, or c

&lt;400&gt; 212

```
ggcacgagga cgcgccgagg tactaggcag agccgtggaa ccgccgccag gtcgctgttg 60
gtccacgccg cccgtcgcgc cgcgcgcgcg ctcagcgtcc gccgccgcca tgggagtgc 120
ggtggaaacc atctccccag gagacgggcg caccctcccc aagcgcggcc agacctgcgt 180
ggtgcactac accgggatgc ttgaagatgg aaagaaatth gattcctccc gggacagaaa 240
caagcccttt aagtttatgc taggcaagca ggaggtgatc cgaggctggg aagaaggggt 300
tgcccagatg agtgtgggtc agagagccaa actgactata tctccagatt atgcctatgg 360
tgccactggg caccagggca tcatccacc acatgccact ctcgtcttcg atgtggagct 420
tctaaaactg gaatgacagg aatggcctcc tcccttagct cctgttctt ggatctgccc 480
tgaggggatc tgggtgcctcc agacatgtgc acatgartcc atatggagct tttcctgatg 540
ttccactcca ctttgtatag acatctgccc tgactgaatg tgttctgtca ctcagctttg 600
cttcgcacac ctctgtttcc tcttccccct tctcctcgta tgtgtgttta cctaaactat 660
atgccataaa cctcaagtta ytcattttat tttgttttca ttttgggggtg aagattcagt 720
ttcagtcctt tggatatagg tttccaatta agtacatggg caagtattaa cagcacaagt 780
ggtaggttaa cattagaata ggaattgggt ttgggggggg gtttgcaaga atattttatt 840
ttaatttttt ggatgaaatt tttatctatt atatattaaa cattcttgct gctgcgctgc 900
aaagccatag cagatttgag gcgctgttga ggactgaatt actctccaag ttgagagatg 960
tctttgggtt aaattaaaag ccctaccta aactgaggtg gggatgggga gagcctttgc 1020
ctccaccatt cccaccacc ctccccttaa accctctgcc tttgaaagta gatcatgttc 1080
actgcaatgc tggacactac aggtatctgt ccctgggcca gcaggaccc ctgaagcctt 1140
ctttgtggcc tttttttttt ttcacctgtt gggttttcta atggactttc aggaattttg 1200
taatctcata actttccaag ctccaccact tcctaaatct taagaacttt aattgacagt 1260
ttcaattgaa ggtgctgttt gtagacttaa caccagtgaa aagcccagcc atcatgacaa 1320
atccttgaat gttctcttaa gaaaatgatg ctggtcatcg cagcttcagc atctcctgtt 1380
ttttgatgct tggctccctc tgctgatctc agtttcctgg cttttcctcc ctcagcccct 1440
tctcaccctt ttgctgtcct gtgtagtgat ttggtgagaa atcgttgctg cacccttccc 1500
ccagcaccat ttatgagtct caagttttat tattgcaata aaagtgttt atgccggctt 1560
ttctcaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1620
aaaaaaaaan ggggggncc 1639
```

&lt;210&gt; 213

&lt;211&gt; 2127

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 213

```
ttgaggttct gggggtcctg gagacttacc attgagccat gcaatctggg aagcacagga 60
ataagtagac actttgaaaa tggatttgaa tgttctcatc ctttttgag cttttctttt 120
tggctctctc atgtccttgg cttgctctc tattctacct ctctttctcc agcaataata 180
tgcaaatgaa gacatgtatc cataagaagg agtgccttc atcaactaat agagcaccta 240
ccacagtgtc atacctggta gaggtgagca attcatattc aaaggttgca aagtgtttgt 300
aatatattca tgaggctgga akkaagaaga attaaaaatt tgtcctaatt acaatgagaa 360
ccattctagg tagtgatctt ggagcacaca tgaataactt tctgaagggt caaccaaata 420
catttttatt tctgcctggc ttgggtcacct ctgtaagggt ttaacttagt gttgtcaagt 480
aacagttact gaaagagctg agaaaaagaa caatgaacag caacgatctt gactgtgcaa 540
ctcagacatt cctgcagaaa agacatatgt tgctttacaa gaaggccaaa gaactatggg 600
gccttcccag catttgactg ttcattgcat agaataat aaatatccag ttacttgaat 660
gggtataacg catgaatatt tgtgtgtctg tgtgtgtgtc tgagtgtgt gattttatta 720
ggggcatctg ccaattctct cactgtgggt ccttctctga ctttgccgtt tcatcatcta 780
aggaggctag atccttcgct gacttcacca ttcctcaaac ctgtaagttt ctcacttctt 840
```

ccaaattggc tttggctctt tcttcaacct ttccattcaa gagcaatctt tgctaaggag 900  
taagtgaatg tgaagagtac caactacaac aattctacag ataattagtg gattgtgttg 960  
tttggtgaga gtgaagggtt cttggcatct ggtgcctgat taaggcttga gtattaagtt 1020  
ctcagcatat ctctctattg tcttgacttg agtttgctgc attttctatg tgctgttcgt 1080  
gacttgagga acttaaagta atcgagctat gccaaacttg ggtggtaaca gagtacttcc 1140  
caccacagtg ttgaaagggg gagcaaaagtc ttatggataa accctccttt cttttgggga 1200  
cacatggctc tcacttgaga agctcacctg tgctgaatgt ccacatgggc actaaacatg 1260  
ttatccttaa accccccgta tgcctgagtt gaaagggctc tctcttatta ggttttcatg 1320  
ggaacatgag gcagcaaadc tattgctaag actttaccag gctcaaata tctgaggctg 1380  
atagatattt gacttggtta gacttaagta aggtctctgg tcccaggggc ataascaaca 1440  
gtttcttgaa tgtgccatct garaagggag acccaggtta tgagttttcc tttgaacaca 1500  
ttggtctttt ctcaaagttc ctgccttgct agactgttag ctctttgagg acagggacta 1560  
tgtcttatca atcactatta ttttctgtt acctagcatg ggacaagtac acaacacata 1620  
tttgttcaat gaatgaatga atgtcttcta aaagactcct ctgattggga gaccatatct 1680  
ataattggga tgtgaatcat ttcttcagtg gaataagagc acaacggcac aaccttcaag 1740  
gacatattat ctactatgaa cattttactg tgagactcct tattttgcct tctacttgct 1800  
ctgaaatgaa accaaaacag gccgttgggt tccacaagtc aatatatgtt ggatgaggat 1860  
tctgttgctt tattgggaac tgtgagactt atctggtatg agaagccagt aataaacctt 1920  
tgacctgttt taaccaatga agattatgaa tatgttaata tgatgtaaat tgctatttaa 1980  
gtgtaaagca gttctaagtt ttagtatttg ggggattggg ttttattatt ttttccctt 2040  
ttgaaaaata ctgagggatc ttttgataaa gttagtaatg catgttagat tttagttttg 2100  
cagagcatgt tgtttaacaa ataaagg 2127

<210> 214

<211> 1166

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1163)

<223> n equals a,t,g, or c

<400> 214

gcggacgcgt gggcggaacg gtgggacggc gcgtgggagg gtcgcttggt ggctccgtct 60  
gtctgtccgt ccgcccgcgg gtgccatcat ggcggacgcg gccagtcagg tgctcctggg 120  
ctccgggtct accatcctgt ccagccgct catgtacgtg aaagtgtc tccaggtggg 180  
atatgagcct ctctctccaa caataggacg aaatattttt gggcggaag tgtgtcagct 240  
tcttggtctc tttagttatg ctgagcacat tgccagtatc gatgggaggc gcgggttggt 300  
cacaggctta actccaagac tgtgttcggg agtccttgga actgtggtcc atggtaaagt 360  
tttacagcat taccaggaga gtgacaaggg tgaggagtta ggacctggaa atgtacagaa 420  
agaagtctca tcttctcttg accacgttat caaggagaca actcgagaga tgatcgctcg 480  
ttctgtgct accctcatca cacatccctt ccattgtgat actctgagat ctatggtaca 540  
gttcattggc agagaatcca agtactgtgg actttgtgat tccataataa ccatttatcg 600  
ggaagagggc attctaggat ttttcgcggg tcttggtcct cgcttcttag gtgacatcct 660  
ttctttgtgg ctgtgtaact cactggccta cctcgtcaat acctatgcac tggacagtgg 720  
ggtttctacc atgaatgaaa tgaagagtta ttctcaagct gtcacaggat tttttgcgag 780  
tatgttgacc tatccctttg tgcttgcttc caatcttatg gctgtcaaca actgtggtct 840  
tgctgggtgga tgccctcctt actccccaat atatacgtct tggatagact gttggtgcat 900  
gctacaaaaa gaggggaata tgagccgagg aaatagctta tttttccgga aggtccctt 960  
tggaagact tattgttgtg acctgaaaat gtttaattga agatgtgggg caggacagt 1020

gacatttctg tagtcccaga tgcacagaat tatgggagag aatgttgatt tctatacagt 1080  
gtggcgcgct tttttaataa tcatttaatc ttgggaaaaa aaaaaaaaaa aaaaaaaaaa 1140  
aacggggggg gcccggaacc canttc 1166

<210> 215

<211> 3323

<212> DNA

<213> Homo sapiens

<400> 215

ggggcaaaaa ggccgagggg gcccgagaatc agggcaaaaa ggccgagggg gcccgagaacc 60  
agggcaagaa ggcmgagggg gcccgagaacc agggcargaa ggccgagggg gcccgagaacc 120  
aggrcaagaa ggccgagggg rcccmkaacc agggcargaa ggccgagggg gcccmgaacc 180  
agggcargaa ggccgagggg gcccgagaacc agggcaagaa ggccgagggg gcccgagaayc 240  
agggcaagaa ggccgagggg gcccgagaayc agggcaagaa ggccgagggg gcccgagaayc 300  
agggcaagaa ggccgagggg gcccgagaacc agggcaagaa ggccgagggk gctcagaacc 360  
agggcaaaaa agtakaaggg gcccgagaacc agggcaagaa ggctgagggg gcccgagaacc 420  
agggcaagaa ggccgagggg gctcagaacc agggcaaaaa ggccgagggg gcccgagaacc 480  
aggggcaaaaa aggagagggg gcccgagaatc agggtaaaaa gacagaaggg gctcagggga 540  
aaaaggcaga aaggagtccc aaccaaggca aaaaaggaga gggagctccc atccagggga 600  
aaaaggcaga ttcggttgct aatcagggga caaaggtaga ggggtattaca aaccagggga 660  
aaaagcaga aggggtcccc agtgaaggca aaaaggcaga aggggtcccc aaccaaggga 720  
aaaaggcaga cgagctgcc aatcagggta aaaagacaga gtcagcttct gtccagggga 780  
gaaatacaga tgtggcccag agcccagagg caccaaagca agaggctcct gccagaaga 840  
agtctggttc aaagaaaaaa ggtgagcctg ggcccccaga tgccgacggc cctctctacc 900  
tcccctacaa gacgctggtc tccacggttg ggagcatggt gttcaacgag ggcgaggccc 960  
agcggctcat cgagatcctg tctgagaagg ctggcatcat tcaggacacc tggcacaagg 1020  
ccactcagaa ggggtgacct gtggcgattc tgaaacgcca gytggaagag aaggaaaaac 1080  
tgctggccac agaacaggaa gatgcggctg tcgccaagag caaaytgagg gagctcaaca 1140  
aggagatggc agcagaaaag gccaaagcag cagccgggga ggccaaagtg aaaaagcagc 1200  
tgggtggccc ggagcaggag atcacggctg tgcaggcacg catgcaggcc agctaccggg 1260  
agcacgtgaa ggaggtgcag cagctgcagg gcaagatccg gactcttcag gagcagctgg 1320  
agaatggccc caacacgcag ctggcccggc tgcagcagga gaactccatc ctgcgggatg 1380  
ccttgaacca ggccacgagc caggtggaga gcaagcagaa cgagagctg gccaaagctt 1440  
ggcaggagct cagcaaggct agcaaagagc tgggtggagaa gtcagaggct gtgcggcaag 1500  
atgagcagca gcggaagct ctggaagcca aggcagctgc cttcgagaag caggtcctgc 1560  
agctgcaggc gtcccacagg gagagttagg aggcctgca gaagcgcctg gacgaggtca 1620  
gccgggagct gtgccacacg cagagcagcc acgccagcct ccgggcggat gccgagaagg 1680  
cccaggagca acagcagcag atggccgagc tgcacagcaa gttacagtcc tccgaggcgg 1740  
aggtgcgcag caaatgcgag gagctgagtg gcctccacgg gcagctccag gaggccaggg 1800  
cggagaactc ccagctcaca gagagaatcc gttccattga ggccctgctg gaggcggggc 1860  
aggcgcgga tgcccaggac gtccaggcca gccagscgga ggctgaccag cagcagactc 1920  
gcctcaagga gctggagtc caggtgtcgg gtctggagaa ggaggccatc gagctcaggg 1980  
aggcgcctga gcagcagaaa gtgaagaaca atgacctcc ggagaagaac tggaaggcca 2040  
tgagggact ggccacggcc gagcaggcct gcaaggagaa gctgcactcc ctgaccagg 2100  
ccaaggagga atcgagagaag cagctctgtc tgattgaggc gcagaccatg gaggccctgc 2160  
tggtctgtct cccagaactc tctgtcttgg cacaacagaa ttacaccgag tggctgcagg 2220  
atctcaaaga gaaaggcccc acgctgctga agcaccgcc agctcccgcg gagccctcct 2280  
cggacctggc ctccaagttg agggaggccg aggagacgca gagcactg caggccgagt 2340  
gtgaccagta ccgcagcatc ctggcggaga cggagggcag gctcagagac ctgcagaaga 2400  
gcgtggagga ggaggagcag gtgtggaggg ccaagggtgg cgccgcagag gaggagctcc 2460

```
agaagtcccg ggtcacagtg aagcatctcg aagagattgt agagaagcta aaaggagaac 2520
ttgaaagtgc ggaccaggtg agggagcaca cgtgcatctt ggaggcagag ctggaaaagc 2580
acatggcggc cgccagcgcc gagtgccaga actacgcca ggaggtggca gggctgaggc 2640
aacttctcct agaatctcaa tctcagctcg atgccgcca gagcgaagcc agaaacagag 2700
cgatgagctt gccctggtca ggcagcagtt gagtgaaatg aagagccacg tagaggatgg 2760
tgacatagct ggggccccag ctctctcccc agaggcgccc ccagccgagc aggaccccg 2820
tcagctgaag acgcagctgg agtggacaga agccatcctg gaggatgagc agacacagcg 2880
gcagaagctc acggccgagt ttgaggaggc tcagacctcg gcatgtcggg tacaagaaga 2940
attggagaag ctccgcacag ccggccccct agagtcttca gaaacagagg aggcctcaca 3000
gctgaaggag agactagaaa aagagaagaa gtaacaagt gacctggggc gcgccgccac 3060
gagactgcag gagcttctga agacgaccca ggagcagctg gcaagggaga aggacacggg 3120
gaagaagctg caggaaacagc tggaaaaggc agaggacggc agcagctcaa aggagggcac 3180
ctctgtctga gtttctctt tggaaaaaga agttactgtt caacttacca aaatgcctta 3240
cacattcctt acaataaac caaccaacct aaaaaaaaaa aaaaaaaaaa aactcgaggg 3300
ggggcccggt acccaattcg ccc 3323
```

<210> 216

<211> 1408

<212> DNA

<213> Homo sapiens

<400> 216

```
taaactatct atcttggtgt tgtacatttg tgggtggagt ttgtgcgcct ggtttttttg 60
tttgaaaaac actgcgtggt caatgtggtt atggggggga gtgatgcatt ttttctagt 120
cttaaaacta aaaacttgag tctaccattt cttggttgca ctgaaaatac cgcccagcct 180
gatggtgttc ccgtgctgtc cctccccctt cccttctccc cgctgtctacc tccccacccc 240
gttctgttcc ccctccctcc ttctccctct ccctcaaata cgtgagtttt ggaagcccca 300
gggcctctct ccccgcccc tcctggatga ggccaccatc ccccaaaccg gcttgttttg 360
cagtttcccc aggatccttg aagctcgctg gcgctcgagg gtggcgggga cacggggggg 420
tgggtgaagg ttcgttacct tttctagtgc gttctatcat agttaacggg tgcacacttt 480
tttaaaaaaa gtaaatggat ttgccacaat taaatgtcat aacatttatg acagaatata 540
aaatatatac atattttaag ccaagtttta ggtgtatttt ttgaatcttg gttataaacc 600
caattttaaa gggcgatgta tccagcgttg tgaaggcaac agagtgtacc catatttata 660
ttttataaaa atacctataa gactgtgaat ctcttggtgt aatggctgag ttaattgaag 720
gatcggtttt ccccttttta gcctcccaga gcttcgagga ctcaattcga acccgaaatc 780
ctgccgtggg ggagggggtg cgtcgagacc tgggcccggg gaggttctcc tgcgtcactt 840
tctgtcctga aaggcgccct tcctgggttc tgtggctcca attttctatg cagccccaca 900
cccctgttg ttttgatcct gagaaataaa agggaggctg aattattcaa atttaaata 960
ggtttccctt tcatggaagt gctgctgacc cttcgtgcag aaatggggag cacttgagga 1020
cacaggtggg tggaggccct ttgtgcgtgg ctggtcgtat tcgggcagcc ctccgtcgct 1080
ttttataaaa ctttgtgtga gaagaatata ttgataatgt cagtgaaca agcagacatt 1140
gaaatggagg cacagattac tccacaagga gttcttctgt atattttttc tagatgcaa 1200
taccttttta attatgttaa ttaatgttaa gactttctag gcttatatcg aagctgtgtg 1260
tgggtcacgg ggtgatcact gctaactgga taaagtttgt gcagcacatt cctgagtgt 1320
cgatattgac ctgtagccca gcgtgaaaaa tttataaata aatttttcat tgatcttttt 1380
atattaaaaa aaaaaaaaaa aaaaaaaa 1408
```

<210> 217

<211> 2111

<212> DNA

<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2102)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2104)  
<223> n equals a,t,g, or c

<400> 217  
ggcacgagga gcattccata tagaaactgc tgaaactgcc acaggtgctt ctccgaaaac 60  
cttacagttg tggcattgaa tgttcagtat cgcttccttt ctgcacacga ggcatactgt 120  
tgagcctgag aaatgccagt ggccctgacag cagcagacat tgcacaaacc cagggtttcc 180  
aagagtgtgc ccagtttctc ttgaacctcc agaattgtca tctgaaccat ttctataaca 240  
atggcatctt aaatgggggt catcagaatg tatttcctaa tcatattagt gtgggaacaa 300  
atcgaaaagag atgcttggga agactcagaa gactttggag taaagaaagc tagaactgaa 360  
gctcaaagct tggattctgc cgtgccactc acgaatggcg acacagaaga cgatgctgac 420  
aaaatgcacg ttgataggga gtttgctggt gtaacagata tgaaaaacag tagctccgta 480  
tcgaatacat tgacaatgga tgtgtcatca atggacattt ggacttcccc tccacgaccc 540  
cgctcagtggt gatggaaagc aggaatggcc agtgcttgac aggaactaac ggaattagca 600  
gtggattagc cccaggacag ccgtttccga gtagccaggg ttctctctgc attagtggga 660  
ctgaggagcc agagaagacc ctgagagcta accctgagtt gtgcggttct ctgcacctga 720  
acgggagtc c aagtagctgc atagccagta ggccctcctg ggtggaagac attggggata 780  
acctgtacta tggacactac cacgggtttg gggacactgc tgaaagcatg cccagaactg 840  
aacagtgtgg tcgagcatte caagtccgtg aaggtgcagg agcggtagca cagtgccgtg 900  
ctgggcacca tgcacctgca ccacggctcc tagagacgct gacctggctc tcggaaacgc 960  
aggagtcctt cctggtagcc agctcagaat acccatgtag cagcaacttg aacgaatgtc 1020  
acaacttgta ctttttttat atacttcaac tttctgaaaa agtaaaacttc gacaagttec 1080  
cagcaactgc ttgtttgtgc atgagtaggg cttactaagt gcatagatgt ttctacagtg 1140  
agggtgcctt ttataagggt gcacttttgg agtttttctg atgccaatct caacattgtc 1200  
tttttaatac tgtcaccaga tattgccatt tttctttttg ttaaaagatt atatgatcaa 1260  
gataaattgg ggtggtaaat cagggtgcctg gtaatttatc tctttgcaca tgggcatcat 1320  
tttaaaaagc ttgcttccac tcttttctgt agaatttgac ggaacacagc tatttcccta 1380  
tgcaaggtag agccttacaa agattttctgc agtgatttgt gtgaagaaga gaatgtttgt 1440  
ctttttcaat gaagctttgc agatcaccat gtggttgaag gtttttagttg tggacacagt 1500  
ggctccctcct taatgatgaa gatcactgcc ttgggcttca tggaaaacag gccagcctg 1560  
gggtgcgctt tggatttatt gttttttatt cacacttcct acttggtctc tgggaagtttt 1620  
accacatgta acagattcct ttatatgtag tgaaaatcac tatttgtaga aactgtcagg 1680  
tcaaaaatatt taactgactg ttgacatgta ttttcttttt tccttgtttt tgttttttgg 1740  
ggttttctgc tttaagatat ataccactat gtatatccag ttaactgaga gaattttgac 1800  
tctcttaata aaactgcatt aagtttttga ttttgtagaa attagctttt gtctaggcaa 1860  
ctagtgggta tactctgcaa atattgtaat gaatttttac ttttttgatt tttgtaataa 1920  
aaattgggtg agataaaatg tcaaatgaac aaaccagtgt tctaagagtg ttactaacat 1980  
tttgttctaa aactgtcctt cacaaattga ataaaaaact ctcacactca aaaaaaaaaa 2040  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2100  
ananaaaaaa a 2111

<210> 218  
<211> 2493

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 218

```
ggccccggtgg ggccggccgg gactcgccgc tcgcacgccc ttggggccgc gccgggccc 60
cgctcttctt tccgcttgcc ctgtgagctg aggcggtgta tgtgcggcaa taacatgtca 120
accccgctgc ccgccatcgt gcccgcgcc cggaaggcca ccgctgcggt gattttcctg 180
catggattgg gagatactgg gcacggatgg gcagaagcct ttgcaggatc cagaagttca 240
catatcaaat atatctgccc gcatgcgcct gttaggcctg ttacattaaa tatgaacgtg 300
gctatgcctt catggtttga tattattggg ctttcaccag attcacagga ggatgaatct 360
gggattaaac aggcagcaga aaatataaaa gctttgattg atcaagaagt gaagaatggc 420
attccttcta acagaattat tttgggaggg ttttctcagg gaggagcttt atctttatat 480
actgccctta ccacacagca gaaactggca ggtgtcactg cactcagttg ctggcttcca 540
cttcgggctt cctttccaca gggtcctatc ggtggtgcta atagagatat ttctattctc 600
cagtgccacg gggattgtga ccctttggtt cccctgatgt ttggttctct tacggtggaa 660
aaactaaaaa cattggtgaa tccagccaat gtgaccttta aaacctatga aggtatgatg 720
cacagttcgt gtcaacagga aatgatggat gtcaagcaat tcattgataa actcctacct 780
ccaattgatt gacgtcacta agaggccttg tgtagaagta caccagcattc attgtagtag 840
agtgtaaacc ttttcccatg ccagctcttc aaatttctaa tgttttgagc tgttaaaatg 900
ttttgcaaat acatgccaat aacacagatc aaataatatc tcctcatgag aaatttatga 960
tcttttaagt ttctatacat gtattcttat aagacgacct aggatctact atattagaat 1020
agatgaagca ggtagcttct tttttctcaa atgtaattca gcaaaataat acagtactgc 1080
caccagattt tttattacat cttttgaaaa ttagcagtat gcttaatgaa aatttgttca 1140
ggtataaatg agcagttaag atataaaca tttatgcatg ctgtgactta gtctatggat 1200
ttattccaaa attgcttagt caccatgcag tgtctgtatt tttatatatg tgttcatata 1260
tacataatga ttataatata taataagaat gaggtgggat tacattattc ctaataatag 1320
ggataatgct gtttattgtc aagaaaaagt aaaatcgctt tcttcaatta atggcccttt 1380
tattttggga ccaggctttt attttccctg atattatttc tatttaatac tcttttctct 1440
caagaaaaaa aaaaaagttt gtttttctt tattgtcctt catagcaggc caagtattgc 1500
ctctctgcaa tagacagcta ctgtcaatac atgctgtaat ttgacattct gggtcacaga 1560
tataaggat ttaaaatcta tttatgcttt atagagaaac cagacattaa aacttcatgc 1620
actacttatt tcgaattact gtaccttacc caaatttaca cctagctatt aggatcttca 1680
acccaggtaa caggaataat tctgtggttt catttttctg taaacaactg aaagaataat 1740
tagatcatat tctagtatgt tctgaaatat ctttaagact gatcttaaaa actaacttct 1800
aagatgattt catcttctca tagtatagag tttactttgt acacgtttga aaccaactac 1860
tgtagaagat gaggaatcta ttgtaatttt ttgctttatt ttcattctgcc agtggactta 1920
tttgaaattt tcactttagt caaattattt tttgtattag tttttgatgc agacataaaa 1980
atagcaatca ttttaaatg tcaaaatttc cagattactg gtaaaaatta tttgaaaaca 2040
aacttatggg taataaaggc tagtcagaac cctataccat aaagtgtagt taccatacag 2100
attaatatgt agcaaaaatg tatgcttgat atttctcaac tgtgttaatt tttctgctgt 2160
attccagctg accaaaacaa tattaagaat gcatctttat aaatgggtgc taattgataa 2220
tggaataaat ttagtaatgg actatacagg atgttaataa tgaagccata tgtttatgtc 2280
tggtattaaa aatttttaac aatcatttac tatgtcattt ttctttacct tgaagaacat 2340
aaactgttat ttcactcta caaatcagca agatattatt tatggcaaga aatattccat 2400
tgaaatattg tgctgtaaca tgggaaagt taaatgtttt tcatggtttc tatcaatgtg 2460
aaataaaatt taattctgaa aaaaaaaaaa aaa 2493
```

&lt;210&gt; 219

&lt;211&gt; 1259

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 219

```
gcgccgcggt gccggaaccg ctgggcggga gcgaggcggt gcggctgcag ctgcagggcg 60
aggagctgcg gctgcaggag gagagcgtgc ggctgcacca gattaacatc tacctcagcg 120
accgcacatc actgcaccgc cgcctgcccg wgcgctggaa cccgctgtgc aaagagaaga 180
aatatgatta tgataatttg cccaggacat ctgttatcat agcattttat aatgaagcct 240
ggtcaactct ccttcggaca gtttacagtg tccttgagac atccccggat atcctgctag 300
aagaagtgat ccttgtagat gactacagtg atagagagca cctgaaggag cgcttgacca 360
atgagctttc gggactgccc aaggtgcgcc tgatccgcgc caacaagaga gagggcctgg 420
tgcgagcccc gctgctgggg gcgtctgcgg cgargggcga tggtctgacc ttcctggact 480
gtcactgtga gtgccacgaa ggggtgctgga gccgctgctg cagaggatcc atgaagagga 540
gtcggcagtg gtgtgcccgg tgattgatgt satcgactgg aacaccttcg aatacctggg 600
gaactccggg gagccccaga tcggcggttt cgactggagg ctgggtgttca cgtggcacac 660
agttcctgag agggagagga tacggatgca atccccctc gatgtcatca ggtctccaac 720
aatggctggt gggctgtttg ctgtgagtaa gaaatatttt gaatatctgg ggtcttatga 780
tacaggaatg gaagtttggg gaggagaaaa cctcgaattt tccttttagga tctggcagtg 840
tggtgggggt ctggaaacac acccatgttc ccatgttggc catgttttcc ccaagcaagc 900
tccctactcc cgcaacaagg ctctggccaa cagtgttcgt gcagctgaag tatggatgga 960
tgaatttaaa gagctctact accatcgcaa ccccgctgcc cgcttggaac cttttgggga 1020
tgtgacagag aggaagcagc tccgggacaa gctccagtgt aaagacttca agtggttctt 1080
ggagactgtg tatccagaac tgcatgtgcc tgaggacagg cctggcttct tcgggatgct 1140
ccagaacaaa ggactaacag actactgctt tgactwtaac cctcccgatg aaaaccagat 1200
tgtgggacac caggtcattc tgtacctctg tcatgggatg ggccagaatg acctggtgc 1259
```

&lt;210&gt; 220

&lt;211&gt; 1849

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (920)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 220

```
ctgttgatat gagcaggggtg tgtgggtttt ctgggcccac cattatggct gcttcagagt 60
cagaagaaaag ccatagggca gtaggggagc tcctattgcc tagcccctct ccctttgtgg 120
ctcccactct agctgcctat ttttgctcat cagctgggtga gtcagtatgg gccagcagtt 180
ctccctccct aagcccttgc tactttatgg gttagctttg caggtttggg ggcttgaggg 240
gtggggggcaa ctcaccactg ccaggtaact ccctgaaggg tgggagtggg ttatcttcta 300
ggctcttacc cgcggtaggg aagggcatca acactgtctt ccttccattc tcctttcccc 360
catcccattt agtgctgcca cagggcagaa gcacacaaac caaccacaca gtctctgact 420
tctcctaagc actttgagtt gttgaatggg gctcaggggc aagagttttt gctgccctcc 480
ccagcgtggt cacaggggta ttgaactgcc tgcacttggt tctcatgcaa ctccagcatt 540
ttccccagaa gttgaactat ggatagcagc ttggtatgga tttcctaaat cttaacattt 600
gaagcagctt cttgaggctg gcaactatcc tggtttctgt cttggagggg gtgggttgtt 660
tgctggggcc caacgtctgt cccaagtggg ggggtgagag taagttaact ttggtgccag 720
gtgagaggtg ggggctcttt gcttagactc cctatcatgg aaagattgga gttttctatg 780
cagggcactg gggaaaagga ttgctgattc tgactgacct tgatcagaga gattaggatt 840
gtattttgac ataggatttg gaacccatct aaatgttgaa gttccctgag acagctctcc 900
agctgctgag cctgcgccaan gggctaagca gcccctaagt agaggctctg ctccctttcc 960
```



```
cacctcgcca atgttggtgt tgctgccttt ttgatttgta tcctctgtta tagacatttt 1020
ttaaaaacga tttcctcttt cattgtgcac aagtgtgag agtctgaggc cccatttctg 1080
ctgtgtatat atatcctgac tcggggcttt tattcagcaa actgttcatt cttctgtcag 1140
acaatgtcat attcaactct gtccatatta aaccactgtg aagcaagcct ctgttttcct 1200
gcttaagttg taaatttagt attctttagt gtctaggata tgctgggtat tatgcagaaa 1260
tcatacagtg tggccagtg cctgaggtaa tgttttgcat ttaaattttt ttagaaagca 1320
gaatcttaac ttatcttaat gatatttacc tacccttttt gcaactcaca actgactttg 1380
tcacagaggt aatgcatctg cttgcaggaa gtarctgtag gctcagtacc tgttgkttga 1440
gtcagattta gcagatttgg tttttaagct tgtgggtttg kgctaatttg ggcagaatat 1500
atattattata tatgtgtgtg tgtatgtktg tatgtgtgtg tctgcatatg taatacatgt 1560
acataaacac acatgcatgt gttcatcctc tgacacaccc acacaacacc aacaaacatt 1620
tcttctatag gctttttatc tcaactgaca ctgttttttt tcccaaataa atttgacaca 1680
ggcagaaaag tgggtgaact ctcagaactt ttggtgggtg gatattcatc tgaccagtga 1740
gctctgaaat ggtttcccta cacagagtgg gttttggcaa gggttggaat gaggggaggt 1800
agcagtcttg tcatttagaa aatcaaagct agttttgatg tagctcaac 1849
```

<210> 221

<211> 1267

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1244)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1252)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1264)

<223> n equals a,t,g, or c

&lt;400&gt; 221

```
cggattatgc ngamacnccc cagggnttrt gctatgacgt cgcattgcacg cgtaagcttg 60
ggcccctcga gggatcctct agagcggccg ccgcggcatt cggggaatct gcagggcaga 120
tgagtaacga aagaggcttt gaaaatgtag aactgggagt cataggaaaa aagaagaaa 180
tcccaaggag agtcattccac tttgttagtg gtgaaacaat ggaagaatat agcacagatg 240
aagacgaagt tgatggcctg gagaagaaa atgttttgcc tactgttgat ccgacaaaac 300
ttacctgggg tccctactta tggttttaca tgcttcgggc tgctacatca actctctcag 360
tgtgtgactt ccttggagag aagattgcat ctgttttggg tatcagcacc ccaaagtacc 420
aatatgccat tgatgaatat tatcggatga agaaggagga agaagaaga gaagaagaaa 480
acaggatgtc tgaagaagca gaaaaacaat atcaacagaa taaattgcag actgattcca 540
ttgttcagac agatcaacca gagacagtga tatccagctc atttgtgaat gtcaattttg 600
aaatggaggg agacagtga gtaattatgg aaagcaagca aaatccagtc tctgtcccac 660
cataaaatga aatgactatc aagcttcaaa ctcttaagtt tttttttttt aatacaaaaa 720
ctttcacatt ctttattcag tgggacttaa tacaattatt tatattttta attattaaag 780
tatctggaaa gggaaaatgt tttcttcatt tttaggatct atctagcaaa agccagatct 840
gaaattcaga tatttgtact gtttttactg tgtatagaaa ttagtgcttt ggttttaaaa 900
tgatctttta aaaaagttaa ggacatccta gagccttaat agttaagaag agttaaat 960
tcaagcctat ttgtgcattt gctttttttg aaaaaggtaa gttgctgatt aagtctaatt 1020
ggaattgata attccatagt cttagattaa aatgaggata tttctccta gattttctca 1080
tgttatgcca tgcatttata tatctaacca ttaatttcac actaaggatg cttcaccata 1140
taataaaaag agcaagatgg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1200
aaaaggggag gacgcgtggg tccgaccggg gaattcccg atcngtcact gncgggctga 1260
cttntct 1267
```

&lt;210&gt; 222

&lt;211&gt; 754

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (702)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (710)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (754)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 222

```
cagagaactg agatgaaagc aatgatgaag ggaccctggg accctgcctt tcctctccct 60
actcagcagg agcttatgaa gtcattctac tttctcttct gtccccctc tcctcttcat 120
gcagggtataa agaaatatga ggcccgaatt ggaacagcag catggagggt ccaggttggg 180
tccccaacgt gctccccatg ggcaagacaa tggaaacttc cacaagcagg gaaggcaaac 240
cctctttatt gaacattagc cagcccagcc cagaccccag ggctgctaag gacacagaga 300
ttctccatgg gaaggggact gccaaagcat aggaaataga agattcaggg gcctgarctc 360
```

```

tgaagctgc aagcaaaagg gatgggacta gggctgagtt gtgtctycat tttgataagg 420
aaaggatatg ctacactct tgcttggtca gattccaaga cagaaggctt cacaaggcca 480
acgcctggaa aatgggcac tctccctccc atgttaagct ttaacctctg taatctgcct 540
gtatctatag gtgggcac tctcccatca aaggagccca gcctcttttg tcctctacca 600
tgcacagtct ttctgtgat ttccccaagc tgggcccctct tctactctca tttaggcctg 660
tgataactca ttaccacccc atcacttggt tcttcagggc anacttggen aagcagggaa 720
ttgccttga cataaattga agggcactcc tttt 754

```

<210> 223

<211> 1258

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (41)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1205)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1241)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1247)

<223> n equals a,t,g, or c

<400> 223

```

aacgatacag ccaaggmgat caccatcaac aagattctkt nccaacgwga gccttggtgca 60
ggagaacctg tacttccagc gctgcctaga ctggaaccgt gacatcctca agaaggagct 120
gggactgaca gagcaggaca tcattgacct gcccgctctg ttcaagatgg acgaggacca 180
ccgtgccaga gccttcttcc caaacatggt gaacatgatc gtgctggaca aggacctggg 240
catccccaag ccattcgggc cacaggttga ggaggaatgc tgcctggaga tgcacgtgcg 300
tggcctcctg gagcccctgg gcctcgaatg caccctcatc gacgacattt ctgcctacca 360
caaatttctg ggggaagtcc actgtggcac caacgtccgc aggaagccct tcaccttcaa 420
gtggtggcac atggtgccct gaccctccag gggccctggc gtttgcctcc ttmgcttart 480
tctccagacc ctycctcaca ygcccagagc cttctgctga catggactgg acagccccgc 540
tgggagacct ttgggacgtg ggggtggaatt tggggatatc gtgccttgcc ctccctgaga 600
ggggccctcag tgwcctctga agccatcccc agtgagcctc gactctgtcc ctgctgaaaa 660
tagctgggac agtgctctct tagccctgac ataaggaaca gaacacaaca aaacacagca 720
aaccatgtgc ccaaactgct ccccaaaraa ttttgagtct ctaatctgac actgaatgag 780
gggagaaggg aaggagattc tgggattgcc agttcttcca gcagccatgc tctgaaaatc 840
aaggtagaat ccatggaaag ggaccccagg accccgggac cctagacgta tcttgaactg 900
ccatcgctcat ttcaaataca tctccctcag gggttccagg tggccacccc caatwattca 960
ttccttacca acctctcaaa tcctcttggc tttctctctg cagtgtggac actgttggt 1020

```

agtcctcccc actcctgag ggtccagtaa gttaccttag aaccttcctg ggaaacattt 1080  
catctggagg caggkttccc cacgtgtggg atgctccttt ttgcctcatc tgtcttcagg 1140  
ggatggcagg ctcccccgca ttgcatgggg gattttttcc ccagaccagg cataatttgt 1200  
ggacntgagg agtttcaatg tgttaaagat ggccctgggt naagccntat tccatctt 1258

<210> 224  
<211> 584  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (494)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (495)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (577)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (583)  
<223> n equals a,t,g, or c

<400> 224  
cttaccacaga aggcaacgct tctctttctg gtcaaaatgg ctggttaagca ggccgtttca 60  
gcatcaggca agtggctgga tggatattcga aaatgggtatt acaatgctgc aggattcaat 120  
aaactgggggt taatgcgaga tgatacaata tacgaggatg aagatgtaaa agaagccata 180  
agaagacttc ctgagaacct ttataatgac aggatgtttc gcattaagag ggactgggac 240  
ctgaacttga agcatcagat cttgcctaaa gagcagtggg ccaaataatga agaggaaaat 300  
ttctaccttg aaccgtatct gaaagagggt attcgggaaa gaaaagaaag agaagaatgg 360  
gcaaagaagt aatcatgtag ttgaagtctg tggatgcagc tgttatgaag atggttaaac 420  
ttgaaacaaa caattttaag aattatttgg tctgaagatg ttttacttta aataaatgtc 480  
tattgtaatg gcwnnaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 540  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaggggnggc cgnt 584

<210> 225  
<211> 3449  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2330)  
<223> n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3434)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3443)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 225

gcgagcacgt tagaaagcct gacatggcct gactcgggac agctcagagc agggcagaac 60  
tggggacact ctgggccggc cttctgcctg catggacgct ctgaagccac cctgtctctg 120  
gaggaaccac gagcgaggga agaaggacag ggactcgtgt ggagggaaga actcagagcc 180  
gggaagcccc cattcactag aagcactgag agatgcggcc ccctcgagg gtctgaattt 240  
cctgctgctg ttcacaaaga tgctttttat ctttaacttt ttgttttccc cacttccgac 300  
ccggcgcttg atctgcatcc tgacatttgg agctgccatc ttcttgtggc tgatcaccag 360  
acctcaaccc gtcttacctc ttcttgacct gaacaatcag tctgtgggaa ttgagggagg 420  
agcacggaag ggggtttccc agaagaacaa tgacctaaac agttgctgct tctcagatgc 480  
caagactatg tatgaggttt tccaaagagg actcgtctgt tctgacaatg ggccctgctt 540  
gggatataga aaaccaaacc agccctacag atggctatct tacaacagg tgtctgatag 600  
agcagagtac ctgggttcct gtctcttgca taaaggttat aaatcatcac cagaccagtt 660  
tgtcggcatc tttgctcaga ataggccaga gtggatcatc tccgaattgg cttgttacac 720  
gtactctatg gtactgttac ctctgtatga caccttggga ccagaagcca tcgtacatat 780  
tgtcaacaag gctgatatcg ccatggtgat ctgtgacaca ccccaaagg cattggtgct 840  
gatagggaat gttagaagaag gcttcacccc gagcctgaag gtgatcatcc ttatggacct 900  
ctttgatgat gacctgaagc aaagagggga gaagagtga attgagatct tatccctata 960  
tgatgctgag aacctaggca aagagcactt cagaaaacct gtgcctccta gccagaaga 1020  
cctgagcgtc atctgcttca ccagtgggac cacaggtgac cccaaggag ccatgataac 1080  
ccatcaaaat attgtttcaa atgctgctgc ctttctcaaa tgtgtggagc atgcttatga 1140  
gcccactcct gatgatgtgg ccatatccta cctccctctg gctcatatgt ttgagaggat 1200  
tgtacaggct gttgtgtaca gctgtggagc cagagttgga ttcttccaag gggatattcg 1260  
gttgcgtggt gacgacatga agactttgaa gccacattg tttcccgagg tgcctcgact 1320  
ccttaacagg atctacgata aggtacaaaa tgaggccaag acacccttga agaagtctt 1380  
gttgaagctg gctgtttcca gtaaattcaa agagcttcaa aagggtatca tcaggcatga 1440  
tagtttctgg gacaagctca tctttgcaaa gatccaggac agcctgggag gaagggttcg 1500  
tgtaattgtc actggagctg ccccatgtc cacttcagtc atgacattct tccgggcagc 1560  
aatgggatgt cagggtgatg aagcttatgg tcaaacagaa tgcacagggtg gctgtacatt 1620  
tacattacct ggggactgga catcagggtc cgttggggtg cccctggctt gcaattacgt 1680  
gaagctggaa gatgtggctg acatgaacta ctttacagt aataatgaag gagaggtctg 1740  
catcaagggt acaaacgtgt tcaaaggata cctgaaggac cctgagaaga cacagggaag 1800  
cctggacagt gatggctggc ttcacacagg agacattggt cgctggctcc cgaatggaac 1860  
tctgaagatc atcgaccgta aaaagaacat tttcaagctg gcccaggag aatacattgc 1920  
accagagaag atagaaaata tctacaacag gagtcaacca gtgttacaaa ttttgtaca 1980  
cggggagagc ttacggctcat ccttagtagg agtgggtggt cctgacacag atgtacttcc 2040  
ctcatttgca gccaaagctt ggggtgaagg ctcctttgag gaactgtgcc aaaaccaagt 2100  
tgtaaggga gccaatttag aagacttgca gaaaattggg aaagaaagtg gccttaaaac 2160  
ttttgaacag gtcaaagcca tttttcttca tccagagcca ttttccattg aaaatgggct 2220  
cttgacacca acattgaaag caaagcgagg agagctttcc aaatactttc ggacccaaat 2280  
tgacagcctg tatgagcaca tccaggatta ggataaggta ctttaagtacn tgccggccca 2340

ctgtgcactg cttgtgagaa aatggattaa aaactattct tacatttgtt ttgcctttcc 2400  
tcctattttt ttttaacctg ttaaactcta aagccatagc ttttggttta tattgagaca 2460  
tataatgtgt aaacttagtt cccaaataaa tcaatcctgt ctttcccatc ttcgatgttg 2520  
ctaataattaa ggcttcaggg ctacttttat caacatgcct gtcttcaaga tcccagttta 2580  
tgttctgtgt ccttcctcat gatttccaac cttaatacta ttagtaacca caagttcaag 2640  
ggctaaaggg accctctgtg ccttcttctt tgttttgtga taaacataac ttgccaacag 2700  
tctctatgct tatttacatc ttctactgtt caaactaaga gattttttaa ttctgaaaaa 2760  
ctgcttaca ttcattgttt ctagccactc cacaaccac taaaatttta gttttagcct 2820  
atcactcatg tcaatcatat ctatgagaca aatgtctccg atgctcttct gcgtaaatta 2880  
aattgtgtac tgaagggaag agtttgatca taccaaacat ttcctaaact ctctagttag 2940  
atatctgact tgggagtatt aaaaattggg tctatgacat actgtccaaa aggaatgctg 3000  
ttcttaaagc attatttaca gtaggaactg gggagttaa ctgttcccta cagtttgctg 3060  
ctgagctgga agctgtgggg gaaggagtgt acaggtgggc ccagtgaact tttccagtaa 3120  
atgaagcaag cactgaataa aaacctcctg aactgggaac aaagatctac aggcaagcaa 3180  
gatgccaca caacaggctt attttctgtg aaggaaacca ctgatctccc ccacccttg 3240  
attagagttc ctgctctacc ttaccacag ataacacatg ttgtttctac ttgtaaatgt 3300  
aaagtcttta aaataaacta ttacagatam ttaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 3360  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 3420  
aaaaaaaaaa aaangggggg ccnttttaa 3449

<210> 226

<211> 1866

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1859)

<223> n equals a,t,g, or c

<400> 226

caccaatgtt gataaactgg tgaaggacat ttacggagga gactatgaac gatttggcct 60  
tcaaggatct gctgtagcat caagctttgg caacatgatg agtaaagaaa agcgagattc 120  
catcagcaag gaagacctcg cccggggccac attgggtcacc atcaccaaca acattggctc 180  
cattgctcgg atgtgtgcgt tgaatgagaa catagacaga gttgtgtttg ttggaaattt 240  
tctcagaatc aatatggtct ccatgaagct gctggcatat gccatggatt tttgggtcaa 300  
aggacaactg aaagctctgt ttttgaaca tgagggttat tttggagccg ttggggcact 360  
gttggaactg ttcaaaatga ctgatgayaa gtagagacga gcagtggagg aaacagcctc 420  
ccaaaaggac agagaactaa aaaattgctg ctggagaagg tgaaagtcgc tttgggacgg 480  
aagccaagcc attatggcag atgaacctgc tggatttgta aataatttaa aatccttcca 540  
gatgatcttt tactcttagg ttttgagcta atgattcaaa acgggggaat ataaaagggt 600  
tttttctgt atactgtatt tttttaaaaa aatgggtgcag cgtggccaaa cctaccaatt 660  
gtatgcatta actttgaaaa gttgtttgat gtttaagaag gacctgatat gtaagcgctg 720  
gtcatttttc ttctgggggt tactgatcag tgtggtgatt ttaacttcat ttagtaatta 780  
ctctaggaga ttttaccttg acttatattt ttcattgacgt ttcattgatt gctgttggtt 840  
tcaaatgaaa ctacaaatct ggcatgtttt actgtgaaca cttttgttat ttgttttgta 900  
cccttttttg tcttgktttt ctgktttagt tgkcttctga aaaaagagtc gttccctctg 960  
tttctgtcct cagatgatgt ccctccccct acctgtaacc tttctttgac ataattgttc 1020  
atatcaatga aggtgctgac cagctcaata caaagttaag cacaagatct aaagctcttg 1080  
aaaaatgccg tgaagagaag actgaatgtg ttaatgaatt taatgagtct ggcaaaagtt 1140  
gcaaatata tgcaagtttg tcctatcgct tataaatgta gtgtttcatt ggattttatt 1200

tatgctaggt tatattaagt tgaaatagtc tgtgattaaa tgtcctcatc catgcacaga 1260  
atatgaatgg cagcaaactt ttgtgcaaga aatttgaaac ttattgggaa aagcctccca 1320  
gtagattaat tgttcatatc aggagattta gggtaagtca tgggttgagg tgtcagatag 1380  
taatatctat ttgttttgta catgtatata tctaggaact ttgtaacaac acatctttaa 1440  
taatgttaaa ggttttttca tttttaatat tttaaactaa aaactgtact tcaatctcag 1500  
tttctaaaat taaaaataat ttatactgat ctatataattt tttctttttg aaagatttca 1560  
ttaagactga tgggtaactt tcaaactgagg gtcatgtaca aatattggga tgcattgagat 1620  
cccatgatct tgtgtattga gcttattgtt gaaagggatt tttgaaggac agaacaatta 1680  
ctccatgatg aatcttcctt tctctgcctt ctgagcaccg tctttaattt ccatatcttc 1740  
aagtcttgaa gaagttgatg ttaattgaag aattcacttg tctgggtgaa ataaagcctg 1800  
tttctgttgt gaaaaaaaaa aaaaaaaact sgtggggggc ccggacccaa ttgccctang 1860  
ggagcc 1866

<210> 227

<211> 1064

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (209)

<223> n equals a,t,g, or c

<400> 227

ggcaacagca tggccacaat tttatagcag caaaatgaag caaaaatcaa aggagttagc 60  
aaaggcagaa acatatgtgt agtgtgctgc cagcataaga tggaagaact taaagaaggc 120  
ctgcggcaaa gagatgagct tattgaggag aagcagcgca tgcagcagaa aatagacacc 180  
atgacaaaag aggtgtttga cctccaggng acacttcttt ggaaagataa aaaaattgrg 240  
aaacatggct tagttataat ccccgatggc actcccaatg gtgatgtcag tcatgaacca 300  
gtggctggag ccatcactgt tgtgtctcag gaagctgctc aggtcttggg gtcagcagga 360  
gaagggccat tagatgtaag gctacgaaaa cttgctggag agaaggaaga actactgtca 420  
cagattagaa aactgaagct tcagttagag gaggaacgac agaaatgctc caggaatgat 480  
ggcacagtgg gtgacctggc aggactgcag aatggctcag acttgcagtt catcgaaatg 540  
cagagagatg ccaatagaca aattagcgaa tacaaattta agctttcaaa agcagaacag 600  
gatataacta ccttgaggca agtattagc cggcttgagg gacaggttct gagatataaa 660  
actgctgctg agaatgctga gaaagttgaa gatgaattga aagcagaaaa acggaagcta 720  
caacgagagt tacgaacagc actggacaag attgaggaga tggagatgac caacagccac 780  
ctggccaagc ggctggagaa gatgaaggcc aataggacag cacttctggc ccagcagtag 840  
gaaaaccacc cttcaacctg ggtgatgctc cttggggccc tacctagagg gactgacttt 900  
tgtccattga cacaaacccc ttttagtact gttttgagtt ttgtcattaa aacagccacc 960  
tttgtatttt ataatttatg acagratgaa gtcattttga atctacatga atgaacactt 1020  
tggatttttg ttggagtttg attctagggc agaaccagtc catg 1064

<210> 228

<211> 373

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (329)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (332)

<223> n equals a,t,g, or c

<400> 228

```
gctgcactct caggtattcc ctgctcttac tccaaaaaga tggaccacagg tccgaagggg 60
cactgccact gtgggggggca tggccatcct ccagggtcact gcgggccacc ccctggccat 120
ggcccagggc cctgcggggc accccccccac catggcccag ggccctgcgg gccaccccc 180
caccatggtc cagggccctg cggggccacc cctggccatg gccagggcc ctgcggggcca 240
cccccccacc atggtccagg gccctgcggg cctccccctg gccatggccc aggtcaccca 300
ccccctggtc cacatcactg aggaagtana anaaaacagg acacaagatg gcaagcctga 360
gagaaattgc cca 373
```

<210> 229

<211> 2844

<212> DNA

<213> Homo sapiens

<400> 229

```
tcgaccacag cgtccgcagg tgttcaagat ggcggtagct gaggggttga ccgagagacc 60
cagttgamgg cctttacgaa gtgaaagagg ccgggaatcg cccctaccc gcttctcgta 120
gtcctgggag cacagcagaa gtgttttct ttttttaatg aacaagtaaa ccatacaaat 180
tgtcaacatg ggacggagat ctacatcatc caccaagagt ggaaaattta tgaaccccc 240
agaccaagcc cgaagggaag cccggaagag agaattaaag aagaacaaaa aacagcgcat 300
gatggttcga gctgcagttt taaagatgaa ggatccaaaa cagataatcc gagacatgga 360
gaaattggat gaaatggagt ttaacccagt gcaacagcca caattaaatg agaaagtact 420
gaaagacaag cgtaaaaagc tgcgtgaaac ctttgaacgt attctacgac tctatgaaaa 480
agagaatcca gatatttaca aagaattgag aaagctagaa gtagaatatg aacagaagag 540
ggctcaactt agccaatatt ttgatgctgt caagaatgct cagcatgtgg aagtggagag 600
tattcctttg ccagatatgc cacatgctcc ttccaacatt ttgatccagg acattccact 660
tcctggtgcc cagccaccct ctatcctaaa gaaaacctca gcctatggac ctccaactcg 720
ggcagtttct atccttcctc ttcttggaac tgggtgtcca cgtttgcccc ctggcagaaa 780
acctcctggc cctccccctg gtccacctcc tcctcaagtc gtgcagatgt atggccgtaa 840
agtgggtttt gccctagatc ttccccctcg taggcgagat gaagacatgt tatatagtcc 900
tgaacttgcc cagcgaggtc atgatgatga tgtttctagc accagtgaag atgatggcta 960
tcctgaggac atggatcaag ataagcatga tgacagtact gatgacagt acaccgacaa 1020
atcagatgga gaaagtgacg gggatgaatt tgtgcaccgt gataatggtg agagagacaa 1080
caatgaagaa aagaagtcag gtctgagtgt acggtttgca gatatgcctg gaaaatcaag 1140
gaagaaaaag aagaacatga aggaactgac tcctcttcaa gccatgatgc ttcgtatggc 1200
aggtaagaa atccctgagg agggacggga agtagaggaa ttttcagagg acgatgatga 1260
agatgattct gatgactctg aagcagaaaa gcaatcacia aagcagcata aagaggaatc 1320
ccattctgat ggcacatcca ctgcttcttc acagcagcag gctccgccgc agtctgttcc 1380
tccttctcag atacaagcac ctcccatgcc aggaccacca cctcttgga caccacctgc 1440
tccaccatta cggcctcctg ggccacctac aggccttcct cctggteccac ctccaggagc 1500
tcctccattc ctgagaccac ctggaatgcc aggaactccga gggcccttac cccgactttt 1560
acctccagga ccaccaccag gccgaccccc tggccctccc ccaggteccac ctccaggctc 1620
gcctcctggc cccctcctc gtggaccccc accaaggcta cctccccctg cacctccagg 1680
tattcctcca cctcgtcctg gcatgatgcg cccacctttg gtgcctcccc ttggacctgc 1740
```



ccccctggg ctgttccac cagctccctt gccaaacctt ggggttttaa gtgccccacc 1800  
caacttgatt cagcgacca aggcggatga tacaagtga gccaccattg agaagaaagc 1860  
cacagcaacc atcagtcca agccacagat cactaatccc aaggcagaga ttactcgatt 1920  
tgtgcccact gactgagag tacgtcggga gaataaagg gctactgctg ctccccaaag 1980  
aaagtcagag gatgattctg ctgtgcctct tgccaaagca gcacccaaat ctggtccttc 2040  
tgttcctgtc tcagtacaaa ctaaggatga tgtctatgag gctttcatga aagagatgga 2100  
agggtactg tgacagcttt tgatgccaga aaaggcttct gttcacaaca gtggcccatg 2160  
gagaaagagg ctcttattaa acttagatga aagagctgct tccattgtca gggatatttc 2220  
taatttcagt tcaaggaata tcctaaaatt tagccttggt cagaatttac tgcacataaa 2280  
aaagggtatt tcatccagaa tagatcagtt attgaagcag tgctgctaac atccattccc 2340  
tttcatacca ccattttcac cctgtttctt cccctcctcc agttctttgg aaatttgta 2400  
tcgggggatc ttagttgctt atttgttttg actcttggtg gctgtgggca ctggagtaga 2460  
gatttctgga gaaaaaaaaa cagtttattt catcttgctt ttgtgtttg agttattttt 2520  
aatattttcc tgtaaataatt ttgtaataatt ttacttgtaa tgaaatggat cacaatgtca 2580  
tttcctaata caaggcagga tatgtgggaa gaatatgtac aattatttga ttaaaattat 2640  
ttcccactga cctaaacttt cagtgatgtg tgggaaaaat aaataaatgt tctacaccaa 2700  
gatactctgt gttactgata atatgtaaac ataataccta ttttatggga caggaaaaag 2760  
ttaaaatatt taaaaacttg ggggttttaa gggaactgcc tttctgggta cagatgagga 2820  
tcttactgga aaactgggta aaaa 2844

<210> 230

<211> 1798

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (24)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (31)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (501)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1798)

<223> n equals a,t,g, or c

<400> 230

```
ngcaaatata cgtgnacact tatnaaaagt nacgcctgac acgtgaccgg ttccgggaat 60
tcccgggtcg acccacgcgt cgggccagc actagaagtc ggcggtgttt ccattcgggt 120
atcagcactg aacacagagg actcaccatg gagtttgggc tgagctgggt ttccctcgtt 180
gctcttttaa gaggtgtcca gtgtcaggtg cagctgggtg agtctggggg aggcgtggtc 240
cagcctggga ggtccctgag actctcctgt gcagcstctg gattcacctt cagtagctat 300
ggcatgcact gggtcgcgca ggctccaggc aaggggctgg agtgggtggc agttatatsr 360
tatgatggaa gtaataaata ctatgcagac tccgtgaagg gccgattcac catctccaga 420
gacaattcca agaacacgct gtatctgcaa atgaacagcc tgagagctga ggacacggct 480
gtktattact gtgcgaraga ngttactatg gttcggaaag catctactac tactttgact 540
ctggggccag ggaacmctgg tcaccgtctc ctacgcctcc accaagggcc catcgggtctt 600
ccccctggca ccctcctcca agagcacctc tgggggcaca gcggccctgg gctgcctggt 660
caaggactac ttccccgaac cggtgacggt gtcgtggaac tcaggcgccc tgaccagcgg 720
cgtgcacacc ttcccggtg tcctacagtc ctacggactc tactccctca gcagcgtggt 780
gaccgtgccc tccagcagct tgggcaccca gacctacatc tgcaacgtga atcacaagcc 840
cagcaacacc aaggtggaca agaragtga gcccaaatct tgtgacaaa ctcacacatg 900
cccaccgtgc ccagcacctg aactcctggg gggaccgtca gtcttctctt tcccccaaa 960
accaaggac accctcatga tctccggac ccctgaggtc acatgcgtgg tgggtggacgt 1020
gagccacgaa gaccctgagg tcaagttcaa ctggtacgtg gacggcgtgg aggtgcataa 1080
tgccaagaca aagccgcggg aggagcagta caacagcacg taccgtgtgg tcagcgtcct 1140
caccgtcctg caccaggact ggctgaatgg caaggagtac aagtgcaagg tctccaacaa 1200
agccctccca gccccatcg agaaaacat ctccaaagcc aaagggcagc cccgagaacc 1260
acaggtgtac accctgcccc catcccggga kgagmtgacc aagaaccagg tcagcctgac 1320
ctgcctggtc aaaggcttct atcccagcga catcgccgtg gagtgggaga gcaatgggca 1380
gccggagaac aactacaaga ccacgcctcc cgtgctggac tccgacggct cttctctcct 1440
ctayagcaag ctacccgtgg acaagagcag gtggcagcag gggaacgtct tctcatgctc 1500
cgtgatgcat gaggctctgc acaaccacta cacgcagaag agcctctccc tctcyccggg 1560
taaatgagtg cgacggccgg caagcccccg ctccccgggc tctcgcggtc gcacgaggat 1620
gcttggcacg taccctgtst acatacttcc crggcrcca gcatggaaat aaagcaccca 1680
scrctgccct gggcccctgc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1740
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaawaa aaaaaaaaaa aaaaaaan 1798
```

<210> 231

<211> 1823

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (82)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1593)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1714)

<223> n equals a,t,g, or c

<400> 231

```
gtcgccctgcc acccgcttcg gccacggcca gacgcccgcg gccttcctca gcgctctgct 60
gccctcgag cgcgcgcgcg gncgggtcaac gccctggggc tgcccaaggg tgtcaccccc 120
gcagatttcc aaagaaggcc agtagaactg ctagaatagc ctccgatgag gaaattcaag 180
gcacaaagga tgctgttatt caagacctgg aacgaaaact tcgcttcaag gaggacctcc 240
tgaacaatgg ccagccgagg ttaacatacg aagaaagaat ggctcgtcga ctgctagggtg 300
ctgacagtgc aactgtcttt aatattcagg agccagaaga ggaaacagct aatcaggaat 360
acaaagtctc cagctgtgaa cagagactca tcagtgaat agagtacagg ctagaaagggt 420
ctcctgtgga tgaatcagggt gatgaagttc agtatggaga tgtgcctgtg gaaaatggaa 480
tggcaccatt ctttgagatg aagctgaaac attacaagat ctttgaggga atgccagtaa 540
ctttcacatg tagagtggct ggaaatccaa agccaaagat ctattggttt aaagatggga 600
agcagatctc tccaaagagt gatcactaca ccattcaaag agatctcgat gggacctgct 660
ccctccatac cacagcctcc accctagatg atgatgggaa ttatacaatt atggctgcaa 720
accctcaggg ccgcatcagt tgtactggac ggctaattgg acaggctgtc aaccaaagag 780
gtcgaagtcc ccggtctccc tcaggccatc ctcatgtcag aaggcctcgt tctagatcaa 840
gggacagtgg agacgaaaat gaaccaattc aggagcgatt cttcagacct cacttcttgc 900
aggctcctgg agatctgact gttcaagaag gaaaactctg cagaatggac tgcaaagtca 960
gtgggttacc aacccagat ctaagctggc aactagatgg aaagcccgta cgccctgaca 1020
gtgctcacia gatgtggtg cgtgagaacg ggggtgcactc tctgatcata gagccagtca 1080
cgtcacgtga tgccggcatc tacacatgta tagctacca cagagcagga cagaactcat 1140
tcagcctgga gcttgtggtt gctgctaaag aagcacacia acccctgtg tttattgaga 1200
agctccaaaa cacaggagtt gctgatgggt acccagtgcg gctggaatgt cgtgtattgg 1260
gagtgccacc acctcagata ttttgaaga aagaaaatga atcactcact cacagcactg 1320
accgagttag catgcaccag gacaaccacg gctacatctg cctgctcatt cagggagcca 1380
caaaagaaga tgctgggtgg tatactgtgt cagccaagaa tgaagcaggg attgtgtcct 1440
gtactgccag gctggacgtt tacaccaggt ggcatacagca gtcacagagc accaagccaa 1500
aaaaagtacg gccctcagcc agtcgctatg cagcactttc ggaccaggga ctagacatca 1560
aagcagcgtt ccaacctgag gccaaacctat ctacactgac actgaatact gccttggtag 1620
aaagttagga cctgtaatcc agcattcttg ktaaagctga aacacttgaa acagscattg 1680
scttgaccaa catattcctt tgtcacatta tgtnaaggc agaamcatac ctttgctatt 1740
agaaattaaa aaaacaccaa aatatatttt ctacttgaat accaacttag ttttaagtaga 1800
taatgctaata caaatatac aca 1823
```

<210> 232

<211> 970

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (936)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (960)

<223> n equals a,t,g, or c

<400> 232

```
aattcgggac gagggcagcc cgcttgccaa tcagagcgcg gctgagcggc cccgcagcca 60
acccccgagg agcggccggc tggcgctccg cgcgcccagg agttggggat gtcctacaaa 120
cccacgcccc ctgctccag cagcacccct ggctccagca cccctggggc gggcaccccg 180
gtccctacag gaagcgctcc gtcgcccgtc ggctcagtgc caggagccgg cgctccttcc 240
agaccgctgt ttaacgactt tggaccgcct tccatgggct acgtgcaggc gatgaagcca 300
cccgccgccc agggctccca gagcacctac acggacctgc tgtcagtcac agaggagatg 360
ggcaaagaga tccggcctac ctatgctggc agcaagagcg ccatggagcg cytgaagaga 420
ggaagcgctt cggcctcagc gtctggacct atccggccac tgcagagcac ccgcttctcc 480
ctggccttca tcccgagttg cactaaccat cctgggcttc ctgtcctgtg tcccttggtg 540
ggccccctcc aggaaccaag gagtggccct ccagggtggc gcactaagga cccccccca 600
caacaagagt tagcagcgag gtccccatga gtccccacca tgacctgccg acagtgttgc 660
ccaccggaac ttttgtggcc cctaccgctc agcccttccc agcacttctc ccactttgtc 720
ccgagcctcc ttctccccc gacggggcac aggcctggca cctccctgcc ttgtgtcctg 780
agccatagtg actcttttat ctgtgtgtct tttgctaaat atgccctttt tatattaata 840
aaagatgatt tggagttgtg ctctcaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 900
aaaaaaaaagg cggccgctct agaggatcca tgcttnacgt acgcgtgcat gcgtacgctc 960
ttgctcttct                                     970
```

<210> 233

<211> 967

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (923)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (926)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (955)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (957)

<223> n equals a,t,g, or c

<400> 233

```
ggcagagcac ttcctggcca ggaaacctga gcggtgagac tcccagctgc ctacatcaag 60
gccccaggac atgcagaacc ttcctctaga acccgaccca ccaccatgag gtcctgcctg 120
tggagatgca ggcacctgag ccaaggcgtc cagtggctct tgcttctggc tgtcctggtc 180
ttctttctct tcgccttgcc ctcttttatt aaggagcctc aaacaaagcc ttccaggcat 240
```

caacgcacag agaacattaa agaaagggtct ctacagtccc tggcaaagcc taagtcccag 300  
gcacccacaa gggcraggag gacaaccatc tatgcagagc cagygccaga gaacaatgcc 360  
ctcaacacac aaacccagcc caaggccccc accaccggag acagaggaaa ggaggccaac 420  
caggcaccgc cggaggagca ggacaagggtg cccacacag cacagagggc agcatggaag 480  
agcccagaaa aagagaaaac catggtgaac aactgtcac ccagagggca agatgcaggg 540  
atggcctctg gcaggacaga ggcacaatca tggaaagagc aggacacaaa gacgacccaa 600  
ggaaatgggg gccagaccag gaagctgacg gcctccagga cgggtgcaga gaagcaccag 660  
ggcaaagcgg caaccacagc caagacgstc attyccaaaa gtcagcacag aatgctggct 720  
yccacaggag cagtgtcaac aaggacgaga cagaaaggat tkaccacagc agtcatccca 780  
cctaaggaga agaaacctca ggccacccca cccctgccc ctttccagag cccacgacg 840  
cagagaaaacc aaagactgaa gggcggcaac ttcaaatctg agcctcgggtg ggattttgag 900  
gaaaaataca agcttcgaaa tanganggtc tcagacgact tggccttgac tctgngnaga 960  
tcaaaaag 967

<210> 234  
<211> 2163  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1140)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1157)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1158)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1166)  
<223> n equals a,t,g, or c

<400> 234  
gcccagagcct gcgatggctc tccccaccg gaggtcagc cgtgggtgc gtcaaaggca 60  
tcaaggccct gggcaagtat gtggacctca agcggctgaa cacgacaggc gtgacgccgg 120  
ctgcacygcc gacctgctgg tggggcgcg cagtacttcc catggccacg gcttccttcg 180  
cctggcgctc tcgaacgtgg caccgctcac tggcaacgtc tactccggct tcggcttcca 240  
cagcgcaccag gacagtgcct tgctctacta ccggcgctcc ccgatgggc tatgccaggt 300  
gtccctgcag cagggccgtg tgagcctaca gctcctgagg actgaagtga aaactcaagc 360  
gggcttcgcc gatggtgccc cccattacgt cgccttctac agcaatgcc aaggagctctg 420  
gctgtatgtc gatgaccagc tccagcagat gaagccccc cggggaccac ccccgagct 480  
ccagccgcag cctgaggggc ccccgaggct cctcctggga ggcctgcctg agtctggcac 540  
cattacaac ttcagtggct gcatcagcaa cgtcttcgtg cagcggctcc tggggccaca 600  
gcgcgtatct gatctgcagc agaacctggg cagcgtcaat gtgagcacgg gctgtgcacc 660

cgccctgcaa gcccagaccc cgggcctggg gcctagagga ctgcaggcca ccgcccggaa 720  
ggcctcccgc cgcagccgtc agcccgcccg gcctcctgcc tgcctgctgc cccacacact 780  
caggaccacc cgagactcct accagtttgg gggttccctg tccagtcacc tggagtttgt 840  
gggcatcctg gcccagacata ggaactggcc cagtctctcc atgcacgtcc tcccgcgaag 900  
ctcccagggc ctccctcctct tcaactgccc tctgaggccc ggcagcccct ccctggcgct 960  
cttctgagc aatggccact tcgttgca ca gatggaaggc ctccgggactc ggctccgcgc 1020  
ccagagccgc cagcgtccc ggctggcg tggcacaagg tctccgtgcg ctgggagaag 1080  
aaccggatcc tgctggtgac ggacggggcc cgggscgtga gccaggagg ggcgcaccgn 1140  
agcaccaggg ggcagannac cccangccc cacaccctct ttgtggcgcg cctcccggcm 1200  
agcagccaca gctccaaact tccggtgacc gtcgggttca gcggtgtgt gaagagactg 1260  
aggctgcacg ggaggcccct gggggccccc acacggatgg caggggtcac accctgcac 1320  
ttgggcccc ttggaggcggg cctgttcttc ccaggcagcg ggggagttat cacttttagac 1380  
ctcccaggag ctacactgcc tgatgtgggc ctggaactgg aggtgcggcc cctggcagtc 1440  
accggactga tcttccactt gggccaggcc cggacgcccc cctacttgca gttgcagggtg 1500  
accgagaagc aagtcctgct gcgggaggat gacggagcag gggagttctc cacgtcataa 1560  
cccgccctc agtgctgtgt gatggccagt ggcaccggct agcgggtgatg aaaagcggga 1620  
atgtgctccg gctggagggtg gacgcgcaga gcaaccacac cgtgggcccc ttgctggcg 1680  
ctgcagctgg tgcccagcc cctctgtacc tcgggggcct gcctgagccc atggccgtgc 1740  
agccctggcc cccgcctac tgccgctgca tgaggaggct ggccgtgaac cgggtccccg 1800  
tcgcatgac tcgctctgtg gaggtccacg gggcagtggt ggccagtggt tgcccagccg 1860  
cctaggacac agccaacccc gggccctggt caggccctg cagctgcctc acaccgcccc 1920  
ttgtgctcgc ctcatagggtg tctatttggga ctctaagctc tacgggtgac agatcttgtt 1980  
tctgaagatg gtttaagtta tagcttctta aacgaaagaa taaaatactg caaaatgttt 2040  
ttatatattg ccctccacc catttttaat tgtgagagat ttgtcaccaa tcatcactgg 2100  
ttcctcctta aaaattaaaa agtaacttct gtgtaaaaaa aaaaaaaaaa aaaaaaaaaa 2160  
aaa 2163

<210> 235

<211> 1321

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1313)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1320)

<223> n equals a,t,g, or c

<400> 235

gcgcgacgcc gccacctccg gaacaagcca tgggtggcggc gacgggtggca gcggcgtggc 60  
tgctcctgtg ggctgcggcc tgccgcgacg aggagcagga cttctacgac ttcaaggcgg 120  
tcaacatccg gggcaaaactg gtgtcgctgg agaagtaccg cggatcggtg tccctgggtg 180  
tgaatgtggc cagcagtgcc ggcttcacag accagcacta ccgagccctg cagcagctgc 240  
agcagacct gggccccac cacttcaacg tgctcgccct cccctgcaac cagtttggcc 300  
aacaggagcc tgacagcaac aaggagattg agagctttgc ccgccgcacc tacagtgtct 360  
cattccccat gtttagcaag attgcagtca ccggtactgg tgcccatcct gccttcaagt 420  
acctggccca gacttctggg aaggagccca cctggaactt ctggaagtac ctagtagccc 480

cagatggaaa ggtggtaggg gcttgggacc caactgtgtc agtggaggag gtcagacccc 540  
agatcacagc gctcgtgagg aagctcatcc tactgaagcg agaagactta taaccaccgc 600  
gtctcctcct ccaccacctc atcccgccca cctgtgtggg gctgaccaat gcaaactcaa 660  
atggtgcttc aaaggagag acccactgac tctccttctt ttactcttat gccattggtc 720  
ccatcattct tgtgggggaa aaattctagt attttgatta tttgaatctt acagcaacaa 780  
ataggaactc ctggccaatg agagctcttg accagtgaat caccagccga tacgaacgtc 840  
ttgccaacaa aaatgtgtgg caaatagaag tatatcaagc aataatctcc caccgaaggc 900  
ttctgtaaac tgggaccaat gattacctca tagggctgtt gtgaggatta ggatgaaata 960  
cctgtgaaag tgcctaggca gtgccagcca aataggaggc attcaatgaa cattttttgc 1020  
atataamca aaaaataact tgttatcaat aaaaacttgc atccaacatg aatttccagc 1080  
cgatgataat ccaggccaaa ggtttagttg ttgttatctt ctctgtatta ttttcttcat 1140  
tacaaaagaa atgcaagttc attgtaacaa tccaaacaat acctcacgat ataaaataaa 1200  
aatgaaagta tcctcctcaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1260  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aanggggggn 1320  
c 1321

<210> 236

<211> 683

<212> DNA

<213> Homo sapiens

<400> 236

tcgaccacag cgtccgagca gctgctgcag ggcccatggc ggacaccacg tacatcctgc 60  
ccaatgacat cggcgtgtct agcctggact gccgtgaggc cttcgcctg ctgtcaccca 120  
cagagcgctt ctatgcctac cacctgtccc gtgcgcctg gtacggaggc ctggctgtgc 180  
tgcttcagac ctcccctgag gcccctaca tctatgtctt gtcagccgc ctcttccgcg 240  
cccaggaccc cgaccagctg cgccaacatg ccctggctga aggccttacc gaggaggagt 300  
atcaggcggt cctggtctat gccgcgggtg tttactccaa catgggcaac tacaagtcct 360  
ttggtgacac caagtttggt cccaacttgc ccaaggaaaa gctggaacgg gtgatcctag 420  
ggagtggagg tgctcagcag caccagaag aagtcagggg cctctggcag acctgcgggg 480  
agcttatggt ctctctggag ccaaggcttc gacacctcgg actggggaag gagggaatca 540  
ccacctatct ctctgggaat tgtaccatgg aagatgccaa attggccmag atttctggac 600  
tcacagaacc tyartgccta caacaaccgg stcttyaaag aagtcsatgg garaaaggaa 660  
rccctamtac gaaggtgcgg gtt 683

<210> 237

<211> 2115

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2112)

<223> n equals a,t,g, or c

<400> 237

attcccggtt cgaccacgc gtccgggctc cggaaccgc tccggcaacg ccaaccgctc 60  
cgctgcgcgc aggtctgggt gcaggctctc ggctgcagcg ctgggggtctt gctttgtctc 120  
ccaggctggt gtgcagtggt gcgaccacgg ctacaggcag cctcagccac ccagatgtaa 180  
gcgatctggt tccacactca gcctcccag tagtggatct aggatccggc ttccaacatg 240  
tggcagctct gggcctccct ctgctgcctg ctggtgttgg ccaatgcccg gagcaggccc 300

tctttccatc cctgtgctgga tgagctgggc aactatgtca acaaacggaa taccacgtgg 360  
caggccgggc acaacttcta caacgtggac atgagctact tgaagaggct atgtgggtacc 420  
ttcctgggtg ggcccaagcc accccagaga gttatgttta ccgaggacct gaagctgcct 480  
gcaagcttcg atgcacggga acaatggcca cagtgtccca ccatcaaaga gatcagagac 540  
cagggtcctt gtggctcctg ctgggccttc ggggctgtgg aagccatctc tgaccggatc 600  
tgcattccaca ccaatgcgca cgtcagcgtg gaggtgtcgg cggaggacct gctcacmtgc 660  
tgtggcagca tgtgtgggga cggctgtaat ggtggctatc ctgctgaagc ttggaacttc 720  
tggacaagaa aaggcctggg ttctgggtggc ctctatgaat cccatgtagg gtgcagaccg 780  
tactccatcc ctccctgtga gcaccacgtc aacggctccc ggcccccatg cacgggggag 840  
ggagataccc ccaagtgtag caagatctgt gagcctggct acagcccgcac ctacaaacag 900  
gacaagcact acggatacaa ttcctacagc gtctccaata gcgagaagga catcatggcc 960  
gagatctaca aaaacggccc cgtggaggga gctttctctg tgtattcggga ctctctgctc 1020  
tacaagtccg gagtgtacca acacgtcacc ggagagatga tgggtggcca tgccatccgc 1080  
atcctgggct ggggagtgga gaatggcaca ccctactggc tgggtgcca ctctctggaac 1140  
actgactggg gtgacaatgg ctctcttaaa atactcagag gacaggatca ctgtggaatc 1200  
gaatcagaag tgggtggctgg aattccacgc accgatcagt actgggaaaa gatctaattc 1260  
gccgtgggccc tgtcgtgcca gtcctggggg cgagatcggg gtagaaatgc attttattct 1320  
ttaagttcac gtaagataca agtttcagrc aggtctgaa ggactggatt ggccaaacat 1380  
cagacctgtc ttccaaggag accaagtcct ggctacatcc cagcctgtgg ttacagtga 1440  
gacaggccat gtgagccacc gctgccagca cagagcgtcc ttccccctgt agactagtgc 1500  
cgtagggagt acctgctgcc ccagctgact gtggccccct ccgtgatcca tccatctcca 1560  
gggagcaaga cagagacgca ggaatggaaa gcggagttcc taacaggatg aaagtccccc 1620  
catcagttcc ccagtacct ccaagcaagt agctttccac atttgtcaca gaaatcagag 1680  
gagagatggt gttgggagcc ctttgagaa cgccagtctc ccaggcccc tgcatctatc 1740  
gagtttgcaa tgtcacaacc tctctgatct tgtgctcagc atgattcttt aatagaagtt 1800  
ttattttttc gtgactctg ctaatcatgt ggggtgagca gtggaacagc gggagacctg 1860  
tgctagtttt acagattgcc tcctaattgac gcggctcaaa aggaaaccaa gtgggtcagga 1920  
gttggtttctg acccactgat ctctactacc acaaggaaaa tagtttagga gaaaccagct 1980  
tttactgttt ttgaaaaatt acagcttcac cctgtcaagt taacaaggaa tgcctgtgcc 2040  
aataaaagggt ttctccaact tgaaaaaaa aaaaaaaaaa aaamwmgggg ggggcccgtg 2100  
cccattggcc tntgg 2115

<210> 238

<211> 1642

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1633)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1638)

<223> n equals a,t,g, or c

<400> 238

taagcaggca ctagaggacc tggagcgcac atcaggccgt ggcaccctga tgtcgccacc 60  
atgctcaaca tccttgcttt ggtgtatcgt gaccagaata agtataagga agctgcccac 120  
ctgctgaatg atgcccttag catccgggag agcaccttg gacctgacca tcctgctgtg 180



gctgccacac tcaacaattt ggctgtgctc tatggcaaaa ggggcaagta caaggaggca 240  
gagcctctgt gccagcgggc actggagatt cgagaaaagg tcctgggcac gaatcatcca 300  
gatgtggcaa aacagctgaa caacctggcc ctcttgtgcc aaaaccaggg caagtatgag 360  
gccgtggaac gctactacca gcgagcactg gccatctacg aggggcagct ggggccggac 420  
aaccctaatt tagcccggac caagaacaac ctggcttcct gttacctgaa acagggcaaa 480  
tatgtgagg ctgagacact atacaaagag atcctgaccc gtgcccattgt acaggagtgt 540  
gggtctgtgg atgatgacca caagcccatc tggatgcatg cagaggagcg ggaggaaatg 600  
agcaaaaagc ggcaccatga ggggtgggaca ccctatgctg agtatggagg ctggtacaag 660  
gcctgcaaaag tgagcagccc cacagtgaac actactctga gaaacctggg agctctgtat 720  
aggcgccagg gaaagctgga ggctgctgag accctggagg aatgtgccct gcgggtcccgg 780  
agacagggca ctgaccctat cagccagacg aagggtggcag agctgcttgg ggagagtgtat 840  
ggtagaagga cctcccagga gggccctgga gacagtgtga aattcgaggg aggtgaagat 900  
gcttctgtgg ctgtggagtgt gtccggggat ggcagtggga ccctgcagag gagtggctct 960  
cttggcaaga tccgggatgt gctccgcaga agcagtgaac tcttgggtgag gaagctccar 1020  
gggactgagc ctcgccctc cagcagcaac atgaagcgag cagcctcctt gaactatctg 1080  
aaccaacctt gtgcagcacc cctccaggtc tccccggggc tcagtgccag caccatggac 1140  
ctctcttcaa gcagctgaca ttcaaccggg cccccaggtc tgctgggtcc cccaccccc 1200  
acagccctca cagcattccc cattgctcct ggctcttccc caccctagg tgggacagt 1260  
aaggggagca gtttaaccag aagattgctg ctgcccttag ggtctcagct ccctcctcag 1320  
gaatccctct taggaaggac cctcaggaca ccctctctgc accctgtggg cctctagagt 1380  
agctagctct gagggcccaa ggtgggtaca aagcaggat ggccctcaga gatgcagcct 1440  
gctgctggct tttcagtcag aggggtggg gctggccagc caagctgcct tgccctggcc 1500  
gctcttactc cctccctctg ctgtctcact tcagggtccat gtatttact tttcttaaat 1560  
aaaagaatca ggtaacctta aaaaaaaaaa aaaaaaaaaa ctgggggggg gccccgaacc 1620  
caatttgccc canagggngg cg 1642

<210> 239

<211> 468

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (461)

<223> n equals a,t,g, or c

<400> 239

gcggacgcgt gggcctggtc tcagtatggc gctgtcctgg gttcttacag tcctgagcct 60  
cctacctctg ctggaagcca gatccattg tgtgccaaac tagtaccggg gcccatcacc 120  
aacgccaccc tggaccggat cactggcaag tggttttata tcgcatcggc ctttcgaaac 180  
gaggagtaca ataagtcggt tcaggagatc caagcaacct tcttttactt tcccccaac 240  
aagacagagg acacgatctt tctcagagag taccagacc gccagaacca gtgcttctat 300  
aactccagtt acctgaatgt ccagcgggag aatgggaccg tctccagata cgaggaggcg 360  
cgagaaacat gttgtcacc tgctgttcct tagggacacc aagacctga tgtttggtty 420  
ctacctggac gatgagaaga actgggggtg tctttctatg ntgacaag 468

<210> 240

<211> 1329

<212> DNA

<213> Homo sapiens

&lt;400&gt; 240

```
tacatcttat aaaacctaac tggcatttaa aaaatactgt ggccgggctt ggtggctcat 60
gcctgtaatc ccagcacttt gggaggccga ggtgggagga ttgcttgagt ccaggaattt 120
gagaccagcc tggacaacac agtgagacct catctctatc aaaaaataaa aattagctag 180
atgtgggtggc atgagcctgt gttcccagct gcttaggagg ctgaagcagg aggattgatt 240
gagcctgcga ggccaaggct gcagcaggct gtgattgcac cactgcactt cagcttgggc 300
aacagagcaa gaccctgtct ccgaaacaaa taaaaaatac tgtaataaaa gtacttataa 360
acatactaata cctctttcag gaccctaaag ttgcagggtta gtaggtcttc aaggacaaat 420
ctgtaagttt cttattttctg tagtgcaagt aaaatttcac tttttgaaac tatagagaga 480
tcccttttctg attagcctac agaacttaaa gtgagggaac catttcctct cacagacaaa 540
gaggcctggg atattaggac tttgggggtt gagagcatca tggggcagac agatgggtgga 600
tggtctggac aagaagcgag taagccactg cggttgggtca tactgaaggg aattgatggc 660
aagaggatcc cctgagcaag tcagaagtta ctctcatcag tcgttcatgg tcacaacctg 720
aggtactctg ctgagtgggc aaggctgaag aagaggcctg tggaatgcag cattacctgc 780
tggaacagagc agggcaggca gttctatgcc ttggagctcc tgactgcagg gactctgtcc 840
ccacactcar aaagactcag ctactcaat gagagaatgt gatttacttt atagaacgta 900
taatcaactt tgttgaataa tttgttctat taaggctgtc taaagtatgt gatgtcttca 960
tcatagtatg aagtgttgaa aattaataac gagcctagtt taggaaaaag ctgcttaaaa 1020
ctgtggctct aagagagtaa tcataaaata ccttagataa aattgcacta tggaattttc 1080
attgagtatg tttaaattat tggtctgtct actaatacac atctgcttca aaatgaacat 1140
atttcataaa attggcatca attttaataga cgctcctggg atggaacctc agatataccc 1200
tattggagac aatcctttga tcataaatc tccccaacta taaatcattt tatgtcttta 1260
tcawaaaaaa aaaaaggaat tcgatatcaa gcttatcgat accgtcgacc tcgagggggg 1320
gcccgtaac 1329
```

&lt;210&gt; 241

&lt;211&gt; 1652

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 241

```
gagcayttcg gcaactggca aaaattaggt gtacagggat ctaggtaata ctgtttattt 60
gagcaataat atattgtgct aacgttcagg catcctatta ctgagaaata agggaaaatg 120
agtgtaaaagt acaactaaga gtctcggcta cagggaataa taccatcagt taaatatcca 180
tagtcctaga gcatttatgt aaaactgcaa tttgaatcct gcaatacatt ttggcttttt 240
cctcagtgat accatgtgtg ggaagttgtt ctgtcaagggt gggtcggata atttgccctg 300
gaaaggacgg atagtgactt tcctgacatg taraacattt gatcctgaag acacaagtca 360
agaaatargc atgggtggcca atggaactaa gtgtggcgat aacaagggtt gcatkaatgc 420
agaatgtgtg gatattgaga aagcctacaa atcaaccaat tgctcatcta agtgcaaagg 480
acatgctgtg tgtgaccatg agctccagtg tcaatgtgag gaaggatgga tccctcccga 540
ctgcgatgay tcctcagtgg tcttccactt ctccattgtg gttgggggtg tgttcccaat 600
ggcgggtcatt tttgtggtgg ttgctatggt aatccggcac cagagctcca gagaaaagca 660
gaagaaagat cagaggccay tatctaccac tggcaccagg ccacacaaac agaagaggaa 720
accccagatg gtaaaggctg ttcaacccca agagatgagt cagatgaagc cccatgtgta 780
tgatctgcca gtagaaggca atgagcccc agcctctttt cataaagaca caaacgcact 840
tccccctact gttttcaagg ataatccaat gtctacacct aaggactcaa atccaaaagc 900
atgaagcaac agctaagcaa gaactaatgg ctaaattatc aacttgaaa actggaaaat 960
ctggatggca gagaaatata ctatctcacc agtatttgct ctgcactcaa gaaggttaac 1020
attttctgat tcatgttaga ctttgaagag actaaagaaa attttcaaga ggaacatatg 1080
cctgagaacc tttgcatgaa tttaaaattt caattatcca ttcttataag aaggaagatg 1140
attgtaaaga aatatctccg aagttaaaat ctgtaatagg aattgattca ttctctaagt 1200
```

aaaacaaaac ataaaaacat cacactaatc ttggaggaat aagaaaaatt gtacatccat 1260  
taaattgtaca attgattgca acatcttgat tgttttaacc attaacttgt caaattacaa 1320  
tcacaggttaa gaaaatgatg taaaattctg ttttgtggat ctctttccta gattagcttc 1380  
tgaaatcatt attagctata tcatttgagg ttttctacaa tttggtataa ctaagaattt 1440  
aaaaatgttt tatcatatat atttgtataa ttaattactg gcatggttaa agtgggtttc 1500  
acttttttaa tggagaaaat ttcagttaaa ttaataggat aaaccagggt gcgaactggg 1560  
gacctgtagg ccatgtttgc actgcaaata tatttggtct gaatgatatt gaaaaaaaaa 1620  
aaaaaaaaaa ctcgaggggg ggcccgtacc ca 1652

<210> 242

<211> 1946

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (84)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (538)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1932)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1941)

<223> n equals a,t,g, or c

<400> 242

ggcacgagta caaggtggcg gcgctgggmc tggccaccgg cwtcgtcttg gtgctgctgc 60  
tgctctgcct ctaccgcgtg ctangcccgc gcaactacgg gcagctgggt ggtgggcccg 120  
ggcgcgggag gcgcggggag ctgccctgcg acgactacgg ctatgcgcca cccgagacgg 180  
agatcgtgcc gcttgctgctg cgcggccacc tcattggacat cgagtgcctg gccagcgacg 240  
gcatgctgct ggtgagctgc tgcttgccag gccacatctg cgtgtgggac gcgcagaccg 300  
gggattgcct aacgcgcatt ccgcgcccag gcaggcagcg ccgggacagt ggcgtgggca 360  
gcgggcttga ggctcaggag agctgggaac gactttcaga tgggtgggaag gctggtccag 420  
aggagcctgg ggacagccct cccctgagac accgcccccg gggccctccg ccgccttccc 480  
tcttcgggga ccagcctgac ctcacctgct taattgacac caacttttca gcgcagcntc 540  
ggtcctcaca gccactcag cccgagcccc ggcaccgggc ggtctgtggc cgctctcggg 600  
actccccagg ctatgacttc agctgcctgg tgcagcgggt gtaccaggag gaggggctgg 660  
cggccgtctg cacaccagcc ctgcgcccac cctcgcctgg gccggtgctg tcccaggccc 720  
ctgaggacga ggggtggctcc cccgagaaag gctccccctc cctcgcctgg gccccagtg 780  
ccgaggggtc catctggagc ttggagctgc agggcaacct catcgtgggt gggcgaggca 840  
gcggccggct ggaggtgtgg gacgccattg aaggggtgct gtgctgcagc agcgaggagg 900  
tctcctcagg cattaccgct ctggtgttct tggacaaaag gattgtggct gcacggctca 960

acggttccct tgatttcttc tccttggaga cccacactgc cctcagcccc ctgcagttta 1020  
gagggacccc agggcggggc agttcccctg cctctccagt gtacagcagc agcgacacag 1080  
tggcctgtca cctgaccac acagtgccct gtgcacacca aaaacccatc acagccctga 1140  
aagccgctgc tgggcgcttg gtgactggga gccaaagacca cactactgaga gtgttccgtc 1200  
tggaggactc gtgctgcctc ttcacccttc agggccactc agggggccatc acgaccgtgt 1260  
acattgacca gaccatgggtg ctggccagtg gaggacaaga tggggccatc tgcctgtggg 1320  
atgtactgac tggcagccgg gtcagccatg tgtttgctca ccgtggggat gtcacctccc 1380  
ttacctgtac cacctcctgt gtcacagca gtggcctgga tgacctcatc agcatctggg 1440  
accgcagcac aggcataaag ttctactcca ttcagcagga cctgggctgt ggtgcaagct 1500  
tgggtgtcat ctcagacaac ctgctgggtga ctggcgcca gggctgtgtc tccttttggg 1560  
acctaaacta cggggacctg ttacagacag tctacctggg gaagaacagt gagggccagc 1620  
ctgcccgcga gatcctgggtg ctggacaacg ctgccattgt ctgcaacttt ggcagtgagc 1680  
tcagcctggt gtatgtgccc tctgtgctgg agaagctgga ctgagcgagc ggcctccttg 1740  
cccaggcagg aggctggggg gctgtgtggg ggccaatgca ctgaacctgg acttggggga 1800  
aagagccgag tatcttccag ccgctgcctc ctgactgtaa taatattaaa cttttttaaa 1860  
aaaccataaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1920  
aaaaaaaaa anaaaaaaaaa nggggg 1946

<210> 243

<211> 518

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (298)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (472)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (494)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (500)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (507)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (513)

<223> n equals a,t,g, or c

<400> 243

```
ggacgcgtgg gcagctgcag aaatccaaaa atattgacct tataagctca agatgctgta 60
tgctgggttt ttacaaggat attcgggtatt tgatgaaacc cagttaggca tgacatatctc 120
cccttctccc cattcctacc tctcttttat taaaaatttt atagttacag tgtctatgtt 180
gcccagcctg gtcttgaacc ctttggtcga agtgatccac ctgccttggc ctcccaaagt 240
gctgggatta cagatgggag ccacgtgtgc tggccattc ctgcctctta aagccctnca 300
cccaacaggc agacttgaga ctcaaaccgt ggtcccagct cttgcatcag gggtagtttg 360
ggaattcaaa atctttcaaa ctggggtaaa aaccaggccc agaattcaga gttcaaccaa 420
caagctttcc aagaatgccg gcccaaagga aaaaagtggg ttcttgga aaacgggggaa 480
aaggggggtg caancctttn ggagagnaca agngcttg 518
```

<210> 244

<211> 621

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (569)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (593)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (609)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (612)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (621)

<223> n equals a,t,g, or c

<400> 244

```
gggaaggtcc atgggttgat acctcaggtc aaaaatgtgt ttactctgtt gattgctgtt 60
tcactttact tgtatatcag atatataagc tatgaacaca agttttagt aaaagtatct 120
```

tctgtctggg caatgggetca cacctgtaat tccaacactt tggggggctc aggtgggagg 180  
atctctagtc cccaggagtt tgagaccagc ctgggcaata aactagaccc catgtctcta 240  
aaaaatgtaa aaaacatcaa gaggtgagt caggaggatc atttgagctt aggagttcaa 300  
ggctgcagta agttatgatt gtgccactgc attccagcct gggtgacaag agtgagaccc 360  
tgacccaaaa aaagtatctt ctgataaagt ggcatttgaa aattgcagaa aattttaata 420  
ttttttcttt taatattaag aactttattg atctctctan gacaccttg tgaggaaatt 480  
aatggcactt ttcttgacat tcaacctggg actttgggtg attctgggtt ctgggtgaatt 540  
taaagtttca acatttcttt ggggcacctt ttacaagggg tttggccctt ggnaccttat 600  
gaccggtcna anggtccaaa n 621

<210> 245

<211> 480

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (340)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (366)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (431)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (447)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (458)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (469)

<223> n equals a,t,g, or c

<400> 245

ggcacgaggt gaaaccctgt ctctactaaa aatacaaaaa ttagctgggt gtggtggtgg 60  
gcgcctgtag tcccagctac tcgggaggct gaggcgggag tatgacttga acctgggagg 120  
cggaggttgc agtgagctga gattgtgcca ctgcactcca gcctgggtga cagagcaaga 180  
ctccgtttca gaaaaaaaaa aaaactgtgt ctcatcattg cactgttctt ttaaaattgt 240  
atatatatat ttttcttgca gatacactct ggaaatgatt aaactagtac cacataatga 300  
aagtgcattg aactatttga aagggatttt gcaggatcgn ggtctttcca aatatcccaa 360  
tctgtnaaat caattacctt gatttacaac caagtcaaag ttccccctac ctaattgcct 420  
ttcttgggga naccatgaag acatgcnaga aaaccagnn gacaataang gagacatcct 480

<210> 246

<211> 451

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (102)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (110)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (135)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (198)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (287)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (309)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (314)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (319)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (324)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (328)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (330)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (332)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (342)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (349)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (379)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (434)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (438)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (439)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (451)

<223> n equals a,t,g, or c

<400> 246

```
aggcgaccca ccaccatgcc ccggctaaat ttagttgtat ttttagtaga gatgggggttt 60
caccgtatta gccaggatgg tctcgatctc ctgacctcgt gntccgngcn cctcggcctc 120
ccaaagtgct ggganttaca ggcgtgagcc accgtgcccg gcctgattct cttaaaattg 180
aagaggtgct gccaaggntc tcagatctaa cgcagatgca tagaccttgt tcatgggtact 240
tggtcagcct gtgctgggga gccgtgggtc cgagtttcct gggaggntga caggggtgaag 300
ccaccgtanc caccnaccnc cganttcncn tncgctttct tntcagcant aggattaaag 360
ggattttgaa tgaagcaant ttttaaggggt aggaggtgtt ggggaaaata aataattatt 420
caagtaaggc cttinggnnt ttaggggggt n 451
```

<210> 247

<211> 530

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (29)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (404)

<223> n equals a,t,g, or c

<400> 247

```
aggaaannag tanctgacag taacggctcng aattcccggg tcgacccacg cgtccgctgg 60
aacttctcct ggtctctcag ctggggccac tgtcggcatc atgattggag tgctgggttg 120
ggttgctctg atatagcagc cctgggtgtag tttcttcatt tcaggaagac tgacagttgt 180
tttgcttctt ccttaaagca ttgcaacag ctacagtcta aaattgcttc ttaccaagg 240
atatttacag aaaagactct gaccagagat cgagaccatc ctagccaaca tcgtgaaacc 300
ccatctctac taaaaatata aaaatgagct gggcttggtg gcgcacacct gtagtcccag 360
ttactcgggg aagctgaggg aggagaatcg cttgaacccg ggantggaga ttgcagttag 420
cccagatcgc accactgcac tccagtctgg ccaacagagc aagactccat ctcaaaaaag 480
aaaagaaaag gagactctga cctggtactc ttgaatacaa gtttctgata 530
```

<210> 248

<211> 635

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (217)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (224)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (235)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (408)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (437)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (484)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (513)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (516)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (560)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (568)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (576)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (603)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (635)  
<223> n equals a,t,g, or c

<400> 248  
ggtggcaggt gcttataatc ccagctactc tggggggccaa ggcaggagaa ttgcttgagc 60  
ctgggagatg gaggttgagc tgagctgaga tcatgccact gcactccagc ctgggcaaca 120  
gagcaagact ctgcctcaaa aaaaaattaa aataaattta aatacaaaaa aaaatagcca 180  
ggtgtggggg gcatgcctgg aatcccagct acttganaag gctnaaggca ccaanaattg 240  
cttgaaccca ggaggtggag gttgcagtga gccaagatca caggagccac tgactccag 300  
cctgggtgac agagtggagac tctgtctcaa aaaaaaatt aaataaatta ttataacctt 360  
tcaaaaatgc tgtgtgcatt ttcattgttct tttttttaac attactgnca ctctccctaa 420  
tgaaatggac ttcaaanaag cagtattttg ttaaataaat acataacctc attctgaata 480  
atgnccctca ttttgactat aactgggctt ggnttnaaaa gcaaaattta acaaaaattt 540  
aatccccttc caaaggaacn ttgggtancc tgggtnaaaa aatgccaaat ggggtacttt 600  
tanttaaaat ttggaattta acatcttttt tggan 635

<210> 249

<211> 360

<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (118)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (280)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (282)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (305)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (360)  
<223> n equals a,t,g, or c

<400> 249  
ctcaggaaac catgtccaaa accctagcag cggtagagca tgctgtctcc aacccttatac 60  
cccagggttta aggggtggttt atggccatac gtggagggttt tttgttggtg tttttganac 120  
tgagtttcac tcttggtgcc caggctggag tgcaatggca ccactctggc tcaactgcaac 180  
ctccacctcc tggttcaagc gatctcaggc ctacgcttcc caagtagttg ggattacagg 240  
cgcctgccac cacacctggc taattttgta ttttttagtan anagggggtt ctccatggtg 300  
gtcangctgg tctcaaaactc ccgaactcaa gtgatctgcc cgccttgggc tcccaaaatn 360

<210> 250  
<211> 464  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (397)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (436)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (446)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (459)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (460)  
<223> n equals a,t,g, or c

<400> 250  
gctgtgagga aggggaatcg cttgaacccg ggaggcggag gttgcggtga gccgagatag 60  
cgccattgca ctccagcctg ggcaacaaga gcgaaaccct gtctcaaaaa aaaaacaaaa 120  
aaccaccacaa aaactaggag cctggaaggc cggactgggt ctccgtggga ggggcctggg 180  
tctggagagc agggcagggc ctccctgggc taggggatgg ggatggggct gggctctaga 240  
ggaggcaggg tttacgtgca gaagagcgga cttggtctcc ggggtcccga gtgggtgacg 300  
cggcccgccca caggtgcttc ctgaagggtga gccggctgga ggcacaactg ctccctggagc 360  
gctaccccgga gtgcgggaac ctgctgctgc ggcccancgg ggacggcgcc gacggcgtgt 420  
cggtcaccac tcggcngatg ccaacnggaa cgcacgtgnn ccgg 464

<210> 251  
<211> 315  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (28)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (37)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (77)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (113)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (202)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (210)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (220)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (265)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (302)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (305)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (311)  
<223> n equals a,t,g, or c

<400> 251  
aaagtaaaca tcggggaagg tttnccgnaa cgctccnagg taccgggtccg gaattccccg 60  
gtcgaccac gcgtttngct ccttggtcag gctgggtctgg aactggcgac ttngggtgat 120  
ccgcccgcct cggcctccca aagtgggtggg attacaggtg tgagccaccg tgcccagccc 180  
tgaaatagtc ttaattgctt gnttttcttn tttgtctgan gtgtgctttt taaaatctct 240  
atggagatgg agaagactga cattntctgg cctgatgtga aaaacctctc attaaaaacc 300  
gngtntgtag ntttg 315

<210> 252  
<211> 333  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (51)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (196)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (200)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (233)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (254)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (302)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (303)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (325)

<223> n equals a,t,g, or c

<400> 252

```
gggctaattt gtgtattttt agtggaacg gggttttgcc acgttggcca ngctgggtctc 60
gaactcctga cctcaggtna tccaccacc ccagcctccc aaagtgctgg gattacaggc 120
gtgagccact gagcccagcc nacttttcag tttttaacat aatttttgtt ttatccacaa 180
cttttcaagt attganagtn caataaaaaa catggggttct tagtctgtaa ctntctgtta 240
aagcctatga atnncctctg aaaatcatgt ttttaaagtc ataaaatata tacgattacg 300
anngaattctt attattgtcg aaatncagtt att                                     333
```

<210> 253

<211> 307

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (48)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (250)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (260)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (281)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (299)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (302)

<223> n equals a,t,g, or c

<400> 253

```
gaaaaanttt taaaggaaga agggaaggca ggctggggag gntggggnaa ggaagcaggg 60
agtgcagatc actccccttc catgagttgt tttcttaaga tgctagaact tggccaggca 120
tgggtggctca cccctgtaat ccagcactt tgggaggctg aggctggcag atcacttgag 180
gtcaggagtt ccagaccagc ctggccaaca tggtgaaacc ccatctctac taataatata 240
aaatttagcn ggggtgtgggn ggtgtgcacc tgtggcccta nctacttggg aaggctgana 300
cnaggag                                     307
```

<210> 254

<211> 401

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (256)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (340)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (350)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (359)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (378)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (379)

<223> n equals a,t,g, or c

<400> 254

gtataaatgt tacttaaaaa aaatatatatt ggccgagcac agtggetcac gcctgtaate 60  
cccacacttt gggaggccga ggcgggcaga ttgcctgagg tcaggaattt gagatcagcc 120  
tggccaacat gatgaaaccc cgtctctact aaaaatacaa aaattagccg ggcattggtgg 180  
caggcacctg taatcccggc tactcgggag gctgaggcag gaaaatcgct tgaacccggg 240  
agtcggaagt tgcagngagc caaggatcatg tcatcattgc actccagctt gggcaacaag 300  
agtgaagact tcgtctcaaa aaaaaaactt acagactttt ttttcctttt gtaaattgnt 360  
agtttaactt tgaattcnng atgaaggatt tattcttatt t 401

<210> 255

<211> 406

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (149)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (243)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (369)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (370)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (376)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (390)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (392)

<223> n equals a,t,g, or c

<400> 255

gcttatcatt tgtattaaaa tatggtttaa tgtaaagagt tgcctttctc cattcccccc 60  
tccctcccc tccctcctc tccctcctc tcttaccctc aattaaaaaa tagcacatcc 120

ctaattgtggg aaacagtaag aaagcatana ttacatttta ggcagggcac agtggctcac 180  
gcctgtaatc ccagcacttt cggaggctga ggtgggtgga tcacttgagg tcaggagttt 240  
ganaccagcc tggccaacat ggtgaaaccc tgtctctact aaaagtacaa aaattagcca 300  
ggcatggagg cgggtgcctg taatcccagc tacttgggag gctgaggcag gagaattgct 360  
tgagcccann aggcanaagg tgcaagtagn anagatcggg ccattg 406

<210> 256

<211> 415

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (27)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (324)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (378)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (379)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (411)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (412)

<223> n equals a,t,g, or c

<400> 256

gacatgaatt ccttaatgat gggagangat aaaatcaagt tcaaacacat cccccccctg 60  
caggagcaga gcaaagaggt ggccatccgc atctttcagg gctgccagtt tcgctccgtg 120  
gaggctgtgc aggagatcac agagtatgcc aaaagcattc ctggttttgt aaatcttgac 180  
ttgaacgacc aagtaactct cctcaaatat ggagtccacg agatcattta cacaatgctg 240  
gcctccttga tgaataaaga tgggtttctc atatccgagg ggccaagctt catgacaagg 300  
gagttttctaa agagcctgcg aaancttttg gtgactttat gggagcccag tttgagtttg 360  
ccgtgaaatt ccatggcnng ggattatatg gacagcggct tgggcaaatt nnagc 415

<210> 257

<211> 414  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (102)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (297)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (375)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (380)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (397)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (411)  
<223> n equals a,t,g, or c

<400> 257  
cgcagaggaa accccgcacc cctggcagaa gttccggacc aagccccagg gggaccagga 60  
caccggcaag gaggctgatg acggatgtgc ccttgggggc angtgatggg agcacagctg 120  
gaacaatgtg ctcggccccc agtgctctgt gggagcccca ggacaagtga gctggtgtca 180  
cctcctgcct gggggaagag ccaggccctg aagaacagcc gcagcgtgtc acaggtgttg 240  
gtgaggacac aactaggcc caaggtgcct gtgtcccaag caggttccaa gtgcaanttc 300  
aagccaactt tgcgtgttaa cttcaacggg gacttccaag cttccaagct aacttttgtg 360  
gtgttaacct tcaanaaaan caanaaaggg gggcttnggg gcattttggt ncct 414

<210> 258  
<211> 373  
<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (321)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (324)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (328)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (351)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (361)

<223> n equals a,t,g, or c

<400> 258

```
ctccgagtca gggcccaggt gcagctctcc ggtggacaca gaatgcagcc atgctgaggg 60
cagccggagc caaggccctg agaaagcctt cagcccggt tctccatgtg cctggaacgt 120
gtgtgtcacc aggaaggccc cctgctggc ctctgacagt agtcctctg ggggctccca 180
cagcgaggat ggcgaccaga aggcagcgag tgccatggat gcggtgagca ggggtcccgg 240
ccgggaggcc ccccgctgcc cacagtggcc aagacagaag aagcttttgg caagggttcgg 300
ttttctgaca accggctttt naancctncc ttgccccgc gccaaaagga nttaatttct 360
ngccaagcg ttg 373
```

<210> 259

<211> 529

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (287)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (377)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (438)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (443)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (444)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (495)  
<223> n equals a,t,g, or c

<400> 259  
aaactaacag atgaagaagt agatgaaatg atcagagaag cagatattga tggagacgga 60  
caagtcaact atgaagaatt cgtacagaat gatgactgca aaatgaagac ctactttcaa 120  
ctcctttttc cccctcttta gaaagaatca aatttgaatc ttttacttac ctccttgcaa 180  
aaaaaagaaa aaagaaaaaa ttccatttat tcatccttgt ttcctatata gccaaactga 240  
atgttcaaaa gtaccttcct tgtcccacac acacaaatct gcatgtntgg ttgggggggt 300  
ccctgtcccc ctaaagatca agctacactt cccattttta caatataata cttgttctac 360  
cttatgatag atccctnaaa agtttccctt ttgctaataa ttataacctgt ttgggtggcc 420  
agttttccct gcttgcantt gannaatgac ccagccggcc tttgttttaa attgaaatga 480  
aaacaattcc aaccttccat ggttcccgtc cattgttaat taatggcca 529

<210> 260  
<211> 566  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (361)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (413)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (437)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (460)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (473)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (509)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (562)  
<223> n equals a,t,g, or c

<400> 260  
actgtctgta tattacggaa gctcttttca cataatatga ctcgtctgcg aaagtttatg 60  
gtttactttg gaaagaacca aagtttgcag aagatacaga aaactcctct ctttgtggcg 120  
gcgatctgtg ctcatgtggt tcagtatcct tttagcccat cctttgatga tgtggctgtt 180  
ttcaagtcct atatggaacg cctttcctta aggaacaaag cgacactgaa aattctcaa 240  
gcaactgtgt cctcctgtgg tgagctggcc ttgaaagggt ttttttcatg ttgctttgag 300  
tttaatggat ggatggatct cgcagaagca ggggggtggat ggaagatgaa gatctaacca 360  
ngtgcttgga tgagcaaatt ttacagccca gagactaaga ccattctacc ggnttttta 420  
gttccggcct tccaagnaat tcttggcggg ggatgaggcn ggattgaact ccngggatcc 480  
agataggcag gaacatcaag attggggang gtaaccattg gaacaaacca ctcacccagg 540  
tgacggttaag cgcctacaac antttt 566

<210> 261  
<211> 502  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (44)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (47)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (61)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (75)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (89)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (98)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (146)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (149)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (151)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (157)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (169)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (176)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (180)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (186)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (190)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (194)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (211)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (224)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (231)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (235)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (246)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (247)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (262)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (273)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (315)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (334)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (339)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (362)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (375)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (376)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (446)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (454)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (477)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (484)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (497)  
<223> n equals a,t,g, or c

<400> 261  
gggttaaaagt ggantgtatg ttgtnataga agttaaagtt gcanctnatt atggaataga 60  
nataacctgt cnaanttatc tgatgacana ttaccaangt gctcccccat cccacagta 120  
tagaangatt atttgcattg gtgcanaana naatggnttg ccgctggant atcaanagan 180  
gttaanagcn ttanaaccaa atgactatac ntgaaaggtc tcanaagaaa ntgangacat 240  
catcannaag ggggaaacac anactcttta gancataaca gaatatatct aagggtattc 300  
tatgtgctaa tatanaatat tattaacact tganaacang gatctggggg atctccacgt 360  
tngatccatt ttcannagtg ctctgagagg agtatcttac ttggggtgac tccttgtttt 420  
tagactatac tcagaaactg ggatangag ttanaccatt taaaacgggt gtatganggc 480  
ctgnaatatg tgacaantga at 502

<210> 262  
<211> 489  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (387)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (440)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (464)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (477)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (483)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (486)  
<223> n equals a,t,g, or c

<400> 262  
gnngacgcgt ggggtccggga tgaggagtgg ggtggccact ccccccgag tcccagggga 60  
tgggaccagg agcccgccag ggagcaggca ggcgggggct ggcgggccag gcggccccgg 120  
gcccgcctccg tggacgccct ggacgacctc accccgccga gcaccgccga gtcagggagc 180  
aggtctccca cgagtaatgg tgggaggaga agccgggcct acatgcccc gcggagccgc 240  
agccgggacg acctctatga ccaagacgac tcgagggact tcccacgctc ccgggacccc 300  
cactacgacg acttcaggto tcgggagcgc cctcctgccg accccaggto ccaccaccac 360  
cgtaccgcgg accctcggga caacgntcc aggtccgggg acctccccta tgatgggcgg 420  
ctactggagg aggtgtgan gaagaagggg tcggacgaga ggangagacc ccacaangag 480  
gangangaa 489

<210> 263  
<211> 93  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature

<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (51)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (75)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (76)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (93)  
<223> n equals a,t,g, or c

<400> 263  
gcggctgccc gcctcgcgcg tnttcctgc ccgggtctcc tcgctgtcgc ngccgatgcc 60  
acaccatggc cttcnnccacc aggcagttca tgn 93

<210> 264  
<211> 389  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (45)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (106)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (178)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (241)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (249)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (309)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (327)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (333)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (358)  
<223> n equals a,t,g, or c

<400> 264  
ggcagagtnt gctcttgga agtncaggct cggttgcttt ttggnagcca tggagagtga 60  
ctttaatctg cnttactacg tggggcacaa gggcaagtcg ggccangagt tcctggagtt 120  
tgaagtttcg accggacgga gcttgaaatc gtcattggag atgaacacat ttcttttnac 180  
aacatcaaaa attggttccc ttattgatgt caatcatgcc aaggatccag aaggcttacg 240

nagtatttna ttatcttgtc caggacctga agtggttggg cttcagtctt attgggttac 300  
acttcaagnt taaaccatct agactgnata ttngtgtggg acangggggg ggggtggngt 360  
aggaaatttt gtgtattttc aggggcatt 389

<210> 265

<211> 400

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (296)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (308)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (342)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (343)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (389)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (390)

<223> n equals a,t,g, or c

<400> 265

tttgcacag cgctcgccca cgcgtccgcc cagcgtccg cccacgcgtc cgcaccccca 60  
tccagtcac agcctacttc cgccacgcag aacctggatt ctccctcaag aggccaggg 120  
ggctcagccg gagcctccca cctccgcccc ctgccaaggg cagcattccc atcagccgcc 180  
tcttccttc tcggacccca ggctggcacc agctgcagcc ccgcgggtgt cattccgggc 240  
gaaggcctag agactctgca gagccctggg tatgacccaa gccgcaaaag tctttnttca 300  
agcaaagntt caaaagggtta agccgcttgg gcaatggttt annngaaagg ttttaagggg 360  
gcctccaagg gaggacggcc ggttttttnn ggaaaagggt 400

<210> 266

<211> 382

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (44)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (49)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (88)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (103)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (109)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (162)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (166)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (185)

<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (186)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (220)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (248)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (278)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (301)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (326)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (341)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (350)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (362)  
<223> n equals a,t,g, or c

<400> 266  
ggacctggn cggaggcggg aagaaagtca taccagatc cnanatccnc acgcagaatg 60  
cacaggtgag ctgccgctgg gcccgganca tgctgggcgt tcncacctng cagactgcac 120  
gtccaaccg cccgctccac ctactctttc caggcccggc ancttntgga gaaggaattc 180  
agcannctta tctccttagg cacagacagg ctgctggacn aggacatgcg ccaagtcttt 240

cagttcgntc cccatcctgg cggaagatgt tccggganga aggacctccg aggcgtaact 300  
ngccgactca ctgagatgtt gccccncaac tttcggtcgg ntgcagcggn attcctgggc 360  
tnttcggggg ctcctttttc cc 382

<210> 267  
<211> 449  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (374)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (433)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (446)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (447)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (448)  
<223> n equals a,t,g, or c

<400> 267  
gggcgatggc tgaaggacca ggagctgagc cctcgggagc cggtgctgcc cccacagaag 60  
atggggccta tggagaaatt ctggaataaa tttttggaga ataaatcccc ttggaggaaa 120  
atggtccatg gggatacaa aaagagtatc tttgttttca ctcatgtact tgtacctgtc 180  
tggtattatc attattacat gaagtatcat gtttctgaaa aaccatatgg catagttgaa 240  
aagaagtcca gaatattccc tgggtgataca attctggaga ctggagaagt aattccacca 300  
atgaaagaat ttcctgatca acatcattaa agattatgta aaaaggtaaa aggcttatga 360  
gcctaagttt ggtnttatat taccatattt actggaattt tcttgaaaa gtactttaat 420  
aaagtttaat ctnagaaaaa aaaaannna 449

<210> 268  
<211> 594  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature

<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<400> 268  
ngcaagcnga caccaaccct cactaaaggg aacaaaagct ggagctccac cgcggtgcgg 60  
ccgctctaga actagtggat cccccgggct gcaggaattc ggcacgaggt cagtgtcggg 120  
cgcagacggc ggcagtgcgg cttgctcttg gaagttcagg ctcggttgtc ttttgggagc 180  
catggagagt gacttttata tgcgttacta cgtggggcac aagggaagt tcggccacga 240  
gttcctggag tttgagtttc gaccggacgg gaagttaaga tatccaaca acagcaatta 300  
caagaatgat gtcgatgaca gaaaagaggc ttatgtacat aaaagcgtga tggaggaact 360  
gaagagaata attgacgaca gtgaaattac caaagaggat gatgcattgt ggcctcctcc 420  
tgaccgagtg ggcggcagg agcttgaaat cgtcattgga gatgaacaca tttcttttac 480  
aacatcaaaa attggttccc ttattgatgt caatcaatcc aaggatccag aaggcttacg 540  
agtattttat tatcttgccc aggacctgaa gtgtttgggc ttcagtctta ttgg 594

<210> 269  
<211> 332  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (19)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (240)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (275)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (296)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (321)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (332)

<223> n equals a,t,g, or c

<400> 269

```
gcgggatttg ggtcgcagnt cttgtttgtg gattgctgtg atcgtcactt gacaatgcag 60
atcttcgtga agactctgac tggtaagacc atcaccctcg aggttgagcc cagtgcacacc 120
atcgagaatg tcaaggcaaa gatccaagat aaggaaggca tccctcctga ccagcagagg 180
ctgatctttg ctggaaaaca gctggaagat gggcgacccc tgtctgacta caacatccan 240
aaagagtcca ccctgcacct ggtgctccgt ctcanagggtg ggatgcaa attcgngaag 300
accctgactg gcaagaccat nacccttgag gn 332
```

<210> 270

<211> 515

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<400> 270

```
gcnnaganacn aaccctcact aaagggaaca aaagctggag ctccaccgcg gtgcggccgc 60
tctagaacta gtggatcccc cgggctgcag gaattcggca cgagggatgt tgatgtcctg 120
catctaacgc ggtgtaaccc ccgaagccga gcgagctccg gaggaatttc agtatctgct 180
acggtaactt catcagcccc ccaagatggc gatgcaagcg gccaagaggg cgaacattcg 240
acttccacct gaagtaaadc ggatattgta tataagaaat ttgccataca aaatcacagc 300
tgaagaaatg tatgatatat ttgggaaata tggacctatt cgtcaaataca gagtggggaa 360
cacacctgaa actagaggaa cagcttatgt ggtctatgag gacatctttg atgccaagaa 420
tgcattgtgat cacctatcgg gattcaatgt ttgtaacaga taccttgtgg ttttgtacta 480
taatgccaac agggcatttc agaagatgga caca 515
```

<210> 271

<211> 141

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (25)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (39)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (141)

<223> n equals a,t,g, or c

<400> 271

```
cactccatgg gnnnctctgt gtggnatthg gggcccctnc atacttcatt tattatatta 60
tcaaaactga gagggatagg aaagtaaaaa cttatccagg taggaaaatt ggatcgaaca 120
tttcacctct catattaagg n                                           141
```

<210> 272

<211> 433

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (32)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (49)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (52)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (139)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (166)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (177)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (187)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (198)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (244)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (248)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (259)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (274)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (276)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (288)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (355)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (364)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (396)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (402)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (427)  
<223> n equals a,t,g, or c

<400> 272  
gagcggcggc ggaccgcagc gaagtggcga gntagtggca aacgttgant tntgaagggg 60  
ggcccaagat gaccggttct aacgaagttc aagntgaacc agccacccgg aggatagcat 120  
ctcctccgta aagttcagnc ccaacacctc ccagttcctg cttgtntcct cctgggncac 180  
gtccgtncga ctctacgnat gtgccggcca actccatgcg gctcaagtac cagcacaccg 240  
gagncgtncct ggactgcgnc ttctacggtc caangnatgc ctggagtnga ggactagatc 300  
atcagttgaa aatgcatgat ttgacactga tcaagaaaat ttcttgacc catgntgcc 360  
tatnagatgt gttgaatact gtcagaagtg aattanaatg gnactggaag ttgggggttag 420  
ccagttnacc tgt 433

<210> 273

<211> 432  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (187)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (190)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (332)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (371)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (373)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (380)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (430)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (432)  
<223> n equals a,t,g, or c

<400> 273  
ggttcatctc cgtctcagaa aagagcaagg atcgcggcag caacacgata ggcgcccgcc 60  
tgaaccgagt agaagacaag gtgacgcagc tggaccagag gctggcactc atcaccgaca 120  
tgcttcacca gctgctctcc ttgcacggtg gcagcaccac tgagcccact gtgcgtgggg 180  
ctcccgncn caaccctcgc ccagtcacca gcagccagcc aaacacacag aaggggactg 240  
ccaccttccc ttgccagctg ctgagccgca gagaagtgcg ggcttcctaca caggacaggg 300  
gttccttctg ggcattacat cgcataagaaa tnaataattt gtggtgattt ggatctgggt 360



tttaatgaat ntnacagtgn gactttgatt attaattgag caagcttttc ctaataaacg 420  
tgagaattn cn 432

<210> 274  
<211> 276  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (95)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (234)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (255)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (264)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (265)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (269)  
<223> n equals a,t,g, or c

<400> 274  
gatcgcttct ctgggtccaa gtctgccagc acggcctccc tgaccatctc tgggctccag 60  
gctgaggacg aggttgatta ttactgcagc tcatntacaa gtagtatctc ttatgtcttc 120  
ggaactggga ccaaggtcac cgtcctagtc cagcccaagg ccaacccac tgttcactcc 180  
tgtttcccc cctcctcctt aagaacttcc aagcccaaca aaggcaacta tgtnttttgg 240  
aaccattact tctanccggg aaanntttna aaatgc 276

<210> 275  
<211> 351  
<212> DNA  
<213> Homo sapiens

<220>

<221> misc feature  
<222> (48)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (78)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (87)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (117)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (150)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (154)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (174)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (178)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (206)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (219)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (241)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (248)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (288)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (292)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (303)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (329)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (349)  
<223> n equals a,t,g, or c

<400> 275  
ccgcagacta gggcgccctcg ggccagggga acgcggaaga gccatggnc a cgggctaacg 60  
gggccgtgga aaacgggnac cggacangaa gccgcccggcc ctgccgcgcc ccatccncaa 120  
cctggaagtc gagttcacca agatatttan caanaatgga atgggacgaa tccnagantg 180  
ggaaaaagtg tgctacatgt taccntcaa ctccggganc aaatatgtga agtggaagaa 240  
ngagatangg ccgacgtggg acgaaggctg tggaagctgc acagggtngc tnccaaaaag 300  
ggntcccca tggcgccccg gtgggatgnc ctgaattcct tggccggtng c 351

<210> 276  
<211> 463  
<212> DNA  
<213> Homo sapiens

<400> 276  
gctgaattct ggctgaccag ggcagtcacc agagctccag acaatgtctg tctccttcct 60  
catcttcctg cccgtgctgg gcctcccatg ggggtgctctg tcacaggtgc agctgcagca 120  
gtcaggtcca ggactggtga agccctcgca gaccctctca ctcacctgtg ccatctccgg 180  
ggacactgtc tctaggaaca gtgctggttg gaactggatc aggcagtccc catcgagagg 240

```
ccttgagtgg ctgggaagga catactacag gtccaaatgg tataatgatt atgccgtatc 300
tgtgaaaagt cgaataacca tcaacgcaga ttcaaccaag aatcagttct ctctgcagct 360
gaactctgtg actcccgagg acacggctct gtattactgt gcaagagatc ggggcagctg 420
gtccgatgaa gccgaggggc tcccgccgcg ttacttctac tac 463
```

<210> 277

<211> 463

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (392)

<223> n equals a,t,g, or c

<400> 277

```
ctgtcctcta gagaaaaccc tgtgagcaca gctcctcacc atggactgga cctggaggat 60
cctcttcttg gtggcagcag ctacaagtgc ccactcccag gtgcagctgg tgcagtctgg 120
tgctgagggt aagaagcctg gggcctcagt gaagggtctc tgcaaggctt ctggatacac 180
cttcaccagt tatgatatca actgggtgcg acaggccact ggacaggggc ttgagtgggt 240
gggatggatg aaccctaaca gtgctaacac aggctatgca cagaagttcc agggcagagt 300
caccatgacc aggaacacct ccataagcac agcctacatg gagctgagca gcctgagatc 360
tgaggacacg gccgtctatt actgtgcgag anggaggcgg tgggagctgc tcgggatgat 420
gtgggacttt gactactggg gccagggaac cctggtcacc gtc 463
```

<210> 278

<211> 343

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (172)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (271)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (284)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (293)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (294)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (315)  
<223> n equals a,t,g, or c

<400> 278  
ggcagagggga tctcagggct tctttttctg tcctccacca tcatgggggc aaccgccatc 60  
ctcgccctcc tcctggctgt tctccaagga gtctgtggcg aggtgcagct ggtacatgct 120  
ggaggagaga tgaggaaagc ccggggagtc tctgaagatc tcctgtgaag gntggtggga 180  
tacacctttg aacatctact gggatcggct ggggtgcgcca gatgcccggg gaaggcctgg 240  
gagtgggtgg ggcacatat gtctgtgtga ntctgatggc cagngatagc cannccttttc 300  
gagggccaga tgcancatgt gcagtcgaca agtgccacca aca 343

<210> 279  
<211> 436  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (121)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (151)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (211)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (326)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (362)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (373)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (392)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (403)  
<223> n equals a,t,g, or c

<400> 279  
gcaccatggc ttggacccca ctctcttcc tcacctcct cctccactgc acaggggtctc 60  
tctcccagct tgtgctgact caatcgccct ctgcctctgc ctccctggga gcctcggtca 120  
ngctcacctg cactctgagc agtgggcaca ncgactacgc catcgcatgg catcagcagc 180  
agccagagaa gggccctcgg tacttgctga ngcttaacac tgatggcagc cacaggaagg 240  
gggacgggat ccctgatcgc ttctcaggct ccagctctgg ggctgagcgc tacctacca 300  
tctccagcct ccagctctgag gatgangctg actattactg tcagaactgg ggctttggga 360  
tngtattcgg cgnaaggagc caanctgaac gncctaagtc agnccaaggc tgccccctcg 420  
gtcaatctgt tcccgg 436

<210> 280  
<211> 315  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (76)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (138)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (224)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (246)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (280)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (308)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (315)  
<223> n equals a,t,g, or c

<400> 280  
ggcagcagct cccccagcct tgctgaagat ccgttccaag gagggcaggt gtgcgcacca 60  
tcccgggcta tacagnccat ctgcctgccc tcgatgtata acgatcccca gtttggcaca 120  
agctgtgaga tcaactggnc tgggaaaaag gaattctagt gaagtgaaca attgcgaact 180  
gaacttagga aggtcctgga ggagtgtttt gacctggaaa atgnagccca gtgtgggttca 240  
agggttagac tgcagagttt agaggtgggg agcactgagn cgggtggcaga ttgggtccca 300  
gggttggnnt gaagn 315

<210> 281  
<211> 411  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (305)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (339)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (358)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (376)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (403)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (411)

<223> n equals a,t,g, or c

<400> 281

```
ggcagggttg agccgctgcc gtcgccatga cccgcggtaa ccagcgtgag ctcgcccgcc 60
agaagaatat gaaaaagcag agcgactcgg ttaagggaaa gcgccgagat gacgggcttt 120
ctgctgccgc ccgcaagcag agggactcgg agatcatgca gcagaagcag aaaaaggcaa 180
acgagaagaa ggaggaaccc aagtagcttt gtggcttcgt gtccaaccct cttgcccttc 240
gcctgtgtgc ctggagccag tcccaccacg ctcgcgtttc ctctgtagt gctcacaggt 300
cccancaccg atggcattcc ctttgccctg agtctgcanc ggggcccttt tgtgcttnc 360
tcccctcaag tacctntttc cccctggggc acttccgggg gtnagggggg n 411
```

<210> 282

<211> 570

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (217)

<223> n equals a,t,g, or c

<400> 282

```
gcaagnngaa antaacctc actaaagga acaaaagctg gagctccacc gcggtgcggc 60
cgctctagaa ctagtgatc ccccgggctg caggaattcg gcacgagtag agacagcgcc 120
ggggcaagtg agagccggac gggcactggg cgactctgtg cctcgctgag gaaaaataac 180
taaacatggg caaaggagat cctaagaagc cgagagnaaa atgtcatcat atgcattttt 240
tgtgcaaact tgtcgggagg agcataagaa gaagcaccca gatgcttcag tcaacttctc 300
agagttttct aagaagtgtc cagagagggtg gaagaccatg tctgctaaag agaaaggaaa 360
atttgaagat atggcaaaag cggacaaggc ccgttatgaa agagaaatga aaacctatat 420
ccctcccaaa ggggagacaa aaaagaagtt caaggatccc aatgcacca agaggcctcc 480
ttcggccttc ttctcttct gctctgagta tcgcccaaaa atcaaaggag aacatcctgg 540
```



gctgtccatt ggtgatgttg cgaagaaact

570

<210> 283  
<211> 366  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (10)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (32)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (39)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (327)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (333)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (337)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (348)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (357)

<223> n equals a,t,g, or c

<400> 283

```
gntnatgtgn aattaagaca aataaaaacg tnaagcggna caaatcacag agagccacaa 60
agcggatttc acacatgcct agcagaccag aactctcggc agttgctaca agggaagaaa 120
ggactatgtg gatecccttg ggctatgcag atacctacct cacagagttg ttgtagaaga 180
ctgggtgggtt ggttcaaacc ttgtgattaa agagtttgtc aagcatttta ttcttttgaa 240
taaaagcaac atatctaaaa catttaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 300
aaaaaaaaaa aaaaaaaaaa aaagggnggc cgntttnaag gatccaanct tacgaancgt 360
gcatgc 366
```

<210> 284

<211> 414

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (389)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (394)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (395)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (398)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (407)

<223> n equals a,t,g, or c

<400> 284

```
ggaagctgag acaggcattc caaggggact ccatcccggt ttctgacctg ctgacacctg 60
gggtggggcc cgatggtcac acctgctcac tcttcccaga ccacccctc ctacaggagc 120
gggagaagat tgtggctccc atcagtgact cccggaagcc accgccacag cgtgtgacct 180
tcacgctacc tgtcctgaat gcagcacgaa ctgtcatctt tgtggcaact ggagaaggca 240
aggcagctgt tctgaagcgc attttggagg accaggagga aaaccgctg cccgccgcct 300
```

gggtccagccc cacaccggga aactgtgctg gtcttggacg aggcggccgc cgcttctgac 360  
cgtgcccttc gagaaacatt ccactttgna actnngcnca aaggacnccc aaat 414

<210> 285  
<211> 551  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (180)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (186)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (234)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (271)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (296)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (298)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (319)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (322)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (324)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (325)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (365)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (368)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (410)

<223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (482)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (526)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (528)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (536)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (545)  
 <223> n equals a,t,g, or c

<400> 285  
 gtccngcntg agccgcacgg cngnacgctc gtcttcgccc gccatggccg agagcgactg 60  
 gganacgggtg acggtgctgc gcaagaaggg ccctacggac gccagcaac atccaagcag 120  
 gctatcttag cggcacaaag actaggagaa gatgtggaga cttccaataa atgggctgcn 180  
 ggccanaaca aacaacattc tattaccaag aacacggcca agctngaccg gganacagag 240  
 tgctgcacca tgacaggtga ccctgaagtg ngtcaagtga tccagcaagt cggcananca 300  
 agggcttaca cataacganc tngnnacgaa aatcatgata agccacagtg atcgcagact 360  
 atganagnng tacggccata cccaataacc agtgcttggc aaaatcgacn ggaccattgg 420  
 ctccaagctc cgggaaagac attggaagac ccacgcagaa gggcctaggc gaaatgaaca 480  
 cnaagcctcg aaatcatgag ctccagctga tctcttcgcg cgttcnctg gccgcnattc 540  
 cgttntcctc a 551

<210> 286  
 <211> 615  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (3)  
 <223> n equals a,t,g, or c

<400> 286  
 gcngacacca accctcacta aagggaacaa aagctggagc tccaccgcgg tgcggccgct 60  
 ctagaactag tggatccccc gggctgcagg aattcggcac gagtattgcc tctgaggag 120

tccaactgta tacctgcac agtgctcatc ctttgtgtga tttcttaatg ctgtatttgt 180  
tcattctcaaa cctagatgta tacagctctg agttataaat gggtataaag ctccctgttac 240  
tcataattagt tatttacatc aaaaagcttt tagaaaatgg tacgaggtaa ccaattcttg 300  
tcatgggtgaa atctgattga gtaaccaagc agttttacta ttctgggtgct gcttcataac 360  
aaaaatgaaa agctgcacgc atctacagca ggcatggatt gtttatgtcg tatgatatacc 420  
tttattaagt aagttcactt atagtatttc tataatttga ttcattgccg taatagagcc 480  
atgtaggaaa tgcactgatt gcatgttatt gtggcaagaa taccctaaat gtcattaaaa 540  
tcctccaaca tgatggatct acttatggtc ttgtttgttg acatgacaaa ttaacattct 600  
tatagttaca tctgg 615

<210> 287

<211> 302

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (221)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (226)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (237)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (286)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (296)

<223> n equals a,t,g, or c

<400> 287

gcggaatgtc acacacattg atcaggcact ccaggaagct catcgggtgc tgaaaccagg 60  
aggacgggtt ctctgtctgg aatttagcca agtgaacaat cccctcatat ccaggcttta 120  
tgatctatat agcttcacag tcattccctgt cctgggagag gtcacgctg gagactggaa 180  
gtcctatcag tacctttag agagtatccg aagggttccg nctcangaag agttcangga 240  
catgatagaa gatgcaggct ttcacaaggc gacttacgaa agtctnecat caggcnttgt 300  
gg 302

<210> 288

<211> 414

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (53)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (63)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (83)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (86)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (91)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (95)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (96)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (100)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (116)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (147)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (153)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (157)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (158)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (168)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (201)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (205)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (208)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (212)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (216)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (221)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (227)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (233)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (275)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (281)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (292)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (298)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (299)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (315)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (318)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (332)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (341)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (348)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (354)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (359)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (363)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (364)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (372)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (379)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (385)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (390)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (402)  
<223> n equals a,t,g, or c

<400> 288  
aattcggcac gagagagaga gagagagaga gagagagaga gagagagaga gtngcgntag 60  
ttngtgtgtc ctccggtttct cgnctnctgg ntcgnncccn cccacanctg gggcgntcta 120  
tgctcgagtgg cgcccatggc gaagagntct canctcnnat gtggaagnct ctcaccttct 180  
tcgtcgcgct ccccggggtg ncagncanca tinctgnatgt ntacctnaag tcncaccacg 240  
gagagcacga ganacccgag ttcacgtctt acccntatct ncgtatcagg ancaagcnn 300  
ttccctgggg agatngtnac cataacttttt tncataaccc ntatgtgnat ccanttcnc 360  
ttnttacgga gntgtatana gagantttgn ccattaccgg gncaacagg ccca 414

<210> 289  
<211> 184  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (35)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (101)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (142)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (159)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (175)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (176)  
<223> n equals a,t,g, or c

<400> 289  
ggacttnant tctntggaat gcatngaattg gcagngacgc attggccctg cccttggcct 60  
gcattgatga cgagatggac tgtgagcctc agggccccgc ncctggccca gctctccgat 120  
gtggccatgc acagcctggg tntggctttc atctatganc agactgacga catcnnggat 180  
gttc 184

<210> 290  
<211> 207  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (45)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (63)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (107)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (133)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (149)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (160)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (176)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (200)  
<223> n equals a,t,g, or c

<400> 290  
ggacgtacng tcctnctagt ngaggaatat gtcgagtttc tctanggctg ccccagcaat 60  
ggnccacttt tgctaaaata tggatatct tagatgggaa aatgcancca cctggcaaac 120  
ttgctgctat ggnatctata agacttcang gattacatan acctgcgtac catgcnctga 180  
ctgactgtgg ggatcatgtn tgttata 207

<210> 291  
<211> 492  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (437)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (448)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (472)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (474)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (477)  
<223> n equals a,t,g, or c

<400> 291  
gaagagacat tgaacctgga gaagaaattt ctngttatta tggagatggg ttctttggag 60  
aaaataatga gttctgcgag tggtacactt gcgaaagacg gggcactggg gctttttaa 120  
ccagagtggg actgcctgcg cctgctcctg ttatcaatag caaatatgga ctcagagaaa 180  
cagataaacg tttaaataagg cttaaaaagt taggtgacag cagcaaaaat tcagacagtc 240  
aatctgtcag ctctaact gatgcagata ccactcagga aaaaaacaat gcaacttcta 300  
accgaaaatc ttcagttggc gtaaaaaaga atagcaagag cagaacgtta acgaggcaat 360  
ctatgtcaag aattccagct tcttccaact ctacctcatc taagcttaac tcatataaat 420  
aattccaggg taccaanaga aactgaanaa agtctgcaaa gcctttactt tnanagntaa 480  
acattgagaa at 492

<210> 292  
<211> 237  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (16)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (19)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (42)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (65)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (111)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (123)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (129)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (167)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (186)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (192)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (210)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (226)  
<223> n equals a,t,g, or c

<400> 292  
gggggacatg ccatancnt ccttgggggc ctatggaacc tncaaagcgg ccgtggcgct 60  
tactnatgga cacattcanc tgtaaaactcc ttccctgggg ggtcaaggtn naccatcatc 120  
cancctggnt gcttcaagac agagtcagtg aagaaacgtg ggttcantgg gaaaagcgcc 180  
aacaanttgc tncctggccca accttgtctn aagagcttct gcaggncctta cgggaaa 237

<210> 293  
<211> 630  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (580)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (588)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (594)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (608)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (609)  
<223> n equals a,t,g, or c

<400> 293  
gnttggaag acaccacttg gagtttggca aaacactgct cagagacgag agcctgaata 60  
tctttcaaaa cctcaatcgt cgacagcatg agcatgccat ccacatgatg gacattgcaa 120  
tcattgccac agacctcgcc ctgtatttca agaagaggac gatgttcaa aagatcgtgg 180  
atcagtctaa gacatatgag agttaacagg agtggacaca gtacatgatg ctggagcaga 240  
cacggaagga aatcgttatg gccatgatga tgaccgcctg tgatctctca gccatcacca 300  
aaccctggga ggtgcagagc caggtagctc tgctggtggc tgctgaattc tgggaacaag 360  
gtgacctgga gcgcacgggtg ctgcaacaga atccattcc catgatggac agaaacaaag 420  
cagatgaact ccctaagctt caagtcggct tcattgactt tgtttgcacc ttctgtctaca 480  
aggaattctc ccgtttccac gaggagatca cccaatgtt ggacgggatc accaacaatc 540  
gcaaggagtg gaaggccgct tgctgatgaa tacgatgcn agatgaangt gcangaagag 600  
aagaaacnna aaccagcaag tcggccaagt 630

<210> 294  
<211> 346  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (12)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (83)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (113)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (205)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (206)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (207)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (220)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (249)

<223> n equals a,t,g, or c

<400> 294

```
nnagcgctcg cnagtggaac actnattgga atccaaaaaa ttcggacagt gggaaatact 60
ggggtaaatc ctggttacc canaactata ccctggttga tatgaagatt gantttggtg 120
ttgatataac caccaaagaa atgggttcttg ctgatgattc ctggagactg gccattacga 180
gtattgaagc caacagtaaa gacannnagt cttactgggn gctcaaagaa gtaactcctg 240
aagggctcna aatggtaaag aaaagctttg aggccgggca cggtgactca tgccctgtaat 300
cccagcactt tgggaggcca aggcaggcag atcacccaag gtcagg 346
```

<210> 295

<211> 531

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (206)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (209)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (277)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (286)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (311)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (319)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (320)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (345)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (353)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (365)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (374)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (383)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (421)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (425)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (427)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (430)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (432)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (438)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (441)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (444)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (448)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (462)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (463)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (464)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (471)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (495)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (508)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (519)

<223> n equals a,t,g, or c

<400> 295

```
gtttctgtctc gctgatgtca gacctggagg gcaacaccaa gtcacgtgtc cgcctgttgg 60
tcctcgtgcc accctccaaa ccagaatgcg gcatcgagg agagaccata attgggaaca 120
acatccagct gacctgccaa tcaaaggagg gtcaccaac ccctccagta cagctggaaa 180
gaagttacaa catcctgaat caagancanc ccctggcccc acccacctca ggttcaacct 240
gtttctccctt aaaaaatatc tcccacagaa cacatcnggt ttatantctt gttcctccca 300
gcaataagaa nggaaaccnn tttctgcaac ttcacggtgg ccttncaa atctncccccca 360
taaaantttgg cccntttttt tgnctccccg ggggggtttt ttttttcacc ccccttatcc 420
ntngngncan cnccttang ngcngcnc caggggaaag annnaacccc naaaaaaagg 480
gaaaaccggg caccnggacc ctttgaanac cccacactnt aaaatttcca a 531
```

<210> 296

<211> 572

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (435)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (446)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (451)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (465)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (489)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (501)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (539)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (546)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (570)

<223> n equals a,t,g, or c

<400> 296

ggttctgccc ccactgctta taatgctggt gatctacatt aagatcttcc tgggtggcctg 60  
caggcagcct cagcgcaactg agctgatgga ccactcgagg accaccctcc agcgggagat 120  
ccatgcagcc aagtcactgg ccatgattgt ggggattttt gccctgtgct ggttacctgt 180

gcattgctgtt aactgtgtca ctcttttcca gccagctcag ggtaaaaata agcccaagtg 240  
ggcaatgaat atggccattc ttctgtcaca tgccaattca gttgtcaatc ccattgtcta 300  
tgcttaccgg aaccgagact tccgctacac ttttcacaaa attatctcca ggtatcttct 360  
ctgccaaagca gatgtcaaga gtgggaatgg tcaggctggg gtacagcctg ctctcggtgt 420  
gggcctatga tctangctct cgcctnttca ngagaagatc aaatncacaa gaaacaaaga 480  
ggacacggnt ggtttttattg ngaaagatag ctacacctta caaggaaatg gactggctnt 540  
tttgancact tcctggaact accacgtatn ta 572

<210> 297

<211> 334

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (44)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (67)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (74)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (84)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (90)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (106)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (108)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (118)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (131)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (167)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (176)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (177)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (219)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (227)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (263)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (292)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (293)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (315)

<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (316)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (317)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (319)  
<223> n equals a,t,g, or c

<400> 297  
ggcagaaaga aaggccctgc tcctccaggg ctccaacgag atcnaaatcc gcgcccagg 60  
gcaacanccg cttnacctac agcntcactn tcgatggctg cacgantnac accggagncc 120  
tggggcaaga nagtgaattg aattacaaaa ccaccaagac ctcccgnattg cccatnnatc 180  
gatgtggccc ccttggaacg ttggtgcccc aaaccaggna attcggnttc gaacgttggg 240  
ccctgttttg tttcctgtaa aantcccttc cattcccaac ctgggttccc tnnccaaccc 300  
aaccaaattt ttcnnncna acccgggaaa cagg 334

<210> 298  
<211> 293  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (165)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (199)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (237)  
<223> n equals a,t,g, or c

<400> 298  
atggaggccg ctgactaccg agnggccagc agccagcagg gcctggccta tgccacagag 60

gctgtctatg aaagcgcaga ggccccgggc cactatcccg cagaggacag cacctacgat 120  
gagtacgaga acgatctggg gatcacagcc gtcgccctgt acgantacca ggctgcgggc 180  
gatgatgaga tctcatttna ccctgatgac atcatcacca acatcgagat gattgangac 240  
ggctgggtggc gcgggggtgtg caagggccgc ttcagggagc tcgcattctc ttg 293

<210> 299

<211> 418

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (29)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (71)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (76)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (78)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (114)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (154)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (168)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (213)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (221)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (241)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (260)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (269)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (278)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (284)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (292)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (294)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (313)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (330)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (334)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (346)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (347)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (352)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (354)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (355)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (358)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (373)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (377)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (379)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (383)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (392)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (393)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (408)

<223> n equals a,t,g, or c

<400> 299

aattcggcac gaggggcctg ggcgttttnt tgttggtcct cgtgctgggt ctgggtctna 60  
ccccaccgac nttggnatag gataactcca ggtacacaca cttcctgacc cagnactatg 120  
atgccaaacc acagggccgg gatgacagat actntgaaag catcatgngg agacggggcc 180  
tgacctgacc ctgcaaagac atcaacacat ttnttcatgg naacaagcgc agattcaagg 240  
ncatctgtga aaacaaggan tggaaaccnt tacagggnaa cctnaggttt angnaagttt 300  
tttttttcca ggnaaccatt tggaaagttn aatngggggg ttcccnnngg tntnnaanga 360  
ctttcccggg gcnaaangng ggnttaaaaa annttttttt ttttttnga aaaaggtt 418

<210> 300

<211> 346

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (41)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (97)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (277)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (296)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (317)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (320)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (330)  
<223> n equals a,t,g, or c

<400> 300  
ccacaaacag tttgcatccc tagaacatgg cattgtgccca nttaccagtg attgccagta 60  
cctcttccct gccaaagggtg tctctcgcct ggtgaantgg gtgacanttg cccatgagga 120  
ttacatggag ctgcacttca ccaaagacat tgtggatgcg ggactggctg gggacaccaa 180  
tctctactac atggcgctca tcgaaagggg cacagccaaa ctgcaggccg.ctgtggtgtt 240  
gaaccctggc tactcctcca tcccacctgt tttccanctc tgtttgaact ggaaanggga 300  
gaaaaccaac agcaacnatn acaacattcn gggccatgga gggcga 346

<210> 301  
<211> 213  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (19)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (46)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (60)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (66)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (80)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (119)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (130)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (165)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (170)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (202)

<223> n equals a,t,g, or c

<400> 301

gctttataat ctgctcatnt ttgcctaata aatgcaacat ccacangaac tgaatttctn 60  
aaaaanttgg tactaccagn tattggttcg tttaacaatta ttgatggaaa tcaagtcanc 120  
ggacaaaatn ctggaaacaa tttcttcctt caaaaaatct tatcngcaan aaccgactga 180  
agctgccata gatttcctta cnagaattaa ata 213

<210> 302

<211> 440

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (121)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (324)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (342)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (363)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (382)

<223> n equals a,t,g, or c

<400> 302

```
ggcagcgagcg agaccccagc aggcaccatc ctttaccacg ctcatttaga catcgaggcc 60
ttcaccatgg accgggaagt gcgcaaaatc aaacaaggcc tgggcttgaa atttgctgag 120
ntgggtgtata ccggtttctg gcacagccct gagtgtgaat ttgtccgcca ctgcatcgcc 180
aagtcccagg agcgagtggg agggaaagtg cagggtgtccg tcctcaaggg ccagggtgtac 240
atcctcggcc gggagtcccc actgtctctc tacaatgagg agctggtgag catggatgag 300
aacctcatgc acatcagcta cgangctgga atcctggaga anccaagaa ccaagcgctc 360
cangtcttaa acgaagaccc angacccagc caaagcccca acaaccctga catctccgag 420
atcgagttca aaaaagggtc                                     440
```

<210> 303

<211> 495

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<400> 303

```
ctcataaggg accaaagctg gngctccacc gcggtggcgg ccgctctagc actagtggat 60
ccccgggct gcaggacgcc atgttggggg ttgtgggtcg ggtggccgct gctccggcct 120
ccggggcctt gcggagactc accccttcag cgctcgctgcc ccagctcag ctcttactgc 180
gggcccgtcc acggcgggtc atcctgggtg gagcacagta aggactattg ctatggatgg 240
tacagaaggc ttgggttagg gccagaaagt actggattct ggtgcaccaa tcaaaattcc 300
tgttggtcct gagactttgg gcagaatcat gaatgtcatt ggagaacctt ttgatgaaag 360
aggtcccatc aaaaccaaac aatttgctcc cattcatgct gaggctccag agttcatgga 420
aatgagtggt gagcaggaaa tcttgtgact ggtatcaagg ttgtcgatct gctagcttcc 480
```



tatgccaaagg gtggc

495

<210> 304

<211> 293

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (284)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (286)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (287)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (289)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (292)

<223> n equals a,t,g, or c

<400> 304

ggtcagggac aagatggtgc caccggtgca ggtctctccg ctcacatcaaga ttacctaaaa 60  
cctcggggcag aagaggagag gaggatagca gcagaagaga agaagaagca ggatgaactg 120  
aaacggattg ccagagaatt ggcagaagat gacagcatat taaagtgagt gaccctgcga 180  
cccactcttt ggaccagcag cggatgaata aagcttcctg tgttgtgtga aaaaaaaaaa 240  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaagggg cggnctntnt tna 293

<210> 305

<211> 261

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (36)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (190)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (205)  
<223> n equals a,t,g, or c

<400> 305  
ccggaatcgg cctgtngcc cccgcccgc ctccanagcc ggctgagaac ggcagcggcg 60  
agggctccac gtgcagcgtc tctccgggca ccttcgggtc caggactaca actcccggca 120  
gggtgcgcaa aacgaccgcc caaggcaacg gaggtcacg agaatcagca tgattcttca 180  
naggctcttn aggttctcct ctgtnattcg gtcagccgctc tcagtccatt tgcggaggaa 240  
cattggtggtt acagcagttg g 261

<210> 306  
<211> 502  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (41)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (147)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (165)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (173)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (186)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (213)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (260)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (270)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (274)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (293)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (316)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (324)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (346)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (436)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (462)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (468)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (488)  
<223> n equals a,t,g, or c

<400> 306  
gcaacactaa aggacgaacc tgatctctta tactagtatc nttaatcatt tttattgccca 60  
caactaacct cctcggactc ctgcctcact catttacacc aaccacccaa ctatctataa 120  
tcctagccat ggccatcccc ttatgancgg ggcgagtgat tatangcttt cgntctaaga 180  
ttaaanatgc cctagccacac ttcttatcaa aangcacacc tacacccctt atccccatac 240  
tagttattat ggnaaacatn atcctactcn ttcnaccaat agccctgggc gtnagcctaa 300  
tcgcttacat tactgnaggg cacntactca tgcacctcat tggaancgtc ccctacaata 360  
tcaatcatta aacttccttc tacacttatc tcttcacatt ctattctaac ttaatatcct 420  
aanaaattcc ttttcncttt attccaagcc caactttttc cnactttntt cttaaaccac 480  
ttactttncg aaaaaccttt tt 502

<210> 307  
<211> 119  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (40)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (67)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (76)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (113)  
<223> n equals a,t,g, or c

<400> 307  
aaccgactat gganttacag ccacaaagca agnggtgaan gctggaacat tcttttggtc 60  
tgttgtnatc cctcanttgc ggagaatatt aaccatattg cagtggctca cntaccag 119

<210> 308  
<211> 403  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (13)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (368)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (375)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (388)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (389)  
<223> n equals a,t,g, or c

<400> 308  
gcggacggnc ngngaaggtg cttaagcggc tgcgacttca gaagcgaggc acaggcgggtg 60  
tggacacggc tgcgggtgggc ggggtcttcg acgtctccaa cgctgaccgc ctgggcttct 120  
cagaggtgga gctgggtgcag atgggtgggtg acggagtga gctgctcatc gagatggagc 180  
agcggctgga gcagggccag gccatcgacg acctcatgcc tgcccagaaa tgaagcccgg 240  
cccacacccg acaccagccc tgctgcttcc taacttattg cctgggcagt gcccaccatg 300  
caccctgat gttcgccgtc tggcgagccc ttagccttgc tgnagagat tccgttcaac 360  
cttggtanaa ttanttttt tgatgggna agatatgctg atg 403

<210> 309  
<211> 559  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<400> 309  
aagcngacac caccctcact aaaggaaca aaagctggag ctccaccgcg gtgcggccgc 60  
tctagaacta gtggatcccc cgggctgcag gaattcggca cgaggtttat ctcaaggcct 120  
gagtagccgg taacaaacga gggttcccg gattggaccg acgcagccat gcctctgcga 180  
cttgatatca aaagaaagct aactgctaga tctgatcgag ttaagagtgt ggatctgcat 240  
cctacagagc catggatggt ggcaagtctt tacaatggca gtgtgtgtgt ttggaatcat 300  
gaaacacaga cactgggtgaa gacatttgaa gtatgtgatc ttctgttcg agctgcaaag 360  
tttgttgcaa ggaagaattg ggttggtgaca ggagcggatg acatgcagat tagagtgttc 420  
aattacaata ctctggagag agttcatatg tttgaagcac actcagacta cattcgctgt 480  
attgctgttc atccaaccca gcctttcatt ctaactagca gtgatgacat gcttattaag 540  
ctctgggact ggataaaa 559

<210> 310  
<211> 521  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (227)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (245)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (494)  
<223> n equals a,t,g, or c

<400> 310  
ggagatgtnt cgctccgtgg ccttagctgt gctcgcgcta ctctctcttt ctggcctgga 60  
ggctatccag cgtactccaa agattcaggt ttactcacgt catccagcag agaattggaaa 120  
gtcaaatttc ctgaattget atgtgtcttg gtttcatcca tccgacattg aagttgactt 180  
actgaagaat ggagagagaa ttgaaaaagt ggagcattca gacttgnctt tcagcaagga 240  
ctggnctttc tatctcttgt actacactga attcaccctc actgaaaaag atgagtatgc 300  
ctgccgtgtg aaccatgtga ctttgtcaca gcccaagata gttaagtggg atcgagacat 360  
gtaagcagca tcatggagggt ttgaagatgc cgcatttgga ttggatgaat tccaaattct 420  
gcttgcttgc tttttaatat tgatatgctt atacacttac actttatgca caaaatgtag 480  
ggttataata atgntaacat ggacatgac ttctttataa t 521

<210> 311  
<211> 591  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (51)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (52)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (528)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (537)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (557)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (563)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (571)  
<223> n equals a,t,g, or c

<400> 311  
ggccccctgc aggtaccggt ccggaattcc cgggtacggc tgcgagaaga nnacagaagg 60  
ggattcctga agctgacage attcggggccg agatgtctcg ctccgtggcc ttagctgtgc 120  
tcgcgctact ctctctttct ggcttgagg ctatccageg tactccaaag attcagggtt 180  
actcacgtca tccagcagag agtggaaagt caaatttcct gaattgctat gtgtctgggt 240  
ttcatccatc cgacattgaa gttgacttac tgaagaatgg agagagaatt gaaaaagtgg 300  
agcattcaga cttgtctttc agcaaggact ggtctttcta tctcttgta tacactgaat 360  
tcacccccac tgaaaaagat gagtatgcct gccgtgtgaa ccatgtgact ttgtcacagc 420  
ccaagatagt taagtgggat cgagacatgt aagcagcatc atggagggtt gaagatgccc 480  
gcatttgat tggatgaatt caaattctgc ttgcttggtt ttaatanatg atatgcntat 540  
acacttacct ttatgcncaa aanggtaggg ntataataat ggtaacatgg g 591

<210> 312  
<211> 584  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (20)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (35)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (119)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (259)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (262)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (299)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (310)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (327)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (329)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (330)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (350)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (365)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (400)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (424)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (437)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (508)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (527)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (535)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (553)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (576)  
<223> n equals a,t,g, or c

<400> 312  
gagnttccccg ggtncgacgn cacgcgtccg aantnaaaat ttttaaaaaa aaaaaaaaaa 60  
aaaaaaaaaa aaaagggcgg ccgttctaga ggatccaagc ttacgtacgc gtgcatgcna 120  
cgctcatagct cttctatagt gtcacctaaa ttcaattcac tggccgtcgt tttacaacgt 180  
cgtgactggg aaaaccctgg cgttacccaa cttaatcgcc ttgcagcaca tccccctttc 240  
gccagctggc gtaatagcna anagggccgc accgatcgcc cttcccaaca gttgcgcanc 300  
ctgaatggcn aatgggacgc gccctgnann ggcgcattaa gcgcggcggn tgaggtgggt 360  
acgencagcg tgaccgctac acttgccagt gccctagcgn ccgctccttt cgctttcttc 420  
cctncctttc tcgccangtt cgcgggcttt ccccgctcaag ctctaaatcg ggggctccct 480  
ttagggttcc gatttagtgc tttacggnac cttcgacccc aaaaaanttg attanggtga 540  
tggttcacgt aantgggcca tcgcccttga tagacngggt tttc 584

<210> 313  
<211> 763  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (12)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (52)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (54)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (264)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (297)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (331)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (372)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (431)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (496)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (528)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (530)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (588)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (641)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (657)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (676)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (714)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (730)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (731)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (744)  
<223> n equals a,t,g, or c

<400> 313  
gaaaaaaaaa nnaaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aagggcgggc gntntagagg 60  
atccaagctt acgtacgcgt gcatgcgacg tcatagctct tctatagtgt cacctaaatt 120  
caattcactg gccgtcgttt tacaacgtcg tgactgggaa aaccctggcg ttaccaact 180  
taatcgccctt gcagcacatc cccctttcgc cagctggcgt aatagcgaag agggccgcac 240  
cgatcgccct tcccaacagt tgcncagcct gaatggcgaa tgggacgcgc cctgtancgg 300  
cgcatthaagc gcggcggggtg tgggtggttac ncgcagcgtg accgttacac ttgccagcgc 360  
cctagcgccc gntcctttcg ctttcttccc ttccctttctc gccacgttcg ccggctttcc 420  
ccgtcaagct ntaaatcggg ggctcccttt agggttccga ttagtgctt tacggcacct 480  
cgaccccaaa aaactngatt aggggtgatg ttcacgtagt gggccatngn cctgatagac 540  
ggttttttcgc cctttgacgt tggagtccac gttcttaata gtggactntt gttccaaact 600  
ggaacaacac ttaaccctat ctcgggctat tcttttgatt nataagggat ttttccnatt 660  
tcgggcctat tggttnaaaa aatgaagctt gttttaacaa aaaatttaac gcgnaatttt 720  
accaaaaaatn nttaaacggc ttanaattta aggggggggc ctt 763

<210> 314  
<211> 761  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (76)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (103)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (109)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (119)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (155)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (248)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (251)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (255)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (257)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (297)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (339)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (345)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (367)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (371)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (386)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (397)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (437)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (441)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (447)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (460)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (467)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (483)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (510)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (526)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (527)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (528)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (535)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (545)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (557)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (567)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (581)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (596)

<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (611)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (632)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (644)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (651)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (653)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (657)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (660)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (664)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (675)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (678)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (692)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (723)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (744)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (756)

<223> n equals a,t,g, or c

<400> 314

```
gcccacgcgt cgcgccacgc gtccgaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 60
aaaaaaaaaa aaggngngcc gctctaaagg atccaagctt acntacgcnt gcatgcaang 120
tcatanctct cctatagtgt cacctaaatt caatncaact gccgtcggtt tacaacgtcg 180
tgactgggaa aaccctggcg ttacccaact taatcgccct gcaanacatc cccctttcgc 240
cagctggngt natancnaaa aggcccgcac cgatcgccct tcccaacagt tgcgcancct 300
gaatggcaaa tgggacgcgc cctgttacgg cgcattaanc ccggnggggtg tgggtggttac 360
ccccaaangtt naccgctaca cttgcnagcg ccctagngcc cgctcctttc gctttcttcc 420
cttcctttct cgccaanttc ngccggnntt ccccgtaaan ctctaantcg ggggccccctt 480
tanggttcca atttatgctt tacggcaccn caacccaaaa aacttnnnta aggtnatggt 540
ccacntatgg gccatcncct aataaanggt tttccccctt ngaaattgga atccanttct 600
taaaagggaa nctgttccaa atggaaaaaa anccaaccct atcncgggct ntncctngan 660
ttanaaaggg aattnggnca attccggcct antgggttta aaaaattgaa actgaattta 720
aanaaaaatt taaacgcaaa attntaaaaa aaattnttta a 761
```

<210> 315

<211> 540

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (46)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (47)  
<223> n equals a,t,g, or c

<220> .  
<221> misc feature  
<222> (109)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (252)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (367)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (376)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (394)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (422)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (432)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (478)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (484)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (488)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (504)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (528)  
<223> n equals a,t,g, or c

<400> 315  
gatttttttat aaaccacggt tgcagccaaa aaaaaaaaaan aaaaannaaa aaaaaaaaaa 60  
aaaagggcg ccgctctaga ggatccaagc ttacgtacgc gtgcatgcna cgtcatagct 120  
cttctatagt gtcacctaaa ttcaattcac tggccgtcgt tttacaacgt cgtgactggg 180  
aaaaccctgg cgttacccaa cttaatcgcc ttgcagcaca tccccctttc gccagctggc 240  
gtaatagcga anaggcccgcc accgatcgcc cttcccaaca gttgcgcagc ctgaatggcg 300  
aatgggacgc gccctgtagc ggcgcattaa ggcggcgagg tgtgggtggtt acgcgcagcg 360  
tgaccgntac acttgnaagc gccctaacgc ccgntccttt cgctttcttc ccttcctttc 420  
tnccacgttc gnccggtttc ccgtcaagct ctaaatacggg ggctccttta agggtcnnaa 480  
ttantggntt tacgggacct tgancccaaa aaaacttgat ttaggggnga agggttcacg 540

<210> 316  
<211> 513  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (265)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (420)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (468)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (478)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature



<222> (75)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (105)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (111)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (248)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (282)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (296)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (342)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (349)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (351)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (357)

<223> n equals a,t,g, or c

<400> 317

```
gcccacgcnt ccgaaaaaaaa aaaaaaaaaa naaaaaaaaa aaaaaaaaaa aaaaaaaaaa 60
gggcggccgn tntanaggat ccaagettac gtacgcgtgc atgcnacgtc ntagctcttc 120
tatagngtca cctaaattca attcaactggc cgtcggttta caacgtcgtg actgggaaaa 180
ccctggcggt acccaactta atcgcccttc agcacatccc cctttcgcca gctggcgtaa 240
tagcgaanag gcccgcaccg atcgcccttc ccaacagttg cncagcctga atggcnaatg 300
ggacgcgccc tgtagcggcg cattaagcgc ggcgggtgtg gnggttacnc ncagcgngac 360
cgttacactt gccagcgccc tagcgccc 389
```

<210> 318

<211> 388

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (143)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (144)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (146)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (150)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (154)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (159)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (160)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (163)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (168)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (174)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (196)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (198)  
<223> n equals a,t,g, or c

<220>



<221> misc feature  
<222> (223)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (226)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (227)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (234)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (240)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (242)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (255)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (280)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (314)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (359)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (366)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (368)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (377)

<223> n equals a,t,g, or c

<400> 318

```
nnnatctctc tggnggaccc aatttacata ggaaacagct atgaccatga ttacgccaaag 60
ctctaatacg actcactata gggaaagctg gtacgcctgc aggtaccggt ccggaattcc 120
cgggtcgacc cacgcgtccg gtnnanaccn atgngggggn agntctcngg nggnaaggaa 180
aatcgtgcaa agaggnanta atgaatgtgg atcacgagga tancnntta gtgnaggaan 240
tncatcgttt gggntaaaa aatgctgatg gaaagttaan tgtgaaaatt ggggtcctct 300
ttcgtgatga taantgagcc aacctcttg aagcattggt aggaactctt aaagctgtna 360
aacgananaa gaatgtncat atccagga 388
```

<210> 319

<211> 418

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (235)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (240)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (285)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (380)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (391)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (392)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (396)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (401)  
<223> n equals a,t,g, or c

<400> 319  
gatatttggtt acttttagtt ctataagtga ggaagagttt atggcaaaga tttttggcac 60  
tttgttttca agatggtggtt atcttttgaa ttcttgataa atgactggtt ttttctgcct 120  
aatagtaact ggtaaaaaa caaatgttca tattttattga ttaaaaatgt ggttgcttaa 180  
ttcctaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaagggcg gccgntctan 240  
aggatccaag cttacgtacg cgtgcatgcg acgtcatagc tcttntatag tgtcacctaa 300  
attcaattca ctggccgctcg ttttacaacg tcgtgactgg gaaaaccctg gcgttaccca 360  
acttaatcgc cttgcagcan atcccccttt nnccanctgg ngaataccaa aaggcccg 418

<210> 320  
<211> 684  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (41)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (71)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (251)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (570)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (594)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (596)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (606)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (670)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (684)  
<223> n equals a,t,g, or c

<400> 320  
cgggaaattc ncaaagctgt ttccgcctgc aggtcccggc ncggaattcc cgggtcgacc 60  
cacgcgtccg natccccagt gtgagggttaa tgagcaaaat tggctcttgg ggcccttttt 120  
gtccaagccc cactgaaagg cctcttcaga aaactattat ctttaaagcc ctactttaac 180  
tccttaattc cagcatacag ctaaaactgg atgtatattc tggcaagtaa aggctgagga 240  
ctcctcttta ntccctcagat ctagataact catgacattt tatttgacca acatagcaca 300  
tgatgagata tcaaggtaat taaaatagca tgcttgaaaa aaaatacgta atctgtttca 360  
cctgtaactg ttaagccaa taaacttttc aaaattttaa aaaaaaaaaa aagggcggcc 420  
gctctagagg atccaagctt acgtacgcgt gcatgcgacg tcatagctct tctatagtgt 480  
cacctaaatt caattcactg gccgtcggtt tacaacgctg tgactgggaa aaccctggcg 540  
ttaccaact taatcgctt gcagcacatn cccctttcgc agctggcgta atancnaaga 600  
ggcccnaccg atcgccctt ccaacagttg cgcagcctga atggcgaatg ggacgcgccc 660  
tgtagccggn cattaagcgc cggn 684

<210> 321  
<211> 216  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (25)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (108)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (155)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (183)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (190)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (192)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (202)

<223> n equals a,t,g, or c

<400> 321  
cncnagaccn nctttggaaa cgccngacta tagggaaagc tggtagcct gcaggtaccg 60  
gtccggaatt cccgggtcga cccacgcgtc cgcccggtg gaggtgnca gaaggatgct 120  
ggggataagc ccttaggcac cagcttagac acctncaaga accaggcccc gctgatgcaa 180  
ganggcagan cngataccca ttagagcccc gagaat 216

<210> 322  
<211> 557  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (40)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (98)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (286)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (394)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (415)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (509)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (545)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (546)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (550)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (555)  
<223> n equals a,t,g, or c

<400> 322  
gggtccagaag cctccccgac cccccaagct atttgcctcan attaacaaat taaagtgcct 60  
gaagcataat tcatttttgt atctgtggta acaaaacntt aaccaaaaga ttttctgtcc 120  
agaagcctcc ccgaccccc aagctatttg ctcacattaa caaattaaag tgcctgaagc 180  
ataattcatt ctttacctgt atactaaaaa ccctgttgta ttgattttt tataataagc 240  
ctttttacct ctgtgtaaaa aatatatata caagtgtatg atgtanattt tagttcttaa 300  
ctttttttta tggtttctaa tatgtatgac caatgtagcc attgctttaa aatgtaccgt 360  
gtaaatataa acacatccta tcagaaaaaa aaanaaaaaa gggcggccgc tctanaggat 420  
ccaagcttac gtacgcgtgc atgcgacgtc atagctcttc tatagtgtca cctaaattca 480  
attcactggc cgtcgtttta caacgtcng actgggaaaa accctgggcg ttaccaact 540  
taatnngcn ttgcngg 557

<210> 323  
<211> 145  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (19)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (56)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (139)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (140)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (142)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (145)

<223> n equals a,t,g, or c

<400> 323

ggtanengca gtacngtcng aattccccgc tctagagatc caagcttacg tactgngcat 60  
gcacgtcata gctcttctat agtgtcacct aaattcaatt cactggccgt cgttttacaa 120  
cgtcgtgact gggaaaacnn tntan 145

<210> 324

<211> 353

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (43)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (133)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (146)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (216)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (219)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (232)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (235)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (263)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (332)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (334)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (349)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (353)  
<223> n equals a,t,g, or c

<400> 324  
nnnattcatc atagccacca tcacctnct taacctctac ttntacctac gcctaatacta 60  
ctccacctca atcacactac tccccatata tagcaacgta aaaataaaan gacagtttga 120  
acatacaaaa ccnaccatcat tectcnccac actcatcgcc cttaccacgc tactcctacc 180  
tatctccccc tttatactaa taatcttata aaaaanaana aaaangggcg gncgntctag 240  
aggatccaag cttacgtacg cgngcatgcg acgtcatagc tcttctatag ggtcacctaa 300  
attcaattca ctggccgctcg ttttacaacg tngngactgg gaaaacccong gcn 353

<210> 325  
<211> 553  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (359)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (381)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (406)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (448)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (461)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (481)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (513)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (524)

<223> n equals a,t,g, or c

<400> 325

```
ggcacgagga caaagccttg ctctgttccc caggctggag tgcattggtg caatcatggc 60
tcaactgcagt ctcaaccttc cggactcaag tgatgggtccc gcttcagcta cttgggagggc 120
tgaggcgagga gaatcgcttg aaccgaggag gcggagggtt cggggagccg ggattgtgcc 180
actgcactcc accctagagt gagactccct ctcaaaaaaa aaaaaaaaaa actcgagggg 240
gggcccggta cccaattcgc cctatagtga gtcgtattac aattccactg gccgtcgttt 300
tacaacgtcg tgactgggaa aaccctgggc gttacccaac ttaaatacgcc ttgcagcana 360
tccccctttcg ccaactgggt naattagcga agaggccccg accgantcgc cttcccaaca 420
gttgcgagcgt ggaatggcga atggcaantg taagcttaaa nttgtttaa aattcgcggt 480
naaatttttg gttaaatacag ctcatTTTTT aancataagg ccgnaatcgg gaaaatccct 540
tattaaatcc aaa                                     553
```

<210> 326

<211> 628

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (434)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (435)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (437)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (464)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (592)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (602)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (613)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (622)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (625)  
<223> n equals a,t,g, or c

<400> 326  
gcntgcntcc aagtccatag gtcctgcctc ttcaatcctg gctttctagg gcctgggatg 60  
atcattgcta gaactgagag accagcctgg ctagaacttc agggcggtcc attcattctt 120  
tcagtaaattg tttgcagcac atgtgttaca tgtcaggcag tgaaaccccc cacagcagcc 180  
ttccctctca gaggatacat ttgtaaccat tacacagtca tcagaggaaat aatTTTTTTT 240  
aatcaccagt gtgcacacag tcatggagtt gggatttccc agctaccagg gaggctgagg 300  
tgggaggatt gcttgatgcc aggagttagg gaatatagtg caccgtgatt ggacttgcca 360  
atagccactg cactgcggcc tggacgacgt agtgataccc tgactcttat aaataaataa 420

atgaataaac acannanaaa aaaaaaaggc cggccgctct agangatcca agcttacgta 480  
cgccgtgcat gcgacgtcat aactcttcta taggggcacc taaattcaat tcaactggccc 540  
gccgtttaca acgtctgact gggaaaaccc tggcggtacc caacttaatc gncttgacaga 600  
anatccccctt ttnccaactg gnggnata 628

<210> 327

<211> 416

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (254)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (258)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (260)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (265)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (285)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (299)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (300)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (305)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (334)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (349)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (416)  
<223> n equals a,t,g, or c

<400> 327  
gatgactgat gttattatac antatggtaa atacaaagtt gtagtattat gggtcttgat 60  
gggtgtgattt acttatgtaa attatgtaca aatttaagtt caatgaaaca ctgatttaat 120  
gtactgaaag gtaaataagta ccatagtgaa ttattttctg tcttgcccta gggttatttt 180  
tattatcttc aatattagaa taaatgctaa attattttca aaaaaaaaaa aaaaaaaaaa 240  
aaaaaaaaaa gggnggangn tctanaggat ccaagcttac gtacncgtgc atgcaangnn 300  
atagntcttc tatagtgta cctaaattca attnactggc cgtcgattna caacgtcgtg 360  
actgggaaaa ccctggcggt acccaactta atcgcccttg agcacatccc cctttt 416

<210> 328  
<211> 629  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (227)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (228)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (229)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (233)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (242)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (243)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (244)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (257)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (271)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (275)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (284)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (301)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (394)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (469)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (484)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (512)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (544)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (554)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (573)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (598)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (619)  
<223> n equals a,t,g, or c

<400> 328  
tttttttttt ttttttcggc gctgccgtat cgttcgcctt gggcgggatt ctgacttaga 60  
ggcggttcagt cataatccca cagatggtag cttcgcccca ttggctcctc agccaagcac 120  
atacaccaaa tgtctgaacc tgcggttcct ctcgtactga gcaggattac catggcaaca 180  
acacatcatc agtagggtaa aactaacctg tctcacgacg gtctaannna aaaaaaaaaa 240  
annnaaaaaa gaattcnaaa agcttctcga nagtncttct aaancggccg cgggcccac 300  
nattttccac ccgggtgggg taccaggtaa gtgtacccaa ttcgccctat agtgagtcgt 360  
attacaattc actggcgcgc gttttacaac gtcttgactg ggaaaacctt ggcgttaccc 420  
aacttaatcg ccttgacgca catccccctt tcgccagctg gcgtaatanc gaaaaaggcc 480  
gcancgatcg cccttcccaa cagtttgcgc ancctgaaat ggcgaatgga aatcaatttt 540



taantgttta atgntgttaa actactgaat cnaattggtt tgggtgtttt taaaatcnca 600  
gtcccaaggg tcatttcang gccctcaat 629

<210> 329  
<211> 458  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (20)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (31)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (86)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (96)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (194)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (226)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (238)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (262)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (267)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (277)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (280)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (285)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (295)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (332)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (333)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (339)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (346)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (352)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (356)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (372)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (380)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (405)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (414)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (452)  
<223> n equals a,t,g, or c

<400> 329  
aatntaaaaa aaaaaaaaaa aaaaaaaaaa naaaaaaaaaa agggcggccg ctctaaagga 60  
tccaagctta cgtacgcgtg catgcnacgt catagntctg ctatagtgtc acctaaattc 120  
aattcactgg ccgtcgtttt acaacgtcgt gactgggaaa accctggcgt taccctaactt 180  
aatcgcccttg cagnacatcc ccctttcgcc agatggcgta atagcnaaaa ggcccgcncc 240  
gatcgccctt cccaacagtt gngcagnctg aatggcnaaa gggangcgcc ctgtngcggc 300  
gcattaagcg cggcggtgtt ggtggttacg cnnagggtta ccgctnact tncancgcc 360  
ctagcgcccc gncctttcgn tttcttcctt tcctttctcg ccacnttcgc cggntttccc 420  
cgtcaagctc taaatcgggg ggtccctttt anggttcc 458

<210> 330  
<211> 453  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (78)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (83)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (113)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (134)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (323)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (327)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (391)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (418)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (427)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (428)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (453)  
<223> n equals a,t,g, or c

<400> 330

```
gcccctatac cttctgcata atgaattaac aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 60
aaaaaaaaag ggcggccgntc tanaggatcc aagcttacgt acgcgtgcat gcnacgtcat 120
agctcttcta tagngtcacc taaattcaat tcaactggccg tcgttttaca acgtcgtgac 180
tgggaaaacc ctggcggttac ccaacttaat cgccctgcag cacatcccc ttccgccagc 240
tggcgtaata gcgaaaaggc ccgcaccgat cgcccttccc aacagttgcg cagcctgaat 300
ggcgaatggg acgcgccttg tancgngca ttaagcgcg cggtgtggt ggttacgcgc 360
agcgtgaccg ttacacttgc cagcgcccta ncgcccgtc ctttcgtttc ttcccttnc 420
ttctcgnnac gttcgccggt ttccccgtta agn 453
```

<210> 331

<211> 498

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (356)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (361)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (381)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (393)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (424)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (433)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (452)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (469)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (483)

<223> n equals a,t,g, or c

<400> 331

```
gagaaagctg actaatccaa agggcaaggt ggtttacctt aaagaaaaaa aaaaaaaaag 60
ggcgccgcgt ctagaggatc caagcttacg tacgcgtgca tgcgacgtca tagctcttct 120
atagtgtcac ctaaattcaa ttcactggcc gtcgttttac aacgtcgtga ctgggaaaac 180
cctggcggtta cccaacttaa tcgccttgca gcacatcccc ctttcgccag ctggcgtaat 240
agcgaagagg cccgcaccga tcgcccttcc caacagttgc gcagcctgaa tggcgaatgg 300
gacgcgccct gtacggcgca ttaagcgcgg cgggtgtggt ggttacgcc agcgtnaccg 360
ntacacttgc cagcgcccta ncgccccgct ccntttcgtt ttctttccct ttcttttct 420
tggncacgtt tcncggggtt tttccccgct tnaaagcctt ttaaaatcng ggggggcttc 480
ccntttaag gggttccc 498
```

<210> 332

<211> 450

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (278)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (317)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (328)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (335)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (338)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (347)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (353)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (358)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (368)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (373)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (374)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (377)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (378)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (386)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (392)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (395)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (397)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (415)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (417)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (426)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (428)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (430)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (446)

<223> n equals a,t,g, or c

<400> 332

```
aattcggcag aggtactcct ggcttatcaa tggaacattc cagcaaagca cacaagagct 60
ctttatccct aacatcactg tgaataatag tggatcctat acctgccacg ccaataaactc 120
agtcactggc tgcaacaggg ccacagtcaa gacgatgcat agtcactgag ctaagtccag 180
tagtagcaaa gccccaaatc aaagccagca agaccacagt cacaggagat taaggactct 240
gtggaacctg gacctgggtc cacaaaatgg aacttggnat cttccatccc gttggttctt 300
tcaaaaaaac aggggtnttc ccgtcctnng ggggnttnga aggtttntcc ccnggggnaa 360
aaaaccancc ttnnngnntt aaancnctt tnaangnggg ggggtttttt gggangngtt 420
ttgggntntn ggggttttta aaccntttg 450
```



<210> 333  
<211> 434  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (58)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (119)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (195)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (214)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (218)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (269)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (291)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (296)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (316)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (333)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (337)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (382)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (399)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (405)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (425)  
<223> n equals a,t,g, or c

<400> 333  
gntgaacgta aactataatg ctctaccaca agaaaatggc ctctcacctg gggccatngc 60  
tggcattgtg attggagtag tggccctggt tgctctgata gcagtagccc tggcatgtnt 120  
tctgcatttc gggaagaccg gcagctcagg accactccaa tgacccacct aacaagatga 180  
atgaagttac ttatnctacc ctgaactttg aagnccanca acccacacaa ccaacttcag 240  
cctccccatc cctaacagcc acagaaatna ttattccag aagtaaaaaa ncagtnatga 300  
aacctgggcc tgctcnctgc agtgccctgat gtntttncaa gtctctcacc ccccatcact 360  
aggaaattcc tttcccctgt tngggtaaa ggtggggana gaaancaatt tctcctactc 420  
tctncctat agga 434

<210> 334  
<211> 612  
<212> DNA  
<213> Homo sapiens

<220>

<221> misc feature  
<222> (365)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (437)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (455)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (474)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (482)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (493)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (497)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (525)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (540)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (565)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (583)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (606)

<223> n equals a,t,g, or c

<400> 334

```
gggtctagcca caacagggtc aatgctcgcc ttgcagggtgc cccagcgag gacccccagt 60
tccccaaagg gcaagtggcca ccccggtgaac tttgttctgc ctgccacaat gaacgcctgg 120
atgtgcccgt gtgggacgtg gaagccaccc tcaacttcct caaggccac ttctcccaa 180
gcaacatcat cctggacttc cctgcagctg ggtcaacttg cccgagggat gtgcagaatg 240
tggcaagccg ccccaaactg gcgatgggag ccctggagct ggaaagccg aattcaactc 300
tggaccctgg gaagcctgag atgatgaagt cccccacaaa caccaccca catgtgccgg 360
ctganggacc tgaggcaagt cgaccccgga agcttgacc ctggcctaaa acttgaccag 420
gccaggaacc ctctgancac aatggcaaaa gcttnaaagg aatgaaccag gaancaagcc 480
gntttgggca atnggggact ttgagccaaa gccgaagaac accanggggc ttggatttgn 540
tttggtttaa atttccaagg ggttnaaaaa aaaaaacccg gcnttttttg gggggccccc 600
tttttnggaa gg 612
```

<210> 335

<211> 462

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (287)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (337)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (358)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (373)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (428)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (456)

<223> n equals a,t,g, or c

<400> 335

```
gcccacgcgt ccgcatgttt ccaggagggg ccatgggggt cagggtggtt ttgagagagc 60
agggtaagga aggaatgtgc tagaagtgtc cctagtttct tgtaaaggaa gccagagttg 120
acagtacaaa gggtcgtggc cagccctgca gcttcagcac ctgccccacc cagagtggga 180
gtcaggtgga gccacctgct gggctcccc agaactttgc acacatcttg ctatgtatta 240
gccgatgtct ttagtggttg gcctctggat tctggggtct gggccantgg ccatagttaa 300
acctgggaat gaatggtact tgaacatctg ggcttgnacg ccacaaggaa aggccaancc 360
catgtacccc aancattctt gccaacctt gctctgggca ttcccgaag ggtcgatcct 420
taggcttngc tttaaaagcc cttgcccttg cttttntctt gg 462
```

<210> 336

<211> 336

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (170)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (175)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (177)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (183)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (196)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (204)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (208)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (230)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (262)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (275)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (293)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (318)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (335)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (336)  
<223> n equals a,t,g, or c

<400> 336  
gcagattttg atcgttttta agttatgaag gcaaagaaaa tgaggaacag aataatcaag 60  
aatgaattaa gaagcttcaa aaggcagctc tcctgaaagc ttctcccaaa aaacacctgg 120  
tactaagggt actgctgctg ctgctgctgc tgctgctgct gctgctaaan tccancnaaa 180  
aanatcaccc cccganttaa aagntccncc caaaagtcct gccccaaaaan cccaggccaa 240  
aaacacgctg ctccaaactc anagggtcaaa actcncccaa aaccctctcc aangctctgc 300  
aaaaagctta ttgcatacnta aaattataag gtctnn 336

<210> 337  
<211> 303  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (28)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (37)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (49)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (50)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (51)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (66)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (67)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (70)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (120)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (168)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (189)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (190)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (192)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (223)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (249)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (256)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (257)  
<223> n equals a,t,g, or c

<220>



<221> misc feature

<222> (267)

<223> n equals a,t,g, or c

<400> 337

```
agacaatcct taccatgtga naggnngnat gactgtnatg gcatgagann ngcatcacta 60
tgananngan aactcagtag aagataatgg caagtccaga ctggggatat gatgacaaan 120
atggtcctga acaatggagc aagctgtatc ccattgccaa tggaaatnac cagtcctctg 180
ttgatattnn gnccagtga accaaacatg acacctctct ganacctatt agtgtctcct 240
acaacccanc cacagnnaaa gaaattntcc aatgtggggg cattccttcc atgtaaattt 300
ttg 303
```

<210> 338

<211> 460

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (315)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (409)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (423)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (424)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (433)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (454)

<223> n equals a,t,g, or c

<400> 338  
gatttaaggc atntcctgca tgcacagttg cagttagtta ttccaggtat tattttttggt 60  
ttcagaaaaa gaaaactcag tagaagataa tggcaagtcc agactgggga tatgatgaca 120  
aaaatggtcc tgaacaatgg agcaagctgt atcccattgc caatggaaat aaccagtccc 180  
ctggtgatat taaaaccagt gaaaccaaac atgacacctc tctgaaacct attagtgtct 240  
cctacaaccc agccacagcc aaagaaatta tcaatgtggg gcattccttc catgtaaatt 300  
ttgaggacaa cgatnaccga tcaagtgtctg aaaggtgggc ctttctctga cagctcaggc 360  
tctttcagtt ccattttcac tggggcagtc aaaatgagca tgggttaana acattccagt 420  
ggnttgggag tcnaaatatt ctggccgagc ttnnacgtaa 460

<210> 339  
<211> 416  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (42)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (51)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (137)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (147)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (161)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (173)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (258)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (267)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (268)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (378)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (403)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (407)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (411)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (415)  
<223> n equals a,t,g, or c

<400> 339

ggtgccgatt cctgccctgc cccgaccgcn agncggacca tntcccatca ntgggggtac 60  
ggcaaacaca acggacctaa gcactggcat aaggacttcc ccattgccaa gggaagagcg 120  
ccagtncccc tggtganatc gacactncat acagccaagt ntgaaccctt ccntgaaagc 180  
ccctgtttgt ttcttatgaa tcaagcaact tccctgagga tcttcaacaa tggcatgct 240  
ttcaacgtgg gagtttgnat gactctnnag gacaaagcag tgcttcaagg gaaggacccc 300  
tgggttgggc actttacaga ttggttttca ttttttcaat tttcaatggg gggttcaatt 360  
tgatgggaca aggtttcnga ggcataattg tgggttaaaa agnaatntgg ntgcng 416

<210> 340  
<211> 362  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (76)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (117)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (136)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (170)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (201)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (204)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (233)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (310)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (331)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (332)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (335)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (338)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (339)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (357)

<223> n equals a,t,g, or c

<400> 340

```
ggcanagtga atgttgctgg agaacaaggc cagcattttt ggaggaggac tgcctgcccc 60
ataccaggtc aaacanttgc acctgcactg gtccgacttg ccatataagg gctcgnggca 120
cagcctcgaa tgggnggcac tttgccatgg gagatgcaca tagtacatgn gaaaagagaa 180
ggggacatcg aggaatgtga naanagggcc caggaaccct gaagacgaaa ttncggtgct 240
gggccttttt ggtgggaggc tgggaaccca ggtgaaacga gggctttcca gccactggtg 300
ggaggcactn tcttaatat ccccaaacct nnggntgnng cattacgatt ggcaganagg 360
ca 362
```

<210> 341

<211> 328

<212> DNA

<213> Homo sapiens

<220>  
<221> misc feature  
<222> (63)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (98)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (152)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (184)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (186)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (195)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (276)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (280)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (303)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (311)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (325)  
<223> n equals a,t,g, or c

<400> 341  
aagcctttca agatgatccc cggagtgggtg gatgggggtct tctgcccag gcacccccag 60  
ganctgctgg cctctgccga ctttcagcct gtccctanca ttgttggtgt caacaacaat 120  
gaattcggct ggctcatccc caaggtcattg angatctatg ataccagaa ngaaatggac 180  
aganangcct cccangctgc tctgcagaaa atgttaacgc tgctgatttg cctcctacat 240  
ttggtgacct gctgaaggaa gaattcattt gggganaatn gggatcccca aaacccccaa 300  
acncatttcc nggaaaataa ttgcngaa 328

<210> 342  
<211> 140  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (70)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (73)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (129)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (130)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (140)  
<223> n equals a,t,g, or c

<400> 342  
aangggactt nccagtgatg cacccaagag ctntttatcc ccaacatcac tgtgaataat 60  
aggggatccn atnctgtcca agcccataac tctacactgg ccttaatagg agcacagtca 120  
cgaatatcnn agtctatgcn 140

<210> 343  
<211> 477  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (396)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (421)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (435)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (459)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (463)  
<223> n equals a,t,g, or c

<400> 343  
gggacagcag agctgacagt cacagcagcc ctgacaagag agttcctgga gcccaagctc 60  
ttctccacag aggacaagca ggcagcagag accatgggggt ccccttcagc ctgtccatac 120  
agagtgtgca ttccctggca ggggctcctg ctcacagcct cgcttttaac cttctggaac 180  
ctgccaaaca gtgcccagac caatattgat gtcgtgccgt tcaatgtcgc agaaggggaag 240



gaggtccttc tagtagtcca taatgagtc cagaatcttt atggctacaa ctggtacaaa 300  
ggggaaaagg tgcatgccaa ctatcgaatt ataggatatt gtaaaaaata taagtcaaga 360  
aaatgcccaa ggcccgacac aacgtcgaga gacatntacc caatggaacc ttgtgttcca 420  
nacgtaccac atgcnagga tttttcctca ctataaaana aanttgatg agaatac 477

<210> 344

<211> 389

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (19)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (32)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (35)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (144)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (145)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (159)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (201)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (379)

<223> n equals a,t,g, or c

<400> 344

```
nnnnnnnnnt ntcgcacgnc nngccagcca anccntcact aaaggaaca aaagctggag 60
ctccaccgcg gtgcgaccgc tctagaacta gtggatcccc cgggctgcag gaattcggca 120
cgaggccggc cggggctggc acgnncgccg cggcggggnc tggaggcgcg accgggcgcc 180
cccagcggg aatcagaacg ncgccgaggg gaccagatca acgccagcaa gaacgaggag 240
gacgcgggaa aaatgttcgt tgggtggcctg agctgggata ctagcaaaaa agatttaaaa 300
gactatttta ctaaatttgg agaggtcggt gactgtacaa taaaaatgga tcccaacact 360
ggacggtcaa gagggtttng gtttatcct 389
```

<210> 345

<211> 152

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (34)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (48)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (61)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (64)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (84)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (87)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (122)  
<223> n equals a,t,g, or c

<400> 345  
tcgacccacg ngccccgggc gcaccatggc ccgngggggct gngctggngc tgctgctett 60  
nngnctgctg ggtgttctgg tcgncgnccc ggatggtggt ttcgatttat ccgatgccct 120  
tnctgacaat gaaaacaaga aaccactgc aa 152

<210> 346  
<211> 634  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (32)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (38)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (284)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (491)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (586)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (588)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (598)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (613)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (621)  
<223> n equals a,t,g, or c

<400> 346  
tntgtctgaa tgtaaatacac cttctgagcc gntgattncc aagaggggtg gtcttattca 60  
catatcccaa gtcattctcag aaattgatgg taacaggatg accttgagcc aagaaggagc 120  
acaagattcc ttccctcttc agcagaagat cttggtttgc tctttgatgc tcttgatcag 180  
gcagttgaaa atcaaagagg tcaactctggg gaagttatat gaagcctaca gtaaagtctg 240  
tcgcaaacag caggtggcgg ctgtggacca gtcagagtgt ttgncacttt cagggctctt 300  
ggaagccagg ggcatttttag gattaaagag aaacaaggaa acccgtttga caaagggtgtt 360  
tttcaagatt gaagagaaa aaatagaaca tgctctgaaa gataaagctt taattggaaa 420  
tatcttagct actggattgc cttaaattct tctcttacac cccacccgaa agtattcaag 480  
ctggcattta nagagctaca ggcttcattt taaggcttta cacattcggg cctgaaaaca 540  
aatatgacct tttttacttg aagccaatga attttaatct atagancntt aaaattanca 600  
cagaataata tcnttggggc ntactatttt accc 634

<210> 347  
<211> 363  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (228)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (233)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (242)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (268)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (319)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (322)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (323)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (324)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (325)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (328)

<223> n equals a,t,g, or c

<400> 347

```
ggcacgagag gaatatggag aggctgactc ttgcttggtg tgggggtggcc ctgaattctt 60
ttgaggacct aagtcctgac tgcttgggac atgcaggact tgtatatgag tatacattgg 120
gagaagttca cctttattga gaagtgtaac aaccctcggt ctatcacatt attgatcaaa 180
ggaccaaata agccacact tagatcaaag atgcagtaaa gggatgggct tgnagggctg 240
tncaaaaatg ctgttgatga tggctgtntg gttccgggtg ctggtgctgt ggaagtggca 300
atggcagaag ccctggatna annnnaantc catgtaaagg gcaaggcaca gttgggggtcc 360
agc
```

363

<210> 348  
<211> 388  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (205)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (339)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (364)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (382)  
<223> n equals a,t,g, or c

<400> 348  
aattcggcac gagctgaagg ctagcaaacc gagcgatcat gtcgcacaaa caaattttact 60  
attcggacaa atacgacgac gaggagttag agtatcgggt agtgctggcg cgggagcaat 120  
agcggagggtc gtgagctttg gccgctgagg gcacaaggaa ttagtaacag gaactgaggc 180  
gatagaattg gcgcatgcgt atganacatg tcatgctgcc caaggacata gccaagctgg 240  
tcctataaac ccatctgatg tctgaatctg aatggaggaa tcttggcggt cagcagagtc 300  
agggatgggt ccattatatg atccatgaac cagaacctna aatnttgctg ttccgggggc 360  
atnccagga accaaggaat tnagtttc 388

<210> 349  
<211> 194  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (38)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (51)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (57)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (60)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (67)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (69)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (74)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (83)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (91)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (127)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (140)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (180)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (191)

<223> n equals a,t,g, or c

<400> 349

```
gagttgttgc ctgggctgga cgtgggttttg tctgctgngc ccgctcttag ngctctngtn 60
taatttnang cagngcgcca gcnggatggt ncacaagcag atatactact cggacaagta 120
cttngangaa cactacgagn accgggatgg tatgttacct agagaacttg acaaacaagn 180
acctaaaact natc                                     194
```

<210> 350

<211> 524

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (29)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (85)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (98)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (101)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (148)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (240)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (258)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (484)

<223> n equals a,t,g, or c

<400> 350

```
ttaaccttnt naanggnaca aagtctggnt ctccaccagg tggaggaccg ctcctagcaa 60
ctagtgggtc ccccgggcct gcagnaatte ggcagtgncc naaagcccta cggcgtcact 120
gcaatgtgct ggaactggga gcaagtgnca gcggtgggac ggcatacctga gtcgagacca 180
ttccgattca cgggcgcggc aacttcccca cgctcgagct gcagccgagc ctgtatcgtn 240
aaggtggtgc ggcggcgnc tgcggagaag cgcacgggag tccgcgacgt gcgcctcaac 300
ggctcggcag ccagccatgt cctgcaccag gacagcggcc tgggctacaa ggacctggac 360
ctcatcttct gcgcccacct gcgcggggaa ggggagtttc agactgtgaa ggacgtcgtg 420
ctggactgcc tgttggactt cttacccgag ggggtgaaca aagagaagat cacaccactc 480
acgntcaagg aagcttatgt gcagaaaatg gttaaagtgt gcaa 524
```

<210> 351

<211> 352

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (261)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (291)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (295)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (328)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (348)

<223> n equals a,t,g, or c

<400> 351

```
gccaaatcct ttgaatactg ngccaggatt tttaagcaac actttatgga cagcagaata 60
ccttgcttaa tcgtagctgc aaagtcagac ctgcatgaag ttaaacaaga atacagtatt 120
tcacctactg atttctgcag gaaacacaaa atgcctccac cacaagcctt cacttgcaat 180
actgctgatg cccccagtaa ggatatcttt ggtaaattga caacaatggc catgtatccc 240
catgcccggt tacgctgtat ntgcacctgc aacagggtgta cattttgcat ntgtnaaaac 300
ttcctcaact tatacttttg tgcaaatntg gtaaaagaac aaaaatcntt tc 352
```

<210> 352

<211> 632

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<400> 352

```
agnnaganac caaccctcac taaagggaaac aaaagctgga gctccaccgc ggtgcgggccg 60
ctctagaact agtggatccc ccgggctgca ggaattcggc acgaggtgtg tcagaacaat 120
cttgaatcat gaagctacta accagagccg gctctttctc gagattttat tccctcaaag 180
ttgcccccaa agttaagcc acagctgcgc ctgcaggagc accgccacaa cctcaggacc 240
ttgagtttac caagttacca aatggcttgg tgattgcttc tttggaaaac tattctcctg 300
tatcaagaat tggtttgttc attaaagcag gcagtagata tgaggacttc agcaatttag 360
gaaccaccca tttgctgctt cttacatcca gtctgacgac aaaaggagct tcatctttca 420
agataacccg tgggaattgaa gcagttgggt gcaaattaag tgtgaccgca acaagggaaa 480
acatggctta tactgtggaa tgcctgcggg gtgatgttga tattctaata gagttcctgc 540
tcaatgtcac cacagacca gaatttcgtc gttgggaagt agctgacctt cagcctcagc 600
taaagattga caaagctgtg gcctttcaga at                                     632
```

<210> 353

<211> 440

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (435)

<223> n equals a,t,g, or c

<400> 353

```
ctttaactcc accattagca cccaaagcta agattctaata ttaaactatt ctctgttctt 60
tcatggggaa gcagatttgg gtaccaccca agtattgact caccatcaa caaccgctat 120
gtatttcgta cattactgcc agccaccatg aatattgtac ggtaccataa atacttgacc 180
acctgtagta cataaaaacc caatccacat caaaaccccc tccccatgct tacaagcaag 240
tacagcaatc aacctcaac tatcacacat caactgcaac tccaaagcca cccctcacc 300
actaggatac caacaaacct acccaccctt aacagtacat agtacataaa gccatttacc 360
gtacatagca cattacagtc aaatcccttc tcgtcccat ggatgacccc cctcagatag 420
gggtcccttg accancatcc                                     440
```

<210> 354

<211> 609

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (139)  
<223> n equals a,t,g, or c

<400> 354  
aancnganac naaccctcac taaaggggaac aaaagctgga gctccaccgc ggtgcgggccg 60  
ctctagaact agtggatccc ccgggctgca ggaattcggc acgagccgga ggggtgtgtgt 120  
tgggcaaagc cggaggagna ggaggacgat tgttttacgg atcccgtgat cggcccgtcc 180  
ttctccccctt tccccctcc ctaccgcccc tgtcccgccg gggagcggcg gcggccttgg 240  
actttgctgt ctttccctgc ggagacagat ttcaacacta cacttgacaca atgtctttga 300  
aaccaagagt agtagatttt gatgaaacat ggaacaaact tttgacgaca ataaaagccg 360  
tggtcatgtt ggaatacgtc gaaagagcaa catggaatga ccgtttctca gatattctatg 420  
ctttatgtgt ggcctatcct gaacccttg gagaaagact ttatacagaa actaagattt 480  
ttttggaaaa tcatgttcgg catttgcata agagagtttt ggagtcagaa gaacaagtac 540  
ttgttatgta tcataggtac tgggaagaat acagcaaggg tgcagactat atggactgct 600  
tatataggt 609

<210> 355  
<211> 466  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (348)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (368)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (450)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (451)

<223> n equals a,t,g, or c

<400> 355

```
gctccattat tgatcggttc atgcagaata attgtgtgcc caagaagatg ctgcagctgg 60
ttggtgtcac tgccatgttt attgcaagca aatatgaaga aatgtaccct ccagaaattg 120
gtgactttgc ttttgtgact gacaacactt atactaagca ccaaatacaga cagatggaaa 180
tgaagattct aagagcttta aactttgggc tgggtcggcc tctacctttg cacttccttc 240
ggagagcatc taagattgga gaggttgatg tcgagcagca tactttggcc aaatacctga 300
tggaactaac tatgttggac tatgacatgg tgcactttcc tccttctnaa attgcagcag 360
gagctttntg cttagcactg aaaattctgg gataatggtg aatggttatg cagcacctgg 420
ctaagaatgt agtcatgggt aaatcaagg nttacaaagc acatgc 466
```

<210> 356

<211> 447

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (269)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (375)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (380)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (436)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (440)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (446)

<223> n equals a,t,g, or c

<400> 356

```
ggtgatgagg aggcttgtcc agaggacaag ggacccagc acccacaggc actggcgctg 60
gacacccaga tccctgcaac ccctggaccc aaacccctgg tccgcaccag ccgggagcca 120
```

gggaaggacg tcacgacctc agggactacc tccgtcagca ccgcaagtcc cacaagctcc 180  
gtggacggtg gcttgggggc cctgccccaa cctacctcag tgctgtccct ggacagtgc 240  
tcgcacacac agccctgcc aatcaggnc aggaagtcac gtttacagtg tcgtccccc 300  
agtcccccg agagcagtgt tccccagcaa caggtgaagc ggataaacta tgcatatcaca 360  
gtgaagagga ggacntgaan ctgggcttgt gaagctgtaa gtgtgtcagc acatttgccg 420  
agtggatttt actgangggg tgaagng 447

<210> 357

<211> 510

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (453)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (486)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (491)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (496)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (500)

<223> n equals a,t,g, or c

<400> 357

tnccacgcgt ccgcccacgc gtccgcccac gcgtccgcag attccctccg tcgcccgc 60  
gatgatgtgc ggggcgcct ccgcccacgc gccggccacc gccgagacc agcacatgc 120  
cgaccagggtg aggtcccagc ttgaagagaa agaaaacaag aagttccctg tgtttaaggc 180  
cgtgtcattc aagagccagg tggtcgcggg gacaaactac ttcacaaagg tgcacgtcgg 240  
cgacgaggac ttcgtacacc tgcgagtggt ccaatctctc cctcatgaaa acaagccctt 300  
gaccttatct aactaccaga ccaacaaagc caagcatgat gagctgacct atttctgac 360  
ctgactttgg acaaggccct tcagccagaa gactgacaaa gtcacccctc gtctaccaga 420  
gcgtgcactt gtgatcctaa aataagcttc atntccgggc tgtgccctt ggggtggaag 480

gggcangatt ntgcantgn ttttgcattt

510

<210> 358

<211> 240

<212> DNA

<213> Homo sapiens

<400> 358

ggtcttgcac tcatgagctg tccccacatt aggcttaaaa acagatgcaa ttcccggacg 60  
tctaaaccaa accactttca ccgctacacg accgggggta tactacggtc aatgctctga 120  
aatctgtgga gcaaaccaca gtttcatgcc catcgtccta gaattaattc ccctaaaaat 180  
ctttgaaata gggcccgtat ttacctata gcacccctc tacctcctct agagccaaaa 240

<210> 359

<211> 340

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (320)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (331)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (334)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (335)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (338)

<223> n equals a,t,g, or c

<400> 359

ggcacgagct cataaggaaa tctacccta tgtcatccag gaacttagac caactttaaa 60  
tgaactggga atctccactc cggaggaact gggccttgac aaagtgtaaa ccgcatggat 120  
gggcttcccc aaggatttat tgacattgct acttgagtgt gaacagttac ctggaaatac 180  
tgatgataac atattacctt atttgaacaa gttttccttt attgagtacc aagccatgta 240  
atggtaactt ggactttaat aaaaaggaaa tgagtgtgaa ccggaaaaaa aaaaaaaaaa 300  
aaaaaaaaaa aaaagaaan aaagaaggga nagnnaanaa 340



<210> 360  
<211> 501  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (147)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (148)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (192)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (242)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (244)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (348)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (364)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (455)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (465)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (469)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (474)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (491)  
<223> n equals a,t,g, or c

<400> 360  
cccacgcgtc cgcccacgcg tccgatgcct atcatatagt aaaaccacgc ccatgacccc 60  
taacaggggc cctctcagcc ctctaatga cctccggcct agccatgtga tttcacttcc 120  
actccataaa gctcctcata ctaaggnnta ctaaccaaca cactaaccat ataccaatga 180  
tgggcgcatg tnacacgaag aaagcacata ccaagggcac cacacaccac ctgtccaaaa 240  
angncttcga tacgggataa tcctatttat tacctcagaa gtttttttct tcgcaggatt 300  
ttctgagctt ttacactcca gcctagccct acccccaact aagaaggnaa tggccccaac 360  
aagnatcacc cgctaaatcc ctanaatcca ctctaaaca ctccgtatat cgatcaggat 420  
atcatcactg actcacatat ctaatagaaa aaacngaaac aatantcanc atgnttatta 480  
aatttatggt ntctattttac c 501

<210> 361  
<211> 393  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (357)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (359)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (364)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (367)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (390)  
<223> n equals a,t,g, or c

<400> 361  
gccccattat tcctagaacc aggcgacctg cgactccttg acgttgacaa tcgagtagta 60  
ctccccgattg aagcccccat tcgtataata attacatcac aagacgtctt gcactcatga 120  
gctgtcccca cattaggctt aaaaacagat gcaattcccg gacgtctaaa ccaaaccact 180  
ttcacgceta caccgaccggg ggtatactac ggtcaatgct ctgaaatctg tggagcaaac 240  
cacagtttca tgcccatcgt cctagaatta attcccctaa aaatctttga aatagggccc 300  
gtattttacc tatagcacc cctctacccc ctctagagcc aaaaaaaaaa aaaaagntnc 360  
aagnttnaaa aaactgaaaa tcagaaaagn ttt 393

<210> 362  
<211> 664  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (308)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (535)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (551)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (567)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (642)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (660)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (662)

<223> n equals a,t,g, or c

<400> 362

```
gagtaggtct acaagacgct acttccccta tcatagaaga gcttatcacc ttatcatgac 60
acgccctcat aatcattttc cttatctgct tcctagtcct gtatgccctt ttcctaacac 120
tcacaacaaa actaactaat actaacatct cagacgctca ggaaatagaa accgtctgaa 180
ctatcctgcc cgcacatccc tagtcctcat cgccctccca tccctacgca tcctttacat 240
aacagacgag gtcaacgac cctcccttac catcaaatca attggccacc aatgggtactg 300
aacctacnaa gtacaccgac tacggcggac taatcttcaa ctctacata cttccccatt 360
attcctagaa ccaggcgacc tgcgactcct tgacgttgac aatcgagtag tactcccgat 420
tgaagccccc attcgtataa taattacatc acaagacgct ttgcactcat gagctgtccc 480
cacattaggc ttaaaaacag atgcaattcc ccgacgtcta aaccaaacca ctttnaccgg 540
tacacgaacc nggggtatta ctacggncaa tgctctgaaa tctggggagc aaaaccacag 600
gttcatgccc atcgtcctag aaataaattc ccctaaaaat cnttgaaaaa agggggcccg 660
antt 664
```

<210> 363

<211> 595

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (466)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (467)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (485)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (515)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (552)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (557)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (559)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (568)  
<223> n equals a,t,g, or c

<400> 363  
gcgcaagtag gtctacaaga cgctacttcc cctatcatag aagagcttat cacctttcat 60  
gatcacgccc tcataatcat ttctcttato tgcttcctag tcctgtatgc ccttttccta 120  
acactcacia caaaactaac taatactaac atctcagacg ctcaggaaat agaaaccgtc 180  
tgaactatcc tgccccccat catcctagtc ctcacgcgcc tcccatccct acgcatcctt 240  
tacataacag acgaggtcaa cgatccctcc cttaccatca aatcaattgg ccaccaatgg 300  
tactgaacct acgagtacac cgactacggc ggactaatct tcaactccta catacttccc 360  
ccattattcc tagaaccagg cgacctgcga ctccttgacg tttgacaatc gagtagtact 420  
cccgattgaa gcccccatc gtataataat tacatcacia gacgtnttg cactcatgag 480  
ctgtncaccac attagctta aaaacagatg cattncgga cgtctaaacc aaaccacttt 540  
caccgataca cnaaccngng ggtatacnac cggatcaatgc ttctgaaatc ttgtg 595

<210> 364  
<211> 441  
<212> DNA  
<213> Homo sapiens

<400> 364  
acaagacgct acttccccta tcatagaaga gcttatcacc ttctcatgac acgccctcat 60  
aatcattttc cttatctgct tcctagtcct gtatgccctt ttcctaacac tcacaacaaa 120  
actaactaat actaacatct cagacgctca ggaaatagaa accgtctgaa ctatcctgcc 180  
cgccatcatc ctagtcctca tcgccctccc atccctacgc atcctttaca taacagacga 240  
ggccaacgat cctcccttt accatcaaat caattgggccc accaatggta ctgaacctac 300  
gagtacaccg actacggcgg actaatcttc aactcctaca tacttcccc attattccta 360  
gaaccaggcg acctgcgact ccttgacgtt gacaatcgag tagtactccc gattgaagcc 420  
cccattcgta taataattaa c 441

<210> 365  
<211> 367  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (347)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (362)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (363)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (366)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (367)  
<223> n equals a,t,g, or c

<400> 365  
cataacttccc ccattattcc tagaaccagg cgacctgcga ctccttgacg ttgacaatcg 60  
agtagtactc ccgattgaag cccccattcg tataataatt acatcacaag acgtcttgca 120  
ctcatgagct gtccccacat taggcttaaa aacagatgca attcccggac gtctaaacca 180  
aaccactttc accgctacac gaccgggggt atactacggt caatgctctg aaatctgtgg 240  
agcaaaccac agtttcatgc ccatcgtcct agaattaatt cccctaaaaa tctttggaaa 300  
tagggcccggt atttacccta tagcaccccc tctaccocct ctagagncaa aaaaaaaaaa 360  
annagnn 367

<210> 366  
<211> 460  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (51)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (154)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (211)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (322)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (336)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (340)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (355)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (356)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (378)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (411)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (413)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (415)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (453)  
<223> n equals a,t,g, or c

<400> 366  
ttttcgaggc caacgatccc tcccttacca tcaaatcaat tggccaccaa nggtaccgaa 60

cctacgagta caccgactac ggcggactaa tcttcaactc ctacatactt cccccattat 120  
tcctagaacc aggcgacctg cgactccttg acgntgacaa tcgagtagta ctcccgattg 180  
aaacccccat tcggataata attacatata nggacgtctt gcactcatga gctgccccac 240  
attaggctta aaaacagatg caattccccg acgtctaaac caaaccacta tcaccgctac 300  
acgaccgggg gtatactacg gncaatgctc tgaaanctgn ggagcaaacc acagnntcat 360  
gcccatcggc ctagaatnaa ttcccctaaa aatctttgaa atagggcccg nantnaccc 420  
atagcacccc ctctacccc tctagagcca aanaaaaaaa 460

<210> 367  
<211> 610  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (6)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (13)  
<223> n equals a,t,g, or c

<400> 367  
gcaagntgac acnaaccctc actaaaggga acaaaagctg gagctccacc gcggtgcggc 60  
cgctctagaa ctagtggatc ccccgggctg caggaattcg gcacgaggga atggcggtt 120  
ccatctctga ggcgagcgac gctatggatc ccacagtggg ttgctaagaa ggccattttc 180  
aactctccac tggaggctgc tatggcgttc cctcacctgc agcagcccag ctttctactg 240  
gctagcctga aagctgactc tataaataag ccctttgcac agcagtgcc aagacttggt 300  
aaagtcattg aggactttcc agcaaagtct gaaccaatca gagtccttgt gactggagca 360  
gctggtcaaa ttgcatattc actgctgtac agtattggaa atggatctgt ctttggtaaa 420  
gatcagatgt catcgcaaca gataaagaag acgttgctt caaagacctg ggatgtggcc 480  
attcttgtgg gctccatgcc aagaaggga ggcatggaga gaaaagattt actgaaagca 540  
aatgtgaaaa tcttcaaata ccagggtgca gccttagata aatacggcaa gaagtcagtt 600  
aaaggttatt 610

<210> 368  
<211> 548  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (370)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (378)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (412)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (429)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (449)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (471)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (490)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (495)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (528)  
<223> n equals a,t,g, or c

<400> 368  
ggcacgagga gcactctatt tattgtactg tgaataatga tgaaggagag tggagtggcc 60  
caccacctga atgcagagga aaatctctaa cttccaaggt cccaccaaca gttcagaaac 120  
ctaccacagt aaatgttcca actacagaag tctcaccaac ttctcagaaa accaccacaa 180  
aaaccaccac accaaatgct caaggtacag agactccatc agttcttcaa aaacacacca 240  
cagaaaatgt ttcagctaca agaaccctc caactcctca gaaaccacc acagtaaagt 300  
tcccagctac aatagtcaca ccaacacctc agaaaccac cacattaatg ttccagttac 360  
aggagtctcn tcaacacntc aagncacacc tagtaatgtt tcagttacag gncctaccac 420  
ttttcggancc caccggggc aatgttcgnc accattcccg cgcgttcggc ntttctttca 480  
aaaccttttn caagnccttt tgcgttagat cctgtggcat gttttgtnc cggcccttac 540  
ggccaggt 548

<210> 369  
<211> 538  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (12)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (449)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (466)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (521)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (531)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (538)  
<223> n equals a,t,g, or c

<400> 369  
gatggcgcgcg anccgggacg cgcgtacgcc ctgctgcttc tcctgatctg ctttaacggt 60  
ggaagtggac ttcacttaca ggtcttaagc acaagaaatg aaaataagct gcttcctaaa 120  
catcctcatt tagtgcgcca aaagcgcgcc tggatcaccg ccccggtggc tcttcgggag 180  
ggagaggatc tgtccaagaa gaatccaatt gccaaagatac attctgatct tgcagaagaa 240  
agaggactca aaattactta caaatacact ggaaaaggga ttacagagcc accttttggt 300  
atatttgtct ttaacaaaga tactggagaa ctgaatgtta ccagcattct tgatcgagaa 360  
gaaacaccat tttttctgct aacagggtta cgctttggat gcaagaggga acaatgtaga 420  
ganacccttt agagctacgc attaaggnt cttgatatcc aattgncaac ggaaccagt 480  
gttcacacag ggatgtcttt gttggggcct gttgaagagt ngagggtgcag nacatacn 538

<210> 370  
<211> 538  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (401)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (492)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (500)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (536)  
<223> n equals a,t,g, or c

<400> 370  
gagctcagtc cccatcccgga agcacagggc aggacgtcgc ggcgagtgagg ggaagcgagg 60  
agtcctgtggc cgggagcttg gaggtctgagt ttgagaaagc tgcagaggag gttaggcacc 120  
ttaagaccaa gccatcggaat gagggagatgc tgttcattcta tggccactac aaacaagcaa 180  
ctgtggggcga cataaataca gaacggccccg ggatgttgga cttcacgggc aaggccaagt 240  
gggatgcctg gaatgagctg aaagggactt ccaaggaaga tgccatgaaa gcttacatca 300  
acaaagtaga agagctaaag aaaaaatacgc ggatattgaga gactggattt gggtactgtg 360  
ccatgtgttt atcctaaact gagacaatgc cttgtttttt nctaataaccg tggatgggtgg 420  
gaatccggga aaataaccag ttaaacacgc tactcaaggc tgctcaccat acggctctaa 480  
cagattaggg gntaaaacgn ttactgactt cttgagtag ttttacctga aaccantt 538

<210> 371  
<211> 224  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (26)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (48)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (59)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (68)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (90)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (108)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (113)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (123)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (192)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (204)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<400> 371  
gcctgtgcct acacaccacc ntcgcngaaa gctgtgcagc gcattgcnga gtctcaccng 60  
cagtctanca gcaatttgaa tgagaaccan gcctcagagg aggagganga gcngggggag 120  
ctncggggagc tgggttatcc nagagaggaa gatgaggagg aagaggagga ngatgaagaa 180  
gaggaagact angaggacag ccangctgaa gaccngagcg gaga 224

<210> 372  
<211> 459  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (6)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (52)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (90)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (105)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (139)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (140)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (176)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (208)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (328)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (394)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (429)  
<223> n equals a,t,g, or c

<400> 372  
aacttnccca atgccgaact gggaggcccc tttaaccaga tgaacggagt gnccggaaat 60  
ggcatgaaca acattgacat gactggagan aagaagtcgt tgganctccc atatcccagc 120  
agctttgctc ccgtctctnn acctagaaac cagaccttca cttacatggg caagtinctcc 180  
attgaccctc agtaccctgg tgccagcngc taccacagaag gcataatcaa tattgtgagt 240  
gcaggcatct tgcaaggggt cacttcccca gcttcaacca cagcctcatc cagcgtcacc 300  
tctgcctccc ccaaccact ggccacanga ccctgggtg tgtgcaccat gtcccagacc 360  
cagcctgacc tggaccacct gtactctccg ccancgcctc ctctcctta ttctggctgt 420  
gcaggaganc tctaccagga cccttctgcg ttcctgtta 459

<210> 373  
<211> 422  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (27)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (47)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (60)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (66)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (70)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (78)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (87)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (105)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (267)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (331)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (351)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (359)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (393)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (401)  
<223> n equals a,t,g, or c

<400> 373  
ggcagacctg aggcccaccc ccaaggngcc cagccgtagc ttcaggntct ccgccagggn 60  
ccctcncggn tgcttctngt ttttaanact tccagatcga tcctntcctc ggtaccgtgg 120  
gctttgggtc tggcctccac ggggtggcct tcaccctgaa agcagtttgc cgagaatgta 180  
tgtgagccaa gttcgccgcc aagggggagg gccagttggg agcctgccga gcgggccaag 240  
aaagtagagg acatgatgaa gaagctntgg ggtgacaggt gagccccggg gaatatggtg 300  
ggggattcct gaaaactggg ggtagtggca ncaacgtagg ggcgtggtgt nctattcana 360  
attggttcaa gccacaaagt ttgcccacaa atnttcctt ngggaccaac ttcccaagta 420  
at 422

<210> 374  
<211> 342  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (16)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (17)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (20)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (292)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (301)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (305)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (325)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (332)

<223> n equals a,t,g, or c

<400> 374

```
gcanaacatc agcgcnnacn gganataaaa agattatcca cagagcattc cagtgtatca 60
gagtatcatc cagccgatgg ctatgcggtc agtagcaaca tttacacaag aggatccac 120
ctggaccaag gggaagctgc tgttgctttt aagccaactt ctaatcgcca tattagattg 180
aaattatgaa ccaactccaaa acacaacca agaaatatgc ccaatcccag ttatgacttt 240
gtttgccagg ggaaacaaca gttgagctct ccgggttcct taaggaatga tntttttaga 300
naatnccttg aaatgaatcg gaaancatgg tngaaaaagt tt 342
```

<210> 375

<211> 387

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (162)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (305)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (335)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (365)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (366)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (374)  
<223> n equals a,t,g, or c

<400> 375  
ggcagagctc tgcgcgcant ccgcttgact cagctcaccg agattctgtc aggggggtgtt 60  
tatattgaga agaacgataa gctttgtcac atggacacaa ttgactggag ggacatcgtg 120  
agggaccgag atgctgagat agtggtgaag gacaatggca gnaagctgtc cccctgtca 180  
tgagggtttgc aaggggcgat gctgggggtcc tggatcagaa gactgccaga cattgaccaa 240  
gaccatctgt gcttcctcag tgtaattggt cactgctttg gggcccaacc ccaaccagtg 300  
gttgncatga tgagtgtggc cgggggttgt ttcangggcc cttcagggac acagactgtt 360  
tttgnntggc cggnatattca atggaca 387

<210> 376  
<211> 492  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (203)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (318)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (333)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (336)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (405)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (416)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (440)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (444)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (448)

<223> n equals a,t,g, or c

<400> 376

```
ggcacgagaa gcaaaactcaa agcatttggg tcaaaacatc ctgattgttt tatacatggt 60
ttggatgata aattcagtaa agatacaggc ataatcctta tatgcaaatn agttgatggg 120
tattttctat ggtgatttca gacaaggaac ctgcagggtca ctctggaaga tggttacatt 180
gaattgagca ccagcgatag ggncggccca atttttaaat ctccacagac gtatatggat 240
ggtttactgc attatgtatc tgtaataagc gacaactctg ggtgagtcga ataaatactt 300
ctgtcagagc tgtgagtnga gttttactct ctnttngttt taatggaatt ttctgggtgc 360
tttttgcaaa aaatttgtcc ttgattacca aaaatacttt cactnataag tcttgnccct 420
ctttcctttt ttcccatatn caanttttct tcataaaaaa aataaacttg ccacacatgg 480
gtgggcttca tt                                     492
```

<210> 377

<211> 336

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (36)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (66)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (70)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (116)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (163)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (197)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (227)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (229)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (231)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (249)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (280)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (292)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (308)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (325)  
<223> n equals a,t,g, or c

<400> 377  
gacngtaccg tccnaaatcc cgggtcgacc cacgcntccg aagcagcagt tagcccgccg 60  
cccgcntgtn tgtccccaga gccatggaga gagccagtct gatccagaag gccaanctgg 120  
cagagcaggg cgaacgctat gaggacatgg cagccttcat ganaggcgcc gtggagaagg 180  
gcgaggagtc tcctgcnaag agcgaaacct gctctcagta gcctatnana ncgtgggtggg 240  
cggccagang gctgcctgga ggggtgctgtc cagtattgan cagaaaagca angaggaggg 300  
gttcgganag gagaagggggc ccgangtgcg ttgaat 336

<210> 378  
<211> 488  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (20)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (35)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (43)  
<223> n equals a,t,g, or c

<400> 378  
cngtcagtna cgggtaccggn aattccccggg tgcgnaccca cgnctgtgccg ccgagaccgc 60  
tgccttgctc ggaagggggc gagcggtgc tgcccacca gaagcagccc gggggcggcc 120  
aggtaactc cagccgctac aagacggagc tgtgccgcc ctttgaggaa aacggtgcct 180  
gtaagtacgg ggacaagtgc cagttcgcac acggcatcca cgagctccgc agcctgacct 240  
gccaccccaa gtacaagacg gagctgtgcc gcacctcca caccatcggc ttttgccct 300  
acggggccccg ctgccacttc atccacaacg ctgaagagcg ccgtgccctg gccggggccc 360  
gggacctctc cgctgacctt ccccgccctc agcatagctt tagtttgctg ggtttcccag 420  
tgccgctgcc accgcccgtg ccaccgggct gctggacagc ccacgtccat caaccaacc 480  
cctatattt 488

<210> 379  
<211> 398  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (46)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (385)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (386)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (394)  
<223> n equals a,t,g, or c

<400> 379  
ggcacgaggg ggcctcccgc tgtggccacc tctgccgcgg ccgcgncgcc gcgtccctacc 60  
ctgccctccg tgcctctctg ctgccgcagt cgctggcggc ggcggecgcg ttcccgacgc 120  
gcantaacag ccaggagtcc aaaactactt acctggaaga ccttcacca cccctgagt 180  
atgaattggc ccggtccaag ttagaagagg aagtggatga tgtctttctc attcgagctc 240  
aaggactgcc ctgggtcatg gcactatggg aagatgtggc ttttaacttt tttttccaga 300  
cttgacagaat ccggcaacgg ttgagtaatg ggaattacat ttttctccct aaaaacaaga 360  
gatgggggaa aacgtaaggg ggtnnntggc cttnaatt 398

<210> 380  
<211> 455  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (315)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (365)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (421)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (442)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (447)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (448)

<223> n equals a,t,g, or c

<400> 380

```
atgccatggt gcggtggtc aagtgcgacg tctaccctg cccaacaca gtggactgct 60
tcgtgtcccg cccaccgag aaaaccgtct tcaccgtctt catgctagct gcctctggca 120
tctgcatcat cctcaatgtg gccgaggtgg tgtacctcat catccgggcc tgtgcccgcc 180
gagccagcg cgcctccaat ccaccttccc gcaagggtc gggcttcggc caccgcctct 240
cacctgaata caagcagaat gagatcaaca agctgctgag tgagcaggat ggctccctga 300
aagacatact gcgcncaacc ctggcacggg ggctgggctg gctgaaaaaa acgaccgtgc 360
tcggntgtga tgccacatac caggcaacct cccatcccac cccgacctg cctgggcgaa 420
nccctccttc tccctgccgg tncccanngg ctcac 455
```

<210> 381

<211> 421

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (23)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (156)

<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (191)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (387)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (398)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (410)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (413)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (421)  
<223> n equals a,t,g, or c

<400> 381  
ntnngcgnct gcaggctcgaa cantagtgga tccaaagaat tcggcacgag tgggaacgag 60  
gggtgaagcg gcccgaggta ggctcgccat ggccaaacag ctgcaggccc gaagctagac 120  
gggatcgact acaacccttg ggtggagttt gtgaantggc cagtgcagcat gacgtcgtga 180  
acttgggccca nggcttcccc gatttcccac caccagactt tgccgtggaa gcctttcagc 240  
acgctgtcag tggagacttc atgcttaacc agtacaccaa gacatttggt taccaccac 300  
tggacgagga tcctggcaat ttctttgggg gagctgctgg gtcaaggata agaccggtc 360  
agggatgtgc tgggtgactgt tgggtggntat gggggccngt ttcaaaagcn ttncaggcc 420  
n 421

<210> 382  
<211> 545  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (57)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (466)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (505)  
<223> n equals a,t,g, or c

<400> 382  
aagggnagaca caancctcac taaagggaac aaaagctgga gctccaccgc ggtgcnccg 60  
ctctagaact agtggatccc ccgggctgca ggaattcggc acgagcggcg gcggcggcgg 120  
cgccccagtc ggtgtatgcc ttctcggcgc gcccgctggc cggcggggag cctgtgagcc 180  
tgggctccct gcggggcaag gtactactta tcgagaatgt ggcgtccctc tgaggacca 240  
cggctccggga ctacacccag atgaacgagc tgcagcggcg cctcggaccc cggggcctgg 300  
tggtgctcgg ctccccgtgc aaccagtttg ggcatcagga gaacgccaag aacgaagaga 360  
ttctgaattc cctcaagtac gtccggcctg gtggtgggtt cgagcccaac ttcattgctct 420  
tcgagaagtgc cgaggatgaac ggtgcggggg cgcaccctct cttcgncttc ctgcgggagg 480  
ccctgccagc tcccagcgac gacgncaccg cgcttatgac cgaccccaag ctcatcacct 540  
ggtct 545

<210> 383  
<211> 375  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (224)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (242)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (264)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (282)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (329)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (333)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (348)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (368)  
<223> n equals a,t,g, or c

<400> 383  
gcttttcattg ccaagtcctt ctatgacctc agtgccatca gcctggatgg ggagaaagta 60  
gatttcaata cgtctcgggg cagggccgtg ctgattgaga atgtggcttc gctctgaggc 120  
acaaccaccc gggacttcac ccagctcaac gagctgcaat gccgctttcc caggcgcctg 180  
gtggtccttg ggcttccctt gcaaccaatt tgggacatca gganaactgt caaaatgagg 240  
anatcctgaa cagtctcaat tatnttccgt cctgggggtgg gnataccaac ccccttccc 300  
cctttttcca aaaattttaa ggttaaatng gcnaaaaaaa acatcctntt tttccccta 360  
ccttaaanga aaaac 375

<210> 384  
<211> 530  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (178)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (354)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (361)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (382)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (386)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (415)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (426)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (436)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (449)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (515)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (527)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (529)  
<223> n equals a,t,g, or c

<400> 384  
gctcgtgccg tgagacacaa ccacccggga cttcaccag ctcaacgagc tgcaatgccg 60  
ctttcccagg cgcttggtgg tccttggtt cccttgcaac caatttgac atcagagcag 120

gagagacaga agtagcaaac cctctttcga gatgtccctc cagccccaga agtacctnca 180  
gcctcacacc atctcttcag cctagcaagt tgctggaggg agtctataac ctaccaggag 240  
ccagccagcc atttgatatca agaaatagaa atctgcaggg tacagtggct cacacctata 300  
atcccagcgc tttgggaggg taagttctag gacaaaggca aggaagaaaa gcangaactt 360  
naaaatccaa ttccttttgg gnccttnaaat ttaaccttca agttcaaggg agctnaagta 420  
aggcanaagg ccaaanggct ttttacttna acaacaacgg tgccaatttg gaaaggcaag 480  
gccaaggcaa aaaacccagg ggcaagaagg aaaangggaa aaggggntnt 530

<210> 385

<211> 465

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (151)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (287)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (310)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (312)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (329)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (338)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (347)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (351)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (354)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (373)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (383)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (438)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (449)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (450)

<223> n equals a,t,g, or c

<400> 385

```
cacactcaag ttctttcctg ccagtgccga caggacggtc atcgattaca acggggaacg 60
cacgctggat ggttttaaga aattcctgga gagcgggtggc caggatgggg caggggatga 120
tgacgatctc gaggacctgg aagaagcaga ngagccagac atggaggaag acgatgatca 180
gaaagctgtg aaagatgaac tgtaatacgc aaagccagac ccgggcgctg ccgagacccc 240
tcggggggct gcacaaccag cagcagcgca aggcttccga gccttgnggg ctcggtttga 300
aaagaagggn tngccgggaa acccagggna actctctnga agttganact ncancctag 360
aaaacgtccg ttnaaccctg ttnccttctt ctgcttttcg ggtttttgga aaagggatcc 420
atttccaggc aggccaanct tggtgggggn tgttcctgaa accat 465
```

<210> 386

<211> 733

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (606)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (621)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (689)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (703)  
<223> n equals a,t,g, or c

<400> 386  
gcgggtgatca tggggggcccc gggctcgggc aagggcaccg tgcgctcgcg catcactaca 60  
cacttcgagc tgaagcacct ctccagcggg gacctgctcc gggacaacat gctgcggggc 120  
acagaaattg gcgtgttagc caaggctttc attgaccaag ggaaactcat ccagatgat 180  
gtcatgactc ggctggccct tcatgagctg aaaaatctca ccagtatag ctggctgttg 240  
gatgggtttt caaggacact tccacaggca gaagccctag atagagctta tcagatcgac 300  
acagtgatta acctgaatgt gccctttgag gtcattaaac aacgccttac tgctcgctgg 360  
attcatcccc ccagtggccg agtctataac attgaattca accctcccaa aactgtgggc 420  
attgatgacc tgactgggga gcctctcatt cagcgtgagg atgataaacc agagacggtt 480  
atcaagagac taaaggctta tgaagaccaa acaaagccag tcctggaata ttaccagaaa 540  
aaaggggtgc tggaaacatt ctccggaaca gaaaccaaca agatttggcc ctatgtatat 600  
gcttttntac aactaaagtt ncacaaagaa gccagaaagc tttaattact tcatgaggag 660  
aaatgtgtgt aactattaat agtaagaang gcaaaccctc tantccttgg atttaaaact 720  
ggttttctaa aac 733

<210> 387  
<211> 180  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (6)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (43)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (61)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (123)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (133)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (151)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (153)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (159)  
<223> n equals a,t,g, or c

<400> 387  
ncttttatct ntgaagtgga tctacaatgg cttcagcagt gtntctccagt tcctaggact 60  
ntacaagaaa tctggaaaac ttgtattctt caggcttggt taatgtcagg caaaaccact 120  
gtngttgcac atngcttcaa aggtgcgcag ntngtgggnc aacattgttt cccaacactt 180

<210> 388  
<211> 428  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (49)  
<223> n equals a,t,g, or c

<220>



<221> misc feature  
<222> (84)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (90)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (197)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (263)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (285)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (286)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (306)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (366)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (395)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (414)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (418)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (427)  
<223> n equals a,t,g, or c

<400> 388  
gggaacagta agaccgagga ccagcgcaac gaggagaagg cgcacgtgna ggccaacaaa 60  
aagatcgaga agcagctgca gaangacaan caggtctacc gggccacgca ccgcctgctg 120  
ctgctgggtg ctggagaatc tggtaaaagc accattgtga agcagatgag gatcctgcat 180  
gttaatgggt ttaatgnaga cagtgagaag gcaaccaaag tgcaggacat caaaaacaac 240  
ctgaaagagg cgattgaaac cantgtggcc gccatgagca acctnngtgc cccccgtgga 300  
gctggncaac cccgagaaac cagttcagag tggactacat cctggagtgt tatgaacgtg 360  
cctggntttt gacttccctc cggattctat gagcnggcaa ggtctgtgga ggtnaagntt 420  
ctgctgna 428

<210> 389  
<211> 454  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (184)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (209)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (240)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (283)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (287)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (292)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (309)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (316)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (319)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (369)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (402)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (424)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (426)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (437)

<223> n equals a,t,g, or c

<400> 389

acccacgcgt ccgcccacgc gtcccgagct caaagacctc caggagcccc aggagcccag 60  
ggttgggaaa ctcaggaact ttgcacccat ccctgggtgaa cctgtgggttc ccatacctctg 120  
tagcaacccg aactttccag aagaactcaa gcctctctgc aagagcccaa tgcccaggag 180

ntanttcaga ggctggagga aatcgctgna ggacccgggg cacatgtgga aatctgtgcn 240  
tacgctggcc tgtaccgat gctaagggg cttgccactg gngggntcc cntccgcagc 300  
aggggaagnc ttttcntcnt gcagaaagg ccacccatga tattccattc cccagcagtt 360  
caactaacnt ggttccattc gggaaggagc agccggggaa gnattgggtt gattggaagg 420  
cttngnccca aatggtncct tccctggcaa tttt 454

<210> 390

<211> 553

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (29)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (30)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (58)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (414)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (417)

<223> n equals a,t,g, or c

<400> 390

gcaaganaaa attaccctca ctaaagggnn caaaagctgg agctccaccg cggtgcgncc 60  
gctctagaac tagtggnctc cccgggctgc aggaattcgg cagagcagg gacgctaaga 120  
ttgctacctg gactttcgtt gaccatgctg tcccgggtgg tactttccgc cgccgccaca 180  
gcgccccctc tctgaagaat gcagccttcc taggtccagg gaccctatgt actcggaaact 240

```
gggcttatct tgtacgcttt atccaaagaa atatatgtga ttagcgcaga gaccttcaact 300
gccctatcag tactaggtgt aatggtctat ggaattaaaa aatatgggtcc ctttgttgca 360
gactttgctg ataaactcaa tgagcaaaaa cttgccaac tagaagaggc gaanagngct 420
tccatccaac acatccagaa tgcaattgat acggagaagt cacaacaggc actggttcag 480
aagcgccatt accttttttg atgtgcaaag gaataacatt gctatggctt tggaagttac 540
ttaccggga acg 553
```

<210> 391  
<211> 632  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (12)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (586)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (613)  
<223> n equals a,t,g, or c

```
<400> 391
cagtttcgaa antaaccctc actaaaggga acaaaagctg gagctccacc gcggtgcggc 60
cgctctagaa ctagtggatc ccccgggctg caggaattcg gcacgaggtc ctgtgcggtc 120
acttagccaa gatgcctgag gaaaccagaa cccaagacca accgatggag gaggaggagg 180
ttgagacgtt cgcttttcag gcagaaattg ccagttgat gtcattgatc atcaatactt 240
tctactcgaa caaagagatc tttctgagag agctcatttc aaattcatca gatgcattgg 300
acaaaatccg gtatgaaagc ttgacagatc ccagtaaatt agactctggg aaagagctgc 360
atattaacct tataccgaac aaacaagatc gaactctcac tattgtggat actggaattg 420
gaatgaccaa ggctgacttg atcaataacc ttggtactat cgccaagtct gggaccaaag 480
cgttcatgga agctttgcag gctgggtgcag atatctctat gattggccag ttcgggtgtg 540
gtttttattc tgcttatttg gttgctgaga aagtaactgt gatcancaa cataacgatg 600
atgagcagta cgnttgggag tcctcagcag gg 632
```

<210> 392  
<211> 600  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (6)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (162)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (518)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (571)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (572)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (587)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (590)  
<223> n equals a,t,g, or c

<400> 392  
gctcanatct gccttctgga gactgcgccg tcctcccgagg agagccagaa agaggacatg 60  
gctgctgggc agcgggaagc gaggccccag gtgtcactga cattcgagga cgtggctgtg 120  
ctctttacct gggatgagtg gagaaagctg gctccttctc anagaaactt gtaccgggat 180  
gtgatgctgg agaactatag gaacctgggc tcactgggac tctcatttac caaaccaaaa 240  
gtcatctccc tgttcagca aggagaagat ccctgggagg tggagaaaga cagttctggt 300  
gtctcctctc taggatgtaa gagcacacct aaaatgacaa agtcaactca aactcaggat 360  
tcatttcagg agcagataag gaaaagattg aaaagggatg aaccctggaa cttcatatca 420  
gaaagatcct gcatatatga agagaaatta aagaaacagc aggacaaaaa tgaaaattta 480  
caaataattt cagttgccc tacaaaaatc cttactgnag atagaagcca taaaaatggt 540  
gaatttgccc aaaacttcta cctgaaatca nncttcatta agcaccngan aattgcctaa 600

<210> 393  
<211> 531  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (63)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (267)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (352)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (376)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (394)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (395)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (400)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (451)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (464)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (471)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (476)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (512)

<223> n equals a,t,g, or c

<400> 393

```
tgcagctctt ttcattttgc catccttttc cagctccatg atggttctgc aggtttctgc 60
ggnccccccg gacagtggct ctgacggcgt tactgatggt gctgctcaca tctgtggttc 120
cagggcaggg ccactccaga gaattacctt ttccagggac ggcaggaatg ctacgcgttt 180
aatggtaaca gccagaagga catcctggag gagaaagcgg gcagtgccgg aacaggatgt 240
gcagacacaa cttacggagc tgggcgngcc catggaccct gcagcgccga gttccagcct 300
aggggtggaat gttttccccc tccaagtagg gggcccttgg cagcaacaca anctgcttgt 360
ttggccaagt gacggnnttt taccaggca gcannggtan tcctgtcaac tggattggag 420
gcacatttga ttttgcccg ttagacatga nggggttggg ttcngttggt naaatntggg 480
ttgggaattt taatgaaaaa ggggggcaaa gnaattttaa aggggggttt t 531
```

<210> 394

<211> 404

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (269)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (295)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (330)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (382)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (387)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (390)

<223> n equals a,t,g, or c

<220>



<221> misc feature  
<222> (399)  
<223> n equals a,t,g, or c

<400> 394  
gggactctaa ttctgtaata tatcaaggaa tctcgtaaaa ccgacactaa aacgtccctg 60  
cctacaaatc atccggccaa attatgagtt cattgtatta tgcgaatgct ttatttttcta 120  
aatatccagc ctcaagtctg gttttcgcta ccggagcctt cccagaacaa acttcttggtg 180  
cgtttgettc caacccccag cgcccgggct atggagcggg ttcgggcgct tccttcgccg 240  
cctcgatgca gggcttgtag cccggcgng ggggcatggc gggccagagc gcggnccggc 300  
tctacgcggc cggctatggg ctcgagccgn gttccttcaa catgcactgc gcgccctttg 360  
agcagaaacc tctccggggt gngcccnngn gaattccgnc aagg 404

<210> 395  
<211> 499  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (10)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (89)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (90)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (93)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (95)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (98)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (112)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (115)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (119)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (120)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (125)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (149)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (172)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (211)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (223)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (225)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (299)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (426)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (442)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (443)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (445)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (457)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (470)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (477)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (484)  
<223> n equals a,t,g, or c

<400> 395  
ggcacgaggn gcggcggggtc tggagccccc atcctcctgc ggcagatggt cgagcctgta 60  
agctgcacct tcacgtacct gctgggtggn agngngtncc gggaggccgt tntgntcggn 120  
ccagnccctgg aaacagcgcc tcgggatgnc cagctgatca aggagctggg gnttcggctg 180  
ctctatgctg gcgttgagga ccagggccag ncctggccac aantnaggct gtgtcacctt 240  
cgttctgaat gaccacagca tggccttcac tggagatgcc ctgttgatcc gtgggtgtng 300  
gcggacagac tttagcaag gctgttgcca agaccttgta accattcggt ccatgaaaag 360  
atctttcaaa atttcagga gactgtcttg atctaacctg gttcaagggt accatgggggt 420  
ttaaantggt caacgtggag gnngnggagg acttttnaaa cccttggttn aaccttnaat 480  
tttnaggagt ttttcaaaa 499

<210> 396  
<211> 526  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (445)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (502)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (508)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (519)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (523)  
<223> n equals a,t,g, or c

<400> 396  
gggtccccgtc acgctgactt tccgtgcagt gctgtggtgc gaaaatgcct cgccgctcct 60  
ggtagacgaa gaggaagaca aacctacagt cgcttccaaa ctctagagtt ggaaaaggaa 120  
tttcttttta acccctatct gaccaggaaa agaagaatcg aggtttccca cgccctagcc 180  
ctcaccgaga gacaggtaaa aatctggttc cagaacagga gaatgaaatg gaaaaaggaa 240  
aacaacaagg acaaatttcc cgtttcccgg caggaggtga aggacgggga aacgaaaaag 300  
gaagcccaag agctggagga agacagagcc gaaggcctga caaattaact tctaccttta 360  
aaattttacca cagactatga aaactaataa tcaccatatg ctgtggacac cacctatttt 420  
ctttggtgga aaggacctta cctgngtttc aagctacctt catgtcactg gtcttgaggg 480  
tttctgggct tttgagaggg antttggngg tttaaaaang ttntag 526

<210> 397  
<211> 443  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (443)

<223> n equals a,t,g, or c

<400> 397

```
gcccacgcgt ccgggtgctc cttacctccc cggtgggtcgg gcgcgaatta ctggaaattg 60
gcttttcccg ttggggccga agtaccttcc ctgnnggcggc gactcagcgg ggtgtcgttc 120
ggccggcgtg acgcagccgg atcggcgcca gacggaaacc tagcggtgac tgtatctgaa 180
ttttgcagct gcagaatgtg tagtacctta aaagggttggc aacaatgagt aaaccagaat 240
taaaggaaga caagatgctg gaggttcact ttgtgggaga tgatgatgtt cttaatcaca 300
ttctagatag agaaggagga gctaaattga agaaggagcg agcgacttt tggtaacccc 360
caaaaaaata ataaagaagc cagaatatga ttggaggaa gatgaccagg aggtcttaaa 420
agatcagaac tatgtggaaa ttn                                     443
```

<210> 398

<211> 652

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (16)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (31)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (64)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (68)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (78)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (88)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (91)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (100)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (103)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (111)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (116)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (134)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (261)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (325)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (383)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (387)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (397)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (549)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (579)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (594)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (606)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (620)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (639)  
<223> n equals a,t,g, or c

<400> 398  
gccacgcgt ccgnaacgc ntccgtttgg nccaagatgg catggaatga ggaaggcgct 60  
tcntggnga ctggtggnct tggcgtnct ncgggctgtn agnacctcat ntatgngcac 120  
ttaccaaag cggntgaaaa ttgtggaagt tgggtcccga gatggactac aaaatgaaaa 180  
gaatatcgta tctactccag tgaaaatcaa gctgatagac atgctttctg aagcaggact 240  
ctctgttata gaaaccacca nctttgagtc tcctaagtgg gttccccaga tgggtgacca 300  
cactgaagtc ttgaagggca ttcanaagtt tcctggcatc aactaccag tcctgacccc 360

aaatttgaaa ggcttcgagg cancggnacc atgactnctg tgaggatgca gcactccctg 420  
gcaggtcaga cctatgccgt gcccttcac cagccagacc tgcggcgaga ggaggccgtc 480  
cagcagatgg cggatgccct gcagtacctg cagaaggctc tggagacatc ttcagcaagt 540  
gggtgctgnc actcaccccc acctgatgag agggccatnc ctgtctgggc aatnccagca 600  
acacancctt tgggagcaan ccccttgggg aatccccgnc tggggaaccc at 652

<210> 399

<211> 341

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (39)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (84)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (137)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (153)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (302)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (310)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (332)

<223> n equals a,t,g, or c

<400> 399

ggcacgagag gacctggata aagcacttct aaaggcctnt caggacatgt tcgacaagaa 60  
aaccaaggct tccctttacc tctncaactca caatgggaac atgtacacct catccctgta 120  
cgggtgcctg gcctcgnttc tgtcccacca ctntgcccaa gaactggctg gctccaggat 180  
tggtgccttc tcttatggct ctgggttagc agcaagtctt ttttcatttc gagtatcccg 240



tctaaagggtg ttctgcagat ccatggaaaag cttctgggaa acgtatgcta gcagagcttc 300  
tncccggtgan tcatatTTTT aagatcccac tnttagctgg a 341

<210> 400

<211> 604

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (392)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (484)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (502)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (509)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (559)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (593)

<223> n equals a,t,g, or c

<400> 400

gcctccgcat aggcctgcgt cagattaaaa cactgaactg acaattaaca gcccaatata 60  
tacaatcaac caacaagtca ttattaccct cactgtcaac ccaacacagg catgctcata 120  
aggaaagggtt aaaaaaagta aaaggaactc ggcaaattctt accccgcctg tttacaaaaa 180  
acatcacctc tagcatcacc agtattagag gcaccgcctg ccagtgaca catgtttaac 240  
ggcgcgggta ccctaaccgt gcaaaggtag cataatcact tgttccttaa atagggacct 300  
gtatgaatgg cttcacgagg gttcagctgt ctcttacttt taaccagtga aattgacctg 360  
cccgatgaaga ggcggcatga cacagcaaga cnaagaagac cctatggagc ttttaatttat 420  
taatgcaaac agtacctaca aaccacagg tcctaactac caaacctgca ttaaaaaatt 480  
cggntggggc gacctcggac anaaccaanc tccagcagta catgctaaac ttaccagcaa 540  
acgactatat ctaattganc atacttgaca aggacaagta cctaggaaca ggnaattctt 600  
ttaa 604

<210> 401  
<211> 519  
<212> DNA  
<213> Homo sapiens

<400> 401  
cataatcact tgttccttaa ttagggacct gtatgaatgg ctccacgagg gttcagctgt 60  
ctcttacttt taaccagtga aattgacctg cccgtgaaga ggcgggcata acacagcaag 120  
acgagaagac cctatggagc tttaatttat taatgcaaac agtacctaac aaaccacag 180  
gtcctaaact accaaacctg gcattaaaaa ttctgggttg ggcgacctcg gagcagaacc 240  
caacctccga gcagtacatg ctaagacttc accagtcaa gcgaactact atactcaatt 300  
gatccaataa cttgaccaac ggaacaagtt accctagggg taacagcgca atcctattct 360  
agagtccata tcaacaatag ggtttacgac ctcgatgttg gatcaggaca tcccgatggg 420  
gcagccgcta ttaaagggtt gtttgttcaa cgattaaagt cctacgtgat ctgagttcag 480  
accggagtaa tccaggtcgg tttctatcta ctttcaa 519

<210> 402  
<211> 265  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (213)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (218)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (233)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (255)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (264)  
<223> n equals a,t,g, or c

<400> 402

```
gctgccagta gcatatgctt gtntcaaaga ttaagccatg catgtctaag tacgcacggc 60
cggtagacgtg aaactgcgaa tggctcatta aatcagttat gggtcctttg gtcgctcgct 120
cctctcctac ttggataact gtggtaattc tagagctaata acatgccgac gggcgctgac 180
ccccttcgcg ggggggatgc gtgcatttat canatcanaa ccaacccggt cancccctct 240
ccggcccccgg ccggnngggcg gcgnc 265
```

<210> 403

<211> 325

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (137)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (138)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (172)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (173)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (200)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (263)

<223> n equals a,t,g, or c

<400> 403

```
gcagggtactt ggttctccag tgggagctgc cctctcgaag gcaggacagc ggtggcggca 60
gatataaaga cctgaagata gtcttttctg tccaaagatg gaaaacagta ctactaccat 120
ttctcgggag gagcttnnag aactacaaga ggcatttaata aaaatagata tnnacaatag 180
tgggtatgtc agtgactatn aacttcaaga cctgtttaag gaagcaagcc ttcctctgcc 240
tggctacaag gtgcgcgaga ttntggagaa aattctatca gttgctgaca gcaacaaaga 300
tggcaaaatc aattttgaag agttt 325
```

<210> 404

<211> 540  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (469)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (473)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (489)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (526)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (537)  
<223> n equals a,t,g, or c

<400> 404  
ataactatat cttttcttccct ctgtctccgc ccacccacat ttttctcttt ccctttctct 60  
ctttggggac cctcccccat gctccctgc cccatcccct tttcccttc ccgtcttctc 120  
atccctccat tcccatcttt ccccagcaat taccagctct ggctgggtcg ccacaacttg 180  
tttgacgacg aaaacacagc ccagtttggt catgtcagtg agagcttccc acaccctggc 240  
ttcaacatga gcctcctgga gaaccacacc cgccaagcag acgaggacta cagccacgac 300  
ctcatgctgc tccgcctgac agagcctgct gataccatca cagacgctgt gaaggtcggg 360  
aagttgcca cccaggaacc cgaagtgggg gagcacctgg ttggcttccg gctggggcaa 420  
gcattgaacc agaagaattt cttaatttca gaagatcttc aaatggtgng ganccttcaa 480  
aaatcctgnc taaaggaata aatggcgaaa aaagcccaac gttcanaaaag gtggacngga 540

<210> 405  
<211> 319  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (296)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (298)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (301)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (309)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (313)  
<223> n equals a,t,g, or c

<400> 405  
ctgcnccgcc gcgggcccga gctgcgcgct gaaggccggc aagacagcga gcggtgcggg 60  
cgaggtggtg cgctgtctgt ctgagcagag cgtnggccat ctgcgcgtgc gccggggggc 120  
cggggcgcgc ctgcctgccc tgctggacga gcagcaggta aacgtgctgc tctacgacat 180  
gaacggctgt tactcacgcc tcaaggagct ggtgcccacc ctgccccaga accgcaagtg 240  
aagcaagggtg gagattttcc agcacgtcat cgactacatc agggacttta atttgnantt 300  
naatcggant ccnaatttg 319

<210> 406  
<211> 355  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (10)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (27)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (41)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (46)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (57)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (86)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (121)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (145)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (150)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (216)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (251)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (266)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (283)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (304)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (321)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (325)  
<223> n equals a,t,g, or c

<400> 406

ggcanaggtn cagctgaccc tgnccgncac acagtgccca nagggnaagt ccgtaanatg 60  
ccacgtgaaa gactacacg attccnagcc aggatgtaac tgtgcccctg ccagttccc 120  
ncancttccc catgctgccca ncccngattn tggttgaaac gaccggccct ngaggacctg 180  
gtcttaggtt cagaagcgaa gcatcacgtg acacantgac cggcctgaga gaatgcctct 240  
ggtgaccact ntnacctggg acgccnttaa agtgggaaga gcnctgtttc aaggaccacc 300  
tggngcgtga cctgtgtggg nttgntacag gtgttcagc gtgctgactg gttgt 355

<210> 407

<211> 437

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (110)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (272)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (296)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (370)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (389)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (412)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (430)

<223> n equals a,t,g, or c



<220>

<221> misc feature

<222> (435)

<223> n equals a,t,g, or c

<400> 407

```
ggcanagcac aagcccagca acaccaaggt ggacaagaga gttgagtcca aatatggtcc 60
cccatgcccc tcatgcccag cacctgaatt tcctgggggg accatcagtn ttcctgttcc 120
ccccaaaacc caaggacact ctcatgaatc tcccggaccc ctgaaggtea cgtgcgtggt 180
ggtggacgtg aagccaggga agaccccagag gtccagttca actggtacgt ggatggcgtg 240
gaggtgcata atgccaagac aaagccgcgg gnggagcagt tcaacagcac gtaccngtgg 300
ttcagcgtcc ttcaccgtcc tgcaccagga tggcttgaac ggcaaggagg ttacaagtgg 360
caaggttttt caacaaaggg cttcccgtnc ttccttgggg aaaacctttt tncaaaggcc 420
aaggggcagn cccgngg 437
```

<210> 408

<211> 310

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (102)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (137)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (277)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (289)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (294)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (298)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (303)

<223> n equals a,t,g, or c

<400> 408

```
gggggatatt gtagtggtgg tagctgctct aatttctact tctaccacat ggacgtcttg 60
ggcgaaagga ccacgggtcac cgtctcctca gcctccacca anggcccatc ggtcttcccc 120
ctggcgccct gctccangaa cacctccgaa aacacagcgg ccctgggctg cctggtcaag 180
gactacttcc ccgaaaccgg tgacggtgtc ttggaactca gggggctctg accagcgggg 240
tgcacacctt ccagctgtc ctacagtcct caggaancta ctccctcanc accntggnga 300
cgntgcctcc                                     310
```

<210> 409

<211> 421

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (52)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (74)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (235)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (246)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (279)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (346)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (382)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (384)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (405)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (417)

<223> n equals a,t,g, or c

<400> 409

```
gctcagttag gacccatacg gaaccatgga agccccagcg cagcttctct tntcctgct 60
actctggctc ccanatacca ctggagaaat actgatgacg cagtctccag ccaccctgtc 120
tgtgtctcca ggggaaagag tcacctcttc ctgcagggcc gggcagagtg ttacagcaa 180
cttagcctgg tatcagcaga aacctggcca ggctcccagg ctctcatgt atggntcatc 240
caccanggcc actgatgtcc cagtcagggt cagtggcant gggctctggga cagagttcac 300
tctcaccatc agcagcctgc agtctgacga ttctgcagtc tatttntgtc agcagtatat 360
tatgtggcct ggaaccttcg gncnagggac caagggggaa atcanacgaa ctggggntgc 420
a 421
```

<210> 410

<211> 448

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (342)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (361)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (421)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (424)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (443)  
<223> n equals a,t,g, or c

<400> 410  
gtacggcnng ntnntttcgg gtcgaccgcg ccttcgcgcg acgcgtgggt tcggacgcgt 60  
gggcggacgc gtggggccga ggctgccaaag atgcttggag aagcactgag caagaaccct 120  
ggctacatca aacttcgcaa gattcgagca gccagaata tctccaagac gatcgccaca 180  
tcacagaatc gtatctatct cacagctgac aaccttgtgc tgaacctaca ggatgaaagt 240  
ttcaccaggg gaagtgcag cctcatcaag ggtaagaaat gagcctagtc accaagaact 300  
ccacccccag aggaagtgga tctgcttctc cagttttgga gnaccaccag ggggccagaa 360  
nagccctacc ccgccccatt atcntgcaat ggtccccaca ccggggtccc tgaaccctct 420  
nggnttaagg aaaatgaaaa tancctt 448

<210> 411  
<211> 141  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (67)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (95)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (101)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (120)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (138)  
<223> n equals a,t,g, or c

<400> 411  
gattgatctc atgtgcaaga aaatgaagca cctgtgggtc ttcctcctgc tggtaggcagt 60  
ctcccanatg cgtcctgtcc cagggtgcagc tgcangagtc ngggccagga ctggtgaagn 120  
cttcggagac cctgtcctc a 141

<210> 412  
<211> 473  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (403)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (461)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (469)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (471)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (472)  
<223> n equals a,t,g, or c

<400> 412  
ggaaaggagc cccagccctg agattcccag gtgtttccat tcggtgatca gcactgaaca 60  
cagaactcac catggagttt ggactgagct gggttttcct tgttggtatt ttaaaagggtg 120  
tccagtgtga agtgcagctg gtggagtctg ggggagccgt agtacagcct ggggggtccc 180  
ttagactctc ctgtgaagcc tctggattca cctttgacaa ttatgccatg cactgggtcc 240  
gtcaagctcc ggngaagggt ctggagtggg tctgtctcat cagtcgggat ggtcgtaaga 300  
catattttgc agactctatg aagggtcggg tcaccatctc cagagacaac agcaaaaact 360  
gcctgtatct ccaagtgaac agtctgagag ttgaggacac cgncttgat tactgtgcaa 420  
aagatatccc ggggtcgtcg gtatggacgt ctggggtaaa nggacaccng nna 473

<210> 413  
<211> 328  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (183)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (187)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (188)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (228)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (241)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (242)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (288)  
<223> n equals a,t,g, or c

<400> 413  
ggtcctggac tccaaggcct ttccacttgg tgatcagcac tgagcacaga ggactcacca 60  
tggaattggg gctgagctgg gttttccttg ttgctatattt agaagggtgtc cagtgtgagg 120  
tgcagctggg ggagctctggg ggaggcttgg tccaagccgg ggggggtccct gagactctcc 180  
tgngcannct ctggcttccc cctttataac catgggatga cctgggtncg ccaggctcca 240  
nngaaggggc tggaatgggt ggccaccata cagtgaatga aaactganaa atactatgtg 300  
gactctgtga agggccgatt caccatct 328

<210> 414  
<211> 575  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (361)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (470)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (511)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (527)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (539)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (544)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (573)  
<223> n equals a,t,g, or c

<400> 414  
ggccgtgaga ttcncaggag tttccacttg gtgatcagca ctgaacacag accaccaacc 60  
atggagtttg ggcctagctg ggttttcctt gttgctattt taaaaggtgt ccactgtgag 120  
gtgcagctgg tggagtctgg gggaggcttg gtacagccag ggcgggccct gagactctcc 180  
tgtacaactt ctggattcac ctttggagat tattctatga gctgggtccg ccagggtcca 240  
gggaaggggc tggagtgggt aggtttcatt agaagcaaag cgcattggtg gacaacagaa 300  
tacgccgcgt ctgtgaaaag gcagattcac catctcaaag agatgattcc acaggcatcg 360  
nctatctggc aaatgaacag cctgaaaccg aggacacaga cattattact gtctagacat 420  
gactacaggc acacccttg ctactggggg cagggaaccc tggtcaccgn cttctctggc 480  
ttccaccaag ggccatcgtc ttccccctgg ngcccttgtt ccaggancac ttccgaaanc 540  
cagnggcctg ggcttgctgg gcaagggtc ttnc 575

<210> 415  
<211> 438  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (37)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (65)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (105)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (139)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (157)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (190)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (201)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (269)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (281)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (296)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (297)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (301)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (303)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (312)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (323)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (330)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (331)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (333)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (350)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (351)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (356)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (371)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (385)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (397)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (422)

<223> n equals a,t,g, or c

<400> 415

```
gtccagtgtg aggtgcagct ggtggagtct gggggangct tggtagagcc tgggggggtct 60
ctganactct cctgtgcagc ctctggattc accttcagta gttangacat gcattgggtc 120
cgccaagttg caggaaaang tctggaatgg gtctcangta ttgatcctgc tggtaacaca 180
aactatccan gctccgtgaa nggccgattc atcatctcca gagaaaatga caagagctcc 240
tcgtatcttc aaaatgaatg ggctgacanc cggggaaaac ngtgtgtaat attgttnaaa 300
nanaaattgc anttccctggt aantgggtan ntncgatctc ttggggccgn nggaancctt 360
ggttaaattgt nttcctcaag aattncccga accaagnccc caaagggttt tcccgcttaa 420
ancctttgaa aaagaaac                                     438
```

<210> 416

<211> 502

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (48)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (105)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (135)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (145)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (312)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (367)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (428)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (451)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (455)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (474)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (480)

<223> n equals a,t,g, or c

<400> 416

```
ggcacgagca acgctggcaa tnataacaca aaatattcac agaagttnc a ggacagagtc 60
accattacca gggacacatc cacgaacaca gcctacatgg atctnagcag cctgagatct 120
gaagacacgg ctgtntatta ttgtncgagg ggattttttg gggaccgtga ttactactac 180
tactactaca tggacgtctg gggcaaagg accacggtca ccgtctcctc agcatccccg 240
accagcccca aggtcttccc gctgagcctc tgcagcacc agccagatgg gaacgtgggc 300
atcgccctgct tngtccaggg cttcttcccc caggagccac ttcagtgtgg acctggagcg 360
aaagggnaca gggcgtgacc gccagaaaat tcccacccag ccaggatgcc tccggggggac 420
ctgtacanca cgagcagcca gctgaccctg ncggnacaaa gtgccttagc cggnaagttn 480
cgttgacatt gccacgtgga ag 502
```

<210> 417

<211> 427

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (230)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (233)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (325)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (352)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (363)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (388)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (411)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (427)  
<223> n equals a,t,g, or c

<400> 417  
gatcatgagt atctatgtga attggtatcg gcagaaagca ggaaaagccc ctgagctcct 60  
gatccacggt ggcattccagc ttacaaagtg gagtccccgg aagggttcagt ggcaggggga 120  
tctgggacag atttcaactct caccattagc agtctgcaac ctgaagattt tggcacttac 180  
ttctgtcaac agaattacaa tgtcccgtgg aacgttcggc caggggaaacn aangtggaaa 240  
atgaaaccga actgtggctg caccatctgt cttcatcttc ccgccatctg atgagcagtt 300  
gaaatctgga actgcctctg ttgtnttgcc tgctgaataa cttctatccc anaaaaggcc 360  
aanttcattg gaaggtggat aacccccncc atcggttact cccggaaaat ntcccaaacc 420  
ggacgcn 427

<210> 418  
<211> 308  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (126)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (132)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (182)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (254)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (262)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (270)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (282)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<400> 418

```
gctccaactc tggcaacaca gccactttga ccatcagcgg gactcaggct atggatgagg 60
ctgactatta ctgtcaggcg tgggacagta gcgctgtggt cttcggcgga gggaccaggc 120
tgacctcct angtcagccc aaggetgccc cctcggtcac tctgttcccg cctcctctg 180
angagcttca agccaacaag gccacactgg tgtgtctcat aaatgacttc taccgggaa 240
gccgtgacag tggncctggaa angcagatan caaccccggt cnaggcggaa ttggganaaa 300
caaccaca 308
```

<210> 419

<211> 482

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature  
<222> (370)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (441)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (449)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (462)  
<223> n equals a,t,g, or c

<400> 419  
tcgacccacg cgtccgcagc tgtgggcaca agaggcagca ctcaggacaa tctccagcat 60  
ggcctgggtct cctctcctcc tcactctcct cgctcactgc acagggtcct gggcccagtc 120  
tgtgctgacg cagccgccct cagtgtctgg ggcccaggc cagaggggtca ccatctcctg 180  
cactgggagc agctccaaca tcggggcagg ttatgatgta cactggtacc agcagcttcc 240  
aggaacagcc cccaaagtcc tcacttatgg taacagcaat cggccctcag gggtccttga 300  
ccgattctct ggctccaagt ctggcacctc agcctccctg gccatcactg ggctccaggc 360  
tgaagatgan gttgattatt actgccagtc ctatgacagc agcctgggtg gttcggtgtt 420  
cggcgggaag accaagctga ncgtcctang tcagcccaaa gntgccccct cggttaactct 480  
gt 482

<210> 420  
<211> 462  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (71)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (85)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (86)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (100)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (438)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (446)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (452)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (456)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (459)  
<223> n equals a,t,g, or c

<400> 420  
gacaggattc aggacaatct ncaccatggc oggcttcctt ctctctctca ccctcctcac 60  
tcaactgtgca nggtcctggg cccannctgt gctgactcan ccacctcan cgtctgggac 120  
ccccgggcag aggggtcacca tctcttggtc tggaagcagc tccaacatcg gaactaatta 180  
tgtatactgg taccagcagc tcccaggaac gggccccgaa gtcctcatct ataagaatga 240  
tcagcggccc tcaggggtcc ctgaccgatt ctctggctcc aagtctggca cctcagcctc 300  
cctggccatc ggtgggctcc ggtccgagga tgaggetgat tattactgtg catcatggga 360  
tgacagcctg agtgggtccg tcttcggcgg agggaccaag ctgaccgtct tgggtcagcc 420  
caaggctgcc ccctcggnca ctctgntccc gncctnctnt ga 462

<210> 421  
<211> 435



<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (324)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (351)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (391)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (416)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (431)  
<223> n equals a,t,g, or c

<400> 421  
ggaggcagag ctctgggaat ctcaccatgg cctggacccc tctcctgctc cccctcctca 60  
ctttctgcac agcggaagag aggccaggcc cctgtggtgg tcatctatga ggacaacaaa 120  
cgaccctccg ggatccctga gagattctct ggctccacct cagggacatt ggccaccgtg 180  
attatcagtg gggcccagggt ggacgatgat actgacttct actgtcagtc aacacacagt 240  
agtaataatg gtaggtccgt atgtcttcgg aactgggacc aaggtcaccg tccttggtca 300  
gccaaggcc aacccaatg tcantctgtt cccggcctcc tctgaaggag nttcaagcca 360  
aacaaaggca cactaagtgt gtctgatcag ngagttttaa ccgggaagtg tgaaantggg 420  
ctnggaagca nattg 435

<210> 422  
<211> 334  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (101)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (122)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (135)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (145)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (310)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (323)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (324)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (326)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (331)

<223> n equals a,t,g, or c

<400> 422

gcagaactct nggtgtctca ccatggcctg gatccctcta cttctcccc tcctcactct 60  
ctgcacagac tctgaggcct cccatgaatt gagacaacca ntctcggtgt cagtgtcccc 120  
angacagacg gccangatca cctgntctgg agatgcattg ccagaacaat ctattttttg 180

gtatcaacag aagccaggcc aggcccctgt attggtgatt tataaagtcc atgagaggcc 240  
gtcagatgcc ctgaacgatt ctctggctcc aggtcacaga caacagtcac gttgaccatc 300  
agtggagccn agggcaaaaa atnngngggg ngtg 334

<210> 423

<211> 597

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (61)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (81)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (115)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (117)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (118)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (132)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (168)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (174)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (176)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (189)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (199)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (201)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (204)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (209)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (217)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (230)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (257)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (259)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (272)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (277)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (296)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (333)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (393)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (412)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (413)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (414)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (427)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (457)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (492)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (511)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (513)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (550)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (552)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (580)  
<223> n equals a,t,g, or c

<400> 423

```
nggatttngc caagctctga atcaantca ctaaagggaa caaaagggtg agtccaccg 60
nggtggcggc cgtctagaa ntactggatc cccggggttg cccgggttcg gcganannng 120
acaatntagc cnatgtaggg tctgggtccc caaatccaga tctgtcgnaa acantnttgg 180
atcaatacnt tgccatggnc ncanaaaanc atgggtncaa catggaacan gctcttgagg 240
tgctcttctg gcataancnt aatatccaaa antcatnggc tgatttgccc aacttnaccc 300
ctttcccaga taagtggact gtggaagata aantcttatt tgancaagcc tttacttttc 360
atgggaaaac ttttcataca atccaaccaa tgnntccaca taaatctata gnnngtctgg 420
tgaaatntta ctattcttgg aaaaaagacg aagactnaaa ctattgtgat ggatcgccat 480
gccccggaaa cnaaacggga cgggaagaga ncnacgatga actggaacaa gcaaatggaa 540
caatcccata gnacttgaag ttggatccaa accaagaaan ccaaagggaa gtccccct 597
```

<210> 424

<211> 143

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (92)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (96)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (99)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (131)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (138)

<223> n equals a,t,g, or c

<400> 424

```
gaacacatat aagagcaaaa tctggatcgg cagggtgttac anacacaatg tatacgactg 60
gaggcccggt actacagcct cagcctgacg gnacancanc tctcccatat cgtggcggag 120
ttgaggaacc ngaaacanaa aat                                     143
```

<210> 425  
<211> 323  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (291)  
<223> n equals a,t,g, or c

<400> 425  
gggcagngga gctctattgc caccatgagt ttctccggca agtaccaact gccagagcca 60  
ggaaaacttt gaagccttca tgaaggcaat cggctctgccg gaagagctca tccagaaggg 120  
gaaggatatc aagggggtgt cggaaatcgt gcagaatggg aagcacttca agttcaccat 180  
caccgctggg tccaaagtga tccaaaacga attcacggtg ggggaggaat gtgagctgga 240  
gacaatgaca ggggagaaag tcaagacagt gggttcagttg gaaggtgaca ntaaactggt 300  
gacaactttc aaaaacatca agt 323

<210> 426  
<211> 683  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (105)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (112)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature



<222> (114)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (120)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (129)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (134)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (136)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (139)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (158)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (163)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (188)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (195)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (206)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (232)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (234)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (241)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (251)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (262)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (264)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (275)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (286)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (291)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (301)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (324)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (326)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (338)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (348)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (370)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (387)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (395)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (399)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (409)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (418)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (487)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (536)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (558)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (578)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (601)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (607)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (633)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (648)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (662)  
<223> n equals a,t,g, or c

<400> 426

```
gaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 60
aaaaaaaaaa aaaaaaaaang ggcggccgtt ttanaggatc caagnttacg tncncgtgcn 120
tgcnacgtna tagntnttnt atagggtcac cttaaattnaa ttacttgcc gtcgttttac 180
aacgtcgnga ctggnaaaac cctggngtta cccaacttaa tcgccttgca gnanatcccc 240
ntttcgccag ntggcgtaat ancnaaaagg cccgnaccga tcgccttcc naacagttgc 300
ncagcctgaa tggcaaattg gacnccccct gtagcgngc attaagcncg gcgggtgtgg 360
gggttaccn cagcgtgacc gttacanttg ccagngccnt agcgcccgnt cctttcgntt 420
tcttcccttc ctttttcgcc acgttcgccg gttttccccg taaagcttta aatggggggc 480
tcccttnagg gttccgattt agggctttac gggaccttga ccccaaaaaa ctttgnttag 540
ggggatggtt cacgtagngg ggccattgcc cttgatanac gggtttttcg cccttttgac 600
nttggantcc cacgtttttt aaataggggg gcntttttgt tccaaaantg gggaacaaac 660
antttaaccc ctttttttgg ggg 683
```

<210> 427

<211> 369

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (323)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (337)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (349)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (350)

<223> n equals a,t,g, or c

<400> 427

```
tgggcctgag atgcaggtaa aactgctcca gtccctgggc ctgaaatcaa ccctcatcac 60
cgatggctcc actcccatca acctcttcaa cacagccttt gggctgctgg ggatggggcc 120
cgagggtcca gcccctgggc agaaagggtg gcattgggcc cagccctgga agggggatat 180
ccccccagtc ttgctcaagc ccctcaagct cctggaaaac accactttgt gcctgttctg 240
cgcttactcc tgattaatac aatgaatttt cttgggcatt ttacaatttc caacacttta 300
aaaaaaaaaa aaaaaaattc aanggggggg cgggttncca attnccccnn ttttatctct 360
tttaaaatc 369
```

<210> 428  
<211> 299  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (121)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (295)  
<223> n equals a,t,g, or c

<400> 428  
ncctaattctc ggaatcctaa gtggtcgctt gaggaccggc cggaattccc gggcaccac 60  
gcgtcgccgg tagctgctnt tcctggggcc cgtgggcctc atcatgtacc tcgggggcgt 120  
nttcttcac aaccggcagc gctctagcac tgccatgaca gtgatggccg acctgggcga 180  
gcgcatggtc agggagaacc tcaaagtgtg gatctatccc gaggggtactc gcaacgacaa 240  
tgggggacctg ctgcctttta agaagggcgc cttctacctg gcagtccagg cacangtgc 299

<210> 429  
<211> 538  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (133)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (325)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (374)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (376)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (394)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (397)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (414)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (432)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (435)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (440)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (472)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (473)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (482)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (484)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (498)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (499)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (529)  
<223> n equals a,t,g, or c

<400> 429  
gaagcagaga tctgaagaca gcatgtacac agccattccc cagagtggct ctccattccc 60  
aggctcagtg caggatccag gcctgcatgt gtggcggtg gagaagctga agccggtgcc 120  
tgtngcgcaa ganaaccagg gcatcttctt ctcgggggac tcctacctag tgctgcacaa 180  
tgggccagaa gaggtttccc atctgcacct caacacactg ctgggagagc ggccctgtgca 240  
gcaccgcgag gtaaggggca atgagtctga cctcttcatg agctacttcc cacggggctt 300  
caagtaccag gaaggtggtt tggantcagc atttcacaag acttccacag gagccccagt 360  
tgccatcaag aaantntacc aggtgaaggg gaanaanaaa tccgtccaac gaggnggcat 420  
gaattgggaa anttnaaatn ggggttgttt acctggaatn ggcaaaaatt tnnctggttt 480  
gngnaatcaa atttgganna aaagggggga ttgcctggat cgggatttnc aaggaagc 538

<210> 430  
<211> 552  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (434)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (449)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (505)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (508)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (514)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (523)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (535)  
<223> n equals a,t,g, or c

<400> 430  
gcggacacgg acaggattga cagattgata gctctttctc gattccgtgg gtggtggtgc 60  
atggccggtc ttagttggtg gagcgatttg tctggttaat tccgataacg aacgagactc 120  
tggcatgcta actagttacg cgacccccga gcggtcggcg tcccccaact tcttagaggg 180  
acaagtggcg ttcagccacc cgagattgag caataacagg tctgtgatgc ccttagatgt 240  
ccggggctgc acgcgcgcta cactgactgg ctccagcgtg gcctacccta cgccggcagg 300  
cgcgggtaac ccgttgaacc ccattcgtga tggggatcgg ggattgcaat tattccccat 360  
gaacgaggaa ttcccagtaa gtgcgggtca taagcttgcg ttgattaagt ccctgccccct 420  
tcaacccttc tggnccttcg gaccactgng acttttccat ctttcttaaa cggaggctgg 480  
gccttggggg gggggctggc ctggnntntg ttgncccaa ganggtgctt tcaanggtga 540  
ggaacttttt tt 552

<210> 431  
<211> 218  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (31)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (36)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (37)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (43)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (56)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (60)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (83)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (104)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (105)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (136)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (143)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (159)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (168)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (196)  
<223> n equals a,t,g, or c

<400> 431  
ccccggcct gcaggaaatt cgagcagagt ncacannag ggnaccaccg tcctgntctn 60  
ccagttcggg ttgaatgcaa gtntagccg attttcccta caannantcc agttgattac 120  
aattcttcct gtacgncaga gancctgcc tttaaaagnt gccaacgntt ncctgacgag 180  
ncctgcagcc acagtncggc aattcctaca agtgccaa 218

<210> 432  
<211> 610  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (401)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (587)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (590)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (592)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (593)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (604)  
<223> n equals a,t,g, or c

<400> 432  
gcacaccctt gggcgcccc gtcattccagc cgtatcgccct ggactccaag gtcaagcaaa 60  
taggaggtgg aattcagagc atcacctaca cccacaacgg agacatcagc cgaaagccca 120  
acacacgtaa gcagaagaac ggcttccccg ccaacttcat ccactcgtg gactcctccc 180  
acatgatgct caccgcccctg cactgctaca ggaaggccct gaccttcgtc tctgtgcacg 240  
actgttactg gactcacgca gctgatgtct ccgtcatgaa ccagggtgtg cgggagcagt 300  
ttgtccgctt gcacagcgag cccatccctgc aggacctgtc cagattcctg gtcaagcggg 360  
tctgctctga gccccagaag atcttggagg ccagccagct naaggagaca ctgcaggcgg 420  
tgcccaagcc aggggccttc gacctggagc aggtgaagcg ttccacctac ttcttcagct 480  
gacacccctg gagccttgac agtgtgtaaa taaagctctt ttgccacccc aaaaaaaaaa 540  
aaaaaaaaact tggggggggg gcccgggacc caattgccct atagggnggn gnnttacaat 600  
tcantggccg 610

<210> 433  
<211> 328  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (26)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (123)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (131)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (132)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (222)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (223)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (244)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (249)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (266)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (291)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (314)

<223> n equals a,t,g, or c

<400> 433

```
caaagtgtatg gaactaaca gatggntcca tatcgagatt caaagttaac ccatctgttc 60
aagaactact ttgatgggga aggaaaagtg cggatgatcg tgtatgtgaa cccaaggct 120
gangattatg nngaaaactt ncaagtcatt agatttgcgg aagtgactca agaagttgaa 180
gtagcaagac ctgtagacaa ggtaatatgt ggtttaacgc cnngnaggag atacagaaac 240
cagntctgng gtccagttgg aaatgnacca ttgggtactg acgtggtttt ncagagtttt 300
ccacctttgc cgtncatgcg aaattttt 328
```

<210> 434

<211> 535

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (76)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (274)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (351)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (405)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (454)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (491)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (504)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (512)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (517)  
<223> n equals a,t,g, or c

<400> 434  
gggttcgacc cacgcgtccg aggetgaaca ggacagaaag atagaagaag tcagagatgc 60  
catggaaaat gaaatnngaa actctctgaa caagaattac aatttcgtcg tctcagtcaa 120  
gagcaagttg acaactttac tctggatata aatactgcct atgccagact cagaggaatc 180  
gaacaggctg ttcagagcca tgcagttgct gaagaggaag ccagaaaagc ccaccaactc 240  
tggctttcag tggaggcatt aaagtacagc atgnaagacc tccatctggc agaaacacct 300  
actatccccg tgggtagtgg cagttgaagc ccatccaaag ccaactgttc nggataatga 360  
atttcaccca agctttaacc gcagctattc ccttccagag ttccnggacc cgtgggggtg 420  
ttacatggaa gagaaccctt agggcccgtt ttcncatggt ggtttccaaa aattggggccc 480  
cgagggtagg nccaatggat tggnttgga ancccgnaat tagcttggtta cccgt 535

<210> 435  
<211> 524  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (138)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (154)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (157)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (238)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (258)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (259)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (262)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (269)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (279)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (308)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (337)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (338)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (339)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature



<222> (340)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (341)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (342)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (343)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (345)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (347)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (348)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (350)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (354)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (375)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (380)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (498)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (500)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (518)

<223> n equals a,t,g, or c

<400> 435

```
ccctgctcca ccgtccccgt caccacggag gtttcgtacg ccggtctgcac caagaccgtc 60
ctcatgaatc attgctccgg gtcctgcggg acatttgta tgtactcggc ccaagcccag 120
gccctggacc acagcttnc tctgctgcaa aganganaaa accagccagc gtgaggttgg 180
tcctgagctt gcccacatgg cggctcgctt gacacacacc tacaccaca tcgaaganct 240
gccagtgcc agaacacnnt cntgggggnt tccccaacng gaacttccc cgggggccgg 300
ggggcttncc ccttagcatc tggaacgtag gtttttnnnn nnnnngnnan aaanccccct 360
ttcaattgcc cttcnaaaan ttttacctcc ccccgaaact ctttaaactc cttaaactcg 420
ggttcctctt cttccaaata ttatgttcta atttttttt tcatccctgc tttccaata 480
taaactcagg gggaaatncn aaaaaaaaaa aaatccang gggg 524
```

<210> 436

<211> 384

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (79)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (124)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (177)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (191)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (215)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (320)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (341)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (349)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (366)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (374)

<223> n equals a,t,g, or c

<400> 436

```
ggcanaggat caggctggag aagtggatca caccttggtg ggacaatgca cagggtggcgg 60
ttacttcatg cagttcagna ccagctcggg gtcgcgggaa gaggcagccc tactggagtc 120
tcgnattctt tacccaaaga ggaagcagca gtgcctgcaa tttttctata aaatgancgg 180
ggaagtcctt ncagacagac ttcgttgtct gggtnccagga ggggatgaca gcacaggcaa 240
tgttcgcaat tggatgaagg gcagactttt caaggagatg atgaccacaa tttggaaaat 300
tgccccatgt ggggtgcttcn aagaggaaca gaatttcggt naccttttnc caggggcaca 360
aaaggnggac ctnagagct tcaa 384
```

<210> 437  
<211> 390  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (304)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (317)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (372)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (385)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (386)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (390)  
<223> n equals a,t,g, or c

<400> 437  
cttgctcaat gacgccgtca ctgtggtcct gtatcacctc tttgaggagt ttgccaaacta 60  
cgaacacgtg ggcacgcgtg acatcttcct cggttcctcg agcttcttcg tggtagccct 120  
gggcgggggtg cttgtgggcg tggctacggt ggtcatcgca gccttcacct cccgatttac 180  
ctcccacatc cgggtcatcg agccgctctt cgtcttcctc tacagctaca tggcctactt 240  
gtcagccgag ctcttccacc tgtcaggcat catggcgctc atagcctcag gagtggatgat 300  
gcgnccctat gtgggangcc aacacttcca caagttccca caacaacatc aaataatttc 360  
ctggaagatg tnggagcagc gtcannaagn 390

<210> 438  
<211> 234  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature

<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (47)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (82)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (114)  
<223> n equals a,t,g, or c

<400> 438  
nccccggact tttagtgttaa ngcncctacc ccctgcaggt accggtncgg aattccccggg 60  
tttgactcca cgcgttttgc tncattaaca acataaaacc ctcatggaca cganaaaaca 120  
ccctcatggt catacaccta tccccattc tcctcctatc cctcaacccc gacatcatta 180  
ccgggttttc ctcttaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa 234

<210> 439  
<211> 144  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (36)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (43)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (105)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (114)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (135)  
<223> n equals a,t,g, or c

<400> 439  
nnctatcgat ggggagcaag agtcttttaa ataagnccat ttnagtcctt ggttaacaag 60  
ggttttaaagt ggagcgaatg cacatcacag acatgaaatt ggctnacctg cctngcttag 120  
aagcccttgg tgttnaggtc aaca 144

<210> 440  
<211> 411  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (69)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (86)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (132)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (209)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (230)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (246)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (276)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (340)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (346)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (390)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (404)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (410)

<223> n equals a,t,g, or c

<400> 440

```
gccaaaggtcc accccaactc tgtgcacatc tgtgcggtgg ttgtggagta cgagaccaag 60
gctggccgna tcaacaagg gctggncacc aactggctgc gggccaagga gcctgccggg 120
gagaacggcg gncgcgcgct ggtgcccattg ttcgtgcgca agtcccagtt ccgcctgccc 180
ttcaaggcca ccacgcctgt catcatggng ggccccggca ccgggggtgt acccttcata 240
ggcttnatcc aggagcgggc ctggctgcga cagcanggca aggaggtggg ggagacgctg 300
ctgaactacg gctgccgccg ctcggtatgag gactacctgn accggnagga gctggcgag 360
ttccacaggg acggtgcgct caccagctn aacgtggcct tctnccgggn a 411
```

<210> 441  
<211> 623  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (73)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (162)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (232)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (252)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (289)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (360)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (365)  
<223> n equals a,t,g, or c

<220>



<221> misc feature  
<222> (407)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (435)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (449)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (472)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (495)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (502)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (504)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (509)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (538)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (560)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (586)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (587)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (619)

<223> n equals a,t,g, or c

<400> 441

```
gccagcagnc accacagcgc ctgcttcctc ggccctgaaa tcatgccctt aggtctcctg 60
tggtctgggc tanccctggt gggggctctg catgcccagg cccaggactc cacctcagac 120
ctgatccag cccacacctt nagcaaggc cctctgcagc anaacttcca cgacaaccaa 180
ttccacggga agtgggtatgt ggtacgcctg gcacggaatg caattctcag anaacacaaa 240
gacccgcaaa anatgtatgc caccatctat gagctgaagg aaacaaganc tacaatgtcc 300
ctccgcctgt ttaagaaaaa aaaatgtgac tacttggatc aggaattttg gtccaaggtn 360
gccanccggc gaattccacc ttggggacct ttaaaattgc cttggantaa ccaatttcct 420
ccttccaatt gttancacca attacaacng ccttcttttg gttttcttcc anaaaatttc 480
tccaaacaag gaatncttcc anancccncc ttccggaaaa acaaggaatt aattccgnac 540
ttaaaggaaa aattctccgn tctcccattt cttggggccc ctaaanncaa attcgtcttc 600
ccttttccaa ccaacattnt ttt                                     623
```

<210> 442

<211> 211

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (47)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (58)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (93)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (121)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (131)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (178)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (195)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (207)  
<223> n equals a,t,g, or c

<400> 442  
tgggcagcca cactgcacgc aggctgggcc gactgagggg ctgagangcc aggctctnag 60  
gccacgcag ggcctanggt gggaagatgg cangtggggg cggcgacctg agcaccagga 120  
ngctgaatga ntgtatttca ccagtagcaa atgagatgaa ccattcttct gcacacancc 180  
acgatttgca aaggntgttc acggaanacc a 211

<210> 443  
<211> 399  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (316)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (347)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (358)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (376)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (391)  
<223> n equals a,t,g, or c

<400> 443  
gtctgagtgg atggacactg cctcttagaa ctagaactta gaactttatc ttgaaaatgt 60  
accactgttg cagaagctcc tcacagagta tgtgtcaggc atttttaacc tgctaaaggc 120  
aagaagaagt gttcaccaca tagttgcaaa ggtcttcaac ttgccacagc caacagaaaa 180  
atcaaaatga ttgaaccctt tgggaatcaa gtatatgtg gccaggccag tgtattctac 240  
aaatgctttt gaggaaaatc ataaaaagac aggaagacat cataagacat ttctggatca 300  
tctcaaagtg tgttgnaact gttccccaca aaaggcaaga gaattgncct ctctttgntt 360  
cccatagcat tttggntgcc agcataccgg nttaaagaa 399

<210> 444  
<211> 465  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (376)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (390)  
<223> n equals a,t,g, or c

<400> 444  
gcgggactcc aaatgggtcg cagtcgcagc cgctctccac ggaggggaacg taggcgttcc 60  
cgggccacat cccgggagag agaacgcagg cgccgagaaa ggtccaggtc tcgggagaga 120  
gatcgagaaa ggagccgctc gcgatccccg caccgaagac gctcccgatc tccaagacga 180  
catagatcca catctccttc cccttctcga ctgaaagaaa gaagagatga ggaaaagaaa 240  
gaaacaaaag aaacaaagag caaagaacgg cagattactg aggaagactt agagggcaaa 300  
acagaggaag aaatagaaat gatgaagtta atgggatttg cctcctttga ctccacaaaa 360  
ggtaagaagg tggatngctc tgtaaatgcn tatgccataa atgtctctca gaagaggaag 420  
tacaggatat catagcccc atttttgttt gaactaataa atcag 465

<210> 445  
<211> 297  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<400> 445

```
ggcagtntct ctgccaggct ggggatgatt ccaatagtaa taagaagaat gctgacctcc 60
aagtgctaaa gcccgagccc gagctggttt atgaagacct gaggggctca gtgaccttcc 120
actgtgccct ggccctgag gtggcaaacg tggccaaaat tctgtctggc agagagtggg 180
gaaaagacgc ggtttccagc ttgcagattt gttaagtttc tcaggcagat tttgactttc 240
agcctttcat acttgtttaa gcaactattt gtattaaatg aagttttttg aaaaaca 297
```

<210> 446

<211> 448

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (24)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (306)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (366)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (369)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (435)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (440)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (448)  
<223> n equals a,t,g, or c

<400> 446  
tcgacccacg cgctccgccga nnanagtttg gttttgcgga ttgccaccga tgattccaaa 60  
gcagtctgtc gcctcagtgt taaattcggg gccacactca aaatcagcag gcttctcttg 120  
gaacggggcga gagagctgaa tattgacatc atcgggtgtca gcttccacgt gggaagtggc 180  
tgcaccgatc ctggagacct tcgtgcaagc catctccgat gcccgctgtg tcttcgacat 240  
ggggagctga ggttggtttc aacatgtatc tgcttgatat cggtggtggg ctttcctggg 300  
atctgnagga tgtgaaactt aaatttgga gagatcacca tgttatcaac ccagccctgg 360  
gacaantant tcccggggcg aattcgggcg tggacattca tagccgagcc cgggcaggat 420  
aattaagttg gcttncagcn ttcaagcn 448

<210> 447  
<211> 268  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (10)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (36)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (43)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (45)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (60)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (99)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (132)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (135)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (140)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (159)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (183)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (192)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (206)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (222)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (243)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (260)

<223> n equals a,t,g, or c.

<220>

<221> misc feature

<222> (262)

<223> n equals a,t,g, or c

<400> 447

```
ggcacgaggn agtgtcccag ncggttcgt gtcgcnatgg ggnanacga gtgggccatn 60
tgggccaacg agcaggcgct ggcgtccggc ctaatcctna tcaccggggg catcgtggcc 120
acagctgggc gnttnaccn ntggtacttt ggtgcctant ccattgtggc gggcgtgttt 180
gtntgcctgc tngagtaccc ccgggnaaag aggaagaagg gntccaccat ggtgcgatgg 240
ggncagaagt acatgaccgn cntggtga 268
```

<210> 448

<211> 425

<212> DNA

<213> Homo sapiens

<400> 448

```
gacaccttca tccgtcacat cgccctgctg ggctttgaga agcgcttcgt acccagccag 60
cactatgtac atgttcctgg tgaaatggca ggacctgtcg gagaagggtg tctaccggcg 120
cttcaccgag atctacgagt tccatctccc aagtggtttg acgggcagcg ggccgccgag 180
aaccaccagg gcacacttac cgagtactgc ggacgctca tgagcctgcc caccaagatc 240
tcccgtgtc cccacctcct cgacttcttc aagggtgcgcc ctgatgacct caagctcccc 300
acggacaacc agacaaaaaa gccagagaca tacttgatgc ccaaagatgg caagagtacc 360
gcgacagaca tcaccggccc catcctctg cagacgtacc gcgccattgc caactacgag 420
aagac 425
```

<210> 449

<211> 88

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (25)

<223> n equals a,t,g, or c

<220>

<221> misc feature



<222> (26)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (71)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (73)  
<223> n equals a,t,g, or c

<400> 449  
tcgttgccct gttactgtct gtggnnatgt gcatgggtcaa ttcatgatc ttatggaact 60  
ctttagaatt ngnggaaaat caccggat 88

<210> 450  
<211> 214  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (26)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (31)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (49)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (53)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (68)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (71)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (75)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (89)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (91)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (102)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (108)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (113)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (114)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (154)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (193)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (204)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (205)  
<223> n equals a,t,g, or c

<400> 450  
atctccantg gaaccacgtt gtggcngatg ntggggcttt cctgcggtnc aangagccct 60  
taccgganta ngtgnggatg gtgactgant nttaaataa antacganac tgnccaacc 120  
tctctgccac ggacatccaa ntgcttgac gcanatacca gttggaagca gagtttgttg 180  
gggtgtctca acnaaaagt gagnaagca acgt 214

<210> 451  
<211> 473  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (370)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (444)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (469)  
<223> n equals a,t,g, or c

<400> 451  
gcggacgcgt ggggcaagac ttttgcccgg tacctttcat tccggcgtga caacaatgag 60  
ctgttgctct tcatactgaa gcagtttagt gcagagcagg tgacatatca gcgcaaccgc 120  
tttggggccc agcaggacac tattgaggtc cctgagaagg acttggtgga taaggctcgt 180  
cagatcaaca tccacaacct ctctgcattt tatgacagt agctcttcag gatgaacaa 240  
ttcagccacg acctgaaaag gaaaatgatc ctgcagcagt tctgaggccc tatgccatcc 300  
ataaggattc cttgggatc tggtttggg tggtcagtgc cctctgtgct ttatggacac 360  
aaaaccagan cacttgatga actcggggt ctaggggtcag ggcttatagc aggatgtctg 420  
gctgcacctg gcatgactgt ttgnttctcc aacctgcttt gtgcttctna cct 473

<210> 452  
<211> 397  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (29)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (330)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (376)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (385)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (387)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (389)  
<223> n equals a,t,g, or c

<400> 452  
gggtcgaccc acgcgtccgc ccacgctcnc gcttgcttgg acatcaggta ccaactgcac 60  
tcgttttggc attgcagcta aatatcagtt ggatcccact gcttccattt ctgcaaaagt 120  
caacaactct agcttaattg gagtaggcta tactcagact ctgaggcctg gtgtgaagct 180  
tacactctct ggctctggta gatgggaaga gcattaaatg ctggnaggcc acaagggttg 240  
ggctcgccct gggagtggg aggccttaatc cagctgaaag aaacctttgg ggaatgggat 300  
atccagaaga tttgggcctt aatataattn ccattgtgga ccagcagcag gctttttttc 360  
cccccaagaa gattgntcca aaccnangnt gatctcc 397

<210> 453  
<211> 463

<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (315)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (393)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (404)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (426)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (435)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (453)  
<223> n equals a,t,g, or c

<400> 453  
ggcaagatgg tggtgcagac ccagggtcttc atttctctgt tgctctggat ctctggtgcc 60  
tacggggaca tcgtgatgac ccagtctcca gactccctgg ctgtgtctct gggcgagagg 120  
gccaccatca actgcaagtc cagccagagt gttttataca gctccaacaa taagaactac 180  
ttaacttggt accagcagaa accaggacag cctcctaagc tgctccttta ctgggcatct 240  
acccggaat ccgggggtccc tgaccgattc agtggcagcg ggtctgggac agatttcact 300  
ctcaccatca gcagncgtgca ggctgaagat gtggcagatt attactgtca gcaatattat 360  
actactccct ggacgttcg cactggacc aangtgaaa tcanacgaaa ctgtggctgc 420  
accatntgcc tcatntttcc gccatctggt gancagttga aat 463

<210> 454  
<211> 332  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (95)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (332)

<223> n equals a,t,g, or c

<400> 454

```
tggtctcatct  tggctgtgat  ttcagtatat  gatttagtgg  ctgttttgtg  tccgaaaggt  60
ccacttcgta  tgctggttga  aacagctcag  gaganaaatg  aaacgctttt  tccagctctc  120
atttactcct  caacaatggg  gtggttgggt  aatatggcag  aaggagaccc  ggaagctcaa  180
aggagagtat  ccaaaaattc  caagtataat  gcagaaagca  cagaaaggag  tcacaagaca  240
ctgttgacaga  gaatgatgat  ggcgggttca  gtgaggaatg  ggaagcccag  aaggacagtc  300
atctagggcc  tcatcgctct  acacctgaat  cn                                     332
```

<210> 455

<211> 429

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (99)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (105)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (109)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (143)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (148)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (158)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (172)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (243)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (271)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (274)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (292)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (314)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (346)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (382)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (392)

<223> n equals a,t,g, or c

<400> 455

```
ggcnagtagt nnggggtccc aggggtttgtt tttaaagtag tgacttctac caacatgtcc 60
cgtggttcca gagagcgggt ttgaccgcca cattaccant ttttnancng agggtcgggt 120
ctaccaagta ggaatatgct ttnaaggnta ttaaccangg tggacttaca tnagtagctg 180
atcacgcgga aagactgtgc agtaattgtc acacagaaga aagtacctga caaattattg 240
gantccagca cagtgactca cttattcaag ntanctggaa acattgggtg tntgaagacc 300
ggaatgtcag ctgncagcag atcccaggta cagagggcac gctatnaggc agctaacttg 360
gaatacaagt atggctatga gnttcctgtg gncatgcctg tgtaaaagga tttccggtat 420
ttctcaggt                                     429
```

<210> 456

<211> 623

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (38)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (352)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (482)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (516)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (540)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (554)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (570)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (588)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (604)

<223> n equals a,t,g, or c

<400> 456

```
tggcggcttc cttcaccgc aacccgagag acgaccncc gggcccgccc cgcggaagcc 60
gccggttgcc aggccaaagga gtggactagg gtcgccgggg aagcggtttg ggagagccca 120
tggtgactgc gtgagtggag ccagctgtg tggatgccc agcatggatg actacatggt 180
cctgagaatg attggggagg gctcgttcgg cagagctctt ttggttcaac atgaaagcag 240
taatcaagat gtttgccatg aaagaaataa ggcttccaag tctttctcta atacacagaa 300
ttctaggaag gaggctgttc ttttagccaa aatgaaacac cctaattattg gngccttcaa 360
agaatcattt gaaagctgca ggacacttgt atattgtgat ggaatactgt gatggacggg 420
atctaattgca aaagattaaa cagcagaaaa ggaaaagtta tttcctgaag acatgatact 480
tnaatggttt acccaaattgt gccttgagat aaaatnacat ttaccaagaa acgtgtgctn 540
cccaagagat tttnaaagtc ccaaaaaatn tttttcctta acctcaanaa ttgggaaaaa 600
gttnaaaatt ggggaaaaac ttt                                     623
```

<210> 457

<211> 441

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (16)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (20)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (28)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (185)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (223)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (233)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (250)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (391)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (399)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (417)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (432)

<223> n equals a,t,g, or c

<400> 457

```
atccngaaac tгнаанccgn tgtgtcanct gaaaaaccat tcggtgtgtc tgcacttgga 60
ggctgcactt gcttgcctcc acttatgctt gttctcagaa caciaacaaa acctgtgaag 120
agtgcctgaa aaacgtctcc tgtcttttgt gcaacactaa caagcttgct ttggactacc 180
agttncaaag tcttgccacc ggcttccctt tgtaattaa ctncctgcac ctngggaatt 240
ttgttgggtn aaacttagaa gcgctgaatc atcacatgtt cggtagtccg gggaaccctc 300
ctcctggggc attggcatct gctgcttgct tgcttgctgc aagaagaaaa aaagaaccgc 360
aaaccgggac aggaattaaa gaaaaaaggc nttgcgttna accggaaaga aaaagcngaa 420
taccggcccg angaacggaa a 441
```

<210> 458

<211> 419

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (252)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (278)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (306)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (402)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (404)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (408)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (409)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (410)

<223> n equals a,t,g, or c

<400> 458

```
ncttcctnta ggagcaggag ggatgagcaa gggctctcca gcgcgacagg acatggagaa 60
agagcgagag actctgcagg cctggaagga gcgcgtgggg caggagctgg accgcgtggg 120
ggctttcttg atggagcact cccacgacca ggagcacggg ggcttcttca cgtgccttgg 180
ccgcgagggg cgggtgtatg atgacctcaa gtatgtgtgg ctgcagggga ggcaggtatg 240
gatgtattgt cngcctgtac cgcactttcg agcgcttncg ccatgctcag cttctggacg 300
cagcanaagc aggtgggtgag ttcttgctgc ggtatgcccg ggtggcacct tctggcaaga 360
agtgtgcctt tgtgctgact cggtgacggc cgcccggtea angngcannn aaccatctt 419
```

<210> 459

<211> 509

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (284)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (308)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (331)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (369)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (377)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (393)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (405)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (410)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (414)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (419)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (424)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (440)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (472)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (485)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (490)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (493)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (499)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (502)  
<223> n equals a,t,g, or c

<400> 459  
aattcggcac gagctgaagt nactgatgag tataaaaaatn atgtaaaaaa cagatctgtt 60  
tatattaaag gcttcccaac tgatgcaact cttgatgaca taaaagaatg gtagaagat 120  
aaaggccaag tactaaatat tcagatgaga agaacattgc ataaagcatt taagggatca 180  
atthttgttg tgthttgatag cattgaatct gctaagaaat ttgtagaggc ccctggccag 240  
aagtacaaaag aaccagacct gctaataact ttcaaggccg gttnccttgc caaaaaatga 300  
ggaagaanca aataagtga gctaattagg nttacagggc agagcaacca agttgaggag 360  
tcctgatgna ctctggngaa gttggtcctt ctnatttcgg ggttngtgcn gcontgggng 420  
ttcncacttt tcatcagggg taatgtgctc ccaggccagg gtttttttag anccggcctt 480  
taccngtcan tgncccctng cnggtcttg 509

<210> 460  
<211> 468  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (20)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (445)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (450)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (459)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (465)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (468)  
<223> n equals a,t,g, or c

<400> 460  
cgcccttttgg taccgggtccn gaattcccgg ggccttcctc ctcttccttt cttcgccatc 60  
gtggtgtgtt cttgactccg ctgctcgcca tgtcttctca caagactttc aggattaagc 120  
gattcctggc caagaaacaa aagcaaaatc gtcccattcc ccagtggatt cggatgaaaa 180  
ctggaaataa aatcaggtac aactccaaaa ggagacattg gagaagaacc aagctgggtc 240  
tataaggaat tgcacatgag atggcacaca tatttatgct gtctgaaggc cacgatcatg 300  
ttaccatc aagctgaaaa tgtcaccact atctggagat ttcgacgtgt tttcctctct 360  
gaatctgtta tgaacacgtt ggttggtctg attcagtaat aaatatgtaa ggcctttctt 420  
tttaaaaaaa aaaaaaaaaa aaanaaaaaa acaaaaaana tcaanaan 468

<210> 461  
<211> 580  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (18)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (54)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (249)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (340)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (427)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (433)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (452)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (462)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (466)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (470)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (472)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (478)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (509)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (510)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (556)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (567)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (575)

<223> n equals a,t,g, or c

<400> 461

```
ggggggggng ggggggtntt aggtttgcct aaaaatattt aggtgacact atanaaggta 60
cgcttgacagg taccggtccg gaattcccgg gtcgaccac gcgtccgtcg acccacgcgt 120
ccgcccacgc gtccgcccac gcgtccgccc acgcgtccgc tgtgtcgtaa aatgggggtc 180
ccttactgca ttatcaaggg aaaggcaaga ctgggacgtc tagtccacag gaagacctgc 240
accactgtng ccttcacaca ggtgaactcg gaaagacaaa ggcgotttgg ctaagctggg 300
ggaagctatc aggaccaatt acaatgacag atacgatgan atccgcccgt ccactggggg 360
tggcaatgtt ccctgggtcc ctaattcttg ttgctccgta tcgcccaact ccgaaaaagg 420
caaaagntta aanaactttg ccacttaaac tngggttaaa tnttctnctgn tnaatttncc 480
ctgttccctt aaaaataatt gaaattatnn aatttcccc tccccaaaaa aaaaaaaaaa 540
ggggggcccc ttaaanattc cccccnaag gggcnaatta 580
```

<210> 462

<211> 549

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (13)  
<223> n equals a,t,g, or c

<400> 462  
acngnganac nancctcact aaaggaaca aaagctggag ctccaccgcg gtgcggccgc 60  
tctagaacta gtggatcccc cgggctgcag gaattcggca cgaggcgcgc ccacaatggt 120  
gcgcatgaat gtcttgccag atgctctcaa gaggatcaac aatgccgaaa agagaggcaa 180  
acgccagggtg cttattaggc cgtgctccaa agtcatcgtc cggtttctca ctgtgatgat 240  
gaagcatggt tacattggcg aatttgaaat cattgatgac cacagagctg ggaaaattgt 300  
tgtgaacctc acaggcaggc taaacaagtg tggggtgatc agccccagat ttgacgtgca 360  
actcaaagac ctggaaaaat ggcagaataa tctgcttcca tcccgccagt ttggtttcat 420  
tgtactgaca acctcagctg gcatcatgga ccatgaagaa gcaagacgaa aacacacagg 480  
agggaaaaatc ctgggattct ttttctaggg atgtaataca tatatttaca aataaaatgc 540  
ctcatggac 549

<210> 463  
<211> 480  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (130)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (320)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (410)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (416)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (450)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (455)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (456)  
<223> n equals a,t,g, or c

<400> 463  
gcctctngcg ggccctgttc aagcggaatc ctgcccaaccg gctcgggtcc ggccctgatg 60  
gggcagagga aatcaagcgg catgtcttct actccaccat tgactggaat aagctatacc 120  
gtcgtgagan cagccacccc ttcaagccag cagtgggtca gcctgatgac accttctact 180  
ttgacaccga gttcacgtcc cgcacaccca aggattcccc aggcaccccc cccagcgctg 240  
gggcccatca gctgttccgg ggcttcagct tcgtggccac cggcctgatg gaagacgacg 300  
gcaagcctcg tgccccgcan gcacccctgc actcgggtgg acagcaactc catgggaaga 360  
acctggtttt tagtgacggc tacgtggtaa aggagacaat tgggtgtgggn tcctantctg 420  
agtgaagcg ctgtgtccac aaaggggccan aacannaata atgcaatagg ggaggtaaca 480

<210> 464  
<211> 220  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (16)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (17)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (18)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (42)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (58)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (63)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (67)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (105)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (129)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (147)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (157)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (170)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (213)

<223> n equals a,t,g, or c

<400> 464

```
agggacacgt cccatnnngt ggcgggcgcn ctgcggccct tngtgcaggc cacggtgncc 60
gcnaccngaa gncagcctgt ttggaccta aagcggccct tcctnagccg ggagtcgctg 120
agcggccang cctgcgatcg acttgtngtc gactccntgg gtgctcaatn tcctgcttc 180
tttttgtaa ttcccacaca gacatcaagg tgnetgattt 220
```

<210> 465

<211> 438

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (330)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (366)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (383)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (414)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (428)

<223> n equals a,t,g, or c

<400> 465

```
ataggcatga gccaccacgc caggccggga atgccctatt ctaattcaca taaagactcc 60
atgtgggcta gcaggcatgt gaaatgtctg ccagtgcatc aacagctata taactaagaa 120
gttatctttt tcaactgtctt ctggtactct tcatttcact tgggtttttt agcaattcag 180
gaagctggaa tgtttgaatg ggtttttagct tgataccttc ttctttttcc catttggcag 240
ataataccac tagtctgacg gataaacacc tggacccaat cagggaaaat ctgggaaagc 300
actgggaaaa actgtgcccg taaactgggn ttcacacagt ctcagattga tgaattgacc 360
atgacnatga gcgagatgga tgnaagaaag gttaccagat gcnccaaaat gggngatgag 420
gaaggctnaa ggggcccg                                     438
```

<210> 466

<211> 127

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (53)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (87)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (94)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (118)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (122)

<223> n equals a,t,g, or c

<400> 466

```
gcacgattca tgcaaaaagg naactaagca ctatgagatg cttgctaatac gancagctgc 60
aaatgggtcac tgcattgata tttatgnttg tgcncctgat caaactggac ttttgganct 120
gnagtgt                                     127
```

<210> 467  
<211> 439  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (40)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (194)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (295)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (409)  
<223> n equals a,t,g, or c

<400> 467  
gctggaatct ttacaggaga accacttcca agaagatgan cagtttcttg gagccggtat 60  
gccaaaggctt ggcattggaa tggatacttg tgtcattcct ttgaagcacg gtgggctttc 120  
cttggttcaa accacagatt acatttacct gatcgtagac gacccttaca tgatgactcc 180  
tgcagttgct gaantcagge ctgtcccctg cccacacttg gcaactgggca taaagcaatt 240  
aggagaggaag caggaaagcc ctctgctgct gttgcaactg aatacatgct ggcangataa 300  
catgtgccaa tgtcctcagt gactctatgc aatgggggtc acggaatgtg acaatatgct 360  
gatgctcctt ggaatcataa taaaatgacc gacaggaaaa ggataaatna tcctctgatt 420  
atccaagggtt ttaaaacca 439

<210> 468  
<211> 484  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (350)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (399)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (412)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (415)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (449)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (463)  
<223> n equals a,t,g, or c

<400> 468  
gagcaggccc gttggaagtg gttgtgacaa cccagcaat gtggagaagc ctggggcttg 60  
cctggctctc tgtctcctcc catcgaggagg aacagagagc caggaccaa gctccttatg 120  
taagcaaccc ccagctggac ataagagatc aagatcaatg ctaaactcca atggttcagt 180  
gactgtggtt gtcttcttca agccagctga tacctgtcat actgcaggca tctaaattag 240  
aaacctgcca gtaaaactga agaaagaagg atattctaata attcttatat tgtgtaatat 300  
taaggaatct cttctcgata aaatcacaca tctaagaata aggttaaaan atatttctgt 360  
tataccagaa gaaacaacaa tgctgactct ttaatgaana aatactctat antanatggg 420  
cgctgaatac tggtgctttc tcaattcang aaaacataat gtntgaaaat ggacgtttca 480  
ttaa 484

<210> 469  
<211> 489  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (308)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (348)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (368)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (371)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (387)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (417)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (420)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (458)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (468)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (477)  
<223> n equals a,t,g, or c

<400> 469  
cgccctggcga ttaccggtct caccatggag cggaaagtgc ttgcgctcca ggcccgaaaag 60  
aaaaggacca aggccaagaa ggacaaagcc caaaggaaat ctgaaactca gcaccgagggc 120  
tctgctcccc actctgagag tgatctacca gagcaggaag aggagattct gggatctgat 180  
gatgatgagc aagaagatcc taatgattat tgtaaaggag gttatcatct tgtgaaaatt 240  
ggagatctat tcaatgggag ataccatgtg atccgaaagt taggctgggg acacttttca 300  
acagtatngg ttatcatggg gtattccagt taagttttta ttggttcntg taaaaagatt 360  
agtttaganga ngtctaaaag ggtttgnctg agttccatgg tggacccagg ttcaacnacn 420  
ctagccggtc cattaccaga atttggtgtt ggcaaagncc cgatcctngg ggaaccnttt 480  
ctttcgga 489

<210> 470  
<211> 318  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (12)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (32)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (73)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (102)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (103)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (106)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (114)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (151)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (188)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (223)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (258)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (264)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (280)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (281)  
<223> n equals a,t,g, or c

<400> 470  
cntcactata tntgaggagc nggtaccctt gnaggtaccg gtccggaatt cccgggtcga 60  
cccacgcgtc cgntatgaca acctgatcac accagccatg annggngccg gctncctgca 120  
ggggaacgctc gattcttgcc aggggtgacag nggagggcct ctggtcactt cgaagaacaa 180  
tatctggngg ctgatagggg atacaagctg gggttctggc tgngccaaag cttacagacc 240  
aggagtgtac gggaatgnga tggnatcac ggactggatn natcgacaaa tgagggcaga 300  
cggctaatacc acatggct 318

<210> 471  
<211> 455  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (306)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (417)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (426)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (431)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (440)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (446)  
<223> n equals a,t,g, or c

<400> 471  
ggagtataca ccatgagcaa agctcaccct cccgagttga aaaaatttat ggacaagaag 60  
ttatcattga aattaaatgg tggcagacat gtccaaggaa tattgcgggg atttgatccc 120  
tttatgaacc ttgtgataga tgaatgtgtg gagatggcga ctagtggaca acagaacaat 180  
attggaatgg tggtaatagc aggaaatagt atcatcatgt tagaagcctt ggaacgagta 240  
taaataatgg ctgttcagca agagaaaccc atgtcctctc tccatagggc ctgttttact 300  
atgatnttaa aaattaagtc atgtacattt tcatattaaa ctttttgta aataaacttt 360  
tgtaataatc aaaaaaaaaa aaaaaaaaaa aaacccaagg gggggcccg tccccantcc 420  
ccctntttt nattcctttn aaaatnccct ggccc 455

<210> 472  
<211> 676  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (605)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (669)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (672)  
<223> n equals a,t,g, or c

<400> 472

```
gctccaggag tgggacggag ggagctggcc gggatgaagt ctgagactat gtcctgagaa 60
gaaagagtgt atcgtatttg ttgaaaagtt ggtggggtcg ggcttaagcg gaggaggggg 120
ctctctggcc cttactcggc agatgggccc ggagagagga cgggaggtgc cgggagaaca 180
tcgaggggacc ggtggaggaa gggtagctgg atgagttttg attcatcatg gataatctgt 240
catcagaaga aattcaacag agagctcacc agattactga tgagtctctg gaaagtacga 300
ggagaatcct gggtttagcc attgagtctc aggatgcagg aatcaagacc atcactatgc 360
tggatgaaca aaaggaacaa ctaaaccgca tagaagaagg cttggaccaa ataaataagg 420
acatgagaga gacagagaag actttaacag aactcaacaa atgctgtggc ctttgtgtct 480
gcccattgtaa tagaacaaa aactttgagt ctggcaaggc ttataagaca acatggggag 540
atggtggaga aaactcacct tgcaatgtag tatctaaaca gccaggcccg gtgacaaatg 600
gtcanccttta gcaaccaaca acaggagcag ccagtgggtg atacattaaa cccataacta 660
atgatccng anaaga 676
```

<210> 473

<211> 512

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (457)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (487)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (495)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (500)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (506)

<223> n equals a,t,g, or c

<400> 473

```
ntcgacagaa ggggtacggct gcgagaagac gacagaaggg tacggctgcg agaagacgac 60
agaagggggc agcatggcgt acccggggca tcctggcgcc ggcggcgggt actaccagc 120
cgggtatgga ggggctcccg gagggcctgc gtttcccgga caaactcagg atccgctgta 180
tggttacttt gctgctgtag ctggacagga tgggcagata gatgctgatg aattgcagag 240
atgtctgaca cagtctggca ttgctggagg atacaaacct tttaacctgg agacttgccg 300
gcttatgggt tcaatgctgg atagagatat gtctggcaca atgggtttca atgaatttaa 360
agaactctgg gctgtactga atggctggag acaacacttt atnaattttt gacactgcag 420
gaatggaaca agtagacca caagaattgg ataaagnccc tgacaacaat gggatttaag 480
gtttgantcc ccaanctggn gaattnaatt gc 512
```

<210> 474

<211> 272

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (18)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (69)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (74)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (104)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (122)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (129)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (150)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (185)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (186)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (191)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (234)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (249)

<223> n equals a,t,g, or c

<400> 474

```
ggcacagcgg cgggccnngt cgtccggcgg ttgcggatgt cgggctgggc ggacgagcnc 60
ggcgtcgang gccnacgggc gcatctacgt ggggaacttc cgancgacgt gcgcgagaag 120
gnacttgga ggacctgttc tacaagtacn gccgcatccg cgagatcgag ctcaagaacc 180
ggcannccctc ntctgtcgcg cttcgtgcg cttcgaggaa ccccgagat gcanaggatg 240
ctatttatng gaagaaatgg ttatgattat gg 272
```

<210> 475

<211> 338

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (16)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (36)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (119)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (127)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (170)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (173)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (204)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (250)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature



<222> (284)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (298)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (308)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (318)

<223> n equals a,t,g, or c

<400> 475

```
naatctcngt ttggnnggcc cgcccgccagg tccgggccgg aactcccggg tcgacccacg 60
cgtcgggcta ccattctgaa acaaagcaa gtattacatc cagcagccag aatgctggng 120
gagctgncta aggcctcaaga tatagaagca ggagatggca ccacatcagn agncatcatt 180
gctggctccc tcttagattc ttgnaccaag cttcttcaga aagggattca tccaaccatc 240
atttctgagn cattccagaa ggccctggaa aagggcattg aaancttgac tgacatgnct 300
cgacctgngg aactgagnga cagagaaact ttggtaaa 338
```

<210> 476

<211> 424

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (330)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (378)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (381)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (388)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (424)

<223> n equals a,t,g, or c

<400> 476

```
ttaagttcat gaattccaga gttttcaaga aaattcaagc tttgaaggct tcaccgtcta 60
agaaacggtg caattcaatc gccgccctaa aggccacttc acaggagatt gtgtcctcaa 120
ttagccagga atggaaggat gagaagcggg atttgctgac tgaaggacaa agtttttagca 180
gccttgatga agaagccctg ggatcccgcac acaggccaga cctggtcctt agcactccat 240
cactgtttga agctgcttcc ttggcaacca caatttctact tcttcctata cgtcaatggg 300
cattatccac aagacaaggc ctacaatttn ttcaaaccag gtaatatattt ggtgcaattc 360
aaattaaccc ttcaaggnnt nttaaccnca atcaaccatt agggcctgaa cccgtttttt 420
ttgn                                     424
```

<210> 477

<211> 228

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (71)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (110)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (111)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (153)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (157)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (165)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (207)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (223)  
<223> n equals a,t,g, or c

<400> 477  
ggcatncatg tcttcagaaa catccataag accaatctct gtgatcttat caccagcctt 60  
ttgtgccttt nggttctttt gccaaccaaa gaactcaatg aacacttctn ntccaagctt 120  
aaggcaccga ttctatttga acttggtgtt gtngtancag ccacnttaac ctctcatttt 180  
ggaaaactac atgaaaatta taattcnagt attgctggac atnttccc 228

<210> 478  
<211> 486  
<212> DNA  
<213> Homo sapiens

<400> 478  
aactagtctc gaacggcccc gcggacacgc tggatctgac ctactggatt gacggcacc 60  
ggcatgtggt ctccctggag gacgtcggcc tggetgactc gcagtggaag aacgtcaccg 120  
tgcaggtggc tggcgagacc tacagcttgc acgtgggctg cgacctcata gacagcttcg 180  
ctctggacga gcccttctac gagcacctgc aggcggaaaa gagccggatg tacgtggcca 240  
aaggctctgc cagagagagt cacttcaggg gtttgcttca gaacgtccac ctagtgtttg 300  
aaaactctgt ggaagatatt ctaagcaaga agggttgcca gcaaggccag ggaggtaggt 360  
gtgttgtaga aaatgcattt tatatactgg cttggatgga tttctattgt gacatgggtg 420  
atgtgtgtgt gtgtatgtgt gtgcattcat gcttgtaaaa atttaagtaa aaatatttgg 480  
gtaact 486

<210> 479  
<211> 524  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (70)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (369)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (409)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (432)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (471)

<223> n equals a,t,g, or c

<400> 479

```
ggtgcctgct gcctcaaacc accttggtga aaatctgcaa tacggcttct tccatgtacc 60
tgtgcctgan ctgtctgcaa taaagaagaa ttgtataaaa aacggcacct cgctttgctt 120
ttcctccgca accatgtctg acaaaccgga tatggctgag atcgagaaat tcgataagtc 180
gaaactgaag aagacagaga cgcaagagaa aaatccactg ctttccaaag aaacgattga 240
acaggagaag caagcaggcg aatcgtaatg aggcgtgctg cgccaatatg cactgtacat 300
tccacaagca ttgccttctt attttacttc ttttagctgt ttaactttgt aagatgcaaa 360
gaggttggtt caagttttaa tgactgtgct gcccttttca catcaaagna ctactgacaa 420
cgaaggccgc gnetgccttt cccatctgtc tatctatctg gctggcaggg naggaaagaa 480
cttgcatgtt ggtgaaggaa gaagtggggt ggaagaagtg ggggt 524
```

<210> 480

<211> 306

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (34)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (52)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (66)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (76)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (97)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (129)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (130)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (133)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (134)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (145)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (146)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (161)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (166)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (186)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (194)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (200)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (233)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (267)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (275)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (304)

<223> n equals a,t,g, or c

<400> 480

```
ggcagagggc ccgcnagcng ccgccctcct cctnagcctg ctgctgttcg gnttcaccct 60
agtntnaggc acaggngcag agaagactgg cgtgtgnccc gagctccagg ctgcaccagc 120
aactgncann cannagtgcg tcctnnggaa cagcgaaatg ncccgnaaa cctccaagtg 180
nctgcnaggc gggnctgtgn caccttctgc ctctctgccc caatgatgaa gnggggttcc 240
tgcccccagg tgnaacatta aactttnccc aggtngggcc tctgttcggg caccatgcc 300
ggtngt                                     306
```

<210> 481

<211> 473

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (364)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (411)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (418)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (431)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (445)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (459)

<223> n equals a,t,g, or c

<400> 481

```
gccttttagct gccatcttgc gtccccgcgt gtgtgcgctt aatctcaggt ggtccacccg 60
agacccttg agcaccaacc ctagtcccc gcgcggcccc ttattcgctc cgacaagatg 120
aaagaaacaa tcatgaacca ggaaaaactc gccaaaactgc aggcacaagt gcgcattggt 180
gggaaaggaa ctgctcgag aaagaagaag gtggttcata gaacagccac agcagatgac 240
aaaaaacttc agttctcctt aaagaagtta ggggtaaaca atatctctgg tattgaagag 300
gtgaatatgt ttacaaacca aggaacagtg atccacttta acaaccctaa agttcaggca 360
tctntggcag cgaacacttt caccattaca ggccatgctg agacaaagca nctgacanaa 420
atgctaccca ncatcttaaa ccagnttggt gcggatagnc tgactaagtt taa 473
```

<210> 482

<211> 571

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (70)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (92)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (307)

<223> n equals a,t,g, or c

<220>



<221> misc feature  
<222> (494)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (550)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (565)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (569)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (571)  
<223> n equals a,t,g, or c

<400> 482  
gannacttct ctngaaacgc ccgtaccggt cttgaattcc cggctcgacc cacgcgtccg 60  
gatgacggtc ccgggcgcct ctcccagga cncttgggtc aaggtggagt atgcctacag 120  
cgacaacagc ctggaccccg ggctttttgt agaaagcacc cgcaagggga gtgtagtggtc 180  
cagagctaat agcatcgggt ccaccagtgc ctcttctgtc cccaacacag atgatgagga 240  
cagtgattac caccaggagg cctacaagga gtcctacaaa gaccggcggc ggcgcgnaac 300  
acacttnagg cttgagcaga agaggaggga cgccatcaag agaggctatg atgaccttca 360  
gaccatcgtc cccacttgcc agcagcagga cttctccatt ggctcccaa agctcagcaa 420  
agccatcgtc tacaaaagac cattgactac attcagtttt tgcacaagga gaagaaaaag 480  
caggaggagg agngtgcacg ttacgcaagg atgtaccggc cttaaagatca tgaaagtga 540  
ctatgagcan attgtgaagg cacantagna n 571

<210> 483  
<211> 220  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (16)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (69)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (71)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (99)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (136)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (179)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (183)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (185)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<400> 483  
aatacaacgg gaatcnctaa ctgccttgcg tgaagggtccc ggtccggaat tcccgggtcg 60  
acccacgcnt ncgggccagg atgctgaatc tgctgctgnt ggcgctggcc gtcctggcga 120  
gccgcgccta cgcggncct gccccaggcc aggccctgca gcgagtgggc atcgtcggng 180  
gtnangaggc ccccaggagc aagtggccct ggcangtgag 220

<210> 484  
<211> 439  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (18)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (31)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (35)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (36)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (394)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (406)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (414)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (434)  
<223> n equals a,t,g, or c

<400> 484  
gggangggag gggaaatnct tctcggtatc nggtnnctgg agctccaccg cgggtggcggc 60  
cgctctagaa ctagtggatc ccccgggctg caggaattcg gcacgagcag cccagcagcg 120  
gctgaccctc tgcctgcggg gaagggagtc gccaggcggc cgtcatggcg gtgtcggaga 180  
gccagctcaa gaaaatggtg tccaagtttt taacgatggc agttccaggg aactaatgaa 240  
cctcactgga acaatccctg tgccttatag aggtaatata tacaatattc caatatgcct 300  
atggctactg gacacatacc catataatcc cctatctgt tttgttaagc ctactagttc 360  
aatgactatt aaaacaggaa agcatgttga ttgnccaaaa aaattngggg gggnaaaaaa 420  
ggggaaaatt ttanttttt 439

<210> 485

<211> 115  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (69)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (71)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (87)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (89)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (104)  
<223> n equals a,t,g, or c

<400> 485  
gacaaagtaa ngcatccctc ctgaccatca gacgttgatc tttgctggga aacatctgga 60  
aaatggacnc nccctgtctg actacancnt ccacaaagaa tccnccctgc acctg 115

<210> 486  
<211> 558  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (151)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (159)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (255)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (270)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (353)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (402)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (404)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (410)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (416)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (469)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (488)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (495)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (517)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (539)  
<223> n equals a,t,g, or c

<400> 486  
ntctctgngg tntagctgaa cgccgaggac cggccgaatt cccgggtcgac cccgcgttcg 60  
ttcttttagc atcaaggaat ctgatgagaa agcaggaaag atcttttcac agatgaacaa 120  
tattatgagt aaaagtttgc atgatgatgg nttaactgnt ccacagatta ttgaaatgga 180  
gctggatagt caggagcaag ttgttggtgc aggatcctcc tgtgacttac attcagcaat 240  
ttgcagatgc agcanccaac cttacctctn cggattctga gaagtggaaac tctgtgtttc 300  
ccaagcctgg gactttggtt caagtgcttg aggctgcaaa gtttgcatag gangagaatc 360  
tttgataaac tcaataaact cttgtgctga cggaattcat tngntggtan gactgnggac 420  
atgccttggt gaatccttga gtgcaataaa tcaaagtaga aggccttgna taatttaaat 480  
taaattanac tctgnactat gtaataaccg gaaaggnaac tgcaatcaaa tttgcttgna 540  
tggaatgggg caaaatta 558

<210> 487  
<211> 354  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (13)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (18)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (79)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (114)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (115)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (120)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (127)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (155)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (195)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (203)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (229)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (239)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (307)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (315)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (339)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (343)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (346)  
<223> n equals a,t,g, or c

<400> 487  
gctctgctca acngngangg ntcggcacia cattcagaag gaattatgtc ttcattgctgc 60  
tcaagggtctc gctcagctna aggcattgtac ctacaaaggc cacaagacag gtggnnactgn 120  
agagcanata tgggagatcc agaaggatca acttntatac tatccattct taaaaatgtg 180  
cctttcagca aatgntgagc atncaagctt agtggatgca acccatcana accactccna 240  
aaatggatac ttagccaaaa tgattaagcg ttccttaaaa ttaacttgac caaggaaata 300  
tcctttntca taaanctgtg actaggcata cactgtagnt gtnganaatt atgc 354

<210> 488  
<211> 508  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature



<222> (134)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (236)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (242)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (258)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (275)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (288)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (298)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (300)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (314)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (349)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (351)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (375)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (387)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (400)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (407)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (412)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (413)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (424)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (429)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (434)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (440)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (441)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (450)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (456)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (458)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (462)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (469)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (475)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (478)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (485)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (493)  
<223> n equals a,t,g, or c

<400> 488

```
aattcggcac gagaaagcgc atggagacta agggagctgg agtgaccctg aatgttctgg 60
aaatgacttc tgaagattta gaaaatgctc taaaagcagt catcaatgac aaaagttaca 120
aggagaacat catncgcctc tccagccttc acaaggaccg cccggtggag ccgctggacc 180
tggccgtgtt ctgggtggag tttgtgatga ggcacaaggg cgcgccacac ctgcgncccg 240
cnccccacgg acctcaentg gtaccagtac cattnccttg gccgtgantt ggtttcctn 300
ttggcccttg gtcntgaaat tggccttaat aacctttaa attttgctnt natggttacc 360
cgaaaatttt ggggnaaaaa agggccnttt aagaaagccn caaaatnaga cnnccctttg 420
aaangggtn gganaaaggn naaaattttt accttncncg gnatttccna atttnaanag 480
atagngttta aanatttttt tttttag 508
```

<210> 489

<211> 425

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<400> 489

```
ccncggtggg atgttgagct gaggccggag gagaagtagc agtcgctggc agagcacaca 60
ggctgctctg ggggatgagc tgggtcggtt aaggacagg ccagcactgg cattcgcaag 120
cagtggggaa ggggagagat gccgaggtgg tcagtatcct gactttcaga ggcctttttt 180
tgtttgtttt aatttttgct agattgatat taaaaactca tgtggaggaa ctcaaggaa 240
gtttagaaga ccaaaagtcc ccaatgacag gaacaaaagc aaccaatttt taactttctc 300
ttctcattcc tgttttcatt gatttcccac atgtagtcct tttgctcagg aagtctttgg 360
ggaaattaag gatctttgaa gctctgaaat aggtgatcag gttagtggg tctgtcagct 420
gtctg 425
```

<210> 490

<211> 607

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (58)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (443)

<223> n equals a,t,g, or c

<400> 490

```
ancanncnna caccacctca ctaaagggaa caaaagctgg agctccaccg cgggtgcgncc 60
gctctagaac tagtgatcc cccgggctgc aggaattcgg cacgagaagc cgtcaaggag 120
tagaaattgg tatgcttaga agcagattct aaaagcagtt tctcttcaga acatcttttt 180
tcataccact tgataagcat cttgaaacac catggctgta gctgcagtaa aatgggtgat 240
gtcaaagaga actatcttga aacattttatt tccagtccaa aatggagctt tatatttgtgt 300
ttgtcataaa tctacgtatt ctccctctacc agatgactat aattgcaacg tagagcttgc 360
tctgacttct gatggcagga caatagtatg ctaccaccct tctgtggaca ttccatatga 420
acacacaaaa cctatccctc ggncagatcc tgtgcataat aatgaagaaa cacatgatca 480
agtgtgaaa accagattgg aagaaaaagt tgaacacctt gaggaaggac ctatgataga 540
acaacttagc aaaatgtttc ttactacta agcaccgttg gtatcctcat ggacggtatc 600
acagatg 607
```

<210> 491

<211> 371

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (81)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (265)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (336)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (339)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (353)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (364)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (368)

<223> n equals a,t,g, or c

<400> 491

```
aaactgtaat tgcaatgttg aggggtgact tgctaaccag tcagttgaat tccaggcaca 60
gattgagttg cttctggagt nggcagggtc actgtgaacg cctacgtgag cctcttctac 120
accataaagc gggcacaagt ggtcagtcct gaaagagtcg gaagctggca tatcggccgc 180
ccaagtgacc ctgtccagtg tctgcttgcc atcctgccag aacaggccct caagcccaag 240
agccatccca ggccctgttc agctncagct aaagcctctc tttcatctgg aagaagaggc 300
aagggggcag gagaccaggc tctagctctg gggccntcnt tcagcccca tcnggggaat 360
aaanttantt t 371
```

<210> 492

<211> 440

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (347)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (353)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (397)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (402)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (434)

<223> n equals a,t,g, or c

<400> 492

```
ttgagtcgtg ttaatgtaag aatgactcct atcattagga gtgctgctcg gaggttactc 60
acctttggga gtaatactga agagaggggt ctgcagaaag gatgtgtatg aagcttagat 120
aataatggct gtttcgtaaa ctgtttgaga cctattaatg aaaatgacta tttcttgctg 180
tttttatcca acgtctgcat tttccccctt taaagctgcg gtctcctgtt tgataaaaaga 240
atattggcca gtattgcaga ttttaactgg atttggctga tcctccaggg gaccagtttc 300
tgtgggcgtg tattggagca ggtttgtctt taactcttaa atggttnggt ccnaattttt 360
aaaaaggaag ggccccaagt agcccagatt taaaggngta tnccattcc caaagttcct 420
tggaacaatt accnaaagga 440
```

<210> 493

<211> 90

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (27)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (49)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (56)

<223> n equals a,t,g, or c

<400> 493

ngggagctgg cctggagcgn atgggcnccg tgatggatcg catggccanc ggctgncagc 60  
gcatggggccc atcaatctgg agcggatcgg 90

<210> 494

<211> 218

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (30)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (46)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (47)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (53)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (78)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (87)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (95)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (135)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (163)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (167)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (192)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (216)

<223> n equals a,t,g, or c

<400> 494

```
gggtcgaccc acgcggtccg ttttttntn tttttttagn tccannttt tantcaagaa 60
ctcatacaaa attttcnga taaatgnaat ttaancctcg tcttctcct cttcttcgtc 120
ctggttaatc tgggnagtaa cgtaattcgt aactctcttt ggntgtnagc aactgacgcg 180
caaccagttc angtagatta ttcttcttca aatatngt 218
```

<210> 495

<211> 148

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (83)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (96)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (111)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (116)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (122)

<223> n equals a,t,g, or c

<400> 495

gttttttaaaa aaaacatgtc atgtangttg tctaaaaata aaatgcattt aaactcaaaa 60  
aaaaaaaaaaaa aaaaaaaaaa aanagggggg gggcgnggga aaaaaaaaaa ngaggntgag 120  
gntttgaaga agggaagggg ggccccc 148

<210> 496

<211> 536

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (355)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (382)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (412)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (444)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (484)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (534)

<223> n equals a,t,g, or c

<400> 496

```
atgaccaca ctgccagaag agaattcagt attttttact tttcacactg tcttcccgat 60
gagggaagga gcccagccag aaagcactac aatcatgggc aagttcccaa ctgagtcac 120
ttgtgagtgg ataatcagga aaaatgagga atccaaaaga caaaaatcaa agaacagatg 180
gggtctgtga ctggatcttc tatcattcca attctaaatc cgacttgaat attcctggac 240
ttacaaaatg ccaagggggg gactggaagt tgtgggatat caggggtataa attatatccg 300
tgagttgggg gagggaagac cagaattccc ttggaattgt gtattgatgc cattntaagc 360
ctaaaagatc accttgatatt cncctttacct tctaaaagcc attatttatg gngttagaag 420
aagaggaaga aattcaggta ccgnaaaaca cttttgttcn gggggggggc cgtacccaat 480
tcgncccata gtgagtcgta ttacaatcac gggccgtcgt ttacacggcg gacnng 536
```

<210> 497

<211> 93

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (84)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (85)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (88)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (89)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (91)

<223> n equals a,t,g, or c

<400> 497  
gtgaaacatc aataaagacc acttaatgca cgctttcaaa aaaaaaaaaa aaaaaaaaaa 60  
aaaaaaaaaa aaaaaaaaaa aaannaanna nat 93

<210> 498  
<211> 392  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (50)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (104)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (106)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (113)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (160)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (180)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (245)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (248)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (334)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (351)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (363)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (377)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (390)  
<223> n equals a,t,g, or c

<400> 498  
cgggaccnaa ggaggagctg cgtggcgggcg gtggcgacat ggcggaacctn ccgaggcggg 60  
tgacgcgccc cctgatgatg ggcctccagg ggagctcggg cctnanggcc tgnacgggtcc 120  
agaggaaaaag ggccgggatc gtgaccggga gcgacggcgn acaccggagc gagcgcgagn 180  
ncgccgggac cgggatcgtg accgtgaccg tgaccgcgag cacaaacggg gggagcgggg 240  
cattnaancg gggcagggat gaagcccga gttggggggcg gtggccagga caacgggttg 300  
gaaggttttg gcaacgacag ccgagaattt tacntgaatt ttaaggcggc nacgttactt 360  
gtnccgga aa ttggttnttt attgaagttt cc 392

<210> 499  
<211> 262  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (23)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (60)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (76)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (78)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (104)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (114)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (160)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (209)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (212)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (218)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (219)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (226)

<223> n equals a,t,g, or c

<400> 499

```
ggtaagagca acgtgctttg ggngcagaga agagggagan agcagcatct tgcctggatn 60
agccagggga cacagnanag aagcccacct ggacacaaca ccanaaaggc ttcntattcg 120
ggtgtggagt cttttcagca acccggtcca gtactgggcn gatacagcca tccaccttac 180
agatgtgtct acgtgacgct ctgccattnc anctcggnna ctatangtaa ttctcaagaa 240
agccctcatt tttataacct gg                                     262
```

<210> 500 .

<211> 437

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (309)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (317)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (384)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (398)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (405)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (406)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (418)

<223> n equals a,t,g, or c

<400> 500

```
accacaaagc cccctggag catcttcccg gctggcagga ccatgccatc tctgtggaga 60
aggtgctggg gaggaagtc cttccagtgc cacatggagt gaggccctgc ccatgctggg 120
gactttgggg aggaatttgg tattctggtg gccttgctca gctctcattg agatcttttc 180
ctatcagaat gttagtgaat atacttcgca gctctttggt cagcaataag gaatattctt 240
tcaattcctg ctcttcaagc caatttacta caccatttg tctttccaaa attcatccca 300
acggtatant tggtttnggt cctccttgga ttcaatctgt ttcttggtta aattgaacct 360
gtccattgtg aatcctctta attncctcct cccaaaanaa ccagnncttg taaatttntg 420
gccaaactcca ggggcca                                     437
```

<210> 501

<211> 180

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (162)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (165)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (166)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (174)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (177)

<223> n equals a,t,g, or c

<400> 501

```
gagaactagt ctcgagtttt tttttttttt ttttttggt ttttggtctt ttcaaaggta 60
atggcccatc gatgagcatt ttttaacatac tccatagtct tttcctgtgg tgttaggtct 120
ttatttttat ttttttcctg ggggctgggt ggggttgggg gncanngggg gaantgncct 180
```



<210> 502  
<211> 436  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (101)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (174)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (197)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (199)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (222)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (229)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (262)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (266)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (276)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (287)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (290)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (297)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (327)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (328)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (330)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (336)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (343)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (364)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (385)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (390)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (436)  
<223> n equals a,t,g, or c

<400> 502  
tacaaactgt cctttattca gagtgagact gcggaacatt aataatttat cacgcgggga 60  
gtccccagaa gccctgtgcc cacgaacccc tgtgggcgga nggagagaag cgggggactcc 120  
gggagcttcc tgagagggcc gtgtcttggg agcaagggtga catatccagt ccangcacgc 180  
ggaacatgac tcagaantng ggaaacaaaa aaccatcccc cncngaang ggggggggcca 240  
ggcccctaaa aagcacaatg gnggcnggtg gaattnggggt taaaatntcn gggttcnaaa 300  
aagaccatat ttttttttcc cagttcnntn gcccncctt ttnttgtaa ggggggggggt 360  
taanattccc ccctccccgg gaaanaaaan tacctttctt aggaagaagg gccccccccc 420  
ccttcccgcc tttttn 436

<210> 503  
<211> 418  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (41)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (50)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (55)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (56)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (57)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (61)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (62)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (97)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (106)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (109)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (111)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (112)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (116)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (125)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (126)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (127)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (130)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (179)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (210)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (212)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (221)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (226)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (237)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (239)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (245)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (256)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (257)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (289)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (337)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (350)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (351)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (367)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (375)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (379)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (404)

<223> n equals a,t,g, or c

<400> 503

gctcttttaa ataatgagc aagtgtccta agctatgtca nccaaagatn gtccnnncca 60  
nnctcaaadc cngtgactgg gatcactcaa cagnacngtg atgtangann nncaangagg 120  
tgccnnnctn aactgaccaa atgctgcctt gtttggcccc taaatcaata aaatatgtna 180  
aaatttgtat cccctgttgt ggcatttttn tnagataatc naagcnagaa aaatganang 240  
gaatnctgga ccnggnnggg aaggaaaaga accctttcctt gtcgctggna actgtgttgg 300  
taagggaagtc caaatttgtg catatgaaat aagccgnaac cgctggaacn ncactcctat 360  
gcagctnctc ttganccana aacaaggagc ttggtctaata gganatacac tgtgcttg 418

<210> 504

<211> 202

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (99)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (126)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (143)

<223> n equals a,t,g, or c

<220>

<221> misc feature

B4 (cont'd)

<222> (161)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (182)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (183)

<223> n equals a,t,g, or c

<400> 504

```
gctgggttta taccgtcgtg agacaagtta gttttaccct actgatgatg tgttggtgcc 60
atggtaatcc tgctcagtag gagaggaacc gcaggttcng acatttggtg tatgtgcttg 120
gctgangaac caatggggcg aanctacat ctgtgggatt ntgactgaac gcctctaatt 180
cnnaatcccg cccatgcgga ac                                     202
```

<210> 505

<211> 568

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (258)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (334)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (342)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (393)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (395)

<223> n equals a,t,g, or c

<220>

<221> misc feature



<222> (404)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (422)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (425)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (459)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (482)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (503)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (511)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (538)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (561)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (565)

<223> n equals a,t,g, or c

<400> 505

```
gggtagctct ttgaagggtg ataagacttc agaagaggaa aggccagact ttgcttacca 60
tcagcatctg caatgggccca aacacacctc aaattggctg agttgagaaa gcagccccag 120
tagttccatt cttgcccgag actttctgca ttccaaacag catcctacct gggtttttta 180
tccacaaaagg ttagcggcca catggttttt aaattatgaa gaaacacatt tgcctctcc 240
ttttatccaa gcaggaanat cctatatccc tgatgggtta aaacaaatcc aggccaccct 300
gaatttgcta ccccaaaaaa gagatttggg taanctggtt cncgggttg ttccctaagg 360
ccatatttta aaattaccac tctgggggtc ccntnaaaac ccngccggg gaccatcttg 420
cnntntgggt aaaacccct gtttcaatct cttaaattnc ccctaaggag ggggttggt 480
tnaaaatttg ggggaactta tcncccttca ngttttttcc ggggtacccc cccttggnng 540
gggaaaccct ggctcgggga ntganaaa 568
```

<210> 506

<211> 187

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (99)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (140)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (178)

<223> n equals a,t,g, or c

<400> 506

```
aattcgnac gagccaaaat ggtggaaaca gccttaaccc caaatgcctg caatcctaac 60
taatttaagt aattgctgac tgcatagtct ttttccttna gaggctctcc attttaattc 120
aaaaagttag catatttatn aaccatgaaa ttgaaaacc agggcttttt ttttttngg 180
ggggttg 187
```

<210> 507

<211> 68

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature  
<222> (53)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (54)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (65)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (66)  
<223> n equals a,t,g, or c

<400> 507  
tacgagggtc attttttttt tttttttttt tttttttttt tttttttttt tttnccccc 60  
cccnnncc 68

<210> 508  
<211> 366  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (46)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (50)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (70)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (95)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (118)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (160)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (161)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (172)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (241)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (302)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (303)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (314)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (332)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (339)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (348)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (364)  
<223> n equals a,t,g, or c

<400> 508  
ggnaganctg aaggacacct gcctnaaagc agagatggag gccttntgtn cacggcggat 60  
tctttgtttt aatcttgcaa tgtgctttcc ttgtngctgg gcggatgaat gtttactnaa 120  
cgatgaaatt ttaacatcca aagggggata ggcacttggn nccccattc tnccaaggcc 180  
cgggggggcg gtttcccatg ggaatgtgaa aaggctggcc attattaagt ccctgtaaat 240  
naatgtgaaa cccaccggg gcaccccccg tcccccaaag ttttggttgt ttaaaaataa 300  
gnnttccatg ggnagtgtt aaaaacctg tngccccgnt tttttttnaa ttaaaataag 360  
ggtnag 366

<210> 509  
<211> 496  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (53)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (62)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (75)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (99)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (111)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (146)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (148)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (201)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (242)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (282)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (320)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (346)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (353)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (374)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (382)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (413)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (450)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (486)  
<223> n equals a,t,g, or c

<400> 509  
ggcagcagcc agcctccctg tctccagctg cctgggcccg gaagggtgtgt ggntccttct 60  
cnggggtctga ttttntcact gaactccacc gaccaactnc cctaagcccc nagggcctcc 120  
agggaccagg ttcgagaccc aaaccncnaa aatccaaaac ttctcttgaa aagttcaggg 180  
accgtccagg ggagatgggg nggagatatg gagtgagtca cctgactcca gaagatgcca 240  
gnttctctct ccagggtgct tagttggctt tgaccacccc tnactcccca gggagctctg 300  
gggcacagct tctgcacan ccctgtgccc aaccacacag ctgccntagc tgnaccccga 360  
gaagtgtctt tggntgaccc tntggtgtgt ggtgaggggt ttgtgttccc ttntgttttc 420  
agaccctcga ttttccgtaa tggtttgggn gagttgggga ggttcaagca gagtgtttta 480  
ttattntcgg tttatg 496

<210> 510  
<211> 363  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (282)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (339)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (352)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (354)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (361)  
<223> n equals a,t,g, or c

<400> 510  
gcnagaggaa ccgcaggttc agacntttgg tgtatgtgct tggctgagga gccaatgggg 60  
cgaagctacc atctgtggga ttatgactga acgcctctaa gtcagaatcc cgcccaggcg 120  
gaacgatacg gcagcgccgc ggagcctcgg ttggcctcgg atagccggtc ccccgctgt 180  
ccccgccggc gggccgcccc cccctccacg cgccccgcgc gcgcgggagg gcgcgtgcc 240  
cgccgcgcgc cgggaccggg gtccgggtgcg gagtgccctt cntcctggga aacggggccc 300  
ggctggaaag gcggccgttt agaggatcca agcttacgna cgcgatcatg cnangccata 360  
nct 363

<210> 511  
<211> 331  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (66)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (90)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (276)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (301)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (312)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (318)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (330)  
<223> n equals a,t,g, or c

<400> 511  
naggaatang ccggnaaagc ttctacgcct gcaggtaccg gtccggaatt cccgggtcta 60  
cccacntttc cgcataagtg ttcatactgn tacatgcaga acatttgtca ggctctctgt 120  
cagctttcat gtacatatgg tatagaaacc atggagttag gcacttcctg gatttttttt 180  
ttatgagaaa aatactgtat ttaaaatgta aaataaactt ttaaaaagca aaaaaaaaaa 240  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaanaaaa aaaaaaaaaa agaaaaaacag 300  
nttaaaaaaac anaaaatnaa aaaaaaaaaa a 331

<210> 512  
<211> 754

<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (572)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (667)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (724)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (748)  
<223> n equals a,t,g, or c

<400> 512  
ggtgatctcc ccaccttggc cttccaaagt gctaggatta caggcgccta gcctaggcag 60  
tcattttcaa aaaacaagca tgactcacca aaagttttaa gattttctgt gataatgttc 120  
ttattgaggc ttacattata ttacagtttc ttgaatetaa aatgatgtac cctcttagga 180  
tatatacatc atgcttcatt ggtctcaggg ggctgatttt tataaggaga gatttgctag 240  
ttttcacaaat atgtcctcta agttggcatg tatagctaaa caggctttca taaaaatata 300  
caatttagtt aatgaaattt gggatatagt cttttatgat tgaaataatt ttgctaaata 360  
gactgtctct gatttattag gtaatcacca ctcttatttt gttttacttc cttaatgtct 420  
acatagaaag gaaatgagaa aaatccagag gttgtcattt gacttatgag tctgtttgac 480  
ttcaggattt ggtacatgaa atttcaacta atctttttga tatgtataaa acaaattatc 540  
tgggtaatta tttttatcct tttggttttg antccttttt attcctatca tattgaaatt 600  
ggtaagttaa ttttcctttg aaatattcct tatagccagg tctaaaattc aatgggcccc 660  
caaccgncaa ccgccaaaca caaccaaccc cactttacta tcatggctgg gtgcctccaa 720  
tttnccttct gggaaccacc cagttaantt aaaa 754

<210> 513  
<211> 245  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (67)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (76)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (81)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (131)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (179)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (207)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (232)

<223> n equals a,t,g, or c

<400> 513

taaatgntcc tttcctttgt agactctggc aaaaggcttt aggaagataa aagtttgagg 60  
agaacanaca ggaatnctga nttaaagcaca gagttgaagt ttatacccgga ttcacatgct 120  
tttcaagaat ntcgcaatta ctaagaagca gataatggtg ttttttagaa acctaattna 180  
ggtatattca accaaatact tttaaangta taaaataaat attatacaat anacttgtgt 240  
agcag 245

<210> 514

<211> 393

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (29)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (60)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (89)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (97)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (104)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (118)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (162)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (174)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (192)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (194)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (196)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (234)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (262)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (302)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (312)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (317)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (319)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (327)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (333)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (334)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (341)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (359)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (362)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (382)  
<223> n equals a,t,g, or c

<400> 514  
aattcggcac gagttttaat atgaaaganc ctcatgaatt aaatagttga tgcaattttt 60  
aacgttaatt gatataaaaa aaaaaacanc aaaattnggc ttgnaaaact gacttttnca 120  
ttangnggggt tttgaaatct ngccccagac atactgtgtt gngagatact tagngggagg 180  
gagtaggttt tnanngggtt gatggtggtg gggagggaag gcctcctgaa ttgngtttga 240  
tgcagagctt tttagccatg angaatcttt cagtcatagt actaataatt aaatttncag 300  
tntttaaaaa gncaagntnt ttgtccnttt tgnntttctg nactccctgg aaagttccnt 360  
tnggcggtgg ggcccaaagc tnttggtttt cct 393

<210> 515  
<211> 231  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (87)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (114)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (121)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (200)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (206)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (208)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (223)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (230)  
<223> n equals a,t,g, or c

<400> 515  
ggacaaatgt taatcttttg tctccagaaa aagttgggct ttcccaagca gttctattac 60  
ccggttcaca attccttcac ccaaaantca tctcatggta tacatggctc ctantccttt 120  
ncattacctg atggtagaaa taaaataatt cactttaaaa aaaaaaaaaa aaaaaaaaaa 180  
aaaaaaaaaa aaaaaagggn ggccgntnta gaggatccaa gtntacgtan g 231

<210> 516  
<211> 82  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (36)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (67)  
<223> n equals a,t,g, or c

<400> 516  
ggcacgtacg gcangagcga angaaggagt aaggtngtgg gatctcaccg tgggtccgat 60  
tagcctnttc tctgccttac tt 82

<210> 517  
<211> 237  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (173)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (223)  
<223> n equals a,t,g, or c

<400> 517  
aatteggcac gagccacact ccacctgccc cactcaccac ctctgctagt tccagacacc 60  
tccacgccc cctggctctc tcccatcgcc cacaaaagg ggggcacgag ggacgagctt 120  
agctgagctg ggaggagcag ggtgagggtg ggcgaccag gattccccct ccncttccca 180  
aataaagatg agggacttta aagttaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaa 237

<210> 518  
<211> 281  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (35)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature



<222> (116)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (134)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (230)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (243)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (259)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (263)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (265)  
<223> n equals a,t,g, or c

<400> 518  
gctcacgccg gccggggccg cgaggcctgg tctgngcctc agggaggggc cccgggtcct 60  
ctcagtcttt cccctcccc aacgatgtag cgtttttcgt tgtttgcttt aggttnttga 120  
aacagccccc gcgncgcctc tattggtctt cggccttggc aacggccgtc gtcattggta 180  
ctggccctaa cagccgatgg ccgaagccga cctgccaccg ggccggggctn ctggttggcc 240  
ggncccaggc gcgcggggnc gcngnagccg agcattcttt t 281

<210> 519  
<211> 443  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (372)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (373)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (396)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (411)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (441)  
<223> n equals a,t,g, or c

<400> 519  
tgaagccagc tcacagtgtc gtgtgccccg gtcacctagc aagctgccga accaaaagaa 60  
tttgcacccc gctgcggggc cacgtggttg gggccctgcc ctggcagggt catcctgtgc 120  
tcggaggcca tctcgggcac agggccaccc cgccccaccc ctccagaaca cggctcacgc 180  
ttacctcaac catcctggct gcggcgctctg tctgaaccac gcgggggcct tgagggacgc 240  
tttgtctgtc gtgatggggc aagggcacaa gtcctggatg ttgtgtgtat cgagaggcca 300  
aaggctggtg gcaagtgcac ggggcacaa cggagtctgt cctgtgacgc gcaagtctta 360  
aggtctggcc gnnggccggc tgggtctggg catttntggg tgcaccgcgg ngctttccag 420  
accaacatgt aaccggcatg ntt 443

<210> 520  
<211> 129  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (27)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (56)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (67)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (81)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (89)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (104)  
<223> n equals a,t,g, or c

<400> 520  
tgggttcccc acagtaggtg ttttaanata agaattaggg tccttttgga aagaantagt 60  
tgcagtnttt ataggatagt nggtgtaana ttctagttta ttnccattt ggctaattgg 120  
tctgtgctg 129

<210> 521  
<211> 113  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (56)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (70)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (89)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (112)

<223> n equals a,t,g, or c

<400> 521

ggggggccng gtaccaatt gcccctatag tgagtgcgta ttacaattga ctggancgtg 60  
gtgntacaan gtggtggact gggaaaaanc ctgggggttac ccaacttgaa tng 113

<210> 522

<211> 393

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (116)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (132)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (136)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (159)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (165)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (186)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (228)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (235)

<223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (248)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (266)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (290)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (329)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (340)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (349)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (389)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (392)  
 <223> n equals a,t,g, or c

<400> 522  
 ttctcagtttg caaatagaac taatactggt gaaaattttac ctaaaacctt gggttatcaaa 60  
 tacatctcca gtacattccg ttcttttttt ttttgggact ctgtctcaaa taaatncata 120  
 aaaattaaat gngganttca ctttgcagtt gctgctgtnc aacgnacatt actcaatctt 180  
 tatgtncggc attctatgct ctactgggga aatttgggta ggagtgangt atttngtata 240  
 catatctnca tttaataatg gcaatngctg ggtctatctt actattttan ctattggata 300  
 aatattttgt ttccccagg tgetgggnt gcaggcgtgn cccactgng gcccgccac 360  
 attcagttct tatccaaggg ataaccnng cnt 393

<210> 523  
 <211> 146

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (18)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (46)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (74)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (102)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (112)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (114)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (120)

<223> n equals a,t,g, or c

<400> 523

ttcantaaat gtngtggnac ttccatttgt caaagcacca aaacanagga accccaacct 60  
tacatgtaat acanacttaa ctcaaaatgg atcatatata tnaactgtaaa angnaaagcn 120

ataaaactga aaacagacta tcttta

146

<210> 524

<211> 346

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (61)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (63)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (119)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (120)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (278)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (319)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (329)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (342)

<223> n equals a,t,g, or c

<400> 524

```
tgggggcacgg acaccgacgg gttgcgactg tgacgtgagg tgttctcgcg cgcgctagnt 60
nctgtccggg tgccgctgac gggcgtgcgc gcttgtgcgg accggagggtg ggggccgann 120
cagccaaggt tgcggggggcc gcagagccgg acgaagacgg agggcggagc ggcttcggga 180
ctgcggagac tacacaccga gcgagcgctt gggcccgaag gagcgatgct gtggttccag 240
ggcgccattc cggccgccat cgcgacggcc aaaaagancg gcgcgtcttc gttgtgttcg 300
tggcagtgat gatgaacant ctacacagnt ggcttcaagt tnggaa 346
```

<210> 525

<211> 470

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (189)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (192)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (203)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (274)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (300)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (335)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (381)

<223> n equals a,t,g, or c

<220>

<221> misc feature



<222> (415)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (418)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (425)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (427)

<223> n equals a,t,g, or c

<400> 525

```
gcttactttt aaccagtgaa attgacctgc ccgtgaagag gcgggcataa cacagcaaga 60
cgagaagacc ctatggagct ttaatttatt aatgcaaaca gtacctaaaca aaccacagc 120
tcctaaacta ccaaacctgc attaaaaatt tcggttgagg cgacctcgga gcagaaccca 180
gcctccganc antacatgct aanacttcac cagtcaaagc gaactactat actcgattga 240
tccaataact tgaccaacgg aacaagttac cctngggata acagcgcaat cctattctan 300
agtccatata aacaataggg tttagcacct cgatnttgga tcatgacatc ccgatgggtgc 360
agccgctatt aaagggttcgt ntgttcaaca attaaagtcc tacgtgatct gagtnacanac 420
cggantnatc caagtcggtt tctatctact tcaaattcct ccctgttcga 470
```

<210> 526

<211> 299

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (48)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (66)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (68)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (70)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (71)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (75)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (111)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (124)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (136)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (141)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (198)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (220)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (241)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (251)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (274)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (285)  
<223> n equals a,t,g, or c

<400> 526  
cgtacngtc aaggagaagg ncaaagaaga agaccgtgca aaagcttngt gaaaaagaag 60  
aaacantngn ngccngntta tagattagaa gaggtcaagg ataaagatgg naagccactc 120  
ctgncaaaag agtctnaagg nacagcttcc acccatggag tggaagactt ctttctgggg 180  
tggctttgtg tgtagggnct tctgctgggt ccacaaaatn gcttcactcg cttaaaattt 240  
naaggatgct naaacttgct ggctggccca tctnctgaag tgggnttccc aaaacccca 299

<210> 527  
<211> 323  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (39)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (64)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (131)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (191)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (291)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (293)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (295)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (317)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (323)

<223> n equals a,t,g, or c

<400> 527

```
ggcnaaaaat tagattataa ctnatagtat gtagagttna gagctttatg gtctagattt 60
tccnatttgt atttaagtta cctaatttaa gaaggtttta aaaatggaaa ttcagtatat 120
aatattttgt nggttttttt ccacagttaa aaatgaaatt atgcagaaaa tgttccccac 180
aacatgacag ngaaaggaat tctgggacac gttttttccc agtcccatta ttttcacagg 240
gatcggtctg aatacagggt caaaggatct ctttgccaga atgtgccaaa ntngntgaaa 300
aaggtaactg tttatcnctg atn                                     323
```

<210> 528

<211> 220  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (13)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (37)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (54)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (59)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (106)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (147)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (150)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (176)  
<223> n equals a,t,g, or c

<400> 528  
actcttgtnc agngngtagt atctggggcg agtgttnggg gtaaaagccc accntacana 60  
aagtggaaaca gcccggagcc tgtatgtgaa aggnccacgg gtgttntaag ctagggacac 120  
ggangtccaa acttggaatc aaacggncgn actgttaaata tatatcttat naactnatta 180  
aatgaaaaca ttttgctccg taaaaagaat ataaaaaagt 220

<210> 529  
<211> 285  
<212> DNA  
<213> Homo sapiens

<400> 529  
ccaagaagaa gctttacata ttctgggctt tcaacctcca tttgaagata ttaggttttg 60  
tcctttcacg gggaatacaa cacttatgag gtggtttaga caaatatg accacttcca 120  
tgtaaaagga tgctcttatg ttctatataa gcctcatggg aagaataaaa cagcaggaga 180  
aactgcttca ggggccctgt caaagttaac ccgtgggatt gaaagatgaa tcgctggctt 240  
atatctatca ttgccaaaat cattatTTTT gtccaattgg cttcc 285

<210> 530  
<211> 79  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (28)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<400> 530  
ggcanagntg caccacccat gggantgnct ggncgtgggaa cgcttccgat gcaacattaa 60  
ctgtgatgag gacccaaag 79

<210> 531  
<211> 236  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (19)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (38)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (46)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (49)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (50)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (51)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (54)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (91)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (125)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (134)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (174)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (197)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (201)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (221)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (223)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (226)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (229)

<223> n equals a,t,g, or c

<400> 531

ggcagagtaa aatantttnc aggagctcca ggnaatgnng cggacncann nttntttaga 60  
acacaaatga tggatttaga attggcaatg ntgcgtcaaa accatgggtt atcatcatat 120  
gactnaggag gagnggtttg aagttgatca gctccagggt ttgtgaaaat tcantccgca 180  
atggtaactt tcaggtncct nggaactgca gctggaggag ngnctnctng gccctt 236

<210> 532

<211> 341

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (66)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (74)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (81)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (101)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (109)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (142)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (181)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (220)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (222)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (224)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (228)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (229)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (238)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (241)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (255)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (279)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (285)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (288)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (292)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (321)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (332)  
<223> n equals a,t,g, or c

<400> 532  
ggcagaaacg agcactnctn aattaatatc tgtatcctgg aacaatattt aatgggttatg 60  
ttttntgtg tgtnagtttt natagtatcc atattttaat nactgtttnt tacttccatg 120  
aaattttaaa aatctgaagg gnaaatgttt tgtgaaacat ttattttttt aaaggaaaag 180  
ntgaaaggca ggcctatttc atcacaggac cacacacatn tncncggnnt agggcatnca 240  
nactcaatgg ctttntttgt gaaatttggg tgtttttttna atttnttnt gntcaaattg 300  
atgtggccaa aaacctttta nctgggttgg cntgggaaat t 341

<210> 533  
<211> 208

<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (26)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (103)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (143)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (161)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (163)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (190)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (192)

<223> n equals a,t,g, or c

<400> 533

```
ggcagagcat ctttgccagt acaggngctt gtnccgtggc ccacagccca cagcccacag 60
ccatgggctg anacctgacg gtgaaagatg ctggcgggca acnaattcca ggtgtccctg 120
aagncagctg ccatgtgggt gtnaaagctg aaggcgcgag ntncacccag naagatcggg 180
gtgcacgctn tnttagccag gcgttttg 208
```

<210> 534

<211> 252

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (49)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (101)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (152)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (163)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (203)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (240)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (246)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (247)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (250)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (251)

<223> n equals a,t,g, or c

<400> 534

```
ggcagagcac tagagcagag tacgagtcta aggcggaggg agtaatggna ggacaagcgt 60
ttagaaagtt tcaacagggg gctgctggca acatgaaagg natgatggga attcaatgaa 120
tatgtgaaag gaaaatgccc ttgaatatga anctgaactg canttgaaat gacctgaatt 180
tgccctgagaa cctgcagcgt ttnccttcc tttttgccga aattgggcgg ggaaagtgt 240
attttnnctn ng 252
```

<210> 535

<211> 380

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (46)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (95)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (98)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (135)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (149)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (157)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (167)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (205)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (213)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (232)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (256)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (302)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (307)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (309)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (313)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (317)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (326)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (328)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (331)

<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (333)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (343)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (346)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (350)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (379)  
<223> n equals a,t,g, or c

<400> 535  
nnttcggcan nggggggttta aaactttgct gctttttttac ataaangact gtgcctttcc 60  
tagagagtta agatgtaaat gtgttctcac atgtnaantt tgagagttca ggggtctatt 120  
atggaatgat acacnttttt aatgaacct aaaatanttc actaagntgt ttgccttcca 180  
nagtgtttac ccttaagcct taacntgtat ctncnttcag aaaaccgtta tnttgtgcaa 240  
accatagtag gaaganaaac ctttatttgg gatataacac tactgtaagt tatgttacag 300  
angctananc canccnctg tgttananta nangagccaa aannancaan agaaaaaagg 360  
ggaaaagaaa aactaatang 380

<210> 536  
<211> 91  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (34)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (39)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (55)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (68)  
<223> n equals a,t,g, or c

<400> 536  
ggcacgaggt ctctngaaca cgctgcgggg ctncgggnc tgagccaggt ctgtntctcca 60  
cgcaggtntt ctgcgcgccc cggttcagcca t 91

<210> 537  
<211> 316  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (164)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (232)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (277)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (288)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (290)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (314)

<223> n equals a,t,g, or c

<400> 537

```
atcgacccac gcgtccgcca agattaatca tataaccatg ggacaaagaa ttttatagaa 60
atTTTTaaac atctgataaa acttaagctt ctttttcaga tgTTTaaatt ttatcatcct 120
tttttttctc atgaattctt aaaggattat gctTTaatgc tgnatctat cttattgttc 180
ttgaaaatac ctggcatttt ttggtatcat gttcaaccaa catcattatg anattaatta 240
gattcccatg gccataaaaa tggcttTaaa agaatanata tatattntn aagtagctga 300
gaagcaaattg ggcngt                                     316
```

<210> 538

<211> 374

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (16)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (31)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (272)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (303)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (306)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (335)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (352)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (354)  
<223> n equals a,t,g, or c

<400> 538  
ggaaanctgg ncnccntcag gtaccgggtcc ngaattccgg gtcgaccac gcgtccgtgc 60  
tgatcccat cgctgtgggt ggtgccctgg cggggctgg cctcatcgtc ctcacgcct 120  
acctcgctcg caggaagagg agtcacgcag gctaccagac tatctagcct ggtgcacgca 180  
ggcacagcag ctgcaggggc ctctgttccct ttctctgggc ttagggtcct gtcgaaggga 240  
gggcacactt tctggcaaac gtttctcaaa tntgggtcat ccaatgtgaa gttccatctt 300  
ggnaancatt tgactatgca caacagatta attancgaaa tggacgggtg tnantttggc 360  
taaatggggt aaat 374

<210> 539  
<211> 109  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (46)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (47)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (62)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (82)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (108)

<223> n equals a,t,g, or c

<400> 539

gtgggattnc tgtgcaggag ggtcgtggc tggtgtggc ggaggnncat aagaaggtaa 60  
cncgacctgg cgcggcagac anggctcgaa gacctcatct ttattaana 109

<210> 540

<211> 396

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (268)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (340)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (353)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (366)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (390)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (393)

<223> n equals a,t,g, or c

<400> 540

```
tctgaccttt tgggttttaa gcaggagggtg tcagaaaagt taccacaggg ataactggct 60
tgtggcgggc aagcgttcat agcgacgtcg ctttttgatc cttcgatgic ggctcttcct 120
atcattgtga agcagaattc accaagcggt ggattgttca cccactaata gggaacgtga 180
gctgggggtt agaccgtcgt gagacagggt agttttaccc tactgatgat gtgttggtgc 240
catggtaatc ctgtctagta cgagaggnac cgcagttcag acattgggtg atgtgctggg 300
ctgaggagcc aatggggcga aactacccat ctgtggggan tatgactgaa cgncttctaa 360
gtcagnatcc cgcccaagcg gaaacgatan ggnagc 396
```

<210> 541

<211> 429

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (314)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (353)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (382)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (414)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (418)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (419)

<223> n equals a,t,g, or c

<400> 541

```
ttgggtttta agcaggagggt gtcagaaaag ttaccacagg gataactggc ttgtggcggc 60
```

caagcggttca tagcgacgtc gctgtttgat ccttcgatgt cggctcttcc tatcattgtg 120  
aagcagaatt caccaagcgt tggattgttc acccactaat agggaaacgtg agctggggtt 180  
agaccgtcgt gagacaggtt agttttaccc tactgatgat gtgttggtgc catggtaatc 240  
ctgctcagta cgagaggaac cgcagttcag acatttggtg tatgtgcttg gctgaggagc 300  
caatggggcg aacnaccatc tgtgggatta tgactgaacg cctctaagtc agnatccccgc 360  
ccaggcggaa cgatacggcc ancgcgcgg agcctcgggtt ggcctcggat agancgggnc 420  
cccgctgt 429

<210> 542  
<211> 617  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (18)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (49)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (52)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (552)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (588)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (601)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (609)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (612)

<223> n equals a,t,g, or c

<400> 542

```
cacgtagtag  nggaaacntg  gtacnccgtg  caggtaccgg  tccggaatnc  cngggtcgac  60
ccacgcgtcc  gagtttccct  caggatagct  ggcgctctcg  cagacccgac  gcacccccgc  120
cacgcagttt  tatccggtaa  agcgaatgat  tagaggtctt  ggggccgaaa  cgatctcaac  180
ctattctcaa  actttaaatg  ggtaagaagc  ccggctcgct  ggcgtggagc  cgggcgtgga  240
atgcgagtg  ctagtgggcc  acttttggtg  agcagaactg  gcgctgcggg  atgaaccgaa  300
cgccgggtta  aggcgccccg  tgccgacgct  catcagaccc  cagaaaaggt  gttggttgat  360
atagacagca  ggacggtggc  catggaagtc  ggaatccgct  aaggagtgtg  taacaactca  420
cctgccgaat  caactagccc  tgaaaatgga  tggcgctgga  gcgctcgggc  catacccggc  480
cgtcgccggc  agtcgagagt  ggacgggagc  ggcggggggc  gcgcgcgcgc  gcgccgtgtt  540
ggtgttcgcc  gncttcccag  tgggcaagcg  ccccaacccc  cttccttntt  ggttcctctt  600
nccccaatng  gnaacaa                                617
```

<210> 543

<211> 302

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (134)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (135)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (148)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (156)

<223> n equals a,t,g, or c

<220>



<221> misc feature  
<222> (281)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (282)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (293)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (295)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (299)  
<223> n equals a,t,g, or c

<400> 543  
accacgcgt ccgaaatact taaaatgagg aataagaatg gagatgttac atctggtaga 60  
tgtacattgc taccagatta tggatggact gatctgaaaa tcaacctcaa ctcaaggggtg 120  
gtcagctcaa tggnnacacag agcacggnc tttggnttct ttgcagtact ttgaatttat 180  
ttttctacct atatatgttt tatatgctgc tgggtgctcca ttaaagtttt actctgtgtt 240  
gcaaaaaaaaa aaaaaaaaaa aaaaaaaaaa gggggccccc nntaaggggc ccnantttng 300  
ga 302

<210> 544  
<211> 534  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (99)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (142)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (174)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (252)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (281)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (283)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (290)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (296)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (317)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (318)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (320)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (327)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (332)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (336)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (338)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (348)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (352)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (386)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (393)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (419)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (426)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (436)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (461)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (483)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (493)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (498)  
<223> n equals a,t,g, or c

<400> 544  
gcaaggggaaa gatgaaaaat tataaccaag cataatatag caaggactaa cccctataacc 60  
ttctgcataa tgaattaact agaaataact ttgcaaggna gagccaaagc taagaccccc 120  
gaaaccaaac gagctacctt nnagaacgct aaaagagcac acccgtctat gttingccaaa 180  
tagtggaaaa aatttatagg ttgaaggcga acaaacctac cgacctggta atactgggtt 240  
gttccaaaat anactttaat ttccactttt aattttgccc ncnaaacccn ctaatncccc 300  
tttttaattt actgttnngn toccaanaag gnaacncnct ttgggacnct tngaaaaacc 360  
ttttttaaaa aaattttaaa tttntncccc ttntgggggc cctaaacccc ccccttttna 420  
aaaggntttt tcaccncccc ccccccccg aaaccccccc nttttttttt cccccccccc 480  
ctnggaccct ttncccnnaa aaaaattttt ttttttttta aaaaccccc cccc 534

<210> 545  
<211> 355  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (38)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (43)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (82)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (169)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (247)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (279)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (281)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (299)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (337)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (355)

<223> n equals a,t,g, or c

<400> 545

```
ngcaacagga aagnccagga ggacctctga ggccacgnct ganccttctt ggctggggca 60
aactactctt caagtgggtg cncagtccca gcanggcagt ccgcctctcc ccctgctgag 120
actttaatct ccaccagccc ttaaagtgtc ggccgctctg tgactggant tatgctcttt 180
tgaaatgtca caaggccgcc tcccatctct ggggggtattg ttacaaattc ttcctctccc 240
tgaaatngcc tttcctgctt tcctccgtgg gtaagttcna ncaaatttcc tctagcttnc 300
ctggaaggaa tcactccccc caaggaaacc tcccttnctt tttcctgggg tgtnn 355
```

<210> 546

<211> 269

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (178)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (232)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (252)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (267)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (268)

<223> n equals a,t,g, or c

<400> 546

```
gtttttcatt aagttcctaa gagctgactt ggagatttta ttcccagggc tccactgcta 60
ggattcttct cactagtctt aacaaaatct gtgatgttaa atgactgatg ctctcaattg 120
tgatccagag ttttaaataa atgaaatcaa ggtgggattt tgggaatata tcctgaantt 180
taacatcttg atgttccttc ttgtttgtta aaaaaaaaaa aaaaaactcg angggggggc 240
cgggtacccaa tnccccctaa tagtgannc 269
```

<210> 547

<211> 82

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (38)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (54)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (56)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (63)

<223> n equals a,t,g, or c

<400> 547

ggaaaacatg gaaaaggatc tggaaagtgg gcttgcanan gcttgggacg gaanancctg 60  
atnccggccc tgatgggtcac gg 82

<210> 548

<211> 362

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (284)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (311)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (338)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (360)  
<223> n equals a,t,g, or c

<400> 548  
caatcaccta ttcacttctc atgcacccgg atgctctgga agagcctgat gaccagaacc 60  
gtatttagtc tccattgtct tgcatggga tttgagaaga aaatcagaga gggaagatct 120  
ggtatttcct ggcctaaatt ccccttgggg aggacagggg gatgctgcag ttccaaaaga 180  
gaaggtttct tccagagtca tctacctgag tcctgaagct ccctgtcctg aaagccacag 240  
acaatatggg cccaataaac cgaatgcacc ttctgtgctt ccanccttct ccttgaaatt 300  
caaggggtct nccgtttccc cattcccccc caggccantc caanttatc caaacctgn 360  
tt 362

<210> 549  
<211> 448  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (159)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (239)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (251)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (259)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (281)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature



<222> (284)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (299)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (301)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (319)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (343)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (374)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (396)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (437)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (446)  
<223> n equals a,t,g, or c

<400> 549  
ggatggcagg agagcttgtc attgagcctg gcaatttagc aaactgatgc tgaggatgat 60  
tgagggtgggt ctacctcatc tctgaaaatt ctggaaggaa tggaggagtc tcaacatgtg 120  
tttctgacac aagatccgtg gtttgtactc aaagcccana atccccaagt gcctgctttt 180  
gatgatgtct acagaaaaatg ctggctgact gaacacattt gcccaattcc aggtgtgcnc 240  
agaaaaccga naatattcna aattcccaat ttttttctta ngancaagaa aaaaatgtng 300  
ncctaaaagg ggttaattna aggggttagg gggtatgaaa gancttgatt tggatctctt 360  
tttattttaa tttnaatttc acttttgaca tccaanaaaa actttgttga aatacttctg 420

ttctcaatgt ttgganaaa aatcanc

448

<210> 550

<211> 502

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (25)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (153)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (158)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (207)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (296)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (318)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (327)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (329)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (342)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (381)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (412)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (427)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (463)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (493)  
<223> n equals a,t,g, or c

<400> 550  
aattcggcag agnaaaccat ttacncaaat aaagtatagg cgatagaaat tgaaacctgg 60  
cgcaatagat atagtaccgc aaggagaaga tgaaaaatta taaccaagca taatatagca 120  
aggacttaac ccctatacct tctggcataa tgnaattnaa ctaggaaatg aactttgcaa 180  
gggggagcca aagcttaaga cccccgnaaa ccagacggag cttaccttaa ggaacagctt 240  
aaaagaggca caccgcgtctt atgtaggcaa aatagtgggg aagggtttttt aggttngagg 300  
cggaccaaac cttaccngg cctggtngnt agcttggttg tnccaggta ggatctttta 360  
gtttccaact ttaaattttg ncccacagga acccttttaa atccccttgt tnaattttta 420  
ccgtttngtc ccagggggg accagttttt tggccattgg ggnaaaacct tttggggggg 480  
gttaaaaatt ttnccccct gg 502

<210> 551  
<211> 119  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (35)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (57)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (98)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (104)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (107)  
<223> n equals a,t,g, or c

<400> 551  
aaaaaggaaa ttaagagaag gtagaaatTT aaatntTTTta atgaaaataa tgctttTnaat 60  
cattaaaaca ggatatgaat actccaatcc tttttaanat tatnacngtt ttcaaaaatt 119

<210> 552  
<211> 396  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (209)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (357)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (370)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (373)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (379)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (389)  
<223> n equals a,t,g, or c

<400> 552  
gtagtaaatt gaaacctggc gcaatagata tagtaccgca agggaaagat gaaaaattat 60  
aaccaagcat aatatagcaa ggactaacc ctataccttc tgcataatga attaactaga 120  
aataactttg caaggagagc caaagctaag acccccgaaa ccagacgagc tacctaagaa 180  
acagctaaaa gagcacaccc gtctatgtng caaaatagtg ggaagattta taggttgagg 240  
cgacaaacct accgagcctg gtgatagctg gttgtccaag ataaatctta gttcaacttt 300  
aatttgccca cagaacctct aatccccttg ttaatttact gtttgtccaa agaagancac 360  
tctttggacn ctnggaaanc cttgtaaana aattaa 396

<210> 553  
<211> 253  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (96)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (100)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (203)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (216)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (218)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (221)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (230)

<223> n equals a,t,g, or c

<400> 553

```
gaanatcgaa aggagaaaaa aagccgagat gtagtctcta agaaagagga acgtaagcgt 60
acaaaaaaga aaaggaacaa agccaagaaa ggacanagan gaaatgcttt gggaccagtc 120
tattcttggga ttttgaactt tcaaattggt tctcccaagt taaattgaaa aatagtgaga 180
cttggtttta tgaatcgtgt tcntacactt tottantnat nggtcctttt ctcctaccaa 240
ggctattaac aat                                     253
```

<210> 554

<211> 431

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (277)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (306)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (354)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (383)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (395)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (399)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (417)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (430)

<223> n equals a,t,g, or c

<400> 554

```
gccccaaaccc actccacett actaccagac aaccttagcc aaaccattta cccaaataaa 60
gtataggcga tagaaattga aacctggcgc aatagatata gtaccgcaag ggaaagatga 120
aaaattataa ccaagcataa tatagcaagg actaaccctt ataccttctg cataatgaat 180
taactagaaa taactttgca aggagagcca aagctaagac ccccgaaacc agacgagcta 240
cctaagaaca gctaaaagag cacaccgctc tatgttngca aaatagtggg aaaaatttat 300
aggttngaag cgacaaacct acgagcctgg tgatactggg tgttcccaga atanaatctt 360
agtttcactt ttaattttgg ccncagaacc ccctnaatnc ccttggttaa tttactnttt 420
agttccaaan a 431
```

<210> 555

<211> 489

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (24)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (97)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (109)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (113)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (127)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (137)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (138)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (163)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (164)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (179)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (184)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (186)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (198)

<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (232)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (246)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (276)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (322)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (332)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (346)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (350)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (368)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (382)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (411)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (413)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (459)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (486)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (488)  
<223> n equals a,t,g, or c

<400> 555  
gaccactcc acntgcnaaa gctnaaacta ctctgctttc tcaattacct acacttttga 60  
cttaccacat acatctctct ctccggatat gagctgnaaa ctccttatnt cancgctcta 120  
actctgnagt cctaattntt ctagttggac caaaaaaat ccnnattgtt tgatctaang 180  
agangnaatt taccaatnct gtatacgcac gtgtgtgtgt cgcttaaacg anctgtccgg 240  
ttatanaaaa tcctgatcgt cataaatcat gtctanacat catgtaatga attgcacgat 300  
ttaatattgt ccctattagc antcaactaca anctatttct caaatntacn tatttctccg 360  
taaacaanca ttacagtactc cntcggatct ctaaaaatcc tctatgatct ntncacatca 420  
ctgataaaga ccaattcgta tatacatgac tgccttanc acatattcac tatcagtaga 480  
aaagcnanc 489

<210> 556  
<211> 77  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (13)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (26)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (66)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (75)

<223> n equals a,t,g, or c

<400> 556

ggaaaatatt atncagtaaa caatantgtg tgaactttta aaatggataa tagggcatgg 60  
actgantgct gctanct 77

<210> 557

<211> 506

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (221)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (228)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (270)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (286)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (293)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (294)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (333)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (339)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (343)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (350)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (369)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (402)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (466)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (471)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (480)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (482)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (501)  
<223> n equals a,t,g, or c

<400> 557  
gcccaactcca ccttactacc agacaacctt agccaaacca tttacccaaa taaagtatag 60  
gcgatagaaa ttgaaacctg gcgcaataga tatagtaccg cagggaaaga tgaaaaatta 120

taaccaagca taatatagca aggactaacc cctatacctt ctgcataatg aattaactag 180  
aaataacttt gcaaggagag ccaaagctaa gacccccgaa nccagacnag ctaccttaga 240  
acagcttaaa gagcacaccc gtctatgttn caaaatagtg ggaaanattt atnngttgaa 300  
gcgacaaaacc taccgacctg gtgatactgg ttntccaana tanatcttan ttcactttaa 360  
tttgccacng aacctcttaa tcccttggtta atttactgtt antccaaaaa agacactctt 420  
tggacctagg aaaaaacctt tttaaaaaat taaaaattta caccntttt nggctaaaaan 480  
cngcccccat tttaaaaaag nttcaa 506

<210> 558  
<211> 298  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (65)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (150)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (166)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (252)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (263)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (269)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (286)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (291)

<223> n equals a,t,g, or c

<400> 558

```
gtattatcaa taacaataaa aataaagcaa atacattaga cattaccctc ccatcagggtg 60
cacanaagaa agtcaaggct ggaatttcat tctcttatct aaatctctct gttctctctc 120
agggaatatt ttcagagaaat aggtggaatn aagtgaggct gtgganaatg ttatctataa 180
taggatagac tttcttctgt gcacctgatg ggagggtaat gtctaatagt ttatcagtaa 240
cagtaaaaat anagcaaata ccngaaaant aaataagggg gggccnttct naaaaatc 298
```

<210> 559

<211> 295

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (29)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (51)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (76)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (109)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (128)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (177)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (183)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (186)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (187)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (201)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (234)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (276)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (286)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (290)  
<223> n equals a,t,g, or c

<400> 559  
acaaagtgan cggctctgna agtcccggnc cggaaattcc cgggtcgacc ngaaccgtcc 60  
ggataaatac tgtcantcca ttgatttata tcctcctgtc ccccatctna aatacccatg 120  
ctgcttttct gagtggtgat ggggggttacc atcttgatcc actgttgctc ttagaangcc 180  
canaanntct ttgggcattg ncaaggaaat cccggattat ctggaaaacc ctncctttct 240  
cttcacggct gtaccagaaa atccctaaga cagatnttgc ggtggncgan caata 295

<210> 560

<211> 371  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (41)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (45)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (114)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (127)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (161)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (265)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (299)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (311)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature



<222> (341)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (350)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (360)  
<223> n equals a,t,g, or c

<400> 560  
gctnttttct gccgccaaagc gcccgggcgc gcgcccggccg ncgcnaccgc ctccggggac 60  
agtgccagggt ggggagtttg actggggcgg tacacctgtc aaacggtaac gcanagtgtcc 120  
taaggcnagc tcagggagga cagaaacctc ccgtggagca naagggcaaa agctcgcttg 180  
atcttgattt tcagtacgaa tacaagaccg tgaaagcggg gcctcacgat ccttctgacc 240  
ttttgggttt taagcaggag gtgtnagaaa agttaccaca gggataactg gcttgtggng 300  
gccaaagcgta natagcgacg tcctttttga tccttcgatg ncggctcttn ctatcattgn 360  
gaagcataat t 371

<210> 561  
<211> 205  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (35)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (67)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (186)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (193)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (200)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (201)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (202)  
<223> n equals a,t,g, or c

<400> 561  
tnaaagcccc cgcgaggggc ccggggcggg gtcenntaaa cctgcggggc gccggtgaaa 60  
taccacnact ctgacgcgtt ttctactgac ccggtgaggg gggggggcga gccccgaggg 120  
gctctcgctt ctggcgccaa gcgccgggc gcgcgccggc cgggcgcgac ccgctccggg 180  
gacagngcca ggnggggagn nngac 205

<210> 562  
<211> 580  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (19)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (108)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (114)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (131)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature.  
<222> (383)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (386)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (448)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (480)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (511)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (515)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (542)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (561)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (569)  
<223> n equals a,t,g, or c

<400> 562  
ttnngactat agtttttagnt nanaccctg caggtaccgg tccggaattc ccgggtcgac 60  
ccacgcgtcc gcccatTTTT ccggttgata atgcaataga taatgggnaa gaanttcaag 120  
ttgcattgcc natcttaatg gcagcttatg caatggcgga agcgtttatg tcaacaggag 180  
ttggagcttc tcttatccta attgcattaa aagtaggaat tactgctaaa actgttgca 240  
ttataggagc tattgtcaca tcaatattat caatagcaac tgggacaagt tggggaacat 300  
ttgcagcctg tgcacctatt tttttatggc taaatcatat agttggcgga aatattttat 360  
ttgacaacaa gcagctattg cangangagc atgttttgga agataatata ggactatttc 420  
agatactaca atagtaaagt ctggtatnca aaaaagtttg aaagttgtaa gaaagaattn 480  
gacaccaag gtggtatggg caagcattag ntttnataat tcaaggaatt aataggcatt 540  
tncttaatgg gtgggattta ncaatgggna ttttaaccctt 580

<210> 563  
<211> 198  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (39)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (78)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (91)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (130)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (132)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (164)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (173)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (197)  
<223> n equals a,t,g, or c

<400> 563  
gngngcccta ggcctcgccg tgcccggccg gctcctcgng tcccactccc ggcgcacgcc 60  
ctcccgcgag tcccgggncc ctcccgcgcc nctatactcg gcgcgcgcgc agcatggcgc 120  
ccccgcaggn cntcacgttc gggcttctga ttgccgcggc gacngcgact ttngccgcag 180  
ctcaggaaga atggagna 198

<210> 564  
<211> 176  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (36)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (70)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (104)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (121)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (133)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (139)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (144)  
<223> n equals a,t,g, or c

<400> 564  
caactgnagc tcattctgtt anagntcctc attcanctgg tcactgtgga cagaggggtgt 60  
tggcctgctn ccttctaagt attcttaaag ccatggattt ttgnggacca ttttcttctg 120  
ntcttccttg agntatttnc tttntttgct atcttgggac tcttctttgt gcttga 176

<210> 565  
<211> 264  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (47)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (139)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (246)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (254)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (255)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (257)  
<223> n equals a,t,g, or c

<400> 565  
gcangtattc tacctaaatc ttncaattn ctttaaattg taagagnttc taaaacagac 60  
aataatttaa caagctcagc tctgctttat ctgagtttag tggcctaata atatatgtag 120  
agaaagatgg tggggttgnt cacctctgta cagaccatct gtatgtagg tgacattgat 180  
tatgggttat aatcagggaa actaattgga ttttagtgaca aaaataaaaa gttttttttt 240  
tatganaaaa aannnanggg ggac 264

<210> 566  
<211> 411  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (96)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (101)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (142)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (178)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (206)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (291)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (295)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (335)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (382)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (385)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (387)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (393)  
<223> n equals a,t,g, or c

<400> 566  
nggacattga agccaaacca agccactatc agctggtgag tggaagcagc acggaggact 60  
cgctccatgt tcatgctcag atggcagaga atgaanaaga nggtagtggn ggcggaggca 120  
gtgaagagga tccccctgc anacacccaaa gctgtgaaca gaaagactgc ctggccanca 180  
aaccttgga catcagcctg gccancctg aaagcatccg cagtgcacta gagagttctt 240  
gatgcacagt ctgacgatgt gccagacatc accttcagaa tgaaatgtgg nttcnccgc 300  
tcccatactg cagcctgccc ctgcaccccc agagnccaag gtgcaccgag cccaagtgcc 360  
catatgaacc tctctgccc anccnangga canactgtct tgaagccaga a 411

<210> 567  
<211> 208  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (28)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (194)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (201)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (202)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (206)  
<223> n equals a,t,g, or c

<400> 567  
ggggaaaggg acctttccga aaaacatntt ttggggaaat aaaaatgtgg actgtgaaaa 60  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 120  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 180  
nggggggcct tttnaaaaaa nnaaantt 208

<210> 568  
<211> 322  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (191)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (204)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (291)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (300)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (306)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (320)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (321)  
<223> n equals a,t,g, or c

<400> 568  
ncttggtcta ncctggctgc tcagaaagag cagtcaggac ttgaggggaag catcaaattc 60  
tatacccata aactgcagtt ggaagtcagc tttttgaaat gtccagcctt tgcccaattg 120  
tttcagatca tctcattcct caggcttttg cagggtatcct gccctccatc ttattccagt 180  
gtgttcacct natcaaggca gcanagtggg tgaaggagta agtctgccct ttgccatact 240  
gaacagctgt ggaccccgat tggtagagggc tctgcatatg cctgtatgaa ngagatacan 300  
gtgtgngtgc acatgccggn nt 322

<210> 569  
<211> 594  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (285)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (487)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (499)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (541)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (575)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (588)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (591)  
<223> n equals a,t,g, or c

<400> 569  
gggaacccga tcctaattca gagaatattg ctgcaatctc tcagtcttca gtgggttcag 60  
acttgtttgt atttaaacct agtgagccaa ggccattgta tattcaaaag ggtatctcca 120  
gagagaaagt ccagtgggga gtgtttgttc cacgagatgt ccctgaatcc ttcacctcag 180  
aagcttacca gtggctaaat agatcccagt ttacttcct aacaaaatca cagagtttat 240  
tgacattcag tacaaagtct ccagaagaaa aactcacacc aacanagcaa acagctgcta 300  
gcagaagaaa gtcttccccc aaccccattt tatttcatat tgggaaaaca caggcaacag 360  
caggatgaaa aactaaacga aactttagag aatgagctgg tacaactacc cttaacagaa 420  
aacatacccg caattagtga gcttcttcac actccaccca tgcctgcca tctgctgctt 480  
tcctgtntc catgtttgna aattcattgc tgetgtctaa aggagactaa gaagtgctaa 540  
ngaaattcct gaaaaatgta gatatgggaa gaagnaaaac ggaaagttaa natt 594

<210> 570  
<211> 310  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (274)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (286)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (288)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (290)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (305)

<223> n equals a,t,g, or c

<400> 570

```
gcggacgcgt gggaaataat tgcattaaaa+ tacaaaaggt gatagggaag aattaaaaga 60
tttgacgtat tgtacacaaa agctaataat tttgtgtact ttttatttat tttggagggt 120
ttatatgata ttcaattgag tattaataaa tttgcctaga ttaagcctaa aatgatgacc 180
agctaattaa agaagatatt ttgaatctgg ttctgagcta aagttgagta aattcttagc 240
taagaaaaaa ttggaaatcc atcatctata ttanacaacag attctnanan taaattggta 300
acttntatga                                     310
```

<210> 571

<211> 109

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (46)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (64)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (94)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (97)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (108)

<223> n equals a,t,g, or c

<400> 571

```
gggcggttgc ggtagtgga ccgggaccgg taggggtgct gttganatta tgggtgaccc 60
```

ctanccccgg taccctgaat gatagatcga ggangannta actatagna

109

<210> 572

<211> 429

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (295)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (322)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (374)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (392)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (399)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (419)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (420)

<223> n equals a,t,g, or c

<400> 572

gtgtatttta caattttttt aaaggaaaat taaaatatg aaatgtttgt tttgtcttaa 60  
cagggtatcc cttctccctc ccttgtcagc cttccttcct tctttgaaag gagaagtcac 120  
acgttaagta gatctacaac tcatttgata tgaagcgta ccaaaatcct aaattataga 180  
aatgtataga cacctcatac tcaaataaga aactgactta aatggactct gtaattagca 240  
cttggtgaaa gctggaagga agataaataa cactaaacta tgctatttga ttttncttct 300  
tgaaagagta aggtttacct gntacatttt caagttaatt catgtaaaaa atgatataga 360  
ttttgatgta attnatctct tgatcgaatc tngcattcna aaggccaata atttaaagnn 420  
ggctatcaa 429

<210> 573  
<211> 202  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (45)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (152)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (158)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (173)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (189)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (194)  
<223> n equals a,t,g, or c

<400> 573  
gggctggggc tgaccgagga ggtggagggt ggnagaggct ggggntgata aatctattga 60  
ttgattgtga tagtaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 120  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa anaaaaanaa aaaaaaaaaa aaaaaaaaaa 180  
aaaaaaaaana aatntaatat gc 202

<210> 574  
<211> 229  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (53)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (148)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (163)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (172)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (191)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (220)  
<223> n equals a,t,g, or c

<400> 574  
gcccacgcgt ccgtctagat cgcgagcggn cgcccttttt tttttttttt canaagagct 60  
acattgtgtc antggacatt tttaaaaact gtgattttta ataatgtcca atgactgcaa 120  
gtcggcctgg attttcactt gcaaaggnta cagctgcatt gtnaggtctc cnagccctgc 180  
agagagctcc ntccactggt tagcagtgtg ttgtgttttn cattcattt 229

<210> 575  
<211> 260  
<212> DNA  
<213> Homo sapiens



<220>  
<221> misc feature  
<222> (196)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (217)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (250)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (257)  
<223> n equals a,t,g, or c

<400> 575  
gaaaagctta aagaaggttt tactgatcca gatgttggtc agagacttcg agccttgagg 60  
gttcttggtg ctgatgttgg tgaaggtgtg cgcggggatc agtaaaagct taaagaaggt 120  
tttcacaggt cactgggctg tggtagagaga aggcctcacg aacccttgga ttccggataa 180  
ctgggtcttgg ggcggngtgg cttctgaaca ctgcnantgc taccgagttc tacactgaaa 240  
aggactggan caagaangac 260

<210> 576  
<211> 263  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (208)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (212)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (233)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (251)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (255)

<223> n equals a,t,g, or c

<400> 576

```
ggttttgtcc ttgtgttagg cagtctgagc agcgagtgat ccagagcgca gccaaacaaag 60
cagcagatag cagtgtacag aaagcaaaaa aggaactgta tgtgaggcac ttgtttctgt 120
taatatccat attcctgtta acacacaccc tttctcatgt aaaaagaaaa ataaataaat 180
ggtctgaact ttgaaaactt tgtgctgnta ancatagatt ttggagacaa atnaatagat 240
gctatgctgt ntcantttca tag 263
```

<210> 577

<211> 366

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (361)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (364)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (365)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (366)

<223> n equals a,t,g, or c

<400> 577

```
gaggaaacac tgtctatgat aggatttcca aaagtatttg tggacagtta aatgctaatt 60
```

aatatacatc ttagtattatt ctacattttc ttgaaatttg ggaggttaat accaagtatt 120  
catttcacga tgtaaagaaa ctgaacagtg aagtggcttg attgcttaaa ctattgactt 180  
ggtaagtcta ctgtatataa catctaatat atatattaca ggccaaatga actaaacatt 240  
gccttgctat attcaccaaa aggacttaat tcttggtttt tcccagttt tatatanagg 300  
aaacactatg ataggatttc ctaaagtatt tgtggacagt taaatgctaa ttatatacat 360  
ntgnnn 366

<210> 578

<211> 595

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (158)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (212)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (376)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (414)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (419)

<223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (483)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (564)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (565)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (570)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (572)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (576)  
 <223> n equals a,t,g, or c

<400> 578  
 ggannngctgg attnggccca ggcaaagacc agcaggaaga agaaatttgg gaaaaaaaaac 60  
 aaggaccagg gaggtgagta ctgagggcca gggaàgagga gtaggggtgt ctcaggggtga 120  
 tctctggccc accgccttgg ccccttctcc caggtctnac ccaggcacag tacattgact 180  
 gcttccagaa gatcaagtac agcttcaacc tncctggtagg tggctcccca caagttcacc 240  
 aggcctctcc tcttccccct cctccccagt aatcctctgc tgtctggact caaccatccc 300  
 aagccttttt cttcttcac c tactccccct agaacctccc cttccctctt gggacttttg 360  
 ggaagtgccca gccttncagc caaggcataa aacaattatg gtgacctggt gaanatggng 420  
 tgggtgtgaag ggtggtgaca ggcattgctc tttgtcccca agggaaaggc tggcccacct 480  
 ggnttgaagg agacaagtgc cccctgagct cgtacacatt cctctttaag tcccttgaac 540  
 tttcgtgaag ttaagggacg acannggtgn tnaaanacgg acaggcttga agtca 595

<210> 579  
 <211> 132  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (64)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (79)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (110)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (115)

<223> n equals a,t,g, or c

<400> 579

cnaccttcta agagatntaa tgggtcacta tgtgtgggta ttctacatta agcctacaac 60  
attnttcagg gttgganana tgaactaata ctgggtgaaaa ttaccta an acctnggta 120  
tcaaaaaacat ct 132

<210> 580

<211> 558

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (42)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (236)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (269)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (353)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (370)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (374)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (410)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (411)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (428)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (507)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (529)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (543)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (547)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (553)  
<223> n equals a,t,g, or c

<400> 580  
ntcggaaatna acctcactt aagggaaacaa aagctggagg angcgcgccct gcagggtcgac 60  
actagtggat ccaaagaatt cggcacgagg ccgcgttgac cactggcgtc tcgctggtgg 120  
tcttcgagac cggcggttggg tgaaaatcgc ccccggtttt ggccgtggcc gcgggtgaga 180  
ttcggcgccc agagcccccg ggggcctcag ctcaccgcgc gctgccccat gtgcgncggt 240  
gaaaccacagg ccccgacagg cgctgccgnc ttcccccccg ggtgcgggttc gttcgcgagg 300  
tgttggcccc tgattccttg accccgattg cagaccctta accttgttct ttnttccgca 360  
gacaatggtn cttncaccag gctgtacaac cgacggtcgg ccaaggaccn nggggttttg 420  
gggggaantt tgggtttttcc caagggtttt caaattaaag ttgtttttgt tttaaaaaaa 480  
aaaaaaaaaa aaaaattggg ggggtanttt ttgggggggg cccgggggnc ccatggtttt 540  
ttncaanccg ggnnggggt 558

<210> 581  
<211> 120  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (62)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (65)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (70)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (99)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (103)  
<223> n equals a,t,g, or c

<400> 581  
ggggaccg ccgaattccc gggtcgacca cgcgccgca cgattggaag aagaagcttt 60  
tnccnttggn ctaattcgca ctttcctcac gaggaatna aantagggca aaaaccaaac 120

<210> 582  
<211> 260  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (211)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (240)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (245)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (259)  
<223> n equals a,t,g, or c

<220>



<221> misc feature  
<222> (260)  
<223> n equals a,t,g, or c

<400> 582  
ggcanagctc agaatgctta tttccaatta aaacgcctac agctgcctcc tagaatatag 60  
actgtctgta ttattattca cctataatta gtcattatga atgctttaa gctgtacttg 120  
catttcaaag cttattaaga tataaatgga gattttaaag tagaaataaa tatgtattcc 180  
atgtttttta aaaaaaaaaa aaaaaaaaaa nccccggggg gggccccggt cccatttgn 240  
cccantgggg ggccgtttnn 260

<210> 583  
<211> 469  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (162)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (460)  
<223> n equals a,t,g, or c

<400> 583  
gggaggcccc cggcgcccc cgggtgtccc cgcgaggggc cggggcgggg gtccgccggc 60  
cctgcggggc gccggtgaaa taccactact ctgatcgttt tttcactgac ccggtgaggc 120  
ggggggggcga gccccgagg gctctcgctt ctggcgccaa gngcccggcc gcgcgccggc 180  
cgggcgcgac ccgctccggg gacagtgcc a ggtggggagt ttgactgggg cggtagacct 240  
gtcaaacggt aacgcagggt tcctaaggcg agctcaggga ggacagaaac ctcccgtgga 300  
gcagaagggc aaaagctcgc ttgatcttga ttttcagtac gaatacagac cgtgaaagcg 360  
gggcctcacg atccttctga ccttttgggt tttaagcagg aggtgtcaga aaagttacca 420  
canggataac tggcttgtgg cggccaaacg ttatagcgan gtcgctttt 469

<210> 584  
<211> 361  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (265)

<223> n equals a,t,g, or c

<400> 584

```
ggttagtttt accctactga tgatgtgttg ttgccatggt aatcctgctc agtacgagaa 60
gaaccgcagt tcagacattt ggtgtatgtg cttggctgag gagccaatgg ggcgaactac 120
catctgtggg attatgactg aacgcctcta agtcagaatc ccgcccaggc ggaacgatac 180
ggcagcgccg cggagcctcg gttggcctcg gatagccggt ccccgccctg tccccgccgg 240
cggggccgcc ccncctccac gcgcncgcgc cgcgcgggag ggcgcgtgcc ccgccgcgcg 300
ccgggaccgg ggtccggtgc ggagtgccct tcgtcctggg aaacggggcg cggccggaaa 360
g                                     361
```

<210> 585

<211> 482

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (32)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (148)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (165)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (169)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (176)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (203)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (207)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (224)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (236)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (275)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (319)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (363)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (370)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (380)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (405)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (426)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (441)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (445)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (450)

<223> n equals a,t,g, or c

<400> 585

```
ggtacctaac aaacccacag gtcctaaact ancaaacctg cattaaaaat ttcggttggg 60
gcgacctcgg agcagaaccc aacctccgag cagtacatgc taagacttca ccagtcaaag 120
cgaactacta tactcaattg atccaatnac ttgaccaacg gaacnagtna ccctanggat 180
aacagcgcaa tcctattcta tantccntat caacaatagg gttnacgacc tcgatnttgg 240
atcaggacat cccgatgggt cagccgctat aaaangttcg tttgttcaac cattaaagtc 300
ctacgtgatc tgaattcana ccggagtaat ccaggtcggg ttctatctac ttcaaattcc 360
tcnctgtacn acaggacatn aagatataag gcctacttct caaanccgct tcccccgtaa 420
atgatntcat ctcaacttaa ntatnatacn cacaccctcc caataaaaagg gtctgttggg 480
tt                                     482
```

<210> 586

<211> 492

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (79)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (447)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (458)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (463)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (480)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (491)

<223> n equals a,t,g, or c

<400> 586

```
ccganttcta nattnaggna cacctgccgg taccgggtcc ggaattcccg ggtcgaccca 60
cgctcccggt cttttccent tccccccccc cagcctcct cccctcctcc cgtccacgcc 120
cgctccccg cccccggagc ccgcgggacg ctacgcccg acgagtagga gggccgctgc 180
ggtgagcctt gaagcctagg gcgcggggccc ggggtggagcc gccgcagggtg cagatcttgg 240
tggtagtagc aaatattcaa acgagaactt tgaaggccga agtggagaag ggttccatgt 300
gaacagcagt tgaacatggg tcagtcgggtc ctgagagatg ggcgagcgcc gttccgaagg 360
gacggggcgt ggccctccgtt gccctcggcc gatcgaaagg gagtcgggtt cagatccccg 420
aatccggagt ggcggagatg gcgccgngag gcgtcagngc ggnaacgcga ccgatcccg 480
agaagccccg ng 492
```

<210> 587

<211> 248

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (65)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (122)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (124)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (205)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (210)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (211)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (220)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (242)

<223> n equals a,t,g, or c

<400> 587

```
ccacgcgtcc ggtaacaac aagaaagggtg taattagaat tgggatgtgg atattttactg 60
tatgnacaac acattttacag ttctgtaatg caaggatgca gtttaaaaat gtgaagtagt 120
gnanggtttt tgaaaataag ctttaaaata tagggatctt gaaaggcccc cgggggtact 180
atatttataac ttagaataaa tgggnaatcn naactgtgtn tttggtaaata taatttttta 240
antattttt                                     248
```

<210> 588

<211> 653

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (475)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (510)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (544)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (575)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (578)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (604)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (626)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (653)

<223> n equals a,t,g, or c

<400> 588

```
nnncttccta ntggaaattc ccgngacact attgaaggta cgcctgcagg taccgggtccg 60
gaattcccgg gtcgaccacac gcgtccgagg acgcgtgggg actgcttaga aatatagctg 120
aagtgatcac cacagccata aaattgttta agaaagattt atataatggt taaaaatctg 180
gaatcaagga ttttagctga aatcctttaa gagatattag agcaagtatt taattcaggt 240
attttcaagt tttaaaactt aacctgttta cctactaaaa ataaaatagc tagttttttt 300
ctgcatataa aagttcattg aaatgatatg cccttatttg caatactttt cccataaagt 360
tttaagtgtg aaagaattgt aatttactag atatgtttgg tatgggatat tttgttaggc 420
aagttttctt ttttcttctt aaattgcaat aggcttccaa aaagagtata attgnttcag 480
aacaaattaa ctcttggcac tatacgtctn ctttttctt tacagtatta gtaaaatgaa 540
aaantggaca cttcttgatt taacttcact aatgnaanta ctctctcaag gaagctttta 600
aaanttaaat taccatcaca caaccntttt atagtaaggc aacatttggt ttn 653
```

<210> 589

<211> 625

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (364)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (375)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (398)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (400)

<223> n equals a,t,g, or c

<220>



<221> misc feature  
<222> (521)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (522)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (525)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (560)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (562)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (563)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (603)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (618)  
<223> n equals a,t,g, or c

<400> 589  
gcngaaacct cccgtggagc agaagggcaa aagctcgctt gatcttgatt ttcagtacga 60  
atacagaccg tgaaagcggg gcctcacgat ccttctgacc ttttgggttt taagcaggag 120  
gtgtcagaaa agttaccaca gggataactg gcttgcgggc gccaagcgtt catagcgacg 180  
tcgctttttg atccttcgat gtcggctctt cctatcattg tgaagcagaa ttcaccaagc 240  
gttggttggt tcaccacac gagccctgtg cttttggtgt aaataatgta caatttggtg 300  
atgtcattga atctagagga ctttcccctt tttatatattg tattaacttt aacttattaa 360  
aaanaaaaaa agaanaagaa aaacaattta taaaaaan anaaaaagcaac caacccaac 420  
aacaataaag aatgggttgg tattggagaa gggatgggtc gttaagcctg ctggcacacg 480  
acggaatgga tctgggccg gggaccactt tcatactacg nnctnatctt tggataccca 540  
gggaggggca accgtttcgn tnngggctgt acccagaagg tggaacggag tttggacaga 600  
ctntccatta ggcgtggntc tttat 625

<210> 590  
<211> 365  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (71)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (177)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (205)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (264)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (300)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (305)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (341)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (346)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (349)  
<223> n equals a,t,g, or c

<400> 590  
ggcagagttt tcaaaaccaa gtgcacaaac gtttattaag catttaggaa atattatgta 60  
aagaacctct natecttgca tgccaggcac tctttcaatc acttcagtga ccatttttcc 120  
aaaattctga aacatccaca cttagggttt tctttgaatt tgggggtgcc ctccccncac 180  
ccggcagcct tctgtgtcag ggggntacgg tcttgatata gacaccattt tttggacctt 240  
ggggcagttt tgggattcta gctncagggg tacctgggtc ttaagggcaa ggtttgggan 300  
ccggnacttt ttgcaaaacg tgggggcagt ttcaattttg nccctnaang aggccctaga 360  
cgga 365

<210> 591  
<211> 65  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (48)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (53)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (55)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (56)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (57)  
<223> n equals a,t,g, or c

<400> 591  
gccctatagt gagtcgtatt acaattcact ggccgctcgtt ttacaacntc gtnannngga 60  
aaacc 65

<210> 592  
<211> 269  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (96)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (123)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (127)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (129)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (132)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (134)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (138)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (152)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (161)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (198)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (212)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (221)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (234)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (252)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (256)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (267)  
<223> n equals a,t,g, or c

<400> 592  
ggcagagngt gaaggctaga cccggttnac tgggaattccc ctggcgatca aggggtccta 60  
gtacaccgca atcatgtcta taatgtccta taacgnaggg gccgtaatgg ccatgaaagg 120  
ggnaagnanc tntntggncc atcgtgcag anaggcgctt ngggaatcca ggcccagaat 180  
ggtgaaccac gggacttnca gaaagatctt tncccatggg ntgaaccggt tgtnaatggg 240  
tttgggccgg gnttgncaat taaggtnc 269

<210> 593  
<211> 307  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (160)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (172)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (267)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (268)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (278)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (282)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (302)

<223> n equals a,t,g, or c

<400> 593

ggcagagnag cattctctaa ctctacccca ccctacaaaa tgcatatgga ggtaggctga 60  
aaagaatgta atttttatatt tctgaaatac agatttgagc tatcagacca acaaacccttc 120  
cccctggaaa agtgagcagc aacgtaaaaa cgtatgtgan agcctctctt gnaatttcta 180  
gttagcaatc ttaaggctct ttaagggttt ctccaatatt aaaaaatc accaaagaag 240  
tcctgctatg ttaaaaacaa acaacannaa acaaacanca gnaaaaaatt taaaaaaaaa 300  
ancgggg 307

<210> 594

<211> 128

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature  
<222> (48)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (123)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<400> 594  
tatccacact gtcaaacagg ttggtgtggg ttcattggca ttctttgnaa tactgcttaa 60  
ttgctgatac cntatgaatg aaacatgggc tgnattact gcaatcactg tgcctatcgg 120  
canntaat 128

<210> 595  
<211> 598  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (214)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (234)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (236)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (252)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (279)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (303)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (306)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (328)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (361)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (367)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (391)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (407)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (426)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (552)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (560)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (562)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (591)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (593)

<223> n equals a,t,g, or c

<400> 595

```
gtgggtttttg gctcttttcag agaggtctcag ggttctttcc atgcagactc ctcagatctg 60
aacacagttt agtgctttac atgctgtgct ctttgaagag atttcaacaa gaatattgta 120
tggttaaagca tcagagatgg taatctacag ctcacctctg aaggcaaata taagctggga 180
aaaaagtttt gatgaaattc ttgaagttca tggngatcag tgcaattgac cttntncctc 240
actcctgccg gntgaaaatg gattttttaa ttatactgna gctgatgaaa ctcctgattt 300
tgnagntaat ttattaagtc tgggatgnag aacttcaaga agtaagagct aagttctaag 360
ntcatgnttg gaaattaata cttnatttgg ngctgggcta ttttganttt ggggggggaat 420
cagcantatt cttcagaagg ggacctgggt tcttcaaggg aaagaaacac tcttattcca 480
aactacagaa taatggggta aacatgctaa ataggtctat aaggaaacca aatactggat 540
tatctcggag gntattggtn anaaggcct tgggtaaaaa taagggtaaa nanaaagg 598
```

<210> 596

<211> 465

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (423)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (438)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (465)

<223> n equals a,t,g, or c

<400> 596

```
gaaaaaaaaat ncattgtaaa taacctcagc tgggatgagg agtgacagaa tatcaaaata 60
at ttgtggct gtggattttt ttaactgcta gtagtggaat actggaaaag cttcatttct 120
gaagatgaat ttatttttta aaaaatacat gcacactcaa aacttttagc ttgatcaca 180
agtggaacaaa ttcttgaaac caaaggcaac taagttgctg tgtagctct tgctggattt 240
tgagcctagg tcctactgtc tgccagtact catgtgagtt gtatgtgccc ccagtgtctac 300
atacgcaggt atgcgtaagt gtgtatgctt gttttaaaca aacactcaac gtacatatgt 360
acataatcta cacatatatta tatcacatat ctacttttat tactatagac tatacgaatt 420
ggnggtaaca tgaaatgnta ccttttacag actgttttta aaaaan 465
```

<210> 597

<211> 320

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (98)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (104)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (105)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (123)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (132)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (147)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (159)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (175)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (187)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (236)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (240)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (259)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (313)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (319)

<223> n equals a,t,g, or c

<400> 597

```
gcacgagcat accttctggt tgcttcaaac ctgacaccgt ccctnagtga atacgtacag 60
ccaaaaagga ccaactggct tctgtgcact agcctgtnaa ttannttgct tagtatggtt 120
ctnagatcctt gnacagtata tttaaancctg taaatatgnt tgtgccttaa aaggngagaa 180
gaaagtntag atagttaaaa gactgcagct gctggaagtt ctgagccggg caagtngtgn 240
ggggctggtg ggacacttnc ttgtggggcc cggggtaatc agggcagcct ttcatagggc 300
ggggtccatg tgntggcant                                     320
```

<210> 598

<211> 688

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (343)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (471)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (507)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (582)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (584)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (604)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (637)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (642)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (650)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (673)  
<223> n equals a,t,g, or c

<400> 598  
gcccaaacc actccacctt actaccagac aaccttagcc aaaccattta cccaaataaa 60  
gtataggcga tagaaattga aacctggcgc aatagatata gtaccgcaag ggaaagatga 120  
aaaattataa ccaagcataa tatagcaagg actaaccctt ataccttctg cataatgaat 180  
taactagaaa taactttgca aggagagcca aagctaagac ccccgaaacc agacgagcta 240  
cctaagaaca gctaaaagag cacaccctgc tatgtagcaa aatagtggga agatttatag 300  
gtagaggcga caaacctacc gagcctgggtg atagctgggt gtncaagata gaatcttagt 360  
tcaactttta atttgcccac agaaccctct aaatcccctt gtaaatttaa ctgttagtcc 420  
aaagaggaac agctcttttg aactaggaa aaaacctttg tagagagagt naaaaattta 480  
acaccccata gtaggcctaa aagcagncac caattaaaga aagcggtcaa gcttcaacac 540  
ccacttccta aaaaattcca aacatataac tggaacttcc tnanacccaa ttgggaccaa 600  
ttntcaccct ctattagaaa gaaactaatg gttagtntta angtaaccan tgaaaaacat 660  
tttctcttcc ggnattaaag ccctggcg 688

<210> 599  
<211> 748  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (543)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (613)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (657)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (707)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (727)

<223> n equals a,t,g, or c

<400> 599

```
gctccacctt actaccagac aaccttagcc aaaccattta cccaaataaa gtataggcga 60
tagaaattga aacctggcgc aatagatata gtaccgcaag ggaaagatga aaaattataa 120
ccaagcataa tatagcaagg actaaccctt ataccttctg cataatgaat taactagaaa 180
taactttgca aggagagcca aagctaagac ccccgaaacc agacgagcta cctaagaaca 240
gctaaaagag cacacccgtc tatgtagcaa aatagtggga agatttatag gtagaggcga 300
caaacctacc gagcctggtg atagctggtt gtccaagata gaatcttagt tcaactttaa 360
atttgcccac agaaccctct aaatccctt gttaaatttaa ctgttagtcc aaagagggaac 420
agctctttgg aactaggaa aaaaccttgt agagagagta aaaaatttaa caccatag 480
aggcctaaaa gcagccacca attaagaaag cgttcaagct caacaccac tacctaaaaa 540
atnccaaaca tataactgac tccttacacc caaattggac ccaatctatc acccctatag 600
aaagaactaa tgntagtatt aagtaaccat gaaaaacat tcttcctccg gattaanccc 660
tgcgtcagga ttaaaacccc tgaactggcc atttaacagg cccaatntct taccattcaa 720
cccaccnagg tcattattac ccttactt 748
```

<210> 600

<211> 253

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (80)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (85)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (91)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (94)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (193)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (197)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (204)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (250)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (251)  
<223> n equals a,t,g, or c

<400> 600  
cctgaccaca cgctggggca tcaacaaatg atcacttgac ttaatctgcc cctatgaacg 60  
ccccgggaaa aaccgcttgn atgcnccaaa nctngtggaa ctttgcccca gcagtgatgc 120  
ctgccaggaa agggttgaac cgcgaaacctt gacgaagggg gggcccgggtt acccaattgc 180  
ggccctatag tgnagtngtg attnacaatt gcactgggcc gtcgtttttg acaagttcgt 240  
gatgtttggn nat 253

<210> 601  
<211> 524  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (41)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (280)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (325)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (338)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (411)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (480)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (494)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (500)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (507)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (524)  
<223> n equals a,t,g, or c

<400> 601  
ggcacgagcg gaagatcccc acatcgatga aagcaaagcg nagcaccaag ccatcatcat 60  
gtccacgtcg ctacgagtca gcccatccat ccatggctac cacttcgaca cagcctctcg 120  
taagaaagcc gtgggcaaca tctttgaaaa cacagaccaa gaatcactag aaaggctctt 180  
cagaaactct ggagacaaga aagcagagga gagagccaag atcatTTTTg ccatagatca 240  
agatgtggag gagaaaacgc gtgccctgat ggccttgaan gaagaggaca aaagacaagc 300  
ttttccattt ctgaaactgc ggaanttttc cttcaaantt cattgaagag aagaggttgg 360  
ttaaggacgt tttccaggat tggacattca aagaccagtg ggTTTTTggg nttttacagt 420  
tgcagctttg tttttacctt acagtTTTTt tttttcaggt tccaggTTTg aagggcccg 480  
ttgaaaggcc cggnttacan ttgtttnaag gttcccat ttt 524

<210> 602  
<211> 397  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (309)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (343)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (363)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (379)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (386)  
<223> n equals a,t,g, or c

<400> 602  
ggcacgagct acgcggggcca cgctgctggc tggcctgacc taggcgcgcg gggtcgggcg 60  
gccgcgcggg cgggctgagt gagcaagaca agacactcaa gaagagcgag ctgcgcctgg 120  
gtcccggcca ggcttgacag cagaggcggg cggcagacgg tgcccggcgg aatctcctga 180  
gtccgcgcgc ccagctcttg tgccagcgcc cagtggccgc cgcttcgaaa gtgactggtg 240  
cctcgccgcc tcctcttcgg tgccgggacca tgaagtgtg ccgtcggttg tgctgaaact 300  
ctttctggnt tcattctctt cggcactggt tactggcgaa aancctggaa acggctttcg 360  
ganaaggcta actgctggna acaagnaaac cggaacc 397

<210> 603  
<211> 76  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (32)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (45)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (55)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (59)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<400> 603  
tcgacccacg cgctccgccca cgcgtccggt gnttagtata cccgncctgt gggcngccnc 60  
agtntcccct cctaag 76

<210> 604  
<211> 127  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (20)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (67)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (95)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (98)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (127)

<223> n equals a,t,g, or c

<400> 604

```
ttttcacgnt taattcactn tatttttctt gtataaaaac cctatgttgt agccacagct 60
ggagccntag tccgctgcac ggagactgtg gtgtnggnct tgacgaggtg ggtcagtgaa 120
ctcctnn                                     127
```

<210> 605

<211> 138

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (36)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (68)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (88)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (119)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (134)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (137)

<223> n equals a,t,g, or c

<400> 605

tttaanaaaa ggggnccctc cagcccagtg gcggangttc tagaactact ggatcccccg 60  
ggttganga attcggcacg agagggancc gtgggccggg cgcgccggtt cccggcacnt 120  
gtctcggcac gtgncanc 138

<210> 606

<211> 102

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (18)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (41)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (81)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (85)

<223> n equals a,t,g, or c

<400> 606

ctcttgaaan agacgtgnag ctgctcctac ccaccactcc nggctgagcc ttgcctgata 60  
cagcagcccg gaggcaccac ncgcnacccg agtctcacc tc 102

<210> 607

<211> 80

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (56)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (61)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (78)  
<223> n equals a,t,g, or c

<400> 607  
cacaggcatg ctcataagga aagggttaaaa aaaaaaaaaa aaaantcgag ggggggcccg 60  
naaaccaaat tngcccccnaa 80

<210> 608  
<211> 398  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (132)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (137)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (138)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (139)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (360)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (373)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (377)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (386)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (394)

<223> n equals a,t,g, or c

<400> 608

```
agacgcggag ggtcgccctg agggaagact cttcgggatg acaggagcgg gcctcggaag 60
ggactcgggg cgctggaggg aagtttcgtt cttcggagaa acagaacgcg ctcgaggggg 120
caccgtgggg cnaaggnnc actcggttgc ggcggcagga gtgagggaca gtccccgat 180
ttcctgctcc ctggggccct ggggacgttc cggccaccgg agcgactgtc acgccgacgg 240
ggatcaccgg cgcgagttgg ggggtcgaa agcgctcct cccgccggtc gcggtccgct 300
aaccacttct cgcttgccctg ttccgctcct taagagcaac tgttgccctt ttgaagcagn 360
ataagtgtgc tgngctngaa gcttancggg ttgnttgt 398
```

<210> 609

<211> 275

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (234)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (261)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (262)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (266)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (274)  
<223> n equals a,t,g, or c

<400> 609  
tttttaagtg ctccatttta atgccganga ataagtcttt tggcaacaca aactgggtcaa 60  
taataggtaa tgcaggatatg ttcagggttaa gccacaatg ttttgcattt ttatgcttat 120  
tttctgtcaa cactaatgaa gtcaacattg cctgaatgtc tgaataatga aacacatccc 180  
tgtttaaaag tatgtaactg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaanaaaaaa 240  
aaaaaaaaaa aaaaaaaaaa nccccncggg gggnc 275

<210> 610  
<211> 433  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (329)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (358)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (391)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (396)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (422)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (429)

<223> n equals a,t,g, or c

<400> 610

```
ggcagagcgc ggctctccca cctgtcaccc tggcccttct ctgcttgga ggtgtcttcc 60
tctcctcagc cgagaatgac ttcgtccacc ggatccagga ggtggaagag gatggcccca 120
gcagctgctc ggaggacgat tacagtgagc tgctgcagga gatcacagac aacctgacga 180
ggaaggagat tcagatagag aagatccatt tggacacgtc ctccttcatg gaggagctgc 240
ctggagagaa ggaccttgcc cacgtggtag agatcttatg actttggaac cagcgttcaa 300
gacggaggac ctgcttgga acgtttttnt gagtttccaa gaggaagggg tttcaagntt 360
caattgggtt ggatgataat tcaaggaatt nggcantttt tccctgcccg ggccttaatt 420
tncggaagnc ctg                                     433
```

<210> 611

<211> 497

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (340)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (405)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (422)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (459)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (481)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (487)

<223> n equals a,t,g, or c



<400> 611  
ggcacgagtg ggaccccagg cagcagcagc agcggcagct aaagcagcag caaagtccgg 60  
tgctggagca gccggagtc tccctgggtg tggaggggct ggtgttcctg gcgtgcctgg 120  
ggcaattcct ggaaaaccac cccacactgg gaatagccac cttgcccttg tagaatccat 180  
ccgcccattc gtccattcat ccacgggtcc gtccatccat gtccccagtt gaccgcccgg 240  
caccactagc tggtggggtg caccaccat caacctggtt gacctgtcat ggccgcctgt 300  
gccctgcctc caaccccatc ctaaactccc ccaaggcgtn cggggctgtg cagactgggg 360  
tgccaagcat cttctcccca accgggggtg tcccacatgc agtantgtat aacccccatt 420  
cnttctcgg tccaatgaac ttcagagcag ttccattcnt gcccgccat cttttgtgtc 480  
ngctgtnaaa ataaata 497

<210> 612  
<211> 503  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (28)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (41)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (47)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (52)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (69)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (71)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (90)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (111)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (116)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (129)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (156)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (162)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (166)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (192)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (211)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (224)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (250)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (265)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (268)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (284)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (287)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (290)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (324)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (336)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (347)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (355)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (374)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (385)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (388)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (398)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (408)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (442)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (447)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (450)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (462)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (491)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (493)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (494)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (497)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (498)

<223> n equals a,t,g, or c

<400> 612

naattcggca gagttttttt ttttttttnaa ggntcaaatg ngatctnttt tnaatataaa 60  
gatnttttnt naaaatctct gtatgaaatn atctccgggg agatagattc nccatntttc 120  
ccctgaagnt ttaggggcct ntgcctgccca ctccanaccc tntttntgaa gggcccaagt 180

```
nactcactat gnaaagaagt cattccctct ngttagtgtt aaanccagtt atgggtcttc 240
ctggaatggn ggataatcca cacgnggnta aatccaaggg ttgnttnatn tgggttcctc 300
cctccccctcc ccttccacca gggnttccct gacagnggcc acagggngac ttttnagggg 360
ttttaggtca ttgnggggat gggtnccngg aaatgggncc agatctgnat tgggggcccc 420
ccntgggtgt cccatggggg tnttagnggn ttttaggggn tngtgggggt aaagggggtt 480
ttttaacaaa ntntttnncc agg 503
```

<210> 613

<211> 197

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (39)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (44)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (90)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (120)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (152)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (165)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (185)  
<223> n equals a,t,g, or c

<400> 613  
aaaatctcaa gttgntgggc agaaaaactg acagggcant acanngtaac aaacagaatc 60  
caagtggggt ggcccttggt cacagagctn caggtgacct ctggagagac atgggcattn 120  
acatggaaag ctaaaacgga agcttaagct tntattactc aacanaaact tctgtgagac 180  
naaangacaa gccatgt 197

<210> 614  
<211> 435  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (307)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (388)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (390)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (396)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (419)  
<223> n equals a,t,g, or c

<400> 614  
cattttaatc ttttataaag ttttgaatgt tcatgtatga atgctgcagc tgtgaagcat 60  
acataaataa atgaagtaag ccatactgat ttaatttatt ggatgttatt ttccctaaga 120  
cctgaaaatg aacatagtat gctagtatt tttcagtggt agccttttac tttcctcaca 180  
caatttgga tcatataata taggtacttt gtccctgatt aaataatgtg acggatagaa 240  
tgcacaaagt gtttattatg aaaagagtggt aaaagtatat agcttttagcc aaagggtgtg 300  
cccacnaag aaatgagcga tatatagaat agtgtgggca ttctcctgta agtggagtga 360  
aggggtgaca ttctccccac tctnccancn gggtcncccc atattgaata aaggacgcng 420  
agagacttga accta 435

<210> 615  
<211> 272  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (18)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (143)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (145)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (151)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (162)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (193)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (194)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (228)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (267)  
<223> n equals a,t,g, or c

<400> 615  
ggggcangca cgtaagtncg acgcacgtat agngaaagct tgggtacgcc gtgcagggtac 60  
cggntccggg aattcccggg gtcgacccac gcgntccgga ataatggaat ataatatgtc 120  
ttcataatat aacaacacta ntncnctaata ngtaagatta anttaggcag tcttctacca 180  
aatgtggtaa tgnngattgc ctcaaaattg tgggtccacat aatccacnct catcttgcaa 240  
agcgctattt cangcacatc attggantac ag 272

<210> 616  
<211> 160  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (37)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (47)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (53)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (75)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (83)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (134)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (148)  
<223> n equals a,t,g, or c

<400> 616  
ggtatgggtcc catattaaga ggcctgttgt ctatganatt gtctagnatt ctngtgcagg 60  
tctttgcttg ttaantcagg acnaacgagg aggcacgtca gtccaccccn ctcctctccc 120  
attttccgtg ttgntccctt gcttaacngg caaagacctg 160

<210> 617  
<211> 205  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (6)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (180)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (188)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (189)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (190)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (194)  
<223> n equals a,t,g, or c

<400> 617  
ggactntgta catttgggag tttttatgan aaacttaa at gttattatct gggcttatat 60  
ctggcctctg ctttctcctt taattgtaaa gtagaagcta taaagcagta ttttcttga 120  
caaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaagga aaaaaaaaaa aaaaaaaaaa 180  
ggggggggnn cccngaaaaa aaac 205

<210> 618  
<211> 450  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (222)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (405)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (419)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (428)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (445)  
<223> n equals a,t,g, or c

<400> 618  
cgacaaagtc cttaatgggc ccagaagggtg aggggagtc ggcaatgagg ggtggtaggg 60  
ttagcggccca tcgccagct cgtcttcctt ctaccagacg ctggtgctgg aaaagagaag 120  
tgtaagaata acttgcgccca ttagggcccat cggaaaggcc caccaccctt taggaagatt 180  
actggctggt tatagaaggc ccgtgtatat cctatgaaga angctggctc tcaacttccc 240  
ccccagcctt ttaaaagaaa acatttgcta catcgagccg ttctaggtgt aaagagggtg 300  
ttgacttatg atagagttag aaaatcacac atccttgtaa attnccatt tggtttaaaa 360  
aaaaaaaaaa aaaactcgag gggggggccc gggtagccaa tttgncccta aaaggggagnc 420  
ggnattanaa ttcactggcc ggcgntttta 450

<210> 619  
<211> 294  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (122)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (183)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (279)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (283)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (285)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (289)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (290)  
<223> n equals a,t,g, or c

<400> 619  
tacctttgtt ggtcctttct tccttaagtg ccaagtgtg agctaaagga ggataacttt 60  
ttggggaagt catgctgagg gtggtagtgt gaccctgcct gaaaaaaggg tctcttacct 120  
tnccagccct ggctcaactc tgaagaagga tcttgctaca gaaggagccc ttgggctccc 180  
ttntcttttg gatagcagtt ataaatgccc ttgttcccaa taaaactggg cagatgggaa 240  
aaaaaaaaaa aaaaaaaaaa aaaaaacccc ggggggggnc ccngnccnn ttg 294

<210> 620  
<211> 127  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (10)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (90)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (95)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (99)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (117)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (125)  
<223> n equals a,t,g, or c

<400> 620  
ggcagagcnn cagccgcagg cccgncgccc gctgctggcg ccgtggcctc ctatgactac 60  
ctggtgatcg ggggcggctc gggcgggctn gccancgtng tggagagcca caagctnggt 120  
ggcantt 127

<210> 621  
<211> 115  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (27)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (86)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (111)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (112)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (115)  
<223> n equals a,t,g, or c

<400> 621  
ggcagcaggc tcagtacagc tcagctnagc ccagcccagt ccaaccacgc ccagcccagt 60  
ccaaccacgc ccagctcagc tcagcncagc ccagctcagc tcagctcagc nnagn 115

<210> 622  
<211> 507  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (300)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (358)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (380)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (451)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (466)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (485)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (504)

<223> n equals a,t,g, or c

<400> 622

```
gaaattaaaa aaacactttt taaagggtgc attgataaaa tctgaggttt tttggttgtc 60
gtttttttct gtgtacattt ttttcctaag tttatggcac agggtagacc ttaagtattc 120
ctctccatc cttcattctt caccctccat tggatcctca agttttaatg aattccaatt 180
ataccttaca tcagcaagtt aaaaaaagta ctttaaaata aagcaaaggg agactgttgc 240
tcaaccatca ggaaacagtt gtcagaagac atcattgggt ctgtgtttcc tacggaaatn 300
agaaacgata aatattgcac tgaatgtttg tggtttggag tccctgaata ataaagangc 360
aatatatttg cagaaagtcn catagggttt tttaatgcag aattttgtca gaagacaatg 420
gcgctgcatg tttttctttg aattgcaaatt nttcattgct aaagantttt tttaatgatg 480
gcatnttgct ttgaaaaaga aanatt 507
```

<210> 623

<211> 340

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (286)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (290)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (302)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (308)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (340)

<223> n equals a,t,g, or c

<400> 623

```
aattcggcag aggtcattaa aaaactagag aattagccat attaaggatt tttcttgact 60
gcaaattact tctaaagaat catcagtgtg tagattagaa gtgctcatta cctgcaactt 120
```



ttaaaaaaaaa ttcagttata gctgcttttg aagagggttc catttttatt taaattacta 180  
atggatcaaa gaacaattgt ttattttttc tctttgggtt tagatattaa tgataacctt 240  
gttggaatt ttttttccaa agaaaatatt tttatgaatt gaaatnaatn ttgaatgttt 300  
tncctccntt tcattttacct actcttggca gtgtagggn 340

<210> 624  
<211> 223  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (202)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (204)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (212)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (222)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (223)  
<223> n equals a,t,g, or c

<400> 624  
ggcacgagct aagttcggca tcaatatggt gacctcccg gagcggggga ccaccaggtt 60  
gcctggcctg ataatgtcct ttttaaattg agttcagact attaacattt aatgtaatta 120  
tcaatatagt tggatttaag tgtactgtct tgctatttgt ttcctattta tgccaacttt 180  
tttttaattg cttttgttct tntngttttc tnttctttcc tnn 223

<210> 625  
<211> 541  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (265)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (337)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (398)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (442)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (456)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (468)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (482)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (491)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (495)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (502)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (507)  
<223> n equals a,t,g, or c

<400> 625

gttgtaataa gtaaatgcct taagagtatt taaaatatgc ttccacattt caaaatataa 60  
aatgtaacat gacaagagat tttgcgtttg acattgtgtc tgggaaggaa gggccagacc 120  
ttggaacctt tggaacctgc tgtcaacagg tcttacaggg ctgcttgaac cctcataggc 180  
ctaggctttg gtctaaaagg aacattttaa aagttgccct gtaaagtatt ttggtgttca 240  
tttgaccaat tgcaccccca gcttnaaaag caagaagcat ccgtttccct ggaattataa 300  
agaatttggt tcccacccct aaaattttta cagtttnaaa aacttgggtt tcccattgaa 360  
cattcctcct tttttcccca gtttccccc aattcctntt ttttattttt ttggggaaat 420  
aaggtttgcc ccatttttta ancctacact actttnggaa atgcccncce cctggaatga 480  
anggaaagggt ncccnattac gnccttnagg ttaattacag ttccctcccc ttccccctgc 540  
c 541

<210> 626

<211> 483

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (231)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (342)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (355)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (371)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (451)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (479)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (480)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (481)

<223> n equals a,t,g, or c

<400> 626

```
aaccactcc accttactac cagacaacct tagccaaacc atttaccxaa ataaagtata 60
ggcgatagaa attgaaacct ggcgcaatag atatagtacc gcaagggaaa gatgaaaaat 120
tataaccaag cataacatag caaggactaa cccctataacc ttctgcataa tgaattaact 180
agaaataact ttgcaaggag agccaaagct aagacccccg aaaccagacg nagctacctg 240
agaacagcta aaagagcaca cccgtctatg ttagcaaaat aatgggaaga tttatagggt 300
tgaagcgaca aacctaccga cctgggtgat actggttgtc cnanataaat cttanttcac 360
tttaaatttg nccacagaac ctctnaatcc cttgttaatt taatggtatc caaaaaagaa 420
cagctcttgg gacctaagaa aaaacttggt naaaaattaa aatttacacc atgtagctnn 480
nac                                     483
```

<210> 627

<211> 221

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (109)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (116)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (158)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (161)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (189)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (191)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (221)  
<223> n equals a,t,g, or c

<400> 627  
actctagcct aggattttgc aaaaagctat ttacgtaaca ctatagaagg tacgcctgca 60  
ggtaccggtc cggaattccc gggtcgaccc acgcgtccgg tcttggggnc cagcanccag 120  
actcaggaca gagtggactc tgctgtgat ggggtgggnc ncctgctggc cccctccac 180  
cagtgcctnt ngcatatata tatttggtgt gcacaggaag n 221

<210> 628  
<211> 122  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (55)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (58)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (70)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (71)  
<223> n equals a,t,g, or c

<400> 628

aaggctgaaa aacgcaagag gatattggtn gatatcgagc tatgaggaaa gatcnaanag 60  
catgaaggan naggggaagga agatgagcta agatgaagat gaagaaagaa agatgatgat 120  
ga 122

<210> 629

<211> 252

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (60)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (140)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (169)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (174)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (175)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (182)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (243)  
<223> n equals a,t,g, or c

<400> 629  
ctactnatgg angtgtngtt gccatggtaa tcctgctcan tacgacatga accgcaggtn 60  
cagacatttg gtgtatgtgc ttggctgagg agccaatggg gcgaagctac catctgtggg 120  
attatgactg aacgcctctn agtcagaatc ccgcccaggc ggaacgatnc ggcnncgccg 180  
cngatcctcg gttggcctct gatatccggt ccccccgcctg tccccgccgg cggggcgggg 240  
ccngggtccc gt 252

<210> 630  
<211> 619  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (17)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (18)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (19)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (86)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (93)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (104)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (251)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (484)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (528)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (558)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (581)  
<223> n equals a,t,g, or c

<220>



<221> misc feature  
<222> (605)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (613)  
<223> n equals a,t,g, or c

<400> 630  
gtontagtaa gattacnnnt gnaagcatcc ccattccagt gagttcaccc tctaaatcac 60  
caacnatcaaa agggacaagc atcaancacg cannaatgca gctnaaaacg cttagcctag 120  
ccacaccccc acgggaaaca gcagtgatta accttttagca ataaacgaaa gtttaactaa 180  
gctataactaa ccccgagggtt ggtcaatttc gtgccagcca ccgcgggtcac acgattaacc 240  
caagtcaata naagccggcg taaagagtgt tttagatcac cccctcccca ataaagctaa 300  
aactcacctg agttgtaaaa aactccagtt gacacaaaat agactacgaa agtggcttta 360  
acatatctga acacacaata gctaagaccc aaactgggat tagatacccc actatgctta 420  
gccctaaacc tcaacagtta aatcaacaaa actgctcgcc acaacactac gagccacagc 480  
ttanaactca aaggaactgg cgggtgcttca tateccctcta aaaagaanct gttctgttat 540  
cgataaacc cgatcaanct cccactctt gctcacctat ntccaaaaaa aaaaaaaaaa 600  
ctcanggggg gcnggggtcc 619

<210> 631  
<211> 210  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (16)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (42)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (46)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (49)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (53)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (63)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (80)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (102)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (130)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (136)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (162)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (165)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (206)

<223> n equals a,t,g, or c

<400> 631

```
ggnntaaca cccaencaaa gagtccccac ttaacaatac cccccnccna cgncaagaat 60
gcnnaaatcc gaatgaccen agttttccta ttgagtaaac angatcccag ttgtgccccca 120
ctagcatgan gcctgnagtt ccggtttcat gcatgaaatt gnttntggag agttttgtaa 180
gttgtaaagc caattactgg cttttnacat                               210
```

<210> 632

<211> 359

<212> DNA

<213> Homo sapiens

<400> 632

```
caagctgctg ctccaaggcc tggccacatg cagacaggag gaagctgagc tcgacattag 60
gcctcaaggc tgccatctgt cttgtagggc ctggccttgt gggcaggggg cagtcctgtg 120
ccttggtggc cctcagcctc tgagggcaga gatgctgtca gtgccgcagg gtaagggacg 180
agtcttcttg aaggtctctg catggacatt tgtcctcggg ctcagaggcc ccaccctgcc 240
ccacacctgc ccctaatac tgcagtgtcc agcccagtgt tgaacagatt gtagcgttct 300
gtctcattac gagcaaataa atagactttc attggaaaaa aaaaaaaaaa aaaaaaaag 359
```

<210> 633

<211> 328

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (221)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (223)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (246)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (256)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (286)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (319)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (323)  
<223> n equals a,t,g, or c

<400> 633  
cttttggggg ataagaaagc ctgggagggg cctgtgccaa aaccctctct gcctggggac 60  
tgggcggtga ttccgcttct gcctgggctc ctgccatggc ccccgagagg ggctgacact 120  
ttagctcccg gtgcaggtga gaacccgccg ggaggaagaa ggaaggcgcg ggccggggat 180  
taggagacgg aggcggactc ggagccaggg aaccaggggt ncnggctaga gctggagtcg 240  
tgagencgcg cccgcncgcg tctgggagga ccgcgagatg cccgtnctga agcagctggg 300  
ccccgcgtca cccaagaanc ggnctgat 328

<210> 634  
<211> 330  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (324)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (325)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (326)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (327)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (329)  
<223> n equals a,t,g, or c

<400> 634  
cagaatcctc ttctctcccc atttgccct gggetcagg gaccagggtgg ggcgggtggg 60  
gagctgtccg gtgctaccac accgtgccct cagtggacta accacagcag cagccaggga 120  
tgggccctgg aggttccccg cgggagagtg cctctcccc ctgccatcca cgtcagggtct 180  
ttgggtgggg gaccccaaag ccattctggg aagggtcca gagtccagcc gtccagctgc 240  
tcctttccca gtttgatttc aataaatctg tccactcccc ttttggtggg gtgaacgttt 300  
taacagccaa aaaaaaaaaa aaannnnana 330

<210> 635  
<211> 111  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (19)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (35)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (38)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (109)  
<223> n equals a,t,g, or c

<400> 635  
caatcccggt ntaccagng tcnnttttcc cccncanga aaagaaacaa caacttgggg 60  
taaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaat aaagaaagnt c 111

<210> 636  
<211> 298  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (198)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (211)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (220)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (288)  
<223> n equals a,t,g, or c

<400> 636  
aattcggcac agcttaatca cccttgctcc tcctgggtgc ctggaagatg gactggcaga 60  
gacctgtttg ttgcgttttg tgctttgatg ccaggaatgc cgcctagttt atgtccccgg 120  
tggggggcaca cagcgggggg cgccaggttt tccttgctcc ccagctgctc tgcccccttt 180  
ccccttcttc cctgactnca ggctgaacc ngccccgtgn ctgtnaataa atctttgtga 240  
aattaaaaaa aaaaaaaaaa aaaactcggg gggggggccc gtaccaantt gggccctt 298

<210> 637  
<211> 491  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (58)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (70)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (114)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (119)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (133)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (139)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (157)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (221)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (255)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (298)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (365)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (367)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (371)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (381)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (390)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (414)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (428)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (469)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (473)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (474)  
<223> n equals a,t,g, or c

<400> 637  
ggcagagccc cagaagagca ggacgccttg tacctgcaga gaaggggaagc agcctctnta 60  
cctnatctgn ggctaccaga gagcagaaag gacccaccct gggactcttc tgtntgttng 120  
aaagatgcgc canccctgnc ccccggttc ccctctntcc gccacagaac ccagttttct 180  
agaccagggg gacgggcacc catcactccg caggcgaaat naaagcccc ctgccccggc 240  
cctaaacccc tgtgncctcc ttcccatggt ttcccccag agccagttac aaccctgncc 300  
cgggcccttaa ccccatggc ttcttttctg tggttttccc ccagaggcca gttagttccc 360  
aactngnaaa nccgtttggg ntcccatn aaaaaaatt ttggtttcat ttnaaaaaa 420  
aaaagggnag gagggggggg gcccggttaa ccatttgggc ttaagtng tgnnttttaa 480  
aattaattgg c 491



<210> 638  
<211> 331  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (17)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (29)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (55)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (111)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (135)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (142)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (148)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (163)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (206)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (218)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (257)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (277)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (286)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (309)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (321)  
<223> n equals a,t,g, or c

<400> 638  
ccgnagctgg gtatctnaaa tctccttttna tccagccact gcccaaagcc atctncctgc 60  
ctactggatg cttacagtna ctgtggatac ggggggttccc tttccccatt nagtgacatg 120  
tcctctctgc ttgngtaaa cnattctnng gaggacactt ttnccaataa actctttccc 180  
cagctgatta gtgtctaagg aatganccaa tacttgtntg cccttttcct tggactatta 240  
acaattgcct gggaggntta gcaagaggaa gcctgtntgt aatttnattt caaaaaggca 300  
aaatagagng ttttacagtc ntaggggaat t 331

<210> 639  
<211> 444  
<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (235)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (236)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (237)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (426)

<223> n equals a,t,g, or c

<400> 639

```
ccgagttcca gagcatgggg tctcggttgt cccagccttt tgagtcctat atcactgcgc 60
ctccccgtac cgccgcccgc cccgccaac ctgcgcccc agctacacc ggagcgccga 120
cctccccagc agaacaccgc ctgttgaaga cctgctggag ctgtcgcgtg ctttctgggt 180
tggggctgat gggggcgggc ggggtacgtgt actgggtggc acggaagccc atgannntgg 240
gatacccccc gagtccatgg accattacgc agatgggtcat cggcctcagt gagaatcaag 300
gcattgccac ctgggggtatc gttgtcatgg cagaccccaa agggaaggcc taaccgcgtt 360
gtttgaaagt accaccagtg aatctgtctt ctgtctctgt ccctttcccc gtgacacaca 420
gagcangcat ggaatttaat ggggt                                     444
```

<210> 640

<211> 598

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (205)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (397)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (469)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (484)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (518)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (520)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (543)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (557)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (568)  
<223> n equals a,t,g, or c

<400> 640  
gacccactcc accttactac cagacaacct tagccaaacc atttacccaa ataaagtata 60  
ggcgatagaa attgaaacct ggcgcaatag atatagtacc gcaagggaaa gatgaaaaat 120  
tataaccaag cataatatag caaggactaa cccctatacc ttctgcataa tgaattaact 180  
agaaataaact ttgcaaggag agccnaaggt taagaccccc gaaaccagac gagctaccta 240  
agaacagcta aaagagcaca cccgtctatg tagcaaaaata gtgggaagat ttataggttag 300  
aggcgacaaa cctaccgagc ctggtgatag ctggttggtcc aagatagaat cttagttcaa 360  
ctttaaatTT gccacagAAC cctctaaatc cccttgnaaa tttactgta gtccaaagag 420  
gaacagctct ttggacacta ggaaaaaacc ttgtagagag aggaaaaant tacaccata 480  
gtangcctaa aagcagcacc aattaagaaa ggggtcaantn acaccatact aaaatccaac 540  
ctntactgac tctacancca ttggccantt tcctttaaac caggggtatc cgaacttc 598

<210> 641  
<211> 466  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (18)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (258)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (280)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (314)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (337)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (376)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (443)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (464)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (465)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (466)

<223> n equals a,t,g, or c

<400> 641

```
ggtectaaac tactaannnt gcattaaaaa tttcggttgg ggcgacctcg gagcagaacc 60
caacctccga gcagtacatg ctaagacttc accagtcaaa gcgaactact atactcaatt 120
gatccaataa cttgaccaac ggaacaagtt accctaggga taacagcgca atcctattct 180
agagtccata tcaacaatag ggttttacgac ctcgatggtg gatcaggaca tcccgatggg 240
gcagccgcta ttaaaggntc gtttgggtcaa cgattaaagn cctacgtgat ctgagttcag 300
accggagtaa tcanggcggg ttctatctac ttcaaantct tcctgtacga aaggacaaga 360
gaaataaggc tacttnacaa agcgccttcc ccgtaatgat atcatcttaa cttagtatta 420
taccacacacc caccacaaga canggggttg taagaaaaaa aaannn 466
```

<210> 642

<211> 575

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (30)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (116)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (123)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (127)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (130)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (134)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (140)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (143)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (150)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (173)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (193)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (238)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (309)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (327)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (424)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (491)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (492)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (497)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (532)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (543)  
<223> n equals a,t,g, or c

<400> 642  
gttgnancag tccactctgn ctttaaaacn tagtgattac aatattttaga aagttttgag 60  
cacttgctat aagtttttta attaacatca ctagtgcac taataaaatt aacttnttag 120  
aangcangan gtgnttgtn gtnacaaatn cagaaagtga actgcagtgc tгнаatacac 180  
atgttaatac tgnttttctt ctatctgtag ttagtacagg atgaatttaa atgtgctntt 240  
cctgagagac aaggaagact tgggtatttc ccaaacagc taaaaatctt aaatgtgcac 300  
caagagcang aggatcaact tttaggncat tgatgatctg taaagacaac aaatcccttt 360  
ttttttctca attgacttaa ctgcatgagt tctggtttat ctacctctaa agcaaactctg 420  
cagngttcca aagactttgg tatggattaa gcgctgccag taacaaaatg aagtctcaaa 480  
acagagctca nntgcanaaa agcatatttt ctgcggttct ggactgcact gntgccttgc 540  
ctnacataga cactcagaca cccttacaaa cacag 575

<210> 643  
<211> 492  
<212> DNA  
<213> Homo sapiens



<220>  
<221> misc feature  
<222> (40)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (125)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (310)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (461)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (492)  
<223> n equals a,t,g, or c

<400> 643  
gaccttctgc ataatgaatt aactagaaat aactttgcan ggagagccaa agctaagacc 60  
cccgaaacca gacgagctac ctaagaacag ctaaaagagc acaccctct atgtagcata 120  
atagngggaa gatttatagg tagaggcgac aaacctaccg agcctggtga tagctgggtg 180  
tccaagatag aatcttagtt caactttaaa tttgcccaca gaaccctcta aatccccctg 240  
taaattttaac tgtagtcca aagaggaaca gctctttgga cactaggaaa aaaccttgta 300  
gagagagtan aaaatttaac acccatagta ggcctaaaag cagccaccaa ttaagaaagc 360  
gtcaagctca acaccacta cctaaaaaat cccaaacata taactgaact cctacacca 420  
attggacca tctatcacc tatagaagaa ctaatggtag nataagtaac atgaaaacat 480  
tctccttcgc an 492

<210> 644  
<211> 68  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (6)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (10)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (41)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (58)  
<223> n equals a,t,g, or c

<400> 644  
gatacntcan tgggaacagg gcccatggaa atgtacagga ntttcctat ttgggtgntc 60  
agcttgaa 68

<210> 645  
<211> 488  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (265)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (290)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (302)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (336)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (342)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (365)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (420)

<223> n equals a,t,g, or c

<400> 645

```
ggcacagcgc tcgtccacgg tcttctgcat cactggtata cacactcggt agcgtccatt 60
tcttatttaa ttagaatgga taagatgatg ttaaagcct tggtttgatt tctagtatct 120
attgtgttgg ctttacaaat aattttttgc agtcttttgc tgtgctgta cattactgta 180
tgtataaatt atgaaggacc tggaaataag gtataaggat cttttgtaaa tggagacaca 240
tacaaaaaaaa atctttgaat ggttnaatag ggatggaatg gggaaagtgn ttttggaaag 300
anattcccat tttgccgggg agactatttg aagtgnccat cnttgtccca aacaaggtaa 360
attnnttttt gtaaagtgcc aagtnccggc aggcagaagg aaccgtttac agtgtgattn 420
aagaaaggga aaccgtgccc tttttagcct ccaaacccaa ttgaccataa tttacaggcc 480
ccggtttg                                     488
```

<210> 646

<211> 302

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (287)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (288)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (290)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (302)

<223> n equals a,t,g, or c

<400> 646

```
ggatgttttt atattacatg aatttaataa taaactaaac ttttttttgt ctcccgttat 60
```

tgaaaagtac caaagcttct ttctgttggt tttgatttta ctataggggt tttgcttttt 120  
ctagagatac ttttcattta acagcttttg ttaagtgtca ggctgcactt tgctccatat 180  
aattattgtt ttcagatttc aacttgatg tgtttgctc ttaaagcatt ggtgaaatca 240  
catattttat attcagcata aaggagaata aattccagaa aacacannan aaaaaanaaa 300  
an 302

<210> 647  
<211> 137  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (13)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (112)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (114)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (115)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (117)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (132)  
<223> n equals a,t,g, or c

<400> 647  
gggcgggggg gcntnccccg aggggctctc gcttctggcg ccaagcgccc ggctgcgcgc 60  
cgcccgggcg ctaccgcctc cggggacagt gccaggtggg gagtatgact gngnngnaac 120  
acctgttaaa cnggaac 137

<210> 648  
<211> 432  
<212> DNA  
<213> Homo sapiens

<400> 648  
ggcacgagct gcagcgggggt gagcggcggc agcggccggg gatcctggag ccatggggcg 60  
cgcgcgcgac gccatcctgg atgcgctgga gaacctgacc gccgaggagc tcaagaagtt 120  
caagctgaag ctgctgtcgg tgccgctgcg cgagggctac gggcgcatcc cgcggggccc 180  
gtgctgttcc atggacgcct tggacctcac cgacaagctg gtcagcttct acctggagac 240  
ctacggcgcc gagctcaccg ctaacgtgct gcgcgacatg ggctgcagg agatggccgg 300  
gcagctgcag gcggccacgc accagggctc tggagccgcg ccaactgggat ccaggcccct 360  
cctcagtcgg cagccaagcc aagcctgcac tttaatagac cagcaccggg cttcgttatc 420  
gcgaaggtca aa 432

<210> 649  
<211> 544  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (395)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (438)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (459)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (505)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (519)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (531)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (540)

<223> n equals a,t,g, or c

<400> 649

```
ctcctgcctc ttctcagggg acctgctctt cctctctggc tgtgggcgga cctttgaggg 60
caatgcagag accatgctga gctcactgga cactgtgctg gggctagggg atgacaccct 120
tctgtggcct caagtgtgat gccttacaaa agcaccactc agatgggcag ctggactctg 180
gtgtcctgag actctgccct cttcccacag cctccctgcc ccacccatcc ctgcaaagcc 240
atTTTTcaga cagagccatt cctaagaaca ctgaagggtt ggaatgctgg ctggccactc 300
tctgcctcag tgccctccct aaagcctgga agaaggaggg tcctgattgc caaggaaacc 360
tcctcattgg gctaaggaga cactggagtc tggantgtgg agccccacag tcttgccagg 420
caaatgctct ccttgcanat ctggcctggt tgtaaccant gggctctggc tctgccctgg 480
gggcaaaagg ggccctcctt gccangggag aaaagccang gtctctttgg ncgatggtgn 540
aatc 544
```

<210> 650

<211> 406

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (234)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (272)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (374)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (393)

<223> n equals a,t,g, or c

<400> 650

```
ctccacctta ctaccagaca accttaacca aaccattttac ccaaataaag tataggcgat 60
agaaattgaa acctggcgca atagatatag taccgcaagg gaaagatgaa aaattataac 120
caagcataat atagcaagga ctaaccctta taccttctgc ataatgaatt aactagaaat 180
aactttgcaa ggaagagcca aagctaagac ccccgaaacc agacgagcta cctnagaaca 240
gcttaaagag cacaccctc tatttttgcc anaatagtgg gaaagattta taggtttgaa 300
ggcgaacaaa cctaccgagc ctggttgatt agcttggttg tcccaagatt agaattctta 360
tttccactt tttnatTTTT gccccaccag aancctcct tttaaa 406
```

<210> 651

<211> 444  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (196)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (237)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (275)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (299)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (313)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (322)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (361)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (388)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (412)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (420)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (444)

<223> n equals a,t,g, or c

<400> 651

```
ggaaagatga aaaattataa ccaagcataa tatagcaagg actaaccctt atacccttctg 60
cataatgaat taactagaaa taacttttgca agggagagcc aaagctaaga cccccgaaac 120
cagacgagct acctaagaaa cagctaaaag agcacaccgc tctatgtagc aaaatagtg 180
gaagatttat aggtanaggc gacaaacctt ccgagcctgg tgatagctgg tttcccnaag 240
aatagaatct tagttcaact ttaaatttgc ccacngaacc ctctaaatcc cccttgtna 300
atttaactgt ttngtcccaa anaaggaaca gctccttttg ggaccctagg aaaaaacctt 360
nttaaaaaaa agtttaaaaa attttaacnc ccttgtttgg ccttaaaacc cccccccan 420
ttaaaaaagg tttcaaactc ccan                                     444
```

<210> 652

<211> 69

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (24)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (32)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<400> 652

```
cttttttttt ttttaaan gtaactccat tntttttctn tttccaaga tggccgntgt 60
tatggtttt                                     69
```



<210> 653  
<211> 649  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (232)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (235)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (240)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (268)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (270)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (275)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (283)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (284)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (310)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (313)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (324)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (351)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (352)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (354)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (364)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (367)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (374)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (393)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (396)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (398)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (417)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (420)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (424)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (429)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (433)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (444)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (457)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (477)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (497)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (504)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (513)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (525)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (532)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (568)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (591)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (605)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (617)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (646)

<223> n equals a,t,g, or c

<400> 653

```
ccagtagatt tgtattaaaa gaaaaaaaaa tggggcctta gcttctggct ttttaattttg 60
ccagctaagg acataaaaca aaaataaaca aacaaaaaca aatagccatc tgctatcagc 120
atcattatgt aaaagaaaat atatttttagc ccctaaaatt aggaagaatg taatctcaga 180
ataaagggttg tcatttaagt tgaataaata tatagcttta tgaaaaacat anaanaaaan 240
aaaaaaaaaa aangccccga aaggaccntn ttaancaaaa ccnnattgaa aaggcttgga 300
aaaacaaagn cgnttgaaag ctgnttccag taaaccaaac caanccagta nngnggggca 360
attngtngcc ttancagtac ccantcaaaa aanagngntt tgggaaaagg gggaaanaan 420
aggnaatcng aancttaagc ttanactttt gggaaanatt cccccttgga aattganaag 480
ttttttgggg aaaaggnaaa aggnacaacc ttnttgaaaa tttanggggg gnattaaact 540
taaatttgcc taattggggg gaaccccntt taaaaaaaaa ttggacttgg ngactaaagt 600
tgcantgaaa ttttttnccc ttaaaaaagg ggccttggtta cccttnagg 649
```

<210> 654

<211> 598

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (251)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (343)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (433)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (455)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (517)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (522)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (561)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (590)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (592)  
<223> n equals a,t,g, or c

<400> 654  
gcggggcctca ccttgccgctc gcactgcctc ttgcccagct tggctctcctc aggggtggtag 60  
aaccacttga ccttgaccac catgttgctg ccccacgact cccacatgct ctcgatgcgg 120  
ccgatgtagg ggaggttggg ccgcccagct gacaggaaga cggcacagtc cccgacacgc 180  
aggggtctcct cgccccgcac gatggccttg taaaacagct tccgggcctt ccccttcatg 240  
ccacgccgct ntggggggaca tgggcagggt ggctctgaaa agccggggggg ctgtggggac 300  
agattgcggc caggaagcat ggaagggtgtg gtgtgggtgt gantgtgaat ctgaatgtga 360  
gtgtgcaggg cgcccacaag ggcaggaagc cgcagcaccg cggcttaagg ccatggcagc 420  
catggatctg gancaagggc cagcctcca cggancccg acatggaatc atgactctgg 480  
acactggatc tggggacagg gacatgtgga caagacnttc ancacagtgt tttttacgaa 540  
ggcgggaagaa ccacgaatgg nccccatgc gccccccaac aattgccctn gnttaaga 598

<210> 655  
<211> 433  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (298)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (312)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (347)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (401)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (415)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (416)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (431)  
<223> n equals a,t,g, or c

<400> 655  
aaaagctata ttttgaagac tgggggttatt tcagaaaaaa ctacagccct ttttgtctta 60  
cctgcctttt actttcgtgt ggatatgtga agcattgggt cggaactag ctgtagaaca 120  
caactaaaaa ctcatgtctt ttttcacaga ataatgtgcc agttttttgt agcaatgata 180  
tttctcttgg aaagccagaa atgctttgta ccagagcacc tccaaactgc attgagaaaa 240  
aattcccaga accatcccct ttttccattt ttatattatt tataaagaaa gattaaanct 300  
gttttgacta tnttacagcc ctggaattta ctacctccct gtttctntct ccccgaaaaa 360  
aatgaaacca acgattgggt tcctttgaat tcccgttccc nccctccggt atttnnaaaa 420  
tccccccctt ntt 433

<210> 656  
<211> 450  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (123)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (135)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
 <222> (136)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (336)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (350)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (355)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (395)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (414)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (428)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (435)  
 <223> n equals a,t,g, or c

<400> 656  
 tcgaccnggg cttccgcatg gctgctcctg tacgtatcac ggtcttgtgc tctaaggaaa 60  
 acgacagcac gtgttctttt tcaactagtag aagtgcggtt ggtttcatgt tggggggggg 120  
 gngngccattt ttttntgtt tcagtggaga gcaaaatgaa taacaaagcg ggctcctttt 180  
 tctggaacct tagacaattc agtacattag tttcaacaag cagaactatg aggctatgtt 240  
 gtttgggact ttgcaaacca aaaatagttc cattcaaact ggaacatttt gaaataactt 300  
 tcataacaga atgcaatcaa cggatgatca ttgagngagc gcttgaggn tgccntcatt 360  
 tttgaaatca gatgttggcc ttgcaaacaa agggncataa agcactccaa cagnccctta 420  
 gaaattgnaa agacnacctt tatgctaaaa 450

<210> 657  
 <211> 434



<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (6)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (80)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (412)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (427)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (433)  
<223> n equals a,t,g, or c

<400> 657  
ttttangttg ttaaatacct gtaggtttct tttaatcata aagaaggaaa atgaaagact 60  
tgaggatcac ctacatagan cgaaaacaga aaaaaacccc gaatcccatt actttgacag 120  
tgtttttaga cctgtgttac taataaaaaag atgaatgtcc tgaaaagggg gttgggaggg 180  
tggttcaaca aagaaacaaa gatgttatgg tgttttagatt tatggttgtt aaaaatgtca 240  
tctcaagtca agtcactggg ctgtttgcat ttgatacatt tttgtactaa ctagcattgt 300  
aaaattatatt catgattaga aattacctgt ggatatttgt ataaaagtgt ggaataattt 360  
tttataaaaag ggtccatggg tcgtaaccgg ccttgtatat ggggagccaa cncccaaatt 420  
ataatgnccc ccna 434

<210> 658  
<211> 397  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (360)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (377)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (383)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (392)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (395)

<223> n equals a,t,g, or c

<400> 658

```
gacagtnacn gtccngnatt cccgggtncg accctcggcg tccggaagag tcttcatgtg 60
gacagtctca gggacaccat gtagagaatt ttgggtctcga ttcagaaaaag agaaagagcc 120
agtggtttgtt gagacagtag aagagaaaaa ggaacctatc ctagtgtgtc cacctttacg 180
aagccgagca tacacaccac ctgaagatct ccagagtcgt ttggaatctt acgttaaaga 240
agttttttggt tcatctcttc ctagtaattg gcaagacatc tccctggaag atagtcgtct 300
aaagttcaat cttctggctc atttagctga tgacttgggt catgtagtcc ctaaactccn 360
gactccacca gatgtgnagg gtnagagatg tncntnga 397
```

<210> 659  
<211> 156  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (10)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (12)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (90)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (98)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (130)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (150)  
<223> n equals a,t,g, or c

<400> 659

gnagccnttn gnaacgttct tggcggaatc agcggggaaa gaagaccctg ttgagcttga 60  
ctctagtctg gcacggtgaa gagacatgan agnggtanaa taagtgggag gcccccggcg 120  
cccccccggn gtccccgcga ggggcccggn gcgggg 156

<210> 660  
<211> 276  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (242)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (255)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (258)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (261)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (267)  
<223> n equals a,t,g, or c

<400> 660  
gcagtttagt tttaccctac tgatgatgtg ttgttgccat ggtaatcctg ctca gtacga 60  
gaggaaccgc aggttcagac atttggtgta tgtgcttggc tgaggagcca atggggcgaa 120  
gctaccatct gtgggattat gactgaacgc ctctaagtca gaatcccgcc caggcggaac 180  
gatacggcag cgccgcggag cctcggttgg cctcggatag ccgggtcccc cgctgtcccc 240  
gncggcgggc agccnccnct ntacgangcc caccgc 276

<210> 661  
<211> 275  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (186)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (250)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (259)  
<223> n equals a,t,g, or c

<400> 661  
cgtnncctac tgangatgtg ttgangccat ggnaatcctg ctca gtacga gaggaaccgc 60  
aggttcagac atttggtgta tgtgcttggc tgaggagcca atggggcgaa gctaccatct 120  
gtgggattat gactgaacgc ctctaagtca gaatccccgc caggcggaac gatacggcag 180  
cgccgnggag cctcggatgg ctcgatagc cggccccccg cctgnccccg ccggcggggc 240  
gccccccctn cacgcgcnc gcgcgcgcgg gaaag 275

<210> 662  
<211> 506  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (51)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (69)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (183)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (191)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (345)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (363)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (383)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (432)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (445)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (466)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (481)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (487)  
<223> n equals a,t,g, or c

<400> 662  
gtgcctttca tttttatatt accacagata ctttcctcat agtcttgcca ntgcttgtag 60  
aatgcttana aaaagcttga taaaccactg ggctaagtac acagagggag aggctagcag 120  
tatttttaaa ttggtttcta aattttttat agcttgatgg tagataacac atttgcttca 180  
atnaaggtaa nccggaaaaa acaaaccctc aaaaagacct ctcaattaga attcttaaat 240  
gacaatgttt tctttatcat atatttgaga gattgattta aagaaaaata tgcttgacta 300  
tctgaaataa tattttaacc ctatcataaa atctctgcct ggtanaacag ctgactgtgg 360  
aanggtaaaa tgcagagaac cantcattgg atctcccttc tctactttgt tactgaaatc 420  
ttgaacctgt anaacaatta cttancactg gggttccttt cctaanggga aaataatact 480  
naacacntgc agagtaattt ttaaaa 506

<210> 663  
<211> 550  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (420)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (480)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (501)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (510)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (528)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (532)

<223> n equals a,t,g, or c

<400> 663

```
gagttggtgg agcgatttgt ctggttaatt ccgataacga acgagacaac cttagccaaa 60
ccatttacct aaataaagta taggcgatag aaattgaaac ctggcgcaat agatatagta 120
ccgcaaggga aagatgaaaa attatagcca agcataatat agcaaggact aaccctata 180
ccttctgcat aatgaattaa ctagaataa ctttgcaagg agagccaaag ctaagacccc 240
cgaaaccaga cgagctacct aagaacagct aaaagagcac acccgtctat gtagcaaaat 300
agtgggaaga tttataggta gaggcgacaa acctaccgag cctggtgata gctgggttgt 360
ccaagataga atcttaagtt caactttaaa tttgccacag aaccctctaa atccccttgn 420
aaatttaact ggtagtccca agaggaacag ctctttggac actaggaaaa aaccttgtn 480
agagagtaaa aaaattaaca nccatagtat gcctaaaagc agcaccanta anaaagcgg 540
caagctcaca 550
```

<210> 664

<211> 542

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (486)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (499)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (504)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (514)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (530)

<223> n equals a,t,g, or c

<400> 664

```
gcgtctatgt agcaaaatag tgggaagatt tataggtaga ggcgacaaac ctaccgagcc 60
tggtgatagc tggttgtcca agatagaatc ttagttcaac tttaaatttg cccacagaac 120
cctctaaatc cccttgtaaa tttactggt agtccaaaga ggaacagctc tttggacact 180
```



aggaaaaaac cttgtagaga gagtaaaaaa tttaacaccc atagtaggcc taaaagcagc 240  
caccaattaa gaaagcggtc aagctcaaca cccactacct aaaaaatcca acatataact 300  
gaactcctac acccaattgg accaatctat caccctatag aagaactaat gttagtataa 360  
gtaacatgaa aacattctcc tccgcataag cctgcgtcag attaaaacac tgaactgaca 420  
attaacagcc caatatctac aatcaaccaa caagtcatta ttaccctcac tgtcaaccca 480  
acacangcat gctcataang gaanggttaa aaanaaaaaa aaaaactttn gggggggccc 540  
gg 542

<210> 665

<211> 712

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (310)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (324)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (370)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (429)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (431)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (525)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (549)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (600)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (627)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (635)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (650)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (687)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (692)

<223> n equals a,t,g, or c

<400> 665

```
ggatggtggg agctccgtgc aaagtgaagc tgaggcctct gtggatccca gtttgtcgtg 60
gggtcagagg aaaaaacttt actatgacac ggactatggt tccaagtccc gaggccggca 120
gagtcAACag gaggcagagg aggaggaaag agaggaggag gaggaggcac agatcattca 180
gcggcgccta gcccaagcgc tgcaagagga tgattttggt gtcgcctggg ttgaggcctt 240
tgcaaaacca gtgcctcagg tagatgaggc tgagacacgg gtcgtgaagg atttggctaa 300
aggttcagtn gaaagaaaaa cctnaaaatg ttgcaaaagg aatcaccaga actcttggag 360
cttatagaan accttgaaag tcaagttgac agaagttaag gatgagctgg agccattggt 420
agaagttgnt nggaacaagg ggatcattcc acccggaaaa aggaagccaa tactttgagg 480
accaagtaca acctctactt gaattaattg ctcgaaacatc agttnttatt tgatcctgaa 540
agctaggana gtcccagcac atggacatct tgtcatagaa aggcttggtc ctaccgaaan 600
ttgatcaaca agctgtccgt tgggatnaaa actgncctaa aaatcgcatn tgttgcactt 660
aggttatctt taaagaagac tgtttcnaag cnaatcacca agccaaacca ag 712
```

<210> 666

<211> 381

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (12)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (18)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (20)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (29)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (357)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (361)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (380)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (381)  
<223> n equals a,t,g, or c

<400> 666  
ncacgcgtcc gngggcancn aagtcgatna atgtaaagaa gaaatgaaag cctgggtgtat 60  
tgtacttcaa gatgcctccc tgatgtatag aatctccttg taaaataaat aattgcattg 120  
tatatcagtc ttcccatcaa tattaattat taaatatattt agaatttttt tatagttggt 180  
atttaaaaaa aaaaaaaaaa agggcggccg ctctagagga tccctcgagg ggcccaagct 240  
ttacgcgtgc atgcgacgtc catagctctc tccctatagt gagtcgtatt attaagctag 300

gcactggccg tgcggtttac aacgtccgtg gactggggag atcngctagc ttggggncct 360  
nggttgaagg aaccttactn n 381

<210> 667  
<211> 437  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (71)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (78)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (261)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (302)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (314)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (334)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (371)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (373)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (392)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (408)

<223> n equals a,t,g, or c

<400> 667

```
tttgtgtgcc ttctctgctc ctttctcttg ctgccctacc ctccccctcc acgttgcttg 60
ggcagcaagg nacaggnac caacaggtag caagtgtgcc ttccctcagg cccttctga 120
gagctccaca gccaccctg tggccccctg cttggcttg cctggcctgc ccggccccag 180
ccttccaatg ctgctgcacg tcctcatttt cctttttggt cccctcctgc cccctctggc 240
tgttctgcct ttgggcctca nccccagctg cctgaatttg ggcaagggtc tttctctgtg 300
gncttcaagc tcanccccaa gggttcttga accngggctc ttcccaacgg gcccaccct 360
aacttaaaaa ntngaacccc tggttttcaa antctttctt aantggtnaa aaacccaat 420
cccaagggtg aaatttc 437
```

<210> 668

<211> 365

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (172)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (239)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (243)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (244)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (329)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (330)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (353)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (358)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (362)  
<223> n equals a,t,g, or c

<400> 668  
ggcagagnat ctctgcaccc tggggcctgg aacagaactg gcaaagaggc aagagggtcac 60  
tgagggcctc tgtcaccag gacctgcctc ctgcctgccc ctctcccgcc agactgttag 120  
aaaatggaca ctgtgcccag cccggacctt gggcagccca ggccgggggtg gngcatgggc 180  
ctgggccacc ttctcttcct ttgctgaggc ctccagcttt caggcaggcc aaggccttnt 240  
tcnnccccac ccgccctccc cagggggcct cgggagctca ggtgggcccc agtttcaatc 300  
ttcccgttgt tggtgttggg gcccttaann ttcccagcg ttccatttt ttnggcantt 360  
tntgg 365

<210> 669  
<211> 474  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (405)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (454)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (456)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (458)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (472)  
<223> n equals a,t,g, or c

<400> 669  
gtccacctta ctaccagaca accttagcca aaccatttac ccaaataaag tataggcgat 60  
agaaattgaa acctggcgca atagatatag taccgcaagg gaaagatgaa aaattataac 120  
caagcataat atagcaagga ctaaccctta taccttctgc ataatgaatt aactagaaat 180  
aactttgcaa ggagagccaa agctaagacc cccgaaacca gacgagctac ctaagaacag 240  
ctaaaagagc acaccctgtct atgtagcaaa atagtgggaa gatttatagg tagaggcgac 300  
aaacctaccg agcctggtga tagctggttg tccaagatag aatcttagtt caactttaaa 360  
tttgcccaca gaacctccta aatccccttg ttaatttaac ttgtnagtcc aaagaagaac 420  
agctcttttg acactaagaa aaaaccttgt aganananta aaaaatttaa cncc 474

<210> 670  
<211> 467  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (12)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (82)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (148)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (169)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (188)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (211)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (217)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (219)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (227)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (229)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (254)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (282)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (287)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (300)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (305)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (313)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (318)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (325)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (327)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (332)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (335)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (336)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (337)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (343)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (348)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (359)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (361)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (367)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (371)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (386)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (398)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (405)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (441)

<223> n equals a,t,g, or c

<400> 670

```
gccanagtgt ancttaacac aaagcaccca acttacactt aggagatttc aacttaactt 60
gaccgctctg agctaaacct ancccccacac ccactccacc ttactaccan acaaccttag 120
ccaaaccatt tacccaaata aagtatango gatacaaatt gaaacctgnc ncaatacata 180
tactaccncc agggaaacat gaaaaattat naccnanicnt aatatanena ggactaaccc 240
ctataccttc tgcntaatga attaaactaca aataactttg cnacganagc ccaagctaan 300
accnccaaa ccncacancnt acctnanaac anctnnnaga acnccccntc tatgtaccna 360
ntactgngaa nattatacgt aaaggnacca acctaccnaa cctgntgata ctggttggtcc 420
acataaatct tattcccttt naatttgccc ccaaacctct taatccc 467
```

<210> 671

<211> 360

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (292)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (316)

<223> n equals a,t,g, or c

<400> 671

```
gtggttttacc tccacgtatt tatttcacct tagcagatgg aaacaaagta ttttgctgga 60
taagaaagac cctaaaatgg atatagaagt gtgtgtgtat ccataaaatg catatgtaaa 120
tttttttttg tttttaagca ttcacccaaa caaaaaaatc acaggtaaac ccatgtttct 180
gagatgccat tattccaagc aaaataagag ataatccctt caagttaaatt tgaaaatttt 240
cctgaaacca tacatttcaa gtgaaataag taattctaga tagggcaatt tnaattggat 300
aatttttaaag tgcctnttat tgcagtgggt tatttgcaaa ttcctaaaag ggaaaatttt 360
```

<210> 672

<211> 237

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (63)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (75)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (112)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (168)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (170)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (210)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (213)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (227)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (228)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (236)

<223> n equals a,t,g, or c

<400> 672

ggcagagggtt cgtctgggct catgctggga tgtcgcagtg ctctgtttgc aactcctccc 60  
agncagccag gtttncctggg ggccaggctg ggtgtcctca caggagtagg gnctacaccc 120  
aattccaaaa gcctgagaaa gagagaagtg gagggggagg cgagtttntn aataaaggct 180

cccatcaggt caaaaaaaaaa aaaaaaaaaan ttnggggggg gccccgnncc caattng 237

<210> 673

<211> 429

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (240)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (387)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (426)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (427)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (429)

<223> n equals a,t,g, or c

<400> 673

tttgectgct cccggcgagg ggtggctttg atttcggcga tgagctccca gaaaggcaac 60  
gtggctcggt ccagacctca gaagcaccag aatacgttta gcttcaaaaa tgacaagttc 120  
gataaaagtg tgcagaccaa gaaaattaat gcaaaacttc atgatggagt atgtcagcgc 180  
tgtaaagaag ttcttgagtg gcgtgtaaaa tacagcaa atcaaaaccn 240  
aaaaagtgtg ttaaatgttt acaaaagaca gtgaaggatt cttatcacgt aatgtgcagg 300  
ccatgtgccc tgtgaacttg aagtttgccg aaaatgttgg aagaaaggag accttgatt 360  
ccaatcctgg gccaaagaat ccagnncaa gagttggaag cttagaaagg agttccactc 420  
aggggnntn 429

<210> 674

<211> 134

<212> DNA

<213> Homo sapiens

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (41)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (48)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (70)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (127)  
<223> n equals a,t,g, or c

<400> 674  
cttccccntg ccangtttgt aaacagcgtg atacccgaga nctctcgnt gccatagggt 60  
agctcaggcn tgtccagcta caccgccaat cactctgtgg ccttcagcaa gtggcatgag 120  
cagncgntgg agca 134

<210> 675  
<211> 274  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (13)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (20)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (37)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (39)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (48)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (50)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (57)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (76)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (97)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (108)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (128)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (148)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (207)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (222)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (235)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (266)  
<223> n equals a,t,g, or c

<400> 675  
ggcagcagcagna aanncccagcn gnctatactt agcattntnt aaatccantn tcaaatncca 60  
aatatcacag acaccnctna cacaaggaat ataaaancca ccaccctnca gcctgggaga 120  
acgtcgtnga gaacctacat ctatacanga ttttaaaaat gaagctgggc gtggtggtac 180  
acacctgtgg tcccagctta ctagggnggc tgcagccagg tntgnacgct ccaanccagg 240  
gcttagtggc tgcaatgagc tcttanttgg catc 274



<210> 676  
<211> 416  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (99)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (102)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (306)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (322)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (369)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (387)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (393)  
<223> n equals a,t,g, or c

<400> 676  
ggcacagtct atttagaact gaggggtttc ccaaggacta tgggcatggc caagaataag 60  
ctggtgaaat cagatccagg gactcaacaa ctgattctnt gnttctttct ttctctctcc 120  
agagtcttct tcccaccctg ggcagggatg cacacggctg cagcgctggg gtcgggcca 180  
gcagatgggc ttggagcctc ccccagaggt gtggcaggtg ctgaagacct accccggagg 240  
acccccgctt ccagtgcagg tcagagacag gccgggaggg ctttcagggg agccagggcc 300

tttttncagg catgttcacc cngctgttcc tgacctgagg gagnaatggt tggaggggtt 360  
ggaagggcnt tgtttgaaca ggcaagnagt ttnttttgag gtggcctggt ttcagg 416

<210> 677

<211> 507

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (38)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (41)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (98)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (106)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (112)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (172)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (197)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (214)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (287)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (291)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (322)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (362)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (380)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (386)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (394)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (395)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (400)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (404)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (409)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (411)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (414)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (419)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (436)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (438)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (439)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (448)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (455)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (456)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (457)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (464)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (472)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (473)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (479)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (487)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (495)  
<223> n equals a,t,g, or c

<400> 677  
anattcgcca gagcactttc atcgccctacc ccgacgcngn ncccagctgc gggacgtgca 60  
tcacggctgg gccccagag gagagaggag gccgacgnca gcggtncg tncgggaacg 120  
ggaggggttt cggggggttc ggcgtcgac cttggggccc ccgcagccg tntaccgggc 180  
ctcccatctg ctaagcnttt ttccgttgag ccgntccaaa aacactaagc tggggacgcc 240  
aagtgcctccc ccaccccggc tccttgccc tatccacaac ttcaaccca ncccaggatc 300

gccatctttt aggggaggcc tnggaagggg gtgttaaggt gtttttaggg ccaacgaggt 360  
tnaaacaaaa aggacccttn cccannccaa ccannccaan cccnaattna nctncatgnc 420  
ttaggggaaa aatttncnna acaatttncc ctttnnngga accngggcaa anncaaggna 480  
agttttnggg gtttnaattg tttctta 507

<210> 678  
<211> 122  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (38)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (95)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (102)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (104)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (114)  
<223> n equals a,t,g, or c

<400> 678  
ncanaaaactc tggctcttct gtctggtggc acttaaantc ttttgtgcc aatgcaaca 60  
atatggaggg aagattttat ggaaaaatgg ggatnctctt cntnaacccc aatnaattaa 120  
gg 122

<210> 679

<211> 121  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (18)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (50)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (55)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (62)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (101)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (106)  
<223> n equals a,t,g, or c

<400> 679  
acttcgtcng gaactcgnga tctccctttg ggatggcccg cccgcaggtn ccggnccgga 60  
antcccggtt cgacccacgc gtccgctata ttattggaag naattntcct ctcacctcct 120  
a 121

<210> 680  
<211> 475  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature

<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (83)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (122)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (130)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (137)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (178)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (203)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (271)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (301)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (330)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (333)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (340)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (343)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (390)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (399)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (441)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (458)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (463)

<223> n equals a,t,g, or c

<400> 680

```
ggcanagtgc aacacaggaa gtgaggatac ttctggcgag cgccgggttg tgttttcttct 60
caggctcagg gaccggccgc ggncccgtag tgtatttaac tcaaattgggt gatgaaaagg 120
tnctcttggn aaagtgnaaa acttttagatg gaaattcttc agggaaaaga aacgaggnaa 180
ggaacaagag gagaaagcag agntaaaacg cttaaaaaat tctgatgacc gggattccaa 240
gcgggattcc cttgaggagg gggagctgag ngattcactg ccatggagat cacaataagg 300
nactccccgt atagaagaga agacttcatt ggnagacagn ggnggaagaa gttgggtttct 360
ttggccatca aaccaccccg gcaaatgttn ttggaaagna aaagtccctt cccggaaagt 420
tgaaaagggg aaaggaaaat ntgggcttct ggcctttnge cgnggggttc agggg      475
```

<210> 681

<211> 421

<212> DNA

<213> Homo sapiens

<220>  
<221> misc feature  
<222> (349)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (377)  
<223> n equals a,t,g, or c

<400> 681  
gtagaattct gagcactcaa ctcatgtttg gcatttttaa gtaaaaacaa gtgtgacttc 60  
gaggaccaaa gaaattgtca gctatacatt tatctttatg aactcattta tttccctttt 120  
taatgactcg ttgttctaac atttcctaga agtggtctta taaaggctta atgtatccac 180  
aggctgttgt cttattagta aatgcaaaga aatgactttg tctgttttac tctagtcttt 240  
agtacttcaa aattaccttt catatccatg atctgagtcc attgggggat tttaagaatt 300  
gatgtattca atacacgttc aaaataaatg ttttaatttag tatgagtang tagttccoga 360  
agtgtgccca ttaaatnata aaccatgtaa cttgtctgtg aaaaaaaaaa aaaaaacccg 420  
g 421

<210> 682  
<211> 118  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (54)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (57)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (59)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (62)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (101)

<223> n equals a,t,g, or c

<400> 682

nacctccacg tcctggtgtg tgagcctgac tggggtcgaa gaccagacag gacntgnant 60  
ancctgctct gagcgagtga gatcctactg gatcatcatt nacctaaacc ccaagcag 118

<210> 683

<211> 485

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (164)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (245)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (313)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (332)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (337)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (339)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (363)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (367)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (376)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (378)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (412)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (445)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (455)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (479)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (481)

<223> n equals a,t,g, or c

<400> 683

```
cctctccgcc ccctccgggc ttggctctcc caggaggcta cgactggagc cactgggtccc 60
gcaggatccc cgcgtcctcg gtcgcccggt ccacgtccct ctgcgcgtccc cgcccggcgc 120
cacgccgcct cctctggggt cggcctccgc gcggtgcagc gcantctcag gccgcgggac 180
aagcccgact taaatctctg caatggctaa cgaacttatc cttgtccgtg ttgacttggc 240
cacanattga ttatggaagg ctaggcgtga attcaattcc aacaatcaag gttatttcac 300
aatccccttt gangcaggca actgtaatgt cntccanant atttggtggc attgcccata 360
canattntac tgaatnanc cggaatgata ccaacatgtc ccaatctttt tngggaaact 420
tggacccttg gaatgtcttc tcctnatggt gaaanaaatc caaaaaaaaa aaaatgttnt 480
naatt 485
```

<210> 684

<211> 527

<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (308)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (401)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (457)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (479)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (506)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (512)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (520)  
<223> n equals a,t,g, or c

<400> 684  
tttcggccgg cgccgccagt tcctggggca caccagagg tccccctctc gccgccgcct 60  
gcaactgcga gggtagcccg gggccgcttg gagtcgcccg gacctgagag gctgctgcac 120  
tgggcctcag ccagccctcc ggatgctggt gctgccatcc ccctgccctc agcctctggc 180  
attttcctcc gttgagacca tggagggccc tccccgtcgg acttgccgct cccagaaacc 240  
tgggaccttc ctctccatc ggattctccc caggcttca tcttcttcca agggcccaac 300  
cactaacntg ctttattgga cattcagggt gttccctgac acagtgggtg gtgggacgag 360  
gagtcacaga ggggagccag gggccagtgg gggttccagg ncagaaaaat tggttacagt 420  
tgcccgtgtg gtcaagggtc ttctgagtaa atgttcntaa ttttaaggga cacagcatna 480  
accaattggg agttaaagc ctctcgnatgt gnaatttgtn gggaagg 527

<210> 685  
<211> 125

<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (19)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (36)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (105)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (125)  
<223> n equals a,t,g, or c

<400> 685  
nccacctcgg tgcagccgnt ctanaactag tgnatncccg ggctgcagga attcggcacg 60  
agcgtgcaag acagctgggt gtacagcgtc ctcgaaacca cgagnaagtg agcagatcct 120  
ccgnn 125

<210> 686  
<211> 534  
<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (88)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (122)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (199)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (273)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (276)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (308)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (322)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (369)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (375)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (378)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (410)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (433)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (436)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (454)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (502)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (508)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (509)  
<223> n equals a,t,g, or c

<400> 686  
tcgagntttt tttttttttt ttttttttct ggatggaatt ttttaatttat ttatcatggt 60  
tgtaagttac agacatttat gttttcanca acagtttata atagttacat ctcatacttc 120  
anctattaca acagagagaa cattaaagta caaagaaaga cttcaaaaat gaggttactg 180  
tgatgtatca taaaaggant taaaattcaa aatatcaaag acctcaccta tcggactaaa 240



```
cataaatctt aaaacctcct atggtcctct gancnnaaaa ttacaaaact tagcaactgc 300
ttaaaccnta ggaattaacg gntctgtgtt ttccaggtaa gaaaaacaaa aaatgctttg 360
gtaaactanc ccatnatnta gtttaaagtgt ttctgccccg ttttgatcn ctccttgaaa 420
ganagtatat aanttncagg ccagcatata tttnaaaaaa catctcccaa atttcattta 480
ctataggttt ctccaataat cntttacnnt tttaatccaa tgaaaaaaat tgat 534
```

<210> 687

<211> 308

<212> DNA

<213> Homo sapiens

<400> 687

```
gccacagaac cctctaaatc cccttgtaaa ttttaactgtt agtccaaaga ggaacagctc 60
tttggacact aggaaaaaaac cttgtagaga gagtaaaaaa tttaacaccc atagtaggcc 120
taaaagcagc caccaattaa gaaagcggtc aagctcaaca cccactacct aaaaaatccc 180
aaacatataa ctgaactcct cacacccaat tggaccaatc tatcacccta tagaaagaac 240
taatgttagt ataagtaaca tgaaaacatt ctcctccgca taagcctgcg tcagattaaa 300
acactgaa 308
```

<210> 688

<211> 676

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (27)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (140)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (150)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (151)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (155)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (157)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (159)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (160)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (161)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (162)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (165)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (167)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (168)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (169)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (176)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (177)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (180)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (193)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (207)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (219)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (223)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (237)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (246)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (262)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (291)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (292)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (300)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (307)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (310)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (316)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (339)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (361)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (368)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (394)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (413)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (414)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (415)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (428)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (429)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (432)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (448)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (454)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (471)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (481)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (514)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (518)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (520)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (523)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (524)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (534)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (553)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (562)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (582)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (589)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (593)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (609)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (629)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (640)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (643)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (656)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (664)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (670)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (673)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (675)  
<223> n equals a,t,g, or c

<400> 688  
gggttttagag aaaacaaatt gaagcnnatc aaatttgtaa aatcaaatta catatatata 60  
aaaaaaccta tctgtattag acaaaaactg tttttattta tttctgtaag atatccatta 120  
aataaatatt ttagtggaan aaaaaaaaaa naaantnann nnaanannna aaatannaan 180  
aaggggcgcc gcnctaaagg atccaanctt acgttcgcnt gcntgcaacg tcatacntct 240  
cctatnttgt cacctaattt cnatccccctg gccgtctttt tacaaccctc nngactgggn 300  
aaatccnctn gcgttnccca acttaaaccg ccttgcaant acatccccctt ttcgccagct 360  
nggcgttntt tctaaaaaag cccgcatccg atcncccttc ccaattagtt gcnnnccctt 420

taattgggna antggggacc cccctgtntt cggntccttt taatcttcgg nggggtggtg 480  
nttgggttta cctccacct ttgaaccttt atanttgnn atnncccaaa atcncccgct 540  
cctttccgct ttcttccct tncctttctc cctctcttcc cncgggtnt cncctgtct 600  
aatttttant cggggggctc cttttaggnt tccaattttt tgnttatcgg gtcccnccaa 660  
cccnttaatn tcntnt 676

<210> 689

<211> 195

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (154)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (159)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (160)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (194)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (195)

<223> n equals a,t,g, or c

<400> 689

ggcacgaggc tgcncagag ttggaagga agatcgaggc agaagatgta gaaggaagct 60  
gtgggggtgg gagtgatgcc tcaggaacaa aactgaggaa ttccctaacg gacccagtcc 120  
ctagggaaag aggtccctc caggtctctc ttgnetagnn ccacacctgg cagagcctgt 180  
caccagcct agcnn 195

<210> 690

<211> 283

<212> DNA

<213> Homo sapiens



<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (34)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (42)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (105)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (139)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (183)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (224)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (257)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (265)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (266)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (279)

<223> n equals a,t,g, or c

<400> 690

```
ctcattnatt tgcaactgtc atggatgttt acangaaccc anccagagtt tgcctccctg 60
cacttcaccc caaagcgcac ctgcttcctc cacttcacct tcggnagaag acacttcaaa 120
ctgcggaacac acgcaaaanc aactcccagc tctgtttgat gttactcgtt tcctcaacaa 180
gtnggcacaaa cagatatcat gctgaattcc gggggccctg tgantcaaaa tcacttcttt 240
tttaagcaat tgaaaanctg caggnnngtg ctctttgcna ctg 283
```

<210> 691

<211> 494

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (140)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (163)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (200)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (234)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (238)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (272)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (286)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (290)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (311)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (325)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (332)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (336)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (343)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (346)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (348)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (361)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (368)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (385)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (387)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (390)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (407)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (437)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (438)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (478)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (490)  
<223> n equals a,t,g, or c

<400> 691  
gtggaaacgt gctatttgga gggtattttc ctagtcgaca tccaggagat ctccagagat 60  
ctatttcagc cccacctgtt gatttcacat tgaaaaggag gaagctcaaa ctgaagtgag 120  
ttaaaaactt catctcctan agaggactgt ggctcggcct ganttgagtt tttttatgtt 180  
tatgtgcaag cgcaatgaan aagaacaccc gccagactac catgaggatc aatnagcnag 240  
atgctctctg caccacacac tcccatgaac cnaagaagat cttccnaatn tttttgatga 300  
aggaaaaaatt ntgccccctt tggtnctctc cncctntggt ttnaananc attttattcc 360  
ngcttcncc ccccaaaaac ccccntnttn aatgcttcct ggcccancct taaaacctgg 420  
tggcccaaaa aaaaaannaa acccctttta aaattttccc taaatctccc ccgggggnaa 480  
aaaatttggn cccc 494

<210> 692  
<211> 138  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (26)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (60)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (74)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (109)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (133)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (138)  
<223> n equals a,t,g, or c

<400> 692  
gtggtagagt nctgttaaataaat gaatgntctg ggntagatag agcttggaga acctgctggn 60  
cttgtagac agcnccttggg cctttgccag cagcaagagg tgaagcganc cactcttccc 120  
ccttcccctc cncctggn 138

<210> 693

<211> 456  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (17)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (42)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (43)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (45)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (46)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (47)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (53)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (62)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (74)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (123)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (138)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (168)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (175)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (187)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (193)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (236)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (246)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (255)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (257)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (276)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (282)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (291)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (292)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (303)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (305)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (316)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (319)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (338)

<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (340)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (356)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (382)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (392)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (406)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (425)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (428)  
<223> n equals a,t,g, or c

<400> 693  
gcacagtcct gcccttnatg cncagcccca tgggacaccc gnnngnnnttt ccnaaacctc 60  
cngnaaaaca cacntggagc cagagccttc tgccgccagc cctgcccctg aattggaagc 120  
agnccctgtgc tcgatgggag gggctcccag gccggcagcc cttgccanct tcctntgcca 180  
agcctgntgc tgnagaacgg ttattgctga ggtgcccctg tccaggcctg ctaacnttgg 240  
ccacanacac atatnangcc ctgggcttac agcctnaacc tnggcttcac nnctgctggc 300  
cancnagact gcttcntgnc agcattgatc ttgtgttnan caagtctcac tggcanagct 360  
ggcattggag ggtgcttgct cntggacttt gntcagaggc ctgtgncaga gtcagtttga 420  
actcnttnat gcatgctctg ggcctgagtt gcagca 456

<210> 694  
<211> 104  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (53)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (78)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (92)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (98)  
<223> n equals a,t,g, or c

<400> 694  
ggaaatttgt nggggggctg ccaaaacctg aacaagaaga tggcgccaac aangcattct 60  
cagactcctt tgtggatnct tgccctgaag gngaaggnc a gagg 104

<210> 695  
<211> 426  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (54)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (68)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (85)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (132)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (137)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (188)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (219)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (227)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (281)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (300)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (369)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (370)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (396)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (414)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (422)

<223> n equals a,t,g, or c

<400> 695

```
ggaancnctg gttttaaata ttttgacttg ttgagggtat gttttatata gcangacatt 60
atatagcngt aaaaaatggt gtttnatctt ctatataatt cctgttttta ttattaacaa 120
aacagtccta antagcngcc ctcaattgtg aaaaaattta ctttaaacta cattaggttg 180
tgaatgcngg ttttatcaga actatgtttt ttgttcagnt tatctgntca tatggataaa 240
tattggttgg gatgacttgg tgtctaattgt gtagtgctac ncacctaact tatggggccn 300
aaatagcatg tcctaattgct tgctgctgat ttaaacacat taaagggtact ttgcaggaaa 360
aaaaaattnn taaggggcggc cgctctagag gatccnagct tacgtacgcg tgcntgcgac 420
gncata 426
```

<210> 696

<211> 196

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (130)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (139)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (157)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (184)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (196)

<223> n equals a,t,g, or c

<400> 696

```
tcgacccacg cgtccgattt aatgcactaa ctttaaatgt tttccaaata taattacctg 60
tcagtctttt tatagatata aatcaagtag gcattatgtt ttaaaagact gacaggtaat 120
tatatttggn aaacatttna tgcactaact ttaaagnaat tgaaaattca ggtggataaa 180
tagnccttaca aaagan                                     196
```

<210> 697

<211> 263

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (43)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (210)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (211)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (225)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (237)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (253)

<223> n equals a,t,g, or c

<400> 697

```
gaacttcccc ttcccgaag tgtgaggaaac cccagggtca ctnatgctcc tctgccccct 60
ctttaacatt ttccccctgga caagtgtgta totgttctct ccattggcat ttctacttcc 120
agcctctggg ctccctgcttc tgcctcctgc ttaggaacct gtccccctgg ggtagcttca 180
```

caacaccttc aaacatagggc agtcagaggn ncacccgaga agggnccttc ccacgtncag 240  
gaccaaattt ctncgggaa ttt 263

<210> 698  
<211> 508  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (358)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (449)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (480)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (496)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (499)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (505)  
<223> n equals a,t,g, or c

<400> 698  
gcggacgcgt gggtaaagct gcacttggga tttttacctt acgctttact gattctctca 60  
agcacatggc aaagtattgat ttgcactccg ttcattttctg acacgttttg ctgcctccta 120  
ccttttctaag cgtcatgcaa attcgagaat ggagaaggac gctgccggtc cctgagcggt 180  
gtggagaggg cggaagggtg actccagcgc agcttgaggg gctgaggacg gaggtgacag 240  
catctgtgtc gttctactga gcacgcttct ctgcctcgct cctgactcag cactttgttc 300  
actggctcag cagttatgtt tacacatcat ttttatggtc ctgctttgta attcatgntt 360  
gagatgggtg gccactgtac agatatttat tacgcttttc agactttctg aatagatttt 420  
tttgaataaa catgggttta tgaaagtga aaaaaaaaaa aaaaaggggg gcccttttan 480  
aggatccaag ttacnacnc gggcntgg 508

<210> 699  
<211> 651

<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (499)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (502)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (550)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (588)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (596)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (611)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (614)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (643)  
<223> n equals a,t,g, or c

<400> 699  
gcaataaagc taaaactcac ctgagttgta aaaaactcca gttgacacaa aatagactac 60  
gaaagtggct ttaacatata tgaacacaca atagctaaga cccaaactgg gattagatac 120  
cccactatgc ttagccctaa acctcaacag ttaaatcaac aaaactgctc gccagaacac 180  
tacgagccac agcttaaaac tcaaaggacc tggcggtgct tcatatccct ctagaggagc 240  
ctgttctgta atcgataaac ccgatcaac ctcaccacct cttgctcagc ctatataccg 300  
ccatcttcag caaacctga tgaaggctac aaagtaagcg caagtaccca cgtaaagacg 360  
ttaggtcaag gtgtagccca tgagggtggca agaaatgggc tacattttct accccagaaa 420

actacgatag cccttatgaa acttaagggt cgaagggtgga ttttagcagta aactgagagt 480  
agagtgccta gttgaacang gncctgaacg cgacacaccg ccgtaccctt ctcaggatac 540  
ttcaaggacn ttactaaacc cctacgcatt atttgaggag acagtcgnaa catggnagtg 600  
acctggaaaag ngcncttgga caaccaaaaa aaaaaaaaaa aanggggggc c 651

<210> 700

<211> 787

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (58)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (99)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (109)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (116)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (126)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (127)

<223> n equals a,t,g, or c

<220>



<221> misc feature  
<222> (130)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (147)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (152)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (163)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (184)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (186)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (211)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (233)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (236)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (248)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (252)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (260)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (267)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (271)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (284)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (288)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (301)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (304)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (305)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (351)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (364)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (373)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (408)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (416)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (446)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (504)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (525)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (534)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (536)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (589)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (601)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (608)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (614)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (626)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (628)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (649)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (653)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (665)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (726)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (737)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (747)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (758)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (777)  
<223> n equals a,t,g, or c

<400> 700  
taaanggggg gggggggggg ggggaaatth gantttgaaa agggggggggg gggggaanct 60  
tttttttaag gggggggggg gggggaaaaa aaagtaaaag gggggggggg ggggaancttt 120  
tttttnncn ccatcaagg ggggaantth antttttggg gtnaaciaac ccttgcccc 180  
nggntnacc cggggttccc cggggaaaaa ntttncccc ggggggttcc ggnaanccct 240  
tattgccngt tncccggggn ttttttnccc naaaaaaaac aaantttntt tccccttttg 300  
ncnntttta acttgggccg cctttgccc aaagggttt gggggggggc naaagggtca 360  
attncccttg aancttgaaa ccggggaaaa gcttcaactt tggcattngg cccttnccgt 420  
ggtcccact tgcaaactg gtcaantggg tgggaacctg aacttgccgt ctaaaaaaa 480  
acttgccaaa tattgaatga acantcaaaa aaagggtggg gaaancaagc ctngnaagg 540  
ccccctcaa aaggcaatct tggcttacac ttaacaccaa ggtggtctnc ttttgacttt 600  
naacaagnga acanccactt cttcanentt taacgcttgg ggcttgcant tgnccctcaa 660  
ccaanactt ttgtcaaagc tcaattttct tgggtattaa caaaaccaa attttggtt 720  
acagcnaaca aagggtnggg tggaanctt caatgggncc ccaacaattg ggccctncca 780  
aagggaa 787

<210> 701  
<211> 133  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (109)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (119)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (125)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (128)  
<223> n equals a,t,g, or c

<400> 701  
ggaagaggat gacaccatca tggaagaatt ggtagataat catggcaaaa aaatcaagtc 60  
ttagaaataa agtgccattc tctgaaaaaa aaaaaaaaaa aaaaaaaaang gggggcccnt 120  
tttanngnac cca 133

<210> 702  
<211> 447  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (382)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (413)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (424)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (439)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (445)  
<223> n equals a,t,g, or c

<400> 702  
gcgnatncgt gggctgaagc ataaagaatt aatgacttac tttaattact ggaattcttc 60  
tgcaacatctt gacaaaacta accttgaata aggccactg taatacgtag ctctcttaaa 120  
tataacactt aggactagaa gattagaaac taccaatccc aactacgtaa taggaaaatg 180  
taggatcaaa aggcccatgt atataagtac tgaccactgg gccataatgt tgcttctcag 240  
gctatatgca gtccttttagt cagaagtcaa taggcctatt tattaatatt ttacagacca 300  
tattacctgg attaccaggg actatctttg ctgcagagat caaggggtaa gatctatggg 360  
aagatactta tttttctgag gnccttatgc ctggcatata attaaagact cangagaatt 420  
atgngaaatg ctttctggnt gcccnaa 447

<210> 703  
<211> 349  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (117)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (214)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (272)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (295)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (311)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (322)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (328)  
<223> n equals a,t,g, or c

<400> 703  
ccctaattgta aaatatggac tttggtgata gcgatgtgtc agtgtatggt catcaattgt 60  
aataaacatt cctttctggt ggggagggttg taaatggggg aggggtgtgca tgtgtanggg 120  
cacgagttat atgggaattc tctgtacctt ctgttcaatt ttgctatgaa cctaaaactg 180  
ctctaaaaaa taacctctgc tttaaaaagg tatntgtact ctatnatctt ttattagaaa 240  
tctttgttgc tatttttaca tggaaaaata cnggatgaag tccttattcc cctanaataa 300  
attatggaaa ntcaccattc cnagtttntg atggaatcct ggatgctcc 349

<210> 704  
<211> 328  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (160)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (228)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (263)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (276)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (302)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (305)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (310)  
<223> n equals a,t,g, or c

<400> 704  
cgcaccggac cccggtcccc gcgcgcggcg gggcacgcgc cctcccgcgc gcgcggggcg 60  
cgtggagggg ggggcggccc gccggcgggg acaggcgggg gaccggctat ccgaggccaa 120  
ccgaggctcc gcggcgctgc cgtatcgttc cgctgggcn ggattctgac ttagaggcgt 180  
tcagtcataa tcccacagat ggtagcttcg cccattggc tcctcagnca agcacatata 240  
ccaaatgtct gaacctgcgg ttctctcgt actgancagg attacatgg caacaacaca 300  
tnatnagtan ggtaaaacta acctgtct 328

<210> 705  
<211> 666  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (395)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (437)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (443)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (456)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (468)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (473)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (478)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (484)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (494)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (497)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (505)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (506)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (512)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (541)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (548)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (562)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (578)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (589)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (617)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (618)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (652)  
<223> n equals a,t,g, or c

<400> 705  
gttttgtcca atcattttaa acttattata taaaaatttg ttttaaata ttggacaaaa 60  
aggtatggtc taatggtaaat aaacaaattt ttatataata agttttattt gtatgtaata 120  
aattttatta tataaaaaata agttttaata tatattatat aaaaagtatt aataaatacc 180  
taatatatta tttaatatga taaaacttat attaaatgaa attttatgct gttctcttgt 240  
caatctgtct tttgttatct tgctggtgtg cctgtcatgt gagggactgc aatctgatat 300  
gcctattttc cacagtcaaa gcaattacaa gagaattgtt acaattacc agttatgtca 360  
agagattttt tttaattcac taaggtagag ataangagaa tgtattaaaa ataggatatt 420  
ttaattataa atgcatnact ggngaagggg tattgntttt gaataaanat atngaggnta 480  
tttngccatg accncanaaa aaacnnaagt tngaaaaaat cccctgggaa aatttaattgt 540  
ntccttcnaa ctttttataaa antaccctaa aaaaaatntt aatttggant taaaatcaat 600  
atctccaatt aatcccnnaa ttctctttta ataatcccc ttaaaataag gntaccctt 660  
gaaata 666

<210> 706  
<211> 267  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (6)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (28)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (36)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (43)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (62)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (75)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (78)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (95)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (130)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (147)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (155)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (156)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (192)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (208)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (222)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (256)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (258)  
<223> n equals a,t,g, or c

<400> 706  
cccgtncccc cctcctcctc ggcncgcngc ggcggngggcg ggnnggcggag gggccgcggg 60  
cnggtcccc cgcnggnnc cgcccccggg gccgnggttc cggcggcgcc tcgcctcggc 120  
cggcgccctan cagccgactt agaactngtg cggannaggg gaatccgact gtttaattaa 180  
aacaagcat cncgaaggcc cgcggcgngt gttgacgcga tntgatttct gcccagtgtc 240  
ctgaatgtca agttgnanaa attcaat 267

<210> 707  
<211> 300  
<212> DNA  
<213> Homo sapiens

<220>

<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (105)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (113)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (161)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (172)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (227)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (238)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (251)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (257)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (274)

<223> n equals a,t,g, or c

<400> 707

```
cctccaccca cggccgggcc ttgacgtcat gggctgcggc cccctcccgg ctgaacctat 60
aaancggcag gtgcgcgcng ccctacagac gttcgcacac ctggntgccg gcnccccaaa 120
agtcccgga cagccgaag cgccgcgcc gcagccccga nctccccaaag nnttcgaaag 180
cggcgcacac tcccgtctc cactcgtct tccaacaccc gtcgtnttg gcggcagntc 240
gtgtcccaga naccganttg cccagaaaa cganacgccg ccgctgcgaa ggaccaatga 300
```

<210> 708

<211> 282

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (30)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (50)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (239)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (262)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (272)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (275)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (279)  
<223> n equals a,t,g, or c

<400> 708  
ntttnnatag tccccaagct taatacgaan ccctataggg aaagctgaan acgcctgcag 60  
gtaccgggtc cgggaattcc cgggtcgacc cacgcgtccg attacaagct gtagaccacc 120  
taatataaat ttgtaggtaa tggtcctgaa aattgcaata catttcaatt atactaaacc 180  
tcacaaagta gaggaatcca tgtaaattgc aaataaacca ctttctaatt ttaaaaaana 240  
aaaaagaaaa aaaaaaaaaa angggggggc cncntaang gt 282

<210> 709  
<211> 399  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (20)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (42)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (58)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (123)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (138)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (143)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (346)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (364)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (388)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (395)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (399)  
<223> n equals a,t,g, or c

<400> 709  
gctntttttat acgaagggcn cctaataagg gtttaaagct gnaaaacccc cctggcangg 60  
tagccgcgaa ancgggaaat tcccgggggt cgaaccacg cgttccggga aaaagcttgc 120  
canaaacagg gagaaganag ganagaaaaa gggggattag ttatatcaaa aagcctggaa 180  
agggtgggaat ggaccaaaaa gatggggact cctcctttat tccaagcatg ggaggggggtt 240  
ttaaattggga gggatttcct ttttcctgcg acaaaacgctc ttttcacaac ttaccctgtt 300

aagtcaaaat ttattttcca ggaatttaat atgtacttta gttggnatta tctatgtcaa 360  
tganttttaa gctatgaaaa tatatatnaa cttanagan 399

<210> 710  
<211> 302  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (294)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (300)  
<223> n equals a,t,g, or c

<400> 710  
ggtgtaattc tgtagtttc agatttctct cctgtttttg caaattgtgg gaaagattga 60  
caatgcaaat gtgtcaaaga catactgttg ggtgcaatat taacaatttt aaatgcaaat 120  
ttctttggat aaattatttc tatattctgt aaatctgaga tttaatgtat attttgttta 180  
aaaaatgatt tagtaaaatc ttgaaaagt aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 240  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaanaaaaan 300  
aa 302

<210> 711  
<211> 489  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (70)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (116)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (287)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (402)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (439)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (465)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (466)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (483)  
<223> n equals a,t,g, or c

<400> 711  
tangggaaat ttgaagctgg ttccctgcag gtcccctgca ggtaccggtc cggaattccc 60  
gggtcgaccn acgcgtccgg gctccacgag gggtcagctg tctcttactn ttaacnagtg 120  
aaattgacct gcccgtagaag aggcggggcat aacacagcaa gacgagaaga ccctatggag 180  
ctttaattta ttaatgcaaa cagtacctaa caaaccacaca ggtcctaaac taccaaacct 240  
gcattaaaaa tttcggttgg ggcgacctcg gagcagaacc caacctncga gcagtacatg 300  
ctaagacttc accagtcaaa gcgaactact atactcaatt gatccaataa cttgaccaac 360  
ggaacaagtt accctagggg taacagcgca atcctattct anagtccata tcaacaataa 420  
ggggttacga cctcgatgnt ggatcaagac attccgatgg tgcanncgct attaaagggt 480  
cgnttggtt 489

<210> 712  
<211> 121  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (74)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (88)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (93)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (119)  
<223> n equals a,t,g, or c

<400> 712  
gnattggggc ttcctttcga gggggccggg gactagggat cctgaccaca atgactgagc 60  
ctgctacatg aagngcccca cgtaggtncg gannactttg acatcttggt acctaggana 120  
c 121

<210> 713  
<211> 476  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (337)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (420)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (436)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (450)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (458)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (463)  
<223> n equals a,t,g, or c

<400> 713  
ggagcaaaaca tgtttttttga accttggtcat ttttgtgaag aattgcctag attccttctc 60  
tcatcaacgg gaaagtactt cctctgagag tgcgagtgc ccatgctcac tggtgctgcg 120  
tgaggagagtc acaagccact ggcaagcaag tggatatagtc tgtgaagcac tgcagcgagc 180  
agcacctgga tcttgccctt ataagaacat ttactacct gcagctttga gtcttgccct 240  
acattttggg catgacataa gatgtgtctt tattcagctc gtcgtgaaga tgctgctgct 300  
gaatgggtca gcatatctct gtttgcattg tttgcangaa gtcgggtttc atggtcattc 360  
agtttccaca gatcttgaat gattactggc tggctgggtc tttttttcca tgagaaaatn 420  
actggtgcaa aattgnccta taaaattggn ctttactnaa atnaccaatg gtttaa 476

<210> 714  
<211> 527  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (16)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (80)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (414)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (415)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (419)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (462)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (469)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (483)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (497)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (516)  
<223> n equals a,t,g, or c

<400> 714  
ccctttgant atacngaaa gctgggttcgc ctgcagggtac cgggtccggaa ttcccggggtc 60  
gacccacgcg tccgcccann ccactccac cttactacca gacaacctta gccaaaccat 120  
ttacccaaat aaagtatagg cgatagaaat tgaaaccttg cgcaatagat atagtaccgc 180  
aagggaaaga tgaaaaatta tagccaagca taatatagca aggactaacc cctataacctt 240  
ctgcataatg aattaactag aaataacttt gcaaggagag ccaaagctaa gacccccgaa 300  
accagacgag ctacctaaaga acagctaaaa gagcacaccc gtctatgttg caaaatagtg 360  
ggaaagattt ataggttagag gcgacaaacc tacccgagcc tgggtgatagc tggntgtnc 420  
aagataagaa tcttagttca acctttaaat tttggccac anaacctnt aaattccctt 480  
ggnaaattaa ccggtangtc caagagggac caggtnttgg gaccctt 527

<210> 715  
<211> 511

<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (54)  
<223> n equals a,t,g, or c

<400> 715  
gaaacccact ccaccttact acntgacaac cttagccaaa ccatttacc c aagntaaagt 60  
ataggcgata gaaattgaaa cctggcgcaa tagatatagt accgcaaggg aaagatgaaa 120  
aattatagcc aagcataata tagcaaggac taaccocctat accttctgca taatgaatta 180  
actagaaata actttgcaag gagagccaaa gctaagaccc ccgaaaccag acgagctacc 240  
taagaacagc taaaagagca caccctgcta tgtagcaaaa tagtgggaag atttataggt 300  
agaggcgaca aacctaccga gcctgggtgat agctgggtgt ccaagataga atcttagttc 360  
aacttttaaat ttgccacacg aaccctctaa atccoccttgt aaatttaact gttagtccaa 420  
agaggaacag tctttggcac taggaaaaac cttgtagaag agagtaaaaa attaacaccc 480  
atagtaggcc taaaagcagc accaattaag a 511

<210> 716  
<211> 81  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (39)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (74)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (77)  
<223> n equals a,t,g, or c

<400> 716  
gggtggcatg aggangtccc acttgcaact tctttctgnt gagagaacct taggtacgga 60

gaagaataga gggncnctnatg g

81

<210> 717

<211> 208

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (71)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (72)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (104)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (115)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (127)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (175)

<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (195)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (201)  
<223> n equals a,t,g, or c

<400> 717  
tnggtncata agcatcttcn tggaatcgta ttataaaatt gaaattagat atagagaatg 60  
ttttaacact nntttaactc aaaatttgta atcattctta atancatctt tcttnatcaa 120  
aagaaanagg aatttaaatga caggcagaca ctcttttaaa acttattcac aaaanccaat 180  
aactgcacaa aatgntatta nctgcctg 208

<210> 718  
<211> 562  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (557)  
<223> n equals a,t,g, or c

<400> 718  
gcccacgcgt ccggcccagg ctgctcccta ccagggtgacg gagcgcgccg gggctgtggg 60  
tgccagggggc tgagtgttag ggactcgtca tgagtgggga tccccacgtt cctgtcactg 120  
ctgtcaaaca gaaggtaaac agtcttatga atgtatttcc ttaggaaaac ttgtaaaaac 180  
ttttattagg atatctatatt aatactgaac tttggcctac tttgtgatag actataaaca 240  
aattgaggaa atcactatatt ctcacttctg tattttctca aaaataattt tgttacagag 300  
ttcaatatac tgtgtaccat tgatcttcta ttgtgaaagc aaagaatttc atcaaaatat 360  
tttaaattat gagtgaaaaat tgtgtatgtt aattttgcag ctataatatt aatcaaattt 420  
tgtgtaattc taatcacaaa atgacgtgcc ttaagtgcc ctccagctgt gggttggcag 480  
tgtccggaca gggagggccc atcaccgaaa tcotgaatga ttactagacc aattctatta 540  
aaaacatttc aaggcanaaa aa 562

<210> 719  
<211> 579  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (400)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (470)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (501)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (530)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (534)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (555)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (578)  
<223> n equals a,t,g, or c

<400> 719  
gcaaaccac tccaccttac taccagacaa ccttagccaa accatttacc caaataaagt 60  
ataggcgata gaaattgaaa cctggcgcaa tagatatagt accgcaaggg aaagatgaaa 120  
aattatagcc aagcataata tagcaaggac taacccttat accttctgca taatgaatta 180  
actagaaata actttgcaag gagagccaaa gctaagaccc ccgaaaccag acgagctacc 240  
taagaacagc taaaagagca caccctgcta tgtagcaaaa tagtgggaag atttataggt 300  
agaggcgaca aacctaccga gcctggtgat agctggttgt ccaagataga atcttagttc 360  
aactttaaat ttgccacag aacctcttaa atccccttgn aaatttaact ggtagtccaa 420  
agaggaacag gtttttgac ctaggaaaaa ctttgtgaag agagtaaaan tttaacaccc 480  
tagtaggcct aaaagcagcc nccaattaag aaagcggcga agcttaacan ccantaccta 540  
aaaaatccca acttntactg gacttcttac acccattnng 579

<210> 720  
<211> 403  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (19)  
<223> n equals a,t,g, or c

<400> 720

gcttttaaatt tgccacana accctctaaa tccccttgta aatttaactg ttagtccaaa 60  
gaggaacagc tctttggaca ctaggaaaaa accttgtaga gagagtataa aatttaacac 120  
ccatagtagg cctaaaagca gccaccaatt aagaaagcgt tcaagctcaa caccactac 180  
ctaaaaaatc ccaaacatat aactgaactc ctacacccaa ttggaccaat ctatcacct 240  
atagaagaac taatgttagt ataagtaaca tgaaaacatt ctctccgca taagcctgcg 300  
tcagattaaa aactgaact gacaattaac agcccaatat ctacaatcaa ccaacaagtc 360  
attattacc tcaactgtcaa cccaacacag gcattgtcat aag 403

<210> 721

<211> 327

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (311)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (316)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (320)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (322)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (323)

<223> n equals a,t,g, or c

<400> 721

ggacacttct tcatctcacc cccccccgcc cccctctagg agagctggct ctgcagtggg 60  
ggagggatgc agggacattt actgaaggag ggacatggac aaaacaacat tgaattccca 120  
gccccattgg ggagtgtatc cttggacaca gagcccccat tcaaatggg gcagggcaag 180  
ggtgggagtg tgcaaagccc tgatctggag ttacctgagg ccatagctgc cctattcact 240  
tctaagggcc ctgttttgag attgtttgtt ctaatttatt ttaagctagg taaggctggg 300  
gggaggggtg ngccgnggtn cnnttag 327

<210> 722

<211> 202

<212> DNA

<213> Homo sapiens

<220>  
<221> misc feature  
<222> (48)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (54)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (63)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (65)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (73)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (139)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (165)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (176)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (182)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (201)  
<223> n equals a,t,g, or c

<400> 722

gctcgcgccc caggccggtg taccctccgca ctccgcgcgc cggcctanaa gctntctctc 60  
ccngntcccc ggnccggccc ccgtcccgcc ccgccccaga tccgctgggc cgccatggag 120  
cgctggcctt gaccgtaang gcggcgcctg gctgctcgtg gctgnccgcg cgctgntgca 180  
antgctgagc tcagacctgc nt 202

<210> 723

<211> 354

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (39)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (43)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (50)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (66)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (72)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (94)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (113)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (125)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (154)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (155)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (203)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (246)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (274)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (295)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (298)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (333)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (335)  
<223> n equals a,t,g, or c

<400> 723  
gggagaatcc atctaaagta aacagcccag cattggganc canctctttt gcaagttgga 60  
ggcttctgt ancgtaatt tcaggaaatc ctangcaa atgcagttac tgntctagaa 120  
gatanatagg tagtgtgtac tgtgatggaa attnnaatgt cactgttaaa aggtttgcat 180  
tttggtggct tggaagggcc tanaacttcc ttcttaggct ttctcttcac taagtgggct 240  
cttgcnttat attacttcca gagaaaggca ggcnggatta gaggcattgg aaggnganca 300  
atttggggaa atacctatac tgtgcaaaag agncnaagga caacctttta atgg 354

<210> 724  
<211> 310  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (151)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (204)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (217)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (239)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (248)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (296)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (297)  
<223> n equals a,t,g, or c

<400> 724  
gctacctcgg tgcgcgcccc gntcgcaggg cccgccagaa ggcccgtggc cacggcgaat 60  
acggcgcggtg cgtcccggcc ccagggtccg gcagccccgc cggccgagcg cctccctgcg 120  
gcctagccgg gcccggccgg gccggagcag ntccccacgg cccccaccgg ntcgcctgcc 180  
cgccgcctcg cgggtggggg cggngcgcgg gctccanccc cttttgaaat ttgagtctng 240  
caaccagnaa gttcgaatc ccgagatacc ggatcctctg cgcaaaatgt tttctnncca 300  
aggtgaaagg 310

<210> 725  
<211> 99  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (10)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (41)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (49)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (65)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (90)  
<223> n equals a,t,g, or c

<400> 725  
gcggacgcgn gggcgggcgg gcgggcggcc atgaggctcg ngcgggcgng gcgggcgggg 60  
taggncggcg gggccgggga gggggcggn agggcatgt 99

<210> 726  
<211> 208  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (44)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (91)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (137)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (179)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (185)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (187)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (204)  
<223> n equals a,t,g, or c

<400> 726  
agtgagtcac ctgctggccg gcttctgtgt gtgggtcgtc ttgngctggg tagggggctc 60  
agtncccaac ctgggccctg ctgagcagga ncagaacctat tacctgcccc gctgttttggc 120  
tgtacggcga gaatggnacg ctgactgcaa ggggcttggc gcggttttcc acaacctgng 180  
gctangncaa gttcaagggc ttcnactg 208

<210> 727  
<211> 441  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (321)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (394)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (405)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (422)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (433)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (438)  
<223> n equals a,t,g, or c

<400> 727  
ggaagacaag ttcttgactc tatgttgagg ccagttgaaa aatgagggag aataaaacca 60  
tgaacgaaac aagaaagaaa caaaacagaa gaggaatgaa aaagacataa tgatgtcatc 120  
caagccaaca agccatgctg aagtaaatga aaccataccc aacccttacc caccaagcag 180  
ctttatggct cctggatttc aacagcctct gggttcaatc aacttagaaa accaagctca 240  
gggtgctcag cgtgctcagc cctacggcat cacatctccg ggaatctttg ctagcagtca 300  
accgggtcaa ggaaatatac naatgataaa tccaagtgtg ggaacagcag taatgaactt 360  
taaaagaaaag aagcaaaggc actagggggt gatncagatc atggntggat tgatgccatt 420  
gntttggaat tgntttgngt t 441

<210> 728  
<211> 429  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (95)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (99)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (149)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (231)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (243)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (264)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (284)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (290)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (311)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (317)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (327)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (357)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (363)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (397)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (403)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (416)  
<223> n equals a,t,g, or c

<400> 728  
ctcaagtctc ttttctgccc aaaaagggaa aagtgataga aatgggggtg gcaagtgggg 60  
tgagtggatg aaggtgggta ttgggggtgg ctgtnaaana aaataatgga gaatcacttt 120  
tctatacatc tacctatact taatctaana aacaaagtaa tctactgtaa agtactctgc 180  
cccttgaaag aagtattaaa aagagtgagg atggatttaa aaaaaaacat naatttagaa 240  
atnttcaaaa tgggtttttgt gggagatttc ctattatgaa ttcncacatn tttaaagaat 300  
gagaaacata nttattngtt aaaaatncca aaaacagttc ctgggttcct cttgttnttt 360  
ganaactaaa aaaaatacca gagtgttggg atctccnaaa ccnatgaaat ccccnnaaat 420  
tttaaggac 429

<210> 729  
<211> 260  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (40)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (53)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (54)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (57)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (89)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (103)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (104)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (120)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (150)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (188)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (195)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (251)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (256)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (259)

<223> n equals a,t,g, or c

<400> 729

```
tggtaccctt gcaggtaccg gtccggaatt cccgggtcgn tccacgcgtc cgnnctntat 60
caaagtgttg ccagaattca cagtttagng catctaaatc canntatata gaaagcgctn 120
tttttctttt ctttcttttc tttttttttn ttttttttta agatggactc cacgttgcca 180
aggctggnaa tttgnttcct cttgatcaat ataaagacgt ttcaacatta ttgatctctt 240
tagagtttgg ntatantant                                     260
```

<210> 730

<211> 136

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (49)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (51)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (75)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (123)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (131)

<223> n equals a,t,g, or c

<400> 730

```
gcggancacc atatngaacg ggagacctgg tgactagaca tcaagcaang nactatgcac 60
```

caagaatata aaganggaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 120  
aanaaaaaaa naaaaaa 136

<210> 731  
<211> 110  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (34)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (61)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (83)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<400> 731  
nccctagaac cccagccagg accgnggagg ccngaagac ccccatcaag gaggagctgg 60  
nggcagggaa aacctacagg cgntgagaga gaggccgcag caagaagcan 110

<210> 732  
<211> 639  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (222)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (247)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (361)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (387)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (457)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (514)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (577)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (579)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (588)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (607)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (639)  
<223> n equals a,t,g, or c



<400> 732

```
gataaacaat aaaatattgt gaacatcttc attagaatat ttttgtcagc tttggaggta 60
ggatctagat aaaagttttt aggctaaccc aaaatattta tcttcagtaa tgatatgcct 120
tttgctgtgt atgacatctg aaatgtggat aatactgaaa cgctctcagt cttaaactta 180
taagctacac taaaatctaa ttaatgaatt gctgtaaaag tngttgatta ttaatatag 240
ctgtagnntt taacttttta tctgtgcctt cttgtgttca tttcctttta aagggtgattg 300
gtttctgttt gtcatacaaaa cataaaaacc tttaaaggagt cttacagatt ttttgtgctg 360
ntagggtggct tttcccttct ggctctnttt ttttaaacaa taattaataa ctaaaatatt 420
tatgtcttat tgaatatctt atggtataat aacatanntt atcttaaaat aatcaaatag 480
gatattcatg gatTTTTtaga tctgtcttgt gagntgtgac agattttattc aataaacatt 540
tattgagtc cctatcaact acttggtacc aaagaanana gatgaatnaa tcttgggtctt 600
tcaaaaangct ataggctatt ggggggaaat agggatggn 639
```

<210> 733

<211> 380

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (44)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (58)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (306)

<223> n equals a,t,g, or c

<400> 733

```
gaattcattt tnttcttatt aaggaaatac tttgcataa ggnatcatt cccagagngc 60
tttaccaaaa ttctcttaaa taaaaataat agactcgcta gtcagtaaag atatttgaat 120
atgtatcgtg cccctccgg tgtctttgat caggatgaca tgtgccattt ttcagaggac 180
gtgcagacag gctggcattc tagattactt ttcttactct gaaacatggc ctgtttggga 240
gtgcgggatt caaagggtgt cccaccgctg cccctactgc aaatggcagt tttaattctta 300
tctttnggct tctgcagatg gttgcaattg atccttaacc aataatgggc agtcctcatc 360
tctgtcctgc ttcataagtg 380
```

<210> 734  
<211> 311  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (13)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (27)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (61)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (92)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (128)  
<223> n equals a,t,g, or c

<400> 734  
ttaactgnaa tcntctacta taggttnagc tggtagcct gcaggtagcgt gccggaatt 60  
nccgggtcga cccacgcgtc cgcggacgct tnggttggtg gccaaggaaa ggtatatagt 120  
aaaagtnta aaccatgtca actgaagtga gtgtaatctc agatatcaac attattatat 180  
tttaaaatca cgctatggaa atatcacctg aattctgtca tttgtcagat ttacagtacc 240  
tttttttctt taacttttag cattaataa aaataaaatt gggagcactg aaaaaaaaaa 300  
aaaaaaaaaa a 311

<210> 735  
<211> 361  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature

<222> (173)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (219)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (308)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (314)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (327)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (331)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (343)  
<223> n equals a,t,g, or c

<400> 735  
gtaccgctgc cgccgtctct aaggctgccc gggtcccacc gccgccacca tgcctcgggg 60  
aagccgcagc gcggcctccc ggccagccag ccgccccgcc gcgccctctg cccacccgcc 120  
cgcgaccca ccgccctcgg cagccgcccc agcccccgcc ccttcggggc agncgggggt 180  
catggctcag atggcgacca cggccgcagg ggtagccgng ggctcggctg tgggacacgt 240  
catgggcagc gccctgaccg gagccttcag cggggggagc tcggagccct cccagcctgc 300  
tgtccagnag gccnccaccc ccgctgnccc ncagcccctg canatggggc cctgcgccta 360  
t 361

<210> 736  
<211> 388  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (38)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (43)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (49)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (53)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (85)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (109)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (148)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (153)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (161)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (164)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (169)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (170)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (187)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (231)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (237)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (265)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (296)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (332)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (345)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (378)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (384)

<223> n equals a,t,g, or c

<400> 736

```
gtatccatag ttgctgctca gatgtttctt tttttcanag ttntgctgnt aanaatatct 60
cctnaacatt tgacttcatt gtggncata atggctcttg aattgattna gacattcaca 120
cagcttgaag aaaatctaaa agatgaanat gantcattga naancaccnn caaagtaaac 180
agaattnaag tttcagtcct ggatgcaaat ggaccctcag tgggggagat nccccanagt 240
gaactcatct tgtattttatc agctngcaaa ttcttggaca cagcagcttt cttttncacc 300
tgacaagatg ccattatttc aaatttatac gngggcattt attcnagaag tggacacata 360
gggccctgtc ttctgttnat gtanagga 388
```

<210> 737

<211> 146

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (32)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (70)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (96)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (102)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (124)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (133)

<223> n equals a,t,g, or c

<400> 737

```
ggtaaatacaa agttttgggt ggaagtgttg anaagtatga gttttttggt gtttttggtt 60
tacttaaaan ttttaattta tccagaatgg cagtancctt ancaagcaga tggtcacaat 120
```

ctgnttttcta aancattttt tattaa

146

<210> 738

<211> 101

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (46)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (67)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (99)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (101)

<223> n equals a,t,g, or c

<400> 738

ggtgagagnc tcatttctat gcacagtgtt tctgaggagg atgganctag atagctgtct 60  
gttgtcntgt agcccaagct tgataatgga actatccang n 101

<210> 739

<211> 542

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (458)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (485)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (494)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (530)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (541)  
<223> n equals a,t,g, or c

<400> 739  
tanggtctcn agggnccttct acnggaaacn ctactatat tgaaagctgg taccctgca 60  
ggtaaccggtc cggaattccc gggctaaata tgaaaataag tcatttgaaa aaaatacagt 120  
atgtaaaatt tggtcattcg ttgaggtaat ggtgctatgt ttttcaaaa ttgttcctac 180  
accttttttc tacttcagggt attttatttc aaccatttcc atcaattgaa ctgttaccat 240  
tgccttttttc tggtgagaaa ttgcctctga aaaatagtgc tatttttcag cttaagtgtt 300  
cttaagtga tgaaattttc aaagtactag atcaccttaa aattatttca cgtactgaag 360  
acaattaagt ccgttatgtt tagagtagaa aatgtttagg ttaaagagca tctgtcaaca 420  
gaatctacaa aaaagattcc cttgcatttg aattaagntc tctattctcc tattgctaaa 480  
tgtgngatat atanagagga tgtataaaag gaaatggaaa tagactatgn acttggctgg 540  
nt 542



<210> 740  
<211> 184  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (13)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (77)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (78)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (107)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (122)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (138)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (175)

<223> n equals a,t,g, or c

<400> 740

```
aattcccnac tcnagtttag gctngtacct ctgcaggtac cggtcaggaa ttcccgggtc 60
gacccacgcg tccgtcnngc tccgctgcgg cgccccaaact gctgatngag ctgctgggcc 120
tnagcgctct gctgcagnga gatcccagga agctggcaca tcttgaagg nccgncctgc 180
tcgg                                           184
```

<210> 741

<211> 231

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (167)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (170)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (173)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (176)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (225)

<223> n equals a,t,g, or c

<400> 741

```
gcccacgcnt ccgggccaga cgagcagagg acggcatcgg cctggacttg cctctttatc 60
cagcccaccc ccaggacttc catgaagtag aggacttgat aaagactgcc ataggcaaca 120
cactggtcca ggacatctga tattctccag atacccaaaa gtcctngtn cgnctnagtg 180
acgattacaa caggacgttt ctggagaacc tgaaagtga caccngagaa t           231
```

<210> 742  
<211> 119  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (66)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (92)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (97)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (103)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (116)  
<223> n equals a,t,g, or c

<400> 742  
gctagtttcta gatcgcgagc ggccgccctt tttttttttt tttttttttt tttttttttt 60  
ttttcnttta tacttttgtt tatttttctt gnttatnaaa acngccaaca attgcnttt 119

<210> 743  
<211> 580  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (264)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (338)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (366)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (369)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (385)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (396)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (443)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (458)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (499)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (515)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (540)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (562)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (563)

<223> n equals a,t,g, or c

<400> 743

```
gtcgggttttt tatttttttta caatttcact tagtctgtac ttcatcattt tgacagcatc 60
ttcctccctc ctttaattaa tggaatcttc tgaattttcc ctgaatgttt aaagatcatg 120
acatatgact tgatcttctg ggagcaggaa caatgactac tttttctggt gtgttaacat 180
gtcgcctagcc agtgctccag gcacccagct ttgtctgtgg gttagtattg gtgtatgtat 240
gagtatctgt atgtatatat acanggtatt tatagagaga gactatcctg gagaagcctc 300
gttttgatgc cattcttcct tgcaaggtta agcaaggngg gtggaaacta agacacctga 360
acctncang gccttccgca tcaangtcag catgangaca gaccacagag ctgcactttt 420
gtcccgaaag tacttttcac tgncccgttc aatctgantg ctgccacaac cagtcagggc 480
cgtcacagag agggagagnt gagaaagaag tcttntctctt tattgagttc caagactacn 540
accaattaca ctggcttttg annccgtgat cctgatccaa 580
```

<210> 744

<211> 225

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (210)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (213)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (217)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (220)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (224)

<223> n equals a,t,g, or c

<400> 744

```
cgaacaagac atgaaaagag nggtgacaaa tcaagaataa acactgggtg tagtcagttt 60
tgtttggtga aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 120
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 180
aaaaaaaaaa aaaaaaaaaa aaaggggggg cngttnaan gggnc 225
```

<210> 745

<211> 338

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (49)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (56)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (58)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (62)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (175)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (316)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (321)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (334)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (336)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (338)  
<223> n equals a,t,g, or c

<400> 745  
nagctgggtac gcctgcaggt accgggtccgg aattccccggg tcgacccang cgtccntnaa 60  
antaaagggg ctacagaaac actcattttt atgctgttcc ctcttgggct tcatgcaaag 120  
acaattctgt gtaaagtgtac agttgactct gatttggaaa tatgaaaatc agtcnadcct 180  
tggtataaaa aattttttta caattgtaat tatattgatg ttcattattgt gtaaaataac 240  
tcatttaata aaatagtact ttgatttacg acaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 300  
aaaaaaaaaa aaaaanaaaa naaaaaaaaa aggnangn 338

<210> 746  
<211> 160  
<212> DNA  
<213> Homo sapiens

<400> 746  
ggtttccagtt gagccctgga actcctaaac ctttgcccct ggggcttcca tcccaaccag 60  
tgccaaggac ctcctcttcc cccttccaaa taataaagtc tatggacagg gctgtctctg 120  
aagtactaac acaaggaaaa aaaaaaaaaa aaaaaaaaaa 160

<210> 747  
<211> 218  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (178)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (198)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (204)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (213)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (218)  
<223> n equals a,t,g, or c

<400> 747  
ggaaaaaatg cattgtcaac ggaatctttt atgtttgttt gtcttccttt aagcaacatt 60  
gccttacttg ttataaaaga taaataaata tttgttcatt tcaaaaaaaaa aaaaaaaaaa 120  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaangg 180  
gcggccggtt taaaggancc aagnttacgt acncgtgn 218

<210> 748  
<211> 265  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (12)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (28)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (41)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (52)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (53)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (77)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (80)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (82)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (106)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (107)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (121)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (127)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (150)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (153)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (159)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (161)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (175)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (186)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (207)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (208)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (258)  
<223> n equals a,t,g, or c

<400> 748  
gctgttactt angaaaatgg aacacaanaa aagtaaagaa naaagaatga cnnacacatt 60  
taagatctga ttggacncgn angataatcc tgagaattgc taatanntca ctgggttttg 120  
nccttantgt tgacttcagt atgctgagan ggngaccanc ncgccctagag ctaangcttg 180  
atgacnttga agagtttgag aacattnnaa aggacctgga gacccgtaag aaacagaagg 240  
aagatgtgga agttgtanga ggcaa 265

<210> 749  
<211> 156  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (92)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (107)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (132)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (146)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (156)  
<223> n equals a,t,g, or c

<400> 749  
gtctgaaagg aggaattttc attttccttt aaagtgaaaa ggtaaaaact gcatttacta 60  
aaccaggccg gtgggggctc tgtgagcccc tntgcacagg aagcctnaga gactctgcat 120  
ggtgttcccg gngcatcctg gccaanagtgg gagaan 156

<210> 750  
<211> 174  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (155)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (159)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (164)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (165)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (173)  
<223> n equals a,t,g, or c

<400> 750  
ggtcatgcac tcctacactt aaagaataaa ctatgttcta actgccacaa aaaaaaaaaa 60  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaata aaaaaaaaaa aaaaaaaaaa 120  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaangggng gccnntttaa agna 174

<210> 751  
<211> 74  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (42)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (43)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (44)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (67)  
<223> n equals a,t,g, or c

<400> 751  
ccagtccctca cccatggcat gccccctgcg atcaggccat tnnnctcctc gtggtcattt 60  
tccacangta ctcc 74

<210> 752  
<211> 210  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (88)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (155)  
<223> n equals a,t,g, or c

<400> 752  
gctctaagtc acgggaactg cccttgctac ttgtgacctg ccctttactc agcagttttt 60  
gttctgggaa gccctgggat tctgctanta cctatcactg taggtgctga agggaaacag 120  
atgaaaacat gacctcaagg agcttctgta atganaaaacc aagctgcgct ggaaagattt 180  
aaaggacctg aactgtcttg actctttgat 210

<210> 753

<211> 313  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (310)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (312)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (313)  
<223> n equals a,t,g, or c

<400> 753  
ggtgagtgtc atttttaaga acagttgttag cccttctgat tattgcagta gctgtagaag 60  
tatgtaaagaa tatgtgatgg gtgtagtcat tagcaaagca tttaaatcac ttgagtattt 120  
tgcatgggtt cattattatt aaagcacaaa ataacctatt gttagaaaat atgtgttttt 180  
ataaatgaat gtaaaataat taaatgaatt gtgaaatgga tgtttaagaa aatataggct 240  
taaaaagtaa atctataaaa tgatgtctta aaacagccat atcatgaaaa attctactta 300  
gctatattan tnn 313

<210> 754  
<211> 445  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (26)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (83)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (84)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (86)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (93)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (96)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (97)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (102)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (108)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (113)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (116)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (128)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (142)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (157)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (160)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (165)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (198)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (210)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (211)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (214)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (248)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (283)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (299)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (345)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (355)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (364)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (421)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (429)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature



<222> (444)

<223> n equals a,t,g, or c

<400> 754

```
cngnggcang ggggaaaccc agggancagc gatgggctgc atggttgcat cagggctcct 60
gacaggattg gccgaggtcc tcnnngtget gtngcnacc cnacagcnag gcnacnttca 120
ataccnangg ttctgggtcc anctggaatc catgaanaan ctgantgacc tggaggcaca 180
ntgggcaccc agccccncc tggaagcccn naancttctg gccgccgtgt gccaccaccc 240
tgctctgnet ctgagatagc cctgggtacc ctgagccac canggacacc tcgcccttna 300
gccaccaccc ctggcaggct ttcattccccg tccatgctca agannngtcc ctggncacca 360
tggn cattac cacccttcag ggcctgagca gctggatctg gtacaaagca atcggacata 420
nagttggang gggaagcccc tgang 445
```

<210> 755

<211> 531

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (527)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (528)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (529)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (530)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (531)

<223> n equals a,t,g, or c

<400> 755

```
ggagccaaag ctaagacccc cgaaaccaga cgagctacct aagaacagct aaaagagcac 60
acctgtctat gtagcaaaat agtgggaaga tttataggta gaggcgacaa acctaccgag 120
cctggtgata gctgggtgtc caagatagaa tcttagttca actttaaat tgcccacaga 180
acctctataa tccccctgta aatttaactg ttagtccaaa gaggaacagc tctttggaca 240
ctaggaaaaa accttgtaga gagagtaaaa aatttaaacac ccatagtagg cctaaaagca 300
gccaccaatt aagaaagcgt tcaagctcaa caccactac ctaaaaaatc ccaaacatat 360
aactgaactc ctcacacca attggaccaa tctatcacc tatagaagaa ctaatgttag 420
```

tataagtaac atgaaaacat tctcctccgc ataagcctgc gtcagattaa aacactgaac 480  
tgacaattaa cagcccaata tctacaatca accaacaaga aaaacannnn n 531

<210> 756  
<211> 540  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (493)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (496)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (497)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (498)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (532)  
<223> n equals a,t,g, or c

<400> 756  
ngttgcgttg cggaccgcga gctgcactgc ttcctgccca agcccaagct cctcgcagca 60  
gtaggggaca agatgccaac tggcaagcag ctagctgaca ttggctataa gaccttctct 120  
acctccatga tgcttctcac tgtgtatggg gggtagctct gcagtgtccg agtctaccac 180  
tatttccagt ggcgcagggc ccagcgccag gccgcagaag aacagaagac ctcaggaatc 240  
atgtagaact ggggggcttt ttctcctgag cagagaggcc caaggcatgc tgtggagaga 300  
cttcacctgc caccatttcc aggtcaacag gactagagcg ttgatggttt tcaaaccctg 360  
ttggaagaaa gtgcccatgg tttctctggg tctgccagtt tgacaagttt atggaggctt 420  
ttgaatcgta atagcaatgt gagggtgagg gacaccctac agacattaaa taatttgctg 480  
gtgaaaaaaa aanaannnaa aaaggggcg ggcggtttta aaagatccaa anttacgtac 540

<210> 757  
<211> 560

<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (414)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (435)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (505)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (528)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (539)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (549)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (553)  
<223> n equals a,t,g, or c

<400> 757  
gaaattattc ccaagaatac cttacttggt tcaaaagcag actgtttctc ttcattttcat 60  
ctcaaatcag acttctgggc aagatgttct ttagagtaag caaacctaca acctaaaaat 120  
ctcttcaaga ggcattctctg gtcttgtagac gagacctctt caaaaaccca cagtaaaact 180  
ccccctctc cagttggcca ccagtctgcc accaaacatg aacaaattct gctgctaatac 240  
ggtttccctt gtgatctggt tcctgagggtc ttcggatctg tgcaatgaat tatttattgt 300  
tttattaaac cgacagtggg gtcccagaga ggaaccataa ataaaatgga aatctggtgc 360  
tgtgataaag taataactag cattaatgag acctgggttt cctttcagaa aggncagtat 420  
acctgtaaca aaggntaaag caatttatat ttaatttgca ttctgatggt aacattttaa 480  
cagcaattct aacaaaaatg catcnagtct aattcttacc tctatcanaa aacaactgna 540  
taaaatttnt ganccacctt 560

<210> 758

<211> 155  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (6)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (28)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (52)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (84)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (117)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (140)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (143)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (149)  
<223> n equals a,t,g, or c

<400> 758  
gattcntana agtatgagaa gaattatnct tattgaccat taatgtcatg tncattttaaa 60

tgtaatatataa ttgagatgaa atgntctctg gttggaacag actctctctt tttttnttg 120  
caatcttttaa gaatacatan atntaaaant catta 155

<210> 759  
<211> 80  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (40)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (45)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (49)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (52)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (58)  
<223> n equals a,t,g, or c

<400> 759  
ggcggtaagt gcggtgcagt attcaactga ccggtggacn cagancttna gncatgangg 60  
taacaggcat ctttcttctc 80

<210> 760  
<211> 286  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (26)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (60)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (61)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (80)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (131)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (148)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (151)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (160)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (164)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (180)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (184)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (189)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (220)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (240)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (259)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (282)  
<223> n equals a,t,g, or c

<400> 760  
tntggaaagc tgttccgcct gcaggaccg gtccggaatt cccgggtcga cccaagcgtn 60  
ntaactctgt cttgacgcgn ggactgcctg gcacatagta ttcattctct tccctttaac 120  
atanaagtgt ncagctgcgt acagtctntc naccagcaan tgtnaacgaa cctgtgcctn 180  
taanaagcna ttctaaacca cctatgagta tttcttttan ggctcactta aatacatgtn 240  
tgtatattct gtattctant cagaataatc tatatctgat cnaggt 286

<210> 761  
<211> 207  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (55)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (89)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (91)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (96)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (122)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (188)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (198)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (204)  
<223> n equals a,t,g, or c

<400> 761  
ggaacttttag tattaatatca gttntcaatn tcattgttta tgtattgttt tactnctttt 60  
tattcatatcg taaaattttg gattaattng ngaaantgta attataagct gagaccggtg 120  
gntctcttct taaaagcacc atattaaatc ctggaaaact aaaaaaaaaa naaaaaaaaa 180  
aaaaaaaaaa aaaaaaanaa atgnaaa 207



<210> 762  
<211> 162  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (61)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (78)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (82)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (123)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (132)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (140)  
<223> n equals a,t,g, or c

<400> 762  
catgggaccc ctctcagccc ntncctgcag attgcatgtc ccctggaagg aggtcctgct 60  
nacagcctta cttgtaanct tntggaaccc acccaccact gccaaagtca ctattgaatc 120  
cangccattc antgtcgcan aggggaagga ggttcttcta ct 162

<210> 763  
<211> 340  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (50)  
<223> n equals a,t,g, or c

<400> 763  
tntaataatc aacaccctcc tagccttact actaataatt attacatttn gactaccaca 60  
actcaacggc tacatagaaa aatccacccc ttacgagtgcc ggcttcgacc ctatatcccc 120  
cgcccgcgctc cctttctcca taaaattctt cttagtagct attaccttct tattatttga 180  
tctagaaatt gccctccttt taccctacc atgagcccta caaacaacta acctgccact 240  
aatagttatg tcatccctct tattaatcat catcctagcc ctaagtctgg cctatgagtg 300  
actacaaaaa ggattagact gaaccggaat aaaaaaaaaa 340

<210> 764  
<211> 354  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (318)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (343)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<400> 764  
aatcaacacc ctcctagcct tactactaat aattattaca ttttgactac cacaactcaa 60  
cggctacata gaaaaatcca ccccttacga gtgcggcttc gaccctatat ccccgcccg 120  
cgtccctttc tccataaaat tcttcttagt agctattacc ttcttattat ttgatctaga 180  
aattgccctc cttttacccc taccatgagc cctacaaaca actaacctgc cactaatagt 240  
tatgtcatcc ctcttattaa tcatcatcct agccctaagt ctggcctatg agtgactaca 300  
aaaaggatta gactgaancc gaataaaaaa aaaaaaaaaa ccnngggggg gggc 354

<210> 765  
<211> 443  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (99)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (160)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (298)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (306)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (317)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (357)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (377)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (386)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (390)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (398)  
<223> n equals a,t,g, or c

<400> 765  
nttttaataa tcaacaccct cctagcctta ctactaataa ttattacatt ttgactacca 60  
caactcaacg gctacataaa aaaatccacc ccttacgant gcggcttcga ccctatatcc 120  
cccgccgcg tccctttctc cataaaattc ttcttagtan ctattacctt cttattattt 180  
gatctaaaaa ttgccctcct tttagcccta ccatgagccc taaaaacaac taacctgcca 240  
ctaatagtta tgtcatccct cttattaatc atcatcctac cctaattctg gctatgantg 300  
actacnaaaa ggattanact gaaccgaata aaaaaaaaaa aaaaaaaaaa atcccanggg 360  
gggcccggtc cccattnccc cctatnttan ttttttttaa aatccctggc cgcgttttaa 420  
acttttttat tggaaaaaaaa aca 443

<210> 766  
<211> 351  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (29)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (337)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (345)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (347)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (348)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (350)

<223> n equals a,t,g, or c

<400> 766

```
gattttaata atcaacaccc tcctagccnt actactaata attattacat ttgactacc 60
acaactcaac ggctacatag aaaaatccac cccttacgag tgcggcttcg accctatata 120
ccccgcccgc gtccctttct ccataaaatt cttcttagta gctattacct tcttattatt 180
tgatctagaa attgccctcc ttttaccct accatgagcc ctacaaacaa ctaacctgcc 240
actaatagtt atgtcatccc tcttattaat catcatccta gccctaagtc tggcctatga 300
gtgactacaa aaaggattag actgaaccga ataaaanaaa aaaaanannan a 351
```

<210> 767

<211> 511

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (389)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (398)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (421)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (435)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (447)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (455)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (508)

<223> n equals a,t,g, or c

<400> 767

```
ggtttctcgc agaccctata acataatcca taattccttt tatggctcct attaattacc 60
tcattatttt aagtatgttt taaaggactg tatttgacta atgggttccc tttaactgaa 120
cttggttttta tttctgatct aacaccctt ttaaattgat caagccaaga cagaatgttt 180
gtgacaacgg tgcttgagat tgaacaactt ttggcaaggg taggtgtttt aaaggactct 240
atttaagtaa tgggtttcct ttaactgaac tttttagttc tgatctaaca ccccttttaa 300
atggatctgc caagacagaa tgtttttgac aatgggtgatt gatactgaac agcttttggg 360
caagcgtaa gtgcttctg ctaaattgnt attttgcnaa ttaatgtgtt ctccttaaat 420
ngatcctgga ttatnttaaa acgactnttt aattnattta ccatccatcc aaaatttccc 480
cccagcccct aatttgataa acctcccngt c 511
```

<210> 768

<211> 490

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (66)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (338)

<223> n equals a,t,g, or c

<400> 768

```
ctgnaagcna gacaccaacc ctactaaag ggaacaaaag ctggagctcc accgcggtgc 60
ggccngteta gaactagtgg atccccggg ctgcaggaat tcggcacgag ggcagctcgg 120
actggtcata cggccttgag aagggtagtc tcgggatgcc gtccgaagtc ggcgacaggg 180
ccggggcgca ggcgccgtg cggaatggca gatatttagc ttcctgtggt atactgatga 240
gcagaactct tccactacat acctcaattt tgcctaagga gatatgtgca cgaactttct 300
tcaaaatcac tgcaccatta ataaacaaaa ggaaaganta ttcagagaga agaatttttag 360
gatattcaat gcaggaaatg tatgatgtag tatcgggagt ggaggattac aagcattttg 420
ttccttggtg caaaaaatca gatgttatat caaagagatc tggatattgt aaaacaagat 480
tagaaattgg 490
```

<210> 769

<211> 399

<212> DNA

<213> Homo sapiens

<220>  
<221> misc feature  
<222> (137)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (242)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (246)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (261)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (276)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (329)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (332)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (353)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (358)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (362)

<223> n equals a,t,g, or c

<400> 769

```
ggcacgagag cgcttgggga tggatgccct ggttgctgaa gaggaggcgg aagccaaggg 60
gaatgaagtg aggcccagtg gccgggtctt cttgagttcc gcagcactta gacttacgtg 120
caccttttca tcaggtnacg gccccagttg tcaacccttc cagaacattt tcccatggat 180
tttgcggtat ttgacttttc aagattcaag agtcttaata atccngtttg gcaatttttg 240
gnaaanttgg acccagtcaa ngttttttaa attccntccc caaggccttc cagccttggg 300
gggttccaag gttttcccga agggcccant cntaccagct cttttttta aanggcgnat 360
anccagttga gcatatgact attgtttccc aattaccag 399
```

<210> 770

<211> 582

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (529)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (553)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (573)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (578)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (579)

<223> n equals a,t,g, or c

<400> 770

```
gtccacncgt ccgcccacgc gtccgcccac gcgtccggcg gagttgcagc gcctgggtggc 60
```



cgccgagcag cagaaggcgc agtttactgc acaggccacg tgcccgtaga aaagatactc 120  
atccactgtg ggttttggtt tcgccgtcac cccactgcct cactggattg tgaggatcat 180  
atgcgacaat gtatttgaaa acgactagaa cattatcgga ggaagggtgga ctctgaagta 240  
gtcgtgtag actatggatg tagaacaagg gtttgagacc cttcggacat ggttctaacg 300  
cggcctgact tcttgctggc tacatgacct tggactacat aatcacgcct cttaaattggg 360  
aggatgatgac agctatcctt gaggacctta gagagaactg atttcttagt acccagcctc 420  
acaaatagtg catcacttca tggagttagt ttgggataaa tgtgtggaga agccagggaa 480  
tcgcctagac tctcgactg aaaattgtct ctccagctgt gtagaccgnt tcattgacac 540  
cactcttgcc atnaccagc cggtttgccc canattgnnc ca 582

<210> 771

<211> 452

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (66)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (389)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (395)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (432)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (438)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (450)

<223> n equals a,t,g, or c

<400> 771

```
gtggaggaat tgcanaagct ggaagtgggc atatgaacta cattcaagta acacctcagg 60
aaaaanaagc tatagaaagg ttaaaggcat taggatttcc tgaaggactt gtgatacaag 120
cgtatTTTgc ttgtgaaaaa aatgagaatt tggtgcca ttttcttcta cagcagaact 180
ttgatgaaga ttgaaaggga cttttttata tctcacactt cacaccagtg cattacacta 240
acttgttcac tggattgtct gggatgactt gggctcatat ccacaatact tggataaagg 300
taataaattg ttgggggtgg ggaaggaagg atctaggata caggcaggat aatacatgca 360
ttctctccat tacaatccgc actcccacnt gtgtnaatat tacaccaa at cactttgcag 420
tcttattctc tntaaacnta gtacttctn gt 452
```

<210> 772

<211> 631

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (298)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (380)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (451)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (552)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (559)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (610)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (611)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (614)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (631)  
<223> n equals a,t,g, or c

<400> 772  
ggagggacta accccccagg agatctgcga caagtaccac atcatccaga gccttgggtct 60  
ctgttgctgt accataactca tctgtcccac acagatagag ggtgttccac tggcggaggg 120  
actaaccccc caggagatct gcgacaagta ccacatcatc catgctgaca tctaccgctg 180  
gtttaacatt tcgtttgata tttttggtcg caccaccact ccacagcaga ccaaaatcac 240  
ccaggacatt ttccagcagt tgctgaaacg aagttttgtg ctgcaagata ctgtgganca 300  
actgcgatgt gagcaactgtg ctgccttcct ggctgaccgc tttcgtggaa ggcgtgtgtc 360  
ccttctgtgg ctatgaagan gctcgggggtg accagtgtga caagtgtggc aagctcatca 420  
atgctgtcga gcttaagaag cctcagtgtt nagtctgccg atcatgccct gtgggtgcagt 480  
cgagccagca cctgtttctg gaactgccta agctggagaa gcgactggag gaatggttgg 540  
ggaggacatt gnctggcant gatggacacc aatgccagcgt ttatcaccgc ttcttggcctt 600  
ccggatggcn ncanccacct gcttaaccga n 631

<210> 773  
<211> 631  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (501)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (583)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (589)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (595)  
<223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (596)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (631)  
 <223> n equals a,t,g, or c

<400> 773  
 ngtggatttta cttgtcgaca aaaggcatct ctttaattggc acatgaagaa acatgatgca 60  
 gactccttct accagttttc ttgcaatata tgtggcaaaa aatttgagaa gaaggacagc 120  
 gtagtggcac acaaggcaaa aagccaccct gaggtgctga ttgcagaagc tctggctgcc 180  
 aatgcaggcg ccctcatcac cagcacagat atcttgggca ctaaccacaga gtccctgacg 240  
 cagccttcag atggtcaggg tcttcctctt cttcctgagc ccttgggaaa ctcaacctct 300  
 ggagagtgcc tactgttaga agctgaaggg atgtcaaagt catactgcag tgggacggaa 360  
 cgggtgagcc tgatggctga tgggaagatc tttgtgggaa gcggcagcag tggaggcact 420  
 gaagggtctg ttatgaactc agatatactc ggtgctacca cagaggttct gattgaagat 480  
 tcagactctg ccggacctta ntggacagga agacttgggg catgggacag ctcagacttt 540  
 gtattttaaaa gttaaaaagg acaataaaaa aaaaaaaggg gcnggccgnt tctannagga 600  
 tccaagcttt acgtaccccg ttgcaatgcc n 631

<210> 774  
 <211> 101  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (69)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (98)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 774  
 Gln Asp Glu Leu Gln Glu Glu Ser Glu Met Ser Glu Lys Lys Ser Cys  
 1 5 10 15  
 Ser Ser Ser Pro Thr Gln Ser Glu Ile Ser Thr Ser Leu Pro Pro Asp  
 20 25 30  
 Arg Gln Arg Arg Lys Arg Glu Leu Arg Thr Phe Ser Phe Ser Asp Asp  
 35 40 45  
 Glu Asn Lys Pro Pro Ser Pro Lys Glu Ile Arg Ile Glu Val Ala Glu  
 50 55 60

Gly Phe Thr Trp Xaa Ser Asn Pro Leu Lys Trp Ser Val Ala Asp Val  
 65 70 75 80

Val Arg Phe Ile Arg Ser Thr Asp Cys Ala Ser Ile Ser Lys Asn Ile  
 85 90 95

Pro Xaa Pro Gly Asn  
 100

<210> 775

<211> 97

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 775

Ala Ala Arg Ala Ala Arg Glu Ala Leu Leu Gly Trp Gly Thr Asp Cys  
 1 5 10 15

Pro Pro Phe Leu Met Cys Val Val Ser Leu Cys Cys Gly Ile Asp Met  
 20 25 30

Asp Ala Arg Thr Thr Leu Glu Thr Gly Val Ala Ser Arg Ala His Arg  
 35 40 45

Xaa Arg Glu Glu Gly Ala Ile Thr Gly Cys Gln Pro Leu Pro Gly Leu  
 50 55 60

Gly Ala Leu Ser His Gly Pro Ala Pro Ser Trp Val Phe Ile Leu Tyr  
 65 70 75 80

Leu Leu Gly Asp Arg Arg Arg Gly Ile Leu Pro Gly Trp Asp Lys Pro  
 85 90 95

Leu

<210> 776

<211> 146

<212> PRT

<213> Homo sapiens

<220>

<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (22)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (77)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (88)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (104)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (121)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (125)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (126)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (140)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (143)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 776  
Phe Gly Arg Glu Ser Cys Ser Val Arg Thr Gln Arg Glu Pro Trp Lys

1 5 10 15  
Pro Gln Arg Ile Xaa Xaa Pro Pro Ala Thr Leu Ala Pro Arg Tyr Tyr  
20 25 30  
Arg Arg Asn Cys Val Asp Ala Phe Pro Asp Thr Leu Ser Leu Ser Pro  
35 40 45  
Gly Glu Arg Ala Thr Leu Ser Cys Arg Thr Ser Gln Ser Val Gly Ser  
50 55 60  
Asn Phe Leu Thr Trp Tyr Glu Gln Lys Ser Gly Gln Xaa Pro Arg Leu  
65 70 75 80  
Leu Met Phe Gly Asn Ser Arg Xaa Pro Leu Ala Ser Gln Thr Gly Ser  
85 90 95  
Val Ala Val Gly Leu Gly Gln Xaa Ser Leu Ser Pro Ser Ala Asp Trp  
100 105 110  
Arg Leu Lys Ile Leu Gln Cys Ile Xaa Val Gln Gln Xaa Xaa Phe Arg  
115 120 125  
Ser Thr Met Phe Gln Phe Trp Ala Arg Gly Pro Xaa Leu Glu Xaa Lys  
130 135 140  
Asp Cys  
145

<210> 777

<211> 201

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids.

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (175)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (186)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (187)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 777

Arg Ser Gly Ser Gly Ser Lys Ile Lys Ser Arg Xaa Leu Gly Val Pro  
 1 5 10 15

Arg Arg Ser Gln Xaa Ser Glu Gly Cys Pro Ala Thr Pro Ala Gly Ala  
 20 25 30

Pro Pro Gly Gln Gly His Thr Thr Gly Ser Val Lys Pro Leu Xaa Arg  
 35 40 45

Ser Asp Ala Met Glu Leu Asp Leu Ser Pro Pro His Leu Ser Ser Ser  
 50 55 60

Pro Glu Asp Leu Cys Pro Ala Pro Gly Thr Pro Pro Gly Thr Pro Arg  
 65 70 75 80

Pro Pro Asp Thr Pro Leu Pro Glu Glu Val Lys Arg Ser Gln Pro Leu  
 85 90 95

Leu Ile Pro Thr Thr Gly Arg Lys Leu Arg Glu Glu Glu Arg Arg Ala  
 100 105 110

Thr Ser Leu Pro Ser Ile Pro Asn Pro Phe Pro Glu Leu Cys Ser Pro  
 115 120 125

Pro Ser Gln Ser Pro Ile Leu Gly Gly Pro Ser Ser Ala Arg Gly Leu  
 130 135 140

Leu Pro Ala Asn Ala Ser Arg Pro His Val Val Lys Val Tyr Ser Glu  
 145 150 155 160

Asp Gly Ala Cys Ser Leu Trp Arg Trp Gln Gln Val Pro Gln Xaa Ala  
 165 170 175

Thr Cys Val Lys Cys Trp Cys Thr Ser Xaa Xaa Leu Ser Asp Glu Thr  
 180 185 190



Trp Gly Phe Val Glu Cys His Pro Asn  
195 200

<210> 778  
<211> 120  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (81)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 778  
Asn Gln Cys Ser Gly Glu Arg His Leu Arg Val Thr Gln Gly Leu Gly  
1 5 10 15

Thr Gly Ala Phe Leu Gly Gly Leu Arg Pro Val Leu Gln Pro Arg Gln  
20 25 30

Gly Gln Asp Phe Arg Lys Tyr Glu Glu Gly Phe Asp Pro Tyr Ser Met  
35 40 45

Phe Thr Pro Glu Gln Ile Met Gly Lys Asp Val Arg Leu Leu Arg Ile  
50 55 60

Lys Lys Glu Gly Ser Leu Asp Leu Ala Leu Glu Gly Gly Val Asp Ser  
65 70 75 80

Xaa Ile Gly Lys Val Val Val Ser Ala Val Tyr Glu Arg Gly Ala Ala  
85 90 95

Glu Arg His Gly Gly Ile Val Lys Gly Asp Glu Ile Met Ala Ile Asn  
100 105 110

Gly Lys Ile Val Thr Asp Tyr Thr  
115 120

<210> 779  
<211> 111  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (88)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (91)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (94)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (98)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (101)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (103)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (106)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (107)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (108)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 779

His	Gln	Glu	Glu	Leu	Arg	Leu	Leu	Gly	Arg	Lys	Ala	Arg	Arg	Asn	Thr
1				5				10						15	

Arg	Leu	Arg	Asp	Glu	Phe	Ser	Thr	Glu	Ala	Ala	Lys	Leu	Trp	Thr	Leu
			20					25					30		

Ala	Arg	Pro	Phe	Cys	Pro	Pro	Leu	Leu	Ala	Thr	Leu	Leu	Gln	Met	Gln
			35				40					45			

Met Val Val Leu Pro Cys Leu Gly Phe Thr Leu Leu Leu Trp Ser Gln  
50 55 60

Val Ser Gly Ala Gln Gly Gln Glu Phe His Phe Gly Pro Cys Gln Val  
65 70 75 80

Lys Gly Val Val Pro Gln Lys Xaa Trp Glu Xaa Phe Trp Xaa Val Lys  
85 90 95

Asp Xaa Met Gln Xaa Gln Xaa Asn Ile Xaa Xaa Xaa Arg Leu Leu  
100 105 110

<210> 780

<211> 110

<212> PRT

<213> Homo sapiens

<400> 780

Ile Arg His Glu Phe Asn Thr Lys Cys Pro Ser Gly Ser Cys Val Met  
1 5 10 15

Asn Gln Tyr Leu Ser Ser Lys Phe Pro Lys Asp Phe Ser Thr Ser Cys  
20 25 30

Arg Ala His Phe Glu Arg Tyr Leu Leu Ser Gln Lys Pro Lys Cys Leu  
35 40 45

Leu Gln Ala Pro Ile Pro Thr Asn Ile Met Thr Thr Pro Val Cys Gly  
50 55 60

Asn His Leu Leu Glu Val Gly Glu Asp Cys Asp Cys Gly Ser Pro Lys  
65 70 75 80

Glu Cys Thr Asn Leu Cys Cys Glu Ala Leu Thr Cys Lys Leu Lys Pro  
85 90 95

Gly Thr Asp Cys Gly Gly Asp Ala Pro Asn His Thr Thr Glu  
100 105 110

<210> 781

<211> 124

<212> PRT

<213> Homo sapiens

<400> 781

Gly Gln Pro Ala Arg Val Trp Ser Leu Asp Thr Met Gly Thr Arg Leu

1                      5                      10                      15  
 Leu Pro Ala Leu Phe Leu Val Leu Leu Val Leu Gly Phe Ala Pro Arg  
                     20                      25                      30  
 Ala Leu Leu Thr His Ser Pro Pro Ala Glu Val Gln Gly Thr Gln Gln  
                     35                      40                      45  
 Pro Gln Gln Asp Glu Met Pro Ser Pro Thr Phe Leu Thr Gln Val Lys  
                     50                      55                      60  
 Glu Ser Leu Ser Ser Tyr Trp Glu Ser Ala Lys Thr Ala Ala Gln Asn  
                     65                      70                      75                      80  
 Leu Tyr Glu Lys Thr Tyr Leu Pro Ala Val Asp Glu Lys Leu Arg Asp  
                     85                      90                      95  
 Leu Tyr Ser Lys Ser Thr Ala Ala Met Ser Thr Tyr Thr Gly Ile Phe  
                     100                      105                      110  
 Thr Asp Gln Val Leu Ser Val Leu Lys Gly Glu Glu  
                     115                      120

<210> 782  
 <211> 86  
 <212> PRT  
 <213> Homo sapiens

<400> 782  
 Asn Arg Asp Val Ser Arg Asp Pro Gln Phe Trp Arg Leu Arg Ser Leu  
   1                      5                      10                      15  
 Lys Ser Arg His Gln Gln Ile Pro His Leu Val Lys Ala His Ser Leu  
                     20                      25                      30  
 Leu His Arg Trp His Cys Leu Ala Val Phe Ser His Gly Arg Arg Gly  
                     35                      40                      45  
 Lys Gln Ala Pro Leu Gly Leu Phe Tyr Lys Gly Thr Asn Ser Met Pro  
                     50                      55                      60  
 Lys Gly Arg Ala Leu Met Thr Leu Ser Pro Thr Lys Arg Leu His Phe  
                     65                      70                      75                      80  
 Phe Ile Leu Leu Glu Gly  
                     85

<210> 783  
<211> 102  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (66)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (73)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (86)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (98)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 783  
Gly Gln Ser Pro Asp Ala Gly Phe Leu Val Phe Pro Ala Gly Ile Lys  
1 5 10 15  
Gln Lys Gly Leu Leu Leu Ser Ser Ser Leu Met His Ser Glu Ser Glu  
20 25 30  
Leu Asp Ser Asp Asp Ala Ile Phe Thr Trp Pro Asp Arg Glu Lys Gly  
35 40 45  
Lys Leu Leu Ala Trp Ser Glu Trp Leu Cys Thr Gln Arg Ala Asp Pro  
50 55 60  
Ser Xaa Arg Pro Gly Ala Arg Gly Xaa Arg Ser Cys Ser His Leu Val  
65 70 75 80  
Cys Leu Leu Arg Ala Xaa Pro Gly Thr Ile Ala Arg Pro Val Leu Leu  
85 90 95  
Thr Xaa Arg Val Leu Arg  
100

<210> 784  
<211> 44

<212> PRT

<213> Homo sapiens

<400> 784

Ile Tyr Ile Thr Gly Tyr Val Asn Ile Phe Lys Tyr Trp Gly Asn Cys  
1 5 10 15

Phe Thr Val Leu Glu Pro Ser Lys Ile His Leu Cys Phe Val Phe Met  
20 25 30

Phe Ile Cys Leu Leu Lys Ala Arg Val Glu Asp Lys  
35 40

<210> 785

<211> 47

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (39)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 785

Ala Gly Ile Thr Pro Leu His Ser Ser Leu Gly Asp Lys Ser Glu Ser  
1 5 10 15

Val Ser His Gln Lys Lys Lys Glu Lys Glu Arg Cys Leu Thr Lys Val  
20 25 30

Thr Ile Ser His Lys Phe Xaa Thr Thr Tyr Pro Ser Ser Phe Lys  
35 40 45

<210> 786

<211> 301

<212> PRT

<213> Homo sapiens

<400> 786

Leu Arg Val Phe Leu Cys Val Phe Phe Tyr Phe Ala Trp Leu Phe Glu  
1 5 10 15

His Tyr Trp Thr Leu Val Leu Glu Gly Lys Thr Phe Gln Leu Tyr Ser  
20 25 30

His Asn Leu Ile Ala Leu Phe Glu His Ala Lys Lys Pro Gly Leu Ala  
35 40 45

Ala His Ile Gln Thr His Arg Phe Pro Asp Arg Ile Leu Pro Arg Lys  
50 55 60

Phe Ala Leu Thr Thr Lys Ile Pro Asp Thr Lys Gly Cys His Lys Cys  
65 70 75 80

Cys Ile Val Arg Asn Pro Tyr Thr Gly His Lys Tyr Leu Cys Gly Ala  
85 90 95

Leu Gln Ser Gly Ile Val Leu Leu Gln Trp Tyr Glu Pro Met Gln Lys  
100 105 110

Phe Met Leu Ile Lys His Phe Asp Phe Pro Leu Pro Ser Pro Leu Asn  
115 120 125

Val Phe Glu Met Leu Val Ile Pro Glu Gln Glu Tyr Pro Met Val Cys  
130 135 140

Val Ala Ile Ser Lys Gly Thr Glu Ser Asn Gln Val Val Gln Phe Glu  
145 150 155 160

Thr Ile Asn Leu Asn Ser Ala Ser Ser Trp Phe Thr Glu Ile Gly Ala  
165 170 175

Gly Ser Gln Gln Leu Asp Ser Ile His Val Thr Gln Leu Glu Arg Asp  
180 185 190

Thr Val Leu Val Cys Leu Asp Lys Phe Val Lys Ile Val Asn Leu Gln  
195 200 205

Gly Lys Leu Lys Ser Ser Lys Lys Leu Ala Ser Glu Leu Ser Phe Asp  
210 215 220

Phe Arg Ile Glu Ser Val Val Cys Leu Gln Asp Ser Val Leu Ala Phe  
225 230 235 240

Trp Lys His Gly Met Gln Gly Lys Ser Phe Lys Ser Asp Glu Val Thr  
245 250 255

Gln Glu Ile Ser Asp Glu Thr Arg Val Phe Arg Leu Leu Gly Ser Asp  
260 265 270

Arg Val Val Val Leu Glu Ser Arg Pro Thr Glu Asn Pro Thr Ala His  
275 280 285

Ser Asn Leu Tyr Ile Leu Ala Gly His Glu Asn Ser Tyr  
290 295 300

<210> 787  
<211> 141  
<212> PRT  
<213> Homo sapiens

<400> 787

Asn	Lys	Phe	Gln	Gly	Phe	Ser	Leu	Pro	Leu	Val	Arg	Lys	Phe	Ala	His
1				5					10					15	
Ser	Ile	Leu	Gln	Cys	Leu	Asp	Ala	Leu	His	Lys	Asn	Arg	Ile	Ile	His
			20					25					30		
Cys	Asp	Leu	Lys	Pro	Glu	Asn	Ile	Leu	Leu	Lys	Gln	Gln	Gly	Arg	Ser
		35					40					45			
Gly	Ile	Lys	Val	Ile	Asp	Phe	Gly	Ser	Ser	Cys	Tyr	Glu	His	Gln	Arg
	50					55					60				
Val	Tyr	Thr	Tyr	Ile	Gln	Ser	Arg	Phe	Tyr	Arg	Ala	Pro	Glu	Val	Ile
65					70					75					80
Leu	Gly	Ala	Arg	Tyr	Gly	Met	Pro	Ile	Asp	Met	Trp	Ser	Leu	Gly	Cys
				85					90					95	
Ile	Leu	Ala	Glu	Leu	Leu	Thr	Gly	Tyr	Pro	Leu	Leu	Pro	Gly	Glu	Asp
		100						105					110		
Glu	Gly	Asp	Gln	Leu	Ala	Cys	Met	Ile	Glu	Leu	Leu	Gly	Met	Pro	His
		115					120					125			
Arg	Asn	Cys	Trp	Met	His	Pro	Asn	Glu	Pro	Lys	Ile	Leu			
	130						135					140			

<210> 788  
<211> 75  
<212> PRT  
<213> Homo sapiens

<400> 788

Glu	Lys	Arg	Ser	Ser	Ser	Phe	Glu	Ala	Arg	Gly	Leu	Ile	Trp	Arg	Ser
1					5					10				15	
Lys	Thr	Leu	His	Val	His	Phe	Gln	Thr	Trp	Ser	Gly	Thr	Tyr	Ile	Val
			20						25				30		
Asn	Tyr	Asn	Gln	Ser	Trp	Glu	Leu	His	Lys	Asp	Asn	Glu	Ala	Gln	Leu
		35					40					45			
Lys	Pro	Ser	Phe	Ser	Leu	Pro	Tyr	Leu	Tyr	Pro	Ser	Leu	Arg	Thr	Ala



```

50                               55                               60
Val Gln Glu Asn Gln Ala Val Cys Gly Leu Leu
 65                               70                               75

<210> 789
<211> 59
<212> PRT
<213> Homo sapiens

<220>
<221> SITE
<222> (53)
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 789
Met Gly Trp Ala Lys His Cys Cys Arg Phe Ile Leu Leu Pro Thr Gln
 1                               5                               10                               15
Leu Leu His Asn Lys Ala Leu Leu Ser Leu Lys Lys Lys Lys Lys Lys
 20                               25                               30
Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys
 35                               40                               45
Lys Lys Lys Asn Xaa Gly Gly Gly Pro Pro Pro
 50                               55

<210> 790
<211> 111
<212> PRT
<213> Homo sapiens

<400> 790
Asp Glu Lys Gly Thr Val Pro Gln Arg Tyr Thr Phe Gly Thr Ser Ile
 1                               5                               10                               15
Met Lys Ala Ser Leu Ala Trp Gln Val Glu Tyr Arg Gln Phe Trp Ile
 20                               25                               30
Phe Asn Ala Trp His Gly Ala Gly Val Lys Tyr Leu Ala Arg Ala Cys
 35                               40                               45
Leu Pro Tyr Asn Gly Arg Glu Pro Gly Leu Trp Met Ile Arg Tyr Gln
 50                               55                               60
Thr Leu Leu Leu Leu Ser Val Phe Phe Cys Gly Lys Gly Arg Arg Ile

```

65                                      70                                      75                                      80  
 Glu Trp Arg Gly Ile Ser Gly Ser Leu Gly Glu Val Gln Asn Lys Glu  
    85                                      90                                      95  
 Thr Val Lys Ser Ser Thr Ser Lys Leu Gly Leu His Gln Asp Ser  
    100                                      105                                      110  
  
 <210> 791  
 <211> 245  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 791  
 Glu Tyr Leu Thr Ser Ser Gly Gly Arg Arg Met Glu Tyr Ile Leu Thr  
   1                                      5                                      10                                      15  
 Asp Ile Arg Lys Gly His Met Cys Asn Ala Lys Leu Leu Arg Asn Met  
    20                                      25                                      30  
 Pro Glu Phe Ser Gly Val Leu His Gln Cys His Ile Leu Ala Ser Glu  
    35                                      40                                      45  
 Met Val His Phe Ile His Gln Met Gln Tyr Tyr Ile Thr Phe Glu Val  
    50                                      55                                      60  
 Leu Glu Cys Ser Trp Asp Glu Leu Trp Asn Lys Val Gln Gln Ala Gln  
   65                                      70                                      75                                      80  
 Asp Leu Asp His Ile Ile Ala Ala His Glu Val Phe Leu Asp Thr Ile  
    85                                      90                                      95  
 Ile Ser Arg Cys Leu Leu Asp Ser Asp Ser Arg Ala Leu Leu Asn Gln  
    100                                      105                                      110  
 Leu Arg Ala Val Phe Asp Gln Ile Ile Glu Leu Gln Asn Ala Gln Asp  
    115                                      120                                      125  
 Ala Ile Tyr Arg Ala Ala Leu Glu Glu Leu Gln Arg Arg Leu Gln Phe  
    130                                      135                                      140  
 Glu Glu Lys Lys Lys Gln Arg Glu Ile Glu Gly Gln Trp Gly Val Thr  
   145                                      150                                      155                                      160  
 Ala Ala Glu Glu Glu Glu Asn Lys Arg Ile Gly Glu Phe Lys Glu  
    165                                      170                                      175  
 Ser Ile Pro Lys Met Cys Ser Gln Leu Arg Ile Leu Thr His Phe Tyr  
    180                                      185                                      190

Gln Gly Ile Val Gln Gln Phe Leu Val Leu Leu Thr Thr Ser Ser Asp  
195 200 205

Glu Ser Leu Arg Phe Leu Ser Phe Arg Leu Asp Phe Asn Glu His Tyr  
210 215 220

Lys Ala Arg Glu Pro Arg Leu Arg Cys Val Ser Gly Tyr Gln Gly Ala  
225 230 235 240

Ala His Ser His Thr  
245

<210> 792  
<211> 108  
<212> PRT  
<213> Homo sapiens

<400> 792  
Phe Trp Ala Tyr Thr Lys Lys Ser Arg Tyr Gly Lys Ile Tyr Cys Gln  
1 5 10 15

Gly Ile Leu Glu Phe Pro Thr Arg Val Gly Glu Arg Cys Pro Asn Ser  
20 25 30

Leu Arg Met Val Phe Met Met Val Pro Tyr Leu Ser Pro Gly Leu Phe  
35 40 45

Ser Tyr Ser Val Pro Gln Lys Cys Cys Arg Gly Gln Asp Ser Thr Phe  
50 55 60

Thr Ala Cys Ser Ile Tyr Glu Ile Phe Gln Met Leu Leu Val Val Asp  
65 70 75 80

Ile Pro Asn Ser Trp Tyr Leu Ala Thr Arg Asp His Asp Gly Met Ser  
85 90 95

Gly Trp Leu Phe Tyr Leu Pro Phe Pro Gln Asn Ser  
100 105

<210> 793  
<211> 128  
<212> PRT  
<213> Homo sapiens

<400> 793  
Glu Ala Ala Asn Met Ile Leu Val Asp Asp Asp Phe Ser Ala Ile Met

1                      5                      10                      15  
 Asn Ala Val Glu Glu Gly Lys Gly Ile Phe Tyr Asn Ile Lys Asn Phe  
                     20                      25                      30  
 Val Arg Phe Gln Leu Ser Thr Ser Ile Ser Ala Leu Ser Leu Ile Thr  
                     35                      40                      45  
 Leu Ser Thr Val Phe Asn Leu Pro Ser Pro Leu Asn Ala Met Gln Ile  
                     50                      55                      60  
 Leu Trp Ile Asn Ile Ile Met Asp Gly Pro Pro Gly Arg Gly Glu Ala  
                     65                      70                      75                      80  
 Gly Arg Leu Gly Ala Leu Cys Leu Phe Thr Tyr Leu Arg Gly Phe Leu  
                     85                      90                      95  
 Gln Gly Leu Leu Ala Val Pro Lys Ala Ile Gly Met Asn Lys Tyr Ser  
                     100                      105                      110  
 His Phe Pro Ser Gly Val Pro Arg Lys Leu Lys Cys Val Ala Leu Glu  
                     115                      120                      125

<210> 794  
 <211> 262  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (38)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 794  
 Ser Ser Val Pro Gly Gly Tyr Pro Gly Thr Glu His Ser His Arg Cys  
                     1                      5                      10                      15  
 Arg Arg Phe Tyr Gln Leu Ala Leu Gly Trp Thr Thr Leu Ala Lys Thr  
                     20                      25                      30  
 Ser Trp Leu Glu Asp Xaa Ser Pro Asp Leu Val Pro Arg Gly Ser Gln  
                     35                      40                      45  
 Leu Ala Gly Gly Val Ile Leu Gly Val Ala Leu Trp Leu Arg His Asp  
                     50                      55                      60

Pro Gln Thr Thr Asn Leu Leu Tyr Leu Glu Leu Gly Asp Lys Pro Ala  
 65 70 75 80

Pro Asn Thr Phe Tyr Val Gly Ile Tyr Ile Leu Ile Ala Val Gly Ala  
 85 90 95

Val Met Met Phe Val Gly Phe Leu Gly Cys Tyr Gly Ala Ile Gln Glu  
 100 105 110

Ser Gln Cys Leu Leu Gly Thr Phe Phe Thr Cys Leu Val Ile Leu Phe  
 115 120 125

Ala Cys Glu Val Ala Ala Gly Ile Trp Gly Phe Val Asn Lys Asp Gln  
 130 135 140

Ile Ala Lys Asp Val Lys Gln Phe Tyr Asp Gln Ala Leu Gln Gln Ala  
 145 150 155 160

Val Val Asp Asp Asp Ala Asn Asn Ala Lys Ala Val Val Lys Thr Phe  
 165 170 175

His Glu Thr Leu Asp Cys Cys Gly Ser Ser Thr Leu Thr Ala Leu Thr  
 180 185 190

Thr Ser Val Leu Lys Asn Asn Leu Cys Pro Ser Gly Ser Asn Ile Ile  
 195 200 205

Ser Asn Leu Phe Lys Glu Asp Cys His Gln Lys Ile Asp Asp Leu Phe  
 210 215 220

Ser Gly Lys Leu Tyr Leu Ile Gly Ile Ala Ala Ile Val Val Ala Val  
 225 230 235 240

Ile Met Ile Phe Glu Met Ile Leu Ser Met Val Leu Cys Cys Gly Ile  
 245 250 255

Arg Asn Ser Ser Val Tyr  
 260

<210> 795

<211> 45

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (45)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 795

Ser Gln Leu Leu Gly Arg Leu Arg Gln Glu Asn Gly Val Asn Pro Gly  
1 5 10 15

Gly Gly Ala Cys Ser Glu Pro Arg Ser Cys His Cys Thr Pro Ala Trp  
20 25 30

Ala Thr Glu Arg Asp Phe Arg Leu Lys Lys Lys Xaa Xaa  
35 40 45

&lt;210&gt; 796

&lt;211&gt; 178

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 796

Phe Arg Ala Leu His Arg Gly Ala Ala Leu Asp Leu Ser Pro Leu His  
1 5 10 15

Arg Ser Pro His Pro Ser Arg Gln Ala Ile Phe Cys Trp Met Ser Phe  
20 25 30

Ser Ala Tyr Gln Thr Ala Phe Ile Cys Leu Gly Leu Leu Val Gln Gln  
35 40 45

Ile Ile Phe Phe Leu Gly Thr Thr Ala Leu Ala Phe Leu Val Leu Met  
50 55 60

Pro Val Leu His Gly Arg Asn Leu Leu Leu Phe Arg Ser Leu Glu Ser  
65 70 75 80

Ser Trp Pro Phe Trp Leu Thr Leu Ala Leu Ala Val Ile Leu Gln Asn  
85 90 95

Met Ala Ala His Trp Val Phe Leu Glu Thr His Asp Gly His Pro Gln  
100 105 110

Leu Thr Asn Arg Arg Val Leu Tyr Ala Ala Thr Phe Leu Leu Phe Pro  
115 120 125

Leu Asn Val Leu Val Gly Ala Met Val Ala Thr Trp Arg Val Leu Leu  
130 135 140

Ser Ala Leu Tyr Asn Ala Ile His Leu Gly Gln Met Asp Leu Ser Leu

```

145              150              155              160
Leu Pro Pro Arg Ala Ala Leu Ser Thr Pro Ala Thr Thr Arg Thr Glu
          165              170              175
Thr Ser
```

```
<210> 797
<211> 219
<212> PRT
<213> Homo sapiens
```

```
<220>  
<221> SITE  
<222> (66)  
<223> Xaa equals any of the naturally occurring L-amino acids
```

<400> 797  
Ala Gly Leu Cys Ser Ala Asp Trp Arg Pro Pro Gly Thr Glu Val Thr  
1 5 10 15

Ser Gln Gly Pro Arg Gln Pro Ser Ser Ser Gly Ala Lys Arg Arg Arg  
20 25 30

Leu Arg Ala Ala Leu Gly Pro Gln Pro Thr Arg Ser Ala Leu Arg Phe  
35 40 45

Pro Ser Ala Ser Pro Gly Ser Leu Lys Ala Lys Gln Ser Met Ala Gly  
50 55 60

Ile	Xaa	Gly	Arg	Glu	Ser	Asn	Ala	Pro	Ser	Val	Pro	Thr	Val	Ser	Leu
65					70					75					80

Leu Pro Gly Ala Pro Gly Gly Asn Ala Ser Ser Arg Thr Glu Ala Gln  
85 90 95

Val	Pro	Asn	Gly	Gln	Gly	Ser	Pro	Gly	Gly	Cys	Val	Cys	Ser	Ser	Gln
			100					105					110		

Ala Ser Pro Ala Pro Arg Ala Ala Ala Pro Pro Arg Ala Ala Arg Gly  
115 120 125

Pro Thr Pro Arg Thr Glu Glu Ala Ala Trp Ala Ala Met Ala Leu Thr  
130 135 140

Phe Leu Leu Val Leu Leu Thr Leu Ala Thr Leu Cys Thr Arg Leu His  
145                      150                      155                      160

Arg Asn Phe Arg Arg Gly Glu Ser Ile Tyr Trp Gly Pro Thr Ala Asp  
                           165                          170                          175

Ser Gln Asp Thr Val Ala Ala Val Leu Lys Arg Arg Leu Leu Gln Pro  
                           180                          185                          190

Ser Arg Arg Val Lys Arg Ser Arg Arg Arg Pro Leu Leu Pro Pro Thr  
                           195                          200                          205

Pro Asp Ser Gly Pro Glu Gly Glu Ser Ser Glu  
                           210                          215

<210> 798

<211> 137

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 798

Tyr Gln Leu Lys Pro Tyr Thr Xaa His Leu Ile Lys Asp Leu His Phe  
   1                          5                          10                          15

Phe Leu Arg Val Leu Ile Gln Leu Tyr His Arg Ile Pro His Lys Leu  
                           20                          25                          30

His Ile Ile Pro Leu Trp Asp Arg Asp Pro Ser Thr Ser Leu Leu Glu  
                           35                          40                          45

Gln Gly His Ile Val His Tyr Leu Ser Gln Val Leu Ile Ser Ser Pro  
                           50                          55                          60

Lys Asp Gln Thr Val Phe Gln His Leu Leu Leu Gln Gly Ser Val Leu  
   65                          70                          75                          80

Ile Leu Ala Leu Trp Pro Cys His Met Gly Phe Lys Asp Leu Ser Arg  
                           85                          90                          95

His Leu Gln Cys Leu Asp Arg Phe Gln Phe Thr Glu His Arg Cys His  
                           100                          105                          110

Gln His Phe Lys Thr Ile Thr Met Gly Gln Gly Gly Ile Lys Met Asp  
                           115                          120                          125

Ser Lys Asn Ile Phe Leu Asn Val Leu  
   130                          135



<210> 799  
<211> 119  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (49)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 799  
Cys Phe Gly Ala Gly Gln Ser Val Ala Gly Arg Gly His Met Pro Lys  
1 5 10 15  
Ser His His Glu Leu Pro Gly Ala Ser Arg Gln Gly Pro Ser Ile Pro  
20 25 30  
His Gln Val Phe Gln His Asp Val Pro Asp Gly Arg Gln Leu Gly Leu  
35 40 45  
Xaa Ala Glu Ile Lys Ala Gly Lys Ser Leu Lys Pro Thr Pro Gln Ser  
50 55 60  
Lys Gly Leu Thr Thr Val Phe Ser Gly Ile Gly Gln Pro Ala Phe Gln  
65 70 75 80  
Val Gly Gly Pro Ser Arg Ser Leu Arg Pro Gly Phe Pro Gly Pro Arg  
85 90 95  
Pro Pro Gly Ala Gln Pro His Arg Phe Ser Leu Gln Pro Asp Ser Pro  
100 105 110  
Leu Pro Ser Val Ser Pro Ala  
115

<210> 800  
<211> 148  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (93)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 800

Gly Ser Thr His Ala Ser Gly Trp Ser Cys Val Tyr Lys Asn Asp Gln  
 1 5 10 15  
 Ala Ala Lys Asp Asn Pro Thr Lys Ser Leu Gln Glu Glu Glu Pro Cys  
 20 25 30  
 Pro Arg Phe Ala His Gln Leu Val Tyr Asp Glu Leu His Lys Val His  
 35 40 45  
 Tyr Leu Phe Gly Gly Asn Pro Gly Lys Ser Cys Ser Pro Lys Met Arg  
 50 55 60  
 Leu Asp Asp Phe Trp Ser Leu Lys Leu Cys Arg Pro Ser Lys Asp Tyr  
 65 70 75 80  
 Leu Leu Arg His Cys Lys Tyr Leu Ile Arg Lys His Xaa Phe Glu Glu  
 85 90 95  
 Lys Ala Gln Val Asp Pro Leu Ser Ala Leu Lys Tyr Leu Gln Asn Asp  
 100 105 110  
 Leu Tyr Ile Thr Val Asp His Ser Asp Pro Glu Glu Thr Lys Glu Phe  
 115 120 125  
 Gln Leu Leu Ala Ser Ala Leu Phe Lys Ser Gly Ser Arg Phe Tyr Ser  
 130 135 140  
 Ser Gly Leu Phe  
 145

<210> 801

<211> 214

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (214)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 801

Ser His Ile Gln Gly Glu Gly Ser Cys Thr Leu Phe Arg Lys Tyr Asp  
 1 5 10 15  
 His Met Arg Ala Ala Ile Leu Glu Lys Met Pro Leu Val Glu Arg Asp  
 20 25 30  
 Gly Pro Gln Ala Asp Glu Glu Ala Lys Glu Ser Lys Glu Ala Ala Gln  
 35 40 45

Leu Ser Glu Ala Ala Pro Val Pro Thr Glu Pro Gln Ala Ser Gln Leu  
 50 55 60  
 Leu Asp Leu Leu Asp Leu Leu Asp Gly Ala Ser Gly Asp Val Gln His  
 65 70 75 80  
 Pro Pro His Leu Asp Pro Ser Pro Gly Gly Ala Leu Val His Leu Leu  
 85 90 95  
 Asp Leu Pro Cys Val Pro Pro Pro Pro Ala Pro Ile Pro Asp Leu Lys  
 100 105 110  
 Val Phe Glu Arg Glu Gly Val Gln Leu Asn Leu Ser Phe Ile Arg Pro  
 115 120 125  
 Pro Glu Asn Pro Ala Leu Leu Leu Ile Thr Ile Thr Ala Thr Asn Phe  
 130 135 140  
 Ser Glu Gly Asp Val Thr His Phe Ile Cys Gln Ala Ala Val Pro Lys  
 145 150 155 160  
 Ser Leu Gln Leu Gln Leu Gln Ala Pro Ser Gly Asn Thr Val Pro Ala  
 165 170 175  
 Arg Gly Gly Leu Pro Ile Thr Gln Leu Phe Arg Ile Leu Asn Pro Asn  
 180 185 190  
 Lys Ala Pro Leu Arg Leu Lys Leu Arg Ser Leu Arg Pro Leu Ser Pro  
 195 200 205  
 Val Gly Ala Gly Asp Xaa  
 210

&lt;210&gt; 802

&lt;211&gt; 51

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 802

Lys Phe Ala Asn Leu Lys Arg Gly Val Ser Glu Asp His Tyr Leu Leu  
 1 5 10 15  
 Arg Thr Leu Lys Asn Lys Cys Leu Gln Leu Cys Met Gly Thr Ile Leu  
 20 25 30  
 Tyr Ser Leu His Phe Tyr Gly Pro Thr Ala Thr Ser Tyr Pro Cys Lys  
 35 40 45

Tyr Ile Asn  
50

<210> 803  
<211> 167  
<212> PRT  
<213> Homo sapiens

<400> 803  
Ala Arg Leu Pro Gly Ser Gly Cys Cys Arg Pro Pro Val Ser Ala Arg  
1 5 10 15  
Val Ala Pro Gly His Gln Gly Ala Val Gly Gly Ser Gly Arg Arg Pro  
20 25 30  
Ala Arg Val Glu Val Val Asp Ala Ala Ala Arg Pro Ser Ser Arg Pro  
35 40 45  
Phe Ser Leu Pro Ala Ala Ile Met Leu Ala Leu Ile Ser Arg Leu Leu  
50 55 60  
Asp Trp Phe Arg Ser Leu Phe Trp Lys Glu Glu Met Glu Leu Thr Leu  
65 70 75 80  
Val Gly Leu Gln Tyr Ser Gly Lys Thr Thr Phe Val Asn Val Ile Ala  
85 90 95  
Ser Gly Gln Phe Ser Glu Asp Met Ile Pro Thr Val Gly Phe Asn Met  
100 105 110  
Arg Lys Val Thr Lys Gly Asn Val Thr Ile Lys Ile Trp Asp Ile Gly  
115 120 125  
Gly Gln Pro Arg Phe Arg Ser Met Trp Glu Arg Tyr Cys Arg Gly Val  
130 135 140  
Asn Ala Ile Val Tyr Met Ile Asp Ala Ala Asp Arg Glu Lys Ile Glu  
145 150 155 160  
Ala Ser Arg Asn Glu Leu Thr  
165

<210> 804  
<211> 361  
<212> PRT  
<213> Homo sapiens

&lt;400&gt; 804

Ala Arg Ser Arg Asp Gly Ala Pro Glu Arg Arg Glu Pro Gly Leu Gly  
 1 5 10 15

Val Leu Leu Arg Glu Glu Glu Trp Ser Arg Gly Asp Ala Ala Ala Ala  
 20 25 30

Leu Thr Met Ser Phe Leu Gly Gly Phe Phe Gly Pro Ile Cys Glu Ile  
 35 40 45

Asp Ile Val Leu Asn Asp Gly Glu Thr Arg Lys Met Ala Glu Met Lys  
 50 55 60

Thr Glu Asp Gly Lys Val Glu Lys His Tyr Leu Phe Tyr Asp Gly Glu  
 65 70 75 80

Ser Val Ser Gly Lys Val Asn Leu Ala Phe Lys Gln Pro Gly Lys Arg  
 85 90 95

Leu Glu His Gln Gly Ile Arg Ile Glu Phe Val Gly Gln Ile Glu Leu  
 100 105 110

Phe Asn Asp Lys Ser Asn Thr His Glu Phe Val Asn Leu Val Lys Glu  
 115 120 125

Leu Ala Leu Pro Gly Glu Leu Thr Gln Ser Arg Ser Tyr Asp Phe Glu  
 130 135 140

Phe Met Gln Val Glu Lys Pro Tyr Glu Ser Tyr Ile Gly Ala Asn Val  
 145 150 155 160

Arg Leu Arg Tyr Phe Leu Lys Val Thr Ile Val Arg Arg Leu Thr Asp  
 165 170 175

Leu Val Lys Glu Tyr Asp Leu Ile Val His Gln Leu Ala Thr Tyr Pro  
 180 185 190

Asp Val Asn Asn Ser Ile Lys Met Glu Val Gly Ile Glu Asp Cys Leu  
 195 200 205

His Ile Glu Phe Glu Tyr Asn Lys Ser Lys Tyr His Leu Lys Asp Val  
 210 215 220

Ile Val Gly Lys Ile Tyr Phe Leu Leu Val Arg Ile Lys Ile Gln His  
 225 230 235 240

Met Glu Leu Gln Leu Ile Lys Lys Glu Ile Thr Gly Ile Gly Pro Ser  
 245 250 255

Thr Thr Thr Glu Thr Glu Thr Ile Ala Lys Tyr Glu Ile Met Asp Gly  
 260 265 270

Ala Pro Val Lys Gly Glu Ser Ile Pro Ile Arg Leu Phe Leu Ala Gly  
 275 280 285

Tyr Asp Pro Thr Pro Thr Met Arg Asp Val Asn Lys Lys Phe Ser Val  
 290 295 300

Arg Tyr Phe Leu Asn Leu Val Leu Val Asp Glu Glu Asp Arg Ser Ser  
 305 310 315 320

Phe Lys Gln Gln Glu Ile Ile Leu Trp Arg Lys Ala Pro Glu Lys Leu  
 325 330 335

Arg Lys Gln Arg Thr Asn Phe His Gln Arg Phe Glu Ser Pro Glu Ser  
 340 345 350

Gln Ala Ser Ala Glu Gln Pro Glu Met  
 355 360

<210> 805  
 <211> 92  
 <212> PRT  
 <213> Homo sapiens

<400> 805  
 Ala Ala Pro Pro Ala Leu Arg Thr Trp Pro Arg Lys Ala Glu Trp Pro  
 1 5 10 15

Ala Gly Ala Pro Gln Gly Trp Arg Pro Arg Ser Leu Ser Val Thr His  
 20 25 30

Ser Thr Thr Arg Cys Pro Leu Val Gly Val Arg Ala Glu Gly Leu Arg  
 35 40 45

His Ala Thr Ala Pro Leu Glu Leu Gly Thr Thr Asp Trp Thr Gly Ser  
 50 55 60

Leu His Ala Gln Pro Pro Glu Thr Gly Thr Pro Ser Leu Lys Gly Pro  
 65 70 75 80

Arg Arg Gln Val Asp Lys Lys Val Glu Lys Gly Val  
 85 90

<210> 806  
 <211> 271  
 <212> PRT  
 <213> Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (1)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 806

Xaa Gly Phe Pro Ala Pro Leu Pro Pro Thr Arg Met Met Glu Ser Lys  
1 5 10 15

Met Ile Ala Ala Ile His Ser Ser Ser Ala Asp Ala Thr Ser Ser Ser  
20 25 30

Asn Tyr His Ser Phe Val Thr Ala Ser Ser Thr Ser Val Asp Asp Ala  
35 40 45

Leu Pro Leu Pro Leu Pro Val Pro Gln Pro Lys His Ala Ser Gln Lys  
50 55 60

Thr Val Tyr Ser Ser Phe Ala Arg Pro Asp Val Thr Thr Glu Pro Phe  
65 70 75 80

Gly Pro Asp Asn Cys Leu His Phe Asn Met Thr Pro Asn Cys Gln Tyr  
85 90 95

Arg Pro Gln Ser Val Pro Pro His His Asn Lys Leu Glu Gln His Gln  
100 105 110

Val Tyr Gly Ala Arg Ser Glu Pro Pro Ala Ser Met Gly Leu Arg Tyr  
115 120 125

Asn Thr Tyr Val Ala Pro Gly Arg Asn Ala Ser Gly His His Ser Lys  
130 135 140

Pro Cys Ser Arg Val Glu Tyr Val Ser Ser Leu Ser Ser Ser Val Arg  
145 150 155 160

Asn Thr Cys Tyr Pro Glu Asp Ile Pro Pro Tyr Pro Thr Ile Arg Arg  
165 170 175

Val Gln Ser Leu His Ala Pro Pro Ser Ser Met Ile Arg Ser Val Pro  
180 185 190

Ile Ser Arg Thr Glu Val Pro Pro Asp Asp Glu Pro Ala Tyr Cys Pro  
195 200 205

Arg Pro Leu Tyr Gln Tyr Lys Pro Tyr Gln Ser Ser Gln Ala Arg Ser  
210 215 220

Asp Tyr His Val Thr Gln Leu Gln Pro Tyr Phe Glu Asn Gly Arg Val  
225 230 235 240

His Tyr Arg Tyr Ser Pro Tyr Ser Ser Ser Ser Ser Tyr Tyr Ser  
245 250 255

Pro Asp Gly Ala Leu Cys Asp Val Asp Ala Tyr Gly Gln Ser Ser  
260 265 270

<210> 807

<211> 56

<212> PRT

<213> Homo sapiens

<400> 807

Asn Asn Thr Phe His Asn Gln Asn Phe Asn Ser Lys Tyr Lys Ile Lys  
1 5 10 15

Phe Ile Leu Asn Asn Glu Asn Val Phe Val Leu Asn Leu Val Thr Arg  
20 25 30

Glu His Arg Asn Lys Ile His Glu Thr Lys Val Ala Arg Asn Val Arg  
35 40 45

Thr Gly Gly Asn Val Tyr Ile Ile  
50 55

<210> 808

<211> 182

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (106)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 808

Val Cys Ala Xaa His Gly His Gly Arg Glu Leu Phe Gln Tyr Met Leu  
1 5 10 15

Gln Lys Glu Arg Val Glu Pro His Gln Leu Ala Ile Asp Arg Pro Ser  
20 25 30



Gln Lys Leu Leu Lys Phe Leu Asn Lys His Tyr Asn Leu Glu Thr Thr  
 35 40 45

Val Pro Gln Val Asn Asn Phe Val Ile Phe Glu Gly Phe Phe Ala His  
 50 55 60

Gln His Pro Pro Ala Arg Lys Leu Pro Pro Lys Arg Ala Glu Gly Asp  
 65 70 75 80

Ile Lys Pro Tyr Ser Ser Ser Asp Arg Glu Phe Leu Lys Val Ala Val  
 85 90 95

Glu Pro Pro Trp Pro Leu Asn Arg Ala Xaa Arg Arg Ala Thr Pro Pro  
 100 105 110

Ala His Pro Pro Pro Arg Ser Ser Ser Leu Gly Asn Ser Pro Glu Arg  
 115 120 125

Gly Pro Leu Arg Pro Phe Val Pro Glu Gln Glu Leu Leu Arg Ser Leu  
 130 135 140

Arg Leu Cys Pro Pro His Pro Thr Ala Arg Leu Leu Leu Ala Ala Asp  
 145 150 155 160

Pro Gly Gly Ser Pro Ala Gln Arg Arg Arg Thr Ser Ser Leu Pro Arg  
 165 170 175

Ser Glu Glu Ser Arg Tyr  
 180

<210> 809

<211> 119

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 809

Pro Ala Gly Glu Ser Ser Pro Ala Pro Trp Leu Lys Gly Pro Gly Ala  
 1 5 10 15

His Leu Pro Glu Ala Arg Cys Gly Gly Gly Pro Arg Gly Arg Ser Gln  
 20 25 30

Ala Gln Ser Pro Gln Ser Ser Gly Pro Val Gly Gly Arg Gly Arg Ser  
 35 40 45

Gly Ser Lys Ala Arg Thr Pro Gln Leu Phe Arg Leu Gln Gln Gln Leu  
50 55 60  
Gln Arg Phe Gly His Gly Cys Xaa Val Pro Arg Cys Trp Leu Gln Ala  
65 70 75 80  
Ala Arg Glu His Pro Gly Gln Gly Gln Glu Ala Gln Ser Glu Glu Glu  
85 90 95  
Gly Glu Gly Gln Glu Gly Glu Gly Gln Glu Glu Gly Gly Ser Pro Leu  
100 105 110  
Lys Gly Leu Asp Lys Ala His  
115

<210> 810

<211> 144

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 810

Asp Ala Gly Cys Gly Arg Pro Pro Glu Pro Ala Gly Gly Gly Gln Ala  
1 5 10 15  
Ala Ala Ala Thr Glu Gly Gly Xaa Leu Ser Leu Gly Leu Gly Cys Arg  
20 25 30  
Gln Leu Gly Leu Leu Pro Gly Pro Ala Tyr Thr Ala Pro Pro Val Gly  
35 40 45  
Val Thr Val Gly Tyr Ser Gln Ala Gly Phe Leu Pro Cys Arg Thr Leu  
50 55 60  
Ser Leu Pro Pro Ala Cys Ser Trp Arg Leu Leu Pro Arg Gly Arg Leu  
65 70 75 80  
Phe Cys Leu Leu Lys Trp Val Cys Cys Thr Leu Thr Gly Gln Gly Gln  
85 90 95  
Ser Leu Gly Ala Val Leu Trp Pro Arg Val Gly Thr Cys Leu Asp Gln  
100 105 110  
Asn Glu Arg Thr Gly Ser Gln Thr Arg Leu Gly Val Leu Ile Leu Gly

115		120		125
Trp Thr Arg Leu Trp Ile Gln Arg Arg Gly Leu Val Ser Asn Lys Ser				
130		135		140

<210> 811  
 <211> 154  
 <212> PRT  
 <213> Homo sapiens

<400> 811  
 His Glu Asp Asn Glu His Lys Arg Ser Leu Thr Lys Thr Pro Ala Arg  
 1 5 10 15

Lys Ser Ala His Val Thr Val Ser Gly Gly Thr Gln Lys Gly Glu Ala  
 20 25 30

Val Leu Gly Thr His Lys Leu Lys Thr Ile Thr Gly Asn Ser Ala Ala  
 35 40 45

Val Ile Thr Pro Phe Lys Leu Thr Thr Glu Ala Thr Gln Thr Pro Val  
 50 55 60

Ser Asn Lys Lys Pro Val Phe Asp Leu Lys Ala Ser Leu Ser Arg Pro  
 65 70 75 80

Leu Asn Tyr Glu Pro His Lys Gly Lys Leu Lys Pro Trp Gly Gln Ser  
 85 90 95

Lys Glu Asn Asn Tyr Leu Asn Gln His Val Asn Arg Ile Asn Phe Tyr  
 100 105 110

Lys Lys Thr Tyr Lys Gln Pro His Leu Gln Thr Lys Glu Glu Gln Arg  
 115 120 125

Lys Lys Arg Glu Gln Glu Arg Lys Glu Lys Lys Ala Lys Val Leu Gly  
 130 135 140

Met Arg Arg Gly Leu Ile Leu Ala Glu Asp  
 145 150

<210> 812  
 <211> 86  
 <212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (78)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 812

Asn Arg Ser Phe Phe Val Ser Pro Phe Lys Ser Thr Gly Phe Lys Arg  
1 5 10 15

Gly Lys Cys Ile His Arg Pro Gln Cys Leu Ala Phe Ser Ser Ala Ser  
20 25 30

Thr Trp Ser Thr Gly Leu Asp Ala Gln Thr Tyr Leu Gly Asn Tyr Phe  
35 40 45

Gly Arg Cys Leu Ser Leu Tyr Arg Asn Cys Ser Trp Tyr Phe Ile Leu  
50 55 60

Leu Tyr Ile Tyr Ser Thr Cys Pro Leu Val Phe Asn Tyr Xaa Gln Ser  
65 70 75 80

Leu Phe Arg Ser Lys Asn  
85

<210> 813

<211> 566

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (341)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 813

Arg Glu Leu Val Thr Asp Gly Gly Ala Ala Ser Pro Trp Arg Cys Asn  
1 5 10 15

Trp Glu Gln Leu Leu Asn Pro Arg Pro Ser Glu Ala Asp Pro Glu Ala  
20 25 30

Asp Pro Glu Glu Ala Thr Ala Ala Arg Val Ile Asp Arg Phe Asp Glu  
35 40 45

Gly Glu Asp Gly Glu Gly Asp Phe Leu Val Val Gly Ser Ile Arg Lys  
50 55 60

Leu Ala Ser Ala Ser Leu Leu Asp Thr Asp Lys Arg Tyr Cys Gly Lys  
 65 70 75 80  
 Thr Thr Ser Arg Lys Ala Trp Asn Glu Asp His Trp Glu Gln Thr Leu  
 85 90 95  
 Pro Gly Ser Ser Asp Glu Glu Ile Ser Asp Glu Glu Gly Ser Gly Asp  
 100 105 110  
 Glu Asp Ser Glu Gly Leu Gly Leu Glu Glu Tyr Asp Glu Asp Asp Leu  
 115 120 125  
 Gly Ala Ala Glu Glu Gln Glu Cys Gly Asp His Arg Glu Ser Lys Lys  
 130 135 140  
 Ser Arg Ser His Ser Ala Lys Thr Pro Gly Phe Ser Val Gln Ser Ile  
 145 150 155 160  
 Ser Asp Phe Glu Lys Phe Thr Lys Gly Met Asp Asp Leu Gly Ser Ser  
 165 170 175  
 Glu Glu Glu Glu Asp Glu Glu Ser Gly Met Glu Glu Gly Asp Asp Ala  
 180 185 190  
 Glu Asp Ser Gln Gly Glu Ser Glu Glu Asp Arg Ala Gly Asp Arg Asn  
 195 200 205  
 Ser Glu Asp Asp Gly Val Val Met Thr Phe Ser Ser Val Lys Val Ser  
 210 215 220  
 Glu Glu Val Glu Lys Gly Arg Ala Val Lys Asn Gln Ile Ala Leu Trp  
 225 230 235 240  
 Asp Gln Leu Leu Glu Gly Arg Ile Lys Leu Gln Lys Ala Leu Leu Thr  
 245 250 255  
 Thr Asn Gln Leu Pro Gln Pro Asp Val Phe Pro Leu Phe Lys Asp Lys  
 260 265 270  
 Gly Gly Pro Glu Phe Ser Ser Ala Leu Lys Asn Ser His Lys Ala Leu  
 275 280 285  
 Lys Ala Leu Leu Arg Ser Leu Val Gly Leu Gln Glu Glu Leu Leu Phe  
 290 295 300  
 Gln Tyr Pro Asp Thr Arg Tyr Leu Val Asp Gly Thr Lys Pro Asn Ala  
 305 310 315 320  
 Gly Ser Glu Glu Ile Ser Ser Glu Asp Asp Glu Leu Val Glu Glu Lys  
 325 330 335

Lys Gln Gln Arg Xaa Arg Val Pro Ala Lys Arg Lys Leu Glu Met Glu  
340 345 350

Asp Tyr Pro Ser Phe Met Ala Lys Arg Phe Ala Asp Phe Thr Val Tyr  
355 360 365

Arg Asn Arg Thr Leu Gln Lys Trp His Asp Lys Thr Lys Leu Ala Ser  
370 375 380

Gly Lys Leu Gly Lys Gly Phe Gly Ala Phe Glu Arg Ser Ile Leu Thr  
385 390 395 400

Gln Ile Asp His Ile Leu Met Asp Lys Glu Arg Leu Leu Arg Arg Thr  
405 410 415

Gln Thr Lys Arg Ser Val Tyr Arg Val Leu Gly Lys Pro Glu Pro Ala  
420 425 430

Ala Gln Pro Val Pro Glu Ser Leu Pro Gly Glu Pro Glu Ile Leu Pro  
435 440 445

Gln Ala Pro Ala Asn Ala His Leu Lys Asp Leu Asp Glu Glu Ile Phe  
450 455 460

Asp Asp Asp Asp Phe Tyr His Gln Leu Leu Arg Glu Leu Ile Glu Arg  
465 470 475 480

Lys Thr Ser Ser Leu Asp Pro Asn Asp Gln Val Ala Met Gly Arg Gln  
485 490 495

Trp Leu Ala Ile Gln Lys Leu Arg Ser Lys Ile His Lys Lys Val Asp  
500 505 510

Arg Lys Ala Ser Lys Gly Arg Lys Leu Arg Phe His Val Leu Ser Lys  
515 520 525

Leu Leu Ser Phe Met Ala Pro Ile Asp His Thr Thr Met Asn Asp Asp  
530 535 540

Ala Arg Thr Glu Leu Tyr Arg Ser Leu Phe Gly Gln Leu His Pro Pro  
545 550 555 560

Asp Glu Gly His Gly Asp  
565

<210> 814

<211> 66

<212> PRT

<213> Homo sapiens

&lt;400&gt; 814

Ala Tyr Thr Thr Met Thr Glu Asn Lys Arg Leu Phe Phe Glu Thr Pro  
1 5 10 15

Ser Gln Lys Gln Asn Lys Thr Lys Lys Leu Asp Lys Cys Tyr Ile Asn  
20 25 30

Val Trp Val Val Arg Phe Tyr Phe Glu Ser Glu Val Cys Arg Tyr Ala  
35 40 45

Tyr Arg Phe Leu Glu Phe Thr Thr Phe Leu Phe Cys Ile Ile Asn Val  
50 55 60

Ile Phe  
65

&lt;210&gt; 815

&lt;211&gt; 79

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 815

Glu Lys Glu Val Trp Arg Arg Lys Pro Arg Leu Glu Asn Ile Met Phe  
1 5 10 15

Trp Leu Glu Ile Arg Thr Arg Asp Gly Lys Tyr Gln Cys Val Gln Met  
20 25 30

Tyr Phe Thr Glu Phe Glu Gly Thr His Asn Gln Glu Gly Lys Gln Phe  
35 40 45

Val Leu His Trp Thr Tyr Tyr Leu Asp Leu Gly Glu Gln Gln Asn Gly  
50 55 60

Met Trp Ser Val Arg Ser Ile Leu Phe Val Leu Leu Ser Leu Met  
65 70 75

&lt;210&gt; 816

&lt;211&gt; 227

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (29)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (99)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 816

Ala	Cys	His	Glu	Lys	Val	Val	Asn	Ile	Gln	Lys	Asp	Pro	Gly	Glu	Ser
1				5					10					15	

Leu	Gly	Met	Thr	Val	Ala	Gly	Gly	Ala	Ser	His	Arg	Xaa	Trp	Asp	Leu
			20					25					30		

Pro	Ile	Tyr	Val	Ile	Ser	Val	Glu	Pro	Gly	Gly	Val	Ile	Ser	Arg	Asp
		35					40					45			

Gly	Arg	Ile	Lys	Thr	Gly	Asp	Ile	Leu	Leu	Asn	Val	Asp	Gly	Val	Glu
	50					55					60				

Leu	Thr	Glu	Val	Ser	Arg	Ser	Glu	Ala	Val	Ala	Leu	Leu	Lys	Arg	Thr
65					70					75				80	

Ser	Ser	Ser	Ile	Val	Leu	Lys	Ala	Leu	Glu	Val	Lys	Glu	Tyr	Glu	Pro
				85					90					95	

Gln	Glu	Xaa	Cys	Ser	Ser	Pro	Ala	Ala	Leu	Asp	Ser	Asn	His	Asn	Met
		100						105					110		

Ala	Pro	Pro	Ser	Asp	Trp	Ser	Pro	Ser	Trp	Val	Met	Trp	Leu	Glu	Leu
		115					120					125			

Pro	Arg	Cys	Leu	Tyr	Asn	Cys	Lys	Asp	Ile	Val	Leu	Arg	Arg	Asn	Thr
	130					135					140				

Ala	Gly	Ser	Leu	Gly	Phe	Cys	Ile	Val	Gly	Gly	Tyr	Glu	Glu	Tyr	Asn
145					150					155					160

Gly	Asn	Lys	Pro	Phe	Phe	Ile	Lys	Ser	Ile	Val	Glu	Gly	Thr	Pro	Ala
			165						170					175	

Tyr	Asn	Asp	Gly	Arg	Ile	Arg	Cys	Gly	Asp	Ile	Leu	Leu	Ala	Val	Asn
		180						185					190		

Gly	Arg	Ser	Thr	Ser	Gly	Met	Ile	His	Ala	Cys	Leu	Ala	Arg	Leu	Leu
		195				200						205			

Lys	Glu	Leu	Lys	Gly	Arg	Ile	Thr	Leu	Thr	Ile	Val	Ser	Trp	Pro	Gly
	210					215					220				

Thr	Phe	Leu
225		



<210> 817  
 <211> 200  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (48)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (55)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (150)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 817  
 Pro Arg Val Arg Gly His Gln Gly Leu Leu Ala Pro Leu Gly Pro Gln  
           1                  5                  10                  15

Pro Leu Leu Gly His Pro Met Pro Gly Ser Pro Ser Met Glu Thr His  
                   20                  25                  30

Cys Cys Pro Thr Pro Ser Leu Arg Pro Thr Thr Thr Gly Pro Arg Xaa  
           35                  40                  45

Pro Thr Gly Pro Pro Gly Xaa Pro Gly Pro Met Gly Pro Pro Gly Pro  
           50                  55                  60

Pro Gly Pro Thr Gly Val Pro Gly Ser Pro Gly His Ile Gly Pro Pro  
           65                  70                  75                  80

Gly Pro Thr Gly Pro Lys Gly Ile Ser Gly His Pro Gly Glu Lys Gly  
                   85                  90                  95

Glu Arg Gly Leu Arg Gly Glu Pro Gly Pro Gln Gly Ser Ala Gly Ala  
                   100                  105                  110

Ala Gly Gly Thr Gly Pro Lys Gly Asp Pro Gly Glu Lys Ser His Trp  
           115                  120                  125

Ala Pro Ser Leu Gln Ser Phe Leu Gln Gln Gln Ala Gln Leu Glu Leu  
           130                  135                  140

Leu Ala Arg Arg Val Xaa Leu Leu Glu Ala Ile Ile Trp Pro Glu Pro  
145 150 155 160

Glu Leu Gly Ser Gly Ala Gly Pro Ala Gly Thr Gly Thr Pro Ser Leu  
165 170 175

Leu Arg Gly Lys Arg Gly Gly His Ala Thr Asn Tyr Arg Ile Val Ala  
180 185 190

Pro Arg Ser Arg Asp Glu Arg Gly  
195 200

<210> 818

<211> 85

<212> PRT

<213> Homo sapiens

<400> 818

Glu Lys Leu Asp Glu Tyr Ile Tyr Arg His Phe Phe Gly His Thr Phe  
1 5 10 15

Ser Pro Pro Tyr Gly Pro Ser Arg Pro Asp Lys Lys Gln Arg Met Val  
20 25 30

Asn Ile Glu Asn Ser Arg His Arg Lys Gln Glu Gln Lys His Leu Gln  
35 40 45

Pro Gln Pro Tyr Lys Arg Glu Gly Lys Trp His Lys Tyr Gly Arg Thr  
50 55 60

Asn Gly Arg Gln Met Ala Asn Leu Glu Ile Glu Leu Gly Gln Leu Pro  
65 70 75 80

Phe Asp Pro Gln Tyr  
85

<210> 819

<211> 67

<212> PRT

<213> Homo sapiens

<400> 819

Leu Gln Ser Gly Phe Ile Arg Tyr Cys Pro Ala Arg Lys Phe Pro Phe  
1 5 10 15

Cys Val Trp Leu Glu Gln Pro Ala Gly Thr Glu Trp Ile Leu Glu Glu  
20 25 30

Gly Val Thr Thr Gly Pro Pro Arg Lys Pro Arg Ala Asp Ile Tyr Asn  
35 40 45

Leu Arg Ser Pro Asp Glu Phe Ile Val Gly Gln Asn Gln Ala Leu Ile  
50 55 60

Glu Pro Gly  
65

<210> 820  
<211> 60  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (60)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 820  
Leu Thr Gly Ser Glu Leu Met Cys Arg Val Pro Ser Pro Lys Val Asn  
1 5 10 15

Leu Glu Pro Leu Asp Asn Thr Asn Lys Asn Ile Tyr Phe Thr Ser Val  
20 25 30

Ile Tyr Leu Glu Asn Xaa Leu Ser Ile Leu His Ile Phe Leu Ile Lys  
35 40 45

Ser Thr Gly Asp His Cys Glu Val Xaa Ile Leu Xaa  
50 55 60

<210> 821  
<211> 259  
<212> PRT  
<213> Homo sapiens

&lt;400&gt; 821

Leu Ser Leu Ser Leu Leu Ser Pro Gln Leu Asp Tyr His Arg Gly Leu  
 1 5 10 15  
 Leu Val Asp Arg Pro Ser Glu Thr Lys Thr Glu Glu Gln Gly Ile Pro  
 20 25 30  
 Arg Pro Leu His Pro Pro Pro Pro Pro Val Gln Pro Pro Gln His  
 35 40 45  
 Pro Arg Ala Glu Gln Arg Glu Gln Glu Arg Ala Val Arg Glu Gln Trp  
 50 55 60  
 Ala Glu Arg Glu Arg Glu Met Glu Arg Arg Glu Arg Thr Arg Ser Glu  
 65 70 75 80  
 Arg Glu Trp Asp Arg Asp Lys Val Arg Glu Gly Pro Arg Ser Arg Ser  
 85 90 95  
 Arg Ser Arg Asp Arg Arg Arg Lys Glu Arg Ala Lys Ser Lys Glu Lys  
 100 105 110  
 Lys Ser Glu Lys Lys Glu Lys Ala Gln Glu Glu Pro Pro Ala Lys Leu  
 115 120 125  
 Leu Asp Asp Leu Phe Arg Lys Thr Lys Ala Ala Pro Cys Ile Tyr Trp  
 130 135 140  
 Leu Pro Leu Thr Asp Ser Gln Ile Val Gln Lys Glu Ala Glu Arg Ala  
 145 150 155 160  
 Glu Arg Ala Lys Glu Arg Glu Lys Arg Arg Lys Glu Gln Glu Glu Glu  
 165 170 175  
 Glu Gln Lys Glu Arg Glu Lys Glu Ala Glu Arg Glu Arg Asn Arg Gln  
 180 185 190  
 Leu Glu Arg Glu Lys Arg Arg Glu His Ser Arg Glu Arg Asp Arg Glu  
 195 200 205  
 Arg Glu Arg Glu Arg Glu Arg Asp Arg Gly Asp Arg Asp Arg Asp Arg  
 210 215 220  
 Glu Arg Asp Arg Glu Arg Gly Arg Glu Arg Asp Arg Arg Asp Thr Lys  
 225 230 235 240  
 Arg His Ser Arg Ser Arg Ser Arg Ser Thr Pro Val Arg Asp Arg Gly  
 245 250 255  
 Gly Arg Arg

<210> 822  
<211> 59  
<212> PRT  
<213> Homo sapiens

<400> 822  
Ile Asn Pro Ala Leu Leu Arg Lys Gly Asn Leu Phe Arg Gln Ser Gly  
1 5 10 15  
Lys Gly Val Leu Arg Lys Leu Ser Phe Phe Ile Pro Ser Phe Leu Pro  
20 25 30  
Thr Thr Val Thr Gly Tyr Arg Gly Leu Trp Thr Leu Lys Thr Asn Val  
35 40 45  
Trp Pro Leu Thr Gly Leu Ile Cys Ile Phe Leu  
50 55

<210> 823  
<211> 175  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (128)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (133)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 823  
Ser Trp Lys Thr Gly Glu Asp Lys Ser Met Ser Ser Leu Pro Gly Cys  
1 5 10 15  
Ile Gly Leu Asp Ala Ala Thr Ala Thr Val Glu Ser Glu Glu Ile Ala  
20 25 30  
Glu Leu Gln Gln Ala Val Val Glu Glu Leu Gly Ile Ser Met Glu Glu  
35 40 45  
Leu Arg His Phe Ile Asp Glu Leu Glu Lys Met Asp Cys Val Gln  
50 55 60

Gln Arg Lys Lys Gln Leu Ala Glu Leu Glu Thr Trp Val Ile Gln Lys  
65 70 75 80

Glu Ser Glu Val Ala His Val Asp Gln Leu Phe Asp Asp Ala Ser Arg  
85 90 95

Ala Val Thr Asn Cys Glu Ser Leu Val Lys Asp Phe Tyr Ser Lys Leu  
100 105 110

Gly Leu Gln Tyr Arg Asp Ser Ser Ser Glu Asp Glu Ser Ser Arg Xaa  
115 120 125

Thr Glu Ile Ile Xaa Ile Pro Asp Glu Asp Asp Asp Val Leu Ser Ile  
130 135 140

Asp Ser Gly Asp Ala Gly Ser Arg Thr Pro Lys Asp Gln Lys Leu Arg  
145 150 155 160

Glu Ala Met Ala Ala Leu Arg Lys Ser Ala Gln Asp Val Gln Lys  
165 170 175

<210> 824

<211> 90

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 824

His Lys Leu Asn Pro Met Tyr Leu Lys Leu Gln Ser Phe Pro Leu  
1 5 10 15

Tyr Phe Lys Gln Gln Lys Ser Gly Gly His Ile Val Val Leu Ser Phe  
20 25 30

Lys Leu Cys Xaa Lys Phe Asn His Tyr Phe Asp Ala Leu Asn Ile Leu  
35 40 45

Met Cys Asn Ile Cys Phe Cys Ile Lys Asn Thr His Ile Phe Gln Glu  
50 55 60

Lys Glu Ile Met Leu Asn Ser Pro Val Leu Arg Lys Ile Phe Met Lys  
65 70 75 80

His Leu Asn Leu Lys Ile Lys Ser Lys Leu

85

90

&lt;210&gt; 825

&lt;211&gt; 156

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 825

Ser Arg Arg Lys Met Ala Val Leu Ser Lys Glu Tyr Gly Phe Val Leu  
 1 5 10 15

Leu Thr Gly Ala Ala Ser Phe Ile Met Val Ala His Leu Ala Ile Asn  
 20 25 30

Val Ser Lys Ala Arg Lys Lys Tyr Lys Val Glu Tyr Pro Ile Met Tyr  
 35 40 45

Ser Thr Asp Pro Glu Asn Gly His Ile Phe Asn Cys Ile Gln Arg Ala  
 50 55 60

His Gln Asn Thr Leu Glu Val Tyr Pro Pro Phe Leu Phe Phe Leu Ala  
 65 70 75 80

Val Gly Gly Val Tyr His Pro Arg Ile Ala Ser Gly Leu Gly Leu Ala  
 85 90 95

Trp Ile Val Gly Arg Val Leu Tyr Ala Tyr Gly Tyr Tyr Thr Gly Glu  
 100 105 110

Pro Ser Lys Arg Ser Arg Gly Ala Leu Gly Ser Ile Ala Leu Leu Gly  
 115 120 125

Leu Val Gly Thr Thr Val Cys Ser Ala Phe Gln His Leu Gly Trp Val  
 130 135 140

Lys Ser Gly Leu Gly Ser Gly Pro Lys Cys Cys His  
 145 150 155

&lt;210&gt; 826

&lt;211&gt; 259

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (20)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 826

Ser Leu Thr Ser Tyr His Asn Gln Thr Phe Cys Ala Cys Ala Ile Val  
1 5 10 15

Ala Ala Ile Xaa Ser Phe Gly Trp Asn Thr Val Lys Ile Asp Met Ser  
20 25 30

Ala Ala Arg Arg Asp Pro Leu Pro Ile Val Pro Phe Gly Leu Ala Ala  
35 40 45

Phe Ala Thr Thr Leu Phe Ala Leu Gly Leu Ala Leu Gly Thr Thr Ile  
50 55 60

Ala Val Gly Met Leu Phe Phe Ile Gln Met Lys Ile Ile Leu Arg Asn  
65 70 75 80

Lys Thr Ser Ile Glu Ser Trp Ile Glu Glu Lys Ala Lys Asp Arg Ile  
85 90 95

Gln Tyr Tyr Gln Leu Asp Glu Val Phe Val Phe Pro Tyr Asp Met Gly  
100 105 110

Ser Arg Trp Arg Asn Phe Lys Gln Val Phe Thr Trp Ser Gly Val Pro  
115 120 125

Glu Gly Asp Gly Leu Glu Trp Pro Val Arg Glu Gly Cys His Gln Tyr  
130 135 140

Ser Leu Thr Ile Glu Gln Leu Lys Gln Lys Ala Asp Lys Arg Val Arg  
145 150 155 160

Ser Val Arg Tyr Lys Val Ile Glu Asp Tyr Ser Gly Ala Cys Cys Pro  
165 170 175

Leu Asn Lys Gly Ile Lys Thr Phe Phe Thr Ser Pro Cys Thr Glu Glu  
180 185 190

Pro Arg Ile Gln Leu Gln Lys Gly Glu Phe Ile Leu Ala Thr Arg Gly  
195 200 205

Leu Arg Tyr Trp Leu Tyr Gly Asp Lys Ile Leu Asp Asp Ser Phe Ile  
210 215 220

Glu Gly Val Ser Arg Ile Arg Gly Trp Phe Pro Arg Lys Cys Val Glu  
225 230 235 240

Lys Cys Pro Cys Asp Ala Glu Thr Asp Gln Ala Pro Glu Gly Glu Lys  
245 250 255

Lys Asn Arg



<210> 827  
<211> 88  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (4)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (28)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (39)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (41)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (82)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 827  
Glu Pro Trp Xaa Leu Leu Lys Ser Leu Leu Cys Arg Arg Ser Pro Ser  
1 5 10 15

Arg Thr Xaa Lys Gln Glu Glu Asp Arg Ala Thr Xaa Glu Ala Lys Asn  
20 25 30

Gly Glu Lys Ala Arg Arg Xaa Ser Xaa Glu Val Asp Gly Gln His Pro  
35 40 45

Ala Gln Glu Glu Val Pro Glu Ser Pro Gln Thr Ser Gly Pro Glu Gln  
50 55 60

Lys Ile Gly Val Gly Ala Pro Gly Arg Lys Ser Gln Leu Glu Arg Lys  
 65 70 75 80

Gln Xaa Trp Lys Arg Leu Gln Arg  
 85

<210> 828  
 <211> 206  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (14)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 828  
 Leu Pro Gly Val Phe Lys Met Ala Ala Ser Met His Gly Xaa Pro Ser  
 1 5 10 15

Pro Ser Leu Glu Asp Ala Lys Leu Arg Arg Pro Met Val Ile Glu Ile  
 20 25 30

Ile Glu Lys Asn Phe Asp Tyr Leu Arg Lys Glu Met Thr Gln Asn Ile  
 35 40 45

Tyr Gln Met Ala Thr Phe Gly Thr Thr Ala Gly Phe Ser Gly Ile Phe  
 50 55 60

Ser Asn Phe Leu Phe Arg Arg Cys Phe Lys Val Lys His Asp Ala Leu  
 65 70 75 80

Lys Thr Tyr Ala Ser Leu Ala Thr Leu Pro Phe Leu Ser Thr Val Val  
 85 90 95

Thr Asp Lys Leu Phe Val Ile Asp Ala Leu Tyr Ser Asp Asn Ile Ser  
 100 105 110

Lys Glu Asn Cys Val Phe Arg Ser Ser Leu Ile Gly Ile Val Cys Gly  
 115 120 125

Val Phe Tyr Pro Ser Ser Leu Ala Phe Thr Lys Asn Gly Arg Leu Ala  
 130 135 140

Thr Lys Tyr His Thr Val Pro Leu Pro Pro Lys Gly Arg Val Leu Ile  
 145 150 155 160

His Trp Met Thr Leu Cys Gln Thr Gln Met Lys Leu Met Ala Ile Pro

165 170 175  
Leu Val Phe Gln Ile Met Phe Gly Ile Leu Asn Gly Leu Tyr His Tyr  
180 185 190  
Ala Val Phe Glu Glu Thr Leu Glu Lys Thr Ile His Glu Glu  
195 200 205

<210> 829  
<211> 78  
<212> PRT  
<213> Homo sapiens

<400> 829  
Tyr Asn Ile Trp Phe Val Asn Ser Glu Thr Leu Pro Val Cys Leu Leu  
1 5 10 15  
Leu Ser Ile Glu Leu Val Phe Ser Phe Ser Trp Leu Ser Ser Cys Leu  
20 25 30  
Leu Ile Leu Ser His Met Leu Pro Ser Leu Leu Val Pro Ser Ser Leu  
35 40 45  
Leu Tyr Phe Thr Arg Phe Gly Thr Cys Ser Pro Leu Asp Phe Phe Phe  
50 55 60  
Asn Ile Leu Ala Phe Pro Arg Cys Lys Ser Leu Pro Pro Cys  
65 70 75

<210> 830  
<211> 101  
<212> PRT  
<213> Homo sapiens

<400> 830  
Arg Phe Gly Arg Arg Thr Gly Arg Arg Trp Arg Arg Thr Thr Gly Gly  
1 5 10 15  
Ala Glu Gly Val Arg Gly Gly Asp Gly Arg Arg Gly Gly Pro Gly Pro  
20 25 30  
Leu Leu Ser Arg Val Gly Arg Leu Gly Leu Ala Asp Arg Ala Arg Ala  
35 40 45  
Phe Tyr Glu Asp Gly Gly Asp Glu Asp Ile Val Thr Ile Ser Gln Ala  
50 55 60

Thr Pro Ser Ser Val Ser Arg Gly Thr Ala Pro Ser Asp Asn Arg Val  
 65 70 75 80

Thr Ser Phe Arg Asp Leu Ile His Asp Gln Asp Glu Asp Glu Glu Glu  
 85 90 95

Glu Glu Gly Gln Arg  
 100

<210> 831

<211> 155

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 831

Arg Cys Ser Ser Ile Phe Thr Pro Trp Lys Leu Thr Thr Leu Ser Ser  
 1 5 10 15

Phe Leu His His His Pro Gly Ala Gln Arg Ser Lys Leu Leu Ser Ile  
 20 25 30

Phe Ser Pro Ser Pro Arg Thr Leu Thr Leu Tyr Arg Met Gly Pro Ser  
 35 40 45

Ser Cys Leu Leu Leu Ile Leu Ile Pro Leu Leu Gln Leu Ile Asn Xaa  
 50 55 60

Gly Ser Thr Gln Cys Ser Leu Asp Ser Val Met Asp Lys Lys Ile Lys  
 65 70 75 80

Asp Val Leu Asn Ser Leu Glu Tyr Ser Pro Ser Pro Ile Ser Lys Lys  
 85 90 95

Leu Ser Cys Ala Ser Val Lys Ser Gln Gly Arg Pro Ser Ser Cys Pro  
 100 105 110

Ala Gly Met Ala Val Thr Gly Cys Ala Cys Gly Tyr Gly Cys Gly Ser  
 115 120 125

Trp Asp Val Gln Leu Glu Thr Thr Cys His Cys Gln Cys Ser Val Val  
 130 135 140

Asp Trp Thr Thr Ala Arg Cys Cys His Leu Thr  
 145 150 155

<210> 832  
<211> 238  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (221)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 832

Tyr	His	Leu	Tyr	Phe	Lys	Met	Gly	Asp	Pro	Asn	Ser	Arg	Lys	Lys	Gln
1				5					10					15	
Ala	Leu	Asn	Arg	Leu	Arg	Ala	Gln	Leu	Arg	Lys	Lys	Lys	Glu	Ser	Leu
			20					25					30		
Ala	Asp	Gln	Phe	Asp	Phe	Lys	Met	Tyr	Ile	Ala	Phe	Val	Phe	Lys	Glu
		35					40					45			
Lys	Lys	Lys	Lys	Ser	Ala	Leu	Phe	Glu	Val	Ser	Glu	Val	Ile	Pro	Val
	50					55					60				
Met	Thr	Asn	Asn	Tyr	Glu	Glu	Asn	Ile	Leu	Lys	Gly	Val	Arg	Asp	Ser
65					70					75					80
Ser	Tyr	Ser	Leu	Glu	Ser	Ser	Leu	Glu	Leu	Leu	Gln	Lys	Asp	Val	Val
			85						90					95	
Gln	Leu	His	Ala	Pro	Arg	Tyr	Gln	Ser	Met	Arg	Arg	Asp	Val	Ile	Gly
			100						105				110		
Cys	Thr	Gln	Glu	Met	Asp	Phe	Ile	Leu	Trp	Pro	Arg	Asn	Asp	Ile	Glu
		115						120					125		
Lys	Ile	Val	Cys	Leu	Leu	Phe	Ser	Arg	Trp	Lys	Glu	Ser	Asp	Glu	Pro
	130					135					140				
Phe	Arg	Pro	Val	Gln	Ala	Lys	Phe	Glu	Phe	His	His	Gly	Asp	Tyr	Glu
145					150					155					160
Lys	Gln	Phe	Leu	His	Val	Leu	Ser	Arg	Lys	Asp	Lys	Thr	Gly	Ile	Val
			165						170					175	
Val	Asn	Asn	Pro	Asn	Gln	Ser	Val	Phe	Leu	Phe	Ile	Asp	Arg	Gln	His
			180						185				190		
Leu	Gln	Thr	Pro	Lys	Asn	Lys	Ala	Thr	Ile	Phe	Lys	Leu	Cys	Ser	Ile

195                      200                      205

Cys Leu Tyr Leu Pro Gln Glu Gln Leu Thr His Trp Xaa Ser Trp His  
 210                      215                      220

His Arg Gly Ser Pro Pro Ser Leu Tyr Ala Arg Val Glu Tyr  
 225                      230                      235

<210> 833  
 <211> 146  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (44)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 833

Asn Ser Ala Arg Ala Gln Met Ala Leu Glu Asp Gln Ala Ala Thr Leu  
 1                      5                      10                      15

Glu Tyr Lys Thr Ile Lys Glu His Leu Ser Ser Lys Ser Pro Asn His  
                     20                      25                      30

Gly Val Asn Leu Val Glu Asn Leu Asp Ser Leu Xaa Pro Lys Val Pro  
                     35                      40                      45

Gln Arg Glu Ala Ser Leu Gly Pro Pro Gly Ala Ser Leu Ser Gln Thr  
                     50                      55                      60

Gly Leu Ser Lys Arg Leu Glu Met His His Ser Ser Ser Tyr Gly Val  
                     65                      70                      75                      80

Asp Tyr Lys Arg Ser Tyr Pro Thr Asn Ser Leu Thr Arg Ser His Gln  
                     85                      90                      95

Ala Pro Leu Ser Lys Glu Thr Thr Leu Thr Pro Pro Ile Pro Leu Thr  
                     100                      105                      110

Ser Pro Glu Thr Arg Ala Leu Ala Gly Glu Thr Thr Arg Arg Pro Pro  
                     115                      120                      125

Arg Arg Gly Trp Thr Pro Ser Arg Cys Thr Ala Pro Ser His Leu Ala  
                     130                      135                      140

Arg Pro  
 145

&lt;210&gt; 834

&lt;211&gt; 239

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 834

Gln Pro Pro Gly Thr Arg Asp Pro Ala Pro Pro Leu Ile Thr Pro Ala  
 1 5 10 15  
 Thr Pro Gln Leu Ser Ala Ala Pro Asp Ala Met Asp Pro Ala Leu Ala  
 20 25 30  
 Ala Gln Met Ser Glu Ala Val Ala Glu Lys Met Leu Gln Tyr Arg Arg  
 35 40 45  
 Asp Thr Ala Gly Trp Lys Ile Cys Arg Glu Gly Asn Gly Val Ser Val  
 50 55 60  
 Ser Trp Arg Pro Ser Val Glu Phe Pro Gly Asn Leu Tyr Arg Gly Glu  
 65 70 75 80  
 Gly Ile Val Tyr Gly Thr Leu Glu Glu Val Trp Asp Cys Val Lys Pro  
 85 90 95  
 Ala Val Gly Gly Leu Arg Val Lys Trp Asp Glu Asn Val Thr Gly Phe  
 100 105 110  
 Glu Ile Ile Gln Ser Ile Thr Asp Thr Leu Cys Val Ser Arg Thr Ser  
 115 120 125  
 Thr Pro Ser Ala Ala Met Lys Leu Ile Ser Pro Arg Asp Phe Val Asp  
 130 135 140  
 Leu Val Leu Val Lys Arg Tyr Glu Asp Gly Thr Ile Ser Ser Asn Ala  
 145 150 155 160  
 Thr His Val Glu His Pro Leu Cys Pro Pro Lys Pro Gly Phe Val Arg  
 165 170 175  
 Gly Phe Asn His Pro Cys Gly Cys Phe Cys Glu Pro Leu Pro Gly Glu  
 180 185 190  
 Pro Thr Lys Thr Asn Leu Val Thr Phe Phe His Thr Asp Leu Ser Gly  
 195 200 205  
 Tyr Leu Pro Gln Asn Val Val Asp Ser Phe Phe Pro Arg Ser Met Thr  
 210 215 220  
 Arg Phe Tyr Ala Asn Leu Gln Lys Ala Val Lys Gln Phe His Glu

225

230

235

&lt;210&gt; 835

&lt;211&gt; 154

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (24)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 835

Gln Leu Thr Thr Val Arg Arg Leu Leu Ser Glu Lys Ala Thr His Val  
 1 5 10 15

Asn Thr Arg Asp Glu Asp Glu Xaa Thr Pro Leu His Arg Ala Ala Tyr  
 20 25 30

Ser Gly His Leu Asp Ile Val Gln Glu Leu Ile Ala Gln Gly Ala Asp  
 35 40 45

Val His Ala Val Thr Val Asp Gly Trp Thr Pro Leu His Ser Ala Cys  
 50 55 60

Lys Trp Asn Asn Thr Arg Val Ala Ser Phe Leu Leu Gln His Asp Ala  
 65 70 75 80

Asp Ile Asn Ala Gln Thr Lys Gly Leu Leu Thr Pro Leu His Leu Ala  
 85 90 95

Ala Gly Asn Arg Asp Ser Lys Asp Thr Leu Glu Leu Leu Leu Met Asn  
 100 105 110

Arg Tyr Val Lys Pro Gly Leu Lys Asn Asn Leu Glu Glu Thr Ala Phe  
 115 120 125

Asp Ile Ala Arg Arg Thr Ser Ile Tyr His Tyr Leu Phe Glu Ile Val  
 130 135 140

Glu Gly Cys Thr Asn Ser Ser Pro Gln Ser  
 145 150

&lt;210&gt; 836

&lt;211&gt; 77

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens



&lt;400&gt; 836

Asn Thr Phe Ile His Glu Asp Ile Trp Asn Ile Arg Ser Ile Cys Ser  
1 5 10 15

Thr Thr Asn Ile Gln Cys Lys Asn Gly Lys Met Asn Cys His Glu Gly  
20 25 30

Val Val Lys Val Thr Asp Cys Arg Asp Thr Gly Ser Ser Arg Ala Pro  
35 40 45

Asn Cys Arg Tyr Arg Ala Ile Ala Ser Thr Arg Arg Val Val Ile Ala  
50 55 60

Cys Glu Gly Asn Pro Gln Val Pro Val His Phe Asp Gly  
65 70 75

&lt;210&gt; 837

&lt;211&gt; 84

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 837

Arg Asp Ala Pro Gly Ile Ser Leu Thr Val Leu Leu Pro His Gln Gln  
1 5 10 15

Pro Pro Thr Phe Gly Pro Thr Leu Pro Pro Met Arg Glu Tyr Pro Ala  
20 25 30

Trp Met Leu Cys Phe Ser Gly Leu Ser Leu Ser Pro Phe Leu Gln Gly  
35 40 45

Met Leu Val Ser Leu Ala Ser Gln Cys Pro Asn Trp Ser Pro Glu Cys  
50 55 60

Leu Val Leu Ser Gln Glu Thr Ala Glu His Trp Pro Ser Thr Pro Lys  
65 70 75 80

Arg Pro Leu His

&lt;210&gt; 838

&lt;211&gt; 96

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 838

Cys Phe Ser Leu Pro Ser Leu Phe Thr Ala Val Lys Phe Ile Lys Cys  
 1 5 10 15  
 Phe Ser Val Val Phe Cys Ser Leu Ser Phe Thr Gly Tyr Phe Phe Met  
 20 25 30  
 Tyr Thr Phe Arg Ile Phe Cys Leu Leu Tyr Pro Val Val Gln Met Ile  
 35 40 45  
 Ser Tyr Ile Leu Gln Met Pro Phe Gln Phe Leu Phe Ser Phe Ser Ile  
 50 55 60  
 Lys Leu Pro Ser Cys Pro Asn Val Gln Phe Val Ser Val Cys Val Cys  
 65 70 75 80  
 Val Cys Val Cys Val Asn Leu Ile Phe Lys Ser Ala Arg Leu Pro Ile  
 85 90 95

<210> 839

<211> 64

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (58)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 839

Xaa Gln Ala Thr Ala Ile Asn Thr Asp Val Asn Gly Cys Ile Cys Phe  
 1 5 10 15  
 Ala Val Val Thr Gly Leu Gly Arg Phe Gly Ile Cys Glu Arg Ile Asp  
 20 25 30  
 Ser Phe Ser Lys Leu Phe His Lys Val Lys Lys Leu His Phe Lys Gly  
 35 40 45  
 Asn Arg Ser Tyr Ser Ser Leu Lys Ser Xaa Ser Asn Cys Ser Phe Ile  
 50 55 60

&lt;210&gt; 840

&lt;211&gt; 288

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 840

Glu Ile Arg Val Ser Cys Thr Ala Gly Ala Gly Phe Pro Ala Ala Gln  
1 5 10 15

Ala Arg Val Arg Cys Leu Cys His Leu Ile Leu Met Ser Gly Glu Ile  
20 25 30

Ala Met Cys Glu Pro Glu Phe Gly Asn Asp Lys Ala Arg Glu Pro Ser  
35 40 45

Val Gly Gly Arg Trp Arg Val Ser Trp Tyr Glu Arg Phe Val Gln Pro  
50 55 60

Cys Leu Val Glu Leu Leu Gly Ser Ala Leu Phe Ile Phe Ile Gly Cys  
65 70 75 80

Leu Ser Val Ile Glu Asn Gly Thr Asp Thr Gly Leu Leu Gln Pro Ala  
85 90 95

Leu Ala His Gly Leu Ala Leu Gly Leu Val Ile Ala Thr Leu Gly Asn  
100 105 110

Ile Ser Gly Gly His Phe Asn Pro Ala Val Ser Leu Ala Ala Met Leu  
115 120 125

Ile Gly Gly Leu Asn Leu Val Met Leu Leu Pro Tyr Trp Val Ser Gln  
130 135 140

Leu Leu Gly Gly Met Leu Gly Ala Ala Leu Ala Lys Ala Val Ser Pro  
145 150 155 160

Glu Glu Arg Phe Trp Asn Ala Ser Gly Ala Ala Phe Val Thr Val Gln  
165 170 175

Glu Gln Gly Gln Val Ala Gly Ala Leu Val Ala Glu Ile Ile Leu Thr  
180 185 190

Thr Leu Leu Ala Leu Ala Val Cys Met Gly Ala Ile Asn Glu Lys Thr  
195 200 205

Lys Gly Pro Leu Ala Pro Phe Ser Ile Gly Phe Ala Val Thr Val Asp

210                      215                      220  
 Ile Leu Ala Gly Gly Pro Val Ser Gly Gly Cys Met Asn Pro Ala Arg  
 225                      230                      235                      240  
 Ala Phe Gly Pro Ala Val Val Ala Asn His Trp Asn Phe His Trp Ile  
                     245                      250                      255  
 Tyr Trp Leu Gly Pro Leu Leu Ala Gly Leu Leu Val Gly Leu Leu Ile  
                     260                      265                      270  
 Arg Cys Phe Ile Gly Asp Gly Lys Thr Arg Leu Ile Leu Lys Ala Gln  
                     275                      280                      285

<210> 841  
 <211> 216  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (2)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 841  
 Gly Xaa Glu Gly Lys Gly Arg Glu Gly Gly Val Thr Arg Gly Arg Ala  
   1                    5                    10                    15  
 Arg Ala Pro Gly Ala Ala Arg Arg Arg Val Glu Leu Asp Arg Val Cys  
                     20                    25                    30  
 Cys Gln Arg Arg Glu Leu Arg Pro Pro Phe Tyr Asn Ser Ser Thr Arg  
                     35                    40                    45  
 Ala Gly His Arg Glu Gln Arg Ala Arg Val Ser Arg Asn Pro Ile Pro  
                     50                    55                    60  
 Ser Asp Arg Ile Ser Pro Pro Gln Pro Asn Gly Glu Ile Ser Gly Asn  
   65                    70                    75                    80  
 Met Ala Thr Glu His Val Asn Gly Asn Gly Thr Glu Glu Pro Met Asp  
                     85                    90                    95  
 Thr Thr Ser Ala Val Ile His Ser Glu Asn Phe Gln Thr Leu Leu Asp  
                     100                    105                    110

Ala Gly Leu Pro Gln Lys Val Ala Glu Lys Leu Asp Glu Ile Tyr Val  
 115 120 125

Ala Gly Leu Val Ala His Ser Asp Leu Asp Glu Arg Ala Ile Glu Ala  
 130 135 140

Leu Lys Glu Phe Asn Glu Asp Gly Ala Leu Ala Val Leu Gln Gln Phe  
 145 150 155 160

Lys Asp Ser Asp Leu Ser His Val Gln Asn Lys Ser Ala Phe Leu Cys  
 165 170 175

Gly Val Met Lys Thr Tyr Arg Gln Arg Glu Lys Gln Gly Thr Lys Val  
 180 185 190

Ala Asp Ser Ser Lys Gly Pro Asp Glu Ala Lys Ile Lys Ala Leu Leu  
 195 200 205

Glu Arg Thr Gly Ser His Leu Met  
 210 215

<210> 842

<211> 189

<212> PRT

<213> Homo sapiens

<400> 842

Asp Ser Asp Gly Ser Pro Leu Ser Asn Ser Gln Pro Ser Phe Pro Val  
 1 5 10 15

Glu Ile Leu Pro Phe Leu Tyr Leu Gly Cys Ala Lys Asp Ser Thr Asn  
 20 25 30

Leu Asp Val Leu Glu Glu Phe Gly Ile Lys Tyr Ile Leu Asn Val Thr  
 35 40 45

Pro Asn Leu Pro Asn Leu Phe Glu Asn Ala Gly Glu Phe Lys Tyr Lys  
 50 55 60

Gln Ile Pro Ile Ser Asp His Trp Ser Gln Asn Leu Ser Gln Phe Phe  
 65 70 75 80

Pro Glu Ala Ile Ser Phe Ile Asp Glu Ala Arg Gly Lys Asn Cys Gly  
 85 90 95

Val Leu Val His Cys Leu Ala Gly Ile Ser Arg Ser Val Thr Val Thr  
 100 105 110

Val Ala Tyr Leu Met Gln Lys Leu Asn Leu Ser Met Asn Asp Ala Tyr

115                      120                      125  
 Asp Ile Val Lys Met Lys Lys Ser Asn Ile Ser Pro Asn Phe Asn Phe  
 130                      135                      140  
 Met Gly Gln Leu Leu Asp Phe Glu Arg Thr Leu Gly Leu Ser Ser Pro  
 145                      150                      155                      160  
 Cys Asp Asn Arg Val Pro Ala Gln Gln Leu Tyr Phe Thr Thr Pro Ser  
 165                      170                      175  
 Asn Gln Asn Val Tyr Gln Val Asp Ser Leu Gln Ser Thr  
 180                      185

&lt;210&gt; 843

&lt;211&gt; 220

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (216)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 843

Asn Thr Pro Gly Phe Met Tyr Lys Asn Leu Gln Cys Leu Val Ile Asp  
 1                      5                      10                      15  
 Glu Ala Asp Arg Ile Phe Asp Val Gly Phe Glu Glu Glu Leu Lys Gln  
 20                      25                      30  
 Ile Ile Lys Leu Leu Pro Thr Arg Arg Gln Thr Met Leu Phe Ser Ala  
 35                      40                      45  
 Thr Gln Thr Arg Lys Val Glu Asp Leu Ala Arg Ile Ser Leu Lys Lys  
 50                      55                      60  
 Glu Pro Leu Tyr Val Gly Val Asp Asp Asp Lys Ala Asn Ala Thr Val  
 65                      70                      75                      80  
 Asp Gly Leu Glu Gln Lys Asn Arg Lys Lys Lys Leu Met Val Phe Phe  
 85                      90                      95  
 Ser Ser Cys Met Ser Val Lys Tyr His Tyr Glu Leu Leu Asn Tyr Ile  
 100                      105                      110  
 Asp Leu Pro Val Leu Ala Ile His Gly Lys Gln Lys Gln Asn Lys Arg  
 115                      120                      125

Thr Thr Thr Phe Phe Gln Phe Cys Asn Ala Asp Ser Gly Thr Leu Leu  
 130 135 140  
 Cys Thr Asp Val Ala Ala Arg Gly Leu Asp Ile Pro Glu Val Asp Trp  
 145 150 155 160  
 Ile Val Gln Tyr Asp Pro Pro Asp Asp Pro Lys Glu Tyr Ile His Arg  
 165 170 175  
 Val Gly Arg Thr Ala Arg Gly Leu Asn Gly Arg Gly His Ala Leu Leu  
 180 185 190  
 Ile Leu Arg Pro Glu Glu Leu Gly Phe Leu Arg Tyr Leu Lys Gln Ser  
 195 200 205  
 Lys Val Pro Leu Ser Glu Phe Xaa Leu Phe Leu Val  
 210 215 220

&lt;210&gt; 844

&lt;211&gt; 83

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (40)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 844

Arg Pro Pro Phe Val Pro Lys His Pro Ala His Ala Asp Ser Leu Leu  
 1 5 10 15  
 Gly Ser Leu Arg Tyr Leu Ser Thr Gln Thr Leu Leu Pro His Pro Ile  
 20 25 30  
 Ser Pro Glu Thr Pro Ala Phe Xaa Leu Thr Ile Phe Pro Leu Pro Ala  
 35 40 45  
 Phe Arg Phe Leu Leu Gly Ala Gln Arg Pro Leu Trp Gly Val Ala Ser  
 50 55 60  
 Ser Pro Pro Thr Pro Pro His Pro Pro Pro Leu Pro Arg Gln Ala Ser  
 65 70 75 80  
 Pro Cys Arg

<210> 845  
<211> 114  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (1)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (15)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (32)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 845  
Xaa Ser Ser Arg Thr Cys Glu Gly Arg Val Leu Ser Ser Val Xaa Pro  
1 5 10 15  
Leu Ala His Val Ala Ser Val Phe Leu Lys Leu Pro Asp Leu Glu Xaa  
20 25 30  
Leu Met Lys Arg Glu Asn Gln Lys Ile Leu Thr Pro Leu Val Ser Leu  
35 40 45  
Asp Thr Pro Gly Lys Ala Thr Val Gln Val Val Ile Leu Ala Asp Pro  
50 55 60  
Asp Gly His Glu Ile Cys Phe Val Gly Asp Glu Ala Phe Arg Glu Leu  
65 70 75 80  
Ser Lys Met Asp Pro Glu Gly Ser Lys Leu Leu Asp Asp Ala Met Ala  
85 90 95  
Ala Asp Lys Ser Asp Glu Trp Phe Ala Lys His Asn Lys Pro Lys Ala  
100 105 110

Ser Gly

<210> 846  
<211> 68  
<212> PRT  
<213> Homo sapiens



&lt;400&gt; 846

Ser Asn Gly Ser Ile Cys Leu Asp Ile Leu Arg Ser Gln Trp Ser Pro  
1 5 10 15

Ala Leu Thr Val Ser Lys Val Leu Leu Ser Ile Cys Ser Leu Leu Cys  
20 25 30

Asp Pro Asn Pro Asp Asp Pro Leu Val Pro Glu Ile Ala His Thr Tyr  
35 40 45

Lys Ala Asp Arg Glu Lys Tyr Asn Arg Leu Ala Arg Glu Trp Thr Gln  
50 55 60

Lys Tyr Ala Met  
65

&lt;210&gt; 847

&lt;211&gt; 365

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 847

Gly Arg Val Gly Ser Pro Gly Gly Cys Pro Trp Val Leu Pro Ser Leu  
1 5 10 15

Pro Asp Thr Gln Thr Asp Leu Asp Arg Pro Pro Gly Arg Ser Arg Thr  
20 25 30

Gly Arg Pro Asp Ala Ala Met Ala Glu Leu Pro Gly Pro Phe Leu Cys  
35 40 45

Gly Ala Leu Leu Gly Phe Leu Cys Leu Ser Gly Leu Ala Val Glu Val  
50 55 60

Lys Val Pro Thr Glu Pro Leu Ser Thr Pro Leu Gly Lys Thr Ala Glu  
65 70 75 80

Leu Thr Cys Thr Tyr Ser Thr Ser Val Gly Asp Ser Phe Ala Leu Glu  
85 90 95

Trp Ser Phe Val Gln Pro Gly Lys Pro Ile Ser Glu Ser His Pro Ile  
100 105 110

Leu Tyr Phe Thr Asn Gly His Leu Tyr Pro Thr Gly Ser Lys Ser Lys  
115 120 125

Arg Val Ser Leu Leu Gln Asn Pro Pro Thr Val Gly Val Ala Thr Leu  
130 135 140

Lys Leu Thr Asp Val His Pro Ser Asp Thr Gly Thr Tyr Leu Cys Gln  
145 150 155 160

Val Asn Asn Pro Pro Asp Phe Tyr Thr Asn Gly Leu Gly Leu Ile Asn  
165 170 175

Leu Thr Val Leu Val Pro Pro Ser Asn Pro Leu Cys Ser Gln Ser Gly  
180 185 190

Gln Thr Ser Val Gly Gly Ser Thr Ala Leu Arg Cys Ser Ser Ser Glu  
195 200 205

Gly Ala Pro Lys Pro Val Tyr Asn Trp Val Arg Leu Gly Thr Phe Pro  
210 215 220

Thr Pro Ser Pro Gly Ser Met Val Gln Asp Glu Val Ser Gly Gln Leu  
225 230 235 240

Ile Leu Thr Asn Leu Ser Leu Thr Ser Ser Gly Thr Tyr Arg Cys Val  
245 250 255

Ala Thr Asn Gln Met Gly Ser Ala Ser Cys Glu Leu Thr Leu Ser Val  
260 265 270

Thr Glu Pro Ser Gln Gly Arg Val Ala Gly Ala Leu Ile Gly Val Leu  
275 280 285

Leu Gly Val Leu Leu Leu Ser Val Ala Ala Phe Cys Leu Val Arg Phe  
290 295 300

Gln Lys Glu Arg Gly Lys Lys Pro Lys Glu Thr Tyr Gly Gly Ser Asp  
305 310 315 320

Leu Arg Glu Asp Ala Ile Ala Pro Gly Ile Ser Glu His Thr Cys Met  
325 330 335

Arg Ala Asp Ser Ser Lys Gly Phe Leu Glu Arg Pro Ser Ser Ala Ser  
340 345 350

Thr Val Thr Thr Thr Lys Ser Lys Leu Pro Met Val Val  
355 360 365

&lt;210&gt; 848

&lt;211&gt; 215

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 848

Leu Asp His Ile Val Asp Lys Val Lys Glu Cys Val Asp His Leu Ser  
1 5 10 15  
Arg Asp Glu Asp Glu Glu Lys Leu Val Ala Ser Leu Trp Gly Ala Glu  
20 25 30  
Arg Cys Leu Arg Val Leu Glu Ser Val Thr Val His Asn Pro Glu Asn  
35 40 45  
Gln Ser Tyr Leu Ile Ala Tyr Lys Asp Ser Gln Leu Ile Val Ser Ser  
50 55 60  
Ala Lys Ala Leu Gln His Cys Glu Glu Leu Ile Gln Gln Tyr Asn Arg  
65 70 75 80  
Ala Glu Asp Ser Ile Cys Leu Ala Asp Ser Lys Pro Leu Pro His Gln  
85 90 95  
Asn Val Thr Asn His Val Gly Lys Ala Val Glu Asp Cys Met Arg Ala  
100 105 110  
Ile Ile Gly Val Leu Leu Asn Leu Thr Asn Asp Asn Glu Trp Gly Ser  
115 120 125  
Thr Lys Thr Gly Glu Gln Asp Gly Leu Ile Gly Thr Ala Leu Asn Cys  
130 135 140  
Val Leu Gln Val Pro Lys Tyr Leu Pro Gln Glu Gln Arg Phe Asp Ile  
145 150 155 160  
Arg Val Leu Gly Leu Gly Leu Leu Ile Asn Leu Val Glu Tyr Ser Ala  
165 170 175  
Arg Asn Arg His Cys Leu Val Asn Met Glu Thr Ser Cys Ser Phe Asp  
180 185 190  
Ser Ser Ile Cys Ser Gly Glu Gly Asp Asp Ser Leu Arg Ile Gly Gly  
195 200 205  
Gln Val His Ala Val Gln Leu  
210 215

&lt;210&gt; 849

&lt;211&gt; 368

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 849

Gly Lys Ala Glu Gly Val Cys Gly Leu Ser His Arg Gln Glu Cys Gln

1	5	10	15
Asp Pro Ala Gly Ala Leu Glu Ser Leu Arg Leu Ala Leu Ala Ser Arg	20	25	30
Leu Leu Pro Asp Phe Leu Leu Glu Arg Arg Leu Thr Leu Ala Asp Ala	35	40	45
Leu Glu Lys Cys Leu Lys Lys Gly Lys Gly Glu Glu Gln Ala Leu Ala	50	55	60
Ala Ala Val Leu Gly Leu Leu Cys Val Gln Leu Gly Pro Gly Pro Lys	65	70	75
Gly Glu Glu Leu Phe His Ser Leu Gln Pro Leu Leu Val Ser Val Leu	85	90	95
Ser Asp Ser Thr Ala Ser Pro Ala Ala Arg Leu His Cys Ala Ser Ala	100	105	110
Leu Gly Leu Gly Cys Tyr Val Ala Ala Ala Asp Ile Gln Asp Leu Val	115	120	125
Ser Cys Leu Ala Cys Leu Glu Ser Val Phe Ser Arg Phe Tyr Gly Leu	130	135	140
Gly Gly Ser Ser Thr Ser Pro Val Val Pro Ala Ser Leu His Gly Leu	145	150	155
Leu Ser Ala Ala Leu Gln Ala Trp Ala Leu Leu Leu Thr Ile Cys Pro	165	170	175
Ser Thr Gln Ile Ser His Ile Leu Asp Arg Gln Leu Pro Arg Leu Pro	180	185	190
Gln Leu Leu Ser Ser Glu Ser Val Asn Leu Arg Ile Ala Ala Gly Glu	195	200	205
Thr Ile Ala Leu Leu Phe Glu Leu Ala Arg Asp Leu Glu Glu Glu Phe	210	215	220
Val Tyr Glu Asp Met Glu Ala Leu Cys Ser Val Leu Arg Thr Leu Ala	225	230	235
Thr Asp Ser Asn Lys Tyr Arg Ala Lys Ala Asp Arg Arg Arg Gln Arg	245	250	255
Ser Thr Phe Arg Ala Val Leu His Ser Val Glu Gly Gly Glu Cys Glu	260	265	270
Glu Glu Ile Val Arg Phe Gly Phe Glu Val Leu Tyr Met Asp Ser Trp			

275	280	285
Ala Arg His Arg Ile Tyr Ala Ala Phe Lys Glu Val Leu Gly Ser Gly		
290	295	300
Met His His His Leu Gln Asn Asn Glu Leu Leu Arg Asp Ile Phe Gly		
305	310	315 320
Leu Gly Pro Val Leu Leu Leu Asp Ala Thr Ala Leu Lys Ala Cys Lys		
	325 330	335
Val Pro Arg Phe Glu Lys His Leu Tyr Asn Ala Ala Ala Phe Lys Ala		
	340 345	350
Arg Thr Lys Ala Arg Ser Arg Val Arg Asp Lys Arg Ala Asp Ile Leu		
355	360	365

<210> 850  
<211> 218  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (96)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (105)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (180)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (190)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (194)  
<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (207)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 850

Ala Ser Ala Ser Ile Cys Ser Gly Ile Lys Tyr Ala Phe Gln Val Ile  
1 5 10 15

Gly Glu Leu His Ser Gln Leu Asp Gly Ser Glu Val Leu Leu Leu Thr  
20 25 30

Asp Gly Glu Asp Asn Thr Ala Ser Ser Cys Ile Asp Glu Val Lys Gln  
35 40 45

Ser Gly Ala Ile Val His Phe Ile Ala Leu Gly Arg Ala Ala Asp Glu  
50 55 60

Ala Val Ile Glu Met Ser Lys Ile Thr Gly Gly Ser His Phe Tyr Val  
65 70 75 80

Ser Asp Glu Ala Gln Asn Asn Gly Leu Ile Asp Ala Phe Gly Ala Xaa  
85 90 95

Thr Ser Gly Asn Thr Asp Leu Ser Xaa Lys Ser Leu Gln Leu Glu Ser  
100 105 110

Lys Gly Leu Thr Leu Asn Ser Asn Ala Trp Met Asn Asp Thr Val Ile  
115 120 125

Ile Asp Ser Thr Val Gly Lys Asp Thr Phe Phe Leu Ile Thr Trp Asn  
130 135 140

Ser Leu Pro Pro Ser Ile Ser Leu Trp Asp Pro Ser Gly Thr Ile Met  
145 150 155 160

Glu Asn Phe Thr Val Asp Ala Thr Ser Lys Met Ala Tyr Leu Ser Ile  
165 170 175

Pro Gly Thr Xaa Lys Val Gly Thr Trp Ala Tyr Asn Leu Xaa Ala Lys  
180 185 190

Ala Xaa Pro Glu Thr Leu Thr Ile Thr Val Thr Ser Arg Ala Xaa Lys  
195 200 205

Phe Phe Cys Ala Ser Asn His Ser Glu Cys  
210 215

<210> 851  
<211> 303  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (133)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (255)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 851  
Gly Cys Leu Gly Gln Thr Arg Pro Ala Ser Pro Arg Thr Ala Arg Glu  
1 5 10 15  
Ser Val Leu Gly Val Ser Gln Asn Met Ser Phe Asn Leu Gln Ser Ser  
20 25 30  
Lys Lys Leu Phe Ile Phe Leu Gly Lys Ser Leu Phe Ser Leu Leu Glu  
35 40 45  
Ala Met Ile Phe Ala Leu Leu Pro Lys Pro Arg Lys Asn Val Ala Gly  
50 55 60  
Glu Ile Val Leu Ile Thr Gly Ala Gly Ser Gly Leu Gly Arg Leu Leu  
65 70 75 80  
Ala Leu Gln Phe Ala Arg Leu Gly Ser Val Leu Val Leu Trp Asp Ile  
85 90 95  
Asn Lys Glu Gly Asn Glu Glu Thr Cys Lys Met Ala Arg Glu Ala Gly  
100 105 110  
Ala Thr Arg Val His Ala Tyr Thr Cys Asp Cys Ser Gln Lys Glu Gly  
115 120 125  
Val Tyr Arg Val Xaa Asp Gln Val Lys Lys Glu Val Gly Asp Val Ser  
130 135 140  
Ile Leu Ile Asn Asn Ala Gly Ile Val Thr Gly Lys Lys Phe Leu Asp  
145 150 155 160  
Cys Pro Asp Glu Leu Met Glu Lys Ser Phe Asp Val Asn Phe Lys Ala  
165 170 175  
His Leu Trp Thr Tyr Lys Ala Phe Leu Pro Ala Met Ile Ala Asn Asp  
180 185 190

His Gly His Leu Val Cys Ile Ser Ser Ser Ala Gly Leu Ser Gly Val  
 195 200 205  
 Asn Gly Leu Ala Asp Tyr Cys Ala Ser Lys Phe Ala Ala Phe Gly Phe  
 210 215 220  
 Ala Glu Ser Val Phe Val Glu Thr Phe Val Gln Lys Gln Lys Gly Ile  
 225 230 235 240  
 Lys Thr Thr Ile Val Cys Pro Phe Phe Ile Lys Thr Gly Met Xaa Glu  
 245 250 255  
 Gly Cys Thr Thr Gly Cys Pro Ser Leu Leu Pro Ile Leu Glu Pro Lys  
 260 265 270  
 Tyr Ala Val Glu Lys Ile Val Glu Ala Ile Leu Gln Glu Lys Met Tyr  
 275 280 285  
 Leu Tyr Met Pro Lys Leu Leu Tyr Phe Met Met Phe Leu Lys Arg  
 290 295 300

<210> 852  
 <211> 340  
 <212> PRT  
 <213> Homo sapiens

<400> 852  
 Arg Thr Val Ile Asp Ala Met Ser Ala Leu Leu Arg Leu Leu Arg Thr  
 1 5 10 15  
 Gly Ala Pro Ala Ala Ala Cys Leu Arg Leu Gly Thr Ser Ala Gly Thr  
 20 25 30  
 Gly Ser Arg Arg Ala Met Ala Leu Tyr His Thr Glu Glu Arg Gly Gln  
 35 40 45  
 Pro Cys Ser Gln Asn Tyr Arg Leu Phe Phe Lys Asn Val Thr Gly His  
 50 55 60  
 Tyr Ile Ser Pro Phe His Asp Ile Pro Leu Lys Val Asn Ser Lys Glu  
 65 70 75 80  
 Glu Asn Gly Ile Pro Met Lys Lys Ala Arg Asn Asp Glu Tyr Glu Asn  
 85 90 95  
 Leu Phe Asn Met Ile Val Glu Ile Pro Arg Trp Thr Asn Ala Lys Met  
 100 105 110



Glu Ile Ala Thr Lys Glu Pro Met Asn Pro Ile Lys Gln Tyr Val Lys  
115 120 125

Asp Gly Lys Leu Arg Tyr Val Ala Asn Ile Phe Pro Tyr Lys Gly Tyr  
130 135 140

Ile Trp Asn Tyr Gly Thr Leu Pro Gln Thr Trp Glu Asp Pro His Glu  
145 150 155 160

Lys Asp Lys Ser Thr Asn Cys Phe Gly Asp Asn Asp Pro Ile Asp Val  
165 170 175

Cys Glu Ile Gly Ser Lys Ile Leu Ser Cys Gly Glu Val Ile His Val  
180 185 190

Lys Ile Leu Gly Ile Leu Ala Leu Ile Asp Glu Gly Glu Thr Asp Trp  
195 200 205

Lys Leu Ile Ala Ile Asn Ala Asn Asp Pro Glu Ala Ser Lys Phe His  
210 215 220

Asp Ile Asp Asp Val Lys Lys Phe Lys Pro Gly Tyr Leu Glu Ala Thr  
225 230 235 240

Leu Asn Trp Phe Arg Leu Tyr Lys Val Pro Asp Gly Lys Pro Glu Asn  
245 250 255

Gln Phe Ala Phe Asn Gly Glu Phe Lys Asn Lys Ala Phe Ala Leu Glu  
260 265 270

Val Ile Lys Ser Thr His Gln Cys Trp Lys Ala Leu Leu Met Lys Lys  
275 280 285

Cys Asn Gly Gly Ala Ile Asn Cys Thr Asn Val Gln Ile Ser Asp Ser  
290 295 300

Pro Phe Arg Cys Thr Gln Glu Glu Ala Arg Ser Leu Val Glu Ser Val  
305 310 315 320

Ser Ser Ser Pro Asn Lys Glu Ser Asn Glu Glu Glu Gln Val Trp His  
325 330 335

Phe Leu Gly Lys  
340

&lt;210&gt; 853

&lt;211&gt; 317

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (165)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 853

Ala Asp Leu Ile Ser Leu Pro Thr Thr Val Glu Gly Leu Gln Lys Ser  
 1 5 10 15

Val Ala Ser Ile Gly Asn Thr Leu Asn Ser Val His Leu Ala Val Glu  
 20 25 30

Ala Leu Gln Lys Thr Val Asp Glu His Lys Lys Thr Met Glu Leu Leu  
 35 40 45

Gln Ser Asp Met Asn Gln His Phe Leu Lys Glu Thr Pro Gly Ser Asn  
 50 55 60

Gln Ile Ile Pro Ser Pro Ser Ala Thr Ser Glu Leu Asp Asn Lys Thr  
 65 70 75 80

His Ser Glu Asn Leu Lys Gln Asp Ile Leu Tyr Leu His Asn Ser Leu  
 85 90 95

Glu Glu Val Asn Ser Ala Leu Val Gly Tyr Gln Arg Gln Asn Asp Leu  
 100 105 110

Lys Leu Glu Gly Met Asn Glu Thr Val Ser Asn Leu Thr Gln Arg Val  
 115 120 125

Asn Leu Ile Glu Ser Asp Val Val Ala Met Ser Lys Val Glu Lys Lys  
 130 135 140

Ala Asn Leu Ser Phe Ser Met Met Gly Asp Arg Ser Ala Thr Leu Lys  
 145 150 155 160

Arg Gln Ser Leu Xaa Gln Val Thr Asn Arg Thr Asp Thr Val Lys Ile  
 165 170 175

Gln Ser Ile Lys Lys Glu Asp Ser Ser Asn Ser Gln Val Ser Lys Leu  
 180 185 190

Arg Glu Lys Leu Gln Leu Ile Ser Ala Leu Thr Asn Lys Pro Glu Ser  
 195 200 205

Asn Arg Pro Pro Glu Thr Ala Asp Glu Glu Gln Val Glu Ser Phe Thr  
 210 215 220

Ser Lys Pro Ser Ala Leu Pro Lys Phe Ser Gln Phe Leu Gly Asp Pro  
 225 230 235 240

Val Glu Lys Ala Ala Gln Leu Arg Pro Ile Ser Leu Pro Gly Val Ser  
245 250 255

Ser Thr Glu Asp Leu Gln Asp Leu Phe Arg Lys Thr Gly Gln Asp Val  
260 265 270

Asp Gly Lys Leu Thr Tyr Gln Glu Ile Trp Thr Ser Leu Gly Ser Ala  
275 280 285

Met Pro Glu Pro Glu Ser Leu Arg Ala Phe Asp Ser Asp Gly Asp Gly  
290 295 300

Arg Tyr Ser Phe Leu Glu Leu Arg Val Ala Leu Gly Ile  
305 310 315

<210> 854  
<211> 34  
<212> PRT  
<213> Homo sapiens

<400> 854  
Leu Leu Phe Asn Phe Lys Gln Val Phe Phe Ala Ser Val Arg Ser Gly  
1 5 10 15

Gly Ser Ser Gln Val Phe Phe Met Thr Leu Asn Arg Asn Ser Met Met  
20 25 30

Asn Trp

<210> 855  
<211> 232  
<212> PRT  
<213> Homo sapiens

<400> 855  
Leu Pro Val Pro Gly Arg Gly Arg Val Phe Phe Glu Asp Leu Gly Leu  
1 5 10 15

Arg Asp Thr Val Arg Met Ala Val Val Pro Leu Leu Leu Gly Gly  
20 25 30

Leu Trp Ser Ala Val Gly Ala Ser Ser Leu Gly Val Val Thr Cys Gly  
35 40 45

Ser Val Val Lys Leu Leu Asn Thr Arg His Asn Val Arg Leu His Ser

50                      55                      60  
 His Asp Val Arg Tyr Gly Ser Gly Ser Gly Gln Gln Ser Val Thr Gly  
 65                      70                      75                      80  
 Val Thr Ser Val Asp Asp Ser Asn Ser Tyr Trp Arg Ile Arg Gly Lys  
                     85                      90                      95  
 Ser Ala Thr Val Cys Glu Arg Gly Thr Pro Ile Lys Cys Gly Gln Pro  
                     100                      105                      110  
 Ile Arg Leu Thr His Val Asn Thr Gly Arg Asn Leu His Ser His His  
                     115                      120                      125  
 Phe Thr Ser Pro Leu Ser Gly Asn Gln Glu Val Ser Ala Phe Gly Glu  
                     130                      135                      140  
 Glu Gly Glu Gly Asp Tyr Leu Asp Asp Trp Thr Val Leu Cys Asn Gly  
 145                      150                      155                      160  
 Pro Tyr Trp Val Arg Asp Gly Glu Val Arg Phe Lys His Ser Ser Thr  
                     165                      170                      175  
 Glu Val Leu Leu Ser Val Thr Gly Glu Gln Tyr Gly Arg Pro Ile Ser  
                     180                      185                      190  
 Gly Gln Lys Glu Val His Gly Met Ala Gln Pro Ser Gln Asn Asn Tyr  
                     195                      200                      205  
 Trp Lys Ala Met Glu Gly Ile Phe Met Lys Pro Ser Glu Leu Leu Lys  
                     210                      215                      220  
 Ala Glu Ala His His Ala Glu Leu  
 225                      230

&lt;210&gt; 856

&lt;211&gt; 147

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (41)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 856

Cys Phe Ser Ser Ser Gly Phe Thr Cys His Asp His Gly Ala Thr Val  
 1                      5                      10                      15

Leu Gln Tyr Ala Pro Lys Gln Gln Leu Leu Ile Ser Gly Gly Arg Lys  
                   20                  25                  30  
 Arg His Val Cys Ile Phe Asp Ile Xaa Gln Arg Gln Leu Ile His Thr  
                   35                  40                  45  
 Phe Gln Ala His Asp Ser Ala Ile Lys Ala Leu Ala Leu Asp Pro Tyr  
                   50                  55                  60  
 Glu Glu Tyr Phe Thr Thr Gly Ser Ala Glu Gly Asn Ile Lys Val Trp  
                   65                  70                  75                  80  
 Arg Leu Thr Gly His Gly Leu Ile His Ser Phe Lys Ser Glu His Ala  
                   85                  90                  95  
 Lys Gln Ser Ile Phe Arg Asn Ile Gly Ala Gly Val Met Gln Ile Asp  
                   100                  105                  110  
 Ile Ile Gln Gly Asn Arg Leu Phe Ser Cys Gly Ala Asp Gly Thr Leu  
                   115                  120                  125  
 Lys Thr Arg Val Leu Pro Asn Ala Phe Asn Ile Pro Asn Arg Ile Leu  
                   130                  135                  140  
 Asp Ile Leu  
 145

<210> 857  
 <211> 96  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (59)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (61)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (63)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 857  
 Pro Arg Val Arg Ile Asn Lys Glu Ser Glu Val Tyr Lys Met Leu Gln

1                      5                      10                      15  
 Glu Lys Gln Glu Leu Asn Glu Pro Leu Lys Gln Ser Thr Ser Phe Leu  
                     20                      25                      30  
 Ile Leu Gln Glu Ile Leu Glu Ser Glu Ile Lys Gly Asp Leu Asn Asn  
                     35                      40                      45  
 Pro Gln Asp Ser Glu Val Leu Lys Leu Leu Xaa Pro Xaa Val Xaa Ala  
                     50                      55                      60  
 Ser Ile Gly Asn Ala Gln Lys Val Pro Met Cys Asp Lys Cys Gly Pro  
                     65                      70                      75                      80  
 Gly Ile Val Gly Met Phe Val Lys Leu Arg Gly Pro Ser Ser Pro Pro  
                     85                      90                      95

<210> 858  
 <211> 45  
 <212> PRT  
 <213> Homo sapiens

<400> 858  
 Asp Thr Ser Glu Ala Ile Leu Thr Ser Glu Tyr Pro Ser Ser Ser Leu  
                     1                      5                      10                      15  
 Lys Thr Glu Thr Ser His Leu Glu Asn Val Asn Leu Cys Cys His Leu  
                     20                      25                      30  
 Val Ala Gly Val Ser Arg His Lys Thr Glu Phe Lys Lys  
                     35                      40                      45

<210> 859  
 <211> 758  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (590)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 859  
 Lys Met Ser Glu Asn Ser Ser Asp Ser Asp Ser Ser Cys Gly Trp Thr

1	5	10	15
Val Ile Ser His Glu Gly Ser Asp Ile Glu Met Leu Asn Ser Val Thr	20	25	30
Pro Thr Asp Ser Cys Glu Pro Ala Pro Glu Cys Ser Ser Leu Glu Gln	35	40	45
Glu Glu Leu Gln Ala Leu Gln Ile Glu Gln Gly Glu Ser Ser Gln Asn	50	55	60
Gly Thr Val Leu Met Glu Glu Thr Ala Tyr Pro Ala Leu Glu Glu Thr	65	70	75
Ser Ser Thr Ile Glu Ala Glu Glu Gln Lys Ile Pro Glu Asp Ser Ile	85	90	95
Tyr Ile Gly Thr Ala Ser Asp Asp Ser Asp Ile Val Thr Leu Glu Pro	100	105	110
Pro Lys Leu Glu Glu Ile Gly Asn Gln Glu Val Val Ile Val Glu Glu	115	120	125
Ala Gln Ser Ser Glu Asp Phe Asn Met Gly Ser Ser Ser Ser Ser Gln	130	135	140
Tyr Thr Phe Cys Gln Pro Glu Thr Val Phe Ser Ser Gln Pro Ser Asp	145	150	155
Asp Glu Ser Ser Ser Asp Glu Thr Ser Asn Gln Pro Ser Pro Ala Phe	165	170	175
Arg Arg Arg Arg Ala Arg Lys Lys Thr Val Ser Ala Ser Glu Ser Glu	180	185	190
Asp Arg Leu Val Ala Glu Gln Glu Thr Glu Pro Ser Lys Glu Leu Ser	195	200	205
Lys Arg Gln Phe Ser Ser Gly Leu Asn Lys Cys Val Ile Leu Ala Leu	210	215	220
Val Ile Ala Ile Ser Met Gly Phe Gly His Phe Tyr Gly Thr Ile Gln	225	230	235
Ile Gln Lys Arg Gln Gln Leu Val Arg Lys Ile His Glu Asp Glu Leu	245	250	255
Asn Asp Met Lys Asp Tyr Leu Ser Gln Cys Gln Gln Glu Gln Glu Ser	260	265	270
Phe Ile Asp Tyr Lys Ser Leu Lys Glu Asn Leu Ala Arg Cys Trp Thr			

275	280	285
Leu Thr Glu Ala Glu Lys Met Ser Phe Glu Thr Gln Lys Thr Asn Leu 290 295 300		
Ala Thr Glu Asn Gln Tyr Leu Arg Val Ser Leu Glu Lys Glu Glu Lys 305 310 315 320		
Ala Leu Ser Ser Leu Gln Glu Glu Leu Asn Lys Leu Arg Glu Gln Ile 325 330 335		
Arg Ile Leu Glu Asp Lys Gly Thr Ser Thr Glu Leu Val Lys Glu Asn 340 345 350		
Gln Lys Leu Lys Gln His Leu Glu Glu Glu Lys Gln Lys Lys His Ser 355 360 365		
Phe Leu Ser Gln Arg Glu Thr Leu Leu Thr Glu Ala Lys Met Leu Lys 370 375 380		
Arg Glu Leu Glu Arg Glu Arg Leu Val Thr Thr Ala Leu Arg Gly Glu 385 390 395 400		
Leu Gln Gln Leu Ser Gly Ser Gln Leu His Gly Lys Ser Asp Ser Pro 405 410 415		
Asn Val Tyr Thr Glu Lys Lys Glu Ile Ala Ile Leu Arg Glu Arg Leu 420 425 430		
Thr Glu Leu Glu Arg Lys Leu Thr Phe Glu Gln Gln Arg Ser Asp Leu 435 440 445		
Trp Glu Arg Leu Tyr Val Glu Ala Lys Asp Gln Asn Gly Lys Gln Gly 450 455 460		
Thr Asp Gly Lys Lys Lys Gly Gly Arg Gly Ser His Arg Ala Lys Asn 465 470 475 480		
Lys Ser Lys Glu Thr Phe Leu Gly Ser Val Lys Glu Thr Phe Asp Ala 485 490 495		
Met Lys Asn Ser Thr Lys Glu Phe Val Arg His His Lys Glu Lys Ile 500 505 510		
Lys Gln Ala Lys Glu Ala Val Lys Glu Asn Leu Lys Lys Phe Ser Asp 515 520 525		
Ser Val Lys Ser Thr Phe Arg His Phe Lys Asp Thr Thr Lys Asn Ile 530 535 540		
Phe Asp Glu Lys Gly Asn Lys Arg Phe Gly Ala Thr Lys Glu Ala Ala		



545                      550                      555                      560  
Glu Lys Pro Arg Thr Val Phe Ser Asp Tyr Leu His Pro Gln Tyr Lys  
                         565                      570                      575  
Ala Pro Thr Glu Asn His His Asn Arg Gly Pro Thr Met Xaa Asn Asp  
                         580                      585                      590  
Gly Arg Lys Glu Lys Pro Val His Phe Lys Glu Phe Arg Lys Asn Thr  
                         595                      600                      605  
Asn Ser Lys Lys Cys Ser Pro Gly His Asp Cys Arg Glu Asn Ser His  
                         610                      615                      620  
Ser Phe Arg Lys Ala Cys Ser Gly Val Phe Asp Cys Ala Gln Gln Glu  
625                      630                      635                      640  
Ser Met Ser Leu Phe Asn Thr Val Val Asn Pro Ile Arg Met Asp Glu  
                         645                      650                      655  
Phe Arg Gln Ile Ile Gln Arg Tyr Met Leu Lys Glu Leu Asp Thr Phe  
                         660                      665                      670  
Cys His Trp Asn Glu Leu Asp Gln Phe Ile Asn Lys Phe Phe Leu Asn  
                         675                      680                      685  
Gly Val Phe Ile His Asp Gln Lys Leu Phe Thr Asp Phe Val Asn Asp  
                         690                      695                      700  
Val Lys Asp Tyr Leu Arg Asn Met Lys Glu Tyr Glu Val Asp Asn Asp  
705                      710                      715                      720  
Gly Val Phe Glu Lys Leu Asp Glu Tyr Ile Tyr Arg His Phe Phe Gly  
                         725                      730                      735  
His Thr Phe Ser Pro Pro Tyr Gly Pro Arg Ser Val Tyr Ile Lys Pro  
                         740                      745                      750  
Cys His Tyr Ser Ser Leu  
                         755

<210> 860  
<211> 184  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (174)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 860

Ala	Gly	Val	His	Thr	Ile	Ser	Phe	Leu	Gly	Gly	Leu	Ala	Leu	Asn	Glu	
1				5					10					15		
Gly	Val	Asn	Trp	Leu	Ile	Lys	Asn	Val	Ile	Gln	Glu	Pro	Arg	Pro	Cys	
		20					25						30			
Gly	Gly	Pro	His	Thr	Ala	Val	Gly	Thr	Lys	Tyr	Gly	Met	Pro	Ser	Ser	
		35					40					45				
His	Ser	Gln	Phe	Met	Trp	Phe	Phe	Ser	Val	Tyr	Ser	Phe	Leu	Phe	Leu	
	50					55					60					
Tyr	Leu	Arg	Met	His	Gln	Thr	Asn	Asn	Ala	Arg	Phe	Leu	Asp	Leu	Leu	
	65				70					75					80	
Trp	Arg	His	Val	Leu	Ser	Leu	Gly	Leu	Leu	Ala	Val	Ala	Phe	Leu	Val	
			85					90						95		
Ser	Tyr	Ser	Arg	Val	Tyr	Leu	Leu	Tyr	His	Thr	Trp	Ser	Gln	Val	Leu	
		100						105					110			
Tyr	Gly	Gly	Ile	Ala	Gly	Gly	Leu	Met	Ala	Ile	Ala	Trp	Phe	Ile	Phe	
	115						120					125				
Thr	Gln	Glu	Val	Leu	Thr	Pro	Leu	Phe	Pro	Arg	Ile	Ala	Ala	Trp	Pro	
	130					135					140					
Val	Ser	Glu	Phe	Phe	Leu	Ile	Arg	Asp	Thr	Ser	Leu	Ile	Pro	Asn	Val	
	145				150					155					160	
Leu	Trp	Phe	Glu	Tyr	Thr	Val	Thr	Arg	Ala	Glu	Ala	Arg	Xaa	Arg	Gln	
			165					170						175		
Arg	Lys	Leu	Gly	Thr	Lys	Leu	Gln									
		180														

<210> 861

<211> 360

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (360)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 861

Leu Pro Gln Ala Gln Gly Asp Gln Phe Pro Trp Glu Gln Ala Glu Gly  
 1 5 10 15

Gln Ala Pro Gly Glu Asp Gly Gln Arg Leu Pro Asp Gln Ile His Pro  
 20 25 30

Gly Val Pro Ala Arg Arg Arg Pro Trp Trp Arg Glu Arg Ala Arg Ala  
 35 40 45

Val Arg Gly Leu Xaa Glu Gly Arg Glu Pro Glu Lys Arg Arg Glu Arg  
 50 55 60

Lys Gln Arg Arg Glu Gly Gly Asp Gly Glu Glu Gln Asp Val Gly Asp  
 65 70 75 80

Ala Gly Arg Leu Leu Leu Arg Val Leu His Val Ser Glu Asn Pro Val  
 85 90 95

Pro Leu Thr Val Arg Val Ser Pro Glu Val Arg Asp Val Arg Pro Tyr  
 100 105 110

Ile Val Gly Ala Val Val Arg Gly Met Asp Leu Gln Pro Gly Asn Ala  
 115 120 125

Leu Lys Arg Phe Leu Thr Ser Gln Thr Lys Leu His Glu Asp Leu Cys  
 130 135 140

Glu Lys Arg Thr Ala Ala Thr Leu Ala Thr His Glu Leu Arg Ala Val  
 145 150 155 160

Lys Gly Pro Leu Leu Tyr Cys Ala Arg Pro Pro Gln Asp Leu Lys Ile  
 165 170 175

Val Pro Leu Gly Arg Lys Glu Ala Lys Ala Lys Glu Leu Val Arg Gln  
 180 185 190

Leu Gln Leu Glu Ala Glu Glu Gln Arg Lys Gln Lys Lys Arg Gln Ser  
 195 200 205

Val Ser Gly Leu His Arg Tyr Leu His Leu Leu Asp Gly Asn Glu Asn  
 210 215 220

Tyr Pro Cys Leu Val Asp Ala Asp Gly Asp Val Ile Ser Phe Pro Pro  
 225 230 235 240

Ile Thr Asn Ser Glu Lys Thr Lys Val Lys Lys Thr Thr Ser Asp Leu  
                     245                    250                    255  
 Phe Leu Glu Val Thr Ser Ala Thr Ser Leu Gln Ile Cys Lys Asp Val  
                     260                    265                    270  
 Met Asp Ala Leu Ile Leu Lys Met Ala Glu Met Lys Lys Tyr Thr Leu  
                     275                    280                    285  
 Glu Asn Lys Glu Glu Gly Ser Leu Ser Asp Thr Glu Ala Asp Ala Val  
                     290                    295                    300  
 Ser Gly Gln Leu Pro Asp Pro Thr Thr Asn Pro Ser Ala Gly Lys Asp  
 305                    310                    315                    320  
 Gly Pro Ser Leu Leu Val Val Glu Gln Val Arg Val Val Asp Leu Glu  
                     325                    330                    335  
 Gly Ser Leu Lys Val Val Tyr Pro Ser Lys Ala Asp Leu Ala Thr Ala  
                     340                    345                    350  
 Pro Pro His Val Thr Val Val Xaa  
                     355                    360

<210> 862

<211> 518

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (476)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 862

Gln Tyr Arg Ser Glu Phe Pro Gly Arg Pro Thr Arg Pro Ala Val Thr  
   1                    5                    10                    15  
 Ala Thr Ala Ala Ser Asp Arg Met Glu Ser Asp Ser Asp Ser Asp Lys  
                     20                    25                    30  
 Ser Ser Asp Asn Ser Gly Leu Lys Arg Lys Thr Pro Ala Leu Lys Met  
                     35                    40                    45  
 Ser Val Ser Lys Arg Ala Arg Lys Ala Ser Ser Asp Leu Asp Gln Ala  
                     50                    55                    60  
 Ser Val Ser Pro Ser Glu Glu Asn Ser Glu Ser Ser Ser Glu Ser  
                     65                    70                    75                    80

Glu Lys Thr Ser Asp Gln Asp Phe Thr Pro Glu Lys Lys Ala Ala Val  
85 90 95

Arg Ala Pro Arg Arg Gly Pro Leu Gly Gly Arg Lys Lys Lys Lys Ala  
100 105 110

Pro Ser Ala Ser Asp Ser Asp Ser Lys Ala Asp Ser Asp Gly Ala Lys  
115 120 125

Pro Glu Pro Val Ala Met Ala Arg Ser Ala Ser Ser Ser Ser Ser  
130 135 140

Ser Ser Ser Ser Asp Ser Asp Val Ser Val Lys Lys Pro Pro Arg Gly  
145 150 155 160

Arg Lys Pro Ala Glu Lys Pro Leu Pro Lys Pro Arg Gly Arg Lys Pro  
165 170 175

Lys Pro Glu Arg Pro Pro Ser Ser Ser Ser Ser Asp Ser Asp Ser Asp  
180 185 190

Glu Val Asp Arg Ile Ser Glu Trp Lys Arg Arg Asp Glu Ala Arg Arg  
195 200 205

Arg Glu Leu Glu Ala Arg Arg Arg Arg Glu Gln Glu Glu Glu Leu Arg  
210 215 220

Arg Leu Arg Glu Gln Glu Lys Glu Glu Lys Glu Arg Arg Arg Glu Arg  
225 230 235 240

Ala Asp Arg Gly Glu Ala Glu Arg Gly Ser Gly Gly Ser Ser Gly Asp  
245 250 255

Glu Leu Arg Glu Asp Asp Glu Pro Val Lys Lys Arg Gly Arg Lys Gly  
260 265 270

Arg Gly Arg Gly Pro Pro Ser Ser Ser Asp Ser Glu Pro Glu Ala Glu  
275 280 285

Leu Glu Arg Glu Ala Lys Lys Ser Ala Lys Lys Pro Gln Ser Ser Ser  
290 295 300

Thr Glu Pro Ala Arg Lys Pro Gly Gln Lys Glu Lys Arg Val Arg Pro  
305 310 315 320

Glu Glu Lys Gln Gln Ala Lys Pro Val Lys Val Glu Arg Thr Arg Lys  
325 330 335

Arg Ser Glu Gly Phe Ser Met Asp Arg Lys Val Glu Lys Lys Lys Glu  
340 345 350

Pro Ser Val Glu Glu Lys Leu Gln Lys Leu His Ser Glu Ile Lys Phe  
 355 360 365  
 Ala Leu Lys Val Asp Ser Pro Asp Val Lys Arg Cys Leu Asn Ala Leu  
 370 375 380  
 Glu Glu Leu Gly Thr Leu Gln Val Thr Ser Gln Ile Leu Gln Lys Asn  
 385 390 395 400  
 Thr Asp Val Val Ala Thr Leu Lys Lys Ile Arg Arg Tyr Lys Ala Asn  
 405 410 415  
 Lys Asp Val Met Glu Lys Ala Ala Glu Val Tyr Thr Arg Leu Lys Ser  
 420 425 430  
 Arg Val Leu Gly Pro Lys Ile Glu Ala Val Gln Lys Val Asn Lys Ala  
 435 440 445  
 Gly Met Glu Lys Glu Lys Ala Glu Glu Lys Leu Ala Gly Glu Glu Leu  
 450 455 460  
 Ala Gly Glu Glu Ala Pro Gln Glu Lys Gly Gly Xaa Gln Ala Gln His  
 465 470 475 480  
 Arg Ser Leu Ser Pro Ser Glu Trp Arg Gly His Ile Thr Glu Gly Gly  
 485 490 495  
 Glu Arg Arg Gly Gln Gly Ala Arg Gly Gly Ser Gly Leu Gly Gly Gly  
 500 505 510  
 Ala Lys Val Trp Leu Leu  
 515

&lt;210&gt; 863

&lt;211&gt; 438

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 863

Val Lys Gly Gln Gly Arg Gly Ser Arg Gly Ala Thr His Ala Leu Glu  
 1 5 10 15  
 Ile Trp Val Ile Ala Ser Gly Arg Ser Ala Ser Pro Thr Pro Gln Thr  
 20 25 30  
 Arg Ala Ala Asp Asp Pro Ala Ala Ala Met Ala Leu Leu Arg Gly Val  
 35 40 45

Phe Val Val Ala Ala Lys Arg Thr Pro Phe Gly Ala Tyr Gly Gly Leu  
50 55 60

Leu Lys Asp Phe Thr Ala Thr Asp Leu Ser Glu Phe Ala Ala Lys Ala  
65 70 75 80

Ala Leu Ser Ala Gly Lys Val Ser Pro Glu Thr Val Asp Ser Val Ile  
85 90 95

Met Gly Asn Val Leu Gln Ser Ser Ser Asp Ala Ile Tyr Leu Ala Arg  
100 105 110

His Val Gly Leu Arg Val Gly Ile Pro Lys Glu Thr Pro Ala Leu Thr  
115 120 125

Ile Asn Arg Leu Cys Gly Ser Gly Phe Gln Ser Ile Val Asn Gly Cys  
130 135 140

Gln Glu Ile Cys Val Lys Glu Ala Glu Val Val Leu Cys Gly Gly Thr  
145 150 155 160

Glu Ser Met Ser Gln Ala Pro Tyr Cys Val Arg Asn Val Arg Phe Gly  
165 170 175

Thr Lys Leu Gly Ser Asp Ile Lys Leu Glu Asp Ser Leu Trp Val Ser  
180 185 190

Leu Thr Asp Gln His Val Gln Leu Pro Met Ala Met Thr Ala Glu Asn  
195 200 205

Leu Ala Val Lys His Lys Ile Ser Arg Glu Glu Cys Asp Lys Tyr Ala  
210 215 220

Leu Gln Ser Gln Gln Arg Trp Lys Ala Ala Asn Asp Ala Gly Tyr Phe  
225 230 235 240

Asn Asp Glu Met Ala Pro Ile Glu Val Lys Thr Lys Lys Gly Lys Gln  
245 250 255

Thr Met Gln Val Asp Glu His Ala Arg Pro Gln Thr Thr Leu Glu Gln  
260 265 270

Leu Gln Lys Leu Pro Pro Val Phe Lys Lys Asp Gly Thr Val Thr Ala  
275 280 285

Gly Asn Ala Ser Gly Val Ala Asp Gly Ala Gly Ala Val Ile Ile Ala  
290 295 300

Ser Glu Asp Ala Val Lys Lys His Asn Phe Thr Pro Leu Ala Arg Ile  
305 310 315 320

Val Gly Tyr Phe Val Ser Gly Cys Asp Pro Ser Ile Met Gly Ile Gly  
                   325                  330                  335  
 Pro Val Pro Ala Ile Ser Gly Ala Leu Lys Lys Ala Gly Leu Ser Leu  
                   340                  345                  350  
 Lys Asp Met Asp Leu Val Glu Val Asn Glu Ala Phe Ala Pro Gln Tyr  
                   355                  360                  365  
 Leu Ala Val Glu Arg Ser Leu Asp Leu Asp Ile Ser Lys Thr Asn Val  
                   370                  375                  380  
 Asn Gly Gly Ala Ile Ala Leu Gly His Pro Leu Gly Gly Ser Gly Ser  
                   385                  390                  395                  400  
 Arg Ile Thr Ala His Leu Val His Glu Leu Arg Arg Arg Gly Gly Lys  
                   405                  410                  415  
 Tyr Ala Val Gly Ser Ala Cys Ile Gly Gly Gly Gln Gly Ile Ala Val  
                   420                  425                  430  
 Ile Ile Gln Ser Thr Ala  
                   435

<210> 864  
 <211> 214  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (138)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 864  
 Thr Leu Phe Asp Phe Ile Ser Leu Tyr Leu Ser Thr Asn Thr Lys Lys  
   1                  5                  10                  15  
 Val Ile Tyr Leu Asp Asp Asp Val Ile Val Gln Gly Asp Ile Gln Glu  
                   20                  25                  30  
 Leu Tyr Asp Thr Thr Leu Ala Leu Gly His Ala Ala Ala Phe Ser Asp  
                   35                  40                  45  
 Asp Cys Asp Leu Pro Ser Ala Gln Asp Ile Asn Arg Leu Val Gly Leu  
                   50                  55                  60  
 Gln Asn Thr Tyr Met Gly Tyr Leu Asp Tyr Arg Lys Lys Ala Ile Lys  
   65                  70                  75                  80



Asp Leu Gly Ile Ser Pro Ser Thr Cys Ser Phe Asn Pro Gly Val Ile  
85 90 95

Val Ala Asn Met Thr Glu Trp Lys His Gln Arg Ile Thr Lys Gln Leu  
100 105 110

Glu Lys Trp Met Gln Lys Asn Val Glu Glu Asn Leu Tyr Ser Ser Ser  
115 120 125

Leu Gly Gly Gly Val Ala Thr Ser Pro Xaa Leu Ile Val Phe His Gly  
130 135 140

Lys Tyr Ser Thr Ile Asn Pro Leu Trp His Ile Arg His Leu Gly Trp  
145 150 155 160

Asn Pro Asp Ala Arg Tyr Ser Glu His Phe Leu Gln Glu Ala Lys Leu  
165 170 175

Leu His Trp Asn Gly Arg His Lys Pro Trp Asp Phe Pro Ser Val His  
180 185 190

Asn Asp Leu Trp Glu Ser Trp Phe Val Pro Asp Pro Ala Gly Ile Phe  
195 200 205

Lys Leu Asn His His Ser  
210

<210> 865

<211> 165

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (134)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (139)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (140)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

&lt;221&gt; SITE

&lt;222&gt; (142)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 865

Gly Ser Thr His Ala Ser Asp His Ile Pro Pro Leu Lys Lys Pro Leu  
 1 5 10 15

Gly Ala Gln Leu Ile Thr Met Asp Trp Thr Trp Arg Phe Leu Phe Val  
 20 25 30

Val Ala Ala Ala Thr Gly Val Gln Ser Gln Val Gln Leu Val Gln Ser  
 35 40 45

Gly Ala Glu Val Lys Lys Pro Gly Ser Ser Val Lys Val Ser Cys Lys  
 50 55 60

Ala Ser Gly Gly Thr Phe Ser Ser Tyr Ala Ile Ser Trp Val Arg Gln  
 65 70 75 80

Ala Pro Gly Gln Gly Leu Glu Trp Met Gly Gly Ile Ile Pro Ile Phe  
 85 90 95

Gly Thr Ala Asn Tyr Ala Gln Lys Phe Gln Gly Arg Val Thr Ile Thr  
 100 105 110

Ala Asp Glu Ser Thr Ser Thr Ala Tyr Met Glu Leu Ser Ser Leu Arg  
 115 120 125

Ser Glu Asp Thr Ala Xaa Tyr Tyr Cys Ala Xaa Xaa Pro Xaa Ala Gly  
 130 135 140

Tyr Leu Ser Gln Leu Leu Pro Arg Tyr Gly Arg Leu Gly Pro Arg Asp  
 145 150 155 160

His Gly His Arg Leu  
 165

&lt;210&gt; 866

&lt;211&gt; 87

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 866

Lys Gln His Tyr Ile Ala Val Leu Tyr Tyr Ser Val Tyr Asp Val Cys  
 1 5 10 15

Glu Asn Ala Arg Phe Lys Met Met Tyr Leu Phe Leu Val Lys Asn Lys  
 20 25 30

Lys Phe Tyr Ala Ile Leu Leu Ile Lys Cys Lys Cys Asp Leu Val Gln  
35 40 45

Phe Thr Lys Ile Thr Asp Ile Phe His Tyr Ile Glu Thr Val Thr Val  
50 55 60

Arg Ile Gly His Lys His Gln Leu Leu Pro Ala Ser Gly Lys Leu Leu  
65 70 75 80

Asn Arg Thr Ala Val Met Ser  
85

<210> 867  
<211> 101  
<212> PRT  
<213> Homo sapiens

<400> 867  
Phe Phe Gln Lys Ile Met Leu Ser Phe His Glu Glu Gln Glu Val Leu  
1 5 10 15

Pro Glu Thr Phe Leu Ala Asn Phe Pro Ser Leu Ile Lys Met Asp Ile  
20 25 30

His Lys Lys Val Thr Asp Pro Ser Val Ala Lys Ser Met Met Ala Cys  
35 40 45

Leu Leu Ser Ser Leu Lys Ala Asn Gly Ser Arg Gly Ala Phe Cys Glu  
50 55 60

Val Arg Pro Asp Asp Lys Arg Ile Leu Glu Phe Tyr Ser Lys Leu Gly  
65 70 75 80

Cys Phe Glu Ile Ala Lys Met Glu Gly Phe Pro Lys Asp Val Val Ile  
85 90 95

Leu Gly Arg Ser Leu  
100

<210> 868  
<211> 82  
<212> PRT  
<213> Homo sapiens

<400> 868  
Leu Leu Pro Gly Ser Ala Leu Pro Gly Ala Cys Pro Arg Arg Trp Tyr

1                    5                    10                    15  
 Gly Ser Tyr Leu Val Trp Lys Glu Leu Gly Gly Phe Thr Glu Lys Ala  
                   20                    25                    30  
 Val Val Pro Leu Gly Leu Tyr Thr Gly Gln Leu Ala Leu Asn Trp Ala  
                   35                    40                    45  
 Trp Pro Pro Ile Phe Phe Gly Ala Arg Gln Met Gly Trp Ala Leu Val  
                   50                    55                    60  
 Asp Leu Leu Leu Val Ser Gly Ala Ala Ala Ala Leu Pro Trp Pro Gly  
                   65                    70                    75                    80  
 Thr Arg

<210> 869  
 <211> 562  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (18)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (23)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 869  
 Leu Lys Pro Glu Pro Asp Asp Leu Ile Asp Glu Asp Leu Asn Phe Val  
                   1                    5                    10                    15  
 Gln Xaa Asn Pro Leu Ser Xaa Lys Lys Pro Thr Val Thr Leu Thr Tyr  
                   20                    25                    30  
 Gly Ser Ser Arg Pro Ser Ile Glu Ile Tyr Arg Pro Pro Ala Ser Arg  
                   35                    40                    45  
 Asn Ala Asp Ser Gly Val His Leu Asn Arg Leu Gln Phe Gln Gln Gln  
                   50                    55                    60  
 Gln Asn Ser Ile His Ala Ala Lys Gln Leu Asp Met Gln Ser Ser Trp  
                   65                    70                    75                    80  
 Val Tyr Glu Thr Gly Arg Leu Cys Glu Pro Glu Val Leu Asn Ser Leu

				85					90						95
Glu	Glu	Thr	Tyr	Ser	Pro	Phe	Phe	Arg	Asn	Asn	Ser	Glu	Lys	Met	Ser
			100					105					110		
Met	Glu	Asp	Glu	Asn	Phe	Arg	Lys	Arg	Lys	Leu	Pro	Val	Val	Ser	Ser
		115					120					125			
Val	Val	Lys	Val	Lys	Lys	Phe	Asn	His	Asp	Gly	Glu	Glu	Glu	Glu	Glu
		130				135					140				
Asp	Asp	Asp	Tyr	Gly	Ser	Arg	Thr	Gly	Ser	Ile	Ser	Ser	Ser	Val	Ser
145					150					155					160
Val	Pro	Ala	Lys	Pro	Glu	Arg	Arg	Pro	Ser	Leu	Pro	Pro	Ser	Lys	Gln
				165					170					175	
Ala	Asn	Lys	Asn	Leu	Ile	Leu	Lys	Ala	Ile	Ser	Glu	Ala	Gln	Glu	Ser
			180					185					190		
Val	Thr	Lys	Thr	Thr	Asn	Tyr	Ser	Thr	Val	Pro	Gln	Lys	Gln	Thr	Leu
		195					200					205			
Pro	Val	Ala	Pro	Arg	Thr	Arg	Thr	Ser	Gln	Glu	Glu	Leu	Leu	Ala	Glu
		210				215					220				
Val	Val	Gln	Gly	Gln	Ser	Arg	Thr	Pro	Arg	Ile	Ser	Pro	Pro	Ile	Lys
225					230					235					240
Glu	Glu	Glu	Thr	Lys	Gly	Asp	Ser	Val	Glu	Lys	Asn	Gln	Gly	Thr	Gln
				245					250					255	
Gln	Arg	Gln	Leu	Leu	Ser	Arg	Leu	Gln	Ile	Asp	Pro	Val	Met	Ala	Glu
			260					265					270		
Thr	Leu	Gln	Met	Ser	Gln	Asp	Tyr	Tyr	Asp	Met	Glu	Ser	Met	Val	His
		275					280					285			
Ala	Asp	Thr	Arg	Ser	Phe	Ile	Leu	Lys	Lys	Pro	Lys	Leu	Ser	Glu	Glu
		290				295					300				
Val	Val	Val	Ala	Pro	Asn	Gln	Glu	Ser	Gly	Met	Lys	Thr	Ala	Asp	Ser
305					310					315					320
Leu	Arg	Val	Leu	Ser	Gly	His	Leu	Met	Gln	Thr	Arg	Asp	Leu	Val	Gln
				325					330					335	
Pro	Asp	Lys	Pro	Ala	Ser	Pro	Lys	Phe	Ile	Val	Thr	Leu	Asp	Gly	Val
			340					345					350		
Pro	Ser	Pro	Pro	Gly	Tyr	Met	Ser	Asp	Gln	Glu	Glu	Asp	Met	Cys	Phe

355	360	365
Glu Gly Met Lys Pro Val Asn Gln Thr Ala Ala Ser Asn Lys Gly Leu		
370	375	380
Arg Gly Leu Leu His Pro Gln Gln Leu His Leu Leu Ser Arg Gln Leu		
385	390	395 400
Glu Asp Pro Asn Gly Ser Phe Ser Asn Ala Glu Met Ser Glu Leu Ser		
405	410	415
Val Ala Gln Lys Pro Glu Lys Leu Leu Glu Arg Cys Lys Tyr Trp Pro		
420	425	430
Ala Cys Lys Asn Gly Asp Glu Cys Ala Tyr His His Pro Ile Ser Pro		
435	440	445
Cys Lys Ala Phe Pro Asn Cys Lys Phe Ala Glu Lys Cys Leu Phe Val		
450	455	460
His Pro Asn Cys Lys Tyr Asp Ala Lys Cys Thr Lys Pro Asp Cys Pro		
465	470	475 480
Phe Thr His Val Ser Arg Arg Ile Pro Val Leu Ser Pro Lys Pro Val		
485	490	495
Ala Pro Pro Ala Pro Pro Ser Ser Ser Gln Leu Cys Arg Tyr Phe Pro		
500	505	510
Ala Cys Lys Lys Met Glu Cys Pro Phe Tyr His Pro Lys His Cys Arg		
515	520	525
Phe Asn Thr Gln Cys Thr Arg Pro Asp Cys Thr Phe Tyr His Pro Thr		
530	535	540
Ile Asn Val Pro Pro Arg His Ala Leu Lys Trp Ile Arg Pro Gln Thr		
545	550	555 560
Ser Glu		

&lt;210&gt; 870

&lt;211&gt; 191

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 870

Pro Asn Gly Ser Ser Asn Val Cys Val Ser Leu Cys Val Phe Val Cys
1 5 10 15

Val Cys Ala Leu Lys Thr Ser Asn Ser Leu Glu Ala Trp Gly Gly Ile  
20 25 30

Pro Ala Leu Pro Leu Ala Cys Leu Met His His Gln Met Thr Arg Thr  
35 40 45

Thr Leu Met Thr Lys Gln His Glu Leu Gly Gly Leu Leu Ala Leu Val  
50 55 60

Gln Asn Cys Gln Ser Glu Met Asn Ile Lys Asp Ser Arg Ala Val Gly  
65 70 75 80

Leu Ser Val Lys Arg Leu Cys Ile Ser Phe Val Asp Glu Phe Cys Glu  
85 90 95

Arg Thr Glu Arg Pro Leu Tyr Leu Ala Gln Gly Leu Phe Met Lys Arg  
100 105 110

Glu Thr Tyr Trp Glu Val Gln Asp Ser Gly Ile Ser Pro Leu Leu Leu  
115 120 125

Leu Leu Ser Thr Ala Leu Asp Cys Ser Pro Glu Ala Glu Thr Arg Gln  
130 135 140

Ser Pro Gly Gly Arg Lys Met Leu Gln Glu Pro Thr Leu Ser Met Ser  
145 150 155 160

Leu Gln Ile Leu Thr Gly Phe Leu Trp Val Gln Leu Trp Asn Trp Glu  
165 170 175

Thr Phe Leu Arg Ile Arg Thr His Ser Thr Asp Ala Ser Cys Pro  
180 185 190

<210> 871

<211> 75

<212> PRT

<213> Homo sapiens

<400> 871

Leu Phe Lys Val Ser Asn Val His Pro Gly Leu Gly Ile Thr Asn Val  
1 5 10 15

Gly Val Lys Met Pro Thr Lys Gly Phe Ser Ala Leu Glu Val Leu Arg  
20 25 30

Ser Pro Ile Cys Ile Lys Ala Asp Pro Phe Cys Lys Asp Leu Ser Phe  
35 40 45

Arg Thr Phe Ser Val Leu Leu Val Arg Thr Leu Glu Val Ile Leu Ile  
50 55 60

Ile Ser Thr Asp Ser Leu Thr Ala Glu Ala Thr  
65 70 75

<210> 872

<211> 203

<212> PRT

<213> Homo sapiens

<400> 872

Asn Ser Ala Arg Gly Asp Gln Glu Ser Thr Cys Ala Glu Val Leu Val  
1 5 10 15

Ile Trp Ser Leu Phe Pro Ser Gly Tyr Gln Leu Pro Ser Ala Ala Gln  
20 25 30

Ala Val Val Pro Glu Ala Arg Gly Arg Ser Gln Thr Cys Gly Asn Phe  
35 40 45

Ala Val Tyr Leu Gln Gly Cys Cys Phe Gln Gln Asp Pro Lys Leu Glu  
50 55 60

Lys Glu Glu Glu Glu Thr Asp Pro Ile Ser Ala Arg Ser His Cys Ile  
65 70 75 80

Gln Arg Arg Ile Ser Lys Lys Glu Lys Lys Glu Gly Arg Glu Val Asp  
85 90 95

Arg Tyr Lys Met Lys Ser Cys Gln Lys Met Glu Gly Lys Pro Glu Asn  
100 105 110

Glu Ser Glu Pro Lys His Glu Glu Glu Pro Lys Pro Glu Glu Lys Pro  
115 120 125

Glu Glu Glu Glu Lys Leu Glu Glu Glu Ala Lys Ala Lys Gly Thr Phe  
130 135 140

Arg Glu Arg Leu Ile Gln Ser Leu Gln Glu Phe Lys Glu Asp Ile His  
145 150 155 160

Asn Arg His Leu Ser Asn Glu Asp Met Phe Arg Glu Val Asp Glu Ile  
165 170 175

Asp Glu Ile Arg Arg Val Arg Asn Lys Leu Ile Val Met Arg Trp Lys  
180 185 190

Val Asn Arg Asn His Pro Tyr Pro Tyr Leu Met



195

200

&lt;210&gt; 873

&lt;211&gt; 66

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 873

Ser Leu Gln Pro Leu Pro Pro Arg Phe Lys Gln Phe Leu Cys Leu Ser

1

5

10

15

Leu Pro Ser Asn Trp Asp Tyr Arg Cys Thr Leu Pro His Leu Ala Asp

20

25

30

Phe Phe Tyr Val Leu Val Glu Thr Gly Phe Gln Pro Cys Cys Pro Gly

35

40

45

Trp Ser Gln Thr Pro Glu Leu Arg Gln Ser Thr Arg Leu Gly Leu Pro

50

55

60

Lys Cys

65

&lt;210&gt; 874

&lt;211&gt; 231

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 874

Val Lys Leu Lys Glu Glu Phe Ser Leu Ser Gly Arg Ile Ile Asp Cys

1

5

10

15

Ala Phe Thr Val Thr Phe Asn Pro Lys Tyr Asp Thr Leu Leu Lys Ala

20

25

30

Val Lys Asp Ala Thr Asn Thr Gly Ile Lys Cys Ala Gly Ile Asp Val

35

40

45

Arg Leu Cys Asp Val Gly Glu Ala Ile Gln Glu Val Met Glu Ser Tyr

50

55

60

Glu Val Glu Ile Asp Gly Lys Thr Tyr Gln Val Lys Pro Ile Arg Asn

65

70

75

80

Leu Asn Gly His Ser Ile Gly Gln Tyr Arg Ile His Ala Gly Lys Thr

85

90

95

Val Pro Ile Val Lys Gly Gly Glu Ala Thr Arg Met Glu Glu Gly Glu  
 100 105 110  
 Val Tyr Ala Ile Glu Thr Phe Gly Ser Thr Gly Lys Gly Val Val His  
 115 120 125  
 Asp Asp Met Glu Cys Ser His Tyr Met Lys Asn Phe Asp Val Gly His  
 130 135 140  
 Val Pro Ile Arg Leu Pro Arg Thr Lys His Leu Leu Asn Val Ile Asn  
 145 150 155 160  
 Glu Asn Phe Gly Thr Leu Ala Phe Cys Arg Arg Trp Leu Asp Arg Leu  
 165 170 175  
 Gly Glu Ser Lys Tyr Leu Met Ala Leu Lys Asn Leu Cys Asp Leu Gly  
 180 185 190  
 Ile Val Asp Pro Tyr Pro Pro Leu Cys Asp Ile Lys Gly Ser Tyr Thr  
 195 200 205  
 Ala Gln Phe Glu His Thr Ile Leu Leu Arg Pro Thr Cys Lys Glu Val  
 210 215 220  
 Val Ser Arg Gly Asp Asp Tyr  
 225 230

<210> 875  
 <211> 88  
 <212> PRT  
 <213> Homo sapiens

<400> 875  
 Cys Leu Tyr Tyr Gln Val Leu Ser Thr Ile Leu Ile Thr Asn Cys Asp  
 1 5 10 15  
 Lys Phe Phe Leu Phe Phe Phe Pro Leu Pro His Tyr Phe Leu Met Asn  
 20 25 30  
 Lys Pro Lys Ile His Gly Glu Gln Leu Gln Cys Trp Leu Ile Tyr Leu  
 35 40 45  
 Leu Cys Thr Gly Asn Leu Lys Arg Thr Val Asp Ser Phe Arg Ser Val  
 50 55 60  
 Thr Gly Ala Val Ile Ile Ala Ile His Leu Leu Val Val Leu His Leu  
 65 70 75 80  
 Phe His Ala Ser Phe Leu Asn Val

85

<210> 876  
<211> 330  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (97)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (106)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (124)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (138)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (174)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (178)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (194)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 876  
Asn Ser Ala Arg Ala Val Gln Gly Leu Leu Glu Val Ala Lys Asp Ser  
1 5 10 15

Ile Pro Arg Ser His Trp Lys Lys Thr Pro Val Val Leu Lys Ala Thr  
20 25 30

Ala Gly Leu Arg Leu Leu Pro Glu His Lys Ala Lys Ala Leu Leu Phe  
35 40 45

Glu Val Lys Glu Ile Phe Arg Lys Ser Pro Phe Leu Val Pro Lys Gly  
50 55 60

Ser Val Ser Ile Met Asp Gly Ser Asp Glu Gly Ile Leu Ala Trp Val  
65 70 75 80

Thr Val Asn Phe Leu Thr Gly Gln Leu His Gly His Arg Gln Glu Thr  
85 90 95

Xaa Gly Thr Leu Asp Leu Gly Gly Ala Xaa Thr Gln Ile Thr Phe Leu  
100 105 110

Pro Gln Phe Glu Lys Thr Leu Glu Gln Thr Pro Xaa Gly Tyr Leu Thr  
115 120 125

Ser Phe Glu Met Phe Asn Ser Thr Tyr Xaa Leu Tyr Thr His Ser Tyr  
130 135 140

Leu Gly Phe Gly Leu Lys Ala Ala Arg Leu Ala Thr Leu Gly Ala Leu  
145 150 155 160

Glu Thr Glu Gly Thr Asp Gly His Thr Phe Arg Ser Ala Xaa Leu Pro  
165 170 175

Arg Xaa Leu Glu Ala Glu Trp Ile Phe Gly Gly Val Lys Tyr Gln Tyr  
180 185 190

Gly Xaa Asn Gln Glu Gly Glu Val Gly Phe Glu Pro Cys Tyr Ala Glu  
195 200 205

Val Leu Arg Val Val Arg Gly Lys Leu His Gln Pro Glu Glu Val Gln  
210 215 220

Arg Gly Ser Phe Tyr Ala Phe Ser Tyr Tyr Tyr Asp Arg Ala Val Asp  
225 230 235 240

Thr Asp Met Ile Asp Tyr Glu Lys Gly Gly Ile Leu Lys Val Glu Asp  
245 250 255

Phe Glu Arg Lys Ala Arg Glu Val Cys Asp Asn Leu Glu Asn Phe Thr  
260 265 270

Ser Gly Ser Pro Phe Leu Cys Met Asp Leu Ser Tyr Ile Thr Ala Leu  
275 280 285

Leu Lys Asp Gly Phe Gly Phe Ala Asp Ser Thr Val Leu Gln Leu Thr  
290 295 300

Lys Lys Val Asn Asn Ile Glu Thr Gly Trp Ala Leu Gly Ala Thr Phe  
305 310 315 320

His Leu Leu Gln Ser Leu Gly Ile Ser His  
325 330

<210> 877

<211> 102

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (100)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 877

Asp Leu His Ser Gln Trp Gly Thr Trp Pro Pro Ile Leu Gly Asp Leu  
1 5 10 15

Arg Lys Arg Thr Ser Pro Trp Gly Glu Gly Trp Val Gly Pro Glu Gly  
20 25 30

Pro Val Pro Ser Ser Val Leu Arg Gly Arg Ala Thr Cys Ser Asn Gly  
35 40 45

Ile Cys Ile Leu Ala Pro Leu His Leu Leu Ser Pro Ala Glu Ser Phe  
50 55 60

Pro Ser Lys Pro Lys Ser Cys His Cys Phe Phe Leu Pro Gly Lys Asn  
65 70 75 80

Ala Trp Thr Leu Pro Gly Asp Arg Leu Lys Pro Glu Gln Cys His Thr  
85 90 95

Leu Ala Leu Xaa Pro Cys  
100

<210> 878

<211> 135

<212> PRT

<213> Homo sapiens

<400> 878

Thr Leu Glu Ser Lys Ala Asp Thr Glu Ala Ser Arg Leu Gln Glu Tyr  
1 5 10 15

Arg Ser Gln Val Leu Ser Val Gly Leu Gly Cys Val Ser Trp Gly Lys  
                   20                  25                  30

Lys Asn Cys Glu Lys Pro Gln Ser Ser Ile Phe Thr Val Thr His Gly  
           35                  40                  45

Arg Ser Leu Asn Cys Leu Val Asn Lys Asn Glu Ser Leu Ser Gln Arg  
       50                  55                  60

Lys Pro Arg Gln Tyr Pro Ser Ser Thr Thr Cys Glu Asn Pro Asp Val  
       65                  70                  75                  80

Pro Gln Gln Arg Lys Thr Leu Gln Ala Gly Lys Met Arg Arg Phe Phe  
                   85                  90                  95

Phe Phe Val Ser Met Met Ile Phe Ala Ala Thr Trp Leu Trp Arg Ala  
           100                  105                  110

Ala Asp Thr Pro Ser Tyr Ser Arg Gly Cys Phe Leu Glu Ala Asp Ser  
       115                  120                  125

Val Cys Ser Leu Val Glu Leu  
       130                  135

<210> 879  
 <211> 175  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (168)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 879  
 Val Ile Cys Met Trp Gln Gly Cys Ala Val Glu Arg Pro Val Gly Arg  
       1                  5                  10                  15

Met Thr Ser Gln Thr Pro Leu Pro Gln Ser Pro Arg Pro Arg Arg Pro  
           20                  25                  30

Thr Met Ser Thr Val Val Glu Leu Asn Val Gly Gly Glu Phe His Thr  
       35                  40                  45

Thr Thr Leu Gly Thr Leu Arg Lys Phe Pro Gly Ser Lys Leu Ala Glu  
       50                  55                  60

Met Phe Ser Ser Leu Ala Lys Ala Ser Thr Asp Ala Glu Gly Arg Phe  
       65                  70                  75                  80

Phe Ile Asp Arg Pro Ser Thr Tyr Phe Arg Pro Ile Leu Asp Tyr Leu  
85 90 95

Arg Thr Gly Gln Val Pro Thr Gln His Ile Pro Glu Val Tyr Arg Glu  
100 105 110

Ala Gln Phe Tyr Glu Ile Lys Pro Leu Val Lys Leu Leu Glu Asp Met  
115 120 125

Pro Gln Ile Phe Gly Glu Gln Val Ser Arg Lys Gln Phe Leu Leu Gln  
130 135 140

Cys Arg Ala Thr Ala Arg Thr Trp Glu Leu Met Val Arg Leu Ala Arg  
145 150 155 160

Ala Glu Ala Ile Thr Ala Arg Xaa Ser Arg Cys Leu Cys Ala Trp  
165 170 175

<210> 880

<211> 397

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (311)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 880

Trp Glu Tyr Asp Met Ala Arg Glu Leu Arg Ala Leu Leu Leu Trp Gly  
1 5 10 15

Arg Arg Leu Arg Pro Leu Leu Arg Ala Pro Ala Leu Ala Ala Val Pro  
20 25 30

Gly Gly Lys Pro Ile Leu Cys Pro Arg Arg Thr Thr Ala Gln Leu Gly  
35 40 45

Pro Arg Arg Asn Pro Ala Trp Ser Leu Gln Ala Gly Arg Leu Phe Ser  
50 55 60

Thr Gln Thr Ala Glu Asp Lys Glu Glu Pro Leu His Ser Ile Ile Ser  
65 70 75 80

Ser Thr Glu Ser Val Gln Gly Ser Thr Ser Lys His Glu Phe Gln Ala  
85 90 95

Glu Thr Lys Lys Leu Leu Asp Ile Val Ala Arg Ser Leu Tyr Ser Glu

100 105 110  
Lys Glu Val Phe Ile Arg Glu Leu Ile Ser Asn Ala Ser Asp Ala Leu  
115 120 125  
Glu Lys Leu Arg His Lys Leu Val Ser Asp Gly Gln Ala Leu Pro Glu  
130 135 140  
Met Glu Ile His Leu Gln Thr Asn Ala Glu Lys Gly Thr Ile Thr Ile  
145 150 155 160  
Gln Asp Thr Gly Ile Gly Met Thr Gln Glu Glu Leu Val Ser Asn Leu  
165 170 175  
Gly Thr Ile Ala Arg Ser Gly Ser Lys Ala Phe Leu Asp Ala Leu Gln  
180 185 190  
Asn Gln Ala Glu Ala Ser Ser Lys Ile Ile Gly Gln Phe Gly Val Gly  
195 200 205  
Phe Tyr Ser Ala Phe Met Val Ala Asp Arg Val Glu Val Tyr Ser Arg  
210 215 220  
Ser Ala Ala Pro Gly Ser Leu Gly Tyr Gln Trp Leu Ser Asp Gly Ser  
225 230 235 240  
Gly Val Phe Glu Ile Ala Glu Ala Ser Gly Val Arg Thr Gly Thr Lys  
245 250 255  
Ile Ile Ile His Leu Lys Ser Asp Cys Lys Glu Phe Ser Ser Glu Ala  
260 265 270  
Arg Val Arg Asp Val Val Thr Lys Tyr Ser Asn Phe Val Ser Phe Pro  
275 280 285  
Leu Tyr Leu Asn Gly Arg Arg Met Asn Thr Leu Gln Ala Ile Trp Met  
290 295 300  
Met Asp Pro Lys Asp Val Xaa Glu Trp Gln His Glu Glu Phe Tyr Arg  
305 310 315 320  
Tyr Val Ala Gln Ala His Asp Lys Pro Arg Tyr Thr Leu His Tyr Lys  
325 330 335  
Thr Asp Ala Pro Leu Asn Ile Arg Ser Ile Phe Tyr Val Pro Asp Met  
340 345 350  
Lys Pro Ser Met Phe Asp Val Ser Arg Glu Leu Gly Ser Ser Val Cys  
355 360 365  
Thr Val Gln Pro Gln Ser Pro His Pro Asp Gln Gly His Gly His Pro



370

375

380

Ala Gln Val Ala Ala Leu His Pro Arg Cys Gly Gly Gln  
 385 390 395

&lt;210&gt; 881

&lt;211&gt; 187

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 881

Ile Ser Leu Phe Pro Pro Pro Gly Pro Gln Leu Cys Leu Pro Asp Lys  
 1 5 10 15

Glu Gly Gln His Ser Lys Ser Arg Ser Ala Ile Tyr Leu Pro Val Arg  
 20 25 30

Ser Thr Asn Ser Ser Val Arg Lys Met Ala Gly Asn Ser Ile Leu Leu  
 35 40 45

Ala Ala Val Ser Ile Leu Ser Ala Cys Gln Gln Ser Tyr Phe Ala Leu  
 50 55 60

Gln Val Gly Lys Ala Arg Leu Lys Tyr Lys Val Thr Pro Pro Ala Val  
 65 70 75 80

Thr Gly Ser Pro Glu Phe Glu Arg Val Phe Arg Ala Gln Gln Asn Cys  
 85 90 95

Val Glu Phe Tyr Pro Ile Phe Ile Ile Thr Leu Trp Met Ala Gly Trp  
 100 105 110

Tyr Phe Asn Gln Val Phe Ala Thr Cys Leu Gly Leu Val Tyr Ile Tyr  
 115 120 125

Gly Arg His Leu Tyr Phe Trp Gly Tyr Ser Glu Ala Ala Lys Lys Arg  
 130 135 140

Ile Thr Gly Phe Arg Leu Ser Leu Gly Ile Leu Ala Leu Leu Thr Leu  
 145 150 155 160

Leu Gly Ala Leu Gly Ile Ala Asn Ser Phe Leu Asp Glu Tyr Leu Asp  
 165 170 175

Leu Asn Ile Ala Lys Lys Leu Arg Arg Gln Phe  
 180 185

<210> 882  
<211> 128  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (96)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (112)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 882  
Thr Thr Asn Ile Gln Gln Gly His Phe Leu Lys Arg Glu Ser Ala Phe  
1 5 10 15  
Asn Glu Met Thr Met Val Asp Thr Glu Met Pro Phe Trp Pro Thr Asn  
20 25 30  
Phe Gly Ile Ser Ser Val Asp Leu Ser Val Met Glu Asp His Ser His  
35 40 45  
Ser Phe Asp Ile Lys Pro Phe Thr Thr Val Asp Phe Ser Ser Ile Ser  
50 55 60  
Thr Pro His Tyr Glu Asp Ile Pro Phe Thr Arg Thr Asp Pro Val Val  
65 70 75 80  
Ala Asp Tyr Lys Tyr Asp Leu Lys Leu Gln Glu Tyr Gln Ser Ala Xaa  
85 90 95  
Lys Val Glu Pro Ala Ser Pro Pro Tyr Tyr Ser Glu Lys Thr Gln Xaa  
100 105 110  
Tyr Asn Lys Pro His Glu Glu Pro Ser Asn Ser Leu Met Ala Ile Glu  
115 120 125

<210> 883  
<211> 81  
<212> PRT  
<213> Homo sapiens

<220>

&lt;221&gt; SITE

&lt;222&gt; (9)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (22)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 883

Ser Asn Glu Phe Ile Thr Asn Phe Xaa Gln Ala Leu Ser Gly Tyr Cys  
 1 5 10 15

Gly Phe Met Ala Ala Xaa Leu Tyr Ala Arg Ser Ile Phe Gly Glu Asp  
 20 25 30

Ala Leu Ala Asn Val Ser Ile Glu Lys Pro Ile His Gln Gly Pro Asp  
 35 40 45

Ala Ala Val Thr Gly His Ile Arg Ile Arg Ala Lys Ser Gln Gly Met  
 50 55 60

Ala Leu Ser Leu Gly Asp Lys Ile Asn Leu Ser Gln Lys Lys Thr Ser  
 65 70 75 80

Ile

&lt;210&gt; 884

&lt;211&gt; 293

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 884

Gly Ala Asn Asn Gly Gly Ser Lys Leu Thr Gln Thr Pro Lys Leu Gln  
 1 5 10 15

Glu Leu Met Lys Val Leu Ile Asp Trp Ile Asn Asp Val Leu Val Gly  
 20 25 30

Glu Arg Ile Ile Val Lys Asp Leu Ala Glu Asp Leu Tyr Asp Gly Gln  
 35 40 45

Val Leu Gln Lys Leu Phe Glu Lys Leu Glu Ser Glu Lys Leu Asn Val  
 50 55 60

Ala Glu Val Thr Gln Ser Glu Ile Ala Gln Lys Gln Lys Leu Gln Thr  
 65 70 75 80

Val Leu Glu Lys Ile Asn Glu Thr Leu Lys Leu Pro Pro Arg Ser Ile  
                             85                            90                            95  
 Lys Trp Asn Val Asp Ser Val His Ala Lys Ser Leu Val Ala Ile Leu  
                             100                            105                            110  
 His Leu Leu Val Ala Leu Ser Gln Tyr Phe Arg Ala Pro Ile Arg Leu  
                             115                            120                            125  
 Pro Asp His Val Ser Ile Gln Val Val Val Val Gln Lys Arg Glu Gly  
                             130                            135                            140  
 Ile Leu Gln Ser Arg Gln Ile Gln Glu Glu Ile Thr Gly Asn Thr Glu  
 145                            150                            155                            160  
 Ala Leu Ser Gly Arg His Glu Arg Asp Ala Phe Asp Thr Leu Phe Asp  
                             165                            170                            175  
 His Ala Pro Asp Lys Leu Asn Val Val Lys Lys Thr Leu Ile Thr Phe  
                             180                            185                            190  
 Val Asn Lys His Leu Asn Lys Leu Asn Leu Glu Val Thr Glu Leu Glu  
                             195                            200                            205  
 Thr Gln Phe Ala Asp Gly Val Tyr Leu Val Leu Leu Met Gly Leu Leu  
                             210                            215                            220  
 Glu Gly Tyr Phe Val Pro Leu His Ser Phe Phe Leu Thr Pro Asp Ser  
 225                            230                            235                            240  
 Phe Glu Gln Lys Val Leu Asn Val Ser Phe Ala Phe Glu Leu Met Gln  
                             245                            250                            255  
 Asp Gly Gly Leu Glu Lys Pro Lys Pro Arg Pro Glu Asp Ile Val Asn  
                             260                            265                            270  
 Cys Asp Leu Lys Ser Thr Leu Arg Val Leu Tyr Asn Leu Phe Thr Lys  
                             275                            280                            285  
 Tyr Arg Asn Val Glu  
                             290

&lt;210&gt; 885

&lt;211&gt; 116

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 885

Tyr Val Tyr Leu Ile Ile Leu Pro Leu Ala Lys Cys Tyr Val Cys Lys

1                      5                      10                      15  
 Met Trp His Leu Leu Val Phe Ile Val Cys Val Phe Phe Val Tyr Tyr  
                     20                      25                      30  
 Thr Leu Gly Asn Phe Val Leu Pro Lys Lys Lys Lys Lys Gly Ser Val  
                     35                      40                      45  
 Met Ser Asp Thr Gln Glu Lys Gln Ile Ser Val Val Ser Leu Lys Tyr  
                     50                      55                      60  
 Asn Phe Lys Gly His Tyr Gln Gln Gln Gly Phe Phe Tyr Thr Leu Lys  
                     65                      70                      75                      80  
 Thr Leu Cys Tyr Ile Ser Leu Pro Phe Ser Tyr Phe Gly Val Leu Leu  
                     85                      90                      95  
 Leu Leu Tyr Asn Gly Ile Asn Gly Asn Val Ile Gln Pro Leu Asn Cys  
                     100                      105                      110  
 His Tyr Tyr Ile  
                     115

<210> 886

<211> 80

<212> PRT

<213> Homo sapiens

<400> 886

Tyr Glu His Leu Phe Tyr Lys Phe Tyr Lys Ser Met Leu Asn Leu Arg  
                     1                      5                      10                      15  
 Lys Thr Lys Gln Val Cys Leu Tyr Ser Gln Lys Leu Cys His Leu Ser  
                     20                      25                      30  
 Gln Tyr Asp Phe Asn Met Cys Ile Asn Gly Lys Gln Gly Lys Val Phe  
                     35                      40                      45  
 Ser Asn Ile Thr Val Leu Leu Gly Asn Leu Cys Arg Val His Ile Asn  
                     50                      55                      60  
 Ala Ser Tyr Ile Thr Leu Ile Cys Phe Leu Cys Trp Pro Tyr Arg Gly  
                     65                      70                      75                      80

&lt;210&gt; 887

&lt;211&gt; 416

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 887

Thr Phe Pro Pro Glu Phe Val Ile Pro Leu Ser Glu Val Thr Cys Glu  
1 5 10 15

Thr Gly Glu Thr Val Val Leu Arg Cys Arg Val Cys Gly Arg Pro Lys  
20 25 30

Ala Ser Ile Thr Trp Lys Gly Pro Glu His Asn Thr Leu Asn Asn Asp  
35 40 45

Gly His Tyr Ser Ile Ser Tyr Ser Asp Leu Gly Glu Ala Thr Leu Lys  
50 55 60

Ile Val Gly Val Thr Thr Glu Asp Asp Gly Ile Tyr Thr Cys Ile Ala  
65 70 75 80

Val Asn Asp Met Gly Ser Ala Ser Ser Ser Ala Ser Leu Arg Val Leu  
85 90 95

Gly Pro Gly Met Asp Gly Ile Met Val Thr Trp Lys Asp Asn Phe Asp  
100 105 110

Ser Phe Tyr Ser Glu Val Ala Glu Leu Gly Arg Gly Arg Phe Ser Val  
115 120 125

Val Lys Lys Cys Asp Gln Lys Gly Thr Lys Arg Ala Val Ala Thr Lys  
130 135 140

Phe Val Asn Lys Lys Leu Met Lys Arg Asp Gln Val Thr His Glu Leu  
145 150 155 160

Gly Ile Leu Gln Ser Leu Gln His Pro Leu Leu Val Gly Leu Leu Asp  
165 170 175

Thr Phe Glu Thr Pro Thr Ser Tyr Ile Leu Val Leu Glu Met Ala Asp  
180 185 190

Gln Gly Arg Leu Leu Asp Cys Val Val Arg Trp Gly Ser Leu Thr Glu  
195 200 205

Gly Lys Ile Arg Ala His Leu Gly Glu Val Leu Glu Ala Val Arg Tyr  
210 215 220

Leu His Asn Cys Arg Ile Ala His Leu Asp Leu Lys Pro Glu Asn Ile  
225 230 235 240



Ala Ala Thr Lys Arg Lys Arg Arg Gly Gly Phe Ala Val Gln Ala Lys  
 20 25 30

Lys Pro Lys Arg Asn Glu Ile Asp Ala Glu Pro Pro Ala Lys Arg His  
 35 40 45

Ala Thr Ala Glu Glu Val Glu Glu Glu Glu Arg Asp Arg Ile Pro Gly  
 50 55 60

Pro Val Cys Lys Gly Lys Trp Lys Asn Lys Glu Arg Ile Leu Ile Phe  
 65 70 75 80

Ser Ser Arg Gly Ile Asn Phe Arg Thr Arg His Leu Met Gln Asp Leu  
 85 90 95

Arg Met Leu Met Pro His Ser Lys Ala Asp Thr Lys Met Asp Arg Lys  
 100 105 110

Asp Lys Leu Phe Val Ile Asn Glu Val Cys Glu Met Lys Asn Cys Asn  
 115 120 125

Lys Cys Ile Tyr Phe Glu Ala Lys Lys Lys Gln Asp Leu Tyr Met Trp  
 130 135 140

Leu Ser Asn Ser Pro His Gly Pro Ser Ala Lys Phe Leu Val Gln Asn  
 145 150 155 160

Ile His Thr Leu Ala Glu Leu Lys Met Thr Gly Asn Cys Leu Lys Gly  
 165 170 175

Ser Arg Pro Leu Leu Ser Phe Asp Pro Ala Phe Asp Glu Leu Pro His  
 180 185 190

Tyr Ala Leu Xaa Lys Glu Leu Leu Ile Gln Ile Phe Ser Thr Pro Arg  
 195 200 205

Tyr His Pro Lys Ser Gln Pro Phe Val Asp His Val Phe Thr Phe Thr  
 210 215 220

Ile Leu Asp Asn Arg Ile Trp Phe Arg Asn Phe Gln Ile Ile Glu Glu  
 225 230 235 240

Asp Ala Ala Leu Val Glu Ile Gly Pro Arg Phe Val Leu Asn Leu Ile  
 245 250 255

Lys Ile Phe Gln Gly Ser Phe Gly Gly Pro Thr Leu Tyr Glu Asn Pro  
 260 265 270

His Tyr Gln Ser Pro Asn Met His Arg Arg Val Ile Arg Ser Ile Thr  
 275 280 285



Ala Ala Lys Tyr Arg Glu Lys Gln Gln Val Lys Asp Val Gln Lys Leu  
 290 295 300

Arg Lys Lys Glu Pro Lys Thr Leu Leu Pro His Asp Pro Thr Ala Asp  
 305 310 315 320

Val Phe Val Thr Pro Ala Glu Glu Lys Pro Ile Glu Ile Gln Trp Val  
 325 330 335

Lys Pro Glu Pro Lys Val Asp Leu Lys Ala Arg Lys Lys Arg Ile Tyr  
 340 345 350

Lys Arg Gln Arg Lys Met Lys Gln Arg Met Asp Ser Gly Lys Thr Lys  
 355 360 365

<210> 889

<211> 273

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 889

Leu Ala Ser Ala Trp Cys Ser Cys Ala Arg Val Ser Ala Gly Ser Ala  
 1 5 10 15

Leu Arg Phe Pro Gly Met Glu Ser Glu Met Glu Thr Gln Ser Ala Xaa  
 20 25 30

Ala Glu Glu Gly Phe Thr Gln Val Thr Arg Lys Gly Gly Arg Arg Ala  
 35 40 45

Lys Lys Arg Gln Ala Glu Gln Leu Ser Ala Ala Gly Glu Gly Gly Asp  
 50 55 60

Ala Gly Arg Met Asp Thr Glu Glu Ala Arg Pro Ala Lys Arg Pro Val  
 65 70 75 80

Phe Pro Pro Leu Cys Gly Asp Gly Leu Leu Ser Gly Lys Glu Glu Thr  
 85 90 95

Arg Lys Ile Pro Val Pro Ala Asn Arg Tyr Thr Pro Leu Lys Glu Asn

100 105 110  
Trp Met Lys Ile Phe Thr Pro Ile Val Glu His Leu Gly Leu Gln Ile  
115 120 125  
Arg Phe Asn Leu Lys Ser Arg Asn Val Glu Ile Arg Thr Cys Lys Glu  
130 135 140  
Thr Lys Asp Val Ser Ala Leu Thr Lys Ala Ala Asp Phe Val Lys Ala  
145 150 155 160  
Phe Ile Leu Gly Phe Gln Val Glu Asp Ala Leu Ala Leu Ile Arg Leu  
165 170 175  
Asp Asp Leu Phe Leu Glu Ser Phe Glu Ile Thr Asp Val Lys Pro Leu  
180 185 190  
Lys Gly Asp His Leu Ser Arg Ala Ile Gly Arg Ile Ala Gly Lys Gly  
195 200 205  
Gly Lys Thr Lys Phe Thr Ile Glu Asn Val Thr Arg Thr Arg Ile Val  
210 215 220  
Leu Ala Asp Val Lys Val His Ile Leu Gly Ser Phe Gln Asn Ile Lys  
225 230 235 240  
Met Ala Arg Thr Ala Ile Cys Asn Leu Ile Leu Gly Asn Pro Pro Ser  
245 250 255  
Lys Val Tyr Gly Asn Ile Arg Ala Val Ala Ser Arg Ser Ala Asp Arg  
260 265 270

Phe

<210> 890  
<211> 60  
<212> PRT  
<213> Homo sapiens

<400> 890  
Val Thr Ser Lys Thr Gln Val Gly Leu Phe Lys Phe Leu Lys Phe Glu  
1 5 10 15  
Ile Phe Tyr Leu Gln Lys Ile Val Leu Cys Phe Ile Ile Ser Gln Met  
20 25 30  
Ser Val Arg Phe Leu Ser Thr Asn Asp His Ala Ser Ile Phe Phe Ser  
35 40 45

Phe Lys Pro Pro Asn Gln Tyr Phe Ser Phe Lys Phe  
 50 55 60

<210> 891

<211> 257

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (224)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 891

Ala Arg Gly Ala Val Thr Arg Phe Pro Pro Arg Ser Leu Gly Arg Cys  
 1 5 10 15

His Gly Phe Gly Val Gly Asp Arg Ala Val Thr Met Ala Arg Leu Ala  
 20 25 30

Leu Ser Pro Val Pro Ser His Trp Met Val Ala Leu Leu Leu Leu Leu  
 35 40 45

Ser Ala Ala Glu Pro Val Pro Ala Ala Arg Ser Glu Asp Arg Tyr Arg  
 50 55 60

Asn Pro Lys Gly Ser Ala Cys Ser Arg Ile Trp Gln Ser Pro Arg Phe  
 65 70 75 80

Ile Ala Arg Lys Arg Gly Phe Thr Val Lys Met His Cys Tyr Met Asn  
 85 90 95

Ser Ala Ser Gly Asn Val Ser Trp Leu Trp Lys Gln Glu Met Asp Glu  
 100 105 110

Asn Pro Gln Gln Leu Lys Leu Glu Lys Gly Arg Met Glu Glu Ser Gln  
 115 120 125

Asn Glu Ser Leu Ala Thr Leu Thr Ile Gln Gly Ile Arg Phe Glu Asp  
 130 135 140

Asn Gly Ile Tyr Phe Cys Gln Gln Lys Cys Asn Asn Thr Ser Glu Val  
 145 150 155 160

Tyr Gln Gly Cys Gly Thr Glu Leu Arg Val Met Gly Phe Ser Thr Leu  
 165 170 175

Ala Gln Leu Lys Gln Arg Asn Thr Leu Lys Asp Gly Ile Ile Met Ile

180	185	190
Gln Thr Leu Leu Ile Ile Leu Phe Ile Ile Val Pro Ile Phe Leu Leu		
195	200	205
Leu Asp Lys Asp Asp Ser Lys Ala Gly Met Glu Glu Asp His Thr Xaa		
210	215	220
Glu Gly Leu Asp Ile Asp Gln Thr Ala Thr Tyr Glu Asp Ile Val Thr		
225	230	235
Leu Arg Thr Gly Glu Val Lys Trp Ser Val Gly Glu His Pro Gly Gln		
245	250	255

Glu

<210> 892  
 <211> 52  
 <212> PRT  
 <213> Homo sapiens

<400> 892  
 Cys His Ser Cys Tyr Gln Ala Val Pro Leu Pro Gly Val His Ile Gly  
 1 5 10 15  
 Leu Thr Gly Leu Ser Ile Phe Leu Phe Leu Ile Phe Glu Phe Tyr His  
 20 25 30  
 Leu Ala Leu Asn Cys Ser Thr Trp Ile Trp Gly Ser Ser Leu Cys Pro  
 35 40 45  
 Lys Asp Leu Leu  
 50

<210> 893  
 <211> 50  
 <212> PRT  
 <213> Homo sapiens

<400> 893  
 Gly Arg Glu Gly Arg Glu Glu Arg Glu Asp Lys Glu Ser Pro Thr Ser  
 1 5 10 15  
 Phe Gln Asn Val Met Arg Ile Leu Ser Thr Tyr Gly Pro Trp His Asp  
 20 25 30

His Met Thr Cys Arg Ala Pro Val Ile Glu Leu Ile Phe Ile Phe Ser  
           35                          40                          45

Leu Val  
       50

<210> 894  
 <211> 255  
 <212> PRT  
 <213> Homo sapiens

<400> 894  
 Ala Pro Ser Ala Arg Asp Val Ser Arg Cys Ala His Arg Ala Arg Pro  
       1                          5                          10                          15

Gly Ala Ile Met Leu Leu Leu Pro Ser Ala Ala Asp Gly Arg Gly Thr  
                           20                          25                          30

Ala Ile Thr His Ala Leu Thr Ser Ala Ser Thr Leu Cys Gln Val Glu  
           35                          40                          45

Pro Val Gly Arg Trp Phe Glu Ala Phe Val Lys Arg Arg Asn Arg Asn  
       50                          55                          60

Ala Ser Ala Ser Phe Gln Glu Leu Glu Asp Lys Lys Glu Leu Ser Glu  
       65                          70                          75                          80

Glu Ser Glu Asp Glu Glu Leu Gln Leu Glu Glu Phe Pro Met Leu Lys  
                           85                          90                          95

Thr Leu Asp Pro Lys Asp Trp Lys Asn Gln Asp His Tyr Ala Val Leu  
           100                          105                          110

Gly Leu Gly His Val Arg Tyr Lys Ala Thr Gln Arg Gln Ile Lys Ala  
           115                          120                          125

Ala His Lys Ala Met Val Leu Lys His His Pro Asp Lys Arg Lys Ala  
       130                          135                          140

Ala Gly Glu Pro Ile Lys Glu Gly Asp Asn Asp Tyr Phe Thr Cys Ile  
       145                          150                          155                          160

Thr Lys Ala Tyr Glu Met Leu Ser Asp Pro Val Lys Arg Arg Ala Phe  
           165                          170                          175

Asn Ser Val Asp Pro Thr Phe Asp Asn Ser Val Pro Ser Lys Ser Glu  
           180                          185                          190

Ala Lys Asp Asn Phe Phe Glu Val Phe Thr Pro Val Phe Glu Arg Asn

195                      200                      205  
 Ser Arg Trp Ser Asn Lys Lys Asn Val Pro Lys Leu Gly Asp Met Asn  
 210                      215                      220  
 Ser Ser Phe Glu Asp Val Asp Ile Phe Tyr Ser Phe Trp Tyr Asn Phe  
 225                      230                      235                      240  
 Asp Ser Trp Arg Glu Phe Ser Tyr Leu Asp Glu Glu Glu Lys Lys  
 245                      250                      255  
  
 <210> 895  
 <211> 149  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 895  
 Val Glu Asn Gln Asn Pro Ala Asp Pro Leu Asn Glu Glu Leu Gly Asp  
 1                      5                      10                      15  
 Glu Asp Ser Glu Lys Lys Arg Lys Gly Ala Phe Phe Ser Trp Ser Arg  
 20                      25                      30  
 Thr Arg Ser Thr Gly Arg Ser Gln Lys Lys Arg Glu His Gly Asp His  
 35                      40                      45  
 Ala Asp Asp Ala Leu His Ala Asn Gly Gly Leu Cys Arg Arg Glu Ser  
 50                      55                      60  
 Gln Gly Ser Val Ser Ser Ala Gly Ser Leu Asp Leu Ser Glu Ala Cys  
 65                      70                      75                      80  
 Arg Thr Leu Ala Pro Glu Lys Asp Lys Ala Thr Lys His Cys Cys Ile  
 85                      90                      95  
 His Leu Pro Asp Gly Thr Ser Cys Val Val Ala Val Lys Ala Gly Phe  
 100                      105                      110  
 Ser Ile Lys Asp Ile Leu Ser Gly Leu Cys Glu Arg His Gly Ile Asn  
 115                      120                      125  
 Gly Ala Ala Ala Asp Leu Phe Leu Val Gly Gly Asp Lys Pro Leu Val  
 130                      135                      140  
 Leu Ala Pro Arg Gln  
 145

&lt;210&gt; 896

&lt;211&gt; 635

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 896

His Glu Arg Gly Gln Arg Ala His Ser Ala Asp Ala Arg Ala Ala Gly  
1 5 10 15

Ser Thr Arg Ser Thr Ala Gly Ala Gly Leu Gly Gln Arg Leu Arg Cys  
20 25 30

Cys Trp Ile Val Val Phe Ser Gly Ile Glu Asp Thr His Gln Lys Pro  
35 40 45

Lys Met Pro Lys Pro Ile Asn Val Arg Val Thr Thr Met Asp Ala Glu  
50 55 60

Leu Glu Phe Ala Ile Gln Pro Asn Thr Thr Gly Lys Gln Leu Phe Asp  
65 70 75 80

Gln Val Val Lys Thr Ile Gly Leu Arg Glu Val Trp Tyr Phe Gly Leu  
85 90 95

His Tyr Val Asp Asn Lys Gly Phe Pro Thr Trp Leu Lys Leu Asp Lys  
100 105 110

Lys Val Ser Ala Gln Glu Val Arg Lys Glu Asn Pro Leu Gln Phe Lys  
115 120 125

Phe Arg Ala Lys Phe Tyr Pro Glu Asp Val Ala Glu Glu Leu Ile Gln  
130 135 140

Asp Ile Thr Gln Lys Leu Phe Phe Leu Gln Val Lys Glu Gly Ile Leu  
145 150 155 160

Ser Asp Glu Ile Tyr Cys Pro Pro Glu Thr Ala Val Leu Leu Gly Ser  
165 170 175

Tyr Ala Val Gln Ala Lys Phe Gly Asp Tyr Asn Lys Glu Val His Lys  
180 185 190

Ser Gly Tyr Leu Ser Ser Glu Arg Leu Ile Pro Gln Arg Val Met Asp  
195 200 205

Gln His Lys Leu Thr Arg Asp Gln Trp Glu Asp Arg Ile Gln Val Trp  
210 215 220

His Ala Glu His Arg Gly Met Leu Lys Asp Asn Ala Met Leu Glu Tyr  
225 230 235 240

Leu Lys Ile Ala Gln Asp Leu Glu Met Tyr Gly Ile Asn Tyr Phe Glu  
 245 250 255  
 Ile Lys Asn Lys Lys Gly Thr Asp Leu Trp Leu Gly Val Asp Ala Leu  
 260 265 270  
 Gly Leu Asn Ile Tyr Glu Lys Asp Asp Lys Leu Thr Pro Lys Ile Gly  
 275 280 285  
 Phe Pro Trp Ser Glu Ile Arg Asn Ile Ser Phe Asn Asp Lys Lys Phe  
 290 295 300  
 Val Ile Lys Pro Ile Asp Lys Lys Ala Pro Asp Phe Val Phe Tyr Ala  
 305 310 315 320  
 Pro Arg Leu Arg Ile Asn Lys Arg Ile Leu Gln Leu Cys Met Gly Asn  
 325 330 335  
 His Glu Leu Tyr Met Arg Arg Arg Lys Pro Asp Thr Ile Glu Val Gln  
 340 345 350  
 Gln Met Lys Ala Gln Ala Arg Glu Glu Lys His Gln Lys Gln Leu Glu  
 355 360 365  
 Arg Gln Gln Leu Glu Thr Glu Lys Lys Arg Arg Glu Thr Val Glu Arg  
 370 375 380  
 Glu Lys Glu Gln Met Met Arg Glu Lys Glu Glu Leu Met Leu Arg Leu  
 385 390 395 400  
 Gln Asp Tyr Glu Glu Lys Thr Lys Lys Ala Glu Arg Glu Leu Ser Glu  
 405 410 415  
 Gln Ile Gln Arg Ala Leu Gln Leu Glu Glu Glu Arg Lys Arg Ala Gln  
 420 425 430  
 Glu Glu Ala Glu Arg Leu Glu Ala Asp Arg Met Ala Ala Leu Arg Ala  
 435 440 445  
 Lys Glu Glu Leu Glu Arg Gln Ala Val Asp Gln Ile Lys Ser Gln Glu  
 450 455 460  
 Gln Leu Ala Ala Glu Leu Ala Glu Tyr Thr Ala Lys Ile Ala Leu Leu  
 465 470 475 480  
 Glu Glu Ala Arg Arg Arg Lys Glu Asp Glu Val Glu Glu Trp Gln His  
 485 490 495  
 Arg Ala Lys Glu Ala Gln Asp Asp Leu Val Lys Thr Lys Glu Glu Leu  
 500 505 510



His Leu Val Met Thr Ala Pro Pro Pro Pro Pro Pro Val Tyr Glu  
515 520 525

Pro Val Ser Tyr His Val Gln Glu Ser Leu Gln Asp Glu Gly Ala Glu  
530 535 540

Pro Thr Gly Tyr Ser Ala Glu Leu Ser Ser Glu Gly Ile Arg Asp Asp  
545 550 555 560

Arg Asn Glu Glu Lys Arg Ile Thr Glu Ala Glu Lys Asn Glu Arg Val  
565 570 575

Gln Arg Gln Leu Leu Thr Leu Ser Ser Glu Leu Ser Gln Ala Arg Asp  
580 585 590

Glu Asn Lys Arg Thr His Asn Asp Ile Ile His Asn Glu Asn Met Arg  
595 600 605

Gln Gly Arg Asp Lys Tyr Lys Thr Leu Arg Gln Ile Arg Gln Gly Asn  
610 615 620

Thr Lys Gln Arg Ile Asp Glu Phe Glu Ala Leu  
625 630 635

<210> 897  
<211> 41  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (12)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (26)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (29)  
<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (30)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (37)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 897

Phe Val Phe Leu Gly Tyr Glu Glu Ile Ile Ile Xaa Leu Val Ser Ile  
1 5 10 15

Phe Ile Asn Pro Xaa Ile Leu Tyr Leu Xaa Lys Ser Xaa Xaa Gly Gly  
20 25 30

Gly Arg Pro Cys Xaa Asp Leu Pro Ile  
35 40

&lt;210&gt; 898

&lt;211&gt; 128

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (83)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (92)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 898

Ser Leu Ala Gly Arg Ser Arg Trp Met Glu Ala Asn Gln His Ser Leu  
1 5 10 15

Asn Ile Leu Gly Gln Lys Val Ser Met His Tyr Ser Asp Pro Lys Pro  
20 25 30

Lys Ile Asn Glu Asp Trp Leu Cys Asn Lys Cys Gly Val Gln Asn Phe  
35 40 45

Lys Arg Arg Glu Lys Cys Phe Lys Cys Gly Val Pro Lys Ser Glu Ala  
50 55 60

Glu Gln Lys Leu Pro Leu Gly Thr Arg Leu Asp Gln Gln Thr Leu Pro

65                      70                      75                      80  
 Leu Gly Xaa Arg Glu Leu Ser Gln Gly Leu Leu Xaa Leu Pro Gln Pro  
                             85                      90                      95  
 Tyr Gln Ala Gln Gly Val Leu Ala Ser Gln Ala Leu Ser Gln Gly Ser  
                             100                      105                      110  
 Glu Pro Ser Ser Glu Asn Ala Asn Asp Thr Ile Ile Leu Arg Asn Leu  
                             115                      120                      125

<210> 899  
 <211> 92  
 <212> PRT  
 <213> Homo sapiens

<400> 899  
 Ile Trp Gln Phe Phe Ala Glu Val Ile Met Ser Phe Phe Gln Leu Leu  
   1                      5                      10                      15  
 Met Lys Arg Lys Glu Leu Ile Pro Leu Val Val Phe Met Thr Val Ala  
                             20                      25                      30  
 Ala Gly Gly Ala Ser Ser Phe Ala Val Tyr Ser Leu Trp Lys Thr Asp  
                             35                      40                      45  
 Val Ile Leu Asp Arg Lys Lys Asn Pro Glu Pro Trp Glu Thr Val Asp  
                             50                      55                      60  
 Pro Thr Val Pro Gln Lys Leu Ile Thr Ile Asn Gln Gln Trp Lys Pro  
   65                      70                      75                      80  
 Ile Glu Glu Leu Gln Asn Val Gln Arg Val Thr Lys  
                             85                      90

<210> 900  
 <211> 73  
 <212> PRT  
 <213> Homo sapiens

<400> 900  
 Gly Gly Trp Phe Tyr Pro Phe Cys Leu Leu Phe Gly Thr Gln Leu Val  
   1                      5                      10                      15

Phe Phe Gly Leu Leu Ser Ser Gly Ser Arg Ala Val Leu Ser Asn Thr  
20 25 30

Val Thr Thr Cys Gly Cys Leu Lys Leu Ser Gln Leu Lys Ser His Lys  
35 40 45

Ile Lys Asn Ser Phe Leu Ser Cys Thr Asn His Val Ser Arg Gly Val  
50 55 60

Thr Val Cys Ser Ser Trp Leu Leu Tyr  
65 70

<210> 901

<211> 120

<212> PRT

<213> Homo sapiens

<400> 901

Gly Pro Ala Leu Lys Met Gln Ala Gln Ala Pro Val Val Val Val Thr  
1 5 10 15

Gln Pro Gly Val Gly Pro Gly Pro Ala Pro Gln Asn Ser Asn Trp Gln  
20 25 30

Thr Gly Met Cys Asp Cys Phe Ser Asp Cys Gly Val Cys Leu Cys Gly  
35 40 45

Thr Phe Cys Phe Pro Cys Leu Gly Cys Gln Val Ala Ala Asp Met Asn  
50 55 60

Glu Cys Cys Leu Cys Gly Thr Ser Val Ala Met Arg Thr Leu Tyr Arg  
65 70 75 80

Thr Arg Tyr Gly Ile Pro Gly Ser Ile Cys Asp Asp Tyr Met Ala Thr  
85 90 95

Leu Cys Cys Pro His Cys Thr Leu Cys Gln Ile Lys Arg Asp Ile Asn  
100 105 110

Arg Arg Arg Ala Met Arg Thr Phe  
115 120

<210> 902

<211> 163

<212> PRT

<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (1)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 902

Xaa Glu Pro Lys Pro Ser Val Glu Pro Val Lys Ser Ile Ser Ser Met  
1 5 10 15

Glu Leu Lys Thr Glu Pro Phe Asp Asp Phe Leu Phe Pro Ala Ser Ser  
20 25 30

Arg Pro Ser Gly Ser Glu Thr Ala Arg Ser Val Pro Asp Met Asp Leu  
35 40 45

Ser Gly Ser Phe Tyr Ala Ala Asp Trp Glu Pro Leu His Ser Gly Ser  
50 55 60

Leu Gly Met Gly Pro Met Ala Gln Ser Trp Ser Pro Cys Ala Leu Arg  
65 70 75 80

Trp Ser Pro Val Leu Pro Ala Ala Leu Leu Thr Arg Leu Pro Ser Ser  
85 90 95

Ser Pro Thr Pro Arg Leu Thr Pro Ser Pro Ala Val Gln Leu Pro Thr  
100 105 110

Ala Arg Ala Ala Ala Ala Met Ser Leu Pro Leu Thr Arg Ser Ala His  
115 120 125

Pro Arg Cys Trp Pro Cys Glu Gly Ala Gly Lys Gly Arg Gln Pro Ala  
130 135 140

Pro Thr Ser Ala Thr Ala Arg Ala Gly Ala Leu Gln Arg Gly Glu Thr  
145 150 155 160

His Leu Pro

&lt;210&gt; 903

&lt;211&gt; 478

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (20)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (24)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (451)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 903

Ala	Asp	Thr	Lys	Pro	Glu	Arg	Gly	Val	Ser	Ser	Ala	Val	Phe	Ala	Ser
1				5					10					15	

Gly	Ser	Glu	Xaa	Arg	Arg	Leu	Xaa	Cys	Val	Leu	Leu	Ser	Ser	Ser	Glu
			20					25					30		

Thr	Arg	Leu	Leu	Ser	Gly	Thr	Leu	Leu	Trp	Ile	Pro	Arg	Ala	Tyr	Ser
		35					40						45		

Thr	Arg	Ser	Lys	Met	Ala	Glu	Leu	Asn	Thr	His	Val	Asn	Val	Lys	Glu
		50				55					60				

Lys	Ile	Tyr	Ala	Val	Arg	Ser	Val	Val	Pro	Asn	Lys	Ser	Asn	Asn	Glu
65					70					75					80

Ile	Val	Leu	Val	Leu	Gln	Gln	Phe	Asp	Phe	Asn	Val	Asp	Lys	Ala	Val
				85					90					95	

Gln	Ala	Phe	Val	Asp	Gly	Ser	Ala	Ile	Gln	Val	Leu	Lys	Glu	Trp	Asn
		100						105					110		

Met	Thr	Gly	Lys	Lys	Lys	Asn	Asn	Lys	Arg	Lys	Arg	Ser	Lys	Ser	Lys
		115					120					125			

Gln	His	Gln	Gly	Asn	Lys	Asp	Ala	Lys	Asp	Lys	Val	Glu	Arg	Pro	Glu
	130					135					140				

Ala	Gly	Pro	Leu	Gln	Pro	Gln	Pro	Pro	Gln	Ile	Gln	Asn	Gly	Pro	Met
145				150					155					160	

Asn	Gly	Cys	Glu	Lys	Asp	Ser	Ser	Ser	Thr	Asp	Ser	Ala	Asn	Glu	Lys
			165						170					175	

Pro	Ala	Leu	Ile	Pro	Arg	Glu	Lys	Lys	Ile	Ser	Ile	Leu	Glu	Glu	Pro
		180						185					190		

Ser	Lys	Ala	Leu	Arg	Gly	Val	Thr	Gly	Pro	Asn	Ile	Glu	Lys	Ser	Val
		195					200					205			

Lys	Asp	Leu	Gln	Arg	Cys	Thr	Val	Ser	Leu	Thr	Arg	Tyr	Arg	Val	Met
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

210					215					220					
Ile 225	Lys	Glu	Glu	Val	Asp 230	Ser	Ser	Val	Lys	Lys 235	Ile	Lys	Ala	Ala	Phe 240
Ala	Glu	Leu	His	Asn 245	Cys	Ile	Ile	Asp	Lys	Glu 250	Val	Ser	Leu	Met	Ala 255
Glu	Met	Asp	Lys 260	Val	Lys	Glu	Glu	Ala	Met	Glu 265	Ile	Leu	Thr	Ala	Arg 270
Gln	Lys	Lys 275	Ala	Glu	Glu	Leu	Lys	Arg	Leu	Thr 280	Asp	Leu	Ala	Ser	Gln 285
Met 290	Ala	Glu	Met	Gln	Leu	Ala	Glu	Leu	Arg	Ala 300	Glu	Ile	Lys	His	Phe
Val 305	Ser	Glu	Arg	Lys	Tyr 310	Asp	Glu	Glu	Leu	Gly 315	Lys	Ala	Ala	Arg	Phe 320
Ser	Cys	Asp	Ile	Glu 325	Gln	Leu	Lys	Ala	Gln	Ile 330	Met	Leu	Cys	Gly	Glu 335
Ile	Thr	His	Pro 340	Lys	Asn	Asn	Tyr	Ser	Ser 345	Arg	Thr	Pro	Cys	Ser	Ser 350
Leu	Leu	Pro 355	Leu	Leu	Asn	Ala	His	Ala	Ala 360	Thr	Ser	Gly	Lys	Gln	Ser 365
Asn 370	Phe	Ser	Arg	Lys	Ser	Ser	Thr	His	Asn 375	Lys	Pro	Ser	Glu	Gly	Lys 380
Ala 385	Ala	Asn	Pro	Lys	Met	Val	Ser	Ser	Leu 390	Pro	Ser	Thr	Ala	Asp	Pro 400
Ser	His	Gln	Thr	Met 405	Pro	Ala	Asn	Lys	Gln 410	Asn	Gly	Ser	Ser	Asn	Gln 415
Arg	Arg	Arg	Phe 420	Asn	Pro	Gln	Tyr	His	Asn 425	Asn	Arg	Leu	Asn	Gly	Pro 430
Ala	Lys	Ser	Gln	Gly	Ser	Gly	Asn 440	Glu	Ala	Glu 445	Pro	Leu	Gly	Lys	Gly 450
Asn 455	Ser	Xaa	His	Glu	His	Arg	Arg	Gln	Pro	His 460	Asn	Gly	Phe	Arg	Pro 465
Lys 470	Asn	Lys	Gly	Gly	Ala	Lys	Ile	Lys	Arg	Leu 475	Pro	Trp	Gly		

&lt;210&gt; 904

&lt;211&gt; 88

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 904

Ala Phe His Phe Gly Ser Val Ala Lys Ala Thr Thr Thr Ser Val Gly  
 1 5 10 15

Thr Val Gly Tyr Tyr Gln Phe Met Asp Arg Leu Leu Ser Gly Met Val  
 20 25 30

Thr Ala Asn Thr Ile Val Arg Lys Pro Lys Arg Ser Leu Val Arg Val  
 35 40 45

Glu Ser Val Thr Pro Leu Pro Thr Thr Gly Cys Cys Leu Leu Ser Leu  
 50 55 60

Arg Arg Leu Arg Gln Asn Leu Leu Gln Arg Thr Arg Arg Val Val Tyr  
 65 70 75 80

Gln Arg Cys Leu Thr Thr Leu Arg  
 85

&lt;210&gt; 905

&lt;211&gt; 508

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 905

Phe Arg Ile Val Leu Pro Gly Trp Gln Gln Gly Pro Ser Gly Thr Met  
 1 5 10 15

Ser Ala Leu Gly Val Thr Val Ala Leu Leu Val Trp Ala Ala Phe Leu  
 20 25 30

Leu Leu Val Ser Met Trp Arg Gln Val His Ser Ser Trp Asn Leu Pro  
 35 40 45

Pro Gly Pro Phe Pro Leu Pro Ile Ile Gly Asn Leu Phe Gln Leu Glu  
 50 55 60

Leu Lys Asn Ile Pro Lys Ser Phe Thr Arg Leu Ala Gln Arg Phe Gly  
 65 70 75 80

Pro Val Phe Thr Leu Tyr Val Gly Ser Gln Arg Met Val Val Met His  
 85 90 95



Gly Tyr Lys Ala Val Lys Glu Ala Leu Leu Asp Tyr Lys Asp Glu Phe  
 100 105 110  
 Ser Gly Arg Gly Asp Leu Pro Ala Phe His Ala His Arg Asp Arg Gly  
 115 120 125  
 Ile Ile Phe Asn Asn Gly Pro Thr Trp Lys Asp Ile Arg Arg Phe Ser  
 130 135 140  
 Leu Thr Thr Leu Arg Asn Tyr Gly Met Gly Lys Gln Gly Asn Glu Ser  
 145 150 155 160  
 Arg Ile Gln Arg Glu Ala His Phe Leu Leu Glu Ala Leu Arg Lys Thr  
 165 170 175  
 Gln Gly Gln Pro Phe Asp Pro Thr Phe Leu Ile Gly Cys Ala Pro Cys  
 180 185 190  
 Asn Val Ile Ala Asp Ile Leu Phe Arg Lys His Phe Asp Tyr Asn Asp  
 195 200 205  
 Glu Lys Phe Leu Arg Leu Met Tyr Leu Phe Asn Glu Asn Phe His Leu  
 210 215 220  
 Leu Ser Thr Pro Trp Leu Gln Leu Tyr Asn Asn Phe Pro Ser Phe Leu  
 225 230 235 240  
 His Tyr Leu Pro Gly Ser His Arg Lys Val Ile Lys Asn Val Ala Glu  
 245 250 255  
 Val Lys Glu Tyr Val Ser Glu Arg Val Lys Glu His His Gln Ser Leu  
 260 265 270  
 Asp Pro Asn Cys Pro Arg Asp Leu Thr Asp Cys Leu Leu Val Glu Met  
 275 280 285  
 Glu Lys Glu Lys His Ser Ala Glu Arg Leu Tyr Thr Met Asp Gly Ile  
 290 295 300  
 Thr Val Thr Val Ala Asp Leu Phe Phe Ala Gly Thr Glu Thr Thr Ser  
 305 310 315 320  
 Thr Thr Leu Arg Tyr Gly Leu Leu Ile Leu Met Lys Tyr Pro Glu Ile  
 325 330 335  
 Glu Glu Lys Leu His Glu Glu Ile Asp Arg Val Ile Gly Pro Ser Arg  
 340 345 350  
 Ile Pro Ala Ile Lys Asp Arg Gln Glu Met Pro Tyr Met Asp Ala Val  
 355 360 365

Val His Glu Ile Gln Arg Phe Ile Thr Leu Val Pro Ser Asn Leu Pro  
370 375 380

His Glu Ala Thr Arg Asp Thr Ile Phe Arg Gly Tyr Leu Ile Pro Lys  
385 390 395 400

Gly Thr Val Val Val Pro Thr Leu Asp Ser Val Leu Tyr Asp Asn Gln  
405 410 415

Glu Phe Pro Asp Pro Glu Lys Phe Lys Pro Glu His Phe Leu Asn Glu  
420 425 430

Asn Gly Lys Phe Lys Tyr Ser Asp Tyr Phe Lys Pro Phe Ser Thr Gly  
435 440 445

Lys Arg Val Cys Ala Gly Glu Gly Leu Ala Arg Met Glu Leu Phe Leu  
450 455 460

Leu Leu Cys Ala Ile Leu Gln His Phe Asn Leu Lys Pro Leu Val Asp  
465 470 475 480

Pro Lys Asp Ile Asp Leu Ser Pro Ile His Ile Gly Phe Gly Cys Ile  
485 490 495

Pro Pro Arg Tyr Lys Leu Cys Val Ile Pro Arg Ser  
500 505

<210> 906  
<211> 290  
<212> PRT  
<213> Homo sapiens

<400> 906  
Leu Gly Pro Arg Pro Leu Ala Leu Glu Arg Gly Leu Arg Gly Thr His  
1 5 10 15

Met Glu Asn Val Tyr Asp Phe Tyr Lys Pro Asn Leu Ala Ser Glu Tyr  
20 25 30

Pro Ile Val Asp Gly Lys Leu Ser Ile Gln Cys Tyr Leu Arg Ala Leu  
35 40 45

Asp Arg Cys Tyr Thr Ser Tyr Arg Lys Lys Ile Gln Asn Gln Trp Lys  
50 55 60

Gln Ala Gly Ser Asp Arg Pro Phe Thr Leu Asp Asp Leu Gln Tyr Met  
65 70 75 80

Ile Phe His Thr Pro Phe Cys Lys Met Val Gln Lys Ser Leu Ala Arg

	85		90		95
Leu Met Phe Asn Asp Phe Leu Ser Ala Ser Ser Asp Thr Gln Thr Ser					
	100		105		110
Leu Tyr Lys Gly Leu Glu Ala Phe Gly Gly Leu Lys Leu Glu Asp Thr					
	115		120		125
Tyr Thr Asn Lys Asp Leu Asp Lys Ala Leu Leu Lys Ala Ser Gln Asp					
	130		135		140
Met Phe Asp Lys Lys Thr Lys Ala Ser Leu Tyr Leu Ser Thr His Asn					
	145		150		155
					160
Gly Asn Met Tyr Thr Ser Ser Leu Tyr Gly Cys Leu Ala Ser Leu Leu					
		165		170	175
Ser His His Ser Ala Gln Glu Leu Ala Gly Ser Arg Ile Gly Ala Phe					
	180		185		190
Ser Tyr Gly Ser Gly Leu Ala Ala Ser Phe Phe Ser Phe Arg Val Ser					
	195		200		205
Gln Asp Ala Ala Pro Gly Ser Pro Leu Asp Lys Leu Val Ser Ser Thr					
	210		215		220
Ser Asp Leu Pro Lys Arg Leu Ala Ser Arg Lys Cys Val Ser Pro Glu					
	225		230		235
					240
Glu Phe Thr Glu Ile Met Asn Gln Arg Glu Gln Phe Tyr His Lys Val					
		245		250	255
Asn Phe Ser Pro Pro Gly Asp Thr Asn Ser Leu Phe Pro Gly Thr Trp					
	260		265		270
Tyr Leu Glu Arg Val Asp Glu Gln His Arg Arg Lys Tyr Ala Arg Arg					
	275		280		285
Pro Val					
	290				

&lt;210&gt; 907

&lt;211&gt; 242

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (198)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (215)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (222)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (242)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 907

Leu Val Pro Asn Ser Ala Arg Val Gly Thr Arg Ser Lys Gly Val Cys  
1 5 10 15

Val His Gly Asn Ala Glu Tyr Gln Pro Gly Ser Pro Val Tyr Ser Ser  
20 25 30

Lys Cys Gln Asp Cys Val Cys Thr Asp Lys Val Asp Asn Asn Thr Leu  
35 40 45

Leu Asn Val Ile Ala Cys Thr His Val Pro Cys Asn Thr Ser Cys Ser  
50 55 60

Pro Gly Phe Glu Leu Met Glu Ala Pro Gly Glu Cys Cys Lys Lys Cys  
65 70 75 80

Glu Gln Thr His Cys Ile Ile Lys Arg Pro Asp Asn Gln His Val Ile  
85 90 95

Leu Lys Pro Gly Asp Phe Lys Ser Asp Pro Lys Asn Asn Cys Thr Phe  
100 105 110

Phe Ser Cys Val Lys Ile His Asn Gln Leu Ile Ser Ser Val Ser Asn  
115 120 125

Ile Thr Cys Pro Asn Phe Asp Ala Ser Ile Cys Ile Pro Gly Ser Ile  
130 135 140

Thr Phe Met Pro Asn Gly Cys Cys Lys Thr Cys Thr Pro Arg Asn Glu  
145 150 155 160

Thr Arg Val Pro Cys Ser Thr Val Pro Val Thr Thr Glu Val Ser Tyr  
165 170 175

Ala Gly Cys Thr Lys Thr Val Leu Met Asn His Cys Ser Gly Ser Cys  
180 185 190

Gly Thr Phe Val Met Xaa Ser Ala Lys Ala Arg Pro Trp Thr Thr Ala  
195 200 205

Cys Ser Cys Cys Lys Glu Xaa Lys Thr Ser Gln Arg Glu Xaa Val Leu  
210 215 220

Thr Ala Gln Trp Arg Ser Leu Thr His Thr Tyr Thr Thr Ser Arg Leu  
225 230 235 240

Pro Xaa

<210> 908  
<211> 119  
<212> PRT  
<213> Homo sapiens

<400> 908  
Leu Gly Leu Ala Pro Ala Leu Gly Pro Ala Ser Arg Arg Ser Arg Glu  
1 5 10 15

Met Ser Asp Cys Tyr Thr Glu Leu Glu Lys Ala Val Ile Val Leu Val  
20 25 30

Glu Asn Phe Tyr Lys Tyr Val Ser Lys Tyr Ser Leu Val Lys Asn Lys  
35 40 45

Ile Ser Lys Ser Ser Phe Arg Glu Met Leu Gln Lys Glu Leu Asn His  
50 55 60

Met Leu Ser Asp Thr Gly Asn Arg Lys Ala Ala Asp Lys Leu Ile Gln  
65 70 75 80

Asn Leu Asp Ala Asn His Asp Gly Arg Ile Ser Phe Asp Glu Tyr Trp  
85 90 95

Thr Leu Ile Gly Gly Ile Thr Gly Pro Ile Ala Lys Leu Ile His Glu  
100 105 110

Gln Glu Gln Gln Ser Ser Ser  
115

<210> 909  
<211> 171

<212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (162)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 909  
 Leu Ile Ala Cys His Phe Gln Val His Phe Leu Phe Ile Phe Met Phe  
           1                  5                  10                  15  
 Met Val Asp Cys Thr Phe Pro Ser Pro Pro Ser Gly Met Gly Gly Gly  
                   20                  25                  30  
 Gly Glu Gly Gly Pro Trp Ala Leu Gln Ser His Leu Ser Arg Glu Ile  
           35                  40                  45  
 Pro Phe Gly Thr Gly Gly Arg Lys Ala Ala Arg Arg Gln Gln Pro Trp  
           50                  55                  60  
 Leu Leu Ser Phe Gly Arg Leu Gly Lys Gly Leu Pro Pro Ala Leu Gly  
           65                  70                  75                  80  
 Phe Gln Gly Leu Thr Gly Gly Val Glu Arg Glu Gly Gly Thr Ser Ile  
                   85                  90                  95  
 Thr Leu Lys Val Glu Ser Ser Tyr Phe Leu Arg Cys Glu Gly Phe Phe  
           100                  105                  110  
 Ile Ser Leu Phe Ser Glu Cys Gln Gly Ser Glu Val Pro Leu Thr Val  
           115                  120                  125  
 Asn Leu Trp Trp Ala Gly Ala Gly Gly Glu Gly Gly Gly Leu Ala Pro  
           130                  135                  140  
 Ser Leu Pro Ala Phe Cys Cys Pro Cys Leu Thr Met Pro Ala Asn Trp  
           145                  150                  155                  160  
 Arg Xaa His Gly Cys Thr Ser Ile Pro Pro Glu  
                   165                  170

<210> 910  
 <211> 46  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 910

Gly Ser Pro Thr Glu Thr Leu Leu Arg Leu Leu Pro Leu Asp Ser  
1 5 10 15

Gln Val Arg Pro Ser Ser Gln Arg Ser Ala Xaa Ala Val Gly Arg Pro  
20 25 30

Arg Arg Gly Arg Ser Glu Gly Leu Thr Lys Pro Ser Asn Arg  
35 40 45

<210> 911

<211> 1242

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (224)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (1013)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (1034)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 911

Ala Pro His Leu Thr Leu Arg Pro Cys Gly Cys Cys Ser Gly Ala Gly  
1 5 10 15

Leu Leu Pro Gly Gln Gly Pro Gly Ile Met Tyr Ile Lys Gln Val Ile  
20 25 30

Ile Gln Gly Phe Arg Ser Tyr Arg Asp Gln Thr Ile Val Asp Pro Phe  
35 40 45

Ser Ser Lys His Asn Val Ile Val Gly Arg Asn Gly Ser Gly Lys Ser  
50 55 60

Asn Phe Phe Tyr Ala Ile Gln Phe Val Leu Ser Asp Glu Phe Ser His  
65 70 75 80

Leu Arg Pro Glu Gln Arg Leu Ala Leu Leu His Glu Gly Thr Gly Pro  
                     85                    90                    95

Arg Val Ile Ser Ala Phe Val Glu Ile Ile Phe Asp Asn Ser Asp Asn  
                     100                    105                    110

Arg Leu Pro Ile Asp Lys Glu Glu Val Ser Leu Arg Arg Val Ile Gly  
                     115                    120                    125

Ala Lys Lys Asp Gln Tyr Phe Leu Asp Lys Lys Met Val Thr Lys Asn  
                     130                    135                    140

Asp Val Met Asn Leu Leu Glu Ser Ala Gly Phe Ser Arg Ser Asn Pro  
 145                    150                    155                    160

Tyr Tyr Ile Val Lys Gln Gly Lys Ile Asn Gln Met Ala Thr Ala Pro  
                     165                    170                    175

Asp Ser Gln Arg Leu Lys Leu Leu Arg Glu Val Ala Gly Thr Arg Val  
                     180                    185                    190

Tyr Asp Glu Arg Lys Glu Glu Ser Ile Ser Leu Met Lys Glu Thr Glu  
                     195                    200                    205

Gly Lys Arg Glu Lys Ile Asn Glu Leu Leu Lys Tyr Ile Glu Glu Xaa  
                     210                    215                    220

Leu His Thr Leu Glu Glu Glu Lys Glu Glu Leu Ala Gln Tyr Gln Lys  
 225                    230                    235                    240

Trp Asp Lys Met Arg Arg Ala Leu Glu Tyr Thr Ile Tyr Asn Gln Glu  
                     245                    250                    255

Leu Asn Glu Thr Arg Ala Lys Leu Asp Glu Leu Ser Ala Lys Arg Glu  
                     260                    265                    270

Thr Ser Gly Glu Lys Ser Arg Gln Leu Arg Asp Ala Gln Gln Asp Ala  
                     275                    280                    285

Arg Asp Lys Met Glu Asp Ile Glu Arg Gln Val Arg Glu Leu Lys Thr  
                     290                    295                    300

Lys Ile Ser Ala Met Lys Glu Glu Lys Glu Gln Leu Ser Ala Glu Arg  
 305                    310                    315                    320

Gln Glu Gln Ile Lys Gln Arg Thr Lys Leu Glu Leu Lys Ala Lys Asp  
                     325                    330                    335

Leu Gln Asp Glu Leu Ala Gly Asn Ser Glu Gln Arg Lys Arg Leu Leu  
                     340                    345                    350



Lys Glu Arg Gln Lys Leu Leu Glu Lys Ile Glu Glu Lys Gln Lys Glu  
355 360 365

Leu Ala Glu Thr Glu Pro Lys Phe Asn Ser Val Lys Glu Lys Glu Glu  
370 375 380

Arg Gly Ile Ala Arg Leu Ala Gln Ala Thr Gln Glu Arg Thr Asp Leu  
385 390 395 400

Tyr Ala Lys Gln Gly Arg Gly Ser Gln Phe Thr Ser Lys Glu Glu Arg  
405 410 415

Asp Lys Trp Ile Lys Lys Glu Leu Lys Ser Leu Asp Gln Ala Ile Asn  
420 425 430

Asp Lys Lys Arg Gln Ile Ala Ala Ile His Lys Asp Leu Glu Asp Thr  
435 440 445

Glu Ala Asn Lys Glu Lys Asn Leu Glu Gln Tyr Asn Lys Leu Asp Gln  
450 455 460

Asp Leu Asn Glu Val Lys Ala Arg Val Glu Glu Leu Asp Arg Lys Tyr  
465 470 475 480

Tyr Glu Val Lys Asn Lys Lys Asp Glu Leu Gln Ser Glu Arg Asn Tyr  
485 490 495

Leu Trp Arg Glu Glu Asn Ala Glu Gln Gln Ala Leu Ala Ala Lys Arg  
500 505 510

Glu Asp Leu Glu Lys Lys Gln Gln Leu Leu Arg Ala Ala Thr Gly Lys  
515 520 525

Ala Ile Leu Asn Gly Ile Asp Ser Ile Asn Lys Val Leu Asp His Phe  
530 535 540

Arg Arg Lys Gly Ile Asn Gln His Val Gln Asn Gly Tyr His Gly Ile  
545 550 555 560

Val Met Asn Asn Phe Glu Cys Glu Pro Ala Phe Tyr Thr Cys Val Glu  
565 570 575

Val Thr Ala Gly Asn Arg Leu Phe Tyr His Ile Val Asp Ser Asp Glu  
580 585 590

Val Ser Thr Lys Ile Leu Met Glu Phe Asn Lys Met Asn Leu Pro Gly  
595 600 605

Glu Val Thr Phe Leu Pro Leu Asn Lys Leu Asp Val Arg Asp Thr Ala  
610 615 620

Tyr Pro Glu Thr Asn Asp Ala Ile Pro Met Ile Ser Lys Leu Arg Tyr  
625 630 635 640

Asn Pro Arg Phe Asp Lys Ala Phe Lys His Val Phe Gly Lys Thr Leu  
645 650 655

Ile Cys Arg Ser Met Glu Val Ser Thr Gln Leu Ala Arg Ala Phe Thr  
660 665 670

Met Asp Cys Ile Thr Leu Glu Gly Asp Gln Val Ser His Arg Gly Ala  
675 680 685

Leu Thr Gly Gly Tyr Tyr Asp Thr Arg Lys Ser Arg Leu Glu Leu Gln  
690 695 700

Lys Asp Val Arg Lys Ala Glu Glu Glu Leu Gly Glu Leu Glu Ala Lys  
705 710 715 720

Leu Asn Glu Asn Leu Arg Arg Asn Ile Glu Arg Ile Asn Asn Glu Ile  
725 730 735

Asp Gln Leu Met Asn Gln Met Gln Gln Ile Glu Thr Gln Gln Arg Lys  
740 745 750

Phe Lys Ala Ser Arg Asp Ser Ile Leu Ser Glu Met Lys Met Leu Lys  
755 760 765

Glu Lys Arg Gln Gln Ser Glu Lys Thr Phe Met Pro Lys Gln Arg Ser  
770 775 780

Leu Gln Ser Leu Glu Ala Ser Leu His Ala Met Glu Ser Thr Arg Glu  
785 790 795 800

Ser Leu Lys Ala Glu Leu Gly Thr Asp Leu Leu Ser Gln Leu Ser Leu  
805 810 815

Glu Asp Gln Lys Arg Val Asp Ala Leu Asn Asp Glu Ile Arg Gln Leu  
820 825 830

Gln Gln Glu Asn Arg Gln Leu Leu Asn Glu Arg Ile Lys Leu Glu Gly  
835 840 845

Ile Ile Thr Arg Val Glu Thr Tyr Leu Asn Glu Asn Leu Arg Lys Arg  
850 855 860

Leu Asp Gln Val Glu Gln Glu Leu Asn Glu Leu Arg Glu Thr Glu Gly  
865 870 875 880

Gly Thr Val Leu Thr Ala Thr Thr Ser Glu Leu Glu Ala Ile Asn Lys  
885 890 895

Arg Val Lys Asp Thr Met Ala Arg Ser Glu Asp Leu Asp Asn Ser Ile  
900 905 910

Asp Lys Thr Glu Ala Gly Ile Lys Glu Leu Gln Lys Ser Met Glu Arg  
915 920 925

Trp Lys Asn Met Glu Lys Glu His Met Asp Ala Ile Asn His Asp Thr  
930 935 940

Lys Glu Leu Glu Lys Met Thr Asn Arg Gln Gly Met Leu Leu Lys Lys  
945 950 955 960

Lys Glu Glu Cys Met Lys Lys Ile Arg Glu Leu Gly Ser Leu Pro Gln  
965 970 975

Glu Ala Phe Glu Lys Tyr Gln Thr Leu Ser Leu Lys Gln Leu Phe Arg  
980 985 990

Lys Leu Glu Gln Cys Asn Thr Glu Leu Lys Lys Tyr Ser His Val Asn  
995 1000 1005

Lys Lys Ala Leu Xaa Gln Phe Val Asn Phe Ser Glu Gln Lys Glu Lys  
1010 1015 1020

Leu Ile Lys Arg Gln Glu Glu Leu Asp Xaa Gly Tyr Lys Ser Ile Met  
1025 1030 1035 1040

Glu Leu Met Asn Val Leu Glu Leu Arg Lys Tyr Glu Ala Ile Gln Leu  
1045 1050 1055

Thr Phe Lys Gln Val Ser Lys Asn Phe Ser Glu Val Phe Gln Lys Leu  
1060 1065 1070

Val Pro Gly Gly Lys Ala Thr Leu Val Met Lys Lys Gly Asp Val Glu  
1075 1080 1085

Gly Ser Gln Ser Gln Asp Glu Gly Glu Gly Ser Gly Glu Ser Glu Arg  
1090 1095 1100

Gly Ser Gly Ser Gln Ser Ser Val Pro Ser Val Asp Gln Phe Thr Gly  
1105 1110 1115 1120

Val Gly Ile Arg Val Ser Phe Thr Gly Lys Gln Gly Glu Met Arg Glu  
1125 1130 1135

Met Gln Gln Leu Ser Gly Gly Gln Lys Ser Leu Val Ala Leu Ala Leu  
1140 1145 1150

Ile Phe Ala Ile Gln Lys Cys Asp Pro Ala Pro Phe Tyr Leu Phe Asp  
1155 1160 1165

Glu Ile Asp Gln Ala Leu Asp Ala Gln His Arg Lys Ala Val Ser Asp  
 1170 1175 1180

Met Ile Met Glu Leu Ala Val His Ala Gln Phe Ile Thr Thr Thr Phe  
 1185 1190 1195 1200

Arg Pro Glu Leu Leu Glu Ser Ala Asp Lys Phe Tyr Gly Val Lys Phe  
 1205 1210 1215

Arg Asn Lys Val Ser His Ile Asp Val Ile Thr Ala Glu Met Ala Lys  
 1220 1225 1230

Asp Phe Val Glu Asp Asp Thr Thr His Gly  
 1235 1240

<210> 912  
 <211> 172  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (109)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (143)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (158)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 912  
 Glu Glu Lys Thr Glu Pro Pro Leu Ser Phe Gly Arg Gly Trp Gln Thr  
 1 5 10 15

Val Lys Glu Met Ser Val Leu Arg His Val Gly Ile Gly Ser Asp Ala  
 20 25 30

Pro Pro Met Glu Arg Phe Val Asn Thr Lys Thr Trp Lys Val Arg Gly  
 35 40 45

Leu Ser Thr Lys Arg His Gly Arg Leu Gly Leu Ser Thr Gln Arg His  
 50 55 60

Gly Arg Leu Glu Val Cys Gln His Lys Asp Thr Gly Arg Met Gly Cys



Lys Arg Arg Gln Lys Ile Glu Met Trp Asp Ser Met Gln Glu Gly Lys  
130 135 140

Ser Tyr Lys Gly Asn Ala Lys Lys Pro Gln Glu Glu Asp Ser Pro Gly  
145 150 155 160

Pro Ser Thr Ser Ser Val Leu Lys Arg Lys Ser Asp Arg Lys Pro Leu  
165 170 175

Arg Gly Gly Gly Tyr Asn Pro Leu Ser Gly Glu Gly Gly Gly Ala Cys  
180 185 190

Ser Trp Arg Pro Gly Arg Arg Gly Pro Ser Ser Gly Gly  
195 200 205

<210> 914  
<211> 198  
<212> PRT  
<213> Homo sapiens

<400> 914

Ile Leu Gln Val Pro Val Arg Asn Ser Arg Val Tyr Pro Arg Val Arg  
1 5 10 15

Val Arg Asn Val Pro Trp Glu Phe Gly Asp Val Ile Pro Asp Tyr Val  
20 25 30

Leu Gly Gln Ser Thr Cys Ala Leu Phe Leu Ser Leu Arg Tyr His Asn  
35 40 45

Leu His Pro Asp Tyr Ile His Gly Arg Leu Gln Ser Leu Gly Lys Asn  
50 55 60

Phe Ala Leu Arg Val Leu Val Gln Val Asp Val Lys Asp Pro Gln  
65 70 75 80

Gln Ala Leu Lys Glu Leu Ala Lys Met Cys Ile Leu Ala Asp Cys Thr  
85 90 95

Leu Ile Leu Ala Trp Ser Pro Glu Glu Ala Gly Arg Tyr Leu Glu Thr  
100 105 110

Tyr Lys Ala Tyr Glu Gln Lys Pro Ala Asp Leu Leu Met Glu Lys Leu  
115 120 125

Glu Gln Asp Phe Val Ser Arg Val Thr Glu Cys Leu Thr Thr Val Lys  
130 135 140

Ser Val Asn Lys Thr Asp Ser Gln Thr Leu Leu Thr Thr Phe Gly Ser  
 145 150 155 160

Leu Glu Gln Leu Ile Ala Ala Ser Arg Glu Asp Leu Ala Leu Cys Pro  
 165 170 175

Gly Leu Gly Pro Gln Lys Ala Arg Arg Leu Phe Asp Val Leu His Glu  
 180 185 190

Pro Phe Leu Lys Val Pro  
 195

<210> 915

<211> 300

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (70)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 915

Gly Thr Val Asp Ile Glu Ser Leu Thr Gly Tyr Arg Thr Tyr Arg Cys  
 1 5 10 15

Ala His Pro Leu Ala Thr Leu Phe Lys Ile Leu Ala Ser Phe Tyr Ile  
 20 25 30

Ser Leu Val Ile Phe Tyr Gly Leu Ile Cys Met Tyr Thr Leu Trp Trp  
 35 40 45

Met Leu Arg Arg Ser Leu Lys Lys Tyr Ser Phe Glu Ser Ile Arg Glu  
 50 55 60

Glu Ser Ser Tyr Ser Xaa Ile Pro Asp Val Lys Asn Asp Phe Ala Phe  
 65 70 75 80

Met Leu His Leu Ile Asp Gln Tyr Asp Pro Leu Tyr Ser Lys Arg Phe  
 85 90 95

Ala Val Phe Leu Ser Glu Val Ser Glu Asn Lys Leu Arg Gln Leu Asn  
 100 105 110

Leu Asn Asn Glu Trp Thr Leu Asp Lys Leu Arg Gln Arg Leu Thr Lys  
 115 120 125

Asn Ala Gln Asp Lys Leu Glu Leu His Leu Phe Met Leu Ser Gly Ile  
 130 135 140

Pro Asp Thr Val Phe Asp Leu Val Glu Leu Glu Val Leu Lys Leu Glu  
 145 150 155 160

Leu Ile Pro Asp Val Thr Ile Pro Pro Ser Ile Ala Gln Leu Thr Gly  
 165 170 175

Leu Lys Glu Leu Trp Leu Tyr His Thr Ala Ala Lys Ile Glu Ala Pro  
 180 185 190

Ala Leu Ala Phe Leu Arg Glu Asn Leu Arg Ala Leu His Ile Lys Phe  
 195 200 205

Thr Asp Ile Lys Glu Ile Pro Leu Trp Ile Tyr Ser Leu Lys Thr Leu  
 210 215 220

Glu Glu Leu His Leu Thr Gly Asn Leu Ser Ala Glu Asn Asn Arg Tyr  
 225 230 235 240

Ile Val Ile Asp Gly Leu Arg Glu Leu Lys Arg Leu Lys Val Leu Arg  
 245 250 255

Leu Lys Ser Asn Leu Ser Lys Leu Pro Gln Val Val Thr Asp Val Gly  
 260 265 270

Val His Leu Gln Lys Leu Ser Ile Asn Asn Glu Gly Thr Lys Leu Ile  
 275 280 285

Val Leu Asn Ser Leu Lys Lys Met Ala Lys Pro Asp  
 290 295 300

<210> 916

<211> 157

<212> PRT

<213> Homo sapiens

<400> 916

Gln Val Ala Met Gly Ser Leu Ser Gly Leu Arg Leu Ala Ala Gly Ser  
 1 5 10 15

Cys Phe Arg Leu Cys Glu Arg Asp Val Ser Ser Ser Leu Arg Leu Thr  
 20 25 30

Arg Ser Ser Asp Leu Lys Arg Ile Asn Gly Phe Cys Thr Lys Pro Gln  
 35 40 45

Glu Ser Pro Gly Ala Pro Ser Arg Thr Tyr Asn Arg Val Pro Leu His  
 50 55 60



Lys Pro Thr Asp Trp Gln Lys Lys Ile Leu Ile Trp Ser Gly Arg Phe  
65 70 75 80

Lys Lys Glu Asp Glu Ile Pro Glu Thr Val Ser Leu Glu Met Leu Asp  
85 90 95

Ala Ala Lys Asn Lys Met Arg Val Lys Ile Ser Tyr Leu Met Ile Ala  
100 105 110

Leu Thr Val Val Gly Cys Ile Phe Met Val Ile Glu Gly Lys Lys Ala  
115 120 125

Ala Gln Arg His Glu Thr Leu Thr Ser Leu Asn Leu Glu Lys Lys Ala  
130 135 140

Arg Leu Lys Glu Glu Ala Ala Met Lys Ala Lys Thr Glu  
145 150 155

<210> 917

<211> 77

<212> PRT

<213> Homo sapiens

<400> 917

Ile Lys Val Met Asn Lys Thr Phe His Pro Leu Lys His Phe Pro Val  
1 5 10 15

Leu Arg Phe Leu Phe Val Phe Val Val Ser Ser Pro Cys Tyr Pro Phe  
20 25 30

Cys Pro Phe Ser Leu Thr Met Val Ile Trp Ser Leu Gly Ser Tyr Gln  
35 40 45

Ser Pro Arg Asp Ile Leu Gln Ser Leu Ser Pro Phe Trp Val Asp Phe  
50 55 60

Ile Leu Phe Tyr Phe Val Phe Phe Lys Lys Ile Thr Phe  
65 70 75

<210> 918

<211> 187

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 918

Thr Phe Ala Ala Ala Leu Ser Ser Ser Xaa Gly Cys Pro Ser Arg Ala  
1 5 10 15

Gln Val Thr Thr Asp Xaa Leu Pro Ala Cys Arg Ser Cys Ala Cys Arg  
20 25 30

Pro Ala Gly Leu Cys Thr Leu Gln Thr Thr Leu Leu Trp Phe Leu Gly  
35 40 45

Arg Ala Gln Gln Tyr Leu Ala Ala Trp Asp Pro Ala Ser Phe Leu Leu  
50 55 60

Leu Ile Gln Lys Asp Leu Pro Pro Leu Leu His Glu Ala Glu Ala Leu  
65 70 75 80

Tyr Ser Leu Ala Ser Glu Glu Ser Leu Ala Leu Glu Val Glu Gln Gln  
85 90 95

Leu Gly Leu Glu Ile Gln Lys Leu Thr Ala Gln Ile Gln Leu Leu Pro  
100 105 110

Glu Glu Ser Leu Ser Val Phe Ser Gln Glu Cys His Lys Gln Ala Met  
115 120 125

Gln Gly Phe Lys Leu Tyr Met Pro Arg Gly Arg Tyr Trp Arg Leu Arg  
130 135 140

Leu Cys Pro Glu Pro Pro Ser Ala Pro Ser Glu Tyr Ala Gly Leu Val  
145 150 155 160

Val Arg Thr Val Leu Glu Pro Val Leu Gln Gly Leu Gln Gly Leu His  
165 170 175

Leu Lys Pro Arg Pro Leu Pro Leu Val Arg Leu  
180 185

<210> 919

<211> 260

<212> PRT

<213> Homo sapiens

&lt;400&gt; 919

```

Asn Ser Arg Thr Asp Val Arg Met Glu Thr Asp Leu Glu Val Ile Ile
 1             5             10             15

Lys Asp Asn Ser Leu Val Leu Thr Pro Ser His Ile Lys Ala Tyr Met
      20             25             30

Leu Met Thr Leu Gln Gly Leu Glu Tyr Leu His Gln His Trp Ile Leu
      35             40             45

His Arg Asp Leu Lys Pro Asn Asn Leu Leu Leu Asp Glu Asn Gly Val
      50             55             60

Leu Lys Leu Ala Asp Phe Gly Leu Ala Lys Ser Phe Gly Ser Pro Asn
65             70             75             80

Arg Ala Tyr Thr His Gln Val Val Thr Arg Trp Tyr Arg Ala Pro Glu
      85             90             95

Leu Leu Phe Gly Ala Arg Met Tyr Gly Val Gly Val Asp Met Trp Ala
      100            105            110

Val Gly Cys Ile Leu Ala Glu Leu Leu Arg Val Pro Phe Leu Pro
      115            120            125

Gly Asp Ser Asp Leu Asp Gln Leu Thr Arg Ile Phe Glu Thr Leu Gly
      130            135            140

Thr Pro Thr Glu Glu Gln Trp Pro Asp Met Cys Ser Leu Pro Asp Tyr
145            150            155            160

Val Thr Phe Lys Ser Phe Pro Gly Ile Pro Leu His His Ile Phe Ser
      165            170            175

Ala Ala Gly Asp Asp Leu Leu Asp Leu Ile Gln Gly Leu Phe Leu Phe
      180            185            190

Asn Pro Cys Ala Arg Ile Thr Ala Thr Gln Ala Leu Lys Met Lys Tyr
      195            200            205

Phe Ser Asn Ala Pro Gly Pro Thr Pro Gly Cys Gln Leu Pro Arg Pro
      210            215            220

Asn Cys Pro Val Glu Thr Leu Lys Glu Gln Ser Asn Pro Ala Leu Ala
225            230            235            240

Ile Lys Arg Lys Arg Thr Glu Ala Leu Glu Gln Gly Gly Leu Pro Lys
      245            250            255

Lys Leu Ile Phe
      260

```

&lt;210&gt; 920

&lt;211&gt; 345

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 920

Leu	Pro	Val	Arg	Ala	Glu	Pro	Thr	Arg	Ala	Ala	Ala	Met	Ser	Gly	Asp
1				5					10					15	
Glu	Met	Ile	Phe	Asp	Pro	Thr	Met	Ser	Lys	Lys	Lys	Lys	Lys	Lys	Lys
			20					25					30		
Lys	Pro	Phe	Met	Leu	Asp	Glu	Glu	Gly	Asp	Thr	Gln	Thr	Glu	Glu	Thr
		35					40					45			
Gln	Pro	Ser	Glu	Thr	Lys	Glu	Val	Glu	Pro	Glu	Pro	Thr	Glu	Asp	Lys
	50					55					60				
Asp	Leu	Glu	Ala	Asp	Glu	Glu	Asp	Thr	Arg	Lys	Lys	Asp	Ala	Ser	Asp
65					70					75					80
Asp	Leu	Asp	Asp	Leu	Asn	Phe	Phe	Asn	Gln	Lys	Lys	Lys	Lys	Lys	Lys
			85						90					95	
Thr	Lys	Lys	Ile	Phe	Asp	Ile	Asp	Glu	Ala	Glu	Glu	Gly	Val	Lys	Asp
			100					105					110		
Leu	Lys	Ile	Glu	Ser	Asp	Val	Gln	Glu	Pro	Thr	Glu	Pro	Glu	Asp	Asp
		115					120					125			
Leu	Asp	Ile	Met	Leu	Gly	Asn	Lys	Lys	Lys	Lys	Lys	Lys	Asn	Val	Lys
	130					135					140				
Phe	Pro	Asp	Glu	Asp	Glu	Ile	Leu	Glu	Lys	Asp	Glu	Ala	Leu	Glu	Asp
145					150					155					160
Glu	Asp	Asn	Lys	Lys	Asp	Asp	Gly	Ile	Ser	Phe	Ser	Asn	Gln	Thr	Gly
			165						170					175	
Pro	Ala	Trp	Ala	Gly	Ser	Glu	Arg	Asp	Tyr	Thr	Tyr	Glu	Glu	Leu	Leu
			180					185					190		
Asn	Arg	Val	Phe	Asn	Ile	Met	Arg	Glu	Lys	Asn	Pro	Asp	Met	Val	Ala
		195					200					205			
Gly	Glu	Lys	Arg	Lys	Phe	Val	Met	Lys	Pro	Pro	Gln	Val	Val	Arg	Val
	210					215					220				

Gly Thr Lys Lys Thr Ser Phe Val Asn Phe Thr Asp Ile Cys Lys Leu  
 225 230 235 240

Leu His Arg Gln Pro Lys His Leu Leu Ala Phe Leu Leu Ala Glu Leu  
 245 250 255

Gly Thr Ser Gly Ser Ile Asp Gly Asn Asn Gln Leu Val Ile Lys Gly  
 260 265 270

Arg Phe Gln Gln Lys Gln Ile Glu Asn Val Leu Arg Arg Tyr Ile Lys  
 275 280 285

Glu Tyr Val Thr Cys His Thr Cys Arg Ser Pro Asp Thr Ile Leu Gln  
 290 295 300

Lys Asp Thr Arg Leu Tyr Phe Leu Gln Cys Glu Thr Cys His Ser Arg  
 305 310 315 320

Cys Ser Val Ala Ser Ile Lys Thr Gly Phe Gln Ala Val Thr Gly Lys  
 325 330 335

Arg Ala Gln Leu Arg Ala Lys Ala Asn  
 340 345

<210> 921  
 <211> 34  
 <212> PRT  
 <213> Homo sapiens

<400> 921  
 Pro Val Gln Arg Lys Ile Glu Ala Arg Ser Ala Glu Asp Ser Phe Thr  
 1 5 10 15

Gly Phe Val Arg Thr Leu Tyr Phe Ala Asp Thr Tyr Leu Lys Glu Cys  
 20 25 30

Gln Gly

<210> 922  
 <211> 215  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 922

Trp	Ile	Pro	Ala	Gln	Asp	Ser	His	Val	Pro	Pro	Gly	Leu	Ser	Met	Ala
1				5					10					15	
Leu	Ser	Trp	Val	Leu	Thr	Val	Leu	Ser	Leu	Leu	Pro	Leu	Leu	Glu	Ala
			20					25					30		
Gln	Ile	Pro	Leu	Cys	Ala	Asn	Leu	Val	Pro	Val	Pro	Ile	Thr	Asn	Ala
		35					40					45			
Thr	Leu	Asp	Xaa	Ile	Thr	Gly	Lys	Trp	Phe	Tyr	Ile	Ala	Ser	Ala	Phe
	50					55					60				
Arg	Asn	Glu	Glu	Tyr	Asn	Lys	Ser	Val	Gln	Glu	Ile	Gln	Ala	Thr	Phe
65					70					75					80
Phe	Tyr	Phe	Thr	Pro	Asn	Lys	Thr	Glu	Asp	Thr	Ile	Phe	Leu	Arg	Glu
				85					90					95	
Tyr	Gln	Thr	Arg	Gln	Asp	Gln	Cys	Ile	Tyr	Asn	Thr	Thr	Tyr	Leu	Asn
		100						105					110		
Val	Gln	Arg	Glu	Asn	Gly	Thr	Ile	Ser	Arg	Tyr	Val	Gly	Gly	Gln	Glu
	115						120					125			
His	Phe	Ala	His	Leu	Leu	Ile	Leu	Arg	Asp	Thr	Lys	Thr	Tyr	Met	Leu
	130					135					140				
Ala	Phe	Asp	Val	Asn	Asp	Glu	Lys	Asn	Trp	Gly	Leu	Ser	Val	Tyr	Ala
145					150					155					160
Asp	Lys	Pro	Glu	Thr	Thr	Lys	Glu	Gln	Leu	Gly	Glu	Phe	Tyr	Glu	Ala
			165					170					175		
Leu	Asp	Cys	Leu	Arg	Ile	Pro	Lys	Ser	Asp	Val	Val	Tyr	Thr	Asp	Trp
		180						185					190		
Lys	Lys	Asp	Lys	Cys	Glu	Pro	Leu	Glu	Lys	Gln	His	Glu	Lys	Glu	Arg
	195						200					205			
Lys	Gln	Glu	Glu	Gly	Glu	Ser									
	210					215									

<210> 923

<211> 358

<212> PRT

<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (9)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (19)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (25)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 923

Cys	Ala	Met	Pro	Ile	Gly	Cys	Pro	Xaa	Ser	Ser	Leu	Gly	Asn	Ser	Ala
1				5				10					15		

Arg	Leu	Xaa	Gln	Lys	Gln	Gln	Gln	Xaa	Ala	Gly	Arg	Glu	Thr	Ser	Thr
			20					25					30		

Cys	Ser	Leu	Arg	Ile	Ile	Ser	Ala	Pro	Thr	Met	Ala	Thr	Phe	Val	Glu
		35					40					45			

Leu	Ser	Thr	Lys	Ala	Lys	Met	Pro	Ile	Val	Gly	Leu	Gly	Thr	Trp	Lys
		50				55					60				

Ser	Pro	Leu	Gly	Lys	Val	Lys	Glu	Ala	Val	Lys	Val	Ala	Ile	Asp	Ala
65					70					75				80	

Gly	Tyr	Arg	His	Ile	Asp	Cys	Ala	Tyr	Val	Tyr	Gln	Asn	Glu	His	Glu
			85						90					95	

Val	Gly	Glu	Ala	Ile	Gln	Glu	Lys	Ile	Gln	Glu	Lys	Ala	Val	Lys	Arg
			100					105					110		

Glu	Asp	Leu	Phe	Ile	Val	Ser	Lys	Leu	Trp	Pro	Thr	Phe	Phe	Glu	Arg
		115					120					125			

Pro	Leu	Val	Arg	Lys	Ala	Phe	Glu	Lys	Thr	Leu	Lys	Asp	Leu	Lys	Leu
		130				135					140				

Ser	Tyr	Leu	Asp	Val	Tyr	Leu	Ile	His	Trp	Pro	Gln	Gly	Phe	Lys	Ser
145					150					155				160	

Gly	Asp	Asp	Leu	Phe	Pro	Lys	Asp	Asp	Lys	Gly	Asn	Ala	Ile	Gly	Gly
			165						170					175	

Lys	Ala	Thr	Phe	Leu	Asp	Ala	Trp	Glu	Ala	Met	Glu	Glu	Leu	Val	Asp
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

180	185	190
Glu Gly Leu Val Lys Ala Leu Gly Val Ser Asn Phe Ser His Phe Gln		
195	200	205
Ile Glu Lys Leu Leu Asn Lys Pro Gly Leu Lys Tyr Lys Pro Val Thr		
210	215	220
Asn Gln Val Glu Cys His Pro Tyr Leu Thr Gln Glu Lys Leu Ile Gln		
225	230	235
Tyr Cys His Ser Lys Gly Ile Thr Val Thr Ala Tyr Ser Pro Leu Gly		
245	250	255
Ser Pro Asp Arg Pro Trp Ala Lys Pro Glu Asp Pro Ser Leu Leu Glu		
260	265	270
Asp Pro Lys Ile Lys Glu Ile Ala Ala Lys His Lys Lys Thr Ala Ala		
275	280	285
Gln Val Leu Ile Arg Phe His Ile Gln Arg Asn Val Ile Val Ile Pro		
290	295	300
Lys Ser Val Thr Pro Ala Arg Ile Val Glu Asn Ile Gln Val Phe Asp		
305	310	315
Phe Lys Leu Ser Asp Glu Glu Met Ala Thr Ile Leu Ser Phe Asn Arg		
325	330	335
Asn Trp Arg Ala Cys Asn Val Leu Gln Ser Ser His Leu Glu Asp Tyr		
340	345	350
Pro Phe Asp Ala Glu Tyr		
355		

&lt;210&gt; 924

&lt;211&gt; 75

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (2)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 924

Asn Xaa Ala Ser Met Pro Ser Pro Gln Arg Ala Ser Thr Arg Val Met
1                      5                      10                      15



Leu Ser Gly Asn Val Arg Cys Ser Cys His Arg Gly Pro Pro Pro Gly  
20 25 30  
Lys Cys Leu Val Ser Ser Gly Ser Arg Pro Gln Glu Arg Val Pro Cys  
35 40 45  
Gly Ala Leu Gly Ala Gly Pro Asp His His Gln Asp Ser Ser Leu Gly  
50 55 60  
Asp Arg Val Asn Ala Ile Ser Lys Asn Lys Asn  
65 70 75

<210> 925

<211> 252

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (226)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (227)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (229)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

&lt;222&gt; (249)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 925

Ala	Thr	Ala	Asp	Lys	Glu	Xaa	Pro	Gly	Lys	His	Gln	Lys	Gly	Asp	Glu
1				5					10					15	

Val	Ala	Gly	Ala	Gly	Arg	Phe	Ser	Glu	Arg	Leu	Pro	Glu	Cys	Gly	Arg
		20						25					30		

Ala	Ala	Val	Thr	His	Gln	Trp	Leu	Ser	Gln	Tyr	Pro	Arg	Ser	Ser	Arg
		35					40					45			

Gly	Xaa	His	Ala	His	Xaa	Val	Asn	Pro	Pro	Tyr	Tyr	Ile	Pro	Leu	Val
	50					55					60				

Glu	Leu	Val	Pro	His	Pro	Glu	Thr	Ala	Pro	Thr	Thr	Val	Asp	Arg	Thr
	65				70					75					80

His	Ala	Leu	Met	Lys	Lys	Ile	Gly	Gln	Cys	Pro	Met	Arg	Val	Gln	Lys
				85					90					95	

Glu	Val	Ala	Gly	Phe	Val	Leu	Asn	Arg	Leu	Gln	Tyr	Ala	Ile	Ile	Ser
		100						105					110		

Glu	Ala	Trp	Arg	Leu	Val	Glu	Glu	Gly	Ile	Val	Ser	Pro	Ser	Asp	Leu
		115						120					125		

Asp	Leu	Val	Met	Ser	Glu	Gly	Leu	Gly	Met	Arg	Tyr	Ala	Phe	Ile	Gly
	130					135					140				

Pro	Leu	Glu	Thr	Met	His	Leu	Asn	Ala	Glu	Gly	Met	Leu	Ser	Tyr	Cys
	145				150					155					160

Asp	Arg	Tyr	Ser	Glu	Gly	Ile	Lys	His	Val	Leu	Gln	Thr	Phe	Gly	Pro
			165						170					175	

Ile	Pro	Glu	Phe	Ser	Arg	Ala	Thr	Ala	Glu	Lys	Val	Asn	Gln	Asp	Met
		180						185					190		

Cys	Met	Lys	Val	Pro	Asp	Asp	Pro	Glu	His	Leu	Ala	Ala	Arg	Arg	Gln
		195					200					205			

Trp	Arg	Asp	Glu	Cys	Leu	Met	Arg	Leu	Ala	Lys	Leu	Lys	Ser	Gln	Val
	210					215					220				

Gln	Xaa	Xaa	Trp	Xaa	Phe	Pro	Pro	Phe	Leu	Phe	Ser	Leu	Ile	Ala	Phe
	225				230					235					240

Asp	Tyr	Ile	Leu	Gln	Pro	Val	Ile	Xaa	Val	Ser	Trp
			245						250		

&lt;210&gt; 926

&lt;211&gt; 220

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 926

Arg Pro Pro Leu Ser Trp Ser Ala Gly Pro Ser Leu Ala Ala Pro Ala  
1 5 10 15

Ala Met Ser Ser Glu Met Glu Pro Leu Leu Trp Ala Trp Ser Tyr Phe  
20 25 30

Arg Arg Arg Lys Phe Gln Leu Trp Pro Ile Tyr Ala Arg Arg Cys Trp  
35 40 45

Arg Ser Pro Leu Met Thr Arg Arg Leu Leu Gln Met Gly Ile Tyr Asn  
50 55 60

Gly Gln Leu Phe Asn Asn Leu Gly Leu Cys Cys Phe Tyr Ala Gln Gln  
65 70 75 80

Tyr Asp Met Thr Leu Thr Ser Phe Glu Arg Ala Leu Ser Leu Ala Glu  
85 90 95

Asn Glu Glu Glu Ala Ala Asp Val Trp Tyr Asn Leu Gly His Val Ala  
100 105 110

Val Gly Ile Gly Asp Thr Asn Leu Ala His Gln Cys Phe Arg Leu Ala  
115 120 125

Leu Val Asn Asn Asn Asn His Ala Glu Ala Tyr Asn Asn Leu Ala Val  
130 135 140

Leu Glu Met Arg Lys Gly His Val Glu Gln Ala Arg Ala Leu Leu Gln  
145 150 155 160

Thr Ala Ser Ser Leu Ala Pro His Met Tyr Glu Pro His Phe Asn Phe  
165 170 175

Ala Thr Ile Ser Asp Lys Ile Gly Asp Leu Gln Arg Ser Tyr Val Ala  
180 185 190

Ala Gln Lys Ser Glu Ala Ala Phe Pro Asp His Val Asp Thr Gln His  
195 200 205

Leu Ile Lys Gln Leu Arg Gln His Phe Ala Met Leu  
210 215 220

&lt;210&gt; 927

&lt;211&gt; 105

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 927

Ser Ser Trp Met Ser Ile Ser Ala Tyr Cys His Pro Ile Glu Thr Leu  
1 5 10 15

Val Asp Ile Phe Gln Glu Tyr Pro Asp Glu Ile Glu Tyr Ile Phe Lys  
20 25 30

Pro Ser Cys Val Pro Leu Met Arg Cys Gly Gly Cys Cys Asn Asp Glu  
35 40 45

Gly Leu Glu Cys Val Pro Thr Glu Glu Ser Asn Ile Thr Met Gln Ile  
50 55 60

Met Arg Ile Lys Pro His Gln Gly Gln His Ile Gly Glu Met Ser Phe  
65 70 75 80

Leu Gln His Asn Lys Cys Glu Cys Arg Pro Lys Lys Asp Arg Ala Arg  
85 90 95

Gln Glu Lys Cys Asp Lys Pro Arg Arg  
100 105

&lt;210&gt; 928

&lt;211&gt; 87

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (10)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (36)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (47)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 928

Ser Ser Leu Gly Lys Leu Asp His Gln Xaa Phe Ser Leu Asp Arg Val  
1 5 10 15

Ser Leu Val Asn Lys Gly Asp Thr Gly Asn Pro Glu Trp Thr Val Ile  
20 25 30

Cys Val Gly Xaa His Ser Gly Ser Gly Ala Ser Asp Thr Leu Xaa Pro  
35 40 45

Lys Thr Ala Pro Ser Phe Arg Leu Ala Tyr Glu Met Met Phe Met Cys  
50 55 60

Phe Leu Glu Thr Arg Trp Lys Glu Arg Gly Arg Ile Asn Phe Leu Ile  
65 70 75 80

Leu Leu Leu Leu Asn Val Met  
85

&lt;210&gt; 929

&lt;211&gt; 263

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (252)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (257)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 929

Ala Arg Ile Gly His Cys Val Glu Pro Pro Gly Ala Glu Ile Arg Met  
1 5 10 15

Phe Arg Phe Met Arg Asp Val Glu Pro Glu Asp Pro Met Phe Leu Met  
20 25 30

Asp Pro Phe Ala Ile His Arg Gln His Met Ser Arg Met Leu Ser Gly  
35 40 45

Gly Phe Gly Tyr Ser Pro Phe Leu Ser Ile Thr Asp Gly Asn Met Pro  
50 55 60

Gly Thr Arg Pro Ala Ser Arg Arg Met Gln Gln Ala Gly Ala Val Ser  
65 70 75 80

Pro Phe Gly Met Leu Gly Met Ser Gly Gly Phe Met Asp Met Phe Gly  
85 90 95

Met Met Asn Asp Met Ile Gly Asn Met Glu His Met Thr Ala Gly Gly  
100 105 110

Asn Cys Gln Thr Phe Ser Ser Ser Thr Val Ile Ser Tyr Ser Asn Thr  
115 120 125

Gly Asp Gly Ala Pro Lys Val Tyr Gln Glu Thr Ser Glu Met Arg Ser  
130 135 140

Ala Pro Gly Gly Ile Arg Glu Thr Arg Arg Thr Val Arg Asp Ser Asp  
145 150 155 160

Ser Gly Leu Glu Gln Met Ser Ile Gly His His Ile Arg Asp Arg Ala  
165 170 175

His Ile Leu Gln Arg Ser Arg Asn His Arg Thr Gly Asp Gln Glu Glu  
180 185 190

Arg Gln Asp Tyr Ile Asn Leu Asp Glu Ser Glu Ala Ala Ala Phe Asp  
195 200 205

Asp Glu Trp Arg Arg Glu Thr Ser Arg Phe Arg Gln Gln Arg Pro Leu  
210 215 220

Glu Phe Arg Arg Leu Glu Ser Ser Gly Ala Gly Gly Arg Arg Arg Arg  
225 230 235 240

Gly Leu Pro Ala Trp Pro Ser Arg Asp Leu Arg Xaa Pro Leu Ser Arg  
245 250 255

Xaa Ser Arg Arg Tyr Asp Trp  
260

<210> 930

<211> 308

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (110)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (115)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (152)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (225)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 930

Gly Leu Asn Pro Gly Leu Val Gly Leu Ser Val Ser Tyr Ser Leu Gln  
1 5 10 15

Val Thr Phe Ala Leu Asn Trp Met Ile Arg Met Met Ser Asp Leu Glu  
20 25 30

Ser Asn Ile Val Ala Val Glu Arg Val Lys Glu Tyr Ser Lys Thr Glu  
35 40 45

Thr Glu Ala Pro Trp Val Val Glu Gly Ser Arg Pro Pro Glu Gly Trp  
50 55 60

Pro Pro Arg Gly Glu Val Glu Phe Arg Asn Tyr Ser Val Arg Tyr Arg  
65 70 75 80

Pro Gly Leu Asp Leu Val Leu Arg Asp Leu Ser Leu His Val His Gly  
85 90 95

Gly Glu Lys Val Gly Ile Val Gly Arg Thr Gly Ala Gly Xaa Ser Ser  
100 105 110

Met Thr Xaa Cys Leu Phe Arg Ile Leu Glu Ala Ala Lys Gly Glu Ile  
115 120 125

Arg Ile Asp Gly Leu Asn Val Ala Asp Ile Gly Leu His Asp Leu Arg  
130 135 140

Ser Gln Leu Thr Ile Ile Pro Xaa Asp Pro Ile Leu Phe Ser Gly Thr  
145 150 155 160

Leu Arg Met Asn Leu Asp Pro Phe Gly Ser Tyr Ser Glu Glu Asp Ile  
165 170 175

Trp Trp Ala Leu Glu Leu Ser His Leu His Thr Phe Val Ser Ser Gln  
180 185 190

Pro Ala Ala Trp Asp Phe Gln Cys Ser Glu Gly Gly Glu Asn Leu Ser

195	200	205
Val Gly Gln Arg Gln Leu	Val Cys Leu Ala Arg	Ala Leu Leu Arg Lys
210	215	220
Xaa Arg Ile Leu Val Leu Asp Glu Ala Thr	Ala Ala Ile Asp Leu Glu	
225	230	235 240
Thr Asp Asn Leu Ile Gln Ala Thr Ile Arg Thr	Gln Phe Asp Thr Cys	
245	250	255
Thr Val Leu Thr Ile Ala His Arg Leu Asn Thr	Ile Met Asp Tyr Thr	
260	265	270
Arg Val Leu Val Leu Asp Lys Gly Val Val Ala Glu	Phe Asp Ser Pro	
275	280	285
Ala Asn Leu Ile Ala Ala Arg Gly Ile Phe Tyr	Gly Met Ala Arg Asp	
290	295	300
Ala Gly Leu Ala		
305		

<210> 931  
 <211> 46  
 <212> PRT  
 <213> Homo sapiens

<400> 931  
 Arg Gly Cys Ala Leu Ser Cys Ala Asp Val Gln His Leu Leu Tyr Phe  
 1 5 10 15  
 Asn Gly Ile Val Leu Leu Asp His Tyr Arg Thr Thr Asn Cys Gln Arg  
 20 25 30  
 Val Asn Thr Asp Asp Pro Asp Leu Thr Leu Asn Pro Leu Asp  
 35 40 45

<210> 932  
 <211> 334  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (127)  
 <223> Xaa equals any of the naturally occurring L-amino acids



&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (191)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (227)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (246)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 932

Glu Arg Glu Thr Ser Ser Leu Leu Leu Leu Gly Leu Ser Val Cys Ala  
1 5 10 15

Thr Gly Arg Lys Ala Cys Val Arg Leu Arg Glu Trp Ala Leu Ser Arg  
20 25 30

Pro Leu Thr Met Glu Glu Leu Glu Gln Gly Leu Leu Met Gln Pro Trp  
35 40 45

Ala Trp Leu Gln Leu Ala Glu Asn Ser Leu Leu Ala Lys Val Phe Ile  
50 55 60

Thr Lys Gln Gly Tyr Ala Leu Leu Val Ser Asp Leu Gln Gln Val Trp  
65 70 75 80

His Glu Gln Val Asp Thr Ser Val Val Ser Gln Arg Ala Lys Glu Leu  
85 90 95

Asn Lys Arg Leu Thr Ala Pro Pro Ala Ala Phe Leu Cys His Leu Asp  
100 105 110

Asn Leu Leu Arg Pro Leu Leu Lys Asp Ala Ala His Pro Ser Xaa Ala  
115 120 125

Thr Phe Ser Cys Asp Cys Val Ala Asp Ala Leu Ile Leu Arg Val Arg  
130 135 140

Ser Glu Leu Ser Gly Leu Pro Phe Tyr Trp Asn Phe His Cys Met Leu  
145 150 155 160

Ala Ser Pro Ser Leu Val Ser Gln His Leu Ile Arg Pro Leu Met Gly  
165 170 175

Met Ser Leu Ala Leu Gln Cys Gln Val Arg Glu Leu Ala Thr Xaa Leu

180	185	190
His Met Lys Asp Leu Glu Ile Gln Asp Tyr Gln Glu Ser Gly Ala Thr		
195	200	205
Leu Ile Arg Asp Arg Leu Lys Thr Glu Pro Phe Glu Glu Asn Ser Phe		
210	215	220
Leu Glu Xaa Phe Met Ile Glu Lys Leu Pro Glu Ala Cys Ser Ile Gly		
225	230	235
Asp Gly Lys Pro Phe Xaa Met Asn Leu Gln Asp Leu Tyr Met Ala Val		
245	250	255
Thr Thr Gln Glu Val Gln Val Gly Gln Lys His Gln Gly Ala Gly Asp		
260	265	270
Pro His Thr Ser Asn Ser Ala Ser Leu Gln Gly Ile Asp Ser Gln Cys		
275	280	285
Val Asn Gln Pro Glu Gln Leu Val Ser Ser Ala Pro Thr Leu Ser Ala		
290	295	300
Pro Glu Lys Glu Ser Thr Gly Thr Ser Gly Pro Leu Gln Arg Pro Gln		
305	310	315
Leu Ser Lys Val Lys Arg Lys Lys Pro Arg Gly Leu Phe Ser		
325	330	

&lt;210&gt; 933

&lt;211&gt; 89

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 933

Pro Ser Cys Gln Arg Pro Lys Ser Val Ser Trp Cys His Val His Thr		
1	5	10
Pro Cys His Phe Thr Leu His Leu Ser Pro Ser Phe Pro Met His Ala		
20	25	30
Tyr Ser Glu His Pro Cys Val Gly Pro Ser Ser Ala Ser Arg Ala Cys		
35	40	45
Ser Ala Val Gly Leu Phe Cys Gly Arg Lys Glu Ala Val Ser Ala Phe		
50	55	60
Ser Asp Gly Thr Gly Val Glu Gly Arg Ser Cys Ile Val Ala Leu Leu		
65	70	75
		80

Asn Ser Pro Phe Cys Ser Ile Leu Val  
85

<210> 934

<211> 314

<212> PRT

<213> Homo sapiens

<400> 934

Asp Pro Tyr Ser Gln Ser Ala Thr Ala Phe Asn Glu Met Ile Gln Glu  
1 5 10 15

Asn Gly Tyr Asn Phe Asp Arg Ser Ser Ser Thr Phe Ser Gly Ile Lys  
20 25 30

Glu Leu Ala Arg Arg Phe Ala Leu Thr Phe Gly Leu Asp Gln Leu Lys  
35 40 45

Thr Arg Glu Ala Ile Ala Met Leu His Lys Asp Gly Ile Glu Phe Ala  
50 55 60

Phe Lys Glu Pro Asn Pro Gln Gly Glu Ser His Pro Pro Leu Asn Leu  
65 70 75 80

Ala Phe Leu Asp Ile Leu Ser Glu Phe Ser Ser Lys Leu Leu Arg Gln  
85 90 95

Asp Lys Arg Thr Val Tyr Val Tyr Leu Glu Lys Phe Met Thr Phe Gln  
100 105 110

Met Ser Leu Arg Arg Glu Asp Val Trp Leu Pro Leu Met Ser Tyr Arg  
115 120 125

Asn Ser Leu Leu Ala Gly Gly Asp Asp Asp Thr Met Ser Val Ile Ser  
130 135 140

Gly Ile Ser Ser Arg Gly Ser Thr Val Arg Ser Lys Lys Ser Lys Pro  
145 150 155 160

Ser Thr Gly Lys Arg Lys Val Val Glu Gly Met Gln Leu Ser Leu Thr  
165 170 175

Glu Glu Ser Ser Ser Ser Asp Ser Met Trp Leu Ser Arg Glu Gln Thr  
180 185 190

Leu His Thr Pro Val Met Met Gln Thr Pro Gln Leu Thr Ser Thr Ile  
195 200 205

Met Arg Glu Pro Lys Arg Leu Arg Pro Glu Asp Ser Phe Met Ser Val  
210 215 220

Tyr Pro Met Gln Thr Glu His His Gln Thr Pro Leu Asp Tyr Asn Arg  
225 230 235 240

Arg Gly Thr Ser Leu Met Glu Asp Asp Glu Glu Pro Ile Val Glu Asp  
245 250 255

Val Met Met Ser Ser Glu Gly Arg Ile Glu Asp Leu Asn Glu Gly Met  
260 265 270

Asp Phe Asp Thr Met Asp Ile Asp Leu Pro Pro Ser Lys Asn Arg Arg  
275 280 285

Glu Arg Thr Glu Leu Lys Pro Asp Phe Phe Asp Pro Ala Ser Ile Met  
290 295 300

Asp Glu Ser Val Leu Gly Val Ser Met Phe  
305 310

<210> 935  
<211> 109  
<212> PRT  
<213> Homo sapiens

<400> 935  
Thr His Leu Ile Lys Glu Asn Ile Phe Pro Ala Arg Lys Val Tyr Ser  
1 5 10 15

Phe Ser Phe Lys Leu Ser His Leu Glu Gly Ser Cys Glu Leu Ala Tyr  
20 25 30

Leu Gln Val Val Lys Val Pro Phe Ser Val Leu Phe Cys Phe Val Leu  
35 40 45

Phe Phe Ser Phe Thr Gln Pro Asn Val Lys Val Val Asn Leu Gly Lys  
50 55 60

Ser Leu Val Met Lys Cys Glu Ser Cys Tyr Gln Ile Tyr Phe Ser Asp  
65 70 75 80

Val Ser Phe Leu Ile Leu Val Ala Asn Lys Thr Leu Thr Phe Ser Arg  
85 90 95

Phe Ile Asp Glu Val Lys Ser Leu Val Cys Cys Glu Leu  
100 105

<210> 936

<211> 82

<212> PRT

<213> Homo sapiens

<400> 936

Phe Gly Leu Phe Cys Thr Leu Tyr Lys Trp Thr His Ile Met Phe Ile  
1 5 10 15

Phe Trp Val Cys Leu Leu Ser Phe Asn Ile Arg Phe Val Gly Ser Ser  
20 25 30

Leu Leu Cys Val Val Leu Ser Cys Ser Leu Tyr Ser Val Pro Lys Tyr  
35 40 45

Ser Ile Leu Gln Phe Thr His Ser Thr Leu Asp Ser Lys Cys Phe His  
50 55 60

Ile Trp Ala Ile Thr Asn Ser Ala Ala Val Asn Ile His Ile His Ile  
65 70 75 80

Phe Trp

<210> 937

<211> 237

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (79)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (85)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 937

Phe Gln Leu Tyr Glu Lys Phe Leu His Arg Tyr Lys Met Ile Ser Glu  
1 5 10 15

Phe Thr Trp Pro Asn His Asp Leu Pro Ser Asp Lys Glu Ala Val Lys  
20 25 30

Lys Leu Ile Glu Arg Cys Gly Phe Gln Asp Asp Val Ala Tyr Gly Lys  
35 40 45

Thr Lys Ile Phe Ile Arg Thr Pro Arg Thr Leu Phe Thr Leu Glu Glu  
50 55 60

Leu Arg Ala Gln Met Leu Ile Arg Ile Val Leu Phe Leu Gln Xaa Val  
65 70 75 80

Trp Arg Gly Thr Xaa Ala Arg Met Arg Tyr Lys Arg Thr Lys Ala Ala  
85 90 95

Leu Thr Ile Ile Arg Tyr Tyr Arg Arg Tyr Lys Val Lys Ser Tyr Ile  
100 105 110

His Glu Val Ala Arg Arg Phe His Gly Val Lys Thr Met Arg Asp Tyr  
115 120 125

Gly Lys His Val Lys Trp Pro Ser Pro Pro Lys Val Leu Arg Arg Phe  
130 135 140

Glu Glu Ala Leu Gln Thr Ile Phe Asn Arg Trp Arg Ala Ser Gln Leu  
145 150 155 160

Ile Lys Ser Ile Pro Ala Ser Asp Leu Pro Gln Val Arg Ala Lys Val  
165 170 175

Ala Ala Val Glu Met Leu Lys Gly Gln Arg Ala Asp Leu Gly Leu Gln  
180 185 190

Arg Ala Trp Glu Gly Asn Tyr Leu Ala Ser Lys Pro Asp Thr Pro Gln  
195 200 205

Thr Ser Gly Thr Phe Val Pro Val Ala Asn Glu Leu Lys Arg Lys Asp  
210 215 220

Lys Tyr Met Asn Val Leu Phe Ser Cys His Val Arg Lys  
225 230 235

<210> 938

<211> 752

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (748)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 938

Ala Cys Trp Pro Ala Gly Leu Ser Arg His Ala Arg Pro Leu Ser Asn

1	5	10	15
Lys Met Leu Gln Gln Val Pro Glu Asn Ile Asn Phe Pro Ala Glu Glu	20	25	30
Glu Lys Ile Leu Glu Phe Trp Thr Glu Phe Asn Cys Phe Gln Glu Cys	35	40	45
Leu Lys Gln Ser Lys His Lys Pro Lys Phe Thr Phe Tyr Asp Gly Pro	50	55	60
Pro Phe Ala Thr Gly Leu Pro His Tyr Gly His Ile Leu Ala Gly Thr	65	70	75
Ile Lys Asp Ile Val Thr Arg Tyr Ala His Gln Ser Gly Phe His Val	85	90	95
Asp Arg Arg Phe Gly Trp Asp Cys His Gly Leu Pro Val Glu Tyr Glu	100	105	110
Ile Asp Lys Thr Leu Gly Ile Arg Gly Pro Glu Asp Val Ala Lys Met	115	120	125
Gly Ile Thr Glu Tyr Asn Asn Gln Cys Arg Ala Ile Val Met Arg Tyr	130	135	140
Ser Ala Glu Trp Lys Ser Thr Val Ser Arg Leu Gly Arg Trp Ile Asp	145	150	155
Phe Asp Asn Asp Tyr Lys Thr Leu Tyr Pro Gln Phe Met Glu Ser Val	165	170	175
Trp Trp Val Phe Lys Gln Leu Tyr Asp Lys Gly Leu Val Tyr Arg Gly	180	185	190
Val Lys Val Met Pro Phe Ser Thr Ala Cys Asn Thr Pro Leu Ser Asn	195	200	205
Phe Glu Ser His Gln Asn Tyr Lys Asp Val Gln Asp Pro Ser Val Phe	210	215	220
Val Thr Phe Pro Leu Glu Glu Asp Glu Thr Val Ser Leu Val Ala Trp	225	230	235
Thr Thr Thr Pro Trp Thr Leu Pro Ser Asn Leu Ala Val Cys Val Asn	245	250	255
Pro Glu Met Gln Tyr Val Lys Ile Lys Asp Val Ala Arg Gly Arg Leu	260	265	270
Leu Ile Leu Met Glu Ala Arg Leu Ser Ala Leu Tyr Lys Leu Glu Ser			

275	280	285
Asp Tyr Glu Ile Leu Glu Arg Phe Pro Gly Ala Tyr Leu Lys Gly Lys		
290	295	300
Lys Tyr Arg Pro Leu Phe Asp Tyr Phe Leu Lys Cys Lys Glu Asn Gly		
305	310	315 320
Ala Phe Thr Val Leu Val Asp Asn Tyr Val Lys Glu Glu Glu Gly Thr		
325	330	335
Gly Val Val His Gln Ala Pro Tyr Phe Gly Ala Glu Asp Tyr Arg Val		
340	345	350
Cys Met Asp Phe Asn Ile Ile Arg Lys Asp Ser Leu Pro Val Cys Pro		
355	360	365
Val Asp Ala Ser Gly Cys Phe Thr Thr Glu Val Thr Asp Phe Ala Gly		
370	375	380
Gln Tyr Val Lys Asp Ala Asp Lys Ser Ile Ile Arg Thr Leu Lys Glu		
385	390	395 400
Gln Gly Arg Leu Leu Val Ala Thr Thr Phe Thr His Ser Tyr Pro Phe		
405	410	415
Cys Trp Arg Ser Asp Thr Pro Leu Ile Tyr Lys Ala Val Pro Ser Trp		
420	425	430
Phe Val Arg Val Glu Asn Met Val Asp Gln Leu Leu Arg Asn Asn Asp		
435	440	445
Leu Cys Tyr Trp Val Pro Glu Leu Val Arg Glu Lys Arg Phe Gly Asn		
450	455	460
Trp Leu Lys Asp Ala Arg Asp Trp Thr Ile Ser Arg Asn Arg Tyr Trp		
465	470	475 480
Gly Thr Pro Ile Pro Leu Trp Val Ser Asp Asp Phe Glu Glu Val Val		
485	490	495
Cys Ile Gly Ser Val Ala Glu Leu Glu Glu Leu Ser Gly Ala Lys Ile		
500	505	510
Ser Asp Leu His Arg Glu Ser Val Asp His Leu Thr Ile Pro Ser Arg		
515	520	525
Cys Gly Lys Gly Ser Leu His Arg Ile Ser Glu Val Phe Asp Cys Trp		
530	535	540
Phe Glu Ser Gly Ser Met Pro Tyr Ala Gln Val His Tyr Pro Phe Glu		



545	550	555	560
Asn Lys Arg Glu Phe Glu Asp Ala Phe Pro Ala Asp Phe Ile Ala Glu	565	570	575
Gly Ile Asp Gln Thr Arg Gly Trp Phe Tyr Thr Leu Leu Val Leu Ala	580	585	590
Thr Ala Leu Phe Gly Gln Pro Pro Phe Lys Asn Val Ile Val Asn Gly	595	600	605
Leu Val Leu Ala Ser Asp Gly Gln Lys Met Ser Lys Arg Lys Lys Asn	610	615	620
Tyr Pro Asp Pro Val Ser Ile Ile Gln Lys Tyr Gly Ala Asp Ala Leu	625	630	635
Arg Leu Tyr Leu Ile Asn Ser Pro Val Val Arg Ala Glu Asn Leu Arg	645	650	655
Phe Lys Glu Glu Gly Val Arg Asp Val Leu Lys Asp Val Leu Leu Pro	660	665	670
Trp Tyr Asn Ala Tyr Arg Phe Leu Ile Gln Asn Val Leu Arg Leu Gln	675	680	685
Lys Glu Glu Glu Ile Glu Phe Leu Tyr Asn Glu Asn Thr Val Arg Glu	690	695	700
Ser Pro Asn Ile Thr Asp Arg Trp Ile Leu Ser Phe Met Gln Ser Leu	705	710	715
Ile Gly Phe Phe Glu Thr Glu Met Ala Gly Glu Ser Leu Leu Val Cys	725	730	735
Pro Pro Arg Asn Lys Asp Tyr Ser Leu Cys Asn Xaa Pro Phe Asp Ile	740	745	750

&lt;210&gt; 939

&lt;211&gt; 104

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 939

Met Arg Arg Val Ile Leu His Ser Pro Leu Met Ser Gly Leu Arg Val  
1 5 10 15

Ala Phe Pro Asp Thr Arg Lys Thr Tyr Cys Phe Asp Ala Phe Pro Ser  
20 25 30

Ile Asp Lys Ile Ser Lys Val Thr Ser Pro Val Leu Val Ile His Gly  
35 40 45

Thr Glu Asp Glu Val Ile Asp Phe Ser His Gly Leu Ala Met Tyr Glu  
50 55 60

Arg Cys Pro Arg Ala Val Glu Pro Leu Trp Xaa Glu Gly Ala Gly His  
65 70 75 80

Asn Asp Ile Glu Leu Tyr Ala Gln Tyr Leu Glu Arg Leu Lys Gln Phe  
85 90 95

Ile Ser His Glu Leu Pro Asn Ser  
100

<210> 940

<211> 557

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (248)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (273)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (323)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 940

Gly Glu Gly Gly Gly Xaa Arg Arg Gly Arg Pro Ala Ala Gly Arg Pro  
1 5 10 15

Arg Arg Xaa Arg Thr Ala Gly Arg Xaa Gly Gly Thr Gly Ala Pro Ala  
20 25 30

Gly Ala Ser Ala His Arg Asp Ala Gly Leu Leu Arg Glu Arg Pro Ala  
35 40 45

Ala Gly Glu Ala Xaa Gly Arg Thr Glu Leu Ser Leu Leu Arg Phe Leu  
50 55 60

Ser Ala Glu Leu Thr Arg Gly Tyr Phe Leu Glu His Asn Glu Ala Lys  
65 70 75 80

Tyr Thr Glu Arg Arg Glu Arg Val Tyr Thr Cys Leu Arg Ile Pro Arg  
85 90 95

Glu Leu Glu Lys Leu Met Val Phe Gly Ile Phe Leu Cys Leu Asp Ala  
100 105 110

Phe Leu Tyr Val Phe Thr Leu Leu Pro Leu Arg Val Phe Leu Ala Leu  
115 120 125

Phe Arg Leu Leu Thr Leu Pro Cys Tyr Gly Leu Arg Asp Arg Arg Leu  
130 135 140

Leu Gln Pro Ala Gln Val Cys Asp Ile Leu Lys Gly Val Ile Leu Val  
145 150 155 160

Ile Cys Tyr Phe Met Met His Tyr Val Asp Tyr Ser Met Met Tyr His  
165 170 175

Leu Ile Arg Gly Gln Ser Val Ile Lys Leu Tyr Ile Ile Tyr Asn Met  
180 185 190

B4 (cont'd)

Leu Glu Val Ala Asp Arg Leu Phe Ser Ser Phe Gly Gln Asp Ile Leu  
195 200 205

Asp Ala Leu Tyr Trp Thr Ala Thr Glu Pro Lys Glu Arg Lys Arg Ala  
210 215 220

His Ile Gly Val Ile Pro His Phe Phe Met Ala Val Leu Tyr Val Phe  
225 230 235 240

Leu His Ala Ile Leu Ile Met Xaa Gln Ala Thr Thr Leu Asn Val Ala  
245 250 255

Phe Asn Ser His Asn Lys Ser Leu Ser Thr Ile Met Met Ser Asn Asn  
260 265 270

Xaa Val Glu Ile Lys Gly Ser Val Phe Lys Lys Phe Glu Lys Asn Asn  
275 280 285

Leu Phe Gln Met Ser Asn Ser Asp Ile Lys Glu Arg Phe Thr Asn Tyr  
290 295 300

Val Leu Leu Leu Ile Val Cys Leu Arg Asn Met Glu Gln Phe Ser Trp  
305 310 315 320

Asn Pro Xaa His Leu Trp Val Leu Phe Pro Asp Val Cys Met Val Ile  
325 330 335

Ala Ser Glu Ile Ala Val Asp Ile Val Lys His Ala Phe Ile Thr Lys  
340 345 350

Phe Asn Asp Ile Thr Ala Asp Val Tyr Ser Glu Tyr Arg Ala Ser Leu  
355 360 365

Ala Phe Asp Leu Val Ser Ser Arg Gln Lys Asn Ala Tyr Thr Asp Tyr  
370 375 380

Ser Asp Ser Val Ala Arg Arg Met Gly Phe Ile Pro Leu Pro Leu Ala  
385 390 395 400

Val Leu Leu Ile Arg Val Val Thr Ser Ser Ile Lys Val Gln Gly Ile  
405 410 415

Leu Ser Tyr Ala Cys Val Ile Leu Phe Tyr Phe Gly Leu Ile Ser Leu  
420 425 430

Lys Val Leu Asn Ser Ile Val Leu Leu Gly Lys Ser Cys Gln Tyr Val  
435 440 445

Lys Glu Ala Lys Met Glu Glu Lys Leu Ser Asn Pro Pro Ala Thr Cys  
450 455 460

Thr Pro Gly Lys Pro Ser Ser Lys Ser Gln Asn Lys Cys Lys Pro Ser  
465 470 475 480

Gln Gly Leu Ser Thr Glu Glu Asn Leu Ser Ala Ser Ile Thr Lys Gln  
485 490 495

Pro Ile His Gln Lys Glu Asn Ile Ile Pro Leu Leu Val Thr Ser Asn  
500 505 510

Ser Asp Gln Phe Leu Thr Thr Pro Asp Gly Asp Glu Lys Asp Ile Thr  
515 520 525

Gln Asp Asn Ser Glu Leu Lys His Arg Ser Ser Lys Lys Asp Leu Leu  
530 535 540

Glu Ile Asp Arg Phe Thr Ile Cys Gly Asn Arg Ile Asp  
545 550 555

<210> 941

<211> 707

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (265)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (271)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (307)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 941

Pro Thr Arg Pro Val Leu Pro Val Ser Arg Cys Ser Gly Ala Phe Gln  
1 5 10 15

Pro Ser Val Ser Arg Arg Ser Gln Ala Gly Ser Ser Lys Phe Pro Thr  
20 25 30

Pro Leu Gly Pro Glu Asn Ser Gly Asn Pro Thr Leu Leu Ser Ser Ala  
35 40 45

Gln Pro Glu Thr Arg Val Ser Tyr Trp Thr Lys Leu Leu Ser Gln Leu  
 50 55 60

Leu Ala Pro Leu Pro Gly Leu Leu Gln Lys Val Leu Ile Trp Ser Gln  
 65 70 75 80

Leu Phe Gly Gly Met Phe Pro Thr Arg Trp Leu Asp Phe Ala Gly Val  
 85 90 95

Tyr Ser Ala Leu Arg Ala Leu Lys Gly Arg Glu Lys Pro Ala Ala Pro  
 100 105 110

Thr Ala Gln Lys Ser Leu Ser Ser Leu Gln Leu Asp Ser Ser Asp Pro  
 115 120 125

Ser Val Thr Ser Pro Leu Asp Trp Leu Glu Glu Gly Ile His Trp Gln  
 130 135 140

Tyr Ser Pro Pro Asp Leu Lys Leu Glu Leu Lys Ala Lys Gly Ser Ala  
 145 150 155 160

Leu Asp Pro Ala Ala Gln Ala Phe Leu Leu Glu Gln Gln Leu Trp Gly  
 165 170 175

Val Glu Leu Leu Pro Ser Ser Leu Gln Ser Arg Leu Tyr Ser Asn Arg  
 180 185 190

Glu Leu Gly Ser Ser Pro Ser Gly Leu Leu Asn Ile Gln Arg Ile Asp  
 195 200 205

Asn Phe Ser Val Val Ser Tyr Leu Leu Asn Pro Ser Tyr Leu Asp Cys  
 210 215 220

Phe Pro Arg Leu Glu Val Ser Tyr Gln Asn Ser Asp Gly Asn Ser Glu  
 225 230 235 240

Val Val Gly Phe Gln Thr Leu Thr Pro Glu Ser Ser Cys Leu Arg Glu  
 245 250 255

Asp His Cys His Pro Gln Pro Leu Xaa Ala Glu Leu Ile Pro Xaa Ser  
 260 265 270

Trp Gln Gly Cys Pro Pro Leu Ser Thr Glu Gly Leu Pro Glu Ile His  
 275 280 285

His Leu Arg Met Lys Arg Leu Glu Phe Leu Gln Gln Ala Ser Lys Gly  
 290 295 300

Gln Asp Xaa Pro Thr Pro Asp Gln Asp Asn Gly Tyr His Ser Leu Glu  
 305 310 315 320

Glu Glu His Ser Leu Leu Arg Met Asp Pro Lys His Cys Arg Asp Asn  
 325 330 335  
 Pro Thr Gln Phe Val Pro Ala Ala Gly Asp Ile Pro Gly Asn Thr Gln  
 340 345 350  
 Glu Ser Thr Glu Glu Lys Ile Glu Leu Leu Thr Thr Glu Val Pro Leu  
 355 360 365  
 Ala Leu Glu Glu Glu Ser Pro Ser Glu Gly Cys Pro Ser Ser Glu Ile  
 370 375 380  
 Pro Met Glu Lys Glu Pro Gly Glu Gly Arg Ile Ser Val Val Asp Tyr  
 385 390 395 400  
 Ser Tyr Leu Glu Gly Asp Leu Pro Ile Ser Ala Arg Pro Ala Cys Ser  
 405 410 415  
 Asn Lys Leu Ile Asp Tyr Ile Leu Gly Gly Ala Ser Ser Asp Leu Glu  
 420 425 430  
 Thr Ser Ser Asp Pro Glu Gly Glu Asp Trp Asp Glu Glu Ala Glu Asp  
 435 440 445  
 Asp Gly Phe Asp Ser Asp Ser Ser Leu Ser Asp Ser Asp Leu Glu Gln  
 450 455 460  
 Asp Pro Glu Gly Leu His Leu Trp Asn Ser Phe Cys Ser Val Asp Pro  
 465 470 475 480  
 Tyr Asn Pro Gln Asn Phe Thr Ala Thr Ile Gln Thr Ala Ala Arg Ile  
 485 490 495  
 Val Pro Glu Glu Pro Ser Asp Ser Glu Lys Asp Leu Ser Gly Lys Ser  
 500 505 510  
 Asp Leu Glu Asn Ser Ser Gln Ser Gly Ser Leu Pro Glu Thr Pro Glu  
 515 520 525  
 His Ser Ser Gly Glu Glu Asp Asp Trp Glu Ser Ser Ala Asp Glu Ala  
 530 535 540  
 Glu Ser Leu Lys Leu Trp Asn Ser Phe Cys Asn Ser Asp Asp Pro Tyr  
 545 550 555 560  
 Asn Pro Leu Asn Phe Lys Ala Pro Phe Gln Thr Ser Gly Glu Asn Glu  
 565 570 575  
 Lys Gly Cys Arg Asp Ser Lys Thr Pro Ser Glu Ser Ile Val Ala Ile  
 580 585 590

Ser Glu Cys His Thr Leu Leu Ser Cys Lys Val Gln Leu Leu Gly Ser  
 595 600 605

Gln Glu Ser Glu Cys Pro Asp Ser Val Gln Arg Asp Val Leu Ser Gly  
 610 615 620

Gly Arg His Thr His Val Lys Arg Lys Lys Val Thr Phe Leu Glu Glu  
 625 630 635 640

Val Thr Glu Tyr Tyr Ile Ser Gly Asp Glu Asp Arg Lys Gly Pro Trp  
 645 650 655

Glu Glu Phe Ala Arg Asp Gly Cys Arg Phe Gln Lys Arg Ile Gln Glu  
 660 665 670

Thr Glu Asp Ala Ile Gly Tyr Cys Leu Thr Phe Glu His Arg Glu Arg  
 675 680 685

Met Phe Asn Arg Leu Gln Gly Thr Cys Phe Lys Gly Leu Asn Val Leu  
 690 695 700

Lys Gln Cys  
 705

<210> 942  
 <211> 259  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (67)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (72)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 942  
 Arg Ile Thr Phe Ser Cys Ile Asn Tyr Ser Thr Gln Glu Leu Leu Arg  
 1 5 10 15

Phe Pro Lys Leu His Asp Ala Ile Val Glu Val Val Thr Cys Leu Leu  
 20 25 30

Arg Lys Arg Leu Pro Val Thr Asn Glu Met Val His Asn Leu Val Ala  
 35 40 45



Ile Glu Leu Ala Tyr Ile Asn Thr Lys His Pro Asp Phe Ala Asp Ala  
 50 55 60  
 Cys Gly Xaa Met Asn Asn Asn Xaa Glu Glu Gln Arg Arg Asn Arg Leu  
 65 70 75 80  
 Ala Arg Glu Leu Pro Ser Ala Val Ser Arg Asp Lys Val Ala Ser Gly  
 85 90 95  
 Gly Gly Gly Val Gly Asp Gly Val Gln Glu Pro Thr Thr Gly Asn Trp  
 100 105 110  
 Arg Gly Met Leu Lys Thr Ser Lys Ala Glu Glu Leu Leu Ala Glu Glu  
 115 120 125  
 Lys Ser Lys Pro Ile Pro Ile Met Pro Ala Ser Pro Gln Lys Gly His  
 130 135 140  
 Ala Val Asn Leu Leu Asp Val Pro Val Pro Val Ala Arg Lys Leu Ser  
 145 150 155 160  
 Ala Arg Glu Gln Arg Asp Cys Glu Val Ile Glu Arg Leu Ile Lys Ser  
 165 170 175  
 Tyr Phe Leu Ile Val Arg Lys Asn Ile Gln Asp Ser Val Pro Lys Ala  
 180 185 190  
 Val Met His Phe Leu Val Asn His Val Lys Asp Thr Leu Gln Ser Glu  
 195 200 205  
 Leu Val Gly Gln Leu Tyr Lys Ser Ser Leu Leu Asp Asp Leu Leu Thr  
 210 215 220  
 Glu Ser Glu Asp Met Ala Gln Arg Arg Lys Glu Ala Ala Asp Met Leu  
 225 230 235 240  
 Lys Ala Leu Gln Gly Ala Ser Gln Ile Ile Ala Glu Ile Arg Glu Thr  
 245 250 255  
 His Leu Trp

&lt;210&gt; 943

&lt;211&gt; 369

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (185)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 943

Arg	Cys	Arg	Gly	Gly	Arg	Lys	Met	Glu	Leu	Gly	Ser	Cys	Leu	Glu	Gly
1				5					10					15	

Gly	Arg	Glu	Ala	Ala	Glu	Glu	Glu	Gly	Glu	Pro	Glu	Val	Lys	Lys	Arg
			20					25					30		

Arg	Leu	Leu	Cys	Val	Glu	Phe	Ala	Ser	Val	Ala	Ser	Cys	Asp	Ala	Ala
		35						40				45			

Val	Ala	Gln	Cys	Phe	Leu	Ala	Glu	Asn	Asp	Trp	Glu	Met	Glu	Arg	Ala
	50					55					60				

Leu	Asn	Ser	Tyr	Phe	Glu	Pro	Pro	Val	Glu	Glu	Ser	Ala	Leu	Glu	Arg
65					70				75						80

Arg	Pro	Glu	Thr	Ile	Ser	Glu	Pro	Lys	Thr	Tyr	Val	Asp	Leu	Thr	Asn
				85					90					95	

Glu	Glu	Thr	Thr	Asp	Ser	Thr	Thr	Ser	Lys	Ile	Ser	Pro	Ser	Glu	Asp
			100					105						110	

Thr	Gln	Gln	Glu	Asn	Gly	Ser	Met	Phe	Ser	Leu	Ile	Thr	Trp	Asn	Ile
		115					120						125		

Asp	Gly	Leu	Asp	Leu	Asn	Asn	Leu	Ser	Glu	Arg	Ala	Arg	Gly	Val	Cys
	130					135						140			

Ser	Tyr	Leu	Ala	Leu	Tyr	Ser	Pro	Asp	Val	Ile	Phe	Leu	Gln	Glu	Val
145					150					155					160

Ile	Pro	Pro	Tyr	Tyr	Ser	Tyr	Leu	Lys	Lys	Arg	Ser	Ser	Asn	Tyr	Glu
				165					170					175	

Ile	Ile	Thr	Gly	His	Glu	Glu	Gly	Xaa	Phe	Thr	Ala	Ile	Met	Leu	Lys
			180					185					190		

Lys	Ser	Arg	Val	Lys	Leu	Lys	Ser	Gln	Glu	Ile	Ile	Pro	Phe	Pro	Ser
		195					200						205		

Thr	Lys	Met	Met	Arg	Asn	Leu	Leu	Cys	Val	His	Val	Asn	Val	Ser	Gly
	210					215					220				

Asn	Glu	Leu	Cys	Leu	Met	Thr	Ser	His	Leu	Glu	Ser	Thr	Arg	Gly	His
225					230					235					240

Ala	Ala	Glu	Arg	Met	Asn	Gln	Leu	Lys	Met	Val	Leu	Lys	Lys	Met	Gln
				245					250					255	

Glu Ala Pro Glu Ser Ala Thr Val Ile Phe Ala Gly Asp Thr Asn Leu  
 260 265 270  
 Arg Asp Arg Glu Val Thr Arg Cys Gly Gly Leu Pro Asn Asn Ile Val  
 275 280 285  
 Asp Val Trp Glu Phe Leu Gly Lys Pro Lys His Cys Gln Tyr Thr Trp  
 290 295 300  
 Asp Thr Gln Met Asn Ser Asn Leu Gly Ile Thr Ala Ala Cys Lys Leu  
 305 310 315 320  
 Arg Phe Asp Arg Ile Phe Phe Arg Ala Ala Ala Glu Glu Gly His Ile  
 325 330 335  
 Ile Pro Arg Ser Leu Asp Leu Leu Gly Leu Glu Lys Leu Asp Cys Gly  
 340 345 350  
 Arg Phe Pro Ser Asp His Trp Gly Leu Leu Cys Asn Leu Asp Ile Ile  
 355 360 365  
 Leu

<210> 944  
 <211> 158  
 <212> PRT  
 <213> Homo sapiens

<400> 944  
 Tyr Ile Gln Phe Met Val Ser Tyr Asn Pro Thr Pro Arg Leu Asp Val  
 1 5 10 15  
 Ser Ser Pro Asn Glu Ala Gly Arg Pro Glu Trp Glu Val His Val Ser  
 20 25 30  
 Tyr His Ser Ser Phe Tyr Val Gly Gly Cys Ser Ala Ala Arg Arg Val  
 35 40 45  
 Met Gly Val Asn Pro Tyr Ile Leu Lys Lys Asn Met Ile Leu Met Thr  
 50 55 60  
 Asn His Phe Tyr Ala Ala Ile Leu Gly Tyr Asp Glu Gly Ile Leu Ser  
 65 70 75 80  
 Asp Asp His Gly Leu Ala Ala Ala Leu Trp Arg Thr Phe Phe Asn Arg  
 85 90 95

Lys Cys Glu Asp Pro Arg His Leu Glu Leu Leu Val Glu Tyr Val Arg  
 100 105 110

Lys Gln Ile Gln Tyr Leu Asp Ser Met Asn Gly Glu Asp Leu Leu Leu  
 115 120 125

Thr Gly Glu Val Ser Trp Arg Pro Leu Val Glu Lys Asn Pro Gln Ser  
 130 135 140

Ile Leu Lys Pro His Ser Pro Thr Tyr Asn Asp Glu Gly Leu  
 145 150 155

<210> 945

<211> 294

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 945

Lys Leu Val Pro Ala Arg Pro Xaa Asp Thr Gln Cys Arg Arg Pro Ser  
 1 5 10 15

Arg Arg Arg Gln Ile Gly Ala Asp Ser Cys Pro Ala Pro Thr Ala Ser  
 20 25 30

Ala Thr Met Ser His His Trp Gly Tyr Gly Lys His Asn Gly Pro Glu  
 35 40 45

His Trp His Lys Asp Phe Pro Ile Ala Lys Gly Glu Arg Gln Ser Pro  
 50 55 60

Val Asp Ile Asp Thr His Thr Ala Lys Tyr Asp Pro Ser Leu Lys Pro  
 65 70 75 80

Leu Ser Val Ser Tyr Asp Gln Ala Thr Ser Leu Arg Ile Leu Asn Asn  
 85 90 95

Gly His Ala Phe Asn Val Glu Phe Asp Asp Ser Gln Asp Lys Ala Val  
 100 105 110

Leu Lys Gly Gly Pro Leu Asp Gly Thr Tyr Arg Leu Ile Gln Phe His  
 115 120 125

Phe His Trp Gly Ser Leu Asp Gly Gln Gly Ser Glu His Thr Val Asp  
 130 135 140

Lys Lys Lys Tyr Ala Ala Glu Leu His Leu Val His Trp Asn Thr Lys  
145 150 155 160

Tyr Gly Asp Phe Gly Lys Ala Val Gln Gln Pro Asp Gly Leu Ala Val  
165 170 175

Leu Gly Ile Phe Leu Lys Val Gly Ser Ala Lys Pro Gly Leu Gln Lys  
180 185 190

Val Val Asp Val Leu Asp Ser Ile Lys Thr Lys Gly Lys Ser Ala Asp  
195 200 205

Phe Thr Asn Phe Asp Pro Arg Gly Leu Leu Pro Glu Ser Leu Asp Tyr  
210 215 220

Trp Thr Tyr Pro Gly Ser Leu Thr Thr Pro Pro Leu Leu Glu Cys Val  
225 230 235 240

Thr Trp Ile Val Leu Lys Glu Pro Ile Ser Val Ser Ser Glu Gln Val  
245 250 255

Leu Lys Phe Arg Lys Leu Asn Phe Asn Gly Glu Gly Glu Pro Glu Glu  
260 265 270

Leu Met Val Asp Asn Trp Arg Pro Ala Gln Pro Leu Lys Asn Arg Gln  
275 280 285

Ile Lys Ala Ser Phe Lys  
290

<210> 946

<211> 69

<212> PRT

<213> Homo sapiens

<400> 946

Lys Ser Ile Glu Gln Lys Gly Met His Ala Val Phe Gln Trp Leu Arg  
1 5 10 15

His Ala Phe Tyr Ser Leu Thr Ser Ile His Phe Phe Thr Thr Cys Ile  
20 25 30

Lys Thr Asn Asp Leu Cys Phe Cys His Arg Gln Lys Gln Val Asp Thr  
35 40 45

Gly Gly Leu Ala Leu Leu Ile Asn Phe Phe Ser Ile Arg Phe Ser Leu  
50 55 60

Ile Met Leu Asn Phe  
65

<210> 947

<211> 163

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (130)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 947

Leu Xaa Lys Gly Thr Lys Leu Xaa Leu His Arg Gly Ala Asp Arg Ser  
1 5 10 15

Arg Thr Ser Gly Ser Pro Gly Leu Gln Glu Phe Gly Thr Arg Ile Asn  
20 25 30

Arg Ile Phe Arg Ile Cys Asn Leu Thr Arg Pro Gln Glu Gly Tyr Leu  
35 40 45

Met Val Gln Gln Phe Gln Tyr Leu Gly Trp Ala Ser His Arg Glu Val  
50 55 60

Pro Gly Ser Lys Arg Ser Phe Leu Lys Leu Ile Leu Gln Val Glu Lys  
65 70 75 80

Trp Gln Glu Glu Cys Glu Glu Gly Glu Gly Arg Thr Ile Ile His Cys  
85 90 95

Leu Asn Gly Gly Gly Arg Ser Gly Met Phe Cys Ala Ile Gly Ile Val  
100 105 110

Val Glu Met Val Lys Arg Ala Lys Cys Cys Arg Cys Phe Pro Cys Ser  
115 120 125

Lys Xaa Thr Glu Gly Thr Ala Ser Gln Thr Trp Trp Glu Ala Pro Glu

130 135 140  
Gln Tyr Arg Phe Cys Tyr Asp Val Ala Leu Glu Tyr Leu Gly Ile Ile  
145 150 155 160  
Leu Val Gly

<210> 948  
<211> 87  
<212> PRT  
<213> Homo sapiens

<400> 948  
Thr Ser Leu Lys Pro Cys Arg Asn Glu Ser Leu Leu Leu Asn Glu Met  
1 5 10 15  
Leu Lys Pro Ile Lys Lys His Ala Val Met Pro Ser Phe Pro Phe His  
20 25 30  
Arg Val His Ala Ser Pro Ala Gly Glu Ser His Ala Ala Arg Gly Asn  
35 40 45  
Trp Leu His Ser Leu Gly Cys Cys Arg Thr Lys Arg Lys Glu Ala Ala  
50 55 60  
Lys Cys Leu Tyr Val Val Leu Asn Pro Arg Arg Ile Lys Cys Arg Gly  
65 70 75 80  
Gly Met Ala Lys Gly Gly Trp  
85

<210> 949  
<211> 88  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (49)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (60)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (81)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (84)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 949

Pro Arg Arg His Arg Val Pro Gly Ser Gly Phe Ala Phe Pro Lys Asn  
1 5 10 15

Glu Asn Lys Leu Leu Pro Lys Glu Leu Val Phe Pro Leu Leu Phe Ser  
20 25 30

Asn Cys Glu Gly Pro Arg Gly Val Glu His Gly Ala Pro His Lys Pro  
35 40 45

Xaa Gly Trp Cys Pro Gly Tyr Gln Gly His Ala Xaa Gly Leu Asp Asp  
50 55 60

Leu Ser Leu Gln Gly Ala Leu Val Val Xaa Asn Trp Leu Lys Val Thr  
65 70 75 80

Xaa Glu Gly Xaa Cys Gly Asn Trp  
85

<210> 950

<211> 77

<212> PRT

<213> Homo sapiens

<400> 950

Trp Leu Leu Cys Pro Val Arg Val Phe Ser Ser Leu Thr Trp Val His  
1 5 10 15

Phe Leu Met Ala His Met Lys Phe Gly Ser Tyr Gly Leu Thr Leu Ala  
20 25 30

Met Val Leu Ser Tyr Gly Glu Gln His Gln Arg Pro Val Thr Cys Lys  
35 40 45



Leu Lys Ile Gln Cys Gln Gly Pro Ser Pro Ala Pro Leu Ile Glu Asn  
50 55 60

Leu Leu Ala Ile Cys Ile Phe Arg Cys Ser Arg Leu Val  
65 70 75

<210> 951  
<211> 42  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (26)  
<223> xaa equals any of the naturally occurring L-amino acids

<400> 951  
Thr Ser Gly Pro Lys Ser Ser Ala Cys Leu Ser Leu Pro Arg Cys Trp  
1 5 10 15

Asp Tyr Lys Cys Glu Pro Leu Cys Thr Xaa Phe Val Leu Thr Tyr Phe  
20 25 30

Glu Leu Ala Pro Tyr Ser Lys Ala Ala Ser  
35 40

<210> 952  
<211> 58  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 952  
Ala Arg Lys Glu Ile Gln Tyr Cys Phe Trp Thr Leu Ile Lys Ser Cys  
1 5 10 15

Ala Ile Asp Thr Tyr Met Ser His Leu Ala Val Leu Arg Arg Ala Ile  
20 25 30

Ile Xaa Leu Gln Leu Thr Leu Glu Asn Ile Leu Ala Phe Glu His Phe  
35 40 45

Ser Asn Asn Gln Val Asp Ser Arg Gly Ser

50

55

&lt;210&gt; 953

&lt;211&gt; 223

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (38)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (180)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (220)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 953

Arg Pro Cys Pro Glu Glu Ala Glu Ile Gly Ile Ala Met Gly Ser Gly  
1 5 10 15

Thr Ala Val Ala Lys Thr Ala Ser Glu Met Val Leu Ala Asp Asp Asn  
20 25 30

Phe Ser Thr Ile Val Xaa Ala Val Glu Glu Gly Arg Ala Ile Tyr Asn  
35 40 45

Asn Met Lys Gln Phe Ile Arg Tyr Leu Ile Ser Ser Asn Val Gly Glu  
50 55 60

Val Val Cys Ile Phe Leu Thr Ala Ala Leu Gly Leu Pro Glu Ala Leu  
65 70 75 80

Ile Pro Val Gln Leu Leu Trp Val Asn Leu Val Thr Asp Gly Leu Pro  
85 90 95

Ala Thr Ala Leu Gly Phe Asn Pro Pro Asp Leu Asp Ile Met Asp Arg  
100 105 110

Pro Pro Arg Ser Pro Lys Glu Pro Leu Ile Ser Gly Trp Leu Phe Phe  
115 120 125

Arg Tyr Met Ala Ile Gly Gly Tyr Val Gly Ala Ala Thr Val Gly Ala  
130 135 140

Ala Ala Trp Trp Phe Leu Tyr Ala Glu Asp Gly Pro His Val Asn Tyr  
145 150 155 160

Ser Gln Leu Thr His Phe Met Gln Cys Thr Glu Asp Asn Thr His Phe  
165 170 175

Glu Gly Ile Xaa Cys Glu Val Phe Glu Ala Pro Glu Pro Met Thr Met  
180 185 190

Ala Leu Ser Val Leu Val Thr Ile Glu Met Cys Asn Ala Leu Asn Ser  
195 200 205

Leu Ser Glu Asn Gln Ser Leu Leu Arg Asn Cys Xaa Pro Trp Gly  
210 215 220

<210> 954

<211> 412

<212> PRT

<213> Homo sapiens

<400> 954

His Glu Leu Met Gln Glu Ala Gly Asp Glu Cys Glu Pro Glu Trp Cys  
1 5 10 15

Asp Ala Glu Asp Pro Leu Phe Ile Leu Tyr Thr Ser Gly Ser Thr Gly  
20 25 30

Lys Pro Lys Gly Val Val His Thr Val Gly Gly Tyr Met Leu Tyr Val  
35 40 45

Ala Thr Thr Phe Lys Tyr Val Phe Asp Phe His Ala Glu Asp Val Phe  
50 55 60

Trp Cys Thr Ala Asp Ile Gly Trp Ile Thr Gly His Ser Tyr Val Thr  
65 70 75 80

Tyr Gly Pro Leu Ala Asn Gly Ala Thr Ser Val Leu Phe Glu Gly Ile  
85 90 95

Pro Thr Tyr Pro Asp Val Asn Arg Leu Trp Ser Ile Val Asp Lys Tyr  
100 105 110

Lys Val Thr Lys Phe Tyr Thr Ala Pro Thr Ala Ile Arg Leu Leu Met  
115 120 125

Lys Phe Gly Asp Glu Pro Val Thr Lys His Ser Arg Ala Ser Leu Gln  
130 135 140

Val Leu Gly Thr Val Gly Glu Pro Ile Asn Pro Glu Ala Trp Leu Trp  
 145 150 155 160  
 Tyr His Arg Val Val Gly Ala Gln Arg Cys Pro Ile Val Asp Thr Phe  
 165 170 175  
 Trp Gln Thr Glu Thr Gly Gly His Met Leu Thr Pro Leu Pro Gly Ala  
 180 185 190  
 Thr Pro Met Lys Pro Gly Ser Ala Thr Phe Pro Phe Phe Gly Val Ala  
 195 200 205  
 Pro Ala Ile Leu Asn Glu Ser Gly Glu Glu Leu Glu Gly Glu Ala Glu  
 210 215 220  
 Gly Tyr Leu Val Phe Lys Gln Pro Trp Pro Gly Ile Met Arg Thr Val  
 225 230 235 240  
 Tyr Gly Asn His Glu Arg Phe Glu Thr Thr Tyr Phe Lys Lys Phe Pro  
 245 250 255  
 Gly Tyr Tyr Val Thr Gly Asp Gly Cys Gln Arg Asp Gln Asp Gly Tyr  
 260 265 270  
 Tyr Trp Ile Thr Gly Arg Ile Asp Asp Met Leu Asn Val Ser Gly His  
 275 280 285  
 Leu Leu Ser Thr Ala Glu Val Glu Ser Ala Leu Val Glu His Glu Ala  
 290 295 300  
 Val Ala Glu Ala Ala Val Val Gly His Pro His Pro Val Lys Gly Glu  
 305 310 315 320  
 Cys Leu Tyr Cys Phe Val Thr Leu Cys Asp Gly His Thr Phe Ser Pro  
 325 330 335  
 Lys Leu Thr Glu Glu Leu Lys Lys Gln Ile Arg Glu Lys Ile Gly Pro  
 340 345 350  
 Ile Ala Thr Pro Asp Tyr Ile Gln Asn Ala Pro Gly Leu Pro Lys Thr  
 355 360 365  
 Arg Ser Gly Lys Ile Met Arg Arg Val Leu Arg Lys Ile Ala Gln Asn  
 370 375 380  
 Asp His Asp Leu Gly Asp Met Ser Thr Val Ala Asp Pro Ser Val Ile  
 385 390 395 400  
 Ser His Leu Phe Ser His Arg Cys Leu Thr Ile Gln  
 405 410

&lt;210&gt; 955

&lt;211&gt; 150

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 955

Gly Leu Leu Arg Ala Trp Gln Leu Arg Ile Asn Ala Gly Leu Arg Leu  
1 5 10 15

Ala Ala Arg Phe Leu Pro Glu Pro Leu Leu Ser Leu Val Asn His Thr  
20 25 30

Gly Gln Arg Ser Asp Met Gln Lys Val Thr Leu Gly Leu Leu Val Phe  
35 40 45

Leu Ala Gly Phe Pro Val Leu Asp Ala Asn Asp Leu Glu Asp Lys Asn  
50 55 60

Ser Pro Phe Tyr Tyr Asp Trp His Ser Leu Gln Val Gly Gly Leu Ile  
65 70 75 80

Cys Ala Gly Val Leu Cys Ala Met Gly Ile Ile Ile Val Met Ser Glu  
85 90 95

Trp Arg Ser Ser Gly Glu Gln Ala Gly Arg Gly Trp Gly Ser Pro Pro  
100 105 110

Leu Thr Thr Gln Leu Ser Pro Thr Gly Ala Lys Cys Lys Cys Lys Phe  
115 120 125

Gly Gln Lys Ser Gly His His Pro Gly Glu Thr Pro Pro Leu Ile Thr  
130 135 140

Pro Gly Ser Ala Gln Ser  
145 150

&lt;210&gt; 956

&lt;211&gt; 136

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (6)

&lt;223&gt; xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 956

Val Asp Pro Arg Val Xaa Pro Arg Ser Gly Gly Glu Lys Pro Gly Gly  
1 5 10 15  
Leu Gly Ala Pro Ala Gly Ile Gly Ser Arg Leu Gly Cys Glu Arg Phe  
20 25 30  
Ser Arg Ser Arg Glu Ile Leu Gln Ala Ile Thr Met Ser Thr Asp Thr  
35 40 45  
Gly Val Ser Leu Pro Ser Tyr Glu Glu Asp Gln Gly Ser Lys Leu Ile  
50 55 60  
Arg Lys Ala Lys Glu Ala Pro Phe Val Pro Val Gly Ile Ala Gly Phe  
65 70 75 80  
Ala Ala Ile Val Ala Tyr Gly Leu Tyr Lys Leu Lys Ser Arg Gly Asn  
85 90 95  
Thr Lys Met Ser Ile His Leu Ile His Met Arg Val Ala Ala Gln Gly  
100 105 110  
Phe Val Val Gly Ala Met Thr Val Gly Met Gly Tyr Ser Met Tyr Arg  
115 120 125  
Glu Phe Trp Ala Lys Pro Lys Pro  
130 135

<210> 957

<211> 461

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (103)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (135)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

&lt;222&gt; (241)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 957

Ile Glu Thr Ser Asn Lys Asn Asp Met Thr Ile Asp Ile Leu His Ala  
 1 5 10 15

Asp Gly Glu Arg Pro Asn Val Leu Glu Asn Leu Asp Asn Ser Lys Glu  
 20 25 30

Lys Thr Val Gly Ser Glu Ala Ala Lys Thr Glu Asp Thr Val Leu Cys  
 35 40 45

Ser Ser Asp Thr Asp Glu Glu Cys Leu Ile Ile Xaa Thr Glu Cys Lys  
 50 55 60

Asn Asn Ser Asp Gly Lys Thr Ala Val Val Gly Ser Asn Leu Ser Ser  
 65 70 75 80

Arg Pro Ala Ser Pro Asn Ser Ser Ser Gly Gln Ala Ser Val Gly Asn  
 85 90 95

Gln Thr Asn Thr Ala Cys Xaa Pro Glu Glu Ser Cys Val Leu Lys Lys  
 100 105 110

Pro Ile Lys Arg Val Tyr Lys Lys Phe Asp Pro Val Gly Glu Ile Leu  
 115 120 125

Lys Met Gln Asp Glu Leu Xaa Lys Pro Ile Ser Arg Lys Val Pro Glu  
 130 135 140

Leu Pro Leu Met Asn Leu Glu Asn Ser Lys Gln Pro Ser Val Ser Glu  
 145 150 155 160

Gln Leu Ser Gly Pro Ser Asp Ser Ser Ser Trp Pro Lys Ser Gly Trp  
 165 170 175

Pro Ser Ala Phe Gln Lys Pro Lys Gly Arg Leu Pro Tyr Glu Leu Gln  
 180 185 190

Asp Tyr Val Glu Asp Thr Ser Glu Tyr Leu Ala Pro Gln Glu Gly Asn  
 195 200 205

Phe Val Tyr Lys Leu Phe Ser Leu Gln Asp Leu Leu Leu Val Arg  
 210 215 220

Cys Ser Val Gln Arg Ile Glu Thr Arg Pro Arg Ser Lys Lys Arg Lys  
 225 230 235 240

Xaa Ile Arg Arg Gln Phe Pro Val Tyr Val Leu Pro Lys Val Glu Tyr  
 245 250 255

Gln Ala Cys Tyr Gly Val Glu Ala Leu Thr Glu Ser Glu Leu Cys Arg  
260 265 270

Leu Trp Thr Glu Ser Leu Leu His Ser Asn Ser Ser Phe Tyr Val Gly  
275 280 285

His Ile Asp Ala Phe Thr Ser Lys Leu Phe Leu Leu Glu Glu Ile Thr  
290 295 300

Ser Glu Glu Leu Lys Glu Lys Leu Ser Ala Leu Lys Ile Ser Asn Leu  
305 310 315 320

Phe Asn Ile Leu Gln His Ile Leu Lys Lys Leu Ser Ser Leu Gln Glu  
325 330 335

Gly Ser Tyr Leu Leu Ser His Ala Ala Glu Asp Ser Ser Leu Leu Ile  
340 345 350

Tyr Lys Ala Ser Asp Gly Lys Val Thr Arg Thr Ala Tyr Asn Leu Tyr  
355 360 365

Lys Thr His Cys Gly Leu Pro Gly Val Pro Ser Ser Leu Ser Val Pro  
370 375 380

Trp Val Pro Leu Asp Pro Ser Leu Leu Leu Pro Tyr His Ile His His  
385 390 395 400

Gly Arg Ile Pro Cys Thr Phe Pro Pro Lys Ser Leu Asp Thr Thr Thr  
405 410 415

Gln Gln Lys Ile Gly Gly Thr Arg Met Pro Thr Arg Ser His Arg Asn  
420 425 430

Pro Val Ser Met Glu Thr Lys Ser Ser Cys Leu Pro Ala Gln Gln Val  
435 440 445

Glu Thr Glu Gly Val Ala Pro His Lys Arg Lys Ile Thr  
450 455 460

&lt;210&gt; 958

&lt;211&gt; 248

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (7)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids



&lt;400&gt; 958

Asp Trp Gly Ala Thr Gln Xaa Arg Arg Ser Arg Asp Arg Arg Trp Gly  
 1 5 10 15

Pro Arg Asn Leu Ser Leu Asp Ile Gly Thr Glu Val Phe Ala Pro Gly  
 20 25 30

Pro Gly Ser Gly Ile Gln Lys Gln Arg Glu Pro Arg Lys Gly Arg Leu  
 35 40 45

Ile Val Cys Gly His Gly Thr Leu Glu Arg Asp Gly Val Phe Cys Leu  
 50 55 60

Leu Ser Asp Asp His Gly Ala Ser Trp Arg Tyr Gly Ser Gly Val Ser  
 65 70 75 80

Gly Ile Pro Tyr Gly Gln Pro Lys Gln Glu Asn Asp Phe Asn Pro Asp  
 85 90 95

Glu Cys Gln Pro Tyr Glu Leu Pro Asp Gly Ser Val Val Ile Asn Ala  
 100 105 110

Arg Asn Gln Asn Asn Tyr His Cys His Cys Arg Ile Val Leu Arg Ser  
 115 120 125

Tyr Asp Ala Cys Asp Thr Leu Arg Pro Arg Asp Val Thr Phe Asp Pro  
 130 135 140

Glu Leu Val Asp Pro Val Val Ala Ala Gly Ala Val Val Thr Ser Ser  
 145 150 155 160

Gly Ile Val Phe Phe Ser Asn Pro Ala His Pro Glu Phe Arg Val Asn  
 165 170 175

Leu Thr Leu Arg Trp Ser Phe Ser Asn Gly Thr Ser Trp Arg Lys Glu  
 180 185 190

Thr Val Gln Leu Trp Pro Gly Pro Ser Gly Tyr Ser Ser Leu Ala Thr  
 195 200 205

Leu Glu Gly Ser Met Asp Gly Glu Glu Gln Ala Pro Gln Leu Tyr Val  
 210 215 220

Leu Tyr Glu Lys Gly Arg Asn His Tyr Thr Glu Ser Ile Ser Val Ala  
 225 230 235 240

Lys Ile Ser Val Tyr Gly Thr Leu  
 245

<210> 959

<211> 105

<212> PRT

<213> Homo sapiens

<400> 959

Ile Arg His Glu Gly Ala Gly Pro Ser Gln Leu Arg Leu His Tyr Pro  
1 5 10 15

Arg Ile Ser Met Ala Val Arg Gln Trp Val Ile Ala Leu Ala Leu Ala  
20 25 30

Ala Leu Leu Val Val Asp Arg Glu Val Pro Val Ala Ala Gly Lys Leu  
35 40 45

Pro Phe Ser Arg Met Pro Ile Cys Glu His Met Val Glu Ser Pro Thr  
50 55 60

Cys Ser Gln Met Ser Asn Leu Val Cys Gly Thr Asp Gly Leu Thr Tyr  
65 70 75 80

Thr Asn Glu Cys Gln Leu Cys Leu Ala Arg Ile Lys Thr Lys Gln Asp  
85 90 95

Ile Gln Ile Met Lys Asp Gly Lys Cys  
100 105

<210> 960

<211> 237

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (166)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (177)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (187)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (223)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 960

Leu Gly Trp Ser Leu Arg Gly Gly His Trp His Gly Thr His Pro Glu  
1 5 10 15

Ala Ser Pro Gly Cys Pro Gly Gly Ala Ala Ser Ser Pro Ala Gly Trp  
20 25 30

Trp Thr Arg Ser Val Arg Ser Trp Gly Ser Ser Phe Thr Ser Glu Asp  
35 40 45

Cys Ser Thr Thr Met Leu Gly Ile Trp Thr Leu Leu Pro Leu Val Leu  
50 55 60

Thr Ser Val Xaa Arg Leu Ser Ser Lys Ser Val Asn Ala Gln Val Thr  
65 70 75 80

Asp Ile Asn Ser Lys Gly Leu Glu Leu Arg Lys Thr Val Thr Thr Val  
85 90 95

Glu Thr Gln Asn Leu Glu Gly Leu His His Asp Gly Gln Phe Cys His  
100 105 110

Lys Pro Cys Pro Pro Gly Glu Arg Lys Ala Arg Asp Cys Thr Val Asn  
115 120 125

Gly Asp Glu Pro Asp Cys Val Pro Cys Gln Glu Gly Lys Glu Tyr Thr  
130 135 140

Asp Lys Ala His Phe Ser Ser Lys Cys Arg Arg Cys Arg Leu Cys Asp  
145 150 155 160

Glu Gly His Gly Leu Xaa Val Glu Ile Asn Cys Thr Arg Thr Gln Asn  
165 170 175

Xaa Lys Cys Arg Cys Lys Pro Asn Phe Phe Xaa Asn Ser Thr Val Cys  
180 185 190

Glu His Cys Asp Pro Cys Thr Lys Cys Glu His Gly Ile Ile Lys Glu  
195 200 205

Cys Thr Leu Thr Ser Asn Thr Lys Cys Lys Glu Glu Gly Ser Xaa Ser  
210 215 220

Asn Leu Gly Trp Leu Trp Leu Leu Leu Leu Pro Ile Pro  
225 230 235

<210> 961  
<211> 132  
<212> PRT  
<213> Homo sapiens

<400> 961  
Gln Pro Met Ser Ser Thr Trp Val Thr Asn His Ser Glu Ile Leu Asn  
1 5 10 15  
Thr Tyr Pro Leu Gly Ala Gly Gly Gly Asn Asp Val Gln Tyr Leu Lys  
20 25 30  
Gln Asn Leu Thr Trp Thr Glu Arg Leu Tyr Phe Pro Leu Leu His Glu  
35 40 45  
Ser Leu Ile Ile Leu Gly Gly Leu Leu Cys Ile Pro Pro Phe Leu Leu  
50 55 60  
Ser Pro Pro Leu Pro Phe Val Phe Ser Lys Glu Ser Glu Leu Arg Phe  
65 70 75 80  
Pro Cys Ser Pro Ala Thr Leu Ile Ser Lys Thr Cys Leu Cys Val Arg  
85 90 95  
Phe Phe Thr Gly Asn Met Thr Phe Cys Phe Cys Ile Gly Phe Thr Val  
100 105 110  
Ile Gln Phe Ser Ser Leu Ile Ser Ser Lys Thr Lys Ser Glu Cys Thr  
115 120 125  
Arg Phe Phe Arg  
130

<210> 962  
<211> 613  
<212> PRT  
<213> Homo sapiens

<400> 962  
Ala Val Ala Asn Met Ser Gly Trp Glu Ser Tyr Tyr Lys Thr Glu Gly  
1 5 10 15  
Asp Glu Glu Ala Glu Glu Glu Gln Glu Glu Asn Leu Glu Ala Ser Gly

	20		25		30
Asp Tyr Lys Tyr Ser Gly Arg Asp Ser Leu Ile Phe Leu Val Asp Ala	35	40	45		
Ser Lys Ala Met Phe Glu Ser Gln Ser Glu Asp Glu Leu Thr Pro Phe	50	55	60		
Asp Met Ser Ile Gln Cys Ile Gln Ser Val Tyr Ile Ser Lys Ile Ile	65	70	75	80	
Ser Ser Asp Arg Asp Leu Leu Ala Val Val Phe Tyr Gly Thr Glu Lys	85	90	95		
Asp Lys Asn Ser Val Asn Phe Lys Asn Ile Tyr Val Leu Gln Glu Leu	100	105	110		
Asp Asn Pro Gly Ala Lys Arg Ile Leu Glu Leu Asp Gln Phe Lys Gly	115	120	125		
Gln Gln Gly Gln Lys Arg Phe Gln Asp Met Met Gly His Gly Ser Asp	130	135	140		
Tyr Ser Leu Ser Glu Val Leu Trp Val Cys Ala Asn Leu Phe Ser Asp	145	150	155	160	
Val Gln Phe Lys Met Ser His Lys Arg Ile Met Leu Phe Thr Asn Glu	165	170	175		
Asp Asn Pro His Gly Asn Asp Ser Ala Lys Ala Ser Arg Ala Arg Thr	180	185	190		
Lys Ala Gly Asp Leu Arg Asp Thr Gly Ile Phe Leu Asp Leu Met His	195	200	205		
Leu Lys Lys Pro Gly Gly Phe Asp Ile Ser Leu Phe Tyr Arg Asp Ile	210	215	220		
Ile Ser Ile Ala Glu Asp Glu Asp Leu Arg Val His Phe Glu Glu Ser	225	230	235	240	
Ser Lys Leu Glu Asp Leu Leu Arg Lys Val Arg Ala Lys Glu Thr Arg	245	250	255		
Lys Arg Ala Leu Ser Arg Leu Lys Leu Lys Leu Asn Lys Asp Ile Val	260	265	270		
Ile Ser Val Gly Ile Tyr Asn Leu Val Gln Lys Ala Leu Lys Pro Pro	275	280	285		
Pro Ile Lys Leu Tyr Arg Glu Thr Asn Glu Pro Val Lys Thr Lys Thr					

290	295	300
Arg Thr Phe Asn Thr Ser Thr Gly Gly Leu Leu Leu Pro Ser Asp Thr		
305	310	315 320
Lys Arg Ser Gln Ile Tyr Gly Ser Arg Gln Ile Ile Leu Glu Lys Glu		
	325	330 335
Glu Thr Glu Glu Leu Lys Arg Phe Asp Asp Pro Gly Leu Met Leu Met		
	340	345 350
Gly Phe Lys Pro Leu Val Leu Leu Lys Lys His His Tyr Leu Arg Pro		
	355	360 365
Ser Leu Phe Val Tyr Pro Glu Glu Ser Leu Val Ile Gly Ser Ser Thr		
	370	375 380
Leu Phe Ser Ala Leu Leu Ile Lys Cys Leu Glu Lys Glu Val Ala Ala		
385	390	395 400
Leu Cys Arg Tyr Thr Pro Arg Arg Asn Ile Pro Pro Tyr Phe Val Ala		
	405	410 415
Leu Val Pro Gln Glu Glu Glu Leu Asp Asp Gln Lys Ile Gln Val Thr		
	420	425 430
Pro Pro Gly Phe Gln Leu Val Phe Leu Pro Phe Ala Asp Asp Lys Arg		
	435	440 445
Lys Met Pro Phe Thr Glu Lys Ile Met Ala Thr Pro Glu Gln Val Gly		
	450	455 460
Lys Met Lys Ala Ile Val Glu Lys Leu Arg Phe Thr Tyr Arg Ser Asp		
465	470	475 480
Ser Phe Glu Asn Pro Val Leu Gln Gln His Phe Arg Asn Leu Glu Ala		
	485	490 495
Leu Ala Leu Asp Leu Met Glu Pro Glu Gln Ala Val Asp Leu Thr Leu		
	500	505 510
Pro Lys Val Glu Ala Met Asn Lys Arg Leu Gly Ser Leu Val Asp Glu		
	515	520 525
Phe Lys Glu Leu Val Tyr Pro Pro Asp Tyr Asn Pro Glu Gly Lys Val		
	530	535 540
Thr Lys Arg Lys His Asp Asn Glu Gly Ser Gly Ser Lys Arg Pro Lys		
545	550	555 560
Val Glu Tyr Ser Glu Glu Glu Leu Lys Thr His Ile Ser Lys Gly Thr		

[illegible]

```
<210> 963
<211> 352
<212> PRT
<213> Homo sapiens
```

```
<220>
<221> SITE
<222> (281)
<223> Xaa equals any of the naturally occurring L-amino acids
```

```

<400> 963
Arg Val Gln Glu Glu Asn Ala Arg Leu Lys Lys Lys Lys Glu Gln Leu
  1              5              10              15

Gln Gln Glu Ile Glu Asp Trp Ser Lys Leu His Ala Glu Leu Ser Glu
      20              25              30

Gln Ile Lys Ser Phe Glu Lys Ser Gln Lys Asp Leu Glu Val Ala Leu
      35              40              45

Thr His Lys Asp Asp Asn Ile Asn Ala Leu Thr Asn Cys Ile Thr Gln
      50              55              60

Leu Asn Leu Leu Glu Cys Glu Ser Glu Ser Glu Gly Gln Asn Lys Gly
  65              70              75              80

Gly Asn Asp Ser Asp Glu Leu Ala Asn Gly Glu Val Gly Gly Asp Arg
      85              90              95

Asn Glu Lys Met Lys Asn Gln Ile Lys Gln Met Met Asp Val Ser Arg
      100             105             110

Thr Gln Thr Ala Ile Ser Val Val Glu Glu Asp Leu Lys Leu Leu Gln
      115             120             125

Leu Lys Leu Arg Ala Ser Val Ser Thr Lys Cys Asn Leu Glu Asp Gln
      130             135             140

```

Val Lys Lys Leu Glu Asp Asp Arg Asn Ser Leu Gln Ala Ala Lys Ala  
145 150 155 160

Gly Leu Glu Asp Glu Cys Lys Thr Leu Arg Gln Lys Val Glu Ile Leu  
165 170 175

Asn Glu Leu Tyr Gln Gln Lys Glu Met Ala Leu Gln Lys Lys Leu Ser  
180 185 190

Gln Glu Glu Tyr Glu Arg Gln Glu Arg Glu His Arg Leu Ser Ala Ala  
195 200 205

Asp Glu Lys Ala Val Ser Ala Ala Glu Glu Val Lys Thr Tyr Lys Arg  
210 215 220

Arg Ile Glu Glu Met Glu Asp Glu Leu Gln Lys Thr Glu Arg Ser Phe  
225 230 235 240

Lys Asn Gln Ile Ala Thr His Glu Lys Lys Ala His Glu Asn Trp Leu  
245 250 255

Lys Ala Arg Ala Ala Glu Arg Ala Ile Ala Glu Glu Lys Arg Glu Ala  
260 265 270

Ala Asn Leu Arg His Lys Leu Leu Xaa Leu Thr Gln Lys Met Ala Met  
275 280 285

Leu Gln Glu Glu Pro Val Ile Val Lys Pro Met Pro Gly Lys Pro Asn  
290 295 300

Thr Gln Asn Pro Pro Arg Arg Gly Pro Leu Ser Gln Asn Val Phe Trp  
305 310 315 320

Pro Ile Pro Cys Glu Trp Trp Arg Met Leu Pro Ser Ile Asp Ser Gly  
325 330 335

Ala Thr Arg Glu Thr Ser Leu Cys Tyr Ser Gln Ser Lys Arg Tyr Ala  
340 345 350

&lt;210&gt; 964

&lt;211&gt; 553

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE



<222> (133)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (375)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (438)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (549)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 964

Thr Leu Glu Ala Glu Lys Glu Arg Arg Lys Ser Gly Leu Ser Ser Arg  
1 5 10 15

Val Gln Phe Arg Asn Gln Gly Ser Glu Pro Lys Tyr Thr Gln Glu Leu  
20 25 30

Thr Leu Lys Arg Gln Lys Gln Lys Val Cys Met Glu Glu Thr Leu Trp  
35 40 45

Leu Gln Asp Asn Ile Arg Asp Lys Leu Arg Pro Ile Pro Ile Thr Ala  
50 55 60

Ser Val Glu Ile Gln Glu Pro Ser Ser Arg Arg Arg Val Asn Ser Leu  
65 70 75 80

Pro Glu Val Leu Pro Ile Leu Asn Ser Asp Glu Pro Lys Thr Ala His  
85 90 95

Ile Asp Val His Phe Leu Lys Glu Gly Cys Gly Asp Asp Asn Val Cys  
100 105 110

Asn Ser Asn Leu Lys Leu Glu Tyr Lys Phe Cys Thr Arg Glu Gly Asn  
115 120 125

Gln Asp Lys Phe Xaa Tyr Leu Pro Ile Gln Lys Gly Val Pro Glu Leu  
130 135 140

Val Leu Lys Asp Gln Lys Asp Ile Ala Leu Glu Ile Thr Val Thr Asn  
145 150 155 160

Ser Pro Ser Asn Pro Arg Asn Pro Thr Lys Asp Gly Asp Asp Ala His  
165 170 175

Glu Ala Lys Leu Ile Ala Thr Phe Pro Asp Thr Leu Thr Tyr Ser Ala  
180 185 190

Tyr Arg Glu Leu Arg Ala Phe Pro Glu Lys Gln Leu Ser Cys Val Ala  
195 200 205

Asn Gln Asn Gly Ser Gln Ala Asp Cys Glu Leu Gly Asn Pro Phe Lys  
210 215 220

Arg Asn Ser Asn Val Thr Phe Tyr Leu Val Leu Ser Thr Thr Glu Val  
225 230 235 240

Thr Phe Asp Thr Pro Asp Leu Asp Ile Asn Leu Lys Leu Glu Thr Thr  
245 250 255

Ser Asn Gln Asp Asn Leu Ala Pro Ile Thr Ala Lys Ala Lys Val Val  
260 265 270

Ile Glu Leu Leu Leu Ser Val Ser Gly Val Ala Lys Pro Ser Gln Val  
275 280 285

Tyr Phe Gly Gly Thr Val Val Gly Glu Gln Ala Met Lys Ser Glu Asp  
290 295 300

Glu Val Gly Ser Leu Ile Glu Tyr Glu Phe Arg Val Ile Asn Leu Gly  
305 310 315 320

Lys Pro Leu Thr Asn Leu Gly Thr Ala Thr Leu Asn Ile Gln Trp Pro  
325 330 335

Lys Glu Ile Ser Asn Gly Lys Trp Leu Leu Tyr Leu Val Lys Val Glu  
340 345 350

Ser Lys Gly Leu Glu Lys Val Thr Cys Glu Pro Gln Lys Glu Ile Asn  
355 360 365

Ser Leu Asn Leu Thr Glu Xaa His Asn Ser Arg Lys Lys Arg Glu Ile  
370 375 380

Thr Glu Lys Gln Ile Asp Asp Asn Arg Lys Phe Ser Leu Phe Ala Glu  
385 390 395 400

Arg Lys Tyr Gln Thr Leu Asn Cys Ser Val Asn Val Asn Cys Val Asn  
405 410 415

Ile Arg Cys Pro Leu Arg Gly Leu Asp Ser Lys Ala Ser Leu Ile Leu  
420 425 430

Arg Ser Arg Leu Trp Xaa Ser Thr Phe Leu Glu Glu Tyr Ser Lys Leu  
435 440 445

Asn Tyr Leu Asp Ile Leu Met Arg Ala Phe Ile Asp Val Thr Ala Ala  
 450 455 460

Ala Glu Asn Ile Arg Leu Pro Asn Ala Gly Thr Gln Val Arg Val Thr  
 465 470 475 480

Val Phe Pro Ser Lys Thr Val Ala Gln Tyr Ser Gly Val Pro Trp Trp  
 485 490 495

Ile Ile Leu Val Ala Ile Leu Ala Gly Ile Leu Met Leu Ala Leu Leu  
 500 505 510

Val Phe Ile Leu Trp Lys Cys Gly Phe Phe Lys Arg Asn Lys Lys Asp  
 515 520 525

His Tyr Asp Ala Thr Tyr His Lys Ala Glu Ile His Ala Gln Pro Ser  
 530 535 540

Asp Lys Glu Arg Xaa Thr Ser Asp Ala  
 545 550

<210> 965

<211> 220

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (70)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (217)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 965

Gln Tyr Gly Arg Ile Pro Gly Ser Thr His Ala Ser Ala Glu Pro Leu  
 1 5 10 15

Glu Asn Pro Phe Lys Lys Met Lys Asn Asn Ile Val Asp Ala Ala Asn  
 20 25 30

Asn His Ser Ala Pro Glu Val Leu Tyr Gly Ser Leu Leu Asn Gln Glu  
 35 40 45

Glu Leu Lys Phe Ser Arg Asn Asp Leu Glu Phe Lys Tyr Pro Ala Gly  
 50 55 60

His Gly Ser Ala Ser Xaa Ser Glu His Arg Ser Trp Ala Arg Glu Ser  
65 70 75 80

Lys Ser Phe Asn Val Leu Lys Gln Leu Leu Leu Ser Glu Asn Cys Val  
85 90 95

Arg Asp Leu Ser Pro His Arg Ser Asn Ser Val Ala Asp Ser Lys Lys  
100 105 110

Lys Gly His Lys Asn Asn Val Thr Asn Ser Lys Pro Glu Phe Ser Ile  
115 120 125

Ser Ser Leu Asn Gly Leu Met Tyr Ser Ser Thr Gln Pro Ser Ser Cys  
130 135 140

Met Asp Asn Arg Thr Phe Ser Tyr Pro Gly Val Val Lys Thr Pro Val  
145 150 155 160

Ser Pro Thr Phe Pro Glu His Leu Gly Cys Ala Gly Ser Arg Pro Glu  
165 170 175

Ser Gly Leu Leu Asn Gly Cys Ser Met Pro Ser Glu Lys Gly Pro Ile  
180 185 190

Lys Trp Val Ile Thr Asp Ala Glu Lys Met Ser Met Lys Ser Leu Ser  
195 200 205

Arg Leu Thr Lys Pro Pro His Thr Xaa Leu His Ala  
210 215 220

<210> 966

<211> 385

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (221)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 966

Trp Ile Pro Arg Ala Ala Gly Phe Gly Thr Arg Pro Leu Pro Gly Ala  
1 5 10 15

Ala Gly Gly Ala Ala Gly Cys Thr Gln Arg Arg Ser Arg Glu Leu Ala  
20 25 30

Ala Ala Ala Met Ser His Gln Thr Gly Ile Gln Ala Ser Glu Asp Val

35	40	45
Lys Glu Ile Phe Ala Arg Ala Arg Asn Gly Lys Tyr Arg Leu Leu Lys		
50	55	60
Ile Ser Ile Glu Asn Glu Gln Leu Val Ile Gly Ser Tyr Ser Gln Pro		
65	70	75
Ser Asp Ser Trp Asp Lys Asp Tyr Asp Ser Phe Val Leu Pro Leu Leu		
85	90	95
Glu Asp Lys Gln Pro Cys Tyr Ile Leu Phe Arg Leu Asp Ser Gln Asn		
100	105	110
Ala Gln Gly Tyr Glu Trp Ile Phe Ile Ala Trp Ser Pro Asp His Ser		
115	120	125
His Val Arg Gln Lys Met Leu Tyr Ala Ala Thr Arg Ala Thr Leu Lys		
130	135	140
Lys Glu Phe Gly Gly Gly His Ile Lys Asp Glu Val Phe Gly Thr Val		
145	150	155
Lys Glu Asp Val Ser Leu His Gly Tyr Lys Lys Tyr Leu Leu Ser Gln		
165	170	175
Ser Ser Pro Ala Pro Leu Thr Ala Ala Glu Glu Glu Leu Arg Gln Ile		
180	185	190
Lys Ile Asn Glu Val Gln Thr Asp Val Gly Val Asp Thr Lys His Gln		
195	200	205
Thr Leu Gln Gly Val Ala Phe Pro Ile Ser Arg Glu Xaa Phe Gln Ala		
210	215	220
Leu Glu Lys Leu Asn Asn Arg Gln Leu Asn Tyr Val Gln Leu Glu Ile		
225	230	235
Asp Ile Lys Asn Glu Ile Ile Ile Leu Ala Asn Thr Thr Asn Thr Glu		
245	250	255
Leu Lys Asp Leu Pro Lys Arg Ile Pro Lys Asp Ser Ala Arg Tyr His		
260	265	270
Phe Phe Leu Tyr Lys His Ser His Glu Gly Asp Tyr Leu Glu Ser Ile		
275	280	285
Val Phe Ile Tyr Ser Met Pro Gly Tyr Thr Cys Ser Ile Arg Glu Arg		
290	295	300
Met Leu Tyr Ser Ser Cys Lys Ser Arg Leu Leu Glu Ile Val Glu Arg		

305                      310                      315                      320  
 Gln Leu Gln Met Asp Val Ile Arg Lys Ile Glu Ile Asp Asn Gly Asp  
                                  325                      330                      335  
 Glu Leu Thr Ala Asp Phe Leu Tyr Glu Glu Val His Pro Lys Gln His  
                                  340                      345                      350  
 Ala His Lys Gln Ser Phe Ala Lys Pro Lys Gly Pro Ala Gly Lys Arg  
                                  355                      360                      365  
 Gly Ile Arg Arg Leu Ile Arg Gly Pro Ala Glu Thr Glu Ala Thr Thr  
                                  370                      375                      380  
 Asp  
 385

<210> 967  
 <211> 221  
 <212> PRT  
 <213> Homo sapiens

<400> 967  
 Arg Lys Lys Asp Lys Ser Ser Arg Pro Pro Leu Thr Pro Ser Leu Pro  
   1                                  5                                  10                                  15  
 Leu Ser Leu Pro Pro Gly Glu Glu Ala Arg Gly Gly Cys Ser Ala Val  
                                   20                                  25                                  30  
 Gly Ala Ala Pro Pro Ser Pro Gly Arg Pro Gly Pro Pro Pro His Ala  
                                   35                                  40                                  45  
 Ala Pro Met His Pro Phe Tyr Thr Arg Ala Ala Thr Met Ile Gly Glu  
                                   50                                  55                                  60  
 Ile Ala Ala Ala Val Ser Phe Ile Ser Lys Phe Leu Arg Thr Lys Gly  
   65                                  70                                  75                                  80  
 Leu Thr Ser Glu Arg Gln Leu Gln Thr Phe Ser Gln Ser Leu Gln Glu  
                                   85                                  90                                  95  
 Leu Leu Ala Glu His Tyr Lys His His Trp Phe Pro Glu Lys Pro Cys  
                                   100                                  105                                  110  
 Lys Gly Ser Gly Tyr Arg Cys Ile Arg Ile Asn His Lys Met Asp Pro  
                                   115                                  120                                  125  
 Leu Ile Gly Gln Ala Ala Gln Arg Ile Gly Leu Ser Ser Gln Glu Leu  
                                   130                                  135                                  140

Phe Arg Leu Leu Pro Ser Glu Leu Thr Leu Trp Val Asp Pro Tyr Glu  
145 150 155 160

Val Ser Tyr Arg Ile Gly Glu Asp Gly Ser Ile Cys Val Leu Tyr Glu  
165 170 175

Ala Ser Pro Ala Gly Gly Ser Thr Gln Asn Ser Thr Asn Val Gln Met  
180 185 190

Val Asp Ser Arg Ile Ser Cys Lys Glu Glu Leu Leu Leu Gly Arg Thr  
195 200 205

Ser Pro Ser Lys Asn Tyr Asn Met Met Thr Val Ser Gly  
210 215 220

<210> 968

<211> 212

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 968

Xaa Leu Thr Lys Gly Thr Lys Ala Gly Ser Ser Thr Ala Val Xaa Thr  
1 5 10 15

Ala Leu Glu Leu Val Asp Pro Pro Gly Cys Arg Asn Ser Ala Glu Phe  
20 25 30

Asp Leu Cys Cys Ser Pro Cys Arg Arg Arg Leu Leu Gly Arg Glu Glu  
35 40 45

Ala Gly Glu Glu Pro Thr Ser Pro Val Thr Gln Tyr Leu Gln Pro Arg  
50 55 60

Ser Pro Glu Glu Cys Lys Met Phe Ala Cys Ala Lys Leu Ala Cys Thr  
65 70 75 80

Pro Ser Leu Ile Arg Ala Gly Ser Arg Val Ala Tyr Arg Pro Ile Ser  
85 90 95

Ala Ser Val Leu Ser Arg Pro Glu Ala Ser Arg Thr Gly Glu Gly Ser  
100 105 110

Thr Val Phe Asn Gly Ala Gln Asn Gly Val Ser Gln Leu Ile Gln Arg  
115 120 125

Glu Phe Gln Thr Ser Ala Ile Ser Arg Asp Ile Asp Thr Ala Ala Lys  
130 135 140

Phe Ile Gly Ala Gly Ala Ala Thr Val Gly Val Ala Gly Ser Gly Ala  
145 150 155 160

Gly Ile Gly Thr Val Phe Gly Ser Leu Ile Ile Gly Tyr Ala Arg Asn  
165 170 175

Pro Ser Leu Lys Gln Gln Leu Phe Ser Tyr Ala Ile Leu Gly Phe Ala  
180 185 190

Leu Ser Glu Ala Met Gly Leu Phe Cys Leu Met Val Ala Phe Leu Ile  
195 200 205

Leu Phe Ala Met  
210

<210> 969  
<211> 224  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (140)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (142)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (206)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (224)  
<223> Xaa equals any of the naturally occurring L-amino acids



&lt;400&gt; 969

Tyr Leu Asp Ala Glu Lys Met Gly Gln Lys Ala Ser Gln Gln Leu Ala  
1 5 10 15

Leu Lys Asp Ser Lys Glu Val Pro Val Val Cys Glu Val Val Ser Glu  
20 25 30

Ala Ile Val His Ala Ala Gln Lys Leu Lys Glu Tyr Leu Gly Phe Glu  
35 40 45

Tyr Pro Pro Ser Lys Leu Cys Pro Ala Ala Asn Thr Leu Asn Glu Ile  
50 55 60

Phe Leu Ile His Phe Ile Thr Phe Cys Gln Glu Lys Gly Val Asp Glu  
65 70 75 80

Trp Leu Thr Thr Thr Lys Met Thr Lys His Gln Ala Phe Leu Phe Gly  
85 90 95

Ala Asp Trp Ile Trp Thr Phe Trp Gly Ser Asp Lys Gln Ile Lys Leu  
100 105 110

Gln Leu Ala Val Gln Thr Leu Gln Met Ser Ser Pro Pro Pro Val Glu  
115 120 125

Ser Lys Pro Cys Asp Leu Ser Asn Pro Glu Ser Xaa Val Xaa Glu Ser  
130 135 140

Ser Trp Lys Lys Ser Arg Phe Asp Lys Leu Glu Glu Phe Cys Asn Leu  
145 150 155 160

Ile Gly Glu Asp Cys Leu Gly Leu Phe Ile Ile Phe Gly Met Pro Gly  
165 170 175

Lys Pro Lys Asp Ile Arg Gly Val Val Leu Asp Ser Val Lys Ser Gln  
180 185 190

Met Val Arg Ser His Leu Pro Gly Gly Lys Ala Val Ala Xaa Phe Val  
195 200 205

Leu Glu Thr Glu Asp Cys Val Phe Ile Lys Glu Leu Leu Lys Ile Xaa  
210 215 220

&lt;210&gt; 970

&lt;211&gt; 180

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (166)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 970

Leu Gly Leu Ser Arg Val Asp Asp Ala Val Ala Ala Asn Thr Arg Gln  
 1 5 10 15

Cys Ala Gln Arg Arg Asp Arg Arg Gly Gly Glu Gly Arg Gly Gln Gly  
 20 25 30

Ile Glu Pro Ser Pro Ala Ser Ala Thr Pro Gly Thr Arg Gly Val Cys  
 35 40 45

Arg Met Pro Val Thr Arg Leu His Glu Gly Arg Phe His Leu Arg His  
 50 55 60

Arg His Arg His Gly Leu Trp Leu Ala Asp Val His Ser Glu Glu Val  
 65 70 75 80

Ser Ile Pro Phe Ala Val Glu Pro Pro Ser Gly Arg Gly Cys Arg Leu  
 85 90 95

Cys Gly Gln Leu Arg Gly Asp Glu Ser Gly Val Gly Glu Met Gln Gln  
 100 105 110

Pro Leu Ala Leu Pro Gly Asp Arg Ala Ala Pro Gln Arg Gln Glu His  
 115 120 125

Arg Ser Glu Lys Leu Gly Glu Leu Gln Gln Gly His Arg Gly Leu Gly  
 130 135 140

Ala Gly Gly Val Trp Asn Thr Ala Phe Met Pro Pro Asp Pro Arg Pro  
 145 150 155 160

Thr Leu Pro Thr Pro Xaa Gly Thr Pro Val Val Ser Ser Val Arg Met  
 165 170 175

Cys Gly Gln Ala  
 180

&lt;210&gt; 971

&lt;211&gt; 130

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

<220>  
<221> SITE  
<222> (85)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (91)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (103)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (106)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (112)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (116)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (118)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (126)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 971  
Pro Arg Val Arg Pro Arg Val Leu Asp Leu Leu Cys Lys Asn Met Lys  
1 5 10 15  
His Leu Trp Phe Phe Leu Leu Leu Val Ala Ala Pro Arg Trp Val Leu  
20 25 30  
Ser Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser  
35 40 45

Gln Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Gly Ser Ile Ser Ser  
50 55 60

Gly Ala Tyr Tyr Trp Ser Trp Ile Arg Gln His Pro Gly Lys Gly Leu  
65 70 75 80

Glu Trp Ile Gly Xaa Ile Tyr Tyr Ser Gly Xaa Thr Tyr Tyr Asn Pro  
85 90 95

Ser Leu Lys Ser Leu Val Xaa Ile Ser Xaa Asp Thr Ser Lys Asn Xaa  
100 105 110

Phe Ser Leu Xaa Leu Xaa Ser Val Thr Ala Ala Asp Thr Xaa Val Tyr  
115 120 125

Tyr Cys  
130

<210> 972  
<211> 210  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (67)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (73)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

&lt;221&gt; SITE

&lt;222&gt; (110)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 972

Ala Gly Ser Ser Trp Lys Cys Arg Gly Cys Ser Leu Pro Xaa Leu Pro  
 1 5 10 15

Pro Pro Pro Ala Cys Ala Leu Leu Leu Pro Trp Pro Arg Thr Trp Val  
 20 25 30

Phe Pro Ser Pro Ala Xaa Gly Trp Arg Trp Leu Thr Arg Ser Arg Tyr  
 35 40 45

Pro Leu Thr Xaa Ser Arg Thr Ser Thr Arg Ser Ser Met Gly Met Ser  
 50 55 60

Leu Val Xaa Gly Pro Leu Gln Gly Xaa Leu Pro Cys Arg Arg Asp Pro  
 65 70 75 80

Arg Val Cys Pro Gly Thr Pro Ser Ser Gln Arg His Leu Pro Val Gly  
 85 90 95

Glu Val Val Lys Gln Ala Asp Val Val Leu Leu Gly Tyr Xaa Val Pro  
 100 105 110

Phe Ser Leu Ser Pro Asp Val Arg Arg Lys Asn Leu Glu Ile Tyr Glu  
 115 120 125

Ala Val Thr Ser Pro Gln Gly Pro Ala Met Thr Trp Ser Met Phe Ala  
 130 135 140

Val Gly Trp Met Glu Leu Lys Asp Ala Val Arg Ala Arg Gly Leu Leu  
 145 150 155 160

Asp Arg Ser Phe Ala Asn Met Ala Glu Pro Phe Lys Val Trp Thr Glu  
 165 170 175

Asn Ala Asp Gly Ser Gly Ala Val Asn Phe Leu Thr Gly Met Gly Gly  
 180 185 190

Phe Cys Arg Arg Trp Ser Ser Gly Ala Arg Gly Ser Gly Ser Pro Glu  
 195 200 205

Arg Val  
 210

&lt;210&gt; 973

&lt;211&gt; 248

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 973

Ser Arg Val Arg Gly Cys Ser Arg Ser Arg Gln Pro Gln Ala Arg Gly  
 1 5 10 15

Gly Arg Trp Ala Arg Asp Pro Thr Leu Val Val Met Glu Ala Gly Gly  
 20 25 30

Phe Leu Asp Ser Leu Ile Tyr Gly Ala Cys Val Val Phe Thr Leu Gly  
 35 40 45

Met Phe Ser Ala Gly Leu Ser Asp Leu Arg His Met Arg Met Thr Arg  
 50 55 60

Ser Val Asp Asn Val Gln Phe Leu Pro Phe Leu Thr Thr Glu Val Asn  
 65 70 75 80

Asn Leu Gly Trp Leu Ser Tyr Gly Ala Leu Lys Gly Asp Gly Ile Leu  
 85 90 95

Ile Val Val Asn Thr Val Gly Ala Ala Leu Gln Thr Leu Tyr Ile Leu  
 100 105 110

Ala Tyr Leu His Tyr Cys Pro Arg Lys Arg Val Val Leu Leu Gln Thr  
 115 120 125

Ala Thr Leu Leu Gly Val Leu Leu Leu Gly Tyr Gly Tyr Phe Trp Leu  
 130 135 140

Leu Val Pro Asn Pro Glu Ala Arg Leu Gln Gln Leu Gly Leu Phe Cys  
 145 150 155 160

Ser Val Phe Thr Ile Ser Met Tyr Leu Ser Pro Leu Ala Asp Leu Ala  
 165 170 175

Lys Val Ile Gln Thr Lys Ser Thr Gln Cys Leu Ser Tyr Pro Leu Thr  
 180 185 190

Ile Ala Thr Leu Leu Thr Ser Ala Ser Trp Cys Leu Tyr Gly Phe Arg  
 195 200 205

Leu Arg Asp Pro Tyr Ile Met Val Ser Asn Phe Pro Gly Ile Val Thr  
 210 215 220

Ser Phe Ile Arg Phe Trp Leu Phe Trp Lys Tyr Pro Gln Glu Gln Asp  
 225 230 235 240

Arg Asn Tyr Trp Leu Leu Gln Thr  
 245

<210> 974  
 <211> 202  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (2)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (10)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (60)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 974  
 Ser Xaa Leu Pro Phe Ile Lys Gly Asn Xaa Ser Trp Ser Phe His Arg  
     1                    5                    10                    15

Gly Gly Gly Arg Ser Arg Thr Ser Gly Ser Pro Gly Leu Gln Glu Phe  
                     20                    25                    30

Gly Thr Arg Arg Glu Leu Val Ser Arg Arg Ala Gln Arg Thr Ala Thr  
                     35                    40                    45

Asp Ser Pro Gly His Pro Pro Thr Ala His Gly Xaa Gln Gln Ser Arg  
                     50                    55                    60

Lys Ala Arg Pro Gly Gln Arg Lys Pro Ser Arg Ala Gly Trp Arg Leu  
                     65                    70                    75                    80

Arg Ala Ala Ala Pro Thr Gly Gln Arg Pro Pro His Val Pro Ala Pro  
                     85                    90                    95

Thr Pro Arg Pro Ser Gly Gln His Glu Ala Pro Gly Gly Arg Ala Ala  
                     100                    105                    110

Pro Ala Ala Ala Gly Ala Val His Arg Ala Cys Gly Arg Val Gln Met  
                     115                    120                    125

Gln Val Leu Pro Glu Gly Pro Lys Ile Arg Tyr Ser Asp Val Lys Lys  
                     130                    135                    140

Leu Glu Met Lys Pro Lys Tyr Pro His Cys Glu Glu Lys Met Val Ile  
 145 150 155 160

Ile Thr Thr Lys Ser Val Ser Arg Tyr Arg Gly Gln Glu His Cys Leu  
 165 170 175

His Pro Lys Leu Gln Ser Thr Lys Arg Phe Ile Lys Trp Tyr Asn Ala  
 180 185 190

Trp Asn Glu Lys Arg Arg Val Tyr Glu Glu  
 195 200

<210> 975

<211> 260

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (212)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 975

Leu Cys Leu Pro Phe Pro Thr Gly Glu Thr Pro Ser Leu Gly Phe Thr  
 1 5 10 15

Val Thr Leu Val Leu Leu Asn Ser Leu Ala Phe Leu Leu Met Ala Val  
 20 25 30

Ile Tyr Thr Lys Leu Tyr Cys Asn Leu Glu Lys Glu Asp Leu Ser Glu  
 35 40 45

Asn Ser Gln Ser Ser Met Ile Lys His Val Ala Trp Leu Ile Phe Thr  
 50 55 60

Asn Cys Ile Phe Phe Cys Pro Val Ala Phe Phe Ser Phe Ala Pro Leu  
 65 70 75 80

Ile Thr Ala Ile Ser Ile Ser Pro Glu Ile Met Lys Ser Val Thr Leu  
 85 90 95

Ile Phe Phe Pro Leu Pro Ala Cys Leu Asn Pro Val Leu Tyr Val Phe  
 100 105 110

Phe Asn Pro Lys Phe Lys Glu Asp Trp Lys Leu Leu Lys Arg Arg Val  
 115 120 125

Thr Lys Lys Ser Gly Ser Val Ser Val Ser Ile Ser Ser Gln Gly Gly  
 130 135 140



Cys Leu Glu Gln Asp Phe Tyr Tyr Asp Cys Gly Met Tyr Ser His Leu  
145 150 155 160

Gln Gly Asn Leu Thr Val Cys Asp Cys Cys Glu Ser Phe Leu Leu Thr  
165 170 175

Lys Pro Val Ser Cys Lys His Leu Ile Lys Ser His Ser Cys Pro Ala  
180 185 190

Leu Ala Val Ala Ser Cys Gln Arg Pro Glu Gly Tyr Trp Ser Asp Cys  
195 200 205

Gly Thr Gln Xaa Ala His Ser Asp Tyr Ala Asp Glu Glu Asp Ser Phe  
210 215 220

Val Ser Asp Ser Ser Asp Gln Val Gln Ala Cys Gly Arg Ala Cys Phe  
225 230 235 240

Tyr Gln Ser Arg Gly Phe Pro Leu Val Arg Tyr Ala Tyr Asn Leu Pro  
245 250 255

Arg Val Lys Asp  
260

<210> 976

<211> 114

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 976

Arg Ser Arg Lys Gln Glu Ala Ala Cys Xaa Pro Gln Asp Leu Pro Gly  
1 5 10 15

Trp Gly Asn Trp Arg Leu Leu Gly Gly Gly Thr Val His Ala Lys Met  
20 25 30

Ala Val Ser Thr Glu Glu Leu Glu Ala Thr Val Gln Glu Val Leu Gly  
35 40 45

Arg Leu Lys Ser His Gln Phe Phe Gln Ser Thr Trp Asp Thr Val Ala  
50 55 60

Phe Ile Val Phe Leu Thr Phe Met Gly Thr Val Leu Leu Leu Leu

65                                      70                                      75                                      80  
 Leu Val Val Ala His Cys Cys Cys Cys Ser Ser Pro Gly Pro Arg Arg  
                                     85                                      90                                      95  
 Glu Ser Pro Arg Lys Glu Arg Pro Lys Gly Val Asp Asn Leu Ala Leu  
                                     100                                      105                                      110  
 Glu Pro

<210> 977  
 <211> 413  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (58)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (75)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (125)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 977  
 Thr Pro Pro Thr His Gly Pro Thr Ala Asp Gln Pro Met Arg Pro Val  
   1                                      5                                      10                                      15

Arg Val Pro Glu Arg Gly Pro Val His Arg Gly Ala Ala Gly Ala His  
                                     20                                      25                                      30

Leu Pro Leu Pro Thr Arg Leu Arg Arg Pro Gln Met Arg Glu Ala His  
                                     35                                      40                                      45

His Cys Gln Leu Arg Gly Gln Arg Leu Xaa Arg Gly Thr Gly Leu Arg  
                                     50                                      55                                      60

Gln Gly Pro Thr Pro Gly Gln His Leu Pro Xaa Gly Gly Pro Asp Lys  
   65                                      70                                      75                                      80

Asp Asn Gly Ile Leu Leu Tyr Lys Gly Asp Asn Asp Pro Leu Ala Leu  
                                     85                                      90                                      95

Glu Leu Tyr Gln Gly His Val Arg Leu Val Tyr Asp Ser Leu Ser Ser  
100 105 110

Pro Pro Thr Thr Val Tyr Ser Val Glu Thr Val Asn Xaa Gly Gln Phe  
115 120 125

His Ser Val Glu Leu Val Thr Leu Asn Gln Thr Leu Asn Leu Val Val  
130 135 140

Asp Lys Gly Thr Pro Lys Ser Leu Gly Lys Leu Gln Lys Gln Pro Ala  
145 150 155 160

Val Gly Ile Asn Ser Pro Leu Tyr Leu Gly Gly Ile Pro Thr Ser Thr  
165 170 175

Gly Leu Ser Ala Leu Arg Gln Gly Thr Asp Arg Pro Leu Gly Gly Phe  
180 185 190

His Gly Cys Ile His Glu Val Arg Ile Asn Asn Glu Leu Gln Asp Phe  
195 200 205

Lys Ala Leu Pro Pro Gln Ser Leu Gly Val Ser Pro Gly Cys Lys Ser  
210 215 220

Cys Thr Val Cys Lys His Gly Leu Cys Arg Ser Val Glu Lys Asp Ser  
225 230 235 240

Val Val Cys Glu Cys Arg Pro Gly Trp Thr Gly Pro Leu Cys Asp Gln  
245 250 255

Glu Ala Arg Asp Pro Cys Leu Gly His Arg Cys His His Gly Lys Cys  
260 265 270

Val Ala Thr Gly Thr Ser Tyr Met Cys Lys Cys Ala Glu Gly Tyr Gly  
275 280 285

Gly Asp Leu Cys Asp Asn Lys Asn Asp Ser Ala Asn Ala Cys Ser Ala  
290 295 300

Phe Lys Cys His His Gly Gln Cys His Ile Ser Asp Gln Gly Glu Pro  
305 310 315 320

Tyr Cys Leu Cys Gln Pro Gly Phe Ser Gly Glu His Cys Gln Gln Glu  
325 330 335

Asn Pro Cys Leu Gly Gln Val Val Arg Glu Val Ile Arg Arg Gln Lys  
340 345 350

Gly Tyr Ala Ser Cys Ala Thr Ala Ser Lys Val Pro Ile Met Glu Cys  
355 360 365

Arg Gly Gly Cys Gly Pro Gln Cys Cys Gln Pro Thr Arg Ser Lys Arg  
370 375 380

Arg Lys Tyr Val Phe Gln Cys Thr Asp Gly Ser Ser Phe Val Glu Glu  
385 390 395 400

Val Glu Arg His Leu Glu Cys Gly Cys Leu Ala Cys Ser  
405 410

<210> 978

<211> 271

<212> PRT

<213> Homo sapiens

<400> 978

Thr Gln Arg Met Ser Gly Lys His Tyr Lys Gly Pro Glu Val Ser Cys  
1 5 10 15

Cys Ile Lys Tyr Phe Ile Phe Gly Phe Asn Val Ile Phe Trp Phe Leu  
20 25 30

Gly Ile Thr Phe Leu Gly Ile Gly Leu Trp Ala Trp Asn Glu Lys Gly  
35 40 45

Val Leu Ser Asn Ile Ser Ser Ile Thr Asp Leu Gly Gly Phe Asp Pro  
50 55 60

Val Trp Leu Phe Leu Val Val Gly Gly Val Met Phe Ile Leu Gly Phe  
65 70 75 80

Ala Gly Cys Ile Gly Ala Leu Arg Glu Asn Thr Phe Leu Leu Lys Phe  
85 90 95

Phe Ser Val Phe Leu Gly Ile Ile Phe Phe Leu Glu Leu Thr Ala Gly  
100 105 110

Val Leu Ala Phe Val Phe Lys Asp Trp Ile Lys Asp Gln Leu Tyr Phe  
115 120 125

Phe Ile Asn Asn Asn Ile Arg Ala Tyr Arg Asp Asp Ile Asp Leu Gln  
130 135 140

Asn Leu Ile Asp Phe Thr Gln Glu Tyr Trp Gln Cys Cys Gly Ala Phe  
145 150 155 160

Gly Ala Asp Asp Trp Asn Leu Asn Ile Tyr Phe Asn Cys Thr Asp Ser  
165 170 175

Asn Ala Ser Arg Glu Arg Cys Gly Val Pro Phe Ser Cys Cys Thr Lys  
 180 185 190

Asp Pro Ala Glu Asp Val Ile Asn Thr Gln Cys Gly Tyr Asp Ala Arg  
 195 200 205

Gln Lys Pro Glu Val Asp Gln Gln Ile Val Ile Tyr Thr Lys Gly Cys  
 210 215 220

Val Pro Gln Phe Glu Lys Trp Leu Gln Asp Asn Leu Thr Ile Val Ala  
 225 230 235 240

Gly Ile Phe Ile Gly Ile Ala Leu Leu Gln Ile Phe Gly Ile Cys Leu  
 245 250 255

Ala Gln Asn Leu Val Ser Asp Ile Glu Ala Val Arg Ala Ser Trp  
 260 265 270

<210> 979

<211> 674

<212> PRT

<213> Homo sapiens

<400> 979

Pro Gly Arg Thr Gly Ala Ala Gly Pro Ala Gly Pro Ala Gly Pro Arg  
 1 5 10 15

Gly Ser Pro Gly Glu Arg Gly Glu Val Gly Pro Ala Gly Pro Asn Gly  
 20 25 30

Phe Ala Gly Pro Ala Gly Ala Ala Gly Gln Pro Gly Ala Lys Gly Glu  
 35 40 45

Arg Gly Ala Lys Gly Pro Lys Gly Glu Asn Gly Val Val Gly Pro Thr  
 50 55 60

Gly Pro Val Gly Ala Ala Gly Pro Ala Gly Pro Asn Gly Pro Pro Gly  
 65 70 75 80

Pro Ala Gly Ser Arg Gly Asp Gly Gly Pro Pro Gly Met Thr Gly Phe  
 85 90 95

Pro Gly Ala Ala Gly Arg Thr Gly Pro Pro Gly Pro Ser Gly Ile Ser  
 100 105 110

Gly Pro Pro Gly Pro Pro Gly Pro Ala Gly Lys Glu Gly Leu Arg Gly  
 115 120 125

Pro Arg Gly Asp Gln Gly Pro Val Gly Arg Thr Gly Glu Val Gly Ala

130                      135                      140  
 Val Gly Pro Pro Gly Phe Ala Gly Glu Lys Gly Pro Ser Gly Glu Ala  
 145                      150                      155                      160  
 Gly Thr Ala Gly Pro Pro Gly Thr Pro Gly Pro Gln Gly Leu Leu Gly  
                     165                      170                      175  
 Ala Pro Gly Ile Leu Gly Leu Pro Gly Ser Arg Gly Glu Arg Gly Leu  
                     180                      185                      190  
 Pro Gly Val Ala Gly Ala Val Gly Glu Pro Gly Pro Leu Gly Ile Ala  
                     195                      200                      205  
 Gly Pro Pro Gly Ala Arg Gly Pro Pro Gly Ala Val Gly Ser Pro Gly  
                     210                      215                      220  
 Val Asn Gly Ala Pro Gly Glu Ala Gly Arg Asp Gly Asn Pro Gly Asn  
 225                      230                      235                      240  
 Asp Gly Pro Pro Gly Arg Asp Gly Gln Pro Gly His Lys Gly Glu Arg  
                     245                      250                      255  
 Gly Tyr Pro Gly Asn Ile Gly Pro Val Gly Ala Ala Gly Ala Pro Gly  
                     260                      265                      270  
 Pro His Gly Pro Val Gly Pro Ala Gly Lys His Gly Asn Arg Gly Glu  
                     275                      280                      285  
 Thr Gly Pro Ser Gly Pro Val Gly Pro Ala Gly Ala Val Gly Pro Arg  
                     290                      295                      300  
 Gly Pro Ser Gly Pro Gln Gly Ile Arg Gly Asp Lys Gly Glu Pro Gly  
 305                      310                      315                      320  
 Glu Lys Gly Pro Arg Gly Leu Pro Gly Leu Lys Gly His Asn Gly Leu  
                     325                      330                      335  
 Gln Gly Leu Pro Gly Ile Ala Gly His His Gly Asp Gln Gly Ala Pro  
                     340                      345                      350  
 Gly Ser Val Gly Pro Ala Gly Pro Arg Gly Pro Ala Gly Pro Ser Gly  
                     355                      360                      365  
 Pro Ala Gly Lys Asp Gly Arg Thr Gly His Pro Gly Thr Val Gly Pro  
                     370                      375                      380  
 Ala Gly Ile Arg Gly Pro Gln Gly His Gln Gly Pro Ala Gly Pro Pro  
 385                      390                      395                      400  
 Gly Pro Pro Gly Pro Pro Gly Pro Pro Gly Val Ser Gly Gly Gly Tyr

405                      410                      415  
 Asp Phe Gly Tyr Asp Gly Asp Phe Tyr Arg Ala Asp Gln Pro Arg Ser  
                          420                      425                      430  
 Ala Pro Ser Leu Arg Pro Lys Asp Tyr Glu Val Asp Ala Thr Leu Lys  
                          435                      440                      445  
 Ser Leu Asn Asn Gln Ile Glu Thr Leu Leu Thr Pro Glu Gly Ser Arg  
                          450                      455                      460  
 Lys Asn Pro Ala Arg Thr Cys Arg Asp Leu Arg Leu Ser His Pro Glu  
 465     470                      475                      480  
 Trp Ser Ser Gly Tyr Tyr Trp Ile Asp Pro Asn Gln Gly Cys Thr Met  
    485                      490                      495  
 Asp Ala Ile Lys Val Tyr Cys Asp Phe Ser Thr Gly Glu Thr Cys Ile  
    500                      505                      510  
 Arg Ala Gln Pro Glu Asn Ile Pro Ala Lys Asn Trp Tyr Arg Ser Ser  
    515                      520                      525  
 Lys Asp Lys Lys His Val Trp Leu Gly Glu Thr Ile Asn Ala Gly Ser  
    530                      535                      540  
 Gln Phe Glu Tyr Asn Val Glu Gly Val Thr Ser Lys Glu Met Ala Thr  
 545     550                      555                      560  
 Gln Leu Ala Phe Met Arg Leu Leu Ala Asn Tyr Ala Ser Gln Asn Ile  
    565                      570                      575  
 Thr Tyr His Cys Lys Asn Ser Ile Ala Tyr Met Asp Glu Glu Thr Gly  
    580                      585                      590  
 Asn Leu Lys Lys Ala Val Ile Leu Gln Gly Ser Asn Asp Val Glu Leu  
    595                      600                      605  
 Val Ala Glu Gly Asn Ser Arg Phe Thr Tyr Thr Val Leu Val Asp Gly  
    610                      615                      620  
 Cys Ser Lys Lys Thr Asn Glu Trp Gly Lys Thr Ile Ile Glu Tyr Lys  
 625     630                      635                      640  
 Thr Asn Lys Pro Ser Arg Leu Pro Phe Leu Asp Ile Ala Pro Leu Asp  
    645                      650                      655  
 Ile Gly Gly Ala Asp Gln Glu Phe Phe Val Asp Ile Gly Pro Val Cys  
    660                      665                      670

Phe Lys

&lt;210&gt; 980

&lt;211&gt; 120

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 980

Cys Pro Leu Cys Ser Ala Ala Gly Ser Arg Arg Thr Ala Gly Arg Met  
1 5 10 15

Thr Gln Asn Thr Val Ile Val Asn Gly Val Ala Met Ala Ser Arg Pro  
20 25 30

Ser Gln Pro Thr His Val Asn Val His Ile His Gln Glu Ser Ala Leu  
35 40 45

Thr Gln Leu Leu Lys Ala Gly Gly Ser Leu Lys Lys Phe Leu Phe His  
50 55 60

Pro Gly Asp Thr Val Pro Ser Thr Ala Arg Ile Gly Tyr Glu Gln Leu  
65 70 75 80

Ala Leu Gly Val Thr Gln Ile Leu Leu Gly Val Val Ser Cys Val Leu  
85 90 95

Gly Val Cys Leu Ser Leu Gly Pro Trp Thr Val Leu Ser Ala Ser Ala  
100 105 110

Val Pro Ser Gly Arg Gly Leu Trp  
115 120

&lt;210&gt; 981

&lt;211&gt; 76

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 981

Ile Pro Gly Ser Tyr Leu Arg Ile Val Tyr Lys Thr Thr Cys Asn Pro  
1 5 10 15

Phe Met Lys Asn Val Phe Lys Tyr Cys Phe Leu Leu Leu Cys Ser Ala  
20 25 30

Leu Ser Leu Val Leu Pro Leu Ser Pro Glu Cys Ser Ile Ile Tyr Arg  
35 40 45



Leu Tyr Ile Thr Thr Ser Ile Ala Phe Gly Gly Lys Ser Arg Phe Ser  
50 55 60

Cys Asn Phe Pro Ala Val Lys Met Leu Pro Cys Ile  
65 70 75

<210> 982  
<211> 208  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (1)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (4)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (9)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (180)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (192)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (193)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (194)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (195)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (200)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 982

Xaa	Ser	Phe	Xaa	Thr	Gln	Pro	Ser	Xaa	Ser	Thr	Thr	Thr	Ser	Pro	Leu
1				5				10						15	

Trp	Ala	Asn	Thr	Val	Thr	Leu	Ala	Gly	Gly	Lys	Leu	His	Ser	Lys	Gly
			20					25					30		

Leu	Lys	Tyr	Phe	His	His	Phe	Thr	Leu	Ser	Leu	Cys	Gly	Asn	Gln	Gly
		35					40					45			

Arg	Lys	Met	Ser	Val	Cys	Thr	Asp	Asn	Val	Thr	Asp	Leu	Arg	Ile	Pro
		50				55					60				

Glu	Gly	Glu	Ser	Gly	Phe	Ser	Lys	Ser	Ile	Thr	Ala	Tyr	Val	Cys	Gln
65					70					75					80

Ala	Val	Ile	Ile	Pro	Pro	Glu	Val	Thr	Gly	Tyr	Lys	Ala	Gly	Val	Ser
				85					90					95	

Ser	Gln	Pro	Val	Ser	Leu	Ala	Asp	Arg	Leu	Ile	Gly	Val	Thr	Thr	Asp
			100					105						110	

Met	Thr	Leu	Asp	Gly	Ile	Thr	Ser	Pro	Ala	Glu	Leu	Phe	His	Leu	Glu
		115					120					125			

Ser	Leu	Gly	Ile	Pro	Asp	Val	Ile	Phe	Phe	Tyr	Arg	Ser	Asn	Asp	Val
		130				135					140				

Thr	Gln	Ser	Cys	Ser	Ser	Gly	Arg	Ser	Thr	Thr	Ile	Arg	Val	Arg	Cys
145					150					155					160

Ser	Pro	Gln	Lys	Thr	Val	Pro	Gly	Ser	Leu	Leu	Leu	Pro	Gly	Thr	Cys
			165						170					175	

Ser	Asp	Gly	Xaa	Cys	Asp	Gly	Cys	Asn	Phe	His	Phe	Leu	Trp	Glu	Xaa
			180					185						190	

Xaa	Xaa	Xaa	Ala	Arg	Ser	Ala	Xaa	Trp	Leu	Thr	Thr	Met	Leu	Ser	Ser
		195					200								205

<210> 983  
 <211> 261  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (91)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (92)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (259)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (260)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 983  
 Val Thr Gly Gly Glu Leu Phe Glu Asp Ile Val Ala Arg Glu Tyr Tyr  
   1                  5                  10                  15  
 Ser Glu Ala Asp Ala Ser His Cys Ile Gln Gln Ile Leu Glu Ala Val  
                   20                  25                  30  
 Leu His Cys His Gln Met Gly Val Val His Arg Asp Leu Lys Pro Glu  
           35                  40                  45  
 Asn Leu Leu Leu Ala Ser Lys Ser Lys Gly Ala Ala Val Lys Leu Ala  
       50                  55                  60  
 Asp Phe Gly Leu Ala Ile Glu Val Gln Gly Asp Gln Gln Ala Trp Phe  
   65                  70                  75                  80  
 Gly Phe Ala Gly Thr Pro Gly Tyr Leu Ser Xaa Xaa Val Leu Arg Lys  
                   85                  90                  95  
 Asp Pro Tyr Gly Lys Pro Val Asp Met Trp Ala Cys Gly Val Ile Leu  
      100                 105                 110  
 Tyr Ile Leu Leu Val Gly Tyr Pro Pro Phe Trp Asp Glu Asp Gln His  
      115                 120                 125

Arg Leu Tyr Gln Gln Ile Lys Ala Gly Ala Tyr Asp Phe Pro Ser Pro  
 130 135 140  
 Glu Trp Asp Thr Val Thr Pro Glu Ala Lys Asp Leu Ile Asn Lys Met  
 145 150 155 160  
 Leu Thr Ile Asn Pro Ala Lys Arg Ile Thr Ala Ser Glu Ala Leu Lys  
 165 170 175  
 His Pro Trp Ile Cys Gln Arg Ser Thr Val Ala Ser Met Met His Arg  
 180 185 190  
 Gln Glu Thr Val Asp Cys Leu Lys Lys Phe Asn Ala Arg Arg Lys Leu  
 195 200 205  
 Lys Gly Ala Ile Leu Thr Thr Met Leu Ala Thr Arg Asn Phe Ser Ala  
 210 215 220  
 Ala Lys Ser Leu Leu Lys Lys Pro Asp Gly Val Lys Glu Ser Thr Glu  
 225 230 235 240  
 Ser Ser Asn Thr Thr Ile Glu Asp Glu Phe Ser Leu Asp Leu Thr Arg  
 245 250 255  
 Leu Thr Xaa Xaa Gly  
 260

<210> 984  
 <211> 283  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (103)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (268)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 984  
 Ser Thr His Ala Ser Gly Arg Met Ala Ala Glu Gly Trp Ile Trp Arg  
 1 5 10 15  
 Trp Gly Trp Gly Arg Arg Cys Leu Gly Arg Pro Gly Leu Leu Gly Pro  
 20 25 30

Gly Pro Gly Pro Thr Thr Pro Leu Phe Leu Leu Leu Leu Leu Gly Ser  
35 40 45

Val Thr Ala Asp Ile Thr Asp Gly Asn Ser Glu His Leu Lys Arg Glu  
50 55 60

His Ser Leu Ile Lys Pro Tyr Gln Gly Val Gly Ser Ser Ser Met Pro  
65 70 75 80

Leu Trp Asp Phe Gln Gly Ser Thr Met Leu Thr Ser Gln Tyr Val Arg  
85 90 95

Leu Thr Pro Asp Glu Arg Xaa Lys Glu Gly Ser Ile Trp Asn His Gln  
100 105 110

Pro Cys Phe Leu Lys Asp Trp Glu Met His Val His Phe Lys Val His  
115 120 125

Gly Thr Gly Lys Lys Asn Leu His Gly Asp Gly Ile Ala Leu Trp Tyr  
130 135 140

Thr Arg Asp Arg Leu Val Pro Gly Pro Val Phe Gly Ser Lys Asp Asn  
145 150 155 160

Phe His Gly Leu Ala Ile Phe Leu Asp Thr Tyr Pro Asn Asp Glu Thr  
165 170 175

Thr Glu Arg Val Phe Pro Tyr Ile Ser Val Met Val Asn Asn Gly Ser  
180 185 190

Leu Ser Tyr Asp His Ser Lys Asp Gly Arg Trp Thr Glu Leu Ala Gly  
195 200 205

Cys Thr Ala Asp Phe Arg Asn Arg Asp His Asp Thr Phe Leu Ala Val  
210 215 220

Arg Tyr Ser Arg Gly Arg Leu Thr Val Met Thr Asp Leu Glu Asp Lys  
225 230 235 240

Asn Glu Trp Lys Asn Cys Ile Asp Ile Thr Gly Val Arg Leu Pro Thr  
245 250 255

Gly Tyr Tyr Phe Gly Ala Ser Ala Gly Thr Gly Xaa Leu Ser Asp Asn  
260 265 270

His Asp Ile Ile Ser Met Lys Ala Val Pro Ser  
275 280

&lt;211&gt; 144

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 985

Ala Arg Gly Arg Ala Glu Val Leu Gly Arg Ala Val Glu Pro Pro Pro  
1 5 10 15

Gly Arg Cys Trp Ser Thr Pro Pro Val Ala Pro Pro Ala Arg Ser Ala  
20 25 30

Ser Ala Ala Ala Met Gly Val Gln Val Glu Thr Ile Ser Pro Gly Asp  
35 40 45

Gly Arg Thr Phe Pro Lys Arg Gly Gln Thr Cys Val Val His Tyr Thr  
50 55 60

Gly Met Leu Glu Asp Gly Lys Lys Phe Asp Ser Ser Arg Asp Arg Asn  
65 70 75 80

Lys Pro Phe Lys Phe Met Leu Gly Lys Gln Glu Val Ile Arg Gly Trp  
85 90 95

Glu Glu Gly Val Ala Gln Met Ser Val Gly Gln Arg Ala Lys Leu Thr  
100 105 110

Ile Ser Pro Asp Tyr Ala Tyr Gly Ala Thr Gly His Pro Gly Ile Ile  
115 120 125

Pro Pro His Ala Thr Leu Val Phe Asp Val Glu Leu Leu Lys Leu Glu  
130 135 140

&lt;210&gt; 986

&lt;211&gt; 75

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 986

Ile Phe Val Cys Leu Cys Val Cys Leu Ser Cys Val Ile Leu Leu Gly  
1 5 10 15

Ala Ser Ala Asn Ser Leu Thr Val Val Pro Ser Leu Thr Leu Pro Val  
20 25 30

His His Leu Arg Arg Leu Asp Pro Ser Leu Thr Ser Pro Phe Leu Lys  
35 40 45

Pro Val Ser Phe Ser Leu Leu Pro Asn Trp Leu Trp Leu Phe Leu Gln  
 50 55 60

Pro Phe His Ser Arg Ala Ile Phe Ala Lys Glu  
 65 70 75

<210> 987

<211> 332

<212> PRT

<213> Homo sapiens

<400> 987

Arg Thr Arg Gly Arg Thr Arg Gly Arg Thr Arg Gly Arg Val Ala Trp  
 1 5 10 15

Trp Leu Arg Leu Ser Val Arg Pro Pro Ala Gly Ala Ile Met Ala Asp  
 20 25 30

Ala Ala Ser Gln Val Leu Leu Gly Ser Gly Leu Thr Ile Leu Ser Gln  
 35 40 45

Pro Leu Met Tyr Val Lys Val Leu Ile Gln Val Gly Tyr Glu Pro Leu  
 50 55 60

Pro Pro Thr Ile Gly Arg Asn Ile Phe Gly Arg Gln Val Cys Gln Leu  
 65 70 75 80

Pro Gly Leu Phe Ser Tyr Ala Gln His Ile Ala Ser Ile Asp Gly Arg  
 85 90 95

Arg Gly Leu Phe Thr Gly Leu Thr Pro Arg Leu Cys Ser Gly Val Leu  
 100 105 110

Gly Thr Val Val His Gly Lys Val Leu Gln His Tyr Gln Glu Ser Asp  
 115 120 125

Lys Gly Glu Glu Leu Gly Pro Gly Asn Val Gln Lys Glu Val Ser Ser  
 130 135 140

Ser Phe Asp His Val Ile Lys Glu Thr Thr Arg Glu Met Ile Ala Arg  
 145 150 155 160

Ser Ala Ala Thr Leu Ile Thr His Pro Phe His Val Ile Thr Leu Arg  
 165 170 175

Ser Met Val Gln Phe Ile Gly Arg Glu Ser Lys Tyr Cys Gly Leu Cys  
 180 185 190

Asp Ser Ile Ile Thr Ile Tyr Arg Glu Glu Gly Ile Leu Gly Phe Phe  
195 200 205

Ala Gly Leu Val Pro Arg Leu Leu Gly Asp Ile Leu Ser Leu Trp Leu  
210 215 220

Cys Asn Ser Leu Ala Tyr Leu Val Asn Thr Tyr Ala Leu Asp Ser Gly  
225 230 235 240

Val Ser Thr Met Asn Glu Met Lys Ser Tyr Ser Gln Ala Val Thr Gly  
245 250 255

Phe Phe Ala Ser Met Leu Thr Tyr Pro Phe Val Leu Val Ser Asn Leu  
260 265 270

Met Ala Val Asn Asn Cys Gly Leu Ala Gly Gly Cys Pro Pro Tyr Ser  
275 280 285

Pro Ile Tyr Thr Ser Trp Ile Asp Cys Trp Cys Met Leu Gln Lys Glu  
290 295 300

Gly Asn Met Ser Arg Gly Asn Ser Leu Phe Phe Arg Lys Val Pro Phe  
305 310 315 320

Gly Lys Thr Tyr Cys Cys Asp Leu Lys Met Leu Ile  
325 330

<210> 988

<211> 909

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE



<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (58)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (125)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (632)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (851)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 988

Gly Lys Lys Ala Glu Gly Ala Gln Asn Gln Gly Lys Lys Ala Glu Gly  
1 5 10 15

Ala Gln Asn Gln Gly Lys Lys Ala Glu Gly Ala Gln Asn Gln Gly Xaa  
20 25 30

Lys Ala Glu Gly Ala Gln Asn Gln Xaa Lys Lys Ala Glu Gly Xaa Xaa  
35 40 45

Asn Gln Gly Xaa Lys Ala Glu Gly Ala Xaa Asn Gln Gly Xaa Lys Ala  
50 55 60

Glu Gly Ala Gln Asn Gln Gly Lys Lys Ala Glu Gly Ala Gln Asn Gln  
65 70 75 80

Gly Lys Lys Ala Glu Gly Ala Gln Asn Gln Gly Lys Lys Ala Glu Gly  
85 90 95

Ala Gln Asn Gln Gly Lys Lys Ala Glu Gly Ala Gln Asn Gln Gly Lys  
100 105 110

Lys Ala Glu Gly Ala Gln Asn Gln Gly Lys Lys Val Xaa Gly Ala Gln  
115 120 125

Asn Gln Gly Lys Lys Ala Glu Gly Ala Gln Asn Gln Gly Lys Lys Ala  
130 135 140

Glu Gly Ala Gln Asn Gln Gly Lys Lys Ala Glu Gly Ala Gln Asn Gln  
145 150 155 160

Gly Gln Lys Gly Glu Gly Ala Gln Asn Gln Gly Lys Lys Thr Glu Gly  
165 170 175

Ala Gln Gly Lys Lys Ala Glu Arg Ser Pro Asn Gln Gly Lys Lys Gly  
180 185 190

Glu Gly Ala Pro Ile Gln Gly Lys Lys Ala Asp Ser Val Ala Asn Gln  
195 200 205

Gly Thr Lys Val Glu Gly Ile Thr Asn Gln Gly Lys Lys Ala Glu Gly  
210 215 220

Ser Pro Ser Glu Gly Lys Lys Ala Glu Gly Ser Pro Asn Gln Gly Lys  
225 230 235 240

Lys Ala Asp Ala Ala Ala Asn Gln Gly Lys Lys Thr Glu Ser Ala Ser  
245 250 255

Val Gln Gly Arg Asn Thr Asp Val Ala Gln Ser Pro Glu Ala Pro Lys  
260 265 270

Gln Glu Ala Pro Ala Lys Lys Lys Ser Gly Ser Lys Lys Lys Gly Glu  
275 280 285

Pro Gly Pro Pro Asp Ala Asp Gly Pro Leu Tyr Leu Pro Tyr Lys Thr  
290 295 300

Leu Val Ser Thr Val Gly Ser Met Val Phe Asn Glu Gly Glu Ala Gln  
305 310 315 320

Arg Leu Ile Glu Ile Leu Ser Glu Lys Ala Gly Ile Ile Gln Asp Thr  
325 330 335

Trp His Lys Ala Thr Gln Lys Gly Asp Pro Val Ala Ile Leu Lys Arg  
340 345 350

Gln Leu Glu Glu Lys Glu Lys Leu Leu Ala Thr Glu Gln Glu Asp Ala  
355 360 365

Ala Val Ala Lys Ser Lys Leu Arg Glu Leu Asn Lys Glu Met Ala Ala  
370 375 380

Glu Lys Ala Lys Ala Ala Ala Gly Glu Ala Lys Val Lys Lys Gln Leu  
385 390 395 400

Val Ala Arg Glu Gln Glu Ile Thr Ala Val Gln Ala Arg Met Gln Ala  
405 410 415

Ser Tyr Arg Glu His Val Lys Glu Val Gln Gln Leu Gln Gly Lys Ile  
420 425 430

Arg Thr Leu Gln Glu Gln Leu Glu Asn Gly Pro Asn Thr Gln Leu Ala  
435 440 445

Arg Leu Gln Gln Glu Asn Ser Ile Leu Arg Asp Ala Leu Asn Gln Ala  
450 455 460

Thr Ser Gln Val Glu Ser Lys Gln Asn Ala Glu Leu Ala Lys Leu Arg  
465 470 475 480

Gln Glu Leu Ser Lys Val Ser Lys Glu Leu Val Glu Lys Ser Glu Ala  
485 490 495

Val Arg Gln Asp Glu Gln Gln Arg Lys Ala Leu Glu Ala Lys Ala Ala  
500 505 510

Ala Phe Glu Lys Gln Val Leu Gln Leu Gln Ala Ser His Arg Glu Ser  
515 520 525

Glu Glu Ala Leu Gln Lys Arg Leu Asp Glu Val Ser Arg Glu Leu Cys  
530 535 540

His Thr Gln Ser Ser His Ala Ser Leu Arg Ala Asp Ala Glu Lys Ala  
545 550 555 560

Gln Glu Gln Gln Gln Gln Met Ala Glu Leu His Ser Lys Leu Gln Ser  
565 570 575

Ser Glu Ala Glu Val Arg Ser Lys Cys Glu Glu Leu Ser Gly Leu His  
580 585 590

Gly Gln Leu Gln Glu Ala Arg Ala Glu Asn Ser Gln Leu Thr Glu Arg  
595 600 605

Ile Arg Ser Ile Glu Ala Leu Leu Glu Ala Gly Gln Ala Arg Asp Ala  
610 615 620

Gln Asp Val Gln Ala Ser Gln Xaa Glu Ala Asp Gln Gln Gln Thr Arg  
625 630 635 640

Leu Lys Glu Leu Glu Ser Gln Val Ser Gly Leu Glu Lys Glu Ala Ile  
645 650 655

Glu Leu Arg Glu Ala Val Glu Gln Gln Lys Val Lys Asn Asn Asp Leu  
660 665 670

Arg Glu Lys Asn Trp Lys Ala Met Glu Ala Leu Ala Thr Ala Glu Gln  
675 680 685

Ala Cys Lys Glu Lys Leu His Ser Leu Thr Gln Ala Lys Glu Glu Ser  
690 695 700

Glu Lys Gln Leu Cys Leu Ile Glu Ala Gln Thr Met Glu Ala Leu Leu  
705 710 715 720

Ala Leu Leu Pro Glu Leu Ser Val Leu Ala Gln Gln Asn Tyr Thr Glu  
725 730 735

Trp Leu Gln Asp Leu Lys Glu Lys Gly Pro Thr Leu Leu Lys His Pro  
740 745 750

Pro Ala Pro Ala Glu Pro Ser Ser Asp Leu Ala Ser Lys Leu Arg Glu  
755 760 765

Ala Glu Glu Thr Gln Ser Thr Leu Gln Ala Glu Cys Asp Gln Tyr Arg  
770 775 780

Ser Ile Leu Ala Glu Thr Glu Gly Met Leu Arg Asp Leu Gln Lys Ser  
785 790 795 800

Val Glu Glu Glu Glu Gln Val Trp Arg Ala Lys Val Gly Ala Ala Glu  
805 810 815

Glu Glu Leu Gln Lys Ser Arg Val Thr Val Lys His Leu Glu Glu Ile  
820 825 830

Val Glu Lys Leu Lys Gly Glu Leu Glu Ser Ser Asp Gln Val Arg Glu  
835 840 845

His Thr Xaa His Leu Glu Ala Glu Leu Glu Lys His Met Ala Ala Ala  
850 855 860

Ser Ala Glu Cys Gln Asn Tyr Ala Lys Glu Val Ala Gly Leu Arg Gln  
865 870 875 880

Leu Leu Leu Glu Ser Gln Ser Gln Leu Asp Ala Ala Lys Ser Glu Ala  
885 890 895

Arg Asn Arg Ala Met Ser Leu Pro Trp Ser Gly Ser Ser  
900 905

<210> 989  
<211> 100  
<212> PRT  
<213> Homo sapiens

<400> 989  
Trp Cys Ser Arg Ala Val Pro Pro Pro Ser Leu Leu Pro Ala Ser Thr  
1 5 10 15  
Ser Pro Pro Arg Ser Val Pro Pro Pro Ser Phe Ser Leu Ser Leu Lys  
20 25 30  
Ser Val Ser Phe Gly Ser Pro Arg Ala Ser Leu Pro Arg Pro Ser Trp  
35 40 45  
Met Arg Pro Pro Ser Pro Lys Pro Ala Cys Phe Ala Val Ser Pro Gly  
50 55 60  
Ser Trp Lys Leu Ala Gly Ala Arg Gly Trp Arg Gly His Gly Gly Val  
65 70 75 80  
Gly Glu Gly Ser Leu Pro Phe Leu Val Arg Ser Ile Ile Val Asn Gly  
85 90 95  
Cys Thr Leu Phe  
100

<210> 990  
<211> 214  
<212> PRT  
<213> Homo sapiens

<400> 990  
Leu Arg Ile Glu Tyr Ile Asp Asn Gly Cys Val Ile Asn Gly His Leu  
1 5 10 15  
Asp Phe Pro Ser Thr Thr Pro Leu Ser Gly Met Glu Ser Arg Asn Gly  
20 25 30  
Gln Cys Leu Thr Gly Thr Asn Gly Ile Ser Ser Gly Leu Ala Pro Gly  
35 40 45  
Gln Pro Phe Pro Ser Ser Gln Gly Ser Leu Cys Ile Ser Gly Thr Glu  
50 55 60  
Glu Pro Glu Lys Thr Leu Arg Ala Asn Pro Glu Leu Cys Gly Ser Leu

65                                      70                                      75                                      80  
 His Leu Asn Gly Ser Pro Ser Ser Cys Ile Ala Ser Arg Pro Ser Trp  
    85                                      90                                      95  
 Val Glu Asp Ile Gly Asp Asn Leu Tyr Tyr Gly His Tyr His Gly Phe  
    100                                      105                                      110  
 Gly Asp Thr Ala Glu Ser Met Pro Arg Thr Glu Gln Cys Gly Arg Ala  
    115                                      120                                      125  
 Phe Gln Val Arg Glu Gly Ala Gly Ala Val Arg Gln Cys Arg Ala Gly  
    130                                      135                                      140  
 His His Ala Pro Ala Pro Arg Leu Leu Glu Thr Leu Thr Trp Leu Ser  
 145                                      150                                      155                                      160  
 Glu Thr Gln Glu Ser Phe Leu Val Ala Ser Ser Glu Tyr Pro Cys Ser  
    165                                      170                                      175  
 Ser Asn Leu Asn Glu Cys His Asn Leu Tyr Phe Phe Tyr Ile Leu Gln  
    180                                      185                                      190  
 Leu Ser Glu Lys Val Asn Phe Asp Lys Phe Pro Ala Thr Ala Cys Leu  
    195                                      200                                      205  
 Cys Met Ser Arg Ala Tyr  
    210

<210> 991  
 <211> 263  
 <212> PRT  
 <213> Homo sapiens

<400> 991  
 Gly Pro Val Gly Pro Ala Gly Thr Arg Arg Ser His Ala Leu Gly Pro  
   1                                      5                                      10                                      15  
 Arg Pro Gly Ala Arg Ser Ser Phe Arg Leu Arg Cys Glu Leu Arg Arg  
    20                                      25                                      30  
 Cys Met Cys Gly Asn Asn Met Ser Thr Pro Leu Pro Ala Ile Val Pro  
    35                                      40                                      45  
 Ala Ala Arg Lys Ala Thr Ala Ala Val Ile Phe Leu His Gly Leu Gly  
    50                                      55                                      60  
 Asp Thr Gly His Gly Trp Ala Glu Ala Phe Ala Gly Ile Arg Ser Ser  
   65                                      70                                      75                                      80

His Ile Lys Tyr Ile Cys Pro His Ala Pro Val Arg Pro Val Thr Leu  
85 90 95

Asn Met Asn Val Ala Met Pro Ser Trp Phe Asp Ile Ile Gly Leu Ser  
100 105 110

Pro Asp Ser Gln Glu Asp Glu Ser Gly Ile Lys Gln Ala Ala Glu Asn  
115 120 125

Ile Lys Ala Leu Ile Asp Gln Glu Val Lys Asn Gly Ile Pro Ser Asn  
130 135 140

Arg Ile Ile Leu Gly Gly Phe Ser Gln Gly Gly Ala Leu Ser Leu Tyr  
145 150 155 160

Thr Ala Leu Thr Thr Gln Gln Lys Leu Ala Gly Val Thr Ala Leu Ser  
165 170 175

Cys Trp Leu Pro Leu Arg Ala Ser Phe Pro Gln Gly Pro Ile Gly Gly  
180 185 190

Ala Asn Arg Asp Ile Ser Ile Leu Gln Cys His Gly Asp Cys Asp Pro  
195 200 205

Leu Val Pro Leu Met Phe Gly Ser Leu Thr Val Glu Lys Leu Lys Thr  
210 215 220

Leu Val Asn Pro Ala Asn Val Thr Phe Lys Thr Tyr Glu Gly Met Met  
225 230 235 240

His Ser Ser Cys Gln Gln Glu Met Met Asp Val Lys Gln Phe Ile Asp  
245 250 255

Lys Leu Leu Pro Pro Ile Asp  
260

<210> 992

<211> 256

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (229)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 992

Val Pro Arg Arg Val Leu Glu Pro Leu Leu Gln Arg Ile His Glu Glu

1	5	10	15
Glu Ser Ala Val Val Cys Pro Val Ile Asp Val Ile Asp Trp Asn Thr	20	25	30
Phe Glu Tyr Leu Gly Asn Ser Gly Glu Pro Gln Ile Gly Gly Phe Asp	35	40	45
Trp Arg Leu Val Phe Thr Trp His Thr Val Pro Glu Arg Glu Arg Ile	50	55	60
Arg Met Gln Ser Pro Val Asp Val Ile Arg Ser Pro Thr Met Ala Gly	65	70	75
Gly Leu Phe Ala Val Ser Lys Lys Tyr Phe Glu Tyr Leu Gly Ser Tyr	85	90	95
Asp Thr Gly Met Glu Val Trp Gly Gly Glu Asn Leu Glu Phe Ser Phe	100	105	110
Arg Ile Trp Gln Cys Gly Gly Val Leu Glu Thr His Pro Cys Ser His	115	120	125
Val Gly His Val Phe Pro Lys Gln Ala Pro Tyr Ser Arg Asn Lys Ala	130	135	140
Leu Ala Asn Ser Val Arg Ala Ala Glu Val Trp Met Asp Glu Phe Lys	145	150	155
Glu Leu Tyr Tyr His Arg Asn Pro Arg Ala Arg Leu Glu Pro Phe Gly	165	170	175
Asp Val Thr Glu Arg Lys Gln Leu Arg Asp Lys Leu Gln Cys Lys Asp	180	185	190
Phe Lys Trp Phe Leu Glu Thr Val Tyr Pro Glu Leu His Val Pro Glu	195	200	205
Asp Arg Pro Gly Phe Phe Gly Met Leu Gln Asn Lys Gly Leu Thr Asp	210	215	220
Tyr Cys Phe Asp Xaa Asn Pro Pro Asp Glu Asn Gln Ile Val Gly His	225	230	235
Gln Val Ile Leu Tyr Leu Cys His Gly Met Gly Gln Asn Asp Leu Val	245	250	255



<210> 993

<211> 70

<212> PRT

<213> Homo sapiens

<400> 993

Val Val Trp Ser Arg Val Cys Gly Phe Ser Gly Pro Ile Ile Met Ala  
1 5 10 15

Ala Ser Glu Ser Glu Glu Ser His Arg Ala Val Gly Glu Leu Leu Leu  
20 25 30

Pro Ser Pro Ser Pro Phe Val Ala Pro Thr Leu Ala Ala Tyr Phe Cys  
35 40 45

Ser Ser Ala Gly Glu Ser Val Trp Ala Ser Ser Ser Pro Ser Leu Ser  
50 55 60

Pro Cys Tyr Phe Met Gly  
65 70

<210> 994

<211> 220

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 994

Asp Tyr Ala Xaa Thr Pro Gln Gly Leu Cys Tyr Asp Val Ala Cys Thr  
1 5 10 15

Arg Lys Leu Gly Pro Leu Glu Gly Ser Ser Arg Ala Ala Ala Ala Ala  
20 25 30

Phe Gly Glu Ser Ala Gly Gln Met Ser Asn Glu Arg Gly Phe Glu Asn  
35 40 45

Val Glu Leu Gly Val Ile Gly Lys Lys Lys Lys Val Pro Arg Arg Val  
50 55 60

Ile His Phe Val Ser Gly Glu Thr Met Glu Glu Tyr Ser Thr Asp Glu  
65 70 75 80

Asp Glu Val Asp Gly Leu Glu Lys Lys Asp Val Leu Pro Thr Val Asp

	85		90		95
Pro Thr Lys Leu Thr Trp Gly	Pro Tyr Leu Trp Phe Tyr Met Leu Arg				
100	105	110			
Ala Ala Thr Ser Thr Leu Ser Val Cys Asp Phe Leu Gly Glu Lys Ile					
115	120	125			
Ala Ser Val Leu Gly Ile Ser Thr Pro Lys Tyr Gln Tyr Ala Ile Asp					
130	135	140			
Glu Tyr Tyr Arg Met Lys Lys Glu Glu Glu Glu Glu Glu Glu Asn					
145	150	155	160		
Arg Met Ser Glu Glu Ala Glu Lys Gln Tyr Gln Gln Asn Lys Leu Gln					
165	170	175			
Thr Asp Ser Ile Val Gln Thr Asp Gln Pro Glu Thr Val Ile Ser Ser					
180	185	190			
Ser Phe Val Asn Val Asn Phe Glu Met Glu Gly Asp Ser Glu Val Ile					
195	200	205			
Met Glu Ser Lys Gln Asn Pro Val Ser Val Pro Pro					
210	215	220			

&lt;210&gt; 995

&lt;211&gt; 107

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (23)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 995

Lys Ile Gln Gly Pro Glu Leu Trp Lys Leu Gln Ala Lys Gly Met Gly					
1	5	10	15		
Leu Gly Leu Ser Cys Val Xaa Ile Leu Ile Arg Lys Gly Tyr Ala His					
20	25	30			
Thr Leu Ala Cys Ser Asp Ser Lys Thr Glu Gly Phe Thr Arg Pro Thr					
35	40	45			
Pro Gly Lys Trp Ala Ser Leu Pro Pro Met Leu Ser Phe Asn Leu Cys					
50	55	60			

Asn Leu Pro Val Ser Ile Gly Gly His Leu Thr Pro Ser Lys Glu Pro  
65 70 75 80

Ser Leu Phe Cys Pro Leu Pro Cys Thr Val Phe Leu Cys Ile Ser Pro  
85 90 95

Ser Trp Ala Leu Phe Tyr Ser His Leu Gly Leu  
100 105

<210> 996  
<211> 146  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (16)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 996  
Thr Ile Gln Pro Arg Arg Ser Pro Ser Thr Arg Phe Xaa Xaa Asn Xaa  
1 5 10 15

Ser Leu Val Gln Glu Asn Leu Tyr Phe Gln Arg Cys Leu Asp Trp Asn  
20 25 30

Arg Asp Ile Leu Lys Lys Glu Leu Gly Leu Thr Glu Gln Asp Ile Ile  
35 40 45

Asp Leu Pro Ala Leu Phe Lys Met Asp Glu Asp His Arg Ala Arg Ala  
50 55 60

Phe Phe Pro Asn Met Val Asn Met Ile Val Leu Asp Lys Asp Leu Gly  
65 70 75 80

Ile Pro Lys Pro Phe Gly Pro Gln Val Glu Glu Glu Cys Cys Leu Glu  
85 90 95

Met His Val Arg Gly Leu Leu Glu Pro Leu Gly Leu Glu Cys Thr Phe

100 105 110  
Ile Asp Asp Ile Ser Ala Tyr His Lys Phe Leu Gly Glu Val His Cys  
115 120 125  
Gly Thr Asn Val Arg Arg Lys Pro Phe Thr Phe Lys Trp Trp His Met  
130 135 140  
Val Pro  
145

<210> 997  
<211> 123  
<212> PRT  
<213> Homo sapiens

<400> 997  
Leu Thr Gln Lys Ala Thr Leu Leu Phe Leu Val Lys Met Ala Gly Lys  
1 5 10 15  
Gln Ala Val Ser Ala Ser Gly Lys Trp Leu Asp Gly Ile Arg Lys Trp  
20 25 30  
Tyr Tyr Asn Ala Ala Gly Phe Asn Lys Leu Gly Leu Met Arg Asp Asp  
35 40 45  
Thr Ile Tyr Glu Asp Glu Asp Val Lys Glu Ala Ile Arg Arg Leu Pro  
50 55 60  
Glu Asn Leu Tyr Asn Asp Arg Met Phe Arg Ile Lys Arg Ala Leu Asp  
65 70 75 80  
Leu Asn Leu Lys His Gln Ile Leu Pro Lys Glu Gln Trp Thr Lys Tyr  
85 90 95  
Glu Glu Glu Asn Phe Tyr Leu Glu Pro Tyr Leu Lys Glu Val Ile Arg  
100 105 110  
Glu Arg Lys Glu Arg Glu Glu Trp Ala Lys Lys  
115 120

<210> 998  
<211> 762  
<212> PRT  
<213> Homo sapiens

<400> 998

His Gly Leu Thr Arg Asp Ser Ser Glu Gln Gly Arg Thr Gly Asp Thr  
 1 5 10 15  
 Leu Gly Arg Pro Ser Ala Cys Met Asp Ala Leu Lys Pro Pro Cys Leu  
 20 25 30  
 Trp Arg Asn His Glu Arg Gly Lys Lys Asp Arg Asp Ser Cys Gly Arg  
 35 40 45  
 Lys Asn Ser Glu Pro Gly Ser Pro His Ser Leu Glu Ala Leu Arg Asp  
 50 55 60  
 Ala Ala Pro Ser Gln Gly Leu Asn Phe Leu Leu Leu Phe Thr Lys Met  
 65 70 75 80  
 Leu Phe Ile Phe Asn Phe Leu Phe Ser Pro Leu Pro Thr Pro Ala Leu  
 85 90 95  
 Ile Cys Ile Leu Thr Phe Gly Ala Ala Ile Phe Leu Trp Leu Ile Thr  
 100 105 110  
 Arg Pro Gln Pro Val Leu Pro Leu Leu Asp Leu Asn Asn Gln Ser Val  
 115 120 125  
 Gly Ile Glu Gly Gly Ala Arg Lys Gly Val Ser Gln Lys Asn Asn Asp  
 130 135 140  
 Leu Thr Ser Cys Cys Phe Ser Asp Ala Lys Thr Met Tyr Glu Val Phe  
 145 150 155 160  
 Gln Arg Gly Leu Ala Val Ser Asp Asn Gly Pro Cys Leu Gly Tyr Arg  
 165 170 175  
 Lys Pro Asn Gln Pro Tyr Arg Trp Leu Ser Tyr Lys Gln Val Ser Asp  
 180 185 190  
 Arg Ala Glu Tyr Leu Gly Ser Cys Leu Leu His Lys Gly Tyr Lys Ser  
 195 200 205  
 Ser Pro Asp Gln Phe Val Gly Ile Phe Ala Gln Asn Arg Pro Glu Trp  
 210 215 220  
 Ile Ile Ser Glu Leu Ala Cys Tyr Thr Tyr Ser Met Val Ala Val Pro  
 225 230 235 240  
 Leu Tyr Asp Thr Leu Gly Pro Glu Ala Ile Val His Ile Val Asn Lys  
 245 250 255  
 Ala Asp Ile Ala Met Val Ile Cys Asp Thr Pro Gln Lys Ala Leu Val  
 260 265 270

Leu Ile Gly Asn Val Glu Lys Gly Phe Thr Pro Ser Leu Lys Val Ile  
275 280 285

Ile Leu Met Asp Pro Phe Asp Asp Asp Leu Lys Gln Arg Gly Glu Lys  
290 295 300

Ser Gly Ile Glu Ile Leu Ser Leu Tyr Asp Ala Glu Asn Leu Gly Lys  
305 310 315 320

Glu His Phe Arg Lys Pro Val Pro Pro Ser Pro Glu Asp Leu Ser Val  
325 330 335

Ile Cys Phe Thr Ser Gly Thr Thr Gly Asp Pro Lys Gly Ala Met Ile  
340 345 350

Thr His Gln Asn Ile Val Ser Asn Ala Ala Ala Phe Leu Lys Cys Val  
355 360 365

Glu His Ala Tyr Glu Pro Thr Pro Asp Asp Val Ala Ile Ser Tyr Leu  
370 375 380

Pro Leu Ala His Met Phe Glu Arg Ile Val Gln Ala Val Val Tyr Ser  
385 390 395 400

Cys Gly Ala Arg Val Gly Phe Phe Gln Gly Asp Ile Arg Leu Leu Ala  
405 410 415

Asp Asp Met Lys Thr Leu Lys Pro Thr Leu Phe Pro Ala Val Pro Arg  
420 425 430

Leu Leu Asn Arg Ile Tyr Asp Lys Val Gln Asn Glu Ala Lys Thr Pro  
435 440 445

Leu Lys Lys Phe Leu Leu Lys Leu Ala Val Ser Ser Lys Phe Lys Glu  
450 455 460

Leu Gln Lys Gly Ile Ile Arg His Asp Ser Phe Trp Asp Lys Leu Ile  
465 470 475 480

Phe Ala Lys Ile Gln Asp Ser Leu Gly Gly Arg Val Arg Val Ile Val  
485 490 495

Thr Gly Ala Ala Pro Met Ser Thr Ser Val Met Thr Phe Phe Arg Ala  
500 505 510

Ala Met Gly Cys Gln Val Tyr Glu Ala Tyr Gly Gln Thr Glu Cys Thr  
515 520 525

Gly Gly Cys Thr Phe Thr Leu Pro Gly Asp Trp Thr Ser Gly His Val  
530 535 540

Gly Val Pro Leu Ala Cys Asn Tyr Val Lys Leu Glu Asp Val Ala Asp  
545 550 555 560

Met Asn Tyr Phe Thr Val Asn Asn Glu Gly Glu Val Cys Ile Lys Gly  
565 570 575

Thr Asn Val Phe Lys Gly Tyr Leu Lys Asp Pro Glu Lys Thr Gln Glu  
580 585 590

Ala Leu Asp Ser Asp Gly Trp Leu His Thr Gly Asp Ile Gly Arg Trp  
595 600 605

Leu Pro Asn Gly Thr Leu Lys Ile Ile Asp Arg Lys Lys Asn Ile Phe  
610 615 620

Lys Leu Ala Gln Gly Glu Tyr Ile Ala Pro Glu Lys Ile Glu Asn Ile  
625 630 635 640

Tyr Asn Arg Ser Gln Pro Val Leu Gln Ile Phe Val His Gly Glu Ser  
645 650 655

Leu Arg Ser Ser Leu Val Gly Val Val Val Pro Asp Thr Asp Val Leu  
660 665 670

Pro Ser Phe Ala Ala Lys Leu Gly Val Lys Gly Ser Phe Glu Glu Leu  
675 680 685

Cys Gln Asn Gln Val Val Arg Glu Ala Ile Leu Glu Asp Leu Gln Lys  
690 695 700

Ile Gly Lys Glu Ser Gly Leu Lys Thr Phe Glu Gln Val Lys Ala Ile  
705 710 715 720

Phe Leu His Pro Glu Pro Phe Ser Ile Glu Asn Gly Leu Leu Thr Pro  
725 730 735

Thr Leu Lys Ala Lys Arg Gly Glu Leu Ser Lys Tyr Phe Arg Thr Gln  
740 745 750

Ile Asp Ser Leu Tyr Glu His Ile Gln Asp  
755 760

<210> 999

<211> 130

<212> PRT

<213> Homo sapiens

<400> 999

Thr Asn Val Asp Lys Leu Val Lys Asp Ile Tyr Gly Gly Asp Tyr Glu

1 5 10 15  
Arg Phe Gly Leu Gln Gly Ser Ala Val Ala Ser Ser Phe Gly Asn Met  
20 25 30  
Met Ser Lys Glu Lys Arg Asp Ser Ile Ser Lys Glu Asp Leu Ala Arg  
35 40 45  
Ala Thr Leu Val Thr Ile Thr Asn Asn Ile Gly Ser Ile Ala Arg Met  
50 55 60  
Cys Ala Leu Asn Glu Asn Ile Asp Arg Val Val Phe Val Gly Asn Phe  
65 70 75 80  
Leu Arg Ile Asn Met Val Ser Met Lys Leu Leu Ala Tyr Ala Met Asp  
85 90 95  
Phe Trp Ser Lys Gly Gln Leu Lys Ala Leu Phe Leu Glu His Glu Gly  
100 105 110  
Tyr Phe Gly Ala Val Gly Ala Leu Leu Glu Leu Phe Lys Met Thr Asp  
115 120 125

Asp Lys  
130

<210> 1000  
<211> 270  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (61)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (71)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1000  
Gln Gln Asn Glu Ala Lys Ile Lys Gly Val Ser Lys Gly Arg Asn Ile  
1 5 10 15

Cys Val Val Cys Cys Gln His Lys Met Glu Glu Leu Lys Glu Gly Leu  
20 25 30

Arg Gln Arg Asp Glu Leu Ile Glu Glu Lys Gln Arg Met Gln Gln Lys



35 40 45  
Ile Asp Thr Met Thr Lys Glu Val Phe Asp Leu Gln Xaa Thr Leu Leu  
50 55 60  
Trp Lys Asp Lys Lys Ile Xaa Lys His Gly Leu Val Ile Ile Pro Asp  
65 70 75 80  
Gly Thr Pro Asn Gly Asp Val Ser His Glu Pro Val Ala Gly Ala Ile  
85 90 95  
Thr Val Val Ser Gln Glu Ala Ala Gln Val Leu Glu Ser Ala Gly Glu  
100 105 110  
Gly Pro Leu Asp Val Arg Leu Arg Lys Leu Ala Gly Glu Lys Glu Glu  
115 120 125  
Leu Leu Ser Gln Ile Arg Lys Leu Lys Leu Gln Leu Glu Glu Glu Arg  
130 135 140  
Gln Lys Cys Ser Arg Asn Asp Gly Thr Val Gly Asp Leu Ala Gly Leu  
145 150 155 160  
Gln Asn Gly Ser Asp Leu Gln Phe Ile Glu Met Gln Arg Asp Ala Asn  
165 170 175  
Arg Gln Ile Ser Glu Tyr Lys Phe Lys Leu Ser Lys Ala Glu Gln Asp  
180 185 190  
Ile Thr Thr Leu Glu Gln Ser Ile Ser Arg Leu Glu Gly Gln Val Leu  
195 200 205  
Arg Tyr Lys Thr Ala Ala Glu Asn Ala Glu Lys Val Glu Asp Glu Leu  
210 215 220  
Lys Ala Glu Lys Arg Lys Leu Gln Arg Glu Leu Arg Thr Ala Leu Asp  
225 230 235 240  
Lys Ile Glu Glu Met Glu Met Thr Asn Ser His Leu Ala Lys Arg Leu  
245 250 255  
Glu Lys Met Lys Ala Asn Arg Thr Ala Leu Leu Ala Gln Gln  
260 265 270

&lt;210&gt; 1001

&lt;211&gt; 124

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (110)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (111)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1001

Leu His Ser Gln Val Phe Pro Ala Leu Thr Pro Lys Arg Trp Thr Gln  
 1 5 10 15

Val Arg Arg Gly Thr Ala Thr Val Gly Gly Met Ala Ile Leu Gln Val  
 20 25 30

Thr Ala Gly His Pro Leu Ala Met Ala Gln Gly Pro Ala Gly His Pro  
 35 40 45

Pro Thr Met Ala Gln Gly Pro Ala Gly His Pro Pro Thr Met Val Gln  
 50 55 60

Gly Pro Ala Gly His Pro Leu Ala Met Ala Gln Gly Pro Ala Gly His  
 65 70 75 80

Pro Pro Thr Met Val Gln Gly Pro Ala Gly Leu Pro Leu Ala Met Ala  
 85 90 95

Gln Val Thr His Pro Leu Val His Ile Thr Glu Glu Val Xaa Xaa Asn  
 100 105 110

Arg Thr Gln Asp Gly Lys Pro Glu Arg Asn Cys Pro  
 115 120

&lt;210&gt; 1002

&lt;211&gt; 647

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1002

Thr Ile Gln Ile Val Asn Met Gly Arg Arg Ser Thr Ser Ser Thr Lys  
 1 5 10 15

Ser Gly Lys Phe Met Asn Pro Thr Asp Gln Ala Arg Lys Glu Ala Arg  
 20 25 30

Lys Arg Glu Leu Lys Lys Asn Lys Lys Gln Arg Met Met Val Arg Ala  
 35 40 45

Ala Val Leu Lys Met Lys Asp Pro Lys Gln Ile Ile Arg Asp Met Glu  
 50 55 60

Lys Leu Asp Glu Met Glu Phe Asn Pro Val Gln Gln Pro Gln Leu Asn  
 65 70 75 80

Glu Lys Val Leu Lys Asp Lys Arg Lys Lys Leu Arg Glu Thr Phe Glu  
 85 90 95

Arg Ile Leu Arg Leu Tyr Glu Lys Glu Asn Pro Asp Ile Tyr Lys Glu  
 100 105 110

Leu Arg Lys Leu Glu Val Glu Tyr Glu Gln Lys Arg Ala Gln Leu Ser  
 115 120 125

Gln Tyr Phe Asp Ala Val Lys Asn Ala Gln His Val Glu Val Glu Ser  
 130 135 140

Ile Pro Leu Pro Asp Met Pro His Ala Pro Ser Asn Ile Leu Ile Gln  
 145 150 155 160

Asp Ile Pro Leu Pro Gly Ala Gln Pro Pro Ser Ile Leu Lys Lys Thr  
 165 170 175

Ser Ala Tyr Gly Pro Pro Thr Arg Ala Val Ser Ile Leu Pro Leu Leu  
 180 185 190

Gly His Gly Val Pro Arg Leu Pro Pro Gly Arg Lys Pro Pro Gly Pro  
 195 200 205

Pro Pro Gly Pro Pro Pro Pro Gln Val Val Gln Met Tyr Gly Arg Lys  
 210 215 220

Val Gly Phe Ala Leu Asp Leu Pro Pro Arg Arg Arg Asp Glu Asp Met  
 225 230 235 240

Leu Tyr Ser Pro Glu Leu Ala Gln Arg Gly His Asp Asp Asp Val Ser  
 245 250 255

Ser Thr Ser Glu Asp Asp Gly Tyr Pro Glu Asp Met Asp Gln Asp Lys  
 260 265 270

His Asp Asp Ser Thr Asp Asp Ser Asp Thr Asp Lys Ser Asp Gly Glu  
 275 280 285

Ser Asp Gly Asp Glu Phe Val His Arg Asp Asn Gly Glu Arg Asp Asn  
 290 295 300

Asn Glu Glu Lys Lys Ser Gly Leu Ser Val Arg Phe Ala Asp Met Pro  
 305 310 315 320

Gly Lys Ser Arg Lys Lys Lys Lys Asn Met Lys Glu Leu Thr Pro Leu  
 325 330 335

Gln Ala Met Met Leu Arg Met Ala Gly Gln Glu Ile Pro Glu Glu Gly  
 340 345 350

Arg Glu Val Glu Glu Phe Ser Glu Asp Asp Asp Glu Asp Asp Ser Asp  
 355 360 365

Asp Ser Glu Ala Glu Lys Gln Ser Gln Lys Gln His Lys Glu Glu Ser  
 370 375 380

His Ser Asp Gly Thr Ser Thr Ala Ser Ser Gln Gln Gln Ala Pro Pro  
 385 390 395 400

Gln Ser Val Pro Pro Ser Gln Ile Gln Ala Pro Pro Met Pro Gly Pro  
 405 410 415

Pro Pro Leu Gly Pro Pro Pro Ala Pro Pro Leu Arg Pro Pro Gly Pro  
 420 425 430

Pro Thr Gly Leu Pro Pro Gly Pro Pro Pro Gly Ala Pro Pro Phe Leu  
 435 440 445

Arg Pro Pro Gly Met Pro Gly Leu Arg Gly Pro Leu Pro Arg Leu Leu  
 450 455 460

Pro Pro Gly Pro Pro Pro Gly Arg Pro Pro Gly Pro Pro Pro Gly Pro  
 465 470 475 480

Pro Pro Gly Leu Pro Pro Gly Pro Pro Pro Arg Gly Pro Pro Pro Arg  
 485 490 495

Leu Pro Pro Pro Ala Pro Pro Gly Ile Pro Pro Pro Arg Pro Gly Met  
 500 505 510

Met Arg Pro Pro Leu Val Pro Pro Leu Gly Pro Ala Pro Pro Gly Leu  
 515 520 525

Phe Pro Pro Ala Pro Leu Pro Asn Pro Gly Val Leu Ser Ala Pro Pro  
 530 535 540

Asn Leu Ile Gln Arg Pro Lys Ala Asp Asp Thr Ser Ala Ala Thr Ile  
 545 550 555 560

Glu Lys Lys Ala Thr Ala Thr Ile Ser Ala Lys Pro Gln Ile Thr Asn  
 565 570 575

Pro Lys Ala Glu Ile Thr Arg Phe Val Pro Thr Ala Leu Arg Val Arg  
 580 585 590

Arg Glu Asn Lys Gly Ala Thr Ala Ala Pro Gln Arg Lys Ser Glu Asp  
 595 600 605

Asp Ser Ala Val Pro Leu Ala Lys Ala Ala Pro Lys Ser Gly Pro Ser  
 610 615 620

Val Pro Val Ser Val Gln Thr Lys Asp Asp Val Tyr Glu Ala Phe Met  
 625 630 635 640

Lys Glu Met Glu Gly Leu Leu  
 645

<210> 1003

<211> 342

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (109)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (251)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (253)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1003

Leu Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser Ala Ser Thr Lys  
 1 5 10 15

Gly Pro Ser Val Phe Pro Leu Ala Pro Ser Ser Lys Ser Thr Ser Gly  
 20 25 30

Gly Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro  
 35 40 45

Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr  
 50 55 60

Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val  
 65 70 75 80

Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Ile Cys Asn  
85 90 95

Val Asn His Lys Pro Ser Asn Thr Lys Val Asp Lys Xaa Val Glu Pro  
100 105 110

Lys Ser Cys Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu  
115 120 125

Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp  
130 135 140

Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp  
145 150 155 160

Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly  
165 170 175

Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn  
180 185 190

Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp  
195 200 205

Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro  
210 215 220

Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu  
225 230 235 240

Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Xaa Glu Xaa Thr Lys Asn  
245 250 255

Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile  
260 265 270

Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr  
275 280 285

Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys  
290 295 300

Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys  
305 310 315 320

Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu  
325 330 335

Ser Leu Ser Pro Gly Lys  
340

<210> 1004  
 <211> 544  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (27)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (531)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1004  
 Arg Leu Pro Pro Ala Ser Ala Thr Ala Arg Arg Pro Arg Pro Ser Ser  
   1                  5                  10                  15  
 Ala Leu Cys Cys Pro Arg Ser Arg Arg Arg Xaa Gly Gln Arg Pro Gly  
                   20                  25                  30  
 Ala Ala Gln Gly Cys His Pro Arg Arg Phe Pro Lys Lys Ala Ser Arg  
           35                  40                  45  
 Thr Ala Arg Ile Ala Ser Asp Glu Glu Ile Gln Gly Thr Lys Asp Ala  
   50                  55                  60  
 Val Ile Gln Asp Leu Glu Arg Lys Leu Arg Phe Lys Glu Asp Leu Leu  
   65                  70                  75                  80  
 Asn Asn Gly Gln Pro Arg Leu Thr Tyr Glu Glu Arg Met Ala Arg Arg  
                   85                  90                  95  
 Leu Leu Gly Ala Asp Ser Ala Thr Val Phe Asn Ile Gln Glu Pro Glu  
           100                  105                  110  
 Glu Glu Thr Ala Asn Gln Glu Tyr Lys Val Ser Ser Cys Glu Gln Arg  
   115                  120                  125  
 Leu Ile Ser Glu Ile Glu Tyr Arg Leu Glu Arg Ser Pro Val Asp Glu  
   130                  135                  140  
 Ser Gly Asp Glu Val Gln Tyr Gly Asp Val Pro Val Glu Asn Gly Met  
  145                  150                  155                  160  
 Ala Pro Phe Phe Glu Met Lys Leu Lys His Tyr Lys Ile Phe Glu Gly  
           165                  170                  175

Met Pro Val Thr Phe Thr Cys Arg Val Ala Gly Asn Pro Lys Pro Lys  
180 185 190

Ile Tyr Trp Phe Lys Asp Gly Lys Gln Ile Ser Pro Lys Ser Asp His  
195 200 205

Tyr Thr Ile Gln Arg Asp Leu Asp Gly Thr Cys Ser Leu His Thr Thr  
210 215 220

Ala Ser Thr Leu Asp Asp Asp Gly Asn Tyr Thr Ile Met Ala Ala Asn  
225 230 235 240

Pro Gln Gly Arg Ile Ser Cys Thr Gly Arg Leu Met Val Gln Ala Val  
245 250 255

Asn Gln Arg Gly Arg Ser Pro Arg Ser Pro Ser Gly His Pro His Val  
260 265 270

Arg Arg Pro Arg Ser Arg Ser Arg Asp Ser Gly Asp Glu Asn Glu Pro  
275 280 285

Ile Gln Glu Arg Phe Phe Arg Pro His Phe Leu Gln Ala Pro Gly Asp  
290 295 300

Leu Thr Val Gln Glu Gly Lys Leu Cys Arg Met Asp Cys Lys Val Ser  
305 310 315 320

Gly Leu Pro Thr Pro Asp Leu Ser Trp Gln Leu Asp Gly Lys Pro Val  
325 330 335

Arg Pro Asp Ser Ala His Lys Met Leu Val Arg Glu Asn Gly Val His  
340 345 350

Ser Leu Ile Ile Glu Pro Val Thr Ser Arg Asp Ala Gly Ile Tyr Thr  
355 360 365

Cys Ile Ala Thr Asn Arg Ala Gly Gln Asn Ser Phe Ser Leu Glu Leu  
370 375 380

Val Val Ala Ala Lys Glu Ala His Lys Pro Pro Val Phe Ile Glu Lys  
385 390 395 400

Leu Gln Asn Thr Gly Val Ala Asp Gly Tyr Pro Val Arg Leu Glu Cys  
405 410 415

Arg Val Leu Gly Val Pro Pro Pro Gln Ile Phe Trp Lys Lys Glu Asn  
420 425 430

Glu Ser Leu Thr His Ser Thr Asp Arg Val Ser Met His Gln Asp Asn  
435 440 445



His Gly Tyr Ile Cys Leu Leu Ile Gln Gly Ala Thr Lys Glu Asp Ala  
 450 455 460  
 Gly Trp Tyr Thr Val Ser Ala Lys Asn Glu Ala Gly Ile Val Ser Cys  
 465 470 475 480  
 Thr Ala Arg Leu Asp Val Tyr Thr Gln Trp His Gln Gln Ser Gln Ser  
 485 490 495  
 Thr Lys Pro Lys Lys Val Arg Pro Ser Ala Ser Arg Tyr Ala Ala Leu  
 500 505 510  
 Ser Asp Gln Gly Leu Asp Ile Lys Ala Ala Phe Gln Pro Glu Ala Asn  
 515 520 525  
 Pro Ser Xaa Leu Thr Leu Asn Thr Ala Leu Val Glu Ser Glu Asp Leu  
 530 535 540

<210> 1005  
 <211> 194  
 <212> PRT  
 <213> Homo sapiens

<400> 1005  
 Ala Ala Pro Gln Pro Thr Pro Glu Glu Arg Pro Ala Gly Val Arg Arg  
 1 5 10 15  
 Ala Gln Glu Leu Gly Met Ser Tyr Lys Pro Ile Ala Pro Ala Pro Ser  
 20 25 30  
 Ser Thr Pro Gly Ser Ser Thr Pro Gly Pro Gly Thr Pro Val Pro Thr  
 35 40 45  
 Gly Ser Val Pro Ser Pro Ser Gly Ser Val Pro Gly Ala Gly Ala Pro  
 50 55 60  
 Phe Arg Pro Leu Phe Asn Asp Phe Gly Pro Pro Ser Met Gly Tyr Val  
 65 70 75 80  
 Gln Ala Met Lys Pro Pro Gly Ala Gln Gly Ser Gln Ser Thr Tyr Thr  
 85 90 95  
 Asp Leu Leu Ser Val Ile Glu Glu Met Gly Lys Glu Ile Arg Pro Thr  
 100 105 110  
 Tyr Ala Gly Ser Lys Ser Ala Met Glu Arg Leu Lys Arg Gly Ser Ala

115 120 125

Ser Ala Ser Ala Ser Gly Pro Ile Arg Pro Leu Gln Ser Thr Arg Phe  
130 135 140

Ser Leu Ala Phe Ile Pro Ser Cys Thr Asn His Pro Gly Leu Pro Val  
145 150 155 160

Leu Cys Pro Leu Val Gly Pro Leu Gln Glu Pro Arg Ser Gly Pro Pro  
165 170 175

Gly Gly Ser Thr Lys Asp Thr Pro Pro Gln Gln Glu Leu Ala Ala Arg  
180 185 190

Ser Pro

<210> 1006

<211> 312

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (105)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (220)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (222)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (231)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (244)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

&lt;222&gt; (298)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (299)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (309)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1006

Ala	Val	Arg	Leu	Pro	Ala	Ala	Tyr	Ile	Lys	Ala	Pro	Gly	His	Ala	Glu
1				5					10					15	

Pro	Ser	Ser	Arg	Thr	Arg	Pro	Thr	Thr	Met	Arg	Ser	Cys	Leu	Trp	Arg
			20					25					30		

Cys	Arg	His	Leu	Ser	Gln	Gly	Val	Gln	Trp	Ser	Leu	Leu	Leu	Ala	Val
	35						40					45			

Leu	Val	Phe	Phe	Leu	Phe	Ala	Leu	Pro	Ser	Phe	Ile	Lys	Glu	Pro	Gln
	50					55					60				

Thr	Lys	Pro	Ser	Arg	His	Gln	Arg	Thr	Glu	Asn	Ile	Lys	Glu	Arg	Ser
65					70					75					80

Leu	Gln	Ser	Leu	Ala	Lys	Pro	Lys	Ser	Gln	Ala	Pro	Thr	Arg	Ala	Arg
				85					90					95	

Arg	Thr	Thr	Ile	Tyr	Ala	Glu	Pro	Xaa	Pro	Glu	Asn	Asn	Ala	Leu	Asn
			100					105					110		

Thr	Gln	Thr	Gln	Pro	Lys	Ala	His	Thr	Thr	Gly	Asp	Arg	Gly	Lys	Glu
	115						120					125			

Ala	Asn	Gln	Ala	Pro	Pro	Glu	Glu	Gln	Asp	Lys	Val	Pro	His	Thr	Ala
	130					135					140				

Gln	Arg	Ala	Ala	Trp	Lys	Ser	Pro	Glu	Lys	Glu	Lys	Thr	Met	Val	Asn
145					150					155					160

Thr	Leu	Ser	Pro	Arg	Gly	Gln	Asp	Ala	Gly	Met	Ala	Ser	Gly	Arg	Thr
				165					170					175	

Glu	Ala	Gln	Ser	Trp	Lys	Ser	Gln	Asp	Thr	Lys	Thr	Thr	Gln	Gly	Asn
				180				185						190	

Gly	Gly	Gln	Thr	Arg	Lys	Leu	Thr	Ala	Ser	Arg	Thr	Val	Ser	Glu	Lys
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

195                      200                      205  
 His Gln Gly Lys Ala Ala Thr Thr Ala Lys Thr Xaa Ile Xaa Lys Ser  
     210                      215                      220  
 Gln His Arg Met Leu Ala Xaa Thr Gly Ala Val Ser Thr Arg Thr Arg  
     225                      230                      235                      240  
 Gln Lys Gly Xaa Thr Thr Ala Val Ile Pro Pro Lys Glu Lys Lys Pro  
                          245                      250                      255  
 Gln Ala Thr Pro Pro Pro Ala Pro Phe Gln Ser Pro Thr Thr Gln Arg  
                          260                      265                      270  
 Asn Gln Arg Leu Lys Gly Gly Asn Phe Lys Ser Glu Pro Arg Trp Asp  
                          275                      280                      285  
 Phe Glu Glu Lys Tyr Lys Leu Arg Asn Xaa Xaa Ala Ser Asp Asp Leu  
                          290                      295                      300  
 Ala Leu Thr Leu Xaa Arg Ser Lys  
     305                      310

&lt;210&gt; 1007

&lt;211&gt; 365

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1007

Pro Glu Pro Ala Met Ala Leu Pro His Arg Arg Leu Ser Pro Trp Leu  
     1                      5                      10                      15  
 Arg Gln Arg His Gln Gly Pro Gly Gln Val Cys Gly Pro Gln Ala Ala  
                          20                      25                      30  
 Glu His Asp Arg Arg Asp Ala Gly Cys Thr Ala Asp Leu Leu Val Gly  
                          35                      40                      45  
 Arg Ala Met Thr Phe His Gly His Gly Phe Leu Arg Leu Ala Leu Ser  
                          50                      55                      60  
 Asn Val Ala Pro Leu Thr Gly Asn Val Tyr Ser Gly Phe Gly Phe His  
                          65                      70                      75                      80  
 Ser Ala Gln Asp Ser Ala Leu Leu Tyr Tyr Arg Ala Ser Pro Asp Gly  
                          85                      90                      95  
 Leu Cys Gln Val Ser Leu Gln Gln Gly Arg Val Ser Leu Gln Leu Leu  
                          100                      105                      110

Arg Thr Glu Val Lys Thr Gln Ala Gly Phe Ala Asp Gly Ala Pro His  
115 120 125

Tyr Val Ala Phe Tyr Ser Asn Ala Thr Gly Val Trp Leu Tyr Val Asp  
130 135 140

Asp Gln Leu Gln Gln Met Lys Pro His Arg Gly Pro Pro Pro Glu Leu  
145 150 155 160

Gln Pro Gln Pro Glu Gly Pro Pro Arg Leu Leu Leu Gly Gly Leu Pro  
165 170 175

Glu Ser Gly Thr Ile Tyr Asn Phe Ser Gly Cys Ile Ser Asn Val Phe  
180 185 190

Val Gln Arg Leu Leu Gly Pro Gln Arg Val Phe Asp Leu Gln Gln Asn  
195 200 205

Leu Gly Ser Val Asn Val Ser Thr Gly Cys Ala Pro Ala Leu Gln Ala  
210 215 220

Gln Thr Pro Gly Leu Gly Pro Arg Gly Leu Gln Ala Thr Ala Arg Lys  
225 230 235 240

Ala Ser Arg Arg Ser Arg Gln Pro Ala Arg His Pro Ala Cys Met Leu  
245 250 255

Pro Pro His Leu Arg Thr Thr Arg Asp Ser Tyr Gln Phe Gly Gly Ser  
260 265 270

Leu Ser Ser His Leu Glu Phe Val Gly Ile Leu Ala Arg His Arg Asn  
275 280 285

Trp Pro Ser Leu Ser Met His Val Leu Pro Arg Ser Ser Arg Gly Leu  
290 295 300

Leu Leu Phe Thr Ala Arg Leu Arg Pro Gly Ser Pro Ser Leu Ala Leu  
305 310 315 320

Phe Leu Ser Asn Gly His Phe Val Ala Gln Met Glu Gly Leu Gly Thr  
325 330 335

Arg Leu Arg Ala Gln Ser Arg Gln Arg Ser Arg Pro Gly Ala Gly Thr  
340 345 350

Arg Ser Pro Cys Ala Gly Arg Arg Thr Gly Ser Cys Trp  
355 360 365

<210> 1008  
<211> 196  
<212> PRT  
<213> Homo sapiens

<400> 1008

Ala Thr Pro Pro Pro Pro Glu Gln Ala Met Val Ala Ala Thr Val Ala  
1 5 10 15

Ala Ala Trp Leu Leu Leu Trp Ala Ala Ala Cys Ala Gln Gln Glu Gln  
20 25 30

Asp Phe Tyr Asp Phe Lys Ala Val Asn Ile Arg Gly Lys Leu Val Ser  
35 40 45

Leu Glu Lys Tyr Arg Gly Ser Val Ser Leu Val Val Asn Val Ala Ser  
50 55 60

Glu Cys Gly Phe Thr Asp Gln His Tyr Arg Ala Leu Gln Gln Leu Gln  
65 70 75 80

Arg Asp Leu Gly Pro His His Phe Asn Val Leu Ala Phe Pro Cys Asn  
85 90 95

Gln Phe Gly Gln Gln Glu Pro Asp Ser Asn Lys Glu Ile Glu Ser Phe  
100 105 110

Ala Arg Arg Thr Tyr Ser Val Ser Phe Pro Met Phe Ser Lys Ile Ala  
115 120 125

Val Thr Gly Thr Gly Ala His Pro Ala Phe Lys Tyr Leu Ala Gln Thr  
130 135 140

Ser Gly Lys Glu Pro Thr Trp Asn Phe Trp Lys Tyr Leu Val Ala Pro  
145 150 155 160

Asp Gly Lys Val Val Gly Ala Trp Asp Pro Thr Val Ser Val Glu Glu  
165 170 175

Val Arg Pro Gln Ile Thr Ala Leu Val Arg Lys Leu Ile Leu Leu Lys  
180 185 190

Arg Glu Asp Leu  
195

<210> 1009  
<211> 227  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (156)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (196)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (204)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (210)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (212)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (215)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (220)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (222)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1009  
Asp Pro Arg Val Arg Ala Ala Ala Ala Gly Pro Met Ala Asp Thr Gln  
1 5 10 15  
Tyr Ile Leu Pro Asn Asp Ile Gly Val Ser Ser Leu Asp Cys Arg Glu  
20 25 30  
Ala Phe Arg Leu Leu Ser Pro Thr Glu Arg Leu Tyr Ala Tyr His Leu  
35 40 45

Ser Arg Ala Ala Trp Tyr Gly Gly Leu Ala Val Leu Leu Gln Thr Ser  
50 55 60

Pro Glu Ala Pro Tyr Ile Tyr Ala Leu Leu Ser Arg Leu Phe Arg Ala  
65 70 75 80

Gln Asp Pro Asp Gln Leu Arg Gln His Ala Leu Ala Glu Gly Leu Thr  
85 90 95

Glu Glu Glu Tyr Gln Ala Phe Leu Val Tyr Ala Ala Gly Val Tyr Ser  
100 105 110

Asn Met Gly Asn Tyr Lys Ser Phe Gly Asp Thr Lys Phe Val Pro Asn  
115 120 125

Leu Pro Lys Glu Lys Leu Glu Arg Val Ile Leu Gly Ser Glu Ala Ala  
130 135 140

Gln Gln His Pro Glu Glu Val Arg Gly Leu Trp Xaa Thr Cys Gly Glu  
145 150 155 160

Leu Met Phe Ser Leu Glu Pro Arg Leu Arg His Leu Gly Leu Gly Lys  
165 170 175

Glu Gly Ile Thr Thr Tyr Phe Ser Gly Asn Cys Thr Met Glu Asp Ala  
180 185 190

Lys Leu Ala Xaa Ile Ser Gly Leu Thr Glu Pro Xaa Cys Leu Gln Gln  
195 200 205

Pro Xaa Leu Xaa Arg Ser Xaa Trp Glu Lys Gly Xaa Pro Xaa Thr Lys  
210 215 220

Val Arg Val  
225

<210> 1010  
<211> 344  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (31)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1010  
Asp Pro Ala Ser Asn Met Trp Gln Leu Trp Ala Ser Leu Cys Cys Leu  
1 5 10 15



Leu Val Leu Ala Asn Ala Arg Ser Arg Pro Ser Phe His Pro Xaa Ser  
 20 25 30

Asp Glu Leu Val Asn Tyr Val Asn Lys Arg Asn Thr Thr Trp Gln Ala  
 35 40 45

Gly His Asn Phe Tyr Asn Val Asp Met Ser Tyr Leu Lys Arg Leu Cys  
 50 55 60

Gly Thr Phe Leu Gly Gly Pro Lys Pro Pro Gln Arg Val Met Phe Thr  
 65 70 75 80

Glu Asp Leu Lys Leu Pro Ala Ser Phe Asp Ala Arg Glu Gln Trp Pro  
 85 90 95

Gln Cys Pro Thr Ile Lys Glu Ile Arg Asp Gln Gly Ser Cys Gly Ser  
 100 105 110

Cys Trp Ala Phe Gly Ala Val Glu Ala Ile Ser Asp Arg Ile Cys Ile  
 115 120 125

His Thr Asn Ala His Val Ser Val Glu Val Ser Ala Glu Asp Leu Leu  
 130 135 140

Thr Cys Cys Gly Ser Met Cys Gly Asp Gly Cys Asn Gly Gly Tyr Pro  
 145 150 155 160

Ala Glu Ala Trp Asn Phe Trp Thr Arg Lys Gly Leu Val Ser Gly Gly  
 165 170 175

Leu Tyr Glu Ser His Val Gly Cys Arg Pro Tyr Ser Ile Pro Pro Cys  
 180 185 190

Glu His His Val Asn Gly Ser Arg Pro Pro Cys Thr Gly Glu Gly Asp  
 195 200 205

Thr Pro Lys Cys Ser Lys Ile Cys Glu Pro Gly Tyr Ser Pro Thr Tyr  
 210 215 220

Lys Gln Asp Lys His Tyr Gly Tyr Asn Ser Tyr Ser Val Ser Asn Ser  
 225 230 235 240

Glu Lys Asp Ile Met Ala Glu Ile Tyr Lys Asn Gly Pro Val Glu Gly  
 245 250 255

Ala Phe Ser Val Tyr Ser Asp Phe Leu Leu Tyr Lys Ser Gly Val Tyr  
 260 265 270

Gln His Val Thr Gly Glu Met Met Gly Gly His Ala Ile Arg Ile Leu  
 275 280 285

Gly Trp Gly Val Glu Asn Gly Thr Pro Tyr Trp Leu Val Ala Asn Ser  
290 295 300

Trp Asn Thr Asp Trp Gly Asp Asn Gly Phe Phe Lys Ile Leu Arg Gly  
305 310 315 320

Gln Asp His Cys Gly Ile Glu Ser Glu Val Val Ala Gly Ile Pro Arg  
325 330 335

Thr Asp Gln Tyr Trp Glu Lys Ile  
340

<210> 1011

<211> 384

<212> PRT

<213> Homo sapiens

<400> 1011

Ala Gly Thr Arg Gly Pro Gly Ala His Ile Arg Pro Trp His Pro Asp  
1 5 10 15

Val Ala Thr Met Leu Asn Ile Leu Ala Leu Val Tyr Arg Asp Gln Asn  
20 25 30

Lys Tyr Lys Glu Ala Ala His Leu Leu Asn Asp Ala Leu Ser Ile Arg  
35 40 45

Glu Ser Thr Leu Gly Pro Asp His Pro Ala Val Ala Ala Thr Leu Asn  
50 55 60

Asn Leu Ala Val Leu Tyr Gly Lys Arg Gly Lys Tyr Lys Glu Ala Glu  
65 70 75 80

Pro Leu Cys Gln Arg Ala Leu Glu Ile Arg Glu Lys Val Leu Gly Thr  
85 90 95

Asn His Pro Asp Val Ala Lys Gln Leu Asn Asn Leu Ala Leu Leu Cys  
100 105 110

Gln Asn Gln Gly Lys Tyr Glu Ala Val Glu Arg Tyr Tyr Gln Arg Ala  
115 120 125

Leu Ala Ile Tyr Glu Gly Gln Leu Gly Pro Asp Asn Pro Asn Val Ala  
130 135 140

Arg Thr Lys Asn Asn Leu Ala Ser Cys Tyr Leu Lys Gln Gly Lys Tyr  
145 150 155 160

Ala Glu Ala Glu Thr Leu Tyr Lys Glu Ile Leu Thr Arg Ala His Val  
165 170 175

Gln Glu Phe Gly Ser Val Asp Asp Asp His Lys Pro Ile Trp Met His  
180 185 190

Ala Glu Glu Arg Glu Glu Met Ser Lys Ser Arg His His Glu Gly Gly  
195 200 205

Thr Pro Tyr Ala Glu Tyr Gly Gly Trp Tyr Lys Ala Cys Lys Val Ser  
210 215 220

Ser Pro Thr Val Asn Thr Thr Leu Arg Asn Leu Gly Ala Leu Tyr Arg  
225 230 235 240

Arg Gln Gly Lys Leu Glu Ala Ala Glu Thr Leu Glu Glu Cys Ala Leu  
245 250 255

Arg Ser Arg Arg Gln Gly Thr Asp Pro Ile Ser Gln Thr Lys Val Ala  
260 265 270

Glu Leu Leu Gly Glu Ser Asp Gly Arg Arg Thr Ser Gln Glu Gly Pro  
275 280 285

Gly Asp Ser Val Lys Phe Glu Gly Gly Glu Asp Ala Ser Val Ala Val  
290 295 300

Glu Trp Ser Gly Asp Gly Ser Gly Thr Leu Gln Arg Ser Gly Ser Leu  
305 310 315 320

Gly Lys Ile Arg Asp Val Leu Arg Arg Ser Ser Glu Leu Leu Val Arg  
325 330 335

Lys Leu Gln Gly Thr Glu Pro Arg Pro Ser Ser Ser Asn Met Lys Arg  
340 345 350

Ala Ala Ser Leu Asn Tyr Leu Asn Gln Pro Ser Ala Ala Pro Leu Gln  
355 360 365

Val Ser Arg Gly Leu Ser Ala Ser Thr Met Asp Leu Ser Ser Ser Ser  
370 375 380

&lt;210&gt; 1012

&lt;211&gt; 130

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1012

Ala Asp Ala Trp Ala Trp Ser Gln Tyr Gly Ala Val Leu Gly Ser Tyr  
1 5 10 15

Ser Pro Glu Pro Pro Thr Ser Ala Gly Ser Gln Ile Pro Leu Cys Ala  
20 25 30

Asn Leu Val Pro Val Pro Ile Thr Asn Ala Thr Leu Asp Arg Ile Thr  
35 40 45

Gly Lys Trp Phe Tyr Ile Ala Ser Ala Phe Arg Asn Glu Glu Tyr Asn  
50 55 60

Lys Ser Val Gln Glu Ile Gln Ala Thr Phe Phe Tyr Phe Thr Pro Asn  
65 70 75 80

Lys Thr Glu Asp Thr Ile Phe Leu Arg Glu Tyr Gln Thr Arg Gln Asn  
85 90 95

Gln Cys Phe Tyr Asn Ser Ser Tyr Leu Asn Val Gln Arg Glu Asn Gly  
100 105 110

Thr Val Ser Arg Tyr Glu Gly Gly Arg Glu Thr Cys Cys Ser Pro Ala  
115 120 125

Val Pro  
130

&lt;210&gt; 1013

&lt;211&gt; 25

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1013

Lys Ile Leu Trp Pro Gly Val Val Ala His Ala Cys Asn Pro Ser Thr  
1 5 10 15

Leu Gly Gly Arg Gly Gly Arg Ile Ala  
20 25

&lt;210&gt; 1014

&lt;211&gt; 233

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (71)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1014

Asn	Cys	Asn	Leu	Asn	Pro	Ala	Ile	His	Phe	Gly	Phe	Phe	Leu	Ser	Asp
1				5					10					15	

Thr	Met	Cys	Gly	Lys	Leu	Phe	Cys	Gln	Gly	Gly	Ser	Asp	Asn	Leu	Pro
			20					25						30	

Trp	Lys	Gly	Arg	Ile	Val	Thr	Phe	Leu	Thr	Cys	Xaa	Thr	Phe	Asp	Pro
			35				40						45		

Glu	Asp	Thr	Ser	Gln	Glu	Ile	Xaa	Met	Val	Ala	Asn	Gly	Thr	Lys	Cys
	50					55						60			

Gly	Asp	Asn	Lys	Val	Cys	Xaa	Asn	Ala	Glu	Cys	Val	Asp	Ile	Glu	Lys
65					70					75					80

Ala	Tyr	Lys	Ser	Thr	Asn	Cys	Ser	Ser	Lys	Cys	Lys	Gly	His	Ala	Val
				85					90					95	

Cys	Asp	His	Glu	Leu	Gln	Cys	Gln	Cys	Glu	Glu	Gly	Trp	Ile	Pro	Pro
			100				105						110		

Asp	Cys	Asp	Asp	Ser	Ser	Val	Val	Phe	His	Phe	Ser	Ile	Val	Val	Gly
	115						120					125			

Val	Leu	Phe	Pro	Met	Ala	Val	Ile	Phe	Val	Val	Val	Ala	Met	Val	Ile
	130					135						140			

Arg	His	Gln	Ser	Ser	Arg	Glu	Lys	Gln	Lys	Lys	Asp	Gln	Arg	Pro	Leu
145					150					155					160

Ser	Thr	Thr	Gly	Thr	Arg	Pro	His	Lys	Gln	Lys	Arg	Lys	Pro	Gln	Met
				165					170					175	

Val	Lys	Ala	Val	Gln	Pro	Gln	Glu	Met	Ser	Gln	Met	Lys	Pro	His	Val
			180					185						190	

Tyr Asp Leu Pro Val Glu Gly Asn Glu Pro Pro Ala Ser Phe His Lys  
 195 200 205

Asp Thr Asn Ala Leu Pro Pro Thr Val Phe Lys Asp Asn Pro Met Ser  
 210 215 220

Thr Pro Lys Asp Ser Asn Pro Lys Ala  
 225 230

<210> 1015

<211> 573

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (179)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1015

His Glu Tyr Lys Val Ala Ala Leu Gly Leu Ala Thr Gly Xaa Val Leu  
 1 5 10 15

Val Leu Leu Leu Leu Cys Leu Tyr Arg Val Leu Xaa Pro Arg Asn Tyr  
 20 25 30

Gly Gln Leu Gly Gly Gly Pro Gly Arg Arg Arg Arg Gly Glu Leu Pro  
 35 40 45

Cys Asp Asp Tyr Gly Tyr Ala Pro Pro Glu Thr Glu Ile Val Pro Leu  
 50 55 60

Val Leu Arg Gly His Leu Met Asp Ile Glu Cys Leu Ala Ser Asp Gly  
 65 70 75 80

Met Leu Leu Val Ser Cys Cys Leu Ala Gly His Ile Cys Val Trp Asp  
 85 90 95

Ala Gln Thr Gly Asp Cys Leu Thr Arg Ile Pro Arg Pro Gly Arg Gln

100	105	110
Arg Arg Asp Ser Gly Val Gly Ser Gly Leu Glu Ala Gln Glu Ser Trp		
115	120	125
Glu Arg Leu Ser Asp Gly Gly Lys Ala Gly Pro Glu Glu Pro Gly Asp		
130	135	140
Ser Pro Pro Leu Arg His Arg Pro Arg Gly Pro Pro Pro Pro Ser Leu		
145	150	155
Phe Gly Asp Gln Pro Asp Leu Thr Cys Leu Ile Asp Thr Asn Phe Ser		
165	170	175
Ala Gln Xaa Arg Ser Ser Gln Pro Thr Gln Pro Glu Pro Arg His Arg		
180	185	190
Ala Val Cys Gly Arg Ser Arg Asp Ser Pro Gly Tyr Asp Phe Ser Cys		
195	200	205
Leu Val Gln Arg Val Tyr Gln Glu Glu Gly Leu Ala Ala Val Cys Thr		
210	215	220
Pro Ala Leu Arg Pro Pro Ser Pro Gly Pro Val Leu Ser Gln Ala Pro		
225	230	235
Glu Asp Glu Gly Gly Ser Pro Glu Lys Gly Ser Pro Ser Leu Ala Trp		
245	250	255
Ala Pro Ser Ala Glu Gly Ser Ile Trp Ser Leu Glu Leu Gln Gly Asn		
260	265	270
Leu Ile Val Val Gly Arg Ser Ser Gly Arg Leu Glu Val Trp Asp Ala		
275	280	285
Ile Glu Gly Val Leu Cys Cys Ser Ser Glu Glu Val Ser Ser Gly Ile		
290	295	300
Thr Ala Leu Val Phe Leu Asp Lys Arg Ile Val Ala Ala Arg Leu Asn		
305	310	315
Gly Ser Leu Asp Phe Phe Ser Leu Glu Thr His Thr Ala Leu Ser Pro		
325	330	335
Leu Gln Phe Arg Gly Thr Pro Gly Arg Gly Ser Ser Pro Ala Ser Pro		
340	345	350
Val Tyr Ser Ser Ser Asp Thr Val Ala Cys His Leu Thr His Thr Val		
355	360	365
Pro Cys Ala His Gln Lys Pro Ile Thr Ala Leu Lys Ala Ala Ala Gly		

370	375	380
Arg Leu Val Thr Gly Ser Gln Asp His Thr Leu Arg Val Phe Arg Leu		
385	390	395 400
Glu Asp Ser Cys Cys Leu Phe Thr Leu Gln Gly His Ser Gly Ala Ile		
	405	410 415
Thr Thr Val Tyr Ile Asp Gln Thr Met Val Leu Ala Ser Gly Gly Gln		
	420	425 430
Asp Gly Ala Ile Cys Leu Trp Asp Val Leu Thr Gly Ser Arg Val Ser		
	435	440 445
His Val Phe Ala His Arg Gly Asp Val Thr Ser Leu Thr Cys Thr Thr		
	450	455 460
Ser Cys Val Ile Ser Ser Gly Leu Asp Asp Leu Ile Ser Ile Trp Asp		
465	470	475 480
Arg Ser Thr Gly Ile Lys Phe Tyr Ser Ile Gln Gln Asp Leu Gly Cys		
	485	490 495
Gly Ala Ser Leu Gly Val Ile Ser Asp Asn Leu Leu Val Thr Gly Gly		
	500	505 510
Gln Gly Cys Val Ser Phe Trp Asp Leu Asn Tyr Gly Asp Leu Leu Gln		
	515	520 525
Thr Val Tyr Leu Gly Lys Asn Ser Glu Ala Gln Pro Ala Arg Gln Ile		
	530	535 540
Leu Val Leu Asp Asn Ala Ala Ile Val Cys Asn Phe Gly Ser Glu Leu		
545	550	555 560
Ser Leu Val Tyr Val Pro Ser Val Leu Glu Lys Leu Asp		
	565	570

&lt;210&gt; 1016

&lt;211&gt; 45

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1016

Lys Phe Tyr Ser Tyr Ser Val Tyr Val Ala Gln Pro Gly Leu Glu Pro
1 5 10 15

Phe Gly Ser Ser Asp Pro Pro Ala Leu Ala Ser Gln Ser Ala Gly Ile
20 25 30



Thr Asp Gly Ser His Arg Val Trp Pro Ile Pro Ala Ser  
35 40 45

<210> 1017

<211> 105

<212> PRT

<213> Homo sapiens

<400> 1017

Gly Lys Val His Gly Leu Ile Pro Gln Val Lys Asn Val Phe Thr Leu  
1 5 10 15

Leu Ile Ala Val Ser Leu Tyr Leu Tyr Ile Arg Tyr Ile Ser Tyr Glu  
20 25 30

His Lys Phe Val Val Lys Val Ser Ser Val Trp Ala Met Ala His Thr  
35 40 45

Cys Asn Ser Asn Thr Leu Gly Gly Ser Gly Gly Arg Ile Ser Ser Pro  
50 55 60

Gln Glu Phe Glu Thr Ser Leu Gly Asn Lys Leu Asp Pro Met Ser Leu  
65 70 75 80

Lys Asn Val Lys Asn Ile Lys Arg Leu Ser Gln Glu Asp His Leu Ser  
85 90 95

Leu Gly Val Gln Gly Cys Ser Lys Leu  
100 105

<210> 1018

<211> 30

<212> PRT

<213> Homo sapiens

<400> 1018

Asn Pro Val Ser Thr Lys Asn Thr Lys Ile Ser Trp Val Trp Trp Trp  
1 5 10 15

Ala Pro Val Val Pro Ala Thr Arg Glu Ala Glu Ala Gly Val  
20 25 30

<210> 1019

<211> 72

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1019

Pro Gly Trp Ser Arg Ser Pro Asp Leu Val Xaa Arg Ala Pro Arg Pro  
1 5 10 15

Pro Lys Val Leu Gly Xaa Thr Gly Val Ser His Arg Ala Arg Pro Asp  
20 25 30

Ser Leu Lys Ile Glu Glu Val Leu Pro Arg Xaa Ser Asp Leu Thr Gln  
35 40 45

Met His Arg Pro Cys Ser Trp Tyr Leu Phe Ser Leu Cys Trp Gly Ala  
50 55 60

Val Val Pro Ser Phe Leu Gly Gly  
65 70

<210> 1020

<211> 57

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1020

Ser Gln Leu Leu Gly Glu Ala Glu Ala Gly Glu Ser Leu Glu Pro Gly  
1 5 10 15

Xaa Gly Asp Cys Ser Glu Pro Arg Ser His His Cys Thr Pro Val Trp

20

25

30

Pro Thr Glu Gln Asp Ser Ile Ser Lys Lys Lys Arg Lys Gly Asp Ser  
35 40 45

Asp Leu Val Leu Leu Asn Thr Ser Phe  
50 55

&lt;210&gt; 1021

&lt;211&gt; 18

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1021

Val Ala Gly Ala Tyr Asn Pro Ser Tyr Ser Gly Gly Gln Gly Arg Arg  
1 5 10 15

Ile Ala

&lt;210&gt; 1022

&lt;211&gt; 91

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (39)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1022

Ser Gly Asn His Val Gln Asn Pro Ser Ser Gly Thr Ala Cys Cys Leu  
1 5 10 15

Gln Pro Leu Ser Pro Gly Leu Arg Val Val Tyr Gly His Thr Trp Arg  
20 25 30

Phe Phe Val Val Val Phe Xaa Thr Glu Phe His Ser Cys Cys Pro Gly  
35 40 45

Trp Ser Ala Met Ala Pro Ser Arg Leu Thr Ala Thr Ser Thr Ser Trp  
50 55 60

Phe Lys Arg Ser Gln Ala Ser Ala Ser Gln Val Val Gly Ile Thr Gly  
65 70 75 80

Ala Cys His His Thr Trp Leu Ile Leu Tyr Phe

85

90

&lt;210&gt; 1023

&lt;211&gt; 28

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1023

Ala Glu Ile Ala Pro Leu His Ser Ser Leu Gly Asn Lys Ser Glu Thr  
1 5 10 15

Leu Ser Gln Lys Lys Asn Lys Lys Pro His Lys Asn  
20 25

&lt;210&gt; 1024

&lt;211&gt; 60

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (8)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (10)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (13)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (26)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (38)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1024

Lys Val Asn Ile Gly Glu Gly Xaa Arg Xaa Arg Ser Xaa Val Pro Val  
1 5 10 15

Arg Asn Ser Arg Val Asp Pro Arg Val Xaa Leu Leu Val Gln Ala Gly  
20 25 30

Leu Glu Leu Ala Thr Xaa Gly Asp Pro Pro Ala Ser Ala Ser Gln Ser  
35 40 45

Gly Gly Ile Thr Gly Val Ser His Arg Ala Gln Pro  
50 55 60

<210> 1025

<211> 67

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1025

Ala Asn Leu Cys Ile Phe Ser Gly Asn Gly Val Leu Pro Arg Trp Pro  
1 5 10 15

Xaa Trp Ser Arg Thr Pro Asp Leu Arg Xaa Ser Thr His Pro Ser Leu  
20 25 30

Pro Lys Cys Trp Asp Tyr Arg Arg Glu Pro Leu Ser Pro Ala Xaa Phe  
35 40 45

Ser Val Phe Asn Ile Ile Phe Val Leu Ser Thr Thr Phe Gln Val Leu  
50 55 60

Xaa Val Gln

65

&lt;210&gt; 1026

&lt;211&gt; 71

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (3)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1026

Glu Lys Xaa Leu Lys Glu Glu Gly Lys Ala Gly Trp Gly Gly Trp Gly  
1 5 10 15

Lys Glu Ala Gly Ser Ala Asp His Ser Pro Ser Met Ser Cys Phe Leu  
20 25 30

Lys Met Leu Glu Leu Gly Gln Ala Trp Trp Leu Thr Pro Val Ile Pro  
35 40 45

Ala Leu Trp Glu Ala Glu Ala Gly Arg Ser Leu Glu Val Arg Ser Ser  
50 55 60

Arg Pro Ala Trp Pro Thr Trp  
65 70

&lt;210&gt; 1027

&lt;211&gt; 72

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (41)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (69)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (72)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1027

Asn Pro Val Ser Thr Lys Asn Thr Lys Ile Ser Arg Ala Trp Trp Gln  
1 5 10 15

Ala Pro Val Ile Pro Ala Thr Arg Glu Ala Glu Ala Gly Lys Ser Leu  
20 25 30

Glu Pro Gly Ser Arg Lys Leu Gln Xaa Ala Lys Val Met Ser Ser Leu  
35 40 45

His Ser Ser Leu Gly Asn Lys Ser Glu Asp Phe Val Ser Lys Lys Lys  
50 55 60

Leu Thr Asp Phe Xaa Phe Leu Xaa  
65 70

&lt;210&gt; 1028

&lt;211&gt; 27

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (16)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (18)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (23)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1028

Ser Gln Leu Leu Gly Arg Leu Arg Gln Glu Asn Cys Leu Ser Pro Xaa  
1 5 10 15

Gly Xaa Gly Cys Ser Glu Xaa Arg Ser Gly His  
20 25

&lt;210&gt; 1029

&lt;211&gt; 121

&lt;212&gt; PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (108)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1029

Asp Met Asn Ser Leu Met Met Gly Xaa Asp Lys Ile Lys Phe Lys His  
1 5 10 15

Ile Thr Pro Leu Gln Glu Gln Ser Lys Glu Val Ala Ile Arg Ile Phe  
20 25 30

Gln Gly Cys Gln Phe Arg Ser Val Glu Ala Val Gln Glu Ile Thr Glu  
35 40 45

Tyr Ala Lys Ser Ile Pro Gly Phe Val Asn Leu Asp Leu Asn Asp Gln  
50 55 60

Val Thr Leu Leu Lys Tyr Gly Val His Glu Ile Ile Tyr Thr Met Leu  
65 70 75 80

Ala Ser Leu Met Asn Lys Asp Gly Val Leu Ile Ser Glu Gly Pro Ser  
85 90 95

Phe Met Thr Arg Glu Phe Leu Lys Ser Leu Arg Xaa Leu Leu Val Thr  
100 105 110

Leu Trp Glu Pro Ser Leu Ser Leu Pro  
115 120

<210> 1030

<211> 34

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1030

Ala Glu Glu Thr Pro His Pro Trp Gln Lys Phe Arg Thr Lys Pro Gln



1                    5                    10                    15  
 Gly Asp Gln Asp Thr Gly Lys Glu Ala Asp Asp Gly Cys Ala Leu Gly  
                   20                    25                    30

Gly Xaa

<210> 1031

<211> 117

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (107)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (108)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (117)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1031

Ser Glu Ser Gly Pro Arg Cys Ser Ser Pro Val Asp Thr Glu Cys Ser  
   1                    5                    10                    15

His Ala Glu Gly Ser Arg Ser Gln Gly Pro Glu Lys Ala Phe Ser Pro  
                   20                    25                    30

Ala Ser Pro Cys Ala Trp Asn Val Cys Val Thr Arg Lys Ala Pro Leu  
                   35                    40                    45

Leu Ala Ser Asp Ser Ser Ser Ser Gly Gly Ser His Ser Glu Asp Gly  
                   50                    55                    60

Asp Gln Lys Ala Ala Ser Ala Met Asp Ala Val Ser Arg Gly Pro Gly  
                   65                    70                    75                    80

Arg Glu Ala Pro Arg Cys Pro Gln Trp Pro Arg Gln Lys Lys Leu Leu  
                   85                    90                    95

Ala Arg Phe Gly Phe Leu Thr Thr Gly Phe Xaa Xaa Leu Pro Cys Pro  
                   100                    105                    110

Arg Ala Lys Arg Xaa  
115

<210> 1032  
<211> 46  
<212> PRT  
<213> Homo sapiens

<400> 1032  
Lys Leu Thr Asp Glu Glu Val Asp Glu Met Ile Arg Glu Ala Asp Ile  
1 5 10 15  
Asp Gly Asp Gly Gln Val Asn Tyr Glu Glu Phe Val Gln Asn Asp Asp  
20 25 30  
Cys Lys Met Lys Thr Tyr Phe Gln Leu Leu Phe Pro Pro Ser  
35 40 45

<210> 1033  
<211> 118  
<212> PRT  
<213> Homo sapiens

<400> 1033  
Thr Val Cys Ile Leu Arg Lys Leu Phe Ser His Asn Met Thr Arg Leu  
1 5 10 15  
Arg Lys Phe Met Val Tyr Phe Gly Lys Asn Gln Ser Leu Gln Lys Ile  
20 25 30  
Gln Lys Thr Pro Leu Phe Val Ala Ala Ile Cys Ala His Trp Phe Gln  
35 40 45  
Tyr Pro Phe Asp Pro Ser Phe Asp Asp Val Ala Val Phe Lys Ser Tyr  
50 55 60  
Met Glu Arg Leu Ser Leu Arg Asn Lys Ala Thr Leu Lys Ile Leu Lys  
65 70 75 80  
Ala Thr Val Ser Ser Cys Gly Glu Leu Ala Leu Lys Gly Phe Phe Ser  
85 90 95  
Cys Cys Phe Glu Phe Asn Gly Trp Met Asp Leu Ala Glu Ala Gly Gly  
100 105 110  
Gly Trp Lys Met Lys Ile

115

<210> 1034  
<211> 70  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (5)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (15)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (16)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (20)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (24)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (25)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (30)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1034

Val	Lys	Ser	Gly	Xaa	Tyr	Val	Val	Ile	Glu	Val	Lys	Val	Ala	Xaa	Xaa
1				5				10						15	

Tyr	Gly	Ile	Xaa	Ile	Thr	Cys	Xaa	Xaa	Tyr	Leu	Met	Thr	Xaa	Tyr	Gln
		20					25						30		

Xaa	Ala	Pro	Pro	Ser	Pro	Gln	Tyr	Arg	Xaa	Ile	Ile	Cys	Met	Gly	Ala
		35					40					45			

Xaa	Xaa	Asn	Gly	Leu	Pro	Leu	Xaa	Tyr	Gln	Xaa	Xaa	Leu	Xaa	Ala	Leu
		50				55						60			

Xaa Pro Asn Asp Tyr Thr  
65 70

<210> 1035

<211> 163

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (147)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (155)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (159)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (161)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (162)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1035

Xaa Asp Ala Trp Val Arg Asp Glu Glu Trp Gly Gly His Ser Pro Arg  
1 5 10 15

Ser Pro Arg Gly Trp Asp Gln Glu Pro Ala Arg Glu Gln Ala Gly Gly  
20 25 30

Gly Trp Arg Ala Arg Arg Pro Arg Ala Arg Ser Val Asp Ala Leu Asp  
35 40 45

Asp Leu Thr Pro Pro Ser Thr Ala Glu Ser Gly Ser Arg Ser Pro Thr

50                      55                      60

Ser Asn Gly Gly Arg Arg Ser Arg Ala Tyr Met Pro Pro Arg Ser Arg  
65                      70                      75                      80

Ser Arg Asp Asp Leu Tyr Asp Gln Asp Asp Ser Arg Asp Phe Pro Arg  
85                      90                      95

Ser Arg Asp Pro His Tyr Asp Asp Phe Arg Ser Arg Glu Arg Pro Pro  
100                      105                      110

Ala Asp Pro Arg Ser His His His Arg Thr Arg Asp Pro Arg Asp Asn  
115                      120                      125

Gly Ser Arg Ser Gly Asp Leu Pro Tyr Asp Gly Arg Leu Leu Glu Glu  
130                      135                      140

Ala Val Xaa Lys Lys Gly Ser Asp Glu Arg Xaa Arg Pro His Xaa Glu  
145                      150                      155                      160

Xaa Xaa Glu

<210> 1036  
<211> 30  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (17)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (25)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1036  
Gly Cys Pro Pro Arg Ala Xaa Ser Leu Pro Gly Ser Pro Arg Cys Arg  
1                      5                      10                      15

Xaa Arg Cys His Thr Met Ala Phe Xaa Thr Arg Gln Phe Met  
20                      25                      30

<210> 1037  
<211> 65  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (5)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (26)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (29)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (49)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (55)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (60)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (65)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1037  
Thr His Phe Phe Xaa Gln His Gln Lys Leu Val Pro Leu Leu Met Ser  
1 5 10 15

Ile Met Pro Arg Ile Gln Lys Ala Tyr Xaa Val Phe Xaa Tyr Leu Val  
20 25 30  
Gln Asp Leu Lys Cys Leu Val Phe Ser Leu Ile Gly Leu His Phe Lys  
35 40 45  
Xaa Lys Pro Ser Arg Leu Xaa Ile Xaa Val Gly Xaa Gly Gly Gly Trp  
50 55 60  
Xaa  
65

<210> 1038  
<211> 90  
<212> PRT  
<213> Homo sapiens

<400> 1038  
Cys Pro Arg Val Arg Pro Arg Val Arg Pro Arg Val Arg Pro Arg Val  
1 5 10 15  
Arg Thr Pro Ile Pro Val Pro Ala Tyr Phe Arg His Ala Glu Pro Gly  
20 25 30  
Phe Ser Leu Lys Arg Pro Arg Gly Leu Ser Arg Ser Leu Pro Pro Pro  
35 40 45  
Pro Pro Ala Lys Gly Ser Ile Pro Ile Ser Arg Leu Phe Pro Pro Arg  
50 55 60  
Thr Pro Gly Trp His Gln Leu Gln Pro Arg Gly Cys His Ser Gly Arg  
65 70 75 80  
Arg Pro Arg Asp Ser Ala Glu Pro Trp Val  
85 90

<210> 1039  
<211> 104  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids



<220>  
<221> SITE  
<222> (12)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (31)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (39)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (51)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (60)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (70)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (78)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (86)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (91)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (94)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (98)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1039

Ala Ala Ala Gly Pro Gly Xaa Cys Trp Ala Phe Xaa Pro Xaa Arg Leu  
1 5 10 15

His Ala Pro Thr Ala Arg Ser Thr Tyr Ser Phe Gln Ala Arg Xaa Leu  
20 25 30

Xaa Glu Lys Glu Phe Ser Xaa Leu Ile Ser Leu Gly Thr Asp Arg Leu  
35 40 45

Leu Asp Xaa Asp Met Arg Gln Val Phe Gln Phe Xaa Pro His Pro Gly  
50 55 60

Gly Arg Cys Ser Gly Xaa Lys Asp Leu Arg Gly Val Thr Xaa Arg Leu  
65 70 75 80

Thr Glu Met Leu Pro Xaa Asn Phe Arg Ser Xaa Ala Ala Xaa Phe Leu  
85 90 95

Gly Xaa Ser Gly Ala Pro Phe Ser  
100

<210> 1040

<211> 109

<212> PRT

<213> Homo sapiens

<400> 1040

Gly Arg Trp Leu Lys Asp Gln Glu Leu Ser Pro Arg Glu Pro Val Leu  
1 5 10 15

Pro Pro Gln Lys Met Gly Pro Met Glu Lys Phe Trp Asn Lys Phe Leu  
20 25 30

Glu Asn Lys Ser Pro Trp Arg Lys Met Val His Gly Val Tyr Lys Lys

35                      40                      45  
 Ser Ile Phe Val Phe Thr His Val Leu Val Pro Val Trp Ile Ile His  
 50                      55                      60  
 Tyr Tyr Met Lys Tyr His Val Ser Glu Lys Pro Tyr Gly Ile Val Glu  
 65                      70                      75                      80  
 Lys Lys Ser Arg Ile Phe Pro Gly Asp Thr Ile Leu Glu Thr Gly Glu  
 85                      90                      95  
 Val Ile Pro Pro Met Lys Glu Phe Pro Asp Gln His His  
 100                      105

<210> 1041

<211> 197

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1041

Ala Ser Xaa His Gln Pro Ser Leu Lys Gly Thr Lys Ala Gly Ala Pro  
 1                      5                      10                      15  
 Pro Arg Cys Gly Arg Ser Arg Thr Ser Gly Ser Pro Gly Leu Gln Glu  
 20                      25                      30  
 Phe Gly Thr Arg Ser Val Ser Gly Ala Asp Gly Gly Ser Ala Ala Cys  
 35                      40                      45  
 Ser Trp Lys Phe Arg Leu Gly Cys Leu Leu Gly Ala Met Glu Ser Asp  
 50                      55                      60  
 Phe Tyr Leu Arg Tyr Tyr Val Gly His Lys Gly Lys Phe Gly His Glu  
 65                      70                      75                      80  
 Phe Leu Glu Phe Glu Phe Arg Pro Asp Gly Lys Leu Arg Tyr Ala Asn  
 85                      90                      95  
 Asn Ser Asn Tyr Lys Asn Asp Val Met Ile Arg Lys Glu Ala Tyr Val  
 100                      105                      110  
 His Lys Ser Val Met Glu Glu Leu Lys Arg Ile Ile Asp Asp Ser Glu  
 115                      120                      125

Ile Thr Lys Glu Asp Asp Ala Leu Trp Pro Pro Pro Asp Arg Val Gly  
130 135 140

Arg Gln Glu Leu Glu Ile Val Ile Gly Asp Glu His Ile Ser Phe Thr  
145 150 155 160

Thr Ser Lys Ile Gly Ser Leu Ile Asp Val Asn Gln Ser Lys Asp Pro  
165 170 175

Glu Gly Leu Arg Val Phe Tyr Tyr Leu Val Gln Asp Leu Lys Cys Leu  
180 185 190

Val Phe Ser Leu Ile  
195

<210> 1042  
<211> 110  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (80)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (92)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (99)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (107)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1042  
Ala Gly Phe Gly Ser Gln Xaa Leu Phe Val Asp Cys Cys Asp Arg His  
1 5 10 15

Leu Thr Met Gln Ile Phe Val Lys Thr Leu Thr Gly Lys Thr Ile Thr  
20 25 30

Leu Glu Val Glu Pro Ser Asp Thr Ile Glu Asn Val Lys Ala Lys Ile  
35 40 45

Gln Asp Lys Glu Gly Ile Pro Pro Asp Gln Gln Arg Leu Ile Phe Ala  
50 55 60

Gly Lys Gln Leu Glu Asp Gly Arg Thr Leu Ser Asp Tyr Asn Ile Xaa  
65 70 75 80

Lys Glu Ser Thr Leu His Leu Val Leu Arg Leu Xaa Gly Gly Met Gln  
85 90 95

Ile Phe Xaa Lys Thr Leu Thr Gly Lys Thr Xaa Thr Leu Glu  
100 105 110

<210> 1043  
<211> 109  
<212> PRT  
<213> Homo sapiens

<400> 1043  
Leu His Gln Pro Ala Lys Met Ala Met Gln Ala Ala Lys Arg Ala Asn  
1 5 10 15

Ile Arg Leu Pro Pro Glu Val Asn Arg Ile Leu Tyr Ile Arg Asn Leu  
20 25 30

Pro Tyr Lys Ile Thr Ala Glu Glu Met Tyr Asp Ile Phe Gly Lys Tyr  
35 40 45

Gly Pro Ile Arg Gln Ile Arg Val Gly Asn Thr Pro Glu Thr Arg Gly  
50 55 60

Thr Ala Tyr Val Val Tyr Glu Asp Ile Phe Asp Ala Lys Asn Ala Cys  
65 70 75 80

Asp His Leu Ser Gly Phe Asn Val Cys Asn Arg Tyr Leu Val Val Leu  
85 90 95

Tyr Tyr Asn Ala Asn Arg Ala Phe Gln Lys Met Asp Thr  
100 105

<210> 1044  
<211> 16

<212> PRT

<213> Homo sapiens

<400> 1044

Lys	Leu	Ile	Gln	Val	Gly	Lys	Leu	Asp	Arg	Thr	Phe	His	Leu	Ser	Tyr
1				5				10						15	

<210> 1045

<211> 100

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (48)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (49)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (53)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (75)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (78)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (89)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (91)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (99)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1045  
Ser Ser Xaa Pro Thr Pro Pro Ser Ser Cys Leu Xaa Pro Pro Gly Xaa  
1 5 10 15  
Arg Pro Xaa Asp Ser Thr Xaa Val Pro Ala Asn Ser Met Arg Leu Lys  
20 25 30  
Tyr Gln His Thr Gly Xaa Val Leu Asp Cys Xaa Phe Tyr Gly Pro Xaa  
35 40 45

Xaa Ala Trp Ser Xaa Gly Leu Asp His Gln Leu Lys Met His Asp Leu  
50 55 60

Thr Leu Ile Lys Lys Ile Ser Trp Thr His Xaa Ala Leu Xaa Asp Val  
65 70 75 80

Leu Asn Thr Val Arg Ser Glu Leu Xaa Trp Xaa Trp Lys Leu Gly Leu  
85 90 95

Ala Ser Xaa Pro  
100

<210> 1046

<211> 114

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (63)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (110)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1046

Phe Ile Ser Val Ser Glu Lys Ser Lys Asp Arg Gly Ser Asn Thr Ile  
1 5 10 15

Gly Ala Arg Leu Asn Arg Val Glu Asp Lys Val Thr Gln Leu Asp Gln  
20 25 30

Arg Leu Ala Leu Ile Thr Asp Met Leu His Gln Leu Leu Ser Leu His  
35 40 45

Gly Gly Ser Thr Pro Glu Pro Thr Val Arg Gly Ala Pro Xaa Xaa Asn  
50 55 60

Pro Ser Pro Ser Pro Ser Ser Gln Pro Asn Thr Gln Lys Gly Thr Ala  
65 70 75 80

Thr Phe Pro Cys Gln Leu Leu Ser Arg Arg Glu Val Thr Val Pro Thr



85

90

95

Gln Asp Arg Gly Ser Phe Trp Ala Leu His Arg Ile Glu Xaa Asn Asn  
 100 105 110

Leu Trp

<210> 1047

<211> 92

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (85)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (88)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (89)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (90)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1047

Asp Arg Phe Ser Gly Ser Lys Ser Ala Ser Thr Ala Ser Leu Thr Ile  
 1 5 10 15

Ser Gly Leu Gln Ala Glu Asp Glu Ala Asp Tyr Tyr Cys Ser Ser Xaa  
 20 25 30

Thr Ser Ser Ile Ser Tyr Val Phe Gly Thr Gly Thr Lys Val Thr Val  
 35 40 45

Leu Val Gln Pro Lys Ala Asn Pro Thr Val His Ser Cys Phe Pro Pro

50 55 60  
Ser Ser Leu Arg Thr Ser Lys Pro Asn Lys Gly Asn Tyr Val Phe Trp  
65 70 75 80  
Asn His Tyr Phe Xaa Pro Gly Xaa Xaa Xaa Lys Cys  
85 90

<210> 1048

<211> 91

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (39)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (54)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (61)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (64)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (77)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (82)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (91)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1048  
Arg Gly Arg Gly Lys Arg Xaa Pro Asp Xaa Lys Pro Pro Ala Leu Pro  
1 5 10 15  
Arg Pro Ile Xaa Asn Leu Glu Val Glu Phe Thr Lys Ile Phe Xaa Xaa  
20 25 30  
Asn Gly Met Gly Arg Ile Xaa Xaa Trp Glu Lys Val Cys Tyr Met Leu  
35 40 45  
Pro Xaa Asn Ser Gly Xaa Lys Tyr Val Lys Trp Lys Xaa Glu Ile Xaa  
50 55 60  
Pro Thr Trp Asp Glu Gly Cys Gly Ser Cys Thr Gly Xaa Leu Pro Lys  
65 70 75 80  
Arg Xaa Pro Pro Trp Ala Pro Gly Gly Met Xaa

85

90

&lt;210&gt; 1049

&lt;211&gt; 149

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1049

Pro Gly Gln Ser Pro Glu Leu Gln Thr Met Ser Val Ser Phe Leu Ile  
1 5 10 15

Phe Leu Pro Val Leu Gly Leu Pro Trp Gly Val Leu Ser Gln Val Gln  
20 25 30

Leu Gln Gln Ser Gly Pro Gly Leu Val Lys Pro Ser Gln Thr Leu Ser  
35 40 45

Leu Thr Cys Ala Ile Ser Gly Asp Thr Val Ser Arg Asn Ser Ala Gly  
50 55 60

Trp Asn Trp Ile Arg Gln Ser Pro Ser Arg Gly Leu Glu Trp Leu Gly  
65 70 75 80

Arg Thr Tyr Tyr Arg Ser Lys Trp Tyr Asn Asp Tyr Ala Val Ser Val  
85 90 95

Lys Ser Arg Ile Thr Ile Asn Ala Asp Ser Thr Lys Asn Gln Phe Ser  
100 105 110

Leu Gln Leu Asn Ser Val Thr Pro Glu Asp Thr Ala Leu Tyr Tyr Cys  
115 120 125

Ala Arg Asp Arg Gly Ser Trp Ser Asp Glu Ala Glu Gly Leu Pro Pro  
130 135 140

Arg Tyr Phe Tyr Tyr  
145

&lt;210&gt; 1050

&lt;211&gt; 146

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (123)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1050

Ala Gln Leu Leu Thr Met Asp Trp Thr Trp Arg Ile Leu Phe Leu Val  
 1 5 10 15

Ala Ala Ala Thr Ser Ala His Ser Gln Val Gln Leu Val Gln Ser Gly  
 20 25 30

Ala Glu Val Lys Lys Pro Gly Ala Ser Val Lys Val Ser Cys Lys Ala  
 35 40 45

Ser Gly Tyr Thr Phe Thr Ser Tyr Asp Ile Asn Trp Val Arg Gln Ala  
 50 55 60

Thr Gly Gln Gly Leu Glu Trp Val Gly Trp Met Asn Pro Asn Ser Ala  
 65 70 75 80

Asn Thr Gly Tyr Ala Gln Lys Phe Gln Gly Arg Val Thr Met Thr Arg  
 85 90 95

Asn Thr Ser Ile Ser Thr Ala Tyr Met Glu Leu Ser Ser Leu Arg Ser  
 100 105 110

Glu Asp Thr Ala Val Tyr Tyr Cys Ala Arg Xaa Arg Arg Trp Glu Leu  
 115 120 125

Leu Gly Met Met Trp Asp Phe Asp Tyr Trp Gly Gln Gly Thr Leu Val  
 130 135 140

Thr Val  
 145

&lt;210&gt; 1051

&lt;211&gt; 55

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1051

Gly Arg Gly Ile Ser Gly Leu Leu Phe Leu Ser Ser Thr Ile Met Gly  
 1 5 10 15

Ser Thr Ala Ile Leu Ala Leu Leu Leu Ala Val Leu Gln Gly Val Cys  
 20 25 30

Gly Glu Val Gln Leu Val His Ala Gly Gly Glu Met Arg Lys Ala Arg  
 35 40 45

Gly Val Ser Glu Asp Leu Leu  
 50 55

<210> 1052  
<211> 144  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (40)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (70)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (108)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (120)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (124)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (128)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (134)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1052  
Thr Met Ala Trp Thr Pro Leu Leu Phe Leu Thr Leu Leu Leu His Cys  
1 5 10 15

Thr Gly Ser Leu Ser Gln Leu Val Leu Thr Gln Ser Pro Ser Ala Ser  
20 25 30

Ala Ser Leu Gly Ala Ser Val Xaa Leu Thr Cys Thr Leu Ser Ser Gly  
35 40 45

His Xaa Asp Tyr Ala Ile Ala Trp His Gln Gln Gln Pro Glu Lys Gly  
50 55 60

Pro Arg Tyr Leu Leu Xaa Leu Asn Thr Asp Gly Ser His Arg Lys Gly  
65 70 75 80

Asp Gly Ile Pro Asp Arg Phe Ser Gly Ser Ser Ser Gly Ala Glu Arg  
85 90 95

Tyr Leu Thr Ile Ser Ser Leu Gln Ser Glu Asp Xaa Ala Asp Tyr Tyr  
100 105 110

Cys Gln Asn Trp Gly Phe Gly Xaa Val Phe Gly Xaa Arg Asp Gln Xaa  
115 120 125

Glu Arg Pro Lys Ser Xaa Gln Gly Cys Pro Leu Gly Gln Ser Val Pro  
130 135 140

<210> 1053

<211> 52

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1053

Gly Thr Ser Ser Pro Ser Leu Ala Glu Asp Pro Phe Gln Gly Gly Gln  
1 5 10 15

Val Cys Ala Pro Ser Arg Ala Ile Gln Xaa Ile Cys Leu Pro Ser Met  
20 25 30

Tyr Asn Asp Pro Gln Phe Gly Thr Ser Cys Glu Ile Thr Gly Leu Trp  
35 40 45

Lys Lys Glu Phe

50

&lt;210&gt; 1054

&lt;211&gt; 67

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1054

Gln Val Gly Ala Ala Ala Val Ala Met Thr Arg Gly Asn Gln Arg Glu  
1 5 10 15

Leu Ala Arg Gln Lys Asn Met Lys Lys Gln Ser Asp Ser Val Lys Gly  
20 25 30

Lys Arg Arg Asp Asp Gly Leu Ser Ala Ala Ala Arg Lys Gln Arg Asp  
35 40 45

Ser Glu Ile Met Gln Gln Lys Gln Lys Lys Ala Asn Glu Lys Lys Glu  
50 55 60

Glu Pro Lys  
65

&lt;210&gt; 1055

&lt;211&gt; 121

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (4)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1055

Glu Ala Glu Xaa Lys Met Ser Ser Tyr Ala Phe Phe Val Gln Thr Cys  
1 5 10 15

Arg Glu Glu His Lys Lys Lys His Pro Asp Ala Ser Val Asn Phe Ser  
20 25 30

Glu Phe Ser Lys Lys Cys Ser Glu Arg Trp Lys Thr Met Ser Ala Lys  
35 40 45

Glu Lys Gly Lys Phe Glu Asp Met Ala Lys Ala Asp Lys Ala Arg Tyr  
50 55 60

Glu Arg Glu Met Lys Thr Tyr Ile Pro Pro Lys Gly Glu Thr Lys Lys





<213> Homo sapiens

<400> 1057

Lys Leu Arg Gln Ala Phe Gln Gly Asp Ser Ile Pro Val Phe Asp Leu  
1 5 10 15

Leu Ile Leu Gly Val Gly Pro Asp Gly His Thr Cys Ser Leu Phe Pro  
20 25 30

Asp His Pro Leu Leu Gln Glu Arg Glu Lys Ile Val Ala Pro Ile Ser  
35 40 45

Asp Ser Pro Lys Pro Pro Pro Gln Arg Val Thr Leu Thr Leu Pro Val  
50 55 60

Leu Asn Ala Ala Arg Thr Val Ile Phe Val Ala Thr Gly Glu Gly Lys  
65 70 75 80

Ala Ala Val Leu Lys Arg Ile Leu Glu Asp Gln Glu Glu Asn Pro Leu  
85 90 95

Pro Ala Ala Trp Ser Ser Pro Thr Pro Gly Asn Cys Ala Gly Leu Gly  
100 105 110

Arg Gly Gly Arg Arg Phe  
115

<210> 1058

<211> 104

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (78)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (91)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (100)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1058

Val Xaa Xaa Glu Pro His Gly Xaa Thr Leu Val Phe Ala Arg His Gly  
1 5 10 15

Arg Glu Arg Leu Gly Xaa Gly Asp Gly Ala Ala Gln Glu Gly Pro Tyr  
20 25 30

Gly Arg Pro Ala Thr Ser Lys Gln Ala Ile Leu Ala Ala Gln Arg Leu  
35 40 45

Gly Glu Asp Val Glu Thr Ser Asn Lys Trp Ala Ala Gly Xaa Asn Lys  
50 55 60

Gln His Ser Ile Thr Lys Asn Thr Ala Lys Leu Asp Arg Xaa Thr Glu  
65 70 75 80

Cys Cys Thr Met Thr Gly Asp Pro Glu Val Xaa Gln Val Ile Gln Gln  
85 90 95

Val Gly Xaa Xaa Arg Ala Tyr Thr  
100

<210> 1059

<211> 48

<212> PRT

<213> Homo sapiens

<400> 1059

Arg Glu Gln Lys Leu Glu Leu His Arg Gly Ala Ala Ala Leu Glu Leu  
1 5 10 15

Val Asp Pro Pro Gly Cys Arg Asn Ser Ala Arg Val Leu Pro Leu Arg  
20 25 30

Glu Ser Asn Cys Ile Pro Ala Ser Val Ser Phe Leu Cys Val Ile Ser  
35 40 45

<210> 1060

<211> 100

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (79)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1060

Arg Asn Val Thr His Ile Asp Gln Ala Leu Gln Glu Ala His Arg Val  
1 5 10 15

Leu Lys Pro Gly Gly Arg Phe Leu Cys Leu Glu Phe Ser Gln Val Asn

20 25 30

Asn Pro Leu Ile Ser Arg Leu Tyr Asp Leu Tyr Ser Phe Gln Val Ile  
35 40 45

Pro Val Leu Gly Glu Val Ile Ala Gly Asp Trp Lys Ser Tyr Gln Tyr  
50 55 60

Leu Val Glu Ser Ile Arg Arg Phe Pro Xaa Xaa Glu Glu Phe Xaa Asp  
65 70 75 80

Met Ile Glu Asp Ala Gly Phe His Lys Val Thr Tyr Glu Ser Leu Thr  
85 90 95

Ser Gly Xaa Val  
100

<210> 1061

<211> 137

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (49)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (51)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (56)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (67)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (68)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (69)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (70)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (72)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (84)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (97)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (105)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (106)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (110)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (116)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (118)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (121)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (124)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (126)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (128)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (130)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (134)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1061

Phe	Gly	Thr	Arg	Glu	Arg	Glu	Arg	Glu	Arg	Glu	Arg	Glu	Arg	Glu	Arg
1				5				10				15			

Val	Ala	Xaa	Val	Xaa	Val	Ser	Ser	Val	Ser	Arg	Leu	Leu	Xaa	Arg	Xaa
			20					25					30		

Xaa	Pro	Xaa	Leu	Gly	Arg	Ser	Met	Ser	Ser	Gly	Ala	His	Gly	Glu	Glu
		35					40					45			

Xaa	Ser	Xaa	Xaa	Met	Trp	Lys	Xaa	Leu	Thr	Phe	Phe	Val	Ala	Leu	Pro
	50					55					60				

Gly	Val	Xaa	Xaa	Xaa	Xaa	Leu	Xaa	Val	Tyr	Leu	Lys	Ser	His	His	Gly
65						70				75					80

Glu	His	Glu	Xaa	Pro	Glu	Phe	Ile	Val	Tyr	Pro	Tyr	Leu	Arg	Ile	Arg
				85					90					95	

Xaa	Lys	Xaa	Phe	Pro	Trp	Gly	Asp	Xaa	Xaa	His	Thr	Phe	Xaa	His	Asn
			100					105					110		

Pro	Tyr	Val	Xaa	Pro	Xaa	Pro	Leu	Xaa	Thr	Glu	Xaa	Tyr	Xaa	Glu	Xaa
		115					120					125			

Leu	Xaa	Ile	Thr	Gly	Xaa	Thr	Gly	Pro
130						135		

&lt;210&gt; 1062

&lt;211&gt; 61

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens



<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (5)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (9)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (12)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (48)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (53)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (59)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1062  
Gly Leu Xaa Phe Xaa Gly Met His Xaa Met Ala Xaa Thr His Trp Pro  
1 5 10 15  
Cys Pro Trp Pro Ala Leu Met Thr Arg Trp Thr Val Ser Leu Arg Ala  
20 25 30  
Pro Xaa Leu Ala Gln Leu Ser Asp Val Ala Met His Ser Leu Gly Xaa  
35 40 45  
Ala Phe Ile Tyr Xaa Gln Thr Asp Asp Ile Xaa Asp Val

50

55

60

<210> 1063  
<211> 68  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (5)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (15)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (35)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (49)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1063

Thr Tyr Xaa Pro Xaa Ser Xaa Gly Ile Cys Arg Val Ser Leu Xaa Leu  
1 5 10 15

Pro Gln Gln Trp Xaa Thr Phe Ala Lys Ile Trp Tyr Ile Leu Asp Gly  
20 25 30

Lys Met Xaa Pro Pro Gly Lys Leu Ala Ala Met Xaa Ser Ile Arg Leu  
35 40 45

Xaa Gly Leu His Xaa Pro Ala Tyr His Ala Leu Thr Asp Cys Gly Asp  
50 55 60

His Val Cys Tyr  
65

<210> 1064

<211> 139

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1064

Arg Asp Ile Glu Pro Gly Glu Glu Ile Ser Xaa Tyr Tyr Gly Asp Gly  
1 5 10 15

Phe Phe Gly Glu Asn Asn Glu Phe Cys Glu Cys Tyr Thr Cys Glu Arg  
20 25 30

Arg Gly Thr Gly Ala Phe Lys Ser Arg Val Gly Leu Pro Ala Pro Ala  
35 40 45

Pro Val Ile Asn Ser Lys Tyr Gly Leu Arg Glu Thr Asp Lys Arg Leu  
50 55 60

Asn Arg Leu Lys Lys Leu Gly Asp Ser Ser Lys Asn Ser Asp Ser Gln  
65 70 75 80

Ser Val Ser Ser Asn Thr Asp Ala Asp Thr Thr Gln Glu Lys Asn Asn  
85 90 95

Ala Thr Ser Asn Arg Lys Ser Ser Val Gly Val Lys Lys Asn Ser Lys

100	105	110
Ser Arg Thr Leu Thr Arg Gln Ser Met Ser Arg Ile Pro Ala Ser Ser		
115	120	125
Asn Ser Thr Ser Ser Lys Leu Asn Ser Tyr Lys		
130	135	

<210> 1065  
<211> 78  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (5)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (6)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (26)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (41)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE  
<222> (55)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (62)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (64)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (70)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (75)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1065  
Gly Thr Cys His Xaa Xaa Pro Trp Gly Pro Met Glu Pro Xaa Lys Arg  
1 5 10 15  
Pro Trp Arg Leu Leu Met Asp Thr Phe Xaa Cys Lys Leu Leu Pro Trp  
20 25 30  
Gly Val Lys Val Xaa His His Pro Xaa Trp Xaa Leu Gln Asp Arg Val  
35 40 45  
Ser Glu Glu Thr Trp Val Xaa Trp Glu Lys Arg Gln Gln Xaa Ala Xaa  
50 55 60  
Gly Pro Thr Leu Ser Xaa Glu Leu Leu Gln Xaa Leu Arg Glu  
65 70 75

<210> 1066  
<211> 67  
<212> PRT  
<213> Homo sapiens

<400> 1066  
Leu Glu Arg His His Leu Glu Phe Gly Lys Thr Leu Leu Arg Asp Glu  
1 5 10 15

Ser Leu Asn Ile Phe Gln Asn Leu Asn Arg Arg Gln His Glu His Ala  
20 25 30

Ile His Met Met Asp Ile Ala Ile Ile Ala Thr Asp Leu Ala Leu Tyr  
35 40 45

Phe Lys Lys Arg Thr Met Phe Gln Lys Ile Val Asp Gln Ser Lys Thr  
50 55 60

Tyr Glu Ser  
65

<210> 1067

<211> 98

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (69)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (73)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (83)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1067

Ser Ala Arg Xaa Trp Asn Thr Xaa Trp Asn Pro Lys Asn Ser Asp Ser  
1 5 10 15

Gly Lys Tyr Trp Gly Lys Ser Trp Leu Pro Xaa Asn Tyr Thr Leu Val  
20 25 30

Asp Met Lys Ile Xaa Phe Gly Val Asp Ile Thr Thr Lys Glu Met Val  
35 40 45

Leu Ala Asp Asp Ser Trp Arg Leu Ala Ile Thr Ser Ile Glu Ala Asn  
50 55 60

Ser Lys Asp Xaa Xaa Ser Tyr Trp Xaa Leu Lys Glu Val Thr Pro Glu  
65 70 75 80

Gly Leu Xaa Met Val Lys Lys Ser Phe Glu Ala Gly His Gly Asp Ser  
85 90 95

Cys Leu

<210> 1068

<211> 167

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (69)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (92)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (95)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (103)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (106)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (115)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (121)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (127)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (140)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (141)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (142)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (143)  
<223> Xaa equals any of the naturally occurring L-amino acids



<220>  
<221> SITE  
<222> (144)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (146)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (147)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (148)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (149)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (154)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (157)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (165)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1068  
Ser Val Ser Leu Met Ser Asp Leu Glu Gly Asn Thr Lys Ser Arg Val  
1 5 10 15  
Arg Leu Leu Val Leu Val Pro Pro Ser Lys Pro Glu Cys Gly Ile Glu  
20 25 30  
Gly Glu Thr Ile Ile Gly Asn Asn Ile Gln Leu Thr Cys Gln Ser Lys  
35 40 45  
Glu Gly Ser Pro Thr Pro Pro Val Gln Leu Glu Arg Ser Tyr Asn Ile

50                      55                      60  
 Leu Asn Gln Xaa Xaa Pro Leu Ala Pro Pro Thr Ser Gly Ser Thr Cys  
 65                      70                      75                      80  
 Ser Pro Leu Lys Asn Ile Ser His Arg Thr His Xaa Val Tyr Xaa Leu  
 85                      90                      95  
 Val Pro Pro Ser Asn Lys Xaa Gly Asn Xaa Phe Leu Gln Leu His Gly  
 100                      105                      110  
 Gly Leu Xaa Asn Leu Pro Pro Ile Xaa Phe Gly Pro Phe Phe Xaa Leu  
 115                      120                      125  
 Pro Gly Gly Val Phe Phe Phe Thr Pro Leu Ile Xaa Xaa Xaa Xaa Xaa  
 130                      135                      140  
 Leu Xaa Xaa Xaa Xaa Pro Gly Glu Arg Xaa Asn Pro Xaa Lys Lys Gly  
 145                      150                      155                      160  
 Lys Pro Gly Thr Xaa Thr Leu  
 165

<210> 1069  
 <211> 142  
 <212> PRT  
 <213> Homo sapiens

<400> 1069  
 Val Leu Pro Pro Leu Leu Ile Met Leu Val Ile Tyr Ile Lys Ile Phe  
 1                      5                      10                      15  
 Leu Val Ala Cys Arg Gln Leu Gln Arg Thr Glu Leu Met Asp His Ser  
 20                      25                      30  
 Arg Thr Thr Leu Gln Arg Glu Ile His Ala Ala Lys Ser Leu Ala Met  
 35                      40                      45  
 Ile Val Gly Ile Phe Ala Leu Cys Trp Leu Pro Val His Ala Val Asn  
 50                      55                      60  
 Cys Val Thr Leu Phe Gln Pro Ala Gln Gly Lys Asn Lys Pro Lys Trp  
 65                      70                      75                      80  
 Ala Met Asn Met Ala Ile Leu Leu Ser His Ala Asn Ser Val Val Asn  
 85                      90                      95  
 Pro Ile Val Tyr Ala Tyr Arg Asn Arg Asp Phe Arg Tyr Thr Phe His  
 100                      105                      110

Lys Ile Ile Ser Arg Tyr Leu Leu Cys Gln Ala Asp Val Lys Ser Gly  
115 120 125

Asn Gly Gln Ala Gly Val Gln Pro Ala Leu Gly Val Gly Leu  
130 135 140

<210> 1070

<211> 44

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (39)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1070

Ala Glu Arg Lys Ala Leu Leu Leu Gln Gly Ser Asn Glu Ile Xaa Ile  
1 5 10 15

Arg Ala Arg Gly Gln Xaa Pro Leu Xaa Leu Gln Xaa His Xaa Arg Trp  
20 25 30

Leu His Xaa Xaa His Arg Xaa Pro Gly Ala Arg Xaa  
35 40

<210> 1071

<211> 97

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (79)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1071

Met Glu Ala Ala Asp Tyr Arg Xaa Ala Ser Ser Gln Gln Gly Leu Ala  
1 5 10 15

Tyr Ala Thr Glu Ala Val Tyr Glu Ser Ala Glu Ala Pro Gly His Tyr  
20 25 30

Pro Ala Glu Asp Ser Thr Tyr Asp Glu Tyr Glu Asn Asp Leu Gly Ile  
35 40 45

Thr Ala Val Ala Leu Tyr Xaa Tyr Gln Ala Ala Gly Asp Asp Glu Ile  
50 55 60

Ser Phe Xaa Pro Asp Asp Ile Ile Thr Asn Ile Glu Met Ile Xaa Asp  
65 70 75 80

Gly Trp Trp Arg Gly Val Cys Lys Gly Arg Phe Arg Glu Leu Ala Phe  
85 90 95

Ser

<210> 1072  
<211> 76  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (9)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (18)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (24)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (35)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (36)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (57)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (63)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (69)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1072

Pro Cys Lys Asp Ile Asn Thr Phe Xaa His Gly Asn Lys Arg Arg Phe  
1 5 10 15

Lys Xaa Ile Cys Glu Asn Lys Xaa Trp Lys Pro Leu Gln Gly Asn Leu  
20 25 30

Arg Phe Xaa Xaa Val Phe Phe Phe Gln Xaa Thr Ile Trp Lys Val Xaa  
35 40 45

Xaa Gly Val Ser Xaa Gly Xaa Xaa Xaa Thr Phe Pro Gly Xaa Xaa Xaa  
50 55 60

Gly Leu Lys Xaa Xaa Phe Phe Phe Phe Xaa Lys Arg  
65 70 75

<210> 1073

<211> 115

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (92)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (106)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (107)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (110)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1073

His	Lys	Gln	Phe	Ala	Ser	Leu	Glu	His	Gly	Ile	Val	Pro	Xaa	Thr	Ser
1				5					10					15	

Asp	Cys	Gln	Tyr	Leu	Phe	Pro	Ala	Lys	Val	Val	Ser	Arg	Leu	Val	Xaa
			20					25					30		

Trp	Val	Thr	Xaa	Ala	His	Glu	Asp	Tyr	Met	Glu	Leu	His	Phe	Thr	Lys
		35					40						45		

Asp	Ile	Val	Asp	Ala	Gly	Leu	Ala	Gly	Asp	Thr	Asn	Leu	Tyr	Tyr	Met
	50					55						60			

Ala	Leu	Ile	Glu	Arg	Gly	Thr	Ala	Lys	Leu	Gln	Ala	Ala	Val	Val	Leu
65					70					75					80

Asn	Pro	Gly	Tyr	Ser	Ser	Ile	Pro	Pro	Val	Phe	Xaa	Leu	Cys	Leu	Asn
				85					90					95	

Trp	Lys	Xaa	Glu	Lys	Thr	Asn	Ser	Asn	Xaa	Xaa	Asn	Ile	Xaa	Gly	His
			100					105						110	

Gly	Gly	Arg
		115

<210> 1074



<211> 56  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (4)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (24)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (41)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (54)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1074  
Ser Ala His Xaa Cys Leu Ile Asn Ala Thr Ser Thr Xaa Thr Glu Phe  
1 5 10 15  
Leu Lys Xaa Leu Val Leu Pro Xaa Ile Gly Ser Phe Thr Ile Ile Asp  
20 25 30  
Gly Asn Gln Val Xaa Gly Gln Asn Xaa Gly Asn Asn Phe Phe Leu Gln  
35 40 45  
Lys Ile Leu Ser Ala Xaa Thr Asp  
50 55

<210> 1075  
<211> 146  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (41)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (108)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (114)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (121)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (128)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1075  
Gly Thr Ser Glu Thr Pro Ala Gly Thr Ile Leu Tyr His Ala His Leu  
1 5 10 15

Asp Ile Glu Ala Phe Thr Met Asp Arg Glu Val Arg Lys Ile Lys Gln  
20 25 30

Gly Leu Gly Leu Lys Phe Ala Glu Xaa Val Tyr Thr Gly Phe Trp His  
35 40 45

Ser Pro Glu Cys Glu Phe Val Arg His Cys Ile Ala Lys Ser Gln Glu  
50 55 60

Arg Val Glu Gly Lys Val Gln Val Ser Val Leu Lys Gly Gln Val Tyr  
65 70 75 80

Ile Leu Gly Arg Glu Ser Pro Leu Ser Leu Tyr Asn Glu Glu Leu Val  
85 90 95

Ser Met Asp Glu Asn Leu Met His Ile Ser Tyr Xaa Ala Gly Ile Leu  
100 105 110

Glu Xaa Pro Lys Asn Gln Ala Leu Xaa Val Leu Asn Glu Asp Pro Xaa  
115 120 125

Pro Ser Gln Ser Pro Asn Asn Pro Asp Ile Ser Glu Ile Glu Phe Lys  
130 135 140

Lys Gly  
145

<210> 1076  
<211> 130  
<212> PRT  
<213> Homo sapiens

<400> 1076  
Trp Ile Pro Arg Ala Ala Gly Arg His Val Gly Val Cys Gly Ser Gly  
1 5 10 15

Gly Arg Cys Ser Gly Leu Arg Gly Leu Ala Glu Thr His Pro Phe Ser  
20 25 30

Val Ala Ala Pro Ser Ser Ala Leu Thr Ala Gly Arg Pro Thr Ala Val  
35 40 45

His Pro Gly Glu Ser Thr Val Arg Thr Ile Ala Met Asp Gly Thr Glu  
50 55 60

Gly Leu Val Arg Gly Gln Lys Val Leu Asp Ser Gly Ala Pro Ile Lys  
65 70 75 80

Ile Pro Val Gly Pro Glu Thr Leu Gly Arg Ile Met Asn Val Ile Gly  
85 90 95

Glu Pro Ile Asp Glu Arg Gly Pro Ile Lys Thr Lys Gln Phe Ala Pro  
100 105 110

Ile His Ala Glu Ala Pro Glu Phe Met Glu Met Ser Val Glu Gln Glu  
115 120 125

Ile Leu  
130

<210> 1077

<211> 55

<212> PRT

<213> Homo sapiens

<400> 1077

Gly Gln Gly Gln Asp Gly Ala Thr Gly Ala Gly Leu Ser Ala His Gln  
1 5 10 15

Asp Tyr Leu Lys Pro Arg Ala Glu Glu Glu Arg Arg Ile Ala Ala Glu  
20 25 30

Glu Lys Lys Lys Gln Asp Glu Leu Lys Arg Ile Ala Arg Glu Leu Ala  
35 40 45

Glu Asp Asp Ser Ile Leu Lys  
50 55

<210> 1078

<211> 71

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (45)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1078

Glu Arg Gln Arg Arg Gly Leu His Val Gln Arg Leu Ser Gly His Leu  
1 5 10 15

Arg Val Gln Asp Tyr Asn Ser Arg Gln Gly Ala Gln Asn Asp Arg Pro  
20 25 30

Arg Gln Arg Arg Leu Thr Arg Ile Ser Met Ile Leu Xaa Arg Leu Xaa  
35 40 45

Arg Phe Ser Ser Val Ile Arg Ser Ala Val Ser Val His Leu Arg Arg  
50 55 60

Asn Ile Gly Val Thr Ala Val  
65 70

<210> 1079  
<211> 74  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (1)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (23)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (36)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (42)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1079

Xaa Gly Ala Val Ile Ile Xaa Phe Arg Ser Lys Ile Lys Xaa Ala Leu  
1 5 10 15

Ala His Phe Leu Ser Lys Xaa Thr Pro Thr Pro Leu Ile Pro Ile Leu  
20 25 30

Val Ile Met Xaa Asn Xaa Ile Leu Leu Xaa Xaa Pro Ile Ala Leu Gly  
35 40 45

Val Ser Leu Ile Ala Tyr Ile Thr Xaa Gly His Xaa Leu Met His Leu  
50 55 60

Ile Gly Xaa Val Pro Tyr Asn Ile Asn His  
65 70

<210> 1080

<211> 39

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1080

Thr Asp Tyr Gly Xaa Thr Ala Thr Lys Gln Xaa Val Xaa Ala Gly Thr  
1 5 10 15

Phe Phe Trp Ser Val Val Ile Pro Xaa Leu Arg Arg Ile Leu Thr Ile  
20 25 30

Leu Gln Trp Leu Thr Xaa Pro  
35

<210> 1081

<211> 76

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1081

Gly Arg Xaa Xaa Lys Val Leu Lys Arg Leu Arg Leu Gln Lys Arg Gly  
1 5 10 15

Thr Gly Gly Val Asp Thr Ala Ala Val Gly Gly Val Phe Asp Val Ser  
20 25 30

Asn Ala Asp Arg Leu Gly Phe Ser Glu Val Glu Leu Val Gln Met Val  
35 40 45

Val Asp Gly Val Lys Leu Leu Ile Glu Met Glu Gln Arg Leu Glu Gln  
50 55 60

Gly Gln Ala Ile Asp Asp Leu Met Pro Ala Gln Lys  
65 70 75

<210> 1082

<211> 144

<212> PRT

<213> Homo sapiens

<400> 1082

Pro Val Thr Asn Glu Gly Ser Arg Asp Trp Thr Asp Ala Ala Met Pro  
1 5 10 15

Leu Arg Leu Asp Ile Lys Arg Lys Leu Thr Ala Arg Ser Asp Arg Val  
20 25 30

Lys Ser Val Asp Leu His Pro Thr Glu Pro Trp Met Leu Ala Ser Leu  
35 40 45

Tyr Asn Gly Ser Val Cys Val Trp Asn His Glu Thr Gln Thr Leu Val  
50 55 60

Lys Thr Phe Glu Val Cys Asp Leu Pro Val Arg Ala Ala Lys Phe Val  
65 70 75 80

Ala Arg Lys Asn Trp Val Val Thr Gly Ala Asp Asp Met Gln Ile Arg  
85 90 95

Val Phe Asn Tyr Asn Thr Leu Glu Arg Val His Met Phe Glu Ala His  
100 105 110

Ser Asp Tyr Ile Arg Cys Ile Ala Val His Pro Thr Gln Pro Phe Ile  
115 120 125

Leu Thr Ser Ser Asp Asp Met Leu Ile Lys Leu Trp Asp Trp Asp Lys  
130 135 140

<210> 1083

<211> 120

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE



<222> (76)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (82)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1083

Glu Met Xaa Arg Ser Val Ala Leu Ala Val Leu Ala Leu Leu Ser Leu  
1 5 10 15

Ser Gly Leu Glu Ala Ile Gln Arg Thr Pro Lys Ile Gln Val Tyr Ser  
20 25 30

Arg His Pro Ala Glu Asn Gly Lys Ser Asn Phe Leu Asn Cys Tyr Val  
35 40 45

Ser Gly Phe His Pro Ser Asp Ile Glu Val Asp Leu Leu Lys Asn Gly  
50 55 60

Glu Arg Ile Glu Lys Val Glu His Ser Asp Leu Xaa Phe Ser Lys Asp  
65 70 75 80

Trp Xaa Phe Tyr Leu Leu Tyr Tyr Thr Glu Phe Thr Pro Thr Glu Lys  
85 90 95

Asp Glu Tyr Ala Cys Arg Val Asn His Val Thr Leu Ser Gln Pro Lys  
100 105 110

Ile Val Lys Trp Asp Arg Asp Met  
115 120

<210> 1084

<211> 149

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1084

Pro Pro Ala Gly Thr Gly Pro Glu Phe Pro Gly Thr Ala Ala Arg Arg  
1 5 10 15

Xaa Gln Lys Gly Ile Pro Glu Ala Asp Ser Ile Arg Ala Glu Met Ser  
20 25 30

Arg Ser Val Ala Leu Ala Val Leu Ala Leu Leu Ser Leu Ser Gly Leu  
35 40 45

Glu Ala Ile Gln Arg Thr Pro Lys Ile Gln Val Tyr Ser Arg His Pro  
50 55 60

Ala Glu Ser Gly Lys Ser Asn Phe Leu Asn Cys Tyr Val Ser Gly Phe  
65 70 75 80

His Pro Ser Asp Ile Glu Val Asp Leu Leu Lys Asn Gly Glu Arg Ile  
85 90 95

Glu Lys Val Glu His Ser Asp Leu Ser Phe Ser Lys Asp Trp Ser Phe  
100 105 110

Tyr Leu Leu Tyr Tyr Thr Glu Phe Thr Pro Thr Glu Lys Asp Glu Tyr  
115 120 125

Ala Cys Arg Val Asn His Val Thr Leu Ser Gln Pro Lys Ile Val Lys  
130 135 140

Trp Asp Arg Asp Met  
145

<210> 1085

<211> 176

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (12)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (40)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (87)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (88)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (100)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (104)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (109)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (110)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (117)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (122)  
<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (134)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (142)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (146)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (170)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (176)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1085

Glu	Xaa	Pro	Gly	Xaa	Asp	Xaa	Thr	Arg	Pro	Xaa	Xaa	Lys	Phe	Leu	Lys
1				5					10					15	

Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Gly	Gly	Arg	Ser	Arg	Gly	Ser
			20					25					30		

Lys	Leu	Thr	Tyr	Ala	Cys	Met	Xaa	Arg	His	Ser	Ser	Ser	Ile	Val	Ser
		35					40					45			

Pro	Lys	Phe	Asn	Ser	Leu	Ala	Val	Val	Leu	Gln	Arg	Arg	Asp	Trp	Glu
	50					55					60				

Asn	Pro	Gly	Val	Thr	Gln	Leu	Asn	Arg	Leu	Ala	Ala	His	Pro	Pro	Phe
65					70					75					80

Ala	Ser	Trp	Arg	Asn	Ser	Xaa	Xaa	Ala	Arg	Thr	Asp	Arg	Pro	Ser	Gln
				85					90					95	

Gln	Leu	Arg	Xaa	Leu	Asn	Gly	Xaa	Trp	Asp	Ala	Pro	Xaa	Xaa	Gly	Ala
			100					105						110	

Leu	Ser	Ala	Ala	Xaa	Glu	Val	Val	Thr	xaa	Ser	Val	Thr	Ala	Thr	Leu
				115				120						125	

Ala	Ser	Ala	Leu	Ala	Xaa	Ala	Pro	Phe	Ala	Phe	Phe	Pro	Xaa	Phe	Leu
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

130 135 140  
Ala Xaa Phe Ala Gly Phe Pro Arg Gln Ala Leu Asn Arg Gly Leu Pro  
145 150 155 160  
Leu Gly Phe Arg Phe Ser Ala Leu Arg Xaa Leu Arg Pro Gln Lys Xaa  
165 170 175

<210> 1086  
<211> 166  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (4)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (18)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (88)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (99)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (124)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (144)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1086  
Lys Lys Lys Xaa Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Gly Gly  
1 5 10 15

Arg Xaa Arg Gly Ser Lys Leu Thr Tyr Ala Cys Met Arg Arg His Ser  
20 25 30

Ser Ser Ile Val Ser Pro Lys Phe Asn Ser Leu Ala Val Val Leu Gln  
35 40 45

Arg Arg Asp Trp Glu Asn Pro Gly Val Thr Gln Leu Asn Arg Leu Ala  
50 55 60

Ala His Pro Pro Phe Ala Ser Trp Arg Asn Ser Glu Glu Ala Arg Thr  
65 70 75 80

Asp Arg Pro Ser Gln Gln Leu Xaa Ser Leu Asn Gly Glu Trp Asp Ala  
85 90 95

Pro Cys Xaa Gly Ala Leu Ser Ala Ala Gly Val Val Val Thr Arg Ser  
100 105 110

Val Thr Val Thr Leu Ala Ser Ala Leu Ala Pro Xaa Pro Phe Ala Phe  
115 120 125

Phe Pro Ser Phe Leu Ala Thr Phe Ala Gly Phe Pro Arg Gln Ala Xaa  
130 135 140

Asn Arg Gly Leu Pro Leu Gly Phe Arg Phe Ser Ala Leu Arg His Leu  
145 150 155 160

Asp Pro Lys Lys Leu Asp  
165

<210> 1087  
<211> 154  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (40)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (42)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (83)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (84)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (85)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (86)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (113)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (115)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (122)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (124)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (129)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (132)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (146)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (147)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (149)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (153)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1087

Pro Thr Arg Pro Pro Thr Arg Pro Lys Lys Lys Lys Lys Lys Lys Lys  
1 5 10 15

Lys Lys Lys Lys Lys Lys Lys Lys Gly Gly Arg Ser Lys Gly Ser Lys  
20 25 30

Leu Thr Tyr Ala Cys Met Gln Xaa His Xaa Ser Pro Ile Val Ser Pro  
35 40 45

Lys Phe Asn Xaa Leu Ala Val Val Leu Gln Arg Arg Asp Trp Glu Asn  
50 55 60

Pro Gly Val Thr Gln Leu Asn Arg Leu Ala Xaa His Pro Pro Phe Ala  
65 70 75 80

Ser Trp Xaa Xaa Xaa Xaa Lys Ala Arg Thr Asp Arg Pro Ser Gln Gln  
85 90 95

Leu Arg Xaa Leu Asn Gly Lys Trp Asp Ala Pro Cys Tyr Gly Ala Leu



100 105 110  
Xaa Pro Xaa Gly Val Val Val Thr Pro Xaa Val Xaa Arg Tyr Thr Cys  
115 120 125  
Xaa Arg Pro Xaa Ala Arg Ser Phe Arg Phe Leu Pro Phe Leu Ser Arg  
130 135 140  
Gln Xaa Xaa Pro Xaa Phe Pro Val Xaa Leu  
145 150

<210> 1088  
<211> 166  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (15)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (36)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (84)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (122)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (125)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (131)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (144)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (159)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (161)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1088

Phe	Phe	Ile	Asn	His	Gly	Cys	Ser	Gln	Lys	Lys	Lys	Xaa	Lys	Xaa	Lys
1				5					10					15	

Lys	Lys	Lys	Lys	Lys	Gly	Gly	Arg	Ser	Arg	Gly	Ser	Lys	Leu	Thr	Tyr
			20					25					30		

Ala	Cys	Met	Xaa	Arg	His	Ser	Ser	Ser	Ile	Val	Ser	Pro	Lys	Phe	Asn
		35					40					45			

Ser	Leu	Ala	Val	Val	Leu	Gln	Arg	Arg	Asp	Trp	Glu	Asn	Pro	Gly	Val
	50					55					60				

Thr	Gln	Leu	Asn	Arg	Leu	Ala	Ala	His	Pro	Pro	Phe	Ala	Ser	Trp	Arg
65					70					75					80

Asn	Ser	Glu	Xaa	Ala	Arg	Thr	Asp	Arg	Pro	Ser	Gln	Gln	Leu	Arg	Ser
				85					90					95	

Leu	Asn	Gly	Glu	Trp	Asp	Ala	Pro	Cys	Ser	Gly	Ala	Leu	Ser	Ala	Ala
		100					105						110		

Gly	Val	Val	Val	Thr	Arg	Ser	Val	Thr	Xaa	Thr	Leu	Xaa	Ser	Ala	Leu
	115						120					125			

Thr	Pro	Xaa	Pro	Phe	Ala	Phe	Phe	Pro	Ser	Phe	Leu	Pro	Arg	Ser	Xaa
	130					135					140				

Gly	Phe	Pro	Ser	Ser	Ser	Lys	Ser	Gly	Ala	Pro	Leu	Arg	Val	Xaa	Ile
145					150					155					160

Xaa	Gly	Phe	Thr	Gly	Pro
				165	

<210> 1089  
<211> 104  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (22)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (74)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (90)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (93)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (95)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (99)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1089  
Asn Lys Lys Lys Lys Lys Arg Ala Ala Ala Leu Glu Asp Pro Lys Leu  
1 5 10 15

Thr Tyr Ala Cys Met Xaa Arg His Ser Ser Ser Ile Val Ser Pro Lys  
20 25 30

Phe Asn Ser Leu Gly Arg Arg Phe Thr Thr Ser Val Thr Gly Lys Thr  
35 40 45

Leu Ala Leu Pro Asn Leu Ile Arg Leu Ala Ala His Pro Pro Phe Ala  
50 55 60

Ser Trp Arg Asn Ser Glu Glu Ala Arg Xaa Asp Arg Pro Ser Gln Gln

65

70

75

80

Leu Arg Met Leu Asn Gly Glu Trp Asp Xaa Pro Cys Xaa Gly Xaa Ile  
85 90 95

Lys Ala Xaa Arg Val Trp Trp Leu  
100

&lt;210&gt; 1090

&lt;211&gt; 129

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (3)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (10)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (20)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (24)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (25)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (35)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (37)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

<221> SITE  
<222> (42)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (83)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (94)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (99)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (114)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (117)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (119)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1090  
Pro Thr Xaa Pro Lys Lys Lys Lys Lys Xaa Lys Lys Lys Lys Lys Lys  
1 5 10 15  
Lys Lys Lys Xaa Gly Gly Arg Xaa Xaa Gly Ser Lys Leu Thr Tyr Ala  
20 25 30  
Cys Met Xaa Arg Xaa Ser Ser Ser Ile Xaa Ser Pro Lys Phe Asn Ser  
35 40 45  
Leu Ala Val Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly Val Thr  
50 55 60  
Gln Leu Asn Arg Leu Ala Ala His Pro Pro Phe Ala Ser Trp Arg Asn  
65 70 75 80  
Ser Glu Xaa Ala Arg Thr Asp Arg Pro Ser Gln Gln Leu Xaa Ser Leu

	85		90		95
Asn Gly Xaa Trp Asp Ala Pro Cys Ser Gly Ala Leu Ser Ala Ala Gly					
	100		105		110
Val Xaa Val Thr Xaa Ser Xaa Thr Val Thr Leu Ala Ser Ala Leu Ala					
	115		120		125

Pro

<210> 1091  
<211> 78  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (39)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (40)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (41)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (66)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (70)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (71)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1091

Glu Thr Ala Met Thr Met Ile Thr Pro Ser Ser Asn Thr Thr His Tyr

1

5

10

15

Arg Glu Ser Trp Tyr Ala Cys Arg Tyr Arg Ser Gly Ile Pro Gly Ser  
20 25 30

Thr His Ala Ser Gly Xaa Xaa Xaa Xaa Gly Xaa Xaa Ser Xaa Xaa Xaa  
35 40 45

Arg Lys Ile Val Gln Arg Gly Xaa Asn Glu Cys Gly Ser Arg Gly Xaa  
50 55 60

Pro Xaa Ser Xaa Gly Xaa Xaa Ser Phe Gly Xaa Lys Lys Cys  
65 70 75

<210> 1092

<211> 77

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (69)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (70)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE



<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1092

Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Gly Gly Arg  
1 5 10 15

Ser Xaa Gly Ser Lys Leu Thr Tyr Ala Cys Met Arg Arg His Ser Ser  
20 25 30

Xaa Ile Val Ser Pro Lys Phe Asn Ser Leu Ala Val Val Leu Gln Arg  
35 40 45

Arg Asp Trp Glu Asn Pro Gly Val Thr Gln Leu Asn Arg Leu Ala Ala  
50 55 60

Xaa Pro Pro Xaa Xaa Xaa Trp Xaa Ile Pro Lys Gly Pro  
65 70 75

<210> 1093

<211> 93

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (63)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (71)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1093

Thr Phe Gln Asn Leu Lys Lys Lys Lys Lys Gly Gly Arg Ser Arg Gly  
1 5 10 15

Ser Lys Leu Thr Tyr Ala Cys Met Arg Arg His Ser Ser Ser Ile Val  
20 25 30

Ser Pro Lys Phe Asn Ser Leu Ala Val Val Leu Gln Arg Arg Asp Trp  
35 40 45

Glu Asn Pro Gly Val Thr Gln Leu Asn Arg Leu Ala Ala His Xaa Pro  
50 55 60

Phe Ala Ala Gly Val Ile Xaa Lys Arg Pro Xaa Arg Ser Pro Phe Pro  
65 70 75 80

Thr Val Ala Gln Pro Glu Trp Arg Met Gly Arg Ala Leu  
85 90

<210> 1094

<211> 44

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1094

Xaa Arg Pro Xaa Leu Glu Thr Pro Asp Tyr Arg Glu Ser Trp Tyr Ala  
1 5 10 15

Cys Arg Tyr Arg Ser Gly Ile Pro Gly Ser Thr His Ala Ser Ala Arg  
20 25 30

Leu Glu Ala Xaa Arg Arg Met Leu Gly Ile Ser Pro  
35 40

<210> 1095

<211> 69

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (66)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (69)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1095

Asn Val Pro Cys Lys Tyr Lys His Ile Leu Ser Glu Lys Lys Xaa Lys  
1 5 10 15

Lys Gly Gly Arg Ser Xaa Gly Ser Lys Leu Thr Tyr Ala Cys Met Arg  
20 25 30

Arg His Ser Ser Ser Ile Val Ser Pro Lys Phe Asn Ser Leu Ala Val  
35 40 45

Val Leu Gln Arg Arg Asp Trp Glu Lys Pro Trp Ala Leu Pro Asn Leu  
50 55 60

Xaa Xaa Xaa Cys Xaa  
65

<210> 1096

<211> 48

<212> PRT

<213> Homo sapiens

<220>

<221> SITE  
<222> (2)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (47)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (48)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1096  
Gly Xaa Xaa Ser Thr Val Xaa Ile Pro Gly Ser Arg Asp Pro Ser Leu  
1 5 10 15  
Arg Thr Xaa His Ala Arg His Ser Ser Ser Ile Val Ser Pro Lys Phe  
20 25 30  
Asn Ser Leu Ala Val Val Leu Gln Arg Arg Asp Trp Glu Asn Xaa Xaa  
35 40 45

<210> 1097  
<211> 47  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1097

Lys	Xaa	Xaa	Lys	Xaa	Gly	Gly	Arg	Ser	Arg	Gly	Ser	Lys	Leu	Thr	Tyr
1			5						10				15		

Ala	Xaa	Met	Arg	Arg	His	Ser	Ser	Ser	Ile	Gly	Ser	Pro	Lys	Phe	Asn
			20					25					30		

Ser	Leu	Ala	Val	Val	Leu	Gln	Arg	Xaa	Asp	Trp	Glu	Asn	Pro	Gly
	35						40					45		

<210> 1098

<211> 48

<212> PRT

<213> Homo sapiens

<400> 1098

Ser	Glu	Thr	Pro	Ser	Gln	Lys	Lys	Lys	Lys	Lys	Thr	Arg	Gly	Gly	Ala
1				5				10					15		

Arg	Tyr	Pro	Ile	Arg	Pro	Ile	Val	Ser	Arg	Ile	Thr	Ile	Pro	Leu	Ala
			20					25					30		

Val	Val	Leu	Gln	Arg	Arg	Asp	Trp	Glu	Asn	Pro	Gly	Arg	Tyr	Pro	Thr
		35					40					45			

<210> 1099  
<211> 66  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (2)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (12)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (55)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (58)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (62)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (65)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (66)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1099  
Thr Xaa Xaa Lys Lys Lys Arg Ala Ala Ala Leu Xaa Asp Pro Ser Leu

1                    5                    10                    15  
Arg Thr Pro Cys Met Arg Arg His Asn Ser Ser Ile Gly Ala Pro Lys  
                  20                    25                    30  
Phe Asn Ser Leu Ala Arg Arg Leu Gln Arg Leu Thr Gly Lys Thr Leu  
                  35                    40                    45  
Ala Leu Pro Asn Leu Ile Xaa Leu Gln Xaa Ile Pro Phe Xaa Gln Leu  
                  50                    55                    60  
Xaa Xaa  
65

<210> 1100  
<211> 71  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (28)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (32)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (71)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1100

Met Leu Asn Tyr Phe Gln Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys  
1 5 10 15

Gly Gly Xaa Ser Xaa Gly Ser Lys Leu Thr Tyr Xaa Cys Met Gln Xaa  
20 25 30

Xaa Xaa Ser Ser Ile Val Ser Pro Lys Phe Asn Xaa Leu Ala Val Asp  
35 40 45

Xaa Gln Arg Arg Asp Trp Glu Asn Pro Gly Val Thr Gln Leu Asn Arg  
50 55 60

Leu Ala Ala His Pro Pro Xaa  
65 70

<210> 1101

<211> 114

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (9)



<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (63)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (88)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (93)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (102)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (113)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1101

Pro Val Ser Arg Arg Ser Xaa Xaa Xaa Lys Lys Xaa Xaa Lys Lys Asn  
1 5 10 15

Ser Lys Ser Phe Ser Xaa Val Leu Leu Xaa Arg Pro Arg Ala His Xaa  
20 25 30

Phe Ser Thr Arg Val Gly Tyr Gln Val Ser Val Pro Asn Ser Pro Tyr  
35 40 45

Ser Glu Ser Tyr Tyr Asn Ser Leu Ala Val Val Leu Gln Arg Xaa Asp  
50 55 60

Trp Glu Asn Pro Gly Val Thr Gln Leu Asn Arg Leu Ala Ala His Pro  
65 70 75 80

Pro Phe Ala Ser Trp Arg Asn Xaa Glu Lys Gly Arg Xaa Asp Arg Pro  
85 90 95

Ser Gln Gln Phe Ala Xaa Pro Glu Met Ala Asn Gly Asn Gln Phe Leu  
100 105 110

Xaa Val

&lt;210&gt; 1102

&lt;211&gt; 152

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (2)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (7)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (11)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (76)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (80)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (88)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (89)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (93)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (94)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (95)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (111)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (116)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (118)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (119)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (127)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (151)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1102

Asn	Xaa	Lys	Lys	Lys	Lys	Xaa	Lys	Lys	Lys	Xaa	Lys	Lys	Lys	Gly	Gly
1				5					10					15	

Arg	Ser	Lys	Gly	Ser	Lys	Leu	Thr	Tyr	Ala	Cys	Met	Xaa	Arg	His	Xaa
			20					25					30		

Ser	Ala	Ile	Val	Ser	Pro	Lys	Phe	Asn	Ser	Leu	Ala	Val	Val	Leu	Gln
		35					40					45			

Arg	Arg	Asp	Trp	Glu	Asn	Pro	Gly	Val	Thr	Gln	Leu	Asn	Arg	Leu	Ala
		50				55					60				

Xaa	His	Pro	Pro	Phe	Ala	Arg	Trp	Arg	Asn	Ser	Xaa	Lys	Ala	Arg	Xaa
65					70				75					80	

Asp	Arg	Pro	Ser	Gln	Gln	Leu	Xaa	Xaa	Leu	Asn	Gly	Xaa	Xaa	Xaa	Ala
				85					90					95	

Pro	Cys	Xaa	Gly	Ala	Leu	Ser	Ala	Ala	Gly	Val	Val	Val	Thr	Xaa	Arg
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

100	105	110
Val Thr Ala Xaa Leu Xaa Xaa Ala Leu Ala Pro Gly Pro Phe Xaa Phe		
115	120	125
Phe Pro Ser Phe Leu Ala Thr Phe Ala Gly Phe Pro Arg Gln Ala Leu		
130	135	140
Asn Arg Gly Val Pro Phe Xaa Val		
145	150	

<210> 1103  
<211> 143  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (20)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (30)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (100)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (123)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (132)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (135)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (143)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1103

Ile Asn Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Gly  
1 5 10 15

Gly Arg Ser Xaa Gly Ser Lys Leu Thr Tyr Ala Cys Met Xaa Arg His  
20 25 30

Ser Ser Ser Ile Xaa Ser Pro Lys Phe Asn Ser Leu Ala Val Val Leu  
35 40 45

Gln Arg Arg Asp Trp Glu Asn Pro Gly Val Thr Gln Leu Asn Arg Leu  
50 55 60

Ala Ala His Pro Pro Phe Ala Ser Trp Arg Asn Ser Glu Lys Ala Arg  
65 70 75 80

Thr Asp Arg Pro Ser Gln Gln Leu Arg Ser Leu Asn Gly Glu Trp Asp  
85 90 95

Ala Pro Cys Xaa Gly Ala Leu Ser Ala Ala Gly Val Val Val Thr Arg  
100 105 110

Ser Val Thr Val Thr Leu Ala Ser Ala Leu Xaa Pro Ala Pro Phe Val  
115 120 125

Ser Ser Leu Xaa Phe Ser Xaa Arg Ser Pro Val Ser Pro Leu Xaa  
130 135 140

<210> 1104

<211> 93

<212> PRT

<213> Homo sapiens

<400> 1104

Arg Lys Lys Lys Lys Lys Gly Gly Arg Ser Arg Gly Ser Lys Leu Thr  
1 5 10 15

Tyr Ala Cys Met Arg Arg His Ser Ser Ser Ile Val Ser Pro Lys Phe  
20 25 30

Asn Ser Leu Ala Val Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly  
35 40 45

Val Thr Gln Leu Asn Arg Leu Ala Ala His Pro Pro Phe Ala Ser Trp  
50 55 60

Arg Asn Ser Glu Glu Ala Arg Thr Asp Arg Pro Ser Gln Gln Leu Arg  
65 70 75 80

Ser Leu Asn Gly Glu Trp Asp Ala Pro Cys Thr Ala His  
85 90

<210> 1105

<211> 55

<212> PRT

<213> Homo sapiens

<400> 1105

Ile Arg Gln Arg Tyr Ser Trp Leu Ile Asn Gly Thr Phe Gln Gln Ser  
1 5 10 15

Thr Gln Glu Leu Phe Ile Pro Asn Ile Thr Val Asn Asn Ser Gly Ser  
20 25 30

Tyr Thr Cys His Ala Asn Asn Ser Val Thr Gly Cys Asn Arg Ala Thr  
35 40 45

Val Lys Thr Met His Ser His  
50 55

<210> 1106

<211> 73

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (54)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (62)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (70)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1106

Pro Trp His Val Phe Cys Ile Ser Gly Arg Pro Ala Ala Gln Asp His  
1 5 10 15

Ser Asn Asp Pro Pro Asn Lys Met Asn Glu Val Thr Tyr Xaa Thr Leu  
20 25 30

Asn Phe Glu Xaa Xaa Gln Pro Thr Gln Pro Thr Ser Ala Ser Pro Ser  
35 40 45

Leu Thr Ala Thr Glu Xaa Ile Tyr Ser Arg Ser Lys Lys Xaa Val Met  
50 55 60

Lys Pro Gly Pro Ala Xaa Cys Ser Ala  
65 70

&lt;210&gt; 1107

&lt;211&gt; 137

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (121)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1107

Ser Ser His Asn Arg Val Asn Ala Arg Leu Ala Gly Ala Pro Ser Glu  
1 5 10 15

Asp Pro Gln Phe Pro Lys Val Gln Trp Pro Pro Arg Glu Leu Cys Ser  
20 25 30



Ala Cys His Asn Glu Arg Leu Asp Val Pro Val Trp Asp Val Glu Ala  
35 40 45

Thr Leu Asn Phe Leu Lys Ala His Phe Ser Pro Ser Asn Ile Ile Leu  
50 55 60

Asp Phe Pro Ala Ala Gly Ser Thr Cys Pro Arg Asp Val Gln Asn Val  
65 70 75 80

Ala Ser Arg Pro Lys Leu Ala Met Gly Ala Leu Glu Leu Glu Ser Arg  
85 90 95

Asn Ser Thr Leu Asp Pro Gly Lys Pro Glu Met Met Lys Ser Pro Thr  
100 105 110

Asn Thr Thr Pro His Val Pro Ala Xaa Gly Pro Glu Ala Ser Arg Pro  
115 120 125

Pro Lys Leu Ala Pro Trp Pro Lys Thr  
130 135

<210> 1108

<211> 39

<212> PRT

<213> Homo sapiens

<400> 1108

Gln Tyr Lys Gly Ser Trp Pro Ala Leu Gln Leu Gln His Leu Pro His  
1 5 10 15

Pro Glu Trp Glu Ser Gly Gly Ala Thr Cys Trp Ala Pro Pro Glu Leu  
20 25 30

Cys Thr His Leu Ala Met Tyr  
35

<210> 1109

<211> 31

<212> PRT

<213> Homo sapiens

<400> 1109

Ala Asp Phe Asp Arg Phe Lys Val Met Lys Ala Lys Lys Met Arg Asn  
1 5 10 15

Arg Ile Ile Lys Asn Glu Leu Arg Ser Phe Lys Arg Gln Leu Ser  
20 25 30

<210> 1110  
<211> 71  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (30)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (48)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (59)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (63)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1110  
Lys Ile Met Ala Ser Pro Asp Trp Gly Tyr Asp Asp Lys Xaa Gly Pro  
1 5 10 15

Glu Gln Trp Ser Lys Leu Tyr Pro Ile Ala Asn Gly Asn Xaa Gln Ser  
20 25 30  
Pro Val Asp Ile Xaa Xaa Ser Glu Thr Lys His Asp Thr Ser Leu Xaa  
35 40 45  
Pro Ile Ser Val Ser Tyr Asn Pro Xaa Thr Xaa Lys Glu Ile Xaa Gln  
50 55 60  
Cys Gly Gly Ile Pro Ser Met  
65 70

<210> 1111

<211> 88

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (78)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1111

Lys Ile Met Ala Ser Pro Asp Trp Gly Tyr Asp Asp Lys Asn Gly Pro  
1 5 10 15  
Glu Gln Trp Ser Lys Leu Tyr Pro Ile Ala Asn Gly Asn Asn Gln Ser  
20 25 30  
Pro Val Asp Ile Lys Thr Ser Glu Thr Lys His Asp Thr Ser Leu Lys  
35 40 45  
Pro Ile Ser Val Ser Tyr Asn Pro Ala Thr Ala Lys Glu Ile Ile Asn  
50 55 60  
Val Gly His Ser Phe His Val Asn Phe Glu Asp Asn Asp Xaa Arg Ser  
65 70 75 80  
Ser Ala Glu Arg Trp Ser Phe Leu  
85

<210> 1112

<211> 120

<212> PRT

<213> Homo sapiens

<220>  
<221> SITE  
<222> (11)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (17)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (46)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (54)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (58)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (86)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (90)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1112  
Gly Ala Asp Ser Cys Pro Ala Pro Thr Ala Xaa Arg Thr Xaa Ser His  
1 5 10 15  
Xaa Trp Gly Tyr Gly Lys His Asn Gly Pro Lys His Trp His Lys Asp  
20 25 30  
Phe Pro Ile Ala Lys Gly Arg Ala Pro Val Pro Leu Leu Xaa Ser Thr  
35 40 45  
Leu His Thr Ala Lys Xaa Glu Pro Phe Xaa Glu Ser Pro Cys Leu Phe

50                      55                      60  
 Pro Met Asn Gln Ala Thr Ser Leu Arg Ile Leu Asn Asn Gly His Ala  
 65                      70                      75                      80  
 Phe Asn Val Gly Val Xaa Met Thr Leu Xaa Asp Lys Ala Val Leu Gln  
                     85                      90                      95  
 Gly Lys Asp Pro Trp Val Gly His Phe Thr Asp Trp Phe Ser Phe Phe  
                     100                      105                      110  
 Gln Phe Ser Met Gly Val Ser Ile  
                     115                      120

<210> 1113

<211> 50

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1113

Met Leu Leu Glu Asn Lys Ala Ser Ile Phe Gly Gly Gly Leu Pro Ala  
 1                      5                      10                      15

Pro Tyr Gln Val Lys Xaa Leu His Leu His Trp Ser Asp Leu Pro Tyr  
                     20                      25                      30

Lys Gly Ser Xaa His Ser Leu Glu Trp Gly Ala Leu Cys His Gly Arg  
                     35                      40                      45

Cys Thr  
 50

<210> 1114

<211> 84

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (51)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (57)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1114

Lys Pro Phe Lys Met Ile Pro Gly Val Val Asp Gly Val Phe Leu Pro  
1 5 10 15

Arg His Pro Gln Xaa Leu Leu Ala Ser Ala Asp Phe Gln Pro Val Pro  
20 25 30

Xaa Ile Val Gly Val Asn Asn Asn Glu Phe Gly Trp Leu Ile Pro Lys  
35 40 45

Val Met Xaa Ile Tyr Asp Thr Gln Xaa Glu Met Asp Arg Xaa Ala Ser  
50 55 60

Xaa Ala Ala Leu Gln Lys Met Leu Thr Leu Leu Ile Cys Leu Leu His  
65 70 75 80

Leu Val Thr Cys

<210> 1115  
<211> 40  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (18)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1115  
Cys Thr Gln Glu Leu Phe Ile Pro Asn Ile Thr Val Asn Asn Arg Gly  
1 5 10 15  
Ser Xaa Xaa Cys Gln Ala His Asn Ser Thr Leu Ala Leu Ile Gly Ala  
20 25 30  
Gln Ser Arg Ile Ser Xaa Ser Met  
35 40

<210> 1116  
<211> 151  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (132)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (141)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1116  
Gly Thr Ala Glu Leu Thr Val Thr Ala Ala Leu Thr Arg Glu Phe Leu  
1 5 10 15

Glu Pro Lys Leu Phe Ser Thr Glu Asp Lys Gln Ala Ala Glu Thr Met  
                   20                  25                  30  
 Gly Ser Pro Ser Ala Cys Pro Tyr Arg Val Cys Ile Pro Trp Gln Gly  
                   35                  40                  45  
 Leu Leu Leu Thr Ala Ser Leu Leu Thr Phe Trp Asn Leu Pro Asn Ser  
                   50                  55                  60  
 Ala Gln Thr Asn Ile Asp Val Val Pro Phe Asn Val Ala Glu Gly Lys  
                   65                  70                  75                  80  
 Glu Val Leu Leu Val Val His Asn Glu Ser Gln Asn Leu Tyr Gly Tyr  
                   85                  90                  95  
 Asn Trp Tyr Lys Gly Glu Arg Val His Ala Asn Tyr Arg Ile Ile Gly  
                   100                  105                  110  
 Tyr Cys Lys Lys Tyr Lys Ser Arg Lys Cys Pro Arg Pro Asp Thr Thr  
                   115                  120                  125  
 Ser Arg Asp Xaa Tyr Pro Met Glu Pro Cys Val Pro Xaa Val Pro His  
                   130                  135                  140  
 Ala Gln Asp Phe Ser Ser Leu  
                   145                  150

&lt;210&gt; 1117

&lt;211&gt; 115

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (35)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (113)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1117

Arg Glu Gln Lys Leu Glu Leu His Arg Gly Ala Thr Ala Leu Glu Leu  
   1                  5                  10                  15

Val Asp Pro Pro Gly Cys Arg Asn Ser Ala Arg Gly Arg Pro Gly Leu  
                   20                  25                  30



Ala Arg Xaa Pro Arg Arg Gly Leu Glu Ala Arg Pro Gly Ala Pro Glu  
35 40 45

Arg Glu Ser Glu Arg Arg Arg Gly Asp Gln Ile Asn Ala Ser Lys Asn  
50 55 60

Glu Glu Asp Ala Gly Lys Met Phe Val Gly Gly Leu Ser Trp Asp Thr  
65 70 75 80

Ser Lys Lys Asp Leu Lys Asp Tyr Phe Thr Lys Phe Gly Glu Val Val  
85 90 95

Asp Cys Thr Ile Lys Met Asp Pro Asn Thr Gly Arg Ser Arg Gly Phe  
100 105 110

Xaa Phe Ile  
115

<210> 1118  
<211> 50  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (4)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (16)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (20)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (28)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1118

Arg Pro Thr Xaa Pro Gly Arg Thr Met Ala Arg Gly Ala Xaa Leu Xaa  
1 5 10 15

Leu Leu Leu Xaa Gly Leu Leu Gly Val Leu Val Xaa Xaa Pro Asp Gly  
20 25 30

Gly Phe Asp Leu Ser Asp Ala Leu Xaa Asp Asn Glu Asn Lys Lys Pro  
35 40 45

Thr Ala  
50

<210> 1119

<211> 147

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (95)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1119

Xaa Ser Glu Cys Lys Ser Pro Ser Glu Pro Xaa Ile Xaa Lys Arg Val

1                      5                      10                      15  
 Gly Leu Ile His Ile Ser Gln Val Ile Ser Glu Ile Asp Gly Asn Arg  
                          20                                      25                                      30  
 Met Thr Leu Ser Gln Glu Gly Ala Gln Asp Ser Phe Pro Leu Gln Gln  
                          35                                      40                                      45  
 Lys Ile Leu Val Cys Ser Leu Met Leu Leu Ile Arg Gln Leu Lys Ile  
                          50                                      55                                      60  
 Lys Glu Val Thr Leu Gly Lys Leu Tyr Glu Ala Tyr Ser Lys Val Cys  
                          65                                      70                                      75                                      80  
 Arg Lys Gln Gln Val Ala Ala Val Asp Gln Ser Glu Cys Leu Xaa Leu  
    85                                      90                                      95  
 Ser Gly Leu Leu Glu Ala Arg Gly Ile Leu Gly Leu Lys Arg Asn Lys  
    100                                      105                                      110  
 Glu Thr Arg Leu Thr Lys Val Phe Phe Lys Ile Glu Glu Lys Glu Ile  
    115                                      120                                      125  
 Glu His Ala Leu Lys Asp Lys Ala Leu Ile Gly Asn Ile Leu Ala Thr  
    130                                      135                                      140  
 Gly Leu Pro  
 145

<210> 1120  
 <211> 45  
 <212> PRT  
 <213> Homo sapiens

<400> 1120  
 His Glu Arg Asn Met Glu Arg Leu Thr Leu Ala Cys Gly Gly Val Ala  
   1                                      5                                      10                                      15  
 Leu Asn Ser Phe Glu Asp Leu Ser Pro Asp Cys Leu Gly His Ala Gly  
    20                                      25                                      30  
 Leu Val Tyr Glu Tyr Thr Leu Gly Glu Val His Leu Tyr  
    35                                      40                                      45

<210> 1121  
 <211> 67  
 <212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (66)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1121

Asn Trp Arg Met Arg Met Xaa His Val Met Leu Pro Lys Asp Ile Ala  
1 5 10 15

Lys Leu Val Pro Lys Thr His Leu Met Ser Glu Ser Glu Trp Arg Asn  
20 25 30

Leu Gly Val Gln Gln Ser Gln Gly Trp Val His Tyr Met Ile His Glu  
35 40 45

Pro Glu Pro Xaa Xaa Leu Leu Phe Arg Gly His Xaa Gln Glu Pro Arg  
50 55 60

Asn Xaa Val  
65

<210> 1122

<211> 64

<212> PRT

<213> Homo sapiens

<220>

<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (17)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (20)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (22)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (23)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (25)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (28)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (41)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (42)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1122

Ser	Cys	Cys	Leu	Gly	Trp	Thr	Trp	Phe	Cys	Leu	Leu	Xaa	Pro	Leu	Leu
1				5				10				15			

Xaa	Leu	Xaa	Xaa	Asn	Xaa	Xaa	Gln	Xaa	Ala	Ser	Xaa	Met	Val	His	Lys
			20				25					30			

Gln	Ile	Tyr	Tyr	Ser	Asp	Lys	Tyr	Xaa	Xaa	Glu	His	Tyr	Glu	Xaa	Arg
		35				40						45			

Asp	Gly	Met	Leu	Pro	Arg	Glu	Leu	Asp	Lys	Gln	Xaa	Pro	Lys	Thr	Xaa
	50					55					60				

<210> 1123

<211> 155

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (31)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (143)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1123

Gln	Leu	Val	Gly	Pro	Pro	Gly	Leu	Gln	Xaa	Phe	Gly	Ser	Xaa	Xaa	Lys
1				5				10						15	

Pro	Tyr	Gly	Val	Thr	Ala	Met	Cys	Trp	Asn	Trp	Glu	Gln	Val	Xaa	Ala
			20					25					30		

Ala	Gly	Arg	His	Pro	Glu	Ser	Arg	Pro	Phe	Arg	Phe	Thr	Gly	Ala	Ala
		35					40					45			

Thr	Ser	Pro	Arg	Ser	Ser	Cys	Ser	Arg	Ala	Cys	Ile	Val	Lys	Val	Val
	50					55					60				

Arg	Arg	Arg	Leu	Ala	Glu	Lys	Arg	Ile	Gly	Val	Arg	Asp	Val	Arg	Leu
65					70				75						80

Asn	Gly	Ser	Ala	Ala	Ser	His	Val	Leu	His	Gln	Asp	Ser	Gly	Leu	Gly
				85					90					95	

Tyr	Lys	Asp	Leu	Asp	Leu	Ile	Phe	Cys	Ala	Asp	Leu	Arg	Gly	Glu	Gly
			100					105					110		

Glu	Phe	Gln	Thr	Val	Lys	Asp	Val	Val	Leu	Asp	Cys	Leu	Leu	Asp	Phe
		115					120					125			

Leu	Pro	Glu	Gly	Val	Asn	Lys	Glu	Lys	Ile	Thr	Pro	Leu	Thr	Xaa	Lys
	130					135					140				

Glu	Ala	Tyr	Val	Gln	Lys	Met	Val	Lys	Val	Cys
145					150					155

&lt;210&gt; 1124

&lt;211&gt; 117

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (87)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (97)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (110)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1124

Ala	Lys	Ser	Phe	Glu	Tyr	Xaa	Ala	Arg	Ile	Phe	Lys	Gln	His	Phe	Met
1				5					10					15	

Asp	Ser	Arg	Ile	Pro	Cys	Leu	Ile	Val	Ala	Ala	Lys	Ser	Asp	Leu	His
			20					25						30	

Glu	Val	Lys	Gln	Glu	Tyr	Ser	Ile	Ser	Pro	Thr	Asp	Phe	Cys	Arg	Lys
		35					40					45			

His	Lys	Met	Pro	Pro	Pro	Gln	Ala	Phe	Thr	Cys	Asn	Thr	Ala	Asp	Ala
		50				55					60				

Pro	Ser	Lys	Asp	Ile	Phe	Gly	Lys	Leu	Thr	Thr	Met	Ala	Met	Tyr	Pro
65					70					75					80

His	Ala	Arg	Leu	Arg	Cys	Xaa	Cys	Thr	Cys	Asn	Arg	Cys	Thr	Phe	Cys
			85							90				95	

Xaa	Cys	Xaa	Asn	Phe	Leu	Asn	Leu	Tyr	Phe	Ala	Ala	Asn	Xaa	Val	Lys
			100					105					110		

Glu	Gln	Lys	Ser	Phe
				115

<210> 1125

<211> 169



1244

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1125

Ile Met Lys Leu Leu Thr Arg Ala Gly Ser Phe Ser Arg Phe Tyr Ser  
1 5 10 15

Leu Lys Val Ala Pro Lys Val Lys Ala Thr Ala Ala Pro Ala Gly Ala  
20 25 30

Pro Pro Gln Pro Gln Asp Leu Glu Phe Thr Lys Leu Pro Asn Gly Leu  
35 40 45

Val Ile Ala Ser Leu Glu Asn Tyr Ser Pro Val Ser Arg Ile Gly Leu  
50 55 60

Phe Ile Lys Ala Gly Ser Arg Tyr Glu Asp Phe Ser Asn Leu Gly Thr  
65 70 75 80

Thr His Leu Leu Arg Leu Thr Ser Ser Leu Thr Thr Lys Gly Ala Ser  
85 90 95

Ser Phe Lys Ile Thr Arg Gly Ile Glu Ala Val Gly Gly Lys Leu Ser  
100 105 110

Val Thr Ala Thr Arg Glu Asn Met Ala Tyr Thr Val Glu Cys Leu Arg  
115 120 125

Gly Asp Val Asp Ile Leu Met Glu Phe Leu Leu Asn Val Thr Thr Ala  
130 135 140

Pro Glu Phe Arg Arg Trp Glu Val Ala Asp Leu Gln Pro Gln Leu Lys  
145 150 155 160

Ile Asp Lys Ala Val Ala Phe Gln Asn  
165

&lt;210&gt; 1126

&lt;211&gt; 56

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1126

Pro Pro Val Val His Lys Asn Pro Ile His Ile Lys Thr Pro Ser Pro  
1 5 10 15

Cys Leu Gln Ala Ser Thr Ala Ile Asn Pro Gln Leu Ser His Ile Asn  
20 25 30

Cys Asn Ser Lys Ala Thr Pro His Pro Leu Gly Tyr Gln Gln Thr Tyr  
 35 40 45

Pro Pro Leu Thr Val His Ser Thr  
 50 55

<210> 1127

<211> 195

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (39)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1127

Arg Glu Gln Lys Leu Glu Leu His Arg Gly Ala Ala Ala Leu Glu Leu  
 1 5 10 15

Val Asp Pro Pro Gly Cys Arg Asn Ser Ala Arg Ala Gly Gly Cys Val  
 20 25 30

Leu Gly Lys Ala Gly Gly Xaa Gly Gly Arg Leu Phe Tyr Gly Ser Arg  
 35 40 45

Asp Arg Pro Val Leu Leu Pro Phe Pro Pro Ser Leu Pro Pro Leu Ser  
 50 55 60

Arg Arg Gly Ala Ala Ala Ala Leu Asp Phe Ala Val Phe Pro Arg Gly  
 65 70 75 80

Asp Arg Phe Gln His Tyr Thr Cys Thr Met Ser Leu Lys Pro Arg Val  
 85 90 95

Val Asp Phe Asp Glu Thr Trp Asn Lys Leu Leu Thr Thr Ile Lys Ala  
 100 105 110

Val Val Met Leu Glu Tyr Val Glu Arg Ala Thr Trp Asn Asp Arg Phe  
 115 120 125

Ser Asp Ile Tyr Ala Leu Cys Val Ala Tyr Pro Glu Pro Leu Gly Glu  
 130 135 140

Arg Leu Tyr Thr Glu Thr Lys Ile Phe Leu Glu Asn His Val Arg His  
 145 150 155 160

Leu His Lys Arg Val Leu Glu Ser Glu Glu Gln Val Leu Val Met Tyr  
 165 170 175

His Arg Tyr Trp Glu Glu Tyr Ser Lys Gly Ala Asp Tyr Met Asp Cys  
 180 185 190

Leu Tyr Arg  
 195

<210> 1128  
 <211> 130  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (116)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (122)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1128  
 Ser Ile Ile Asp Arg Phe Met Gln Asn Asn Cys Val Pro Lys Lys Met  
 1 5 10 15

Leu Gln Leu Val Gly Val Thr Ala Met Phe Ile Ala Ser Lys Tyr Glu  
 20 25 30

Glu Met Tyr Pro Pro Glu Ile Gly Asp Phe Ala Phe Val Thr Asp Asn  
 35 40 45

Thr Tyr Thr Lys His Gln Ile Arg Gln Met Glu Met Lys Ile Leu Arg  
 50 55 60

Ala Leu Asn Phe Gly Leu Gly Arg Pro Leu Pro Leu His Phe Leu Arg  
 65 70 75 80

Arg Ala Ser Lys Ile Gly Glu Val Asp Val Glu Gln His Thr Leu Ala  
 85 90 95

Lys Tyr Leu Met Glu Leu Thr Met Leu Asp Tyr Asp Met Val His Phe  
 100 105 110

Pro Pro Ser Xaa Ile Ala Ala Gly Ala Xaa Cys Leu Ala Leu Lys Ile  
 115 120 125

Leu Gly  
 130

<210> 1129

<211> 125

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (90)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1129

Gly Asp Glu Glu Ala Cys Pro Glu Asp Lys Gly Pro Gln Asp Pro Gln  
1 5 10 15

Ala Leu Ala Leu Asp Thr Gln Ile Pro Ala Thr Pro Gly Pro Lys Pro  
20 25 30

Leu Val Arg Thr Ser Arg Glu Pro Gly Lys Asp Val Thr Thr Ser Gly  
35 40 45

Tyr Ser Ser Val Ser Thr Ala Ser Pro Thr Ser Ser Val Asp Gly Gly  
50 55 60

Leu Gly Ala Leu Pro Gln Pro Thr Ser Val Leu Ser Leu Asp Ser Asp  
65 70 75 80

Ser His Thr Gln Pro Cys His His Gln Xaa Arg Lys Ser Cys Leu Gln  
85 90 95

Cys Arg Pro Pro Ser Pro Pro Glu Ser Ser Val Pro Gln Gln Gln Val  
100 105 110

Lys Arg Ile Asn Tyr Ala Tyr Thr Val Lys Arg Arg Thr  
115 120 125

<210> 1130

<211> 118

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1130

Xaa Thr Arg Pro Pro Thr Arg Pro Pro Thr Arg Pro Gln Ile Pro Ser  
1 5 10 15

Val Ala Ala Lys Met Met Cys Gly Ala Pro Ser Ala Thr Gln Pro Ala  
20 25 30

Thr Ala Glu Thr Gln His Ile Ala Asp Gln Val Arg Ser Gln Leu Glu  
35 40 45

Glu Lys Glu Asn Lys Lys Phe Pro Val Phe Lys Ala Val Ser Phe Lys  
50 55 60

Ser Gln Val Val Ala Gly Thr Asn Tyr Phe Ile Lys Val His Val Gly  
65 70 75 80

Asp Glu Asp Phe Val His Leu Arg Val Phe Gln Ser Leu Pro His Glu  
85 90 95

Asn Lys Pro Leu Thr Leu Ser Asn Tyr Gln Thr Asn Lys Ala Lys His  
100 105 110

Asp Glu Leu Thr Tyr Phe  
115

<210> 1131

<211> 64

<212> PRT

<213> Homo sapiens

<400> 1131

Ala Val Pro Thr Leu Gly Leu Lys Thr Asp Ala Ile Pro Gly Arg Leu  
1 5 10 15

Asn Gln Thr Thr Phe Thr Ala Thr Arg Pro Gly Val Tyr Tyr Gly Gln  
20 25 30

Cys Ser Glu Ile Cys Gly Ala Asn His Ser Phe Met Pro Ile Val Leu  
35 40 45

Glu Leu Ile Pro Leu Lys Ile Phe Glu Ile Gly Pro Val Phe Thr Leu  
50 55 60

<210> 1132

<211> 35

<212> PRT

<213> Homo sapiens

<400> 1132

Ala Arg Ala His Lys Glu Ile Tyr Pro Tyr Val Ile Gln Glu Leu Arg  
1 5 10 15

Pro Thr Leu Asn Glu Leu Gly Ile Ser Thr Pro Glu Glu Leu Gly Leu  
20 25 30

Asp Lys Val  
35

<210> 1133

<211> 69

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (61)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (66)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1133

Pro Tyr Thr Asn Asp Gly Ala Met Xaa His Glu Glu Ser Thr Tyr Gln  
1 5 10 15

Gly His His Thr Pro Pro Val Gln Lys Xaa Leu Arg Tyr Gly Ile Ile  
20 25 30

Leu Phe Ile Thr Ser Glu Val Phe Phe Phe Ala Gly Phe Ser Glu Leu  
35 40 45

Leu His Ser Ser Leu Ala Leu Pro Pro Thr Lys Lys Xaa Leu Ala Pro

50

55

60

Thr Xaa Ile Thr Arg

65

&lt;210&gt; 1134

&lt;211&gt; 64

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1134

Ala Val Pro Thr Leu Gly Leu Lys Thr Asp Ala Ile Pro Gly Arg Leu  
1 5 10 15

Asn Gln Thr Thr Phe Thr Ala Thr Arg Pro Gly Val Tyr Tyr Gly Gln  
20 25 30

Cys Ser Glu Ile Cys Gly Ala Asn His Ser Phe Met Pro Ile Val Leu  
35 40 45

Glu Leu Ile Pro Leu Lys Ile Phe Glu Ile Gly Pro Val Phe Thr Leu  
50 55 60

&lt;210&gt; 1135

&lt;211&gt; 56

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (3)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1135

Thr Tyr Xaa Val His Arg Leu Arg Arg Thr Asn Leu Gln Leu Leu His  
1 5 10 15

Thr Ser Pro Leu Phe Leu Glu Pro Gly Asp Leu Arg Leu Leu Asp Val  
20 25 30

Asp Asn Arg Val Val Leu Pro Ile Glu Ala Pro Ile Arg Ile Ile Ile  
35 40 45

Thr Ser Gln Asp Val Leu His Ser

50

55

&lt;210&gt; 1136

&lt;211&gt; 60

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1136

Ala Gln Val Gly Leu Gln Asp Ala Thr Ser Pro Ile Ile Glu Glu Leu  
1 5 10 15

Ile Thr Phe His Asp His Ala Leu Ile Ile Ile Phe Leu Ile Cys Phe  
20 25 30

Leu Val Leu Tyr Ala Leu Phe Leu Thr Leu Thr Thr Lys Leu Thr Asn  
35 40 45

Thr Asn Ile Ser Asp Ala Gln Glu Ile Glu Thr Val  
50 55 60

&lt;210&gt; 1137

&lt;211&gt; 49

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1137

Thr Tyr Glu Tyr Thr Asp Tyr Gly Gly Leu Ile Phe Asn Ser Tyr Ile  
1 5 10 15

Leu Pro Pro Leu Phe Leu Glu Pro Gly Asp Leu Arg Leu Leu Asp Val  
20 25 30

Asp Asn Arg Val Val Leu Pro Ile Glu Ala Pro Ile Arg Ile Ile Ile  
35 40 45

Asn

&lt;210&gt; 1138

&lt;211&gt; 80

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE



<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (79)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (80)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1138

Ala Val Pro Thr Leu Gly Leu Lys Thr Asp Ala Ile Pro Gly Arg Leu  
1 5 10 15

Asn Gln Thr Thr Phe Thr Ala Thr Arg Pro Gly Val Tyr Tyr Gly Gln  
20 25 30

Cys Ser Glu Ile Cys Gly Ala Asn His Ser Phe Met Pro Ile Val Leu  
35 40 45

Glu Leu Ile Pro Leu Lys Ile Phe Gly Asn Arg Ala Arg Ile Tyr Pro  
50 55 60

Ile Ala Pro Pro Leu Pro Pro Leu Glu Xaa Lys Lys Lys Lys Xaa Xaa  
65 70 75 80

<210> 1139

<211> 75

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (51)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

&lt;222&gt; (70)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1139

Phe Glu Ala Asn Asp Pro Ser Leu Thr Ile Lys Ser Ile Gly His Gln  
1 5 10 15

Xaa Tyr Arg Thr Tyr Glu Tyr Thr Asp Tyr Gly Gly Leu Ile Phe Asn  
20 25 30

Ser Tyr Ile Leu Pro Pro Leu Phe Leu Glu Pro Gly Asp Leu Arg Leu  
35 40 45

Leu Asp Xaa Asp Asn Arg Val Val Leu Pro Ile Glu Thr Pro Ile Arg  
50 55 60

Ile Ile Ile Thr Tyr Xaa Asp Val Leu His Ser  
65 70 75

&lt;210&gt; 1140

&lt;211&gt; 200

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (2)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1140

His Xaa Pro Ser Leu Lys Gly Thr Lys Ala Gly Ala Pro Pro Arg Cys  
1 5 10 15

Gly Arg Ser Arg Thr Ser Gly Ser Pro Gly Leu Gln Glu Phe Gly Thr  
20 25 30

Arg Glu Trp Arg Leu Pro Ser Leu Arg Arg Ala Thr Leu Trp Ile Pro  
35 40 45

Gln Trp Phe Ala Lys Lys Ala Ile Phe Asn Ser Pro Leu Glu Ala Ala  
50 55 60

Met Ala Phe Pro His Leu Gln Gln Pro Ser Phe Leu Leu Ala Ser Leu  
65 70 75 80

Lys Ala Asp Ser Ile Asn Lys Pro Phe Ala Gln Gln Cys Gln Asp Leu  
85 90 95

Val Lys Val Ile Glu Asp Phe Pro Ala Lys Ser Glu Pro Ile Arg Val

100 105 110  
Leu Val Thr Gly Ala Ala Gly Gln Ile Ala Tyr Ser Leu Leu Tyr Ser  
115 120 125  
Ile Gly Asn Gly Ser Val Phe Gly Lys Asp Gln Met Ser Ser Gln Gln  
130 135 140  
Ile Lys Lys Thr Leu Pro Ser Lys Thr Trp Asp Val Ala Ile Leu Val  
145 150 155 160  
Gly Ser Met Pro Arg Arg Glu Gly Met Glu Arg Lys Asp Leu Leu Lys  
165 170 175  
Ala Asn Val Lys Ile Phe Lys Ser Gln Gly Ala Ala Leu Asp Lys Tyr  
180 185 190  
Gly Lys Lys Ser Val Lys Gly Tyr  
195 200

<210> 1141  
<211> 182  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (123)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (126)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (128)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (137)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (143)  
<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (157)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (163)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (165)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (176)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1141

His	Glu	Glu	His	Ser	Ile	Tyr	Cys	Thr	Val	Asn	Asn	Asp	Glu	Gly	Glu
1				5					10					15	

Trp	Ser	Gly	Pro	Pro	Pro	Glu	Cys	Arg	Gly	Lys	Ser	Leu	Thr	Ser	Lys
			20					25					30		

Val	Pro	Pro	Thr	Val	Gln	Lys	Pro	Thr	Thr	Val	Asn	Val	Pro	Thr	Thr
	35					40						45			

Glu	Val	Ser	Pro	Thr	Ser	Gln	Lys	Thr	Thr	Thr	Lys	Thr	Thr	Thr	Pro
	50					55					60				

Asn	Ala	Gln	Gly	Thr	Glu	Thr	Pro	Ser	Val	Leu	Gln	Lys	His	Thr	Thr
65					70					75				80	

Glu	Asn	Val	Ser	Ala	Thr	Arg	Thr	Pro	Pro	Thr	Pro	Gln	Lys	Pro	Thr
				85					90					95	

Thr	Val	Asn	Val	Pro	Ala	Thr	Ile	Val	Thr	Pro	Thr	Pro	Gln	Lys	Pro
				100				105					110		

Thr	Thr	Leu	Met	Phe	Gln	Leu	Gln	Glu	Ser	Xaa	Gln	His	Xaa	Lys	Xaa
		115					120					125			

His	Leu	Val	Met	Phe	Gln	Leu	Gln	Xaa	Leu	Pro	Leu	Phe	Gly	Xaa	His
	130					135					140				

Arg	Gly	Asn	Val	Arg	His	His	Ser	Arg	Ala	Phe	Gly	Xaa	Ser	Phe	Lys
145						150				155					160

Thr Phe Xaa Lys Xaa Phe Cys Val Arg Ser Cys Gly Met Phe Cys Xaa  
165 170 175

Arg Pro Leu Arg Pro Gly  
180

<210> 1142  
<211> 143  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (4)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (141)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1142  
Asp Gly Ala Xaa Pro Gly Arg Ala Tyr Ala Leu Leu Leu Leu Ile  
1 5 10 15

Cys Phe Asn Val Gly Ser Gly Leu His Leu Gln Val Leu Ser Thr Arg  
20 25 30

Asn Glu Asn Lys Leu Leu Pro Lys His Pro His Leu Val Arg Gln Lys  
35 40 45

Arg Ala Trp Ile Thr Ala Pro Val Ala Leu Arg Glu Gly Glu Asp Leu  
50 55 60

Ser Lys Lys Asn Pro Ile Ala Lys Ile His Ser Asp Leu Ala Glu Glu  
65 70 75 80

Arg Gly Leu Lys Ile Thr Tyr Lys Tyr Thr Gly Lys Gly Ile Thr Glu  
85 90 95

Pro Pro Phe Gly Ile Phe Val Phe Asn Lys Asp Thr Gly Glu Leu Asn  
100 105 110

Val Thr Ser Ile Leu Asp Arg Glu Glu Thr Pro Phe Phe Leu Leu Thr  
115 120 125

Gly Leu Arg Phe Gly Cys Lys Arg Glu Gln Cys Arg Xaa Thr Leu  
130 135 140

<210> 1143  
<211> 111  
<212> PRT  
<213> Homo sapiens

<400> 1143  
Ala Gln Ser Pro Ser Arg Ser Thr Gly Gln Asp Val Ala Ala Glu Trp  
1 5 10 15  
Gly Ser Glu Glu Ser Val Ala Gly Ser Leu Glu Ala Glu Phe Glu Lys  
20 25 30  
Ala Ala Glu Glu Val Arg His Leu Lys Thr Lys Pro Ser Asp Glu Glu  
35 40 45  
Met Leu Phe Ile Tyr Gly His Tyr Lys Gln Ala Thr Val Gly Asp Ile  
50 55 60  
Asn Thr Glu Arg Pro Gly Met Leu Asp Phe Thr Gly Lys Ala Lys Trp  
65 70 75 80  
Asp Ala Trp Asn Glu Leu Lys Gly Thr Ser Lys Glu Asp Ala Met Lys  
85 90 95  
Ala Tyr Ile Asn Lys Val Glu Glu Leu Lys Lys Lys Tyr Gly Ile  
100 105 110

<210> 1144  
<211> 74  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (9)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (20)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (23)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (30)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (36)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (64)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (68)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (72)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1144  
Ala Cys Ala Tyr Thr Pro Pro Ser Xaa Lys Ala Val Gln Arg Ile Ala  
1 5 10 15  
Glu Ser His Xaa Gln Ser Xaa Ser Asn Leu Asn Glu Asn Xaa Ala Ser  
20 25 30  
Glu Glu Glu Xaa Glu Xaa Gly Glu Leu Arg Glu Leu Gly Tyr Pro Arg  
35 40 45  
Glu Glu Asp Glu Glu Glu Glu Xaa Asp Glu Glu Glu Glu Asp Xaa  
50 55 60  
Glu Asp Ser Xaa Ala Glu Asp Xaa Ser Gly  
65 70

<210> 1145  
<211> 153  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (2)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (18)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (30)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (35)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (47)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (59)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (70)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (110)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (132)



<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (143)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1145

Asn Xaa Pro Asn Ala Glu Leu Gly Gly Pro Phe Asn Gln Met Asn Gly  
1 5 10 15

Val Xaa Gly Asn Gly Met Asn Asn Ile Asp Met Thr Gly Xaa Lys Lys  
20 25 30

Ser Leu Xaa Leu Pro Tyr Pro Ser Ser Phe Ala Pro Val Ser Xaa Pro  
35 40 45

Arg Asn Gln Thr Phe Thr Tyr Met Gly Lys Xaa Ser Ile Asp Pro Gln  
50 55 60

Tyr Pro Gly Ala Ser Xaa Tyr Pro Glu Gly Ile Ile Asn Ile Val Ser  
65 70 75 80

Ala Gly Ile Leu Gln Gly Val Thr Ser Pro Ala Ser Thr Thr Ala Ser  
85 90 95

Ser Ser Val Thr Ser Ala Ser Pro Asn Pro Leu Ala Thr Xaa Pro Leu  
100 105 110

Gly Val Cys Thr Met Ser Gln Thr Gln Pro Asp Leu Asp His Leu Tyr  
115 120 125

Ser Pro Pro Xaa Pro Pro Pro Tyr Ser Gly Cys Ala Gly Xaa Leu  
130 135 140

Tyr Gln Asp Pro Ser Ala Phe Leu Leu  
145 150

<210> 1146

<211> 32

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1146

Xaa Phe Gln Ile Asp Pro Xaa Leu Gly Thr Val Gly Phe Gly Ser Gly  
1 5 10 15

Leu His Gly Trp Ala Phe Thr Leu Lys Ala Val Cys Arg Glu Cys Met  
20 25 30

<210> 1147

<211> 62

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1147

Ala Xaa His Gln Arg Xaa Xaa Xaa Ile Lys Arg Leu Ser Thr Glu His  
1 5 10 15

Ser Ser Val Ser Glu Tyr His Pro Ala Asp Gly Tyr Ala Phe Ser Ser  
20 25 30

Asn Ile Tyr Thr Arg Gly Ser His Leu Asp Gln Gly Glu Ala Ala Val  
35 40 45

Ala Phe Lys Pro Thr Ser Asn Arg His Ile Arg Leu Lys Leu  
50 55 60

<210> 1148

<211> 60

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1148

Gly Arg Ala Leu Arg Ala Xaa Arg Leu Thr Gln Leu Thr Glu Ile Leu  
1 5 10 15

Ser Gly Gly Val Tyr Ile Glu Lys Asn Asp Lys Leu Cys His Met Asp  
20 25 30

Thr Ile Asp Trp Arg Asp Ile Val Arg Asp Arg Asp Ala Glu Ile Val  
35 40 45

Val Lys Asp Asn Gly Xaa Lys Leu Ser Pro Leu Ser  
50 55 60

<210> 1149

<211> 49

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1149

Phe Gln Thr Arg Asn Leu Gln Val Thr Leu Glu Asp Gly Tyr Ile Glu  
1 5 10 15

Leu Ser Thr Ser Asp Arg Xaa Gly Pro Ile Phe Lys Ser Pro Gln Thr  
20 25 30

Tyr Met Asp Gly Leu Leu His Tyr Val Ser Val Ile Ser Asp Asn Ser  
           35                          40                          45

Gly

<210> 1150  
 <211> 55  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (5)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (6)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (21)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (37)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1150  
 Pro Ala Ala Arg Xaa Xaa Val Pro Arg Ala Met Glu Arg Ala Ser Leu  
       1                  5                  10                  15

Ile Gln Lys Ala Xaa Leu Ala Glu Gln Ala Glu Arg Tyr Glu Asp Met  
           20                  25                  30

Ala Ala Phe Met Xaa Gly Ala Val Glu Lys Gly Glu Glu Ser Pro Ala  
           35                  40                  45

Lys Ser Glu Thr Cys Ser Gln  
       50                  55

<210> 1151  
 <211> 162

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (3)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (14)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1151

Val	Ser	Xaa	Gly	Thr	Gly	Asn	Ser	Arg	Val	Arg	Thr	His	Xaa	Val	Pro
1				5					10					15	

Pro	Arg	Pro	Leu	Pro	Cys	Ser	Glu	Gly	Gly	Glu	Arg	Leu	Leu	Pro	Thr
			20					25					30		

Gln	Lys	Gln	Pro	Gly	Gly	Gly	Gln	Val	Asn	Ser	Ser	Arg	Tyr	Lys	Thr
		35					40					45			

Glu	Leu	Cys	Arg	Pro	Phe	Glu	Glu	Asn	Gly	Ala	Cys	Lys	Tyr	Gly	Asp
	50						55				60				

Lys	Cys	Gln	Phe	Ala	His	Gly	Ile	His	Glu	Leu	Arg	Ser	Leu	Thr	Arg
65					70					75					80

His	Pro	Lys	Tyr	Lys	Thr	Glu	Leu	Cys	Arg	Thr	Phe	His	Thr	Ile	Gly
				85					90					95	

Phe	Cys	Pro	Tyr	Gly	Pro	Arg	Cys	His	Phe	Ile	His	Asn	Ala	Glu	Glu
			100					105					110		

Arg	Arg	Ala	Leu	Ala	Gly	Ala	Arg	Asp	Leu	Ser	Ala	Asp	Arg	Pro	Arg
		115					120					125			

Leu	Gln	His	Ser	Phe	Ser	Leu	Leu	Gly	Phe	Pro	Val	Pro	Leu	Pro	Pro
	130						135				140				

Pro	Leu	Pro	Pro	Gly	Cys	Trp	Thr	Ala	His	Val	His	Gln	Pro	Asn	Pro
145					150					155					160

Tyr Phe

&lt;210&gt; 1152

&lt;211&gt; 124

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (114)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1152

His Glu Gly Ala Ser Arg Cys Gly His Leu Cys Arg Gly Arg Xaa Ala  
1 5 10 15

Ala Ser Tyr Pro Ala Leu Arg Ala Ser Leu Leu Pro Gln Ser Leu Ala  
20 25 30

Ala Ala Ala Ala Phe Pro Thr Arg Xaa Asn Ser Gln Glu Ser Lys Thr  
35 40 45

Thr Tyr Leu Glu Asp Leu Pro Pro Pro Glu Tyr Glu Leu Ala Pro  
50 55 60

Ser Lys Leu Glu Glu Glu Val Asp Asp Val Phe Leu Ile Arg Ala Gln  
65 70 75 80

Gly Leu Pro Trp Val Met Ala Leu Trp Glu Asp Val Ala Leu Thr Phe  
85 90 95

Phe Phe Gln Thr Cys Arg Ile Arg Gln Arg Leu Ser Asn Gly Asn Tyr  
100 105 110

Ile Xaa Leu Pro Lys Asn Lys Arg Trp Gly Lys Thr  
115 120

<210> 1153

<211> 151

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (105)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (140)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (147)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (149)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1153

Ala Met Val Arg Leu Val Lys Cys Asp Val Tyr Pro Cys Pro Asn Thr  
1 5 10 15

Val Asp Cys Phe Val Ser Arg Pro Thr Glu Lys Thr Val Phe Thr Val  
20 25 30

Phe Met Leu Ala Ala Ser Gly Ile Cys Ile Ile Leu Asn Val Ala Glu  
35 40 45

Val Val Tyr Leu Ile Ile Arg Ala Cys Ala Arg Arg Ala Gln Arg Arg  
50 55 60

Ser Asn Pro Pro Ser Arg Lys Gly Ser Gly Phe Gly His Arg Leu Ser  
65 70 75 80

Pro Glu Tyr Lys Gln Asn Glu Ile Asn Lys Leu Leu Ser Glu Gln Asp  
85 90 95

Gly Ser Leu Lys Asp Ile Leu Arg Xaa Thr Leu Ala Arg Gly Leu Gly  
100 105 110

Trp Leu Lys Lys Thr Thr Val Leu Gly Cys Asp Ala Thr Tyr Gln Ala  
115 120 125

Thr Ser His Pro Thr Pro Thr Leu Pro Gly Arg Xaa Pro Pro Ser Pro  
130 135 140

Cys Arg Xaa Pro Xaa Ala His  
145 150

<210> 1154  
 <211> 113  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (26)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (37)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (103)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (111)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1154  
 Gly Ser Pro Trp Pro Asn Ser Cys Arg Pro Glu Ala Arg Arg Asp Arg  
     1                    5                    10                    15

Leu Gln Pro Leu Gly Gly Val Cys Glu Xaa Ala Ser Glu His Asp Val  
                     20                    25                    30

Val Asn Leu Gly Xaa Gly Phe Pro Asp Phe Pro Pro Pro Asp Phe Ala  
                     35                    40                    45

Val Glu Ala Phe Gln His Ala Val Ser Gly Asp Phe Met Leu Asn Gln  
                     50                    55                    60

Tyr Thr Lys Thr Phe Gly Tyr Pro Pro Leu Asp Glu Asp Pro Gly Asn  
                     65                    70                    75                    80

Phe Phe Gly Gly Ala Ala Gly Ser Arg Ile Arg Pro Val Gln Gly Cys  
                     85                    90                    95

Ala Gly Asp Cys Trp Trp Xaa Trp Gly Pro Val Ser Lys Ala Xaa Pro  
                     100                    105                    110

Gly



<210> 1155  
<211> 104  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (78)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (91)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1155  
Gly Thr Thr Val Arg Asp Tyr Thr Gln Met Asn Glu Leu Gln Arg Arg  
1 5 10 15  
Leu Gly Pro Arg Gly Leu Val Val Leu Gly Phe Pro Cys Asn Gln Phe  
20 25 30  
Gly His Gln Glu Asn Ala Lys Asn Glu Glu Ile Leu Asn Ser Leu Lys  
35 40 45  
Tyr Val Arg Pro Gly Gly Gly Phe Glu Pro Asn Phe Met Leu Phe Glu  
50 55 60  
Lys Cys Glu Val Asn Gly Ala Gly Ala His Pro Leu Phe Xaa Phe Leu  
65 70 75 80  
Arg Glu Ala Leu Pro Ala Pro Ser Asp Asp Xaa Thr Ala Leu Met Thr  
85 90 95  
Asp Pro Lys Leu Ile Thr Trp Ser  
100

<210> 1156  
<211> 38  
<212> PRT  
<213> Homo sapiens

<400> 1156  
Ala Phe Ile Ala Lys Ser Phe Tyr Asp Leu Ser Ala Ile Ser Leu Asp  
1 5 10 15  
Gly Glu Lys Val Asp Phe Asn Thr Ser Arg Gly Arg Ala Val Leu Ile

20 25 30  
 Glu Asn Val Ala Ser Leu  
 35

<210> 1157  
 <211> 63  
 <212> PRT  
 <213> Homo sapiens

<400> 1157  
 Asp Thr Thr Thr Arg Asp Phe Thr Gln Leu Asn Glu Leu Gln Cys Arg  
 1 5 10 15  
 Phe Pro Arg Arg Leu Val Val Leu Gly Phe Pro Cys Asn Gln Phe Gly  
 20 25 30  
 His Gln Ser Arg Arg Asp Arg Ser Ser Lys Pro Ser Phe Glu Met Ser  
 35 40 45  
 Leu Gln Pro Gln Lys Tyr Leu Gln Pro His Thr Ile Ser Ser Ala  
 50 55 60

<210> 1158  
 <211> 67  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (50)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1158  
 Thr Leu Lys Phe Phe Pro Ala Ser Ala Asp Arg Thr Val Ile Asp Tyr  
 1 5 10 15  
 Asn Gly Glu Arg Thr Leu Asp Gly Phe Lys Lys Phe Leu Glu Ser Gly  
 20 25 30  
 Gly Gln Asp Gly Ala Gly Asp Asp Asp Asp Leu Glu Asp Leu Glu Glu  
 35 40 45  
 Ala Xaa Glu Pro Asp Met Glu Glu Asp Asp Asp Gln Lys Ala Val Lys  
 50 55 60  
 Asp Glu Leu

65

<210> 1159  
<211> 214  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (202)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (207)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1159  
Ala Val Ile Met Gly Ala Pro Gly Ser Gly Lys Gly Thr Val Ser Ser  
1 5 10 15

Arg Ile Thr Thr His Phe Glu Leu Lys His Leu Ser Ser Gly Asp Leu  
20 25 30

Leu Arg Asp Asn Met Leu Arg Gly Thr Glu Ile Gly Val Leu Ala Lys  
35 40 45

Ala Phe Ile Asp Gln Gly Lys Leu Ile Pro Asp Asp Val Met Thr Arg  
50 55 60

Leu Ala Leu His Glu Leu Lys Asn Leu Thr Gln Tyr Ser Trp Leu Leu  
65 70 75 80

Asp Gly Phe Pro Arg Thr Leu Pro Gln Ala Glu Ala Leu Asp Arg Ala  
85 90 95

Tyr Gln Ile Asp Thr Val Ile Asn Leu Asn Val Pro Phe Glu Val Ile  
100 105 110

Lys Gln Arg Leu Thr Ala Arg Trp Ile His Pro Ala Ser Gly Arg Val  
115 120 125

Tyr Asn Ile Glu Phe Asn Pro Pro Lys Thr Val Gly Ile Asp Asp Leu  
130 135 140

Thr Gly Glu Pro Leu Ile Gln Arg Glu Asp Asp Lys Pro Glu Thr Val  
145 150 155 160

Ile Lys Arg Leu Lys Ala Tyr Glu Asp Gln Thr Lys Pro Val Leu Glu

	165		170		175
Tyr Tyr Gln Lys Lys Gly Val Leu Glu Thr Phe Ser Gly Thr Glu Thr					
	180		185		190
Asn Lys Ile Trp Pro Tyr Val Tyr Ala Xaa Leu Gln Leu Lys Xaa His					
	195		200		205
Lys Glu Ala Arg Lys Leu					
	210				

<210> 1160  
 <211> 33  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (2)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (4)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1160
Leu Xaa Ser Xaa Lys Trp Ile Tyr Asn Gly Phe Ser Ser Val Leu Gln
1 5 10 15

Phe Leu Gly Leu Tyr Lys Lys Ser Gly Lys Leu Val Phe Phe Arg Leu
20 25 30

Gly

<210> 1161  
 <211> 123  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (17)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE  
 <222> (28)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (30)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (66)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (88)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (96)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1161  
 Gly Asn Ser Lys Thr Glu Asp Gln Arg Asn Glu Glu Lys Ala His Val  
   1                  5                  10                  15  
 Xaa Ala Asn Lys Lys Ile Glu Lys Gln Leu Gln Xaa Asp Xaa Gln Val  
                   20                  25                  30  
 Tyr Arg Ala Thr His Arg Leu Leu Leu Leu Gly Ala Gly Glu Ser Gly  
           35                  40                  45  
 Lys Ser Thr Ile Val Lys Gln Met Arg Ile Leu His Val Asn Gly Phe  
   50                  55                  60  
 Asn Xaa Asp Ser Glu Lys Ala Thr Lys Val Gln Asp Ile Lys Asn Asn  
   65                  70                  75                  80  
 Leu Lys Glu Ala Ile Glu Thr Xaa Val Ala Ala Met Ser Asn Leu Xaa  
                   85                  90                  95  
 Ala Pro Arg Gly Ala Gly Gln Pro Arg Glu Thr Ser Ser Glu Trp Thr  
           100                  105                  110  
 Thr Ser Trp Ser Val Met Asn Val Pro Gly Phe  
   115                  120

<210> 1162  
 <211> 87  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (60)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (61)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (70)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (80)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1162  
 Pro Thr Arg Pro Pro Thr Arg Pro Glu Leu Lys Asp Leu Gln Glu Pro  
 1 5 10 15

Gln Glu Pro Arg Val Gly Lys Leu Arg Asn Phe Ala Pro Ile Pro Gly  
 20 25 30

Glu Pro Val Val Pro Ile Leu Cys Ser Asn Pro Asn Phe Pro Glu Glu  
 35 40 45

Leu Lys Pro Leu Cys Lys Ser Pro Met Pro Arg Xaa Xaa Phe Arg Gly  
 50 55 60

Trp Arg Lys Ser Leu Xaa Asp Pro Gly His Met Trp Lys Ser Val Xaa  
 65 70 75 80

Thr Leu Ala Cys Thr Gly Cys  
 85

<210> 1163  
 <211> 100  
 <212> PRT  
 <213> Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (67)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (68)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1163

Val Gln Gly Pro Tyr Val Leu Gly Thr Gly Leu Ile Leu Tyr Ala Leu  
1 5 10 15

Ser Lys Glu Ile Tyr Val Ile Ser Ala Glu Thr Phe Thr Ala Leu Ser  
20 25 30

Val Leu Gly Val Met Val Tyr Gly Ile Lys Lys Tyr Gly Pro Phe Val  
35 40 45

Ala Asp Phe Ala Asp Lys Leu Asn Glu Gln Lys Leu Ala Gln Leu Glu  
50 55 60

Glu Ala Xaa Xaa Ala Ser Ile Gln His Ile Gln Asn Ala Ile Asp Thr  
65 70 75 80

Glu Lys Ser Gln Gln Ala Leu Val Gln Lys Arg His Tyr Leu Phe Gly  
85 90 95

Cys Ala Lys Glu  
100

&lt;210&gt; 1164

&lt;211&gt; 186

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (171)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (180)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1164

Trp Ile Pro Arg Ala Ala Gly Ile Arg His Glu Val Leu Cys Gly His

1                      5                      10                      15  
Leu Ala Lys Met Pro Glu Glu Thr Gln Thr Gln Asp Gln Pro Met Glu  
                    20                      25                      30  
Glu Glu Glu Val Glu Thr Phe Ala Phe Gln Ala Glu Ile Ala Gln Leu  
                    35                      40                      45  
Met Ser Leu Ile Ile Asn Thr Phe Tyr Ser Asn Lys Glu Ile Phe Leu  
                    50                      55                      60  
Arg Glu Leu Ile Ser Asn Ser Ser Asp Ala Leu Asp Lys Ile Arg Tyr  
                    65                      70                      75                      80  
Glu Ser Leu Thr Asp Pro Ser Lys Leu Asp Ser Gly Lys Glu Leu His  
                    85                      90                      95  
Ile Asn Leu Ile Pro Asn Lys Gln Asp Arg Thr Leu Thr Ile Val Asp  
                    100                      105                      110  
Thr Gly Ile Gly Met Thr Lys Ala Asp Leu Ile Asn Asn Leu Gly Thr  
                    115                      120                      125  
Ile Ala Lys Ser Gly Thr Lys Ala Phe Met Glu Ala Leu Gln Ala Gly  
                    130                      135                      140  
Ala Asp Ile Ser Met Ile Gly Gln Phe Gly Val Gly Phe Tyr Ser Ala  
                    145                      150                      155                      160  
Tyr Leu Val Ala Glu Lys Val Thr Val Ile Xaa Lys His Asn Asp Asp  
                    165                      170                      175  
Glu Gln Tyr Xaa Trp Glu Ser Ser Ala Gly  
                    180                      185

<210> 1165

<211> 199

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids



&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (173)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (191)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (196)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (197)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1165

Ala	Xaa	Ile	Cys	Leu	Leu	Glu	Thr	Ala	Pro	Ser	Ser	Arg	Glu	Ser	Gln
1				5					10					15	

Lys	Glu	Asp	Met	Ala	Ala	Gly	Gln	Arg	Glu	Ala	Arg	Pro	Gln	Val	Ser
			20					25						30	

Leu	Thr	Phe	Glu	Asp	Val	Ala	Val	Leu	Phe	Thr	Trp	Asp	Glu	Trp	Arg
		35					40					45			

Lys	Leu	Ala	Pro	Ser	Xaa	Arg	Asn	Leu	Tyr	Arg	Asp	Val	Met	Leu	Glu
	50					55					60				

Asn	Tyr	Arg	Asn	Leu	Val	Ser	Leu	Gly	Leu	Ser	Phe	Thr	Lys	Pro	Lys
65				70						75					80

Val	Ile	Ser	Leu	Leu	Gln	Gln	Gly	Glu	Asp	Pro	Trp	Glu	Val	Glu	Lys
			85						90					95	

Asp	Ser	Ser	Gly	Val	Ser	Ser	Leu	Gly	Cys	Lys	Ser	Thr	Pro	Lys	Met
			100					105						110	

Thr	Lys	Ser	Thr	Gln	Thr	Gln	Asp	Ser	Phe	Gln	Glu	Gln	Ile	Arg	Lys
			115				120						125		

Arg	Leu	Lys	Arg	Asp	Glu	Pro	Trp	Asn	Phe	Ile	Ser	Glu	Arg	Ser	Cys
	130					135						140			

Ile	Tyr	Glu	Glu	Lys	Leu	Lys	Lys	Gln	Gln	Asp	Lys	Asn	Glu	Asn	Leu
145					150					155					160

Gln Ile Ile Ser Val Ala His Thr Lys Ile Leu Thr Xaa Asp Arg Ser  
165 170 175

His Lys Asn Val Glu Phe Ala Gln Asn Phe Tyr Leu Lys Ser Xaa Phe  
180 185 190

Ile Lys His Xaa Xaa Ile Ala  
195

<210> 1166

<211> 91

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (86)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1166

Trp Cys Cys Ser His Leu Trp Phe Gln Gly Arg Ala Thr Pro Glu Asn  
1 5 10 15

Tyr Leu Phe Gln Gly Arg Gln Glu Cys Tyr Ala Phe Asn Gly Asn Ser  
20 25 30

Gln Lys Asp Ile Leu Glu Glu Lys Ala Gly Ser Ala Gly Thr Gly Cys  
35 40 45

Ala Asp Thr Thr Tyr Gly Ala Gly Arg Ala His Gly Pro Cys Ser Ala  
50 55 60

Glu Phe Gln Pro Arg Val Glu Cys Phe Pro Pro Pro Ser Arg Gly Pro  
65 70 75 80

Leu Ala Ala Thr Gln Xaa Ala Cys Leu Ala Lys  
85 90

<210> 1167

<211> 118

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (82)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (94)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (111)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (113)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (114)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (117)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1167

Asn	Val	Pro	Ala	Tyr	Lys	Ser	Ser	Gly	Gln	Ile	Met	Ser	Ser	Leu	Tyr
1				5				10						15	

Tyr	Ala	Asn	Ala	Leu	Phe	Ser	Lys	Tyr	Pro	Ala	Ser	Ser	Ser	Val	Phe
		20						25						30	

Ala	Thr	Gly	Ala	Phe	Pro	Glu	Gln	Thr	Ser	Cys	Ala	Phe	Ala	Ser	Asn
		35					40					45			

Pro	Gln	Arg	Pro	Gly	Tyr	Gly	Ala	Gly	Ser	Gly	Ala	Ser	Phe	Ala	Ala
		50				55					60				

Ser	Met	Gln	Gly	Leu	Tyr	Pro	Gly	Gly	Gly	Gly	Met	Ala	Gly	Gln	Ser
	65				70					75					80

Ala	Xaa	Gly	Val	Tyr	Ala	Ala	Gly	Tyr	Gly	Leu	Glu	Pro	Xaa	Ser	Phe
				85					90						95

Asn	Met	His	Cys	Ala	Pro	Phe	Glu	Gln	Lys	Pro	Leu	Arg	Gly	Xaa	Pro
				100					105						110

Xaa	Xaa	Ile	Pro	Xaa	Arg
					115

<210> 1168  
<211> 77  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (18)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (22)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (23)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (48)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1168  
Ser Arg Ser Trp Gly Phe Gly Cys Ser Met Leu Ala Leu Glu Thr Arg  
1 5 10 15  
Ala Xaa Pro Gly His Xaa Xaa Gly Cys Val Thr Phe Val Leu Asn Asp  
20 25 30  
His Ser Met Ala Phe Thr Gly Asp Ala Leu Leu Ile Arg Gly Cys Xaa  
35 40 45  
Arg Thr Asp Phe Gln Gln Gly Cys Cys Gln Asp Leu Val Thr Ile Arg  
50 55 60  
Ser Met Lys Arg Ser Phe Lys Ile Ser Arg Arg Leu Ser  
65 70 75

<210> 1169  
<211> 115  
<212> PRT  
<213> Homo sapiens

&lt;400&gt; 1169

Gly Pro Arg His Ala Asp Phe Pro Cys Ser Ala Val Val Arg Lys Cys  
1 5 10 15

Leu Ala Ala Pro Gly Arg Arg Arg Gly Arg Gln Thr Tyr Ser Arg Phe  
20 25 30

Gln Thr Leu Glu Leu Glu Lys Glu Phe Leu Phe Asn Pro Tyr Leu Thr  
35 40 45

Arg Lys Arg Arg Ile Glu Val Ser His Ala Leu Ala Leu Thr Glu Arg  
50 55 60

Gln Val Lys Ile Trp Phe Gln Asn Arg Arg Met Lys Trp Lys Lys Glu  
65 70 75 80

Asn Asn Lys Asp Lys Phe Pro Val Ser Arg Gln Glu Val Lys Asp Gly  
85 90 95

Glu Thr Lys Lys Glu Ala Gln Glu Leu Glu Glu Asp Arg Ala Glu Gly  
100 105 110

Leu Thr Asn  
115

&lt;210&gt; 1170

&lt;211&gt; 55

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1170

Tyr Leu Lys Arg Leu Ala Thr Met Ser Lys Pro Glu Leu Lys Glu Asp  
1 5 10 15

Lys Met Leu Glu Val His Phe Val Gly Asp Asp Asp Val Leu Asn His  
20 25 30

Ile Leu Asp Arg Glu Gly Gly Ala Lys Leu Lys Lys Glu Arg Ala His  
35 40 45

Phe Trp Ser Thr Pro Lys Lys  
50 55

&lt;210&gt; 1171

&lt;211&gt; 130

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

<220>  
<221> SITE  
<222> (5)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (23)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (26)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (39)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (45)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (87)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (108)  
<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (128)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (129)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1171

Pro Thr Arg Pro Xaa Thr Xaa Pro Phe Gly Pro Arg Trp His Gly Met  
1 5 10 15

Arg Lys Ala Leu Pro Trp Xaa Leu Val Xaa Leu Ala Ser Leu Arg Ala  
20 25 30

Val Xaa Thr Ser Xaa Met Xaa Thr Leu Pro Lys Arg Xaa Lys Ile Val  
35 40 45

Glu Val Gly Pro Arg Asp Gly Leu Gln Asn Glu Lys Asn Ile Val Ser  
50 55 60

Thr Pro Val Lys Ile Lys Leu Ile Asp Met Leu Ser Glu Ala Gly Leu  
65 70 75 80

Ser Val Ile Glu Thr Thr Xaa Phe Glu Ser Pro Lys Trp Val Pro Gln  
85 90 95

Met Gly Asp His Thr Glu Val Leu Lys Gly Ile Xaa Lys Phe Pro Gly  
100 105 110

Ile Asn Tyr Pro Val Leu Thr Pro Asn Leu Lys Gly Phe Glu Ala Xaa  
115 120 125

Xaa Pro  
130

&lt;210&gt; 1172

&lt;211&gt; 106

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (13)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

<221> SITE  
<222> (28)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (46)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (51)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (101)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (103)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1172  
Ala Arg Glu Asp Leu Asp Lys Ala Leu Leu Lys Ala Xaa Gln Asp Met  
1 5 10 15  
Phe Asp Lys Lys Thr Lys Ala Ser Leu Tyr Leu Xaa Thr His Asn Gly  
20 25 30  
Asn Met Tyr Thr Ser Ser Leu Tyr Gly Cys Leu Ala Ser Xaa Leu Ser  
35 40 45  
His His Xaa Ala Gln Glu Leu Ala Gly Ser Arg Ile Gly Ala Phe Ser  
50 55 60  
Tyr Gly Ser Gly Leu Ala Ala Ser Phe Phe Ser Phe Arg Val Ser Arg  
65 70 75 80  
Leu Lys Val Phe Cys Arg Ser Met Glu Ser Phe Trp Glu Thr Tyr Ala  
85 90 95  
Ser Arg Ala Ser Xaa Arg Xaa Ser Tyr Phe  
100 105

<210> 1173  
<211> 28  
<212> PRT



<213> Homo sapiens

<400> 1173

Pro Cys Lys Gly Ser Ile Ile Thr Cys Ser Leu Asn Arg Asp Leu Tyr  
1 5 10 15

Glu Trp Leu His Glu Gly Ser Ala Val Ser Tyr Phe  
20 25

<210> 1174

<211> 23

<212> PRT

<213> Homo sapiens

<400> 1174

Ile Ile Thr Cys Ser Leu Ile Arg Asp Leu Tyr Glu Trp Leu His Glu  
1 5 10 15

Gly Ser Ala Val Ser Tyr Phe  
20

<210> 1175

<211> 45

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1175

Ala Ala Ser Ser Ile Cys Leu Xaa Gln Arg Leu Ser His Ala Cys Leu  
1 5 10 15

Ser Thr His Gly Arg Tyr Ser Glu Thr Ala Asn Gly Ser Leu Asn Gln  
20 25 30

Leu Trp Phe Leu Trp Ser Leu Ala Pro Leu Leu Leu Gly  
35 40 45

<210> 1176

<211> 86

<212> PRT

<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (24)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (35)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (36)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (45)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (66)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1176

Arg	Pro	Glu	Asp	Ser	Leu	Phe	Cys	Pro	Lys	Met	Glu	Asn	Ser	Thr	Thr
1				5				10						15	

Thr	Ile	Ser	Arg	Glu	Glu	Leu	Xaa	Glu	Leu	Gln	Glu	Ala	Phe	Asn	Lys
			20					25					30		

Ile	Asp	Xaa	Xaa	Asn	Ser	Gly	Tyr	Val	Ser	Asp	Tyr	Xaa	Leu	Gln	Asp
		35					40					45			

Leu	Phe	Lys	Glu	Ala	Ser	Leu	Pro	Leu	Pro	Gly	Tyr	Lys	Val	Arg	Glu
	50					55					60				

Ile	Xaa	Glu	Lys	Ile	Leu	Ser	Val	Ala	Asp	Ser	Asn	Lys	Asp	Gly	Lys
65					70					75				80	

Ile	Asn	Phe	Glu	Glu	Phe
					85

&lt;210&gt; 1177

&lt;211&gt; 166

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (157)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (158)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (163)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1177

Ile Thr Ile Ser Phe Phe Leu Cys Leu Arg Pro Pro Thr Phe Phe Ser  
1 5 10 15

Phe Pro Phe Ser Leu Trp Gly Pro Ser Pro Met Leu Pro Cys Pro Ile  
20 25 30

Pro Phe Ser Pro Ser Arg Leu Leu Ile Pro Pro Phe Pro Ser Phe Pro  
35 40 45

Ser Asn Tyr Gln Leu Trp Leu Gly Arg His Asn Leu Phe Asp Asp Glu  
50 55 60

Asn Thr Ala Gln Phe Val His Val Ser Glu Ser Phe Pro His Pro Gly  
65 70 75 80

Phe Asn Met Ser Leu Leu Glu Asn His Thr Arg Gln Ala Asp Glu Asp  
85 90 95

Tyr Ser His Asp Leu Met Leu Leu Arg Leu Thr Glu Pro Ala Asp Thr  
100 105 110

Ile Thr Asp Ala Val Lys Val Gly Lys Leu Pro Thr Gln Glu Pro Glu  
115 120 125

Val Gly Glu His Leu Val Gly Phe Arg Leu Gly Gln Ala Leu Asn Gln  
130 135 140

Lys Asn Phe Leu Ile Ser Glu Asp Leu Gln Met Val Xaa Xaa Leu Gln  
145 150 155 160

Lys Ser Xaa Leu Lys Glu  
165

<210> 1178

<211> 79

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1178

Cys Xaa Ala Ala Gly Pro Ser Cys Ala Leu Lys Ala Gly Lys Thr Ala  
1 5 10 15

Ser Gly Ala Gly Glu Val Val Arg Cys Leu Ser Glu Gln Ser Val Gly  
20 25 30

His Leu Ala Leu Arg Arg Gly Pro Gly Ala Arg Leu Pro Ala Leu Leu  
35 40 45

Asp Glu Gln Gln Val Asn Val Leu Leu Tyr Asp Met Asn Gly Cys Tyr  
50 55 60

Ser Arg Leu Lys Glu Leu Val Pro Thr Leu Pro Gln Asn Arg Lys  
65 70 75

<210> 1179

<211> 51

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1179

Ala Xaa Val Gln Leu Thr Leu Xaa Xaa Thr Gln Cys Pro Xaa Gly Lys

1

5

10

15

Ser Val Xaa Cys His Val Lys Ala Leu His Asp Ser Xaa Pro Gly Cys

20

25

30

Asn Cys Ala Pro Ala Gln Phe Pro Xaa Leu Pro His Ala Ala Xaa Pro

35

40

45

Asp Xaa Gly

50

<210> 1180

<211> 96

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (81)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (89)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (95)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1180

Ile	Ser	Arg	Thr	Pro	Glu	Gly	His	Val	Arg	Gly	Gly	Gly	Arg	Glu	Ala
1				5				10						15	

Arg	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu
			20					25					30		

Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Xaa	Glu	Gln	Phe	Asn	Ser	Thr
			35				40						45		

Tyr	Xaa	Trp	Phe	Ser	Val	Leu	His	Arg	Pro	Ala	Pro	Gly	Trp	Leu	Glu
	50					55					60				

Arg	Gln	Gly	Ser	Tyr	Lys	Trp	Gln	Gly	Phe	Xaa	Thr	Lys	Gly	Phe	Pro
65					70				75						80

Xaa	Phe	Leu	Gly	Glu	Asn	Leu	Phe	Xaa	Lys	Ala	Lys	Gly	Gln	Xaa	Arg
				85					90					95	

<210> 1181  
<211> 76  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (46)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1181  
Gly Gly Tyr Cys Ser Gly Gly Ser Cys Ser Asn Phe Tyr Phe Tyr His  
1 5 10 15  
Met Asp Val Trp Gly Glu Arg Thr Thr Val Thr Val Ser Ser Ala Ser  
20 25 30  
Thr Xaa Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Xaa Asn Thr  
35 40 45  
Ser Glu Asn Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro  
50 55 60  
Glu Thr Gly Asp Gly Val Leu Glu Leu Arg Gly Leu  
65 70 75

<210> 1182  
<211> 137  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (22)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (79)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (90)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (112)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (125)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (132)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (136)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1182

Asp	Pro	Tyr	Gly	Thr	Met	Glu	Ala	Pro	Ala	Gln	Leu	Leu	Xaa	Leu	Leu
1				5				10					15		

Leu	Leu	Trp	Leu	Pro	Xaa	Thr	Thr	Gly	Glu	Ile	Leu	Met	Thr	Gln	Ser
			20					25					30		

Pro	Ala	Thr	Leu	Ser	Val	Ser	Pro	Gly	Glu	Arg	Val	Thr	Leu	Ser	Cys
			35				40					45			

Arg	Ala	Gly	Gln	Ser	Val	Tyr	Ser	Asn	Leu	Ala	Trp	Tyr	Gln	Gln	Lys
			50			55					60				

Pro	Gly	Gln	Ala	Pro	Arg	Leu	Leu	Met	Tyr	Gly	Ser	Ser	Thr	Xaa	Ala
	65					70				75					80

Thr	Asp	Val	Pro	Val	Arg	Phe	Ser	Gly	Xaa	Gly	Ser	Gly	Thr	Glu	Phe
				85					90					95	

Thr	Leu	Thr	Ile	Ser	Ser	Leu	Gln	Ser	Asp	Asp	Ser	Ala	Val	Tyr	Xaa
			100					105						110	

Cys	Gln	Gln	Tyr	Ile	Met	Trp	Pro	Gly	Thr	Phe	Gly	Xaa	Gly	Thr	Lys
			115				120					125			



Gly Glu Ile Xaa Arg Thr Gly Xaa Ala  
130 135

<210> 1183

<211> 93

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1183

Val Arg Xaa Xaa Xaa Phe Gly Ser Thr Ala Pro Ser Ala Asp Ala Trp  
1 5 10 15

Val Arg Thr Arg Gly Arg Thr Arg Gly Ala Glu Ala Ala Lys Met Leu  
20 25 30

Gly Glu Ala Leu Ser Lys Asn Pro Gly Tyr Ile Lys Leu Arg Lys Ile  
35 40 45

Arg Ala Ala Gln Asn Ile Ser Lys Thr Ile Ala Thr Ser Gln Asn Arg  
50 55 60

Ile Tyr Leu Thr Ala Asp Asn Leu Val Leu Asn Leu Gln Asp Glu Ser  
65 70 75 80

Phe Thr Arg Gly Ser Asp Ser Leu Ile Lys Gly Lys Lys  
85 90

<210> 1184

<211> 46

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1184

Ile Asp Leu Met Cys Lys Lys Met Lys His Leu Trp Phe Phe Leu Leu  
1 5 10 15

Leu Val Ala Val Ser Xaa Met Arg Pro Val Pro Gly Ala Ala Ala Xaa  
20 25 30

Val Xaa Ala Arg Thr Gly Glu Xaa Phe Gly Asp Pro Val Xaa  
35 40 45

<210> 1185

<211> 142

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (69)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (119)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (138)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (141)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (142)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1185

Ser Ala Leu Asn Thr Glu Leu Thr Met Glu Phe Gly Leu Ser Trp Val  
1 5 10 15

Phe Leu Val Val Ile Leu Lys Gly Val Gln Cys Glu Val Gln Leu Val  
20 25 30

Glu Ser Gly Gly Ala Val Val Gln Pro Gly Gly Ser Leu Arg Leu Ser  
35 40 45

Cys Glu Ala Ser Gly Phe Thr Phe Asp Asn Tyr Ala Met His Trp Val  
50 55 60

Arg Gln Ala Pro Xaa Lys Gly Leu Glu Trp Val Cys Leu Ile Ser Arg  
65 70 75 80

Asp Gly Arg Lys Thr Tyr Phe Ala Asp Ser Met Lys Gly Arg Phe Thr  
85 90 95

Ile Ser Arg Asp Asn Ser Lys Asn Cys Leu Tyr Leu Gln Val Asn Ser  
100 105 110

Leu Arg Val Glu Asp Thr Xaa Leu Tyr Tyr Cys Ala Lys Asp Ile Pro  
115 120 125

Gly Ser Ser Val Trp Thr Ser Gly Val Xaa Gly His Xaa Xaa  
130 135 140

<210> 1186

<211> 68

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (61)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1186

Ser Trp Thr Pro Arg Pro Phe His Leu Val Ile Ser Thr Glu His Arg  
1 5 10 15

Gly Leu Thr Met Glu Leu Gly Leu Ser Trp Val Phe Leu Val Ala Ile  
20 25 30

Leu Glu Gly Val Gln Cys Glu Val Gln Leu Val Glu Ser Gly Gly Gly  
35 40 45

Leu Val Gln Ala Gly Gly Val Pro Glu Thr Leu Leu Xaa Xaa Leu Trp  
50 55 60

Leu Pro Pro Leu  
65

<210> 1187

<211> 191

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (121)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (157)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (171)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (176)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (180)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (182)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (191)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1187

Gly Arg Glu Ile Xaa Arg Ser Phe His Leu Val Ile Ser Thr Glu His  
1 5 10 15

Arg Pro Pro Thr Met Glu Phe Gly Pro Ser Trp Val Phe Leu Val Ala  
20 25 30

Ile Leu Lys Gly Val His Cys Glu Val Gln Leu Val Glu Ser Gly Gly  
35 40 45

Gly Leu Val Gln Pro Gly Arg Ser Leu Arg Leu Ser Cys Thr Thr Ser  
50 55 60

Gly Phe Thr Phe Gly Asp Tyr Ser Met Ser Trp Val Arg Gln Ala Pro  
65 70 75 80

Gly Lys Gly Leu Glu Trp Val Gly Phe Ile Arg Ser Lys Ala His Gly  
85 90 95

Gly Thr Thr Glu Tyr Ala Ala Ser Val Lys Arg Gln Ile His His Leu  
100 105 110

Lys Glu Met Ile Pro Gln Ala Ser Xaa Ile Trp Gln Met Asn Ser Leu  
115 120 125

Lys Pro Arg Thr Gln Thr Leu Leu Leu Ser Arg His Asp Tyr Arg His  
130 135 140

Thr Pro Gly Tyr Trp Gly Gln Gly Thr Leu Val Thr Xaa Phe Ser Gly  
145                      150                      155                      160

Phe His Gln Gly Pro Ser Ser Ser Pro Trp Xaa Pro Cys Ser Arg Xaa  
                    165                      170                      175

Thr Ser Glu Xaa Gln Xaa Pro Gly Leu Ala Gly Gln Gly Leu Xaa  
                    180                      185                      190

<210> 1188

<211> 121

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (90)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (94)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (99)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (101)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (104)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (108)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (110)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (111)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (117)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (119)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1188

Val Gln Cys Glu Val Gln Leu Val Glu Ser Gly Gly Xaa Leu Val Gln  
1 5 10 15  
Pro Gly Gly Ser Leu Xaa Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe  
20 25 30  
Ser Ser Xaa Asp Met His Trp Val Arg Gln Val Ala Gly Lys Xaa Leu  
35 40 45  
Glu Trp Val Ser Xaa Ile Asp Pro Ala Gly Asn Thr Asn Tyr Pro Xaa  
50 55 60  
Ser Val Xaa Gly Arg Phe Ile Ile Ser Arg Glu Asn Asp Lys Ser Ser  
65 70 75 80  
Ser Tyr Leu Gln Asn Glu Trp Ala Asp Xaa Arg Gly Lys Xaa Cys Val  
85 90 95  
Ile Leu Xaa Lys Xaa Lys Leu Xaa Phe Leu Val Xaa Gly Xaa Xaa Arg  
100 105 110  
Ser Leu Gly Ala Xaa Gly Xaa Leu Gly  
115 120

<210> 1189

<211> 125

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (104)

<223> Xaa equals any of the naturally occurring L-amino acids



&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (123)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1189

Gly Thr Ser Asn Ala Gly Asn Xaa Asn Thr Lys Tyr Ser Gln Lys Xaa  
1 5 10 15

Gln Asp Arg Val Thr Ile Thr Arg Asp Thr Ser Thr Asn Thr Ala Tyr  
20 25 30

Met Asp Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys  
35 40 45

Xaa Arg Gly Phe Phe Gly Asp Arg Asp Tyr Tyr Tyr Tyr Tyr Tyr Met  
50 55 60

Asp Val Trp Gly Lys Gly Thr Thr Val Thr Val Ser Ser Ala Ser Pro  
65 70 75 80

Thr Ser Pro Lys Val Phe Pro Leu Ser Leu Cys Ser Thr Gln Pro Asp  
85 90 95

Gly Asn Val Val Ile Ala Cys Xaa Val Gln Gly Phe Phe Pro Gln Glu  
100 105 110

Pro Leu Gln Cys Gly Pro Gly Ala Lys Gly Xaa Arg Ala  
115 120 125

&lt;210&gt; 1190

&lt;211&gt; 31

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1190

Asn Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp  
1 5 10 15

Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Leu Pro Ala Glu  
20 25 30

&lt;210&gt; 1191

&lt;211&gt; 102

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (42)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (44)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (60)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (87)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (90)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (94)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (99)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1191

Ser Asn Ser Gly Asn Thr Ala Thr Leu Thr Ile Ser Gly Thr Gln Ala

1

5

10

15

Met Asp Glu Ala Asp Tyr Tyr Cys Gln Ala Trp Asp Ser Ser Ala Val

20

25

30

Val Phe Gly Gly Gly Thr Arg Leu Thr Xaa Leu Xaa Gln Pro Lys Ala

35

40

45

Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Xaa Glu Leu Gln Ala

50

55

60

Asn Lys Ala Thr Leu Val Cys Leu Ile Asn Asp Phe Tyr Pro Gly Ser

65

70

75

80

Arg Asp Ser Gly Leu Glu Xaa Gln Ile Xaa Thr Pro Phe Xaa Ala Glu  
                     85                    90                    95

Leu Gly Xaa Thr Thr Thr  
                     100

<210> 1192

<211> 160

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (123)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (147)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (150)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (154)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1192

Arg Pro Thr Arg Pro Gln Leu Trp Ala Gln Glu Ala Ala Leu Arg Thr  
   1                    5                    10                    15

Ile Ser Ser Met Ala Trp Ser Pro Leu Leu Leu Thr Leu Leu Ala His  
                     20                    25                    30

Cys Thr Gly Ser Trp Ala Gln Ser Val Leu Thr Gln Pro Pro Ser Val  
                     35                    40                    45

Ser Gly Ala Pro Gly Gln Arg Val Thr Ile Ser Cys Thr Gly Ser Ser  
                     50                    55                    60

Ser Asn Ile Gly Ala Gly Tyr Asp Val His Trp Tyr Gln Gln Leu Pro  
   65                    70                    75                    80

Gly Thr Ala Pro Lys Val Leu Ile Tyr Gly Asn Ser Asn Arg Pro Ser  
                     85                    90                    95

Gly Val Pro Asp Arg Phe Ser Gly Ser Lys Ser Gly Thr Ser Ala Ser  
100 105 110

Leu Ala Ile Thr Gly Leu Gln Ala Glu Asp Xaa Val Asp Tyr Tyr Cys  
115 120 125

Gln Ser Tyr Asp Ser Ser Leu Gly Gly Ser Val Phe Gly Gly Arg Thr  
130 135 140

Lys Leu Xaa Val Leu Xaa Gln Pro Lys Xaa Ala Pro Ser Val Thr Leu  
145 150 155 160

<210> 1193

<211> 153

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (146)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (149)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (151)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (152)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (153)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1193

Thr Gly Phe Arg Thr Ile Xaa Thr Met Ala Gly Phe Pro Leu Leu Leu  
1 5 10 15

Thr Leu Leu Thr His Cys Ala Xaa Ser Trp Ala Xaa Xaa Val Leu Thr  
20 25 30

Xaa Pro Pro Ser Xaa Ser Gly Thr Pro Gly Gln Arg Val Thr Ile Ser  
35 40 45

Cys Ser Gly Ser Ser Ser Asn Ile Gly Thr Asn Tyr Val Tyr Trp Tyr  
50 55 60

Gln Gln Leu Pro Gly Thr Ala Pro Glu Val Leu Ile Tyr Lys Asn Asp  
65 70 75 80

Gln Arg Pro Ser Gly Val Pro Asp Arg Phe Ser Gly Ser Lys Ser Gly  
85 90 95

Thr Ser Ala Ser Leu Ala Ile Gly Gly Leu Arg Ser Glu Asp Glu Ala  
100 105 110

Asp Tyr Tyr Cys Ala Ser Trp Asp Asp Ser Leu Ser Gly Pro Val Phe  
115 120 125

Gly Gly Gly Thr Lys Leu Thr Val Leu Gly Gln Pro Lys Ala Ala Pro  
130 135 140

Ser Xaa Thr Leu Xaa Pro Xaa Xaa Xaa  
145 150

<210> 1194

<211> 114

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (108)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1194

Gly Gly Arg Ala Leu Gly Ile Ser Pro Trp Pro Gly Pro Leu Ser Cys  
1 5 10 15

Ser Pro Ser Ser Leu Ser Ala Gln Arg Lys Arg Gly Gln Ala Pro Val  
20 25 30

Val Val Ile Tyr Glu Asp Asn Lys Arg Pro Ser Gly Ile Pro Glu Arg  
35 40 45

Phe Ser Gly Ser Thr Ser Gly Thr Leu Ala Thr Val Ile Ile Ser Gly  
50 55 60

Ala Gln Val Asp Asp Asp Thr Asp Phe Tyr Cys Gln Ser Thr His Ser  
65 70 75 80

Ser Asn Asn Gly Arg Ser Val Cys Leu Arg Asn Trp Asp Gln Gly His  
85 90 95

Arg Pro Trp Ser Ala Gln Gly Gln Pro Gln Cys Xaa Ser Val Pro Gly  
100 105 110

Leu Leu

<210> 1195

<211> 97

<212> PRT

<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (4)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (34)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (41)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (45)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (48)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1195

Gln Asn Ser Xaa Cys Leu Thr Met Ala Trp Ile Pro Leu Leu Leu Pro  
1 5 10 15

Leu Leu Thr Leu Cys Thr Asp Ser Glu Ala Ser His Glu Leu Arg Gln  
20 25 30

Pro Xaa Ser Val Ser Val Ser Pro Xaa Gln Thr Ala Xaa Ile Thr Xaa  
35 40 45

Ser Gly Asp Ala Leu Pro Glu Gln Ser Ile Phe Trp Tyr Gln Gln Lys  
50 55 60

Pro Gly Gln Ala Pro Val Leu Val Ile Tyr Lys Val His Glu Arg Pro  
65 70 75 80

Ser Asp Ala Leu Asn Asp Ser Leu Ala Pro Gly His Arg Gln Gln Ser  
85 90 95

Arg

&lt;210&gt; 1196

&lt;211&gt; 192

<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (2)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (32)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (36)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)



<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (61)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (63)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (66)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (70)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (79)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (80)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (84)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (86)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (92)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (105)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (108)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (125)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (131)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (132)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (136)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (146)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (158)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (164)  
<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (165)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (177)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (178)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (187)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1196

Ile	Xaa	Leu	Thr	Lys	Gly	Asn	Lys	Arg	Trp	Ser	Ser	Thr	Xaa	Val	Ala
1				5				10						15	

Ala	Ala	Leu	Glu	Xaa	Leu	Asp	Pro	Pro	Gly	Cys	Pro	Gly	Ser	Ala	Xaa
		20					25					30			

Xaa	Asp	Asn	Xaa	Gly	Xaa	Val	Gly	Ser	Gly	Pro	Pro	Asn	Pro	Asp	Leu
		35				40						45			

Ser	Xaa	Thr	Xaa	Leu	Asp	Gln	Tyr	Xaa	Ala	Met	Xaa	Xaa	Xaa	Xaa	His
		50				55				60					

Gly	Xaa	Asn	Met	Glu	Xaa	Ala	Leu	Gly	Met	Leu	Phe	Trp	His	Xaa	Xaa
65					70				75					80	

Asn	Ile	Gln	Xaa	Ser	Xaa	Ala	Asp	Leu	Pro	Asn	Xaa	Thr	Pro	Phe	Pro
				85				90						95	

Asp	Lys	Trp	Thr	Val	Glu	Asp	Lys	Xaa	Leu	Phe	Xaa	Gln	Ala	Phe	Thr
			100					105					110		

Phe	His	Gly	Lys	Thr	Phe	His	Thr	Ile	Gln	Pro	Met	Xaa	Pro	His	Lys
		115					120					125			

Ser	Ile	Xaa	Xaa	Leu	Val	Lys	Xaa	Tyr	Tyr	Ser	Trp	Lys	Lys	Asp	Glu
		130				135					140				

Asp	Xaa	Asn	Tyr	Cys	Asp	Gly	Ser	Pro	Cys	Pro	Gly	Asn	Xaa	Thr	Gly
145						150				155					160

Arg Glu Glu Xaa Xaa Asp Glu Leu Glu Gln Ala Asn Gly Thr Ile Pro  
165 170 175

Xaa Xaa Leu Lys Leu Asp Pro Asn Gln Glu Xaa Gln Arg Glu Val Pro  
180 185 190

<210> 1197

<211> 43

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1197

Glu Gln Asn Leu Asp Arg Gln Val Leu Xaa Thr Gln Cys Ile Arg Leu  
1 5 10 15

Glu Ala Arg Tyr Tyr Ser Leu Ser Leu Thr Xaa Xaa Xaa Leu Ser His

20 25 30  
Ile Val Ala Glu Leu Arg Asn Xaa Lys Xaa Lys  
35 40

<210> 1198  
<211> 98  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (88)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1198  
Val Ser Pro Ala Ser Thr Asn Cys Gln Ser Gln Glu Asn Phe Glu Ala  
1 5 10 15

Phe Met Lys Ala Ile Gly Leu Pro Glu Glu Leu Ile Gln Lys Gly Lys  
20 25 30

Asp Ile Lys Gly Val Ser Glu Ile Val Gln Asn Gly Lys His Phe Lys  
35 40 45

Phe Thr Ile Thr Ala Gly Ser Lys Val Ile Gln Asn Glu Phe Thr Val  
50 55 60

Gly Glu Glu Cys Glu Leu Glu Thr Met Thr Gly Glu Lys Val Lys Thr  
65 70 75 80

Val Val Gln Leu Glu Gly Asp Xaa Lys Leu Val Thr Thr Phe Lys Asn  
85 90 95

Ile Lys

<210> 1199  
<211> 184  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (26)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (45)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (54)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (65)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (77)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (78)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (80)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (83)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (87)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (88)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (95)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (97)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (100)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (108)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (116)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (123)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (129)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (131)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (133)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (136)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (139)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (162)



<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (178)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1199

Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys  
1 5 10 15

Lys Lys Lys Lys Lys Lys Lys Lys Lys Xaa Gly Gly Arg Phe Xaa Gly  
20 25 30

Ser Lys Xaa Thr Xaa Xaa Cys Xaa Xaa Arg Xaa Xaa Xaa Xaa Ile Gly  
35 40 45

Ser Pro Lys Xaa Asn Xaa Leu Ala Val Val Leu Gln Arg Arg Asp Trp  
50 55 60

Xaa Asn Pro Gly Val Thr Gln Leu Asn Arg Leu Ala Xaa Xaa Pro Xaa  
65 70 75 80

Phe Ala Xaa Trp Arg Asn Xaa Xaa Lys Ala Arg Thr Asp Arg Xaa Ser  
85 90 95

Xaa Gln Leu Xaa Ser Leu Asn Gly Lys Trp Asp Xaa Pro Cys Ser Gly  
100 105 110

Ala Leu Ser Xaa Ala Gly Val Gly Val Thr Xaa Ser Val Thr Val Thr  
115 120 125

Xaa Ala Xaa Ala Xaa Ala Pro Xaa Pro Phe Xaa Phe Phe Pro Ser Phe  
130 135 140

Phe Ala Thr Phe Ala Gly Phe Pro Arg Lys Ala Leu Asn Gly Gly Leu  
145 150 155 160

Pro Xaa Gly Phe Arg Phe Arg Ala Leu Arg Asp Leu Asp Pro Lys Lys  
165 170 175

Leu Xaa Leu Gly Gly Trp Phe Thr  
180

<210> 1200

<211> 83

<212> PRT

<213> Homo sapiens

&lt;400&gt; 1200

Gly Pro Glu Met Gln Val Lys Leu Leu Gln Ser Leu Gly Leu Lys Ser  
1 5 10 15

Thr Leu Ile Thr Asp Gly Ser Thr Pro Ile Asn Leu Phe Asn Thr Ala  
20 25 30

Phe Gly Leu Leu Gly Met Gly Pro Glu Gly Pro Ala Pro Gly Gln Lys  
35 40 45

Gly Trp His Trp Ala Gln Pro Trp Lys Gly Asp Ile Pro Pro Val Leu  
50 55 60

Leu Lys Pro Leu Lys Leu Leu Glu Asn Thr Thr Leu Cys Leu Phe Cys  
65 70 75 80

Ala Tyr Ser

&lt;210&gt; 1201

&lt;211&gt; 75

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (74)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1201

Leu Leu Phe Leu Gly Pro Val Gly Leu Ile Met Tyr Leu Gly Gly Val  
1 5 10 15

Phe Phe Ile Asn Arg Gln Arg Ser Ser Thr Ala Met Thr Val Met Ala  
20 25 30

Asp Leu Gly Glu Arg Met Val Arg Glu Asn Leu Lys Val Trp Ile Tyr  
35 40 45

Pro Glu Gly Thr Arg Asn Asp Asn Gly Asp Leu Leu Pro Phe Lys Lys  
50 55 60

Gly Ala Phe Tyr Leu Ala Val Gln Ala Xaa Val  
65 70 75

&lt;210&gt; 1202

&lt;211&gt; 179

<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (108)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (125)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (131)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (132)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (138)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (144)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (145)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (147)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (153)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (157)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (158)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (161)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (166)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (176)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1202

Lys Gln Arg Ser Glu Asp Ser Met Tyr Thr Ala Ile Pro Gln Ser Gly  
1 5 10 15

Ser Pro Phe Pro Gly Ser Val Gln Asp Pro Gly Leu His Val Trp Arg  
20 25 30

Val Glu Lys Leu Lys Pro Val Pro Val Ala Gln Xaa Asn Gln Gly Ile  
35 40 45

Phe Phe Ser Gly Asp Ser Tyr Leu Val Leu His Asn Gly Pro Glu Glu  
50 55 60

Val Ser His Leu His Leu Asn Thr Leu Leu Gly Glu Arg Pro Val Gln  
65 70 75 80

His Arg Glu Val Arg Gly Asn Glu Ser Asp Leu Phe Met Ser Tyr Phe  
85 90 95

Pro Arg Gly Phe Lys Tyr Gln Glu Gly Gly Leu Xaa Ser Ala Phe His  
100 105 110

Lys Thr Ser Thr Gly Ala Pro Val Ala Ile Lys Lys Xaa Tyr Gln Val  
115 120 125

Lys Gly Xaa Xaa Lys Ser Val Gln Arg Xaa Gly Met Asn Trp Glu Xaa  
 130 135 140

Xaa Asn Xaa Gly Cys Leu Pro Gly Xaa Gly Lys Asn Xaa Xaa Gly Leu  
 145 150 155 160

Xaa Asn Gln Ile Trp Xaa Lys Arg Gly Asp Cys Leu Asp Arg Asp Xaa  
 165 170 175

Gln Gly Ser

<210> 1203

<211> 145

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (135)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (140)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1203

Leu Phe Leu Asp Ser Val Gly Gly Gly Ala Trp Pro Phe Leu Val Gly  
 1 5 10 15

Gly Ala Ile Cys Leu Val Asn Ser Asp Asn Glu Arg Asp Ser Gly Met  
 20 25 30

Leu Thr Ser Tyr Ala Thr Pro Glu Arg Ser Ala Ser Pro Asn Phe Leu  
 35 40 45

Glu Gly Gln Val Ala Phe Ser His Pro Arg Leu Ser Asn Asn Arg Ser  
 50 55 60

Val Met Pro Leu Asp Val Arg Gly Cys Thr Arg Ala Thr Leu Thr Gly  
 65 70 75 80

Ser Ala Cys Ala Tyr Pro Thr Pro Ala Gly Ala Gly Asn Pro Leu Asn  
 85 90 95

Pro Ile Arg Asp Gly Asp Arg Gly Leu Gln Leu Phe Pro Met Asn Glu  
 100 105 110

Glu Phe Pro Val Ser Ala Gly His Lys Leu Ala Leu Ile Lys Ser Leu  
115 120 125

Pro Leu Gln Pro Phe Trp Xaa Phe Gly Pro Leu Xaa Leu Phe His Leu  
130 135 140

Ser  
145

<210> 1204

<211> 72

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (53)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (56)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (57)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (60)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1204

Pro	Arg	Pro	Ala	Gly	Asn	Ser	Ser	Arg	Val	His	Xaa	Glu	Gly	Thr	Thr
1				5				10						15	

Val	Leu	Xaa	Xaa	Gln	Phe	Gly	Leu	Asn	Ala	Ser	Xaa	Ser	Arg	Phe	Phe
		20						25					30		

Leu	Gln	Xaa	Xaa	Gln	Leu	Ile	Thr	Ile	Leu	Pro	Val	Arg	Gln	Arg	Xaa
		35					40					45			

Leu	Pro	Leu	Lys	Xaa	Ala	Asn	Xaa	Xaa	Leu	Thr	Xaa	Pro	Ala	Ala	Thr
	50					55					60				

Val	Arg	Gln	Phe	Leu	Gln	Val	Pro
65					70		

&lt;210&gt; 1205

&lt;211&gt; 159

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1205

Thr	Pro	Leu	Gly	Val	Pro	Val	Ile	Gln	Pro	Tyr	Arg	Leu	Asp	Ser	Lys
1				5				10						15	

Val	Lys	Gln	Ile	Gly	Gly	Gly	Ile	Gln	Ser	Ile	Thr	Tyr	Thr	His	Asn
		20						25					30		

Gly Asp Ile Ser Arg Lys Pro Asn Thr Arg Lys Gln Lys Asn Gly Phe  
35 40 45

Pro Pro Asn Phe Ile His Ser Leu Asp Ser Ser His Met Met Leu Thr  
50 55 60

Ala Leu His Cys Tyr Arg Lys Gly Leu Thr Phe Val Ser Val His Asp  
65 70 75 80

Cys Tyr Trp Thr His Ala Ala Asp Val Ser Val Met Asn Gln Val Cys  
85 90 95

Arg Glu Gln Phe Val Arg Leu His Ser Glu Pro Ile Leu Gln Asp Leu  
100 105 110

Ser Arg Phe Leu Val Lys Arg Phe Cys Ser Glu Pro Gln Lys Ile Leu  
115 120 125

Glu Ala Ser Gln Leu Lys Glu Thr Leu Gln Ala Val Pro Lys Pro Gly  
130 135 140

Ala Phe Asp Leu Glu Gln Val Lys Arg Ser Thr Tyr Phe Phe Ser  
145 150 155

<210> 1206

<211> 109

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids



<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (82)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (89)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (97)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (105)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1206

Gln Met Tyr Gly Thr Asn Lys Met Xaa Pro Tyr Arg Asp Ser Lys Leu  
1 5 10 15

Thr His Leu Phe Lys Asn Tyr Phe Asp Gly Glu Gly Lys Val Arg Met  
20 25 30

Ile Val Tyr Val Asn Pro Lys Ala Xaa Asp Tyr Xaa Glu Asn Xaa Gln  
35 40 45

Val Met Arg Phe Ala Glu Val Thr Gln Glu Val Glu Val Ala Arg Pro  
50 55 60

Val Asp Lys Val Ile Cys Gly Leu Thr Pro Xaa Arg Arg Tyr Arg Asn  
65 70 75 80

Gln Xaa Arg Gly Pro Val Gly Asn Xaa Pro Leu Gly Thr Asp Val Val  
85 90 95

Xaa Gln Ser Phe Pro Pro Leu Pro Xaa Met Arg Asn Phe  
100 105

<210> 1207

<211> 84

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1207

Asn	Xaa	Lys	Leu	Ser	Glu	Gln	Glu	Leu	Gln	Phe	Arg	Arg	Leu	Ser	Gln
1				5					10					15	

Glu	Gln	Val	Asp	Asn	Phe	Thr	Leu	Asp	Ile	Asn	Thr	Ala	Tyr	Ala	Arg
			20					25					30		

Leu	Arg	Gly	Ile	Glu	Gln	Ala	Val	Gln	Ser	His	Ala	Val	Ala	Glu	Glu
		35					40					45			

Glu	Ala	Arg	Lys	Ala	His	Gln	Leu	Trp	Leu	Ser	Val	Glu	Ala	Leu	Lys
	50					55					60				

Tyr	Ser	Met	Xaa	Asp	Leu	His	Leu	Ala	Glu	Thr	Pro	Thr	Ile	Pro	Leu
65					70					75				80	

Gly Ser Gly Ser

<210> 1208

<211> 57

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1208

Pro Cys Ser Thr Val Pro Val Thr Thr Glu Val Ser Tyr Ala Gly Cys

1

5

10

15

Thr Lys Thr Val Leu Met Asn His Cys Ser Gly Ser Cys Gly Thr Phe

20

25

30

Val Met Tyr Ser Xaa Gln Ala Gln Ala Leu Asp His Ser Xaa Leu Leu

35

40

45

Leu Gln Arg Xaa Xaa Asn Gln Pro Ala

50

55

<210> 1209

<211> 84

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1209

Ala Xaa Asp Gln Ala Gly Glu Val Asp His Thr Leu Leu Gly Gln Cys  
1 5 10 15

Thr Gly Gly Gly Tyr Phe Met Gln Phe Xaa Thr Ser Ser Gly Ser Ala  
20 25 30

Glu Glu Ala Ala Leu Leu Glu Ser Arg Ile Leu Tyr Pro Lys Arg Lys  
35 40 45

Gln Gln Cys Leu Gln Phe Phe Tyr Lys Met Xaa Gly Glu Val Leu Xaa  
50 55 60

Asp Arg Leu Arg Cys Leu Gly Xaa Gly Gly Asp Asp Ser Thr Gly Asn  
65 70 75 80

Val Arg Asn Trp

<210> 1210

<211> 129

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (106)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (124)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (128)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (129)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1210

Leu Leu Asn Asp Ala Val Thr Val Val Leu Tyr His Leu Phe Glu Glu  
1 5 10 15

Phe Ala Asn Tyr Glu His Val Gly Ile Val Asp Ile Phe Leu Gly Phe  
                   20                  25                  30  
 Leu Ser Phe Phe Val Val Ala Leu Gly Gly Val Leu Val Gly Val Val  
                   35                  40                  45  
 Tyr Gly Val Ile Ala Ala Phe Thr Ser Arg Phe Thr Ser His Ile Arg  
                   50                  55                  60  
 Val Ile Glu Pro Leu Phe Val Phe Leu Tyr Ser Tyr Met Ala Tyr Leu  
                   65                  70                  75                  80  
 Ser Ala Glu Leu Phe His Leu Ser Gly Ile Met Ala Leu Ile Ala Ser  
                   85                  90                  95  
 Gly Val Val Met Arg Pro Tyr Val Gly Xaa Gln His Phe His Lys Phe  
                   100                  105                  110  
 Pro Gln Gln His Gln Ile Ile Ser Trp Lys Met Xaa Glu Gln Arg Xaa  
                   115                  120                  125

Xaa

<210> 1211

<211> 43

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1211

Leu His Ala Phe Cys Xaa Ile Asn Asn Ile Lys Pro Ser Trp Thr Arg  
           1                  5                  10                  15

Xaa Asn Thr Leu Met Phe Ile His Leu Ser Pro Ile Leu Leu Ser  
                   20                  25                  30

Leu Asn Pro Asp Ile Ile Thr Gly Phe Ser Ser  
           35                  40

<210> 1212  
<211> 29  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (17)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (20)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (27)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1212  
Gln Gly Phe Lys Val Glu Arg Met His Ile Thr Asp Met Lys Leu Ala  
1 5 10 15  
Xaa Leu Pro Xaa Leu Glu Ala Leu Gly Val Xaa Val Asn  
20 25

<210> 1213  
<211> 137  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (29)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (70)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (77)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (82)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (92)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (114)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (116)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (135)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (137)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1213  
Ala Lys Val His Pro Asn Ser Val His Ile Cys Ala Val Val Val Glu  
1 5 10 15  
Tyr Glu Thr Lys Ala Gly Arg Ile Asn Lys Gly Val Xaa Thr Asn Trp  
20 25 30  
Leu Arg Ala Lys Glu Pro Ala Gly Glu Asn Gly Gly Arg Ala Leu Val  
35 40 45  
Pro Met Phe Val Arg Lys Ser Gln Phe Arg Leu Pro Phe Lys Ala Thr  
50 55 60  
Thr Pro Val Ile Met Xaa Gly Pro Gly Thr Gly Val Xaa Pro Phe Ile  
65 70 75 80  
Gly Xaa Ile Gln Glu Arg Ala Trp Leu Arg Gln Xaa Gly Lys Glu Val  
85 90 95  
Gly Glu Thr Leu Leu Asn Tyr Gly Cys Arg Arg Ser Asp Glu Asp Tyr

100

105

110

Leu Xaa Arg Xaa Glu Leu Ala Gln Phe His Arg Asp Gly Ala Leu Thr  
115 120 125

Gln Leu Asn Val Ala Phe Xaa Arg Xaa  
130 135

&lt;210&gt; 1214

&lt;211&gt; 207

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (3)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (25)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (54)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (78)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (84)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (97)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (122)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;



<221> SITE  
<222> (136)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (145)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (150)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (158)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (165)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (168)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (170)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (180)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (187)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (196)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

&lt;222&gt; (207)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1214

Ala Ser Xaa His His Ser Ala Cys Phe Leu Gly Pro Glu Ile Met Pro  
1 5 10 15

Leu Gly Leu Leu Trp Leu Gly Leu Xaa Leu Leu Gly Ala Leu His Ala  
20 25 30

Gln Ala Gln Asp Ser Thr Ser Asp Leu Ile Pro Ala Pro Pro Leu Ser  
35 40 45

Lys Val Pro Leu Gln Xaa Asn Phe His Asp Asn Gln Phe His Gly Lys  
50 55 60

Trp Tyr Val Val Arg Leu Ala Arg Asn Ala Ile Leu Arg Xaa His Lys  
65 70 75 80

Asp Pro Gln Xaa Met Tyr Ala Thr Ile Tyr Glu Leu Lys Glu Thr Arg  
85 90 95

Xaa Thr Met Ser Leu Arg Leu Phe Lys Lys Lys Lys Cys Asp Tyr Leu  
100 105 110

Asp Gln Glu Phe Trp Ser Lys Val Ala Xaa Arg Arg Ile Pro Pro Trp  
115 120 125

Gly Pro Leu Lys Leu Pro Trp Xaa Asn Gln Phe Pro Pro Ser Asn Cys  
130 135 140

Xaa His Gln Leu Gln Xaa Pro Ser Phe Gly Phe Leu Pro Xaa Asn Phe  
145 150 155 160

Ser Lys Gln Gly Xaa Leu Pro Xaa Pro Xaa Phe Arg Lys Asn Lys Glu  
165 170 175

Leu Ile Pro Xaa Leu Lys Glu Lys Phe Ser Xaa Leu Pro Phe Leu Gly  
180 185 190

Pro Pro Lys Xaa Lys Phe Val Phe Pro Phe Pro Thr Asn Ile Xaa  
195 200 205

&lt;210&gt; 1215

&lt;211&gt; 69

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

<221> SITE  
<222> (15)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (25)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (31)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (40)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (59)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (65)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (69)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1215  
Gly Ser His Thr Ala Arg Arg Leu Gly Arg Leu Arg Gly Ser Xaa Ala  
1 5 10 15  
Arg Leu Xaa Gly Pro Arg Arg Ala Xaa Gly Gly Lys Met Ala Xaa Gly  
20 25 30

Gly Gly Asp Leu Ser Thr Arg Xaa Leu Asn Xaa Cys Ile Ser Pro Val  
35 40 45

Ala Asn Glu Met Asn His Leu Pro Ala His Xaa His Asp Leu Gln Arg  
50 55 60

Xaa Phe Thr Glu Xaa  
65

<210> 1216

<211> 58

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1216

Leu Asn Pro Leu Gly Ile Lys Tyr Ile Val Ala Arg Pro Val Tyr Ser  
1 5 10 15

Thr Asn Ala Phe Glu Glu Asn His Lys Lys Thr Gly Arg His His Lys  
20 25 30

Thr Phe Leu Asp His Leu Lys Val Cys Xaa Asn Cys Ser Pro Gln Lys  
35 40 45

Ala Arg Glu Leu Xaa Ser Leu Xaa Phe Pro  
50 55

<210> 1217

<211> 144

<212> PRT

<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (126)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1217

Ala Gly Leu Gln Met Gly Arg Ser Arg Ser Arg Ser Pro Arg Arg Glu  
1 5 10 15

Arg Arg Arg Ser Arg Ser Thr Ser Arg Glu Arg Glu Arg Arg Arg Arg  
20 25 30

Glu Arg Ser Arg Ser Arg Glu Arg Asp Arg Arg Arg Ser Arg Ser Arg  
35 40 45

Ser Pro His Arg Arg Arg Ser Arg Ser Pro Arg Arg His Arg Ser Thr  
50 55 60

Ser Pro Ser Pro Ser Arg Leu Lys Glu Arg Arg Asp Glu Glu Lys Lys  
65 70 75 80

Glu Thr Lys Glu Thr Lys Ser Lys Glu Arg Gln Ile Thr Glu Glu Asp  
85 90 95

Leu Glu Gly Lys Thr Glu Glu Glu Ile Glu Met Met Lys Leu Met Gly  
100 105 110

Phe Ala Ser Phe Asp Ser Thr Lys Gly Lys Lys Val Asp Xaa Ser Val  
115 120 125

Asn Ala Tyr Ala Ile Asn Val Ser Gln Lys Arg Lys Tyr Arg Tyr Ala  
130 135 140

&lt;210&gt; 1218

&lt;211&gt; 70

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (2)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1218

Gln Xaa Leu Cys Gln Ala Gly Asp Asp Ser Asn Ser Asn Lys Lys Asn  
1 5 10 15

Ala Asp Leu Gln Val Leu Lys Pro Glu Pro Glu Leu Val Tyr Glu Asp  
20 25 30

Leu Arg Gly Ser Val Thr Phe His Cys Ala Leu Gly Pro Glu Val Ala  
35 40 45

Asn Val Ala Lys Ile Leu Ser Gly Arg Glu Trp Gly Lys Asp Ala Val  
50 55 60

Ser Ser Leu Gln Ile Cys  
65 70

<210> 1219

<211> 104

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (102)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1219

Ser Thr His Ala Ser Ala Xaa Xaa Ser Leu Val Leu Arg Ile Ala Thr  
1 5 10 15

Asp Asp Ser Lys Ala Val Cys Arg Leu Ser Val Lys Phe Gly Ala Thr  
20 25 30

Leu Lys Ile Ser Arg Leu Leu Leu Glu Arg Ala Arg Glu Leu Asn Ile  
35 40 45

Asp Ile Ile Gly Val Ser Phe His Val Gly Ser Gly Cys Thr Asp Pro  
50 55 60

Gly Asp Leu Arg Ala Ser His Leu Arg Cys Pro Leu Cys Leu Arg His  
65 70 75 80

Gly Glu Leu Arg Leu Val Ser Thr Cys Ile Cys Leu Ile Ser Val Val  
85 90 95

Gly Phe Pro Gly Ile Xaa Arg Met  
100

<210> 1220

<211> 89

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (45)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (69)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (87)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (88)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1220

Gly Thr Arg Xaa Cys Pro Xaa Arg Val Arg Val Ala Met Gly Xaa Ile  
1 5 10 15

Glu Trp Ala Xaa Trp Ala Asn Glu Gln Ala Leu Ala Ser Gly Leu Ile  
20 25 30

Leu Ile Thr Gly Gly Ile Val Ala Thr Ala Gly Arg Xaa Thr Xaa Trp  
35 40 45

Tyr Phe Gly Ala Xaa Ser Ile Val Ala Gly Val Phe Val Cys Leu Leu  
50 55 60

Glu Tyr Pro Arg Xaa Lys Arg Lys Lys Gly Ser Thr Met Val Arg Trp  
65 70 75 80

Gly Gln Lys Tyr Met Thr Xaa Xaa Val  
85

<210> 1221

<211> 141

<212> PRT

<213> Homo sapiens

<400> 1221

Asp Thr Phe Ile Arg His Ile Ala Leu Leu Gly Phe Glu Lys Arg Phe  
1 5 10 15

Val Pro Ser Gln His Tyr Val His Val Pro Gly Glu Met Ala Gly Pro  
20 25 30

Val Gly Glu Gly Gly Leu Pro Ala Leu His Arg Asp Leu Arg Val Pro  
35 40 45

Ser Pro Lys Trp Phe Asp Gly Gln Arg Ala Ala Glu Asn His Gln Gly  
50 55 60



Thr Leu Thr Glu Tyr Cys Gly Thr Leu Met Ser Leu Pro Thr Lys Ile  
65 70 75 80

Ser Arg Cys Pro His Leu Leu Asp Phe Phe Lys Val Arg Pro Asp Asp  
85 90 95

Leu Lys Leu Pro Thr Asp Asn Gln Thr Lys Lys Pro Glu Thr Tyr Leu  
100 105 110

Met Pro Lys Asp Gly Lys Ser Thr Ala Thr Asp Ile Thr Gly Pro Ile  
115 120 125

Ile Leu Gln Thr Tyr Arg Ala Ile Ala Asn Tyr Glu Lys  
130 135 140

<210> 1222

<211> 29

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1222

Arg Cys Pro Val Thr Val Cys Gly Xaa Val His Gly Gln Phe His Asp  
1 5 10 15

Leu Met Glu Leu Phe Arg Ile Xaa Gly Lys Ser Pro Asp  
20 25

<210> 1223

<211> 43

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (6)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (8)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (10)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (24)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (40)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (41)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1223  
Leu Xaa Xaa Gln Ile Xaa Tyr Xaa Thr Xaa Pro Thr Ser Leu Pro Arg  
1 5 10 15

Thr Ser Xaa Cys Leu His Ala Xaa Thr Ser Trp Lys Gln Ser Leu Leu  
20 25 30

Gly Cys Leu Asn Xaa Lys Leu Xaa Xaa Ala Thr  
35 40

<210> 1224

<211> 94

<212> PRT

<213> Homo sapiens

<400> 1224

Ala Asp Ala Trp Gly Lys Thr Phe Ala Arg Tyr Leu Ser Phe Arg Arg  
1 5 10 15

Asp Asn Asn Glu Leu Leu Leu Phe Ile Leu Lys Gln Leu Val Ala Glu  
20 25 30

Gln Val Thr Tyr Gln Arg Asn Arg Phe Gly Ala Gln Gln Asp Thr Ile  
35 40 45

Glu Val Pro Glu Lys Asp Leu Val Asp Lys Ala Arg Gln Ile Asn Ile  
50 55 60

His Asn Leu Ser Ala Phe Tyr Asp Ser Glu Leu Phe Arg Met Asn Lys  
65 70 75 80

Phe Ser His Asp Leu Lys Arg Lys Met Ile Leu Gln Gln Phe  
85 90

<210> 1225

<211> 71

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1225

Gly Arg Pro Thr Arg Pro Pro Thr Leu Xaa Leu Ala Trp Thr Ser Gly  
1 5 10 15

Thr Asn Cys Thr Arg Phe Gly Ile Ala Ala Lys Tyr Gln Leu Asp Pro  
20 25 30

Thr Ala Ser Ile Ser Ala Lys Val Asn Asn Ser Ser Leu Ile Gly Val  
35 40 45

Gly Tyr Thr Gln Thr Leu Arg Pro Gly Val Lys Leu Thr Leu Ser Gly  
50 55 60

Ser Gly Arg Trp Glu Glu His  
65 70

<210> 1226

<211> 154

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (105)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (131)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (135)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (142)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (145)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (151)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1226

Gly Lys Met Val Leu Gln Thr Gln Val Phe Ile Ser Leu Leu Leu Trp  
1 5 10 15

Ile Ser Gly Ala Tyr Gly Asp Ile Val Met Thr Gln Ser Pro Asp Ser  
20 25 30



Leu Leu Gln Arg Met Met Met Ala Gly Ser Val Arg Asn Gly Lys Pro  
85 90 95

Arg Arg Thr Val Ile  
100

<210> 1228

<211> 75

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (39)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (57)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (69)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1228

Leu Ile Ser Gly Lys Asp Cys Ala Val Ile Val Thr Gln Lys Lys Val  
1 5 10 15

Pro Asp Lys Leu Leu Xaa Ser Ser Thr Val Thr His Leu Phe Lys Xaa  
20 25 30

Xaa Gly Asn Ile Gly Cys Xaa Lys Thr Gly Met Ser Ala Xaa Ser Arg  
35 40 45

Ser Gln Val Gln Arg Ala Arg Tyr Xaa Ala Ala Asn Leu Glu Tyr Lys  
50 55 60

Tyr Gly Tyr Glu Xaa Pro Val Xaa Met Pro Val  
65 70 75

<210> 1229

<211> 46

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1229

Asn Thr Leu Ile Leu Xaa Pro Ser Lys Asn His Leu Lys Ala Ala Gly  
1 5 10 15

His Leu Tyr Ile Val Met Glu Tyr Cys Asp Gly Arg Asp Leu Met Gln  
20 25 30

Lys Ile Lys Gln Gln Lys Arg Lys Ser Tyr Phe Leu Lys Thr  
35 40 45

<210> 1230

<211> 136

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (51)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (73)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (120)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (123)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (129)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (134)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1230

Lys	Thr	Ile	Arg	Cys	Val	Cys	Thr	Trp	Arg	Leu	His	Leu	Leu	Ala	Ser
1				5				10						15	

Thr	Tyr	Ala	Cys	Ser	Gln	Asn	Thr	Asn	Lys	Thr	Cys	Glu	Glu	Cys	Leu
			20					25					30		

Lys	Asn	Val	Ser	Cys	Leu	Trp	Cys	Asn	Thr	Asn	Lys	Leu	Val	Leu	Asp
		35					40					45			

Tyr	Gln	Xaa	Gln	Ser	Leu	Ala	Thr	Gly	Phe	Pro	Leu	Leu	Ile	Asn	Xaa
	50					55					60				

Leu	His	Leu	Gly	Asn	Phe	Val	Gly	Xaa	Asn	Leu	Glu	Ala	Leu	Asn	His
	65				70					75					80

His	Met	Phe	Gly	Ser	Pro	Gly	Asn	Pro	Pro	Pro	Gly	Ala	Leu	Ala	Ser
				85				90							95





Met Tyr Cys Xaa Pro Val Pro His Phe Arg Ala Leu Xaa Pro Cys Ser  
85 90 95

Ala Ser Gly Arg Ser Xaa Ser Arg Trp  
100 105

<210> 1232  
<211> 99  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (95)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1232  
Asn Ser Ala Arg Ala Glu Val Thr Asp Glu Tyr Lys Asn Xaa Val Lys  
1 5 10 15

Asn Arg Ser Val Tyr Ile Lys Gly Phe Pro Thr Asp Ala Thr Leu Asp  
20 25 30

Asp Ile Lys Glu Trp Leu Glu Asp Lys Gly Gln Val Leu Asn Ile Gln  
35 40 45

Met Arg Arg Thr Leu His Lys Ala Phe Lys Gly Ser Ile Phe Val Val  
50 55 60

Phe Asp Ser Ile Glu Ser Ala Lys Lys Phe Val Glu Ala Pro Gly Gln  
65 70 75 80

Lys Tyr Lys Glu Pro Asp Leu Leu Ile Leu Phe Lys Ala Gly Xaa Phe  
85 90 95

Ala Lys Lys

<210> 1233  
<211> 80  
<212> PRT

<213> Homo sapiens

<400> 1233

Pro Phe Gly Thr Gly Pro Glu Phe Pro Gly Leu Pro Ser Ser Ser Phe  
1 5 10 15  
Leu Arg His Arg Gly Val Phe Leu Thr Pro Leu Leu Ala Met Ser Ser  
20 25 30  
His Lys Thr Phe Arg Ile Lys Arg Phe Leu Ala Lys Lys Gln Lys Gln  
35 40 45  
Asn Arg Pro Ile Pro Gln Trp Ile Arg Met Lys Thr Gly Asn Lys Ile  
50 55 60  
Arg Tyr Asn Ser Lys Arg Arg His Trp Arg Arg Thr Lys Leu Gly Leu  
65 70 75 80

<210> 1234

<211> 83

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1234

Val Thr Leu Xaa Lys Val Arg Leu Gln Val Pro Val Arg Asn Ser Arg  
1 5 10 15  
Val Asp Pro Arg Val Arg Arg Pro Thr Arg Pro Pro Thr Arg Pro Pro  
20 25 30  
Thr Arg Pro Pro Thr Arg Pro Leu Cys Arg Lys Met Gly Val Pro Tyr  
35 40 45  
Cys Ile Ile Lys Gly Lys Ala Arg Leu Gly Arg Leu Val His Arg Lys  
50 55 60  
Thr Cys Thr Thr Val Ala Phe Thr Gln Val Asn Ser Glu Arg Gln Arg  
65 70 75 80  
Arg Phe Gly

&lt;210&gt; 1235

&lt;211&gt; 161

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1235

Arg Glu Gln Lys Leu Glu Leu His Arg Gly Ala Ala Ala Leu Glu Leu  
1 5 10 15

Val Asp Pro Pro Gly Cys Arg Asn Ser Ala Arg Gly Ala Ala Thr Met  
20 25 30

Val Arg Met Asn Val Leu Ala Asp Ala Leu Lys Ser Ile Asn Asn Ala  
35 40 45

Glu Lys Arg Gly Lys Arg Gln Val Leu Ile Arg Pro Cys Ser Lys Val  
50 55 60

Ile Val Arg Phe Leu Thr Val Met Met Lys His Gly Tyr Ile Gly Glu  
65 70 75 80

Phe Glu Ile Ile Asp Asp His Arg Ala Gly Lys Ile Val Val Asn Leu  
85 90 95

Thr Gly Arg Leu Asn Lys Cys Gly Val Ile Ser Pro Arg Phe Asp Val  
100 105 110

Gln Leu Lys Asp Leu Glu Lys Trp Gln Asn Asn Leu Leu Pro Ser Arg  
115 120 125

Gln Phe Gly Phe Ile Val Leu Thr Thr Ser Ala Gly Ile Met Asp His  
130 135 140

Glu Glu Ala Arg Arg Lys His Thr Gly Gly Lys Ile Leu Gly Phe Phe  
145 150 155 160

Phe

&lt;210&gt; 1236

&lt;211&gt; 152

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (106)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (138)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (150)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (151)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (152)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1236

Leu Xaa Arg Ala Leu Phe Lys Arg Asn Pro Ala Asn Arg Leu Gly Ser  
1 5 10 15

Gly Pro Asp Gly Ala Glu Glu Ile Lys Arg His Val Phe Tyr Ser Thr  
20 25 30

Ile Asp Trp Asn Lys Leu Tyr Arg Arg Glu Xaa Thr Pro Pro Phe Lys  
35 40 45

Pro Ala Val Ala Gln Pro Asp Asp Thr Phe Tyr Phe Asp Thr Glu Phe  
50 55 60

Thr Ser Arg Thr Pro Lys Asp Ser Pro Gly Ile Pro Pro Ser Ala Gly  
65 70 75 80

Ala His Gln Leu Phe Arg Gly Phe Ser Phe Val Ala Thr Gly Leu Met  
85 90 95

Glu Asp Asp Gly Lys Pro Arg Ala Pro Xaa Ala Pro Leu His Ser Val  
100 105 110

Val Gln Gln Leu His Gly Lys Asn Leu Val Phe Ser Asp Gly Tyr Val  
115 120 125

Val Lys Glu Thr Ile Gly Val Gly Ser Xaa Ser Glu Cys Lys Arg Cys  
130 135 140

Val His Lys Gly Pro Xaa Xaa Xaa  
145 150

<210> 1237

<211> 73

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (57)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (71)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1237

Arg Asp Thr Ser His Xaa Val Ala Gly Ala Leu Arg Pro Xaa Val Gln  
1 5 10 15

Ala Thr Val Xaa Ala Thr Xaa Xaa Gln Pro Val Leu Asp Leu Lys Arg  
20 25 30

Pro Phe Leu Ser Arg Glu Ser Leu Ser Gly Xaa Ala Cys Asp Arg Leu  
35 40 45

Val Val Asp Ser Xaa Gly Ala Gln Xaa Pro Cys Phe Phe Leu Leu Ile  
50 55 60

Pro Thr Gln Thr Ser Arg Xaa Leu Ile  
65 70

<210> 1238

<211> 41

<212> PRT

<213> Homo sapiens

<400> 1238

Met Gly Phe Ser Leu Ile Pro Ser Ser Phe Ser His Leu Ala Asp Asn  
1 5 10 15

Thr Thr Ser Leu Thr Asp Lys His Leu Asp Pro Ile Arg Glu Asn Leu  
20 25 30

Gly Lys His Trp Glu Lys Leu Cys Pro  
35 40

<210> 1239

<211> 42

<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (18)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (29)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (39)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (41)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1239  
His Asp Ser Cys Lys Lys Xaa Thr Lys His Tyr Glu Met Leu Ala Asn  
1 5 10 15  
Arg Xaa Ala Ala Asn Gly His Cys Ile Asp Ile Tyr Xaa Cys Ala Pro  
20 25 30  
Asp Gln Thr Gly Leu Leu Xaa Leu Xaa Cys  
35 40

<210> 1240  
<211> 106  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>



&lt;221&gt; SITE

&lt;222&gt; (65)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (98)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1240

Leu Glu Ser Leu Gln Glu Asn His Phe Gln Glu Asp Xaa Gln Phe Leu  
 1 5 10 15

Gly Ala Val Met Pro Arg Leu Gly Ile Gly Met Asp Thr Cys Val Ile  
 20 25 30

Pro Leu Lys His Gly Gly Leu Ser Leu Val Gln Thr Thr Asp Tyr Ile  
 35 40 45

Tyr Pro Ile Val Asp Asp Pro Tyr Met Met Thr Pro Ala Val Ala Glu  
 50 55 60

Xaa Arg Pro Val Pro Cys Pro His Leu Ala Leu Gly Ile Lys Gln Leu  
 65 70 75 80

Gly Arg Lys Gln Glu Ser Pro Leu Leu Leu Leu Gln Leu Asn Thr Cys  
 85 90 95

Trp Xaa Asp Asn Met Cys Gln Cys Pro Gln  
 100 105

&lt;210&gt; 1241

&lt;211&gt; 77

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1241

Ser Arg Pro Val Gly Ser Gly Cys Asp Asn Pro Ser Asn Val Glu Lys  
 1 5 10 15

Pro Gly Ala Cys Leu Ala Leu Cys Leu Leu Pro Ser Gly Gly Thr Glu  
 20 25 30

Ser Gln Asp Gln Ser Ser Leu Cys Lys Gln Pro Pro Ala Gly His Lys  
 35 40 45

Arg Ser Arg Ser Met Leu Asn Ser Asn Gly Ser Val Thr Val Val Val  
 50 55 60

Phe Phe Lys Pro Ala Asp Thr Cys His Thr Ala Gly Ile  
65 70 75

<210> 1242

<211> 110

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (103)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1242

Arg Leu Ala Ile Thr Gly Leu Thr Met Glu Arg Lys Val Leu Ala Leu  
1 5 10 15

Gln Ala Arg Lys Lys Arg Thr Lys Ala Lys Lys Asp Lys Ala Gln Arg  
20 25 30

Lys Ser Glu Thr Gln His Arg Gly Ser Ala Pro His Ser Glu Ser Asp  
35 40 45

Leu Pro Glu Gln Glu Glu Glu Ile Leu Gly Ser Asp Asp Asp Glu Gln  
50 55 60

Glu Asp Pro Asn Asp Tyr Cys Lys Gly Gly Tyr His Leu Val Lys Ile  
65 70 75 80

Gly Asp Leu Phe Asn Gly Arg Tyr His Val Ile Arg Lys Leu Gly Trp  
85 90 95

Gly His Phe Ser Thr Val Xaa Val Ile Met Gly Tyr Ser Ser  
100 105 110

<210> 1243

<211> 101

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (4)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (11)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (63)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (74)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (86)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (88)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (93)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (94)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1243

Xaa	Thr	Ile	Xaa	Glu	Glu	Xaa	Val	Pro	Leu	Xaa	Val	Pro	Val	Arg	Asn
1				5					10					15	
Ser	Arg	Val	Asp	Pro	Arg	Val	Arg	Tyr	Asp	Asn	Leu	Ile	Thr	Pro	Ala
			20					25					30		
Met	Xaa	Gly	Ala	Gly	Xaa	Leu	Gln	Gly	Asn	Val	Asp	Ser	Cys	Gln	Gly
		35					40					45			
Asp	Xaa	Gly	Gly	Pro	Leu	Val	Thr	Ser	Lys	Asn	Asn	Ile	Trp	Xaa	Leu
	50					55						60			
Ile	Gly	Asp	Thr	Ser	Trp	Gly	Ser	Gly	Xaa	Ala	Lys	Ala	Tyr	Arg	Pro
65					70					75				80	
Gly	Val	Tyr	Gly	Asn	Xaa	Met	Xaa	Phe	Thr	Asp	Trp	Xaa	Xaa	Arg	Gln
				85					90					95	
Met	Arg	Ala	Asp	Gly											
			100												

<210> 1244

<211> 80

<212> PRT

<213> Homo sapiens

<400> 1244

Gly	Val	Tyr	Thr	Met	Ser	Lys	Ala	His	Pro	Pro	Glu	Leu	Lys	Lys	Phe
1				5					10					15	
Met	Asp	Lys	Lys	Leu	Ser	Leu	Lys	Leu	Asn	Gly	Gly	Arg	His	Val	Gln
			20					25					30		
Gly	Ile	Leu	Arg	Gly	Phe	Asp	Pro	Phe	Met	Asn	Leu	Val	Ile	Asp	Glu
		35					40					45			
Cys	Val	Glu	Met	Ala	Thr	Ser	Gly	Gln	Gln	Asn	Asn	Ile	Gly	Met	Val
	50					55						60			
Val	Ile	Arg	Gly	Asn	Ser	Ile	Ile	Met	Leu	Glu	Ala	Leu	Glu	Arg	Val
65					70					75				80	

&lt;210&gt; 1245

&lt;211&gt; 129

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (128)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1245

Phe Ile Met Asp Asn Leu Ser Ser Glu Glu Ile Gln Gln Arg Ala His  
 1 5 10 15

Gln Ile Thr Asp Glu Ser Leu Glu Ser Thr Arg Arg Ile Leu Gly Leu  
 20 25 30

Ala Ile Glu Ser Gln Asp Ala Gly Ile Lys Thr Ile Thr Met Leu Asp  
 35 40 45

Glu Gln Lys Glu Gln Leu Asn Arg Ile Glu Glu Gly Leu Asp Gln Ile  
 50 55 60

Asn Lys Asp Met Arg Glu Thr Glu Lys Thr Leu Thr Glu Leu Asn Lys  
 65 70 75 80

Cys Cys Gly Leu Cys Val Cys Pro Cys Asn Arg Thr Lys Asn Phe Glu  
 85 90 95

Ser Gly Lys Ala Tyr Lys Thr Thr Trp Gly Asp Gly Gly Glu Asn Ser  
 100 105 110

Pro Cys Asn Val Val Ser Lys Gln Pro Gly Pro Val Thr Asn Gly Xaa  
 115 120 125

Leu

&lt;210&gt; 1246

&lt;211&gt; 136

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (134)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1246

Ser Thr Glu Gly Tyr Gly Cys Glu Lys Thr Thr Glu Gly Tyr Gly Cys  
1 5 10 15

Glu Lys Thr Thr Glu Gly Gly Ser Met Ala Tyr Pro Gly His Pro Gly  
20 25 30

Ala Gly Gly Gly Tyr Tyr Pro Gly Gly Tyr Gly Gly Ala Pro Gly Gly  
35 40 45

Pro Ala Phe Pro Gly Gln Thr Gln Asp Pro Leu Tyr Gly Tyr Phe Ala  
50 55 60

Ala Val Ala Gly Gln Asp Gly Gln Ile Asp Ala Asp Glu Leu Gln Arg  
65 70 75 80

Cys Leu Thr Gln Ser Gly Ile Ala Gly Gly Tyr Lys Pro Phe Asn Leu  
85 90 95

Glu Thr Cys Arg Leu Met Val Ser Met Leu Asp Arg Asp Met Ser Gly  
100 105 110

Thr Met Gly Phe Asn Glu Phe Lys Glu Leu Trp Ala Val Leu Asn Gly  
115 120 125

Trp Arg Gln His Phe Xaa Asn Phe  
130 135

&lt;210&gt; 1247

&lt;211&gt; 87

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (6)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (23)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (61)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (62)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (78)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (83)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1247  
His Ser Gly Gly Pro Xaa Arg Pro Ala Val Ala Asp Val Gly Leu Gly  
1 5 10 15  
Gly Arg Ala Arg Arg Arg Xaa Pro Thr Gly Ala Ser Thr Trp Gly Thr  
20 25 30  
Ser Xaa Arg Arg Ala Arg Glu Gly Thr Trp Xaa Asp Leu Phe Tyr Lys  
35 40 45  
Tyr Xaa Arg Ile Arg Glu Ile Glu Leu Lys Asn Arg Xaa Xaa Ser Ser  
50 55 60  
Cys Arg Pro Ser Cys Ala Ser Arg Asn Pro Arg Asp Ala Xaa Asp Ala  
65 70 75 80  
Ile Tyr Xaa Lys Lys Trp Leu

85

<210> 1248  
<211> 112  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (1)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (6)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (40)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (58)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (68)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE



&lt;222&gt; (84)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (95)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (100)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (103)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (106)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1248

Xaa	Ser	Xaa	Phe	Gly	Xaa	Pro	Ala	Arg	Arg	Ser	Gly	Pro	Glu	Leu	Pro
1				5					10					15	

Gly	Arg	Pro	Thr	Arg	Pro	Ala	Thr	Ile	Leu	Lys	Gln	Met	Gln	Val	Leu
			20					25					30		

His	Pro	Ala	Ala	Arg	Met	Leu	Xaa	Glu	Leu	Xaa	Lys	Ala	Gln	Asp	Ile
		35					40					45			

Glu	Ala	Gly	Asp	Gly	Thr	Thr	Ser	Xaa	Xaa	Ile	Ile	Ala	Gly	Ser	Leu
	50					55					60				

Leu	Asp	Ser	Xaa	Thr	Lys	Leu	Leu	Gln	Lys	Gly	Ile	His	Pro	Thr	Ile
65					70					75					80

Ile	Ser	Glu	Xaa	Phe	Gln	Lys	Ala	Leu	Glu	Lys	Gly	Ile	Glu	Xaa	Leu
				85					90					95	

Thr	Asp	Met	Xaa	Arg	Pro	Xaa	Glu	Leu	Xaa	Asp	Arg	Glu	Thr	Leu	Val
			100					105					110		

&lt;210&gt; 1249

<211> 113  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (110)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1249  
Lys Phe Met Asn Ser Arg Val Phe Lys Lys Ile Gln Ala Leu Lys Ala  
1 5 10 15  
Ser Pro Ser Lys Lys Arg Cys Asn Ser Ile Ala Ala Leu Lys Ala Thr  
20 25 30  
Ser Gln Glu Ile Val Ser Ser Ile Ser Gln Glu Trp Lys Asp Glu Lys  
35 40 45  
Arg Asp Leu Leu Thr Glu Gly Gln Ser Phe Ser Ser Leu Asp Glu Glu  
50 55 60  
Ala Leu Gly Ser Arg His Arg Pro Asp Leu Val Pro Ser Thr Pro Ser  
65 70 75 80  
Leu Phe Glu Ala Ala Ser Leu Ala Thr Thr Ile Ser Leu Leu Pro Ile  
85 90 95  
Arg Gln Trp Ala Leu Ser Thr Arg Gln Gly Leu Gln Phe Xaa Gln Thr  
100 105 110

Arg

<210> 1250  
<211> 76  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (2)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (24)  
<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (37)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (53)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (75)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1250

Gly Xaa His Val Phe Arg Asn Ile His Lys Thr Asn Leu Cys Asp Leu  
1 5 10 15

Ile Thr Ser Leu Leu Cys Leu Xaa Val Leu Leu Pro Thr Lys Glu Leu  
20 25 30

Asn Glu His Phe Xaa Ser Lys Leu Lys Ala Pro Ile Pro Ile Glu Leu  
35 40 45

Val Val Val Val Xaa Ala Thr Leu Thr Ser His Phe Gly Lys Leu His  
50 55 60

Glu Asn Tyr Asn Ser Ser Ile Ala Gly His Xaa Pro  
65 70 75

&lt;210&gt; 1251

&lt;211&gt; 151

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1251

Leu Val Ser Asn Gly Pro Ala Asp Thr Leu Asp Leu Thr Tyr Trp Ile  
1 5 10 15

Asp Gly Thr Arg His Val Val Ser Leu Glu Asp Val Gly Leu Ala Asp  
20 25 30

Ser Gln Trp Lys Asn Val Thr Val Gln Val Ala Gly Glu Thr Tyr Ser  
35 40 45

Leu His Val Gly Cys Asp Leu Ile Asp Ser Phe Ala Leu Asp Glu Pro  
50 55 60

Phe Tyr Glu His Leu Gln Ala Glu Lys Ser Arg Met Tyr Val Ala Lys  
65 70 75 80

Gly Ser Ala Arg Glu Ser His Phe Arg Gly Leu Leu Gln Asn Val His  
85 90 95

Leu Val Phe Glu Asn Ser Val Glu Asp Ile Leu Ser Lys Lys Gly Cys  
100 105 110

Gln Gln Gly Gln Gly Gly Arg Cys Val Val Lys Asn Ala Phe Tyr Ile  
115 120 125

Leu Ala Trp Met Asp Phe Tyr Cys Asp Met Val Tyr Val Cys Val Cys  
130 135 140

Met Cys Val His Ser Cys Leu  
145 150

<210> 1252  
<211> 56  
<212> PRT  
<213> Homo sapiens

<400> 1252  
Lys Asn Gly Thr Ser Leu Cys Phe Ser Ser Ala Thr Met Ser Asp Lys  
1 5 10 15

Pro Asp Met Ala Glu Ile Glu Lys Phe Asp Lys Ser Lys Leu Lys Lys  
20 25 30

Thr Glu Thr Gln Glu Lys Asn Pro Leu Pro Ser Lys Glu Thr Ile Glu  
35 40 45

Gln Glu Lys Gln Ala Gly Glu Ser  
50 55

<210> 1253  
<211> 74  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (5)  
<223> Xaa equals any of the naturally occurring L-amino acids  
  
<220>

<221> SITE  
<222> (22)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (32)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (42)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (45)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (49)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (54)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (60)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (62)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1253

Ala Glu Gly Pro Xaa Ala Ala Ala Leu Leu Leu Ser Leu Leu Leu Phe  
1 5 10 15

Gly Phe Thr Leu Val Xaa Gly Thr Gly Ala Glu Lys Thr Gly Val Xaa  
20 25 30

Pro Glu Leu Gln Ala Ala Pro Ala Thr Xaa Xaa Xaa Xaa Cys Val Leu  
35 40 45

Xaa Asn Ser Glu Met Xaa Arg Thr Thr Ser Lys Xaa Leu Xaa Gly Gly  
50 55 60

Xaa Val Xaa Pro Ser Ala Ser Leu Pro Gln  
65 70

<210> 1254

<211> 129

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (94)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (109)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (112)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (116)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (121)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (125)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1254

Ser Pro Ala Arg Pro Leu Ile Arg Ser Asp Lys Met Lys Glu Thr Ile  
1 5 10 15

Met Asn Gln Glu Lys Leu Ala Lys Leu Gln Ala Gln Val Arg Ile Gly  
20 25 30

Gly Lys Gly Thr Ala Arg Arg Lys Lys Lys Val Val His Arg Thr Ala  
35 40 45

Thr Ala Asp Asp Lys Lys Leu Gln Phe Ser Leu Lys Lys Leu Gly Val  
50 55 60

Asn Asn Ile Ser Gly Ile Glu Glu Val Asn Met Phe Thr Asn Gln Gly  
65 70 75 80

Thr Val Ile His Phe Asn Asn Pro Lys Val Gln Ala Ser Xaa Ala Ala  
85 90 95

Asn Thr Phe Thr Ile Thr Gly His Ala Glu Thr Lys Xaa Leu Thr Xaa  
100 105 110

Met Leu Pro Xaa Ile Leu Asn Gln Xaa Gly Ala Asp Xaa Leu Thr Lys  
115 120 125

Phe

&lt;210&gt; 1255

&lt;211&gt; 188

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (1)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (99)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (102)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (165)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (183)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (188)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1255

Xaa Thr Ser Leu Glu Thr Pro Val Pro Val Leu Asn Ser Arg Leu Asp  
1 5 10 15

Pro Arg Val Arg Met Thr Val Pro Gly Ala Ser Pro Glu Asp Xaa Trp  
20 25 30

Val Lys Val Glu Tyr Ala Tyr Ser Asp Asn Ser Leu Asp Pro Gly Leu  
35 40 45

Phe Val Glu Ser Thr Arg Lys Gly Ser Val Val Ser Arg Ala Asn Ser  
50 55 60

Ile Gly Ser Thr Ser Ala Ser Ser Val Pro Asn Thr Asp Asp Glu Asp  
65 70 75 80

Ser Asp Tyr His Gln Glu Ala Tyr Lys Glu Ser Tyr Lys Asp Arg Arg  
85 90 95

Arg Arg Xaa Thr His Xaa Arg Leu Glu Gln Lys Arg Arg Asp Ala Ile  
100 105 110



Lys Arg Gly Tyr Asp Asp Leu Gln Thr Ile Val Pro Thr Cys Gln Gln  
115 120 125

Gln Asp Phe Ser Ile Gly Ser Gln Lys Leu Ser Lys Ala Ile Val Tyr  
130 135 140

Lys Arg Pro Leu Thr Thr Phe Ser Phe Cys Thr Arg Arg Arg Lys Ser  
145 150 155 160

Arg Arg Arg Arg Xaa His Val Thr Gln Gly Cys Thr Gly Leu Lys Ile  
165 170 175

Met Lys Val Asn Tyr Glu Xaa Ile Val Lys Ala Xaa  
180 185

<210> 1256

<211> 66

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (39)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1256

Leu Pro Cys Val Lys Val Pro Val Arg Asn Ser Arg Val Asp Pro Arg  
1 5 10 15

Xaa Arg Ala Arg Met Leu Asn Leu Leu Leu Xaa Ala Leu Ala Val Leu  
20 25 30  
Ala Ser Arg Ala Tyr Ala Xaa Pro Ala Pro Gly Gln Ala Leu Gln Arg  
35 40 45  
Val Gly Ile Val Gly Gly Xaa Glu Ala Pro Arg Ser Lys Trp Pro Trp  
50 55 60  
Xaa Val  
65

<210> 1257

<211> 146

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (131)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (135)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (138)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (145)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1257

Gly Xaa Glu Gly Lys Xaa Phe Ser Val Ser Gly Xaa Trp Ser Ser Thr  
1 5 10 15

Ala Val Ala Ala Ala Leu Glu Leu Val Asp Pro Pro Gly Cys Arg Asn  
20 25 30

Ser Ala Arg Ala Ala Gln Gln Arg Leu Thr Leu Cys Leu Arg Gly Arg  
35 40 45

Glu Ser Pro Gly Gly Arg His Gly Gly Val Gly Glu Pro Ala Gln Glu  
50 55 60

Asn Gly Val Gln Val Phe Asn Asp Gly Ser Ser Arg Glu Leu Met Asn  
65 70 75 80

Leu Thr Gly Thr Ile Pro Val Pro Tyr Arg Gly Asn Thr Tyr Asn Ile  
85 90 95

Pro Ile Cys Leu Trp Leu Leu Asp Thr Tyr Pro Tyr Asn Pro Pro Ile  
100 105 110

Cys Phe Val Lys Pro Thr Ser Ser Met Thr Ile Lys Thr Gly Lys His  
115 120 125

Val Asp Xaa Pro Lys Lys Xaa Gly Gly Xaa Lys Lys Gly Lys Ile Leu  
130 135 140

Xaa Phe  
145

<210> 1258

<211> 35

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (26)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (27)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (32)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1258  
Xaa Ile Pro Pro Asp His Gln Thr Leu Ile Phe Ala Gly Lys His Leu  
1 5 10 15  
Glu Asn Gly Xaa Xaa Leu Ser Asp Tyr Xaa Xaa His Lys Glu Ser Xaa  
20 25 30  
Leu His Leu  
35

<210> 1259  
<211> 73  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (8)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (11)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1259

Val Lys Val Cys Met Met Met Xaa Leu Leu Xaa His Arg Leu Leu Lys  
1 5 10 15

Trp Ser Trp Ile Val Arg Ser Lys Leu Leu Leu Gln Asp Pro Pro Val  
20 25 30

Thr Tyr Ile Gln Gln Phe Ala Asp Ala Ala Xaa Asn Leu Thr Ser Xaa  
35 40 45

Asp Ser Glu Lys Trp Asn Ser Val Phe Pro Lys Pro Gly Thr Leu Val  
50 55 60

Gln Val Leu Glu Ala Ala Lys Phe Ala  
65 70

<210> 1260

<211> 95

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)  
 <223> Xaa equals any of the naturally occurring L-amino acids  
  
 <220>  
 <221> SITE  
 <222> (42)  
 <223> Xaa equals any of the naturally occurring L-amino acids  
  
 <220>  
 <221> SITE  
 <222> (52)  
 <223> Xaa equals any of the naturally occurring L-amino acids  
  
 <220>  
 <221> SITE  
 <222> (65)  
 <223> Xaa equals any of the naturally occurring L-amino acids  
  
 <220>  
 <221> SITE  
 <222> (68)  
 <223> Xaa equals any of the naturally occurring L-amino acids  
  
 <220>  
 <221> SITE  
 <222> (76)  
 <223> Xaa equals any of the naturally occurring L-amino acids  
  
 <220>  
 <221> SITE  
 <222> (80)  
 <223> Xaa equals any of the naturally occurring L-amino acids  
  
 <400> 1260  
 Leu Cys Ser Thr Xaa Xaa Xaa Arg His Asn Ile Gln Lys Glu Leu Cys  
   1                  5                  10                  15  
  
 Leu His Ala Ala Gln Gly Leu Ala Gln Leu Lys Ala Cys Thr Tyr Lys  
                   20                  25                  30  
  
 Gly His Lys Thr Gly Xaa Thr Xaa Glu Xaa Ile Trp Glu Ile Gln Lys  
           35                  40                  45  
  
 Asp Gln Leu Xaa Tyr Tyr Pro Phe Leu Lys Met Cys Leu Ser Ala Asn  
   50                  55                  60  
  
 Xaa Glu His Xaa Ser Leu Val Asp Ala Thr His Xaa Asn His Ser Xaa  
   65                  70                  75                  80  
  
 Asn Gly Tyr Leu Ala Lys Met Ile Lys Arg Ser Leu Lys Leu Thr  
           85                  90                  95

<210> 1261  
<211> 94  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (86)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (91)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1261  
Phe Gly Thr Arg Lys Arg Met Glu Thr Lys Gly Ala Gly Val Thr Leu  
1 5 10 15  
Asn Val Leu Glu Met Thr Ser Glu Asp Leu Glu Asn Ala Leu Lys Ala  
20 25 30  
Val Ile Asn Asp Lys Ser Tyr Lys Glu Asn Ile Xaa Arg Leu Ser Ser  
35 40 45  
Leu His Lys Asp Arg Pro Val Glu Pro Leu Asp Leu Ala Val Phe Trp  
50 55 60  
Val Glu Phe Val Met Arg His Lys Gly Ala Pro His Leu Arg Pro Ala  
65 70 75 80  
Pro His Gly Pro His Xaa Val Pro Val Pro Xaa Pro Trp Pro  
85 90

<210> 1262  
<211> 66  
<212> PRT  
<213> Homo sapiens

<400> 1262  
Gly Thr Gly Gln His Trp His Ser Gln Ala Val Gly Lys Gly Arg Asp

1                      5                      10                      15  
 Ala Glu Val Val Ser Ile Leu Thr Phe Arg Gly Leu Phe Leu Phe Val  
                     20                      25                      30  
 Leu Ile Phe Ala Arg Leu Ile Leu Lys Thr His Val Glu Glu Leu Lys  
                     35                      40                      45  
 Glu Cys Leu Glu Asp Gln Lys Ser Pro Met Thr Gly Thr Lys Ala Thr  
                     50                      55                      60  
 Asn Phe  
 65

&lt;210&gt; 1263

&lt;211&gt; 121

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (80)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1263

Asn Thr Met Ala Val Ala Ala Val Lys Trp Val Met Ser Lys Arg Thr  
 1                      5                      10                      15  
 Ile Leu Lys His Leu Phe Pro Val Gln Asn Gly Ala Leu Tyr Cys Val  
                     20                      25                      30  
 Cys His Lys Ser Thr Tyr Ser Pro Leu Pro Asp Asp Tyr Asn Cys Asn  
                     35                      40                      45  
 Val Glu Leu Ala Leu Thr Ser Asp Gly Arg Thr Ile Val Cys Tyr His  
                     50                      55                      60  
 Pro Ser Val Asp Ile Pro Tyr Glu His Thr Lys Pro Ile Pro Arg Xaa  
                     65                      70                      75                      80  
 Asp Pro Val His Asn Asn Glu Glu Thr His Asp Gln Val Leu Lys Thr  
                     85                      90                      95  
 Arg Leu Glu Glu Lys Val Glu His Leu Glu Glu Gly Pro Met Ile Glu  
                     100                      105                      110  
 Gln Leu Ser Lys Met Phe Leu Tyr Tyr  
                     115                      120



<210> 1264  
<211> 101  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (67)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (96)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (100)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (101)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1264  
Val Ala Ser Gly Val Gly Arg Val Thr Val Asn Ala Tyr Val Ser Leu  
1 5 10 15  
Phe Tyr Thr Ile Lys Arg Ala Gln Val Val Ser Pro Glu Arg Val Gly  
20 25 30  
Ser Trp His Ile Gly Arg Pro Ser Asp Pro Val Gln Cys Leu Leu Ala  
35 40 45  
Ile Leu Pro Glu Gln Ala Leu Lys Pro Lys Ser His Pro Arg Pro Val  
50 55 60  
Ser Ala Xaa Ala Lys Ala Ser Leu Ser Ser Gly Arg Arg Gly Lys Gly  
65 70 75 80  
Ala Gly Asp Gln Ala Leu Ala Leu Gly Pro Ser Phe Ser Pro His Xaa  
85 90 95  
Gly Asn Lys Xaa Xaa  
100

<210> 1265

<211> 43

<212> PRT

<213> Homo sapiens

<400> 1265

Asp Leu Leu Met Lys Met Thr Ile Ser Cys Cys Phe Tyr Pro Thr Ser  
1 5 10 15

Ala Phe Ser Pro Phe Lys Ala Ala Val Ser Cys Leu Ile Lys Glu Tyr  
20 25 30

Trp Pro Val Leu Gln Ile Leu Thr Gly Phe Gly  
35 40

<210> 1266

<211> 29

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1266

Gly Ser Trp Pro Gly Ala Xaa Gly Xaa Arg Asp Gly Ser His Gly Xaa  
1 5 10 15

Arg Leu Xaa Ala His Gly Pro Ile Asn Leu Glu Arg Ile  
20 25

<210> 1267  
<211> 59  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (1)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (5)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (16)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (42)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (51)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (59)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1267

Xaa Pro Xaa Phe Xaa Gln Glu Leu Ile Gln Asn Phe Pro Asp Lys Xaa  
 1 5 10 15

Asn Leu Xaa Leu Val Phe Leu Leu Phe Phe Val Leu Val Asn Leu Gly  
 20 25 30

Ser Asn Val Ile Arg Asn Ser Leu Trp Xaa Xaa Ala Thr Asp Ala Gln  
 35 40 45

Pro Val Xaa Val Asp Tyr Ser Ser Ser Asn Xaa  
 50 55

<210> 1268

<211> 49

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (39)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1268

Val Phe Lys Lys Asn Met Ser Cys Xaa Leu Ser Lys Asn Lys Met His  
 1 5 10 15

Leu Asn Ser Lys Lys Lys Lys Lys Lys Lys Xaa Gly Gly Gly Arg  
 20 25 30

Gly Lys Lys Lys Xaa Glu Xaa Glu Xaa Leu Lys Lys Gly Arg Gly Ala  
35 40 45

Pro

<210> 1269

<211> 61

<212> PRT

<213> Homo sapiens

<400> 1269

Pro Thr Leu Pro Glu Glu Asn Ser Val Phe Phe Thr Phe His Thr Val  
1 5 10 15

Phe Pro Met Arg Glu Gly Ala Gln Pro Glu Ser Thr Thr Ile Met Val  
20 25 30

Lys Phe Pro Thr Glu Ser Ser Cys Glu Trp Ile Ile Arg Lys Asn Glu  
35 40 45

Glu Ser Lys Arg Gln Lys Ser Lys Asn Arg Trp Gly Leu  
50 55 60

<210> 1270

<211> 29

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1270

Asn Ile Asn Lys Asp His Leu Met His Ala Phe Lys Lys Lys Lys Lys  
1 5 10 15

Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Xaa Xaa Xaa  
                   20                                  25

<210> 1271  
 <211> 113  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (35)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (37)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (53)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (60)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (81)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (82)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (111)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1271  
 Gly Pro Lys Glu Glu Leu Arg Gly Gly Gly Asp Met Ala Asp Leu  
   1                  5                                  10                                  15

Pro Arg Arg Val Thr Arg Pro Leu Met Met Gly Leu Gln Gly Ser Ser

20 25 30

Gly Leu Xaa Ala Xaa Thr Val Gln Arg Lys Arg Ala Gly Ile Val Thr  
35 40 45

Gly Ser Asp Gly Xaa His Arg Ser Glu Arg Glu Xaa Ala Gly Thr Gly  
50 55 60

Ile Val Thr Val Thr Val Thr Ala Ser Thr Asn Gly Gly Ser Gly Ala  
65 70 75 80

Xaa Xaa Arg Gly Arg Asp Glu Ala Arg Ser Trp Gly Arg Trp Pro Gly  
85 90 95

Gln Arg Val Gly Arg Phe Gly Gln Arg Gln Pro Arg Ile Leu Xaa Glu  
100 105 110

Phe

<210> 1272

<211> 87

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (54)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (70)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (71)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (73)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (76)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1272

Gly	Lys	Ser	Asn	Val	Leu	Trp	Xaa	Gln	Arg	Arg	Gly	Arg	Xaa	Gln	His
1				5				10						15	

Leu	Ala	Trp	Xaa	Ser	Gln	Gly	Thr	Gln	Xaa	Arg	Ser	Pro	Pro	Gly	His
	20					25						30			

Asn	Thr	Xaa	Lys	Ala	Ser	Tyr	Ser	Gly	Val	Glu	Ser	Phe	Gln	Gln	Pro
	35					40						45			

Gly	Pro	Val	Leu	Gly	Xaa	Tyr	Ser	His	Pro	Pro	Tyr	Arg	Cys	Val	Tyr
	50					55					60				

Val	Thr	Leu	Cys	His	Xaa	Xaa	Ser	Xaa	Thr	Ile	Xaa	Asn	Ser	Gln	Glu
65					70					75				80	

Ser	Pro	His	Phe	Tyr	Asn	Leu
					85	

&lt;210&gt; 1273

&lt;211&gt; 115

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens



&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (103)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (105)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1273

His Lys Ala Pro Leu Glu His Leu Pro Gly Trp Gln Asp His Ala Ile  
1 5 10 15

Ser Val Glu Lys Val Leu Gly Arg Glu Val Leu Pro Val Pro His Gly  
20 25 30

Val Arg Pro Cys Pro Cys Trp Gly Leu Trp Gly Gly Ile Trp Tyr Ser  
35 40 45

Gly Gly Leu Ala Gln Leu Ser Leu Arg Ser Phe Pro Ile Arg Met Leu  
50 55 60

Val Asn Ile Leu Arg Ser Ser Leu Phe Ser Asn Lys Glu Tyr Ser Phe  
65 70 75 80

Asn Ser Cys Ser Ser Ser Gln Phe Thr Thr Pro Ile Cys Leu Ser Lys  
85 90 95

Ile His Pro Asn Gly Ile Xaa Gly Xaa Gly Pro Pro Trp Ile Gln Ser  
100 105 110

Val Ser Trp  
115

&lt;210&gt; 1274

&lt;211&gt; 37

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1274

Glu Leu Val Ser Ser Phe Phe Phe Phe Phe Phe Leu Phe Phe Gly Ser  
1 5 10 15

Phe Lys Gly Asn Gly Pro Ser Met Ser Ile Phe Asn Ile Leu His Ser  
20 25 30

Leu Phe Leu Trp Cys

35

<210> 1275  
<211> 107  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (25)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (58)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (66)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (67)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (68)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (79)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (84)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (87)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (91)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (101)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (102)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (104)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (106)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1275  
Asp Cys Gly Thr Leu Ile Ile Tyr His Ala Gly Ser Pro Gln Lys Pro  
1 5 10 15  
Cys Ala His Glu Pro Leu Trp Ala Xaa Gly Glu Lys Arg Gly Leu Arg  
20 25 30  
Glu Leu Pro Glu Arg Ala Val Ser Trp Glu Gln Gly Asp Ile Ser Ser  
35 40 45  
Pro Xaa Thr Arg Asn Met Thr Gln Xaa Xaa Gly Asn Lys Lys Pro Ser  
50 55 60  
Pro Xaa Xaa Xaa Gly Gly Ala Arg Pro Leu Lys Ser Thr Met Xaa Ala  
65 70 75 80  
Gly Gly Ile Xaa Val Lys Xaa Ser Gly Phe Xaa Lys Asp His Ile Phe  
85 90 95

Phe Ser Gln Phe Xaa Xaa Pro Xaa Phe Xaa Cys  
100 105

<210> 1276  
<211> 85  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (6)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (16)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (17)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (20)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (25)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (26)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (28)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (32)  
<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (63)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (71)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (72)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (81)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1276

Ile Asn Lys Ile Cys Xaa Asn Leu Tyr Pro Leu Leu Trp His Phe Xaa  
1 5 10 15

Xaa Ile Ile Xaa Ala Arg Lys Met Xaa Xaa Asn Xaa Gly Pro Gly Xaa  
20 25 30

Glu Gly Lys Glu Pro Phe Leu Val Ala Gly Asn Cys Val Gly Lys Glu  
35 40 45

Val Gln Ile Cys Ala Tyr Glu Ile Ser Arg Asn Arg Trp Asn Xaa Thr  
50 55 60

Pro Met Gln Leu Leu Leu Xaa Xaa Lys Gln Gly Ala Trp Ser Asn Gly  
65 70 75 80

Xaa Thr Leu Cys Leu  
85

&lt;210&gt; 1277

&lt;211&gt; 40

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (33)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1277

Trp Val Tyr Thr Val Val Arg Gln Val Ser Phe Thr Leu Leu Met Met  
1 5 10 15

Cys Cys Cys His Gly Asn Pro Ala Gln Tyr Glu Arg Asn Arg Arg Phe  
20 25 30

Xaa His Leu Val Tyr Val Leu Gly  
35 40

&lt;210&gt; 1278

&lt;211&gt; 65

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (8)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (18)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (30)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (37)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (47)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (56)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (64)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (65)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1278

Asn Tyr His Ser Gly Gly Pro Xaa Lys Thr Pro Ala Gly Asp His Leu  
1 5 10 15

Ala Xaa Trp Leu Lys Pro Pro Val Ser Ile Ser Lys Phe Xaa Pro Lys  
20 25 30

Glu Gly Val Gly Xaa Lys Ile Trp Gly Asn Leu Ser Pro Phe Xaa Phe  
35 40 45

Phe Pro Gly Thr Pro Pro Leu Xaa Gly Glu Thr Leu Ala Arg Gly Xaa  
50 55 60

Xaa

65

&lt;210&gt; 1279

&lt;211&gt; 28

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (11)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (24)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1279

Val Ile Ala Asp Cys Ile Ala Leu Phe Leu Xaa Arg Leu Ser Ile Leu  
1 5 10 15

Ile Gln Lys Val Ser Ile Phe Xaa Asn His Glu Ile  
20 25

&lt;210&gt; 1280

&lt;211&gt; 22

&lt;212&gt; PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1280

Tyr	Glu	Gly	His	Phe	Phe	Phe	Phe	Phe	Phe	Phe	Phe	Phe	Phe	Phe
1				5				10					15	

Phe	Xaa	Pro	Pro	Pro	Xaa
					20

<210> 1281

<211> 49

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids



<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1281

Xaa	Xaa	Leu	Lys	Asp	Thr	Cys	Leu	Lys	Ala	Glu	Met	Glu	Ala	Xaa	Cys
1				5				10					15		

Xaa	Arg	Arg	Ile	Leu	Cys	Xaa	Asn	Leu	Ala	Met	Cys	Phe	Pro	Cys	Xaa
			20				25					30			

Trp	Ala	Asp	Glu	Cys	Leu	Leu	Asn	Asp	Glu	Ile	Leu	Thr	Ser	Lys	Gly
		35					40					45			

Gly

<210> 1282

<211> 86

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (80)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1282

His Glu Pro Ala Ser Leu Ser Pro Ala Ala Trp Ala Arg Lys Val Cys  
1 5 10 15

Gly Ser Phe Ser Gly Ser Asp Phe Xaa Thr Glu Leu His Arg Pro Thr  
20 25 30

Xaa Leu Ser Pro Xaa Gly Leu Gln Gly Pro Gly Ser Arg Pro Lys Pro  
35 40 45

Xaa Lys Ser Lys Thr Ser Leu Glu Lys Phe Arg Asp Arg Pro Gly Glu  
50 55 60

Met Gly Xaa Arg Tyr Gly Val Ser His Leu Thr Pro Glu Asp Ala Xaa  
65 70 75 80

Phe Ser Leu Gln Gly Ala  
85

<210> 1283

<211> 91

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (88)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (91)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1283

Thr Pro Leu Ser Gln Asn Pro Ala Gln Ala Glu Arg Tyr Gly Ser Ala  
1 5 10 15

Ala Glu Pro Arg Leu Ala Ser Asp Ser Arg Ser Pro Ala Cys Pro Arg  
20 25 30

Arg Arg Ala Ala Pro Pro Ser Thr Arg Pro Ala Arg Ala Gly Gly Arg  
35 40 45

Val Pro Arg Arg Ala Pro Gly Pro Gly Ser Gly Ala Glu Cys Pro Ser



Leu Thr Lys Ser Phe Lys Ile Phe Cys Asp Asn Val Leu Ile Glu Ala  
1 5 10 15  
Tyr Ile Ile Leu Gln Phe Leu Glu Ser Lys Met Met Tyr Pro Leu Arg  
20 25 30  
Ile Tyr Thr Ser Cys Phe Ile Gly Leu Arg Gly Leu Ile Phe Ile Arg  
35 40 45  
Arg Asp Leu Leu Val Phe Thr Ile Cys Pro Leu Ser Trp His Val  
50 55 60

<210> 1286

<211> 35

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1286

Ser Leu Tyr Pro Ile His Met Leu Phe Lys Asn Xaa Ala Ile Thr Lys  
1 5 10 15  
Lys Gln Ile Met Val Phe Phe Arg Asn Leu Ile Xaa Val Tyr Ser Thr  
20 25 30  
Lys Tyr Phe  
35

<210> 1287

<211> 73

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (8)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (30)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (42)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (47)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (48)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (49)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (54)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (63)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (70)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1287

Xaa Glu Gly Val Gly Phe Xaa Xaa Val Asp Gly Gly Gly Glu Gly Arg  
1 5 10 15

Pro Pro Glu Leu Xaa Leu Met Gln Ser Phe Leu Ala Met Xaa Asn Leu  
20 25 30

Ser Val Ile Val Leu Ile Ile Lys Phe Xaa Val Phe Lys Lys Xaa Xaa  
35 40 45

Xaa Leu Ser Xaa Leu Xaa Phe Xaa Thr Pro Trp Lys Val Pro Xaa Gly  
50 55 60

Gly Gly Ala Gln Ser Xaa Trp Phe Ser  
65 70

<210> 1288

<211> 77

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (69)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (70)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (77)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1288

Gly Gln Met Leu Ile Phe Cys Leu Gln Lys Lys Leu Gly Phe Pro Lys  
1 5 10 15

Gln Phe Tyr Tyr Pro Val His Asn Ser Phe Thr Gln Xaa Ser Ser His  
20 25 30

Gly Ile His Gly Ser Xaa Ser Phe Xaa Leu Pro Asp Gly Arg Asn Lys  
35 40 45

Ile Ile His Phe Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys  
50 55 60

Lys Arg Xaa Ala Xaa Xaa Glu Asp Pro Ser Xaa Arg Xaa  
65 70 75

<210> 1289

<211> 27

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (12)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1289  
Ala Arg Thr Ala Xaa Ala Xaa Glu Gly Val Arg Xaa Trp Asp Leu Thr  
1 5 10 15

Val Gly Pro Ile Ser Leu Phe Ser Ala Leu Leu  
20 25

<210> 1290  
<211> 41  
<212> PRT  
<213> Homo sapiens

<400> 1290  
Asn Ser Ala Arg Ala His Leu His Leu Pro His Ser Pro Pro Leu Leu  
1 5 10 15

Val Pro Asp Thr Ser Thr Pro Thr Trp Ser Ser Pro Ile Ala His Lys  
20 25 30

Arg Gly Gly Thr Arg Asp Glu Leu Ser  
35 40

<210> 1291  
<211> 93  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (11)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE



<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (81)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (86)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (88)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1291

Ser Arg Arg Pro Gly Pro Arg Gly Leu Val Xaa Ala Ser Gly Arg Gly  
1 5 10 15

Pro Gly Ser Ser Gln Ser Phe Pro Ser Pro Asn Asp Val Ala Phe Phe  
20 25 30

Val Val Cys Phe Arg Xaa Leu Lys Gln Pro Arg Arg Arg Leu Tyr Trp  
35 40 45

Leu Ser Ala Leu Ala Thr Ala Val Val Met Val Thr Gly Pro Asn Ser  
50 55 60

Arg Trp Pro Lys Pro Thr Cys His Arg Ala Gly Ser Leu Val Gly Arg  
65 70 75 80

Xaa Gln Ala Arg Gly Xaa Ala Xaa Ala Glu His Ser Phe  
85 90

<210> 1292

<211> 130

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (112)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (119)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1292

Gln Ala Ala Glu Pro Lys Glu Phe Ala Pro Arg Cys Gly Pro Thr Trp  
1 5 10 15

Leu Gly Pro Cys Pro Gly Arg Val Ile Leu Cys Ser Glu Ala Ile Ser  
20 25 30

Gly Thr Gly Pro Pro Arg Pro Thr Pro Pro Glu His Gly Ser Arg Leu  
35 40 45

Pro Gln Pro Ser Trp Leu Arg Arg Leu Ser Glu Pro Arg Gly Gly Leu  
50 55 60

Glu Gly Arg Phe Val Cys Arg Asp Gly Ala Arg Ala Gln Val Leu Asp  
65 70 75 80

Val Val Cys Ile Glu Arg Pro Lys Ala Gly Gly Lys Cys Thr Gly His  
85 90 95

Lys Arg Ser Leu Ser Cys Asp Ala Gln Val Leu Arg Ser Gly Arg Xaa  
100 105 110

Pro Ala Gly Ser Gly His Xaa Trp Val His Arg Gly Ala Phe Gln Thr  
115 120 125

Asn Met  
130

<210> 1293

<211> 31

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1293

Trp	Phe	Pro	His	Ser	Arg	Cys	Phe	Xaa	Ile	Arg	Ile	Arg	Val	Leu	Leu
1				5					10					15	

Glu	Arg	Xaa	Ser	Cys	Ser	Xaa	Tyr	Arg	Ile	Val	Val	Val	Xaa	Phe	
			20					25						30	

<210> 1294

<211> 35

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1294

Gly	Gly	Xaa	Val	Pro	Asn	Cys	Pro	Tyr	Ser	Glu	Cys	Val	Leu	Gln	Leu
1				5				10					15		

Thr Gly Xaa Trp Xaa Tyr Xaa Val Val Asp Trp Glu Lys Xaa Trp Gly

20

25

30

Tyr Pro Thr

35

&lt;210&gt; 1295

&lt;211&gt; 84

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (39)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (44)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (46)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (76)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (79)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (83)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1295

Phe Gln Phe Ala Asn Arg Thr Asn Thr Gly Glu Asn Leu Pro Lys Thr  
1 5 10 15

Leu Val Ile Lys Tyr Ile Ser Ser Thr Phe Arg Ser Phe Phe Phe Trp  
20 25 30

Asp Ser Val Ser Asn Lys Xaa Ile Lys Ile Lys Xaa Gly Xaa His Phe  
35 40 45

Ala Val Ala Ala Val Gln Arg Thr Leu Leu Asn Leu Tyr Val Arg His  
 50 55 60

Ser Met Leu Tyr Trp Gly Asn Leu Gly Arg Ser Xaa Val Phe Xaa Ile  
 65 70 75 80

His Ile Xaa Ile

<210> 1296

<211> 35

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1296

Ser Xaa Asn Val Val Xaa Leu Pro Phe Val Lys Ala Pro Lys Xaa Arg  
 1 5 10 15

Asn Pro Asn Leu Thr Cys Asn Thr Xaa Leu Thr Gln Asn Gly Ser Tyr  
 20 25 30

Ile Xaa Leu  
 35

<210> 1297  
<211> 102  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (8)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (9)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (27)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (28)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (80)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (94)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (97)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (102)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1297

Gly Val Leu Ala Arg Ala Xaa Xaa Xaa Pro Gly Ala Ala Asp Gly Arg  
1 5 10 15

Ala Arg Leu Cys Gly Pro Glu Val Gly Ala Xaa Xaa Ala Lys Val Ala  
20 25 30

Gly Ala Ala Glu Pro Asp Glu Asp Gly Gly Arg Ser Gly Phe Gly Thr  
35 40 45

Ala Glu Thr Thr His Arg Ala Ser Ala Trp Ala Arg Arg Ser Asp Ala  
50 55 60

Val Val Pro Gly Arg His Ser Gly Arg His Arg Asp Gly Gln Lys Xaa  
65 70 75 80

Arg Arg Val Phe Val Val Phe Val Ala Val Met Met Asn Xaa Leu His  
85 90 95

Xaa Trp Leu Gln Val Xaa  
100

<210> 1298

<211> 51

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1298

Cys Lys Gln Tyr Leu Thr Asn Pro Gln Val Leu Asn Tyr Gln Thr Cys  
1 5 10 15

Ile Lys Asn Phe Gly Trp Gly Asp Leu Gly Ala Glu Pro Ser Leu Arg

20 25 30  
Xaa Xaa His Ala Xaa Thr Ser Pro Val Lys Ala Asn Tyr Tyr Thr Arg  
35 40 45  
Leu Ile Gln  
50

<210> 1299  
<211> 64  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (16)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (22)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (23)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (24)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (26)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (42)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>



<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1299

Arg Thr Xaa Gln Gly Glu Gly Gln Arg Arg Arg Pro Cys Lys Ser Xaa  
1 5 10 15

Val Lys Lys Lys Lys Xaa Xaa Xaa Pro Xaa Tyr Arg Leu Glu Glu Val  
20 25 30

Lys Asp Lys Asp Gly Lys Pro Leu Leu Xaa Lys Glu Ser Xaa Gly Thr  
35 40 45

Ala Ser Thr His Gly Val Glu Asp Phe Leu Leu Gly Trp Leu Cys Val  
50 55 60

<210> 1300

<211> 58

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (58)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1300

Lys Met Lys Leu Cys Arg Lys Cys Ser Pro Gln His Asp Xaa Glu Arg  
1 5 10 15

Asn Ser Gly Thr Arg Phe Phe Pro Val Pro Leu Phe Ser Gln Gly Ser  
20 25 30

Ala Gly Ile Gln Gly Gln Arg Ile Ser Leu Pro Glu Cys Ala Lys Xaa  
35 40 45

Xaa Glu Lys Gly Asn Cys Leu Ser Leu Xaa  
50 55

<210> 1301

<211> 37

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1301

Thr Leu Val Gln Xaa Val Val Ser Gly Ala Ser Val Xaa Gly Lys Ser  
1 5 10 15

Pro Pro Tyr Xaa Lys Trp Asn Ser Pro Glu Pro Val Cys Glu Arg Xaa  
20 25 30

Thr Gly Val Xaa Ser  
35

<210> 1302

<211> 75

<212> PRT

<213> Homo sapiens

<400> 1302

Gln Glu Glu Ala Leu His Ile Leu Gly Phe Gln Pro Pro Phe Glu Asp  
1 5 10 15

Ile Arg Phe Gly Pro Phe Thr Gly Asn Thr Thr Leu Met Arg Trp Phe  
20 25 30

Arg Gln Ile Asn Asp His Phe His Val Lys Gly Cys Ser Tyr Val Leu  
35 40 45

Tyr Lys Pro His Gly Lys Asn Lys Thr Ala Gly Glu Thr Ala Ser Gly  
50 55 60

Ala Leu Ser Lys Leu Thr Arg Gly Ile Glu Arg  
65 70 75

<210> 1303

<211> 26

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1303

Ala	Xaa	Xaa	His	His	Pro	Trp	Xaa	Xaa	Leu	Xaa	Trp	Glu	Arg	Phe	Arg
1				5				10					15		

Cys	Asn	Ile	Asn	Cys	Asp	Glu	Asp	Pro	Lys
			20					25	

<210> 1304

<211> 46

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (45)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1304

Gly	Arg	Val	Lys	Xaa	Phe	Xaa	Gly	Ala	Pro	Gly	Asn	Xaa	Ala	Asp	Xaa
1				5					10					15	

Xaa	Xaa	Phe	Arg	Thr	Gln	Met	Met	Asp	Leu	Glu	Leu	Ala	Met	Xaa	Arg
			20					25					30		

Gln	Asn	His	Gly	Leu	Ser	Ser	Tyr	Asp	Xaa	Gly	Gly	Xaa	Val
		35					40					45	

<210> 1305

<211> 70

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (42)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (53)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (55)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (64)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (68)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1305  
Lys Ser Glu Gly Xaa Met Phe Cys Glu Thr Phe Ile Phe Leu Lys Glu  
1 5 10 15

Lys Xaa Lys Gly Arg Pro Ile Ser Ser Gln Asp His Thr His Xaa Xaa  
20 25 30

Gly Xaa Gly His Xaa Xaa Ser Met Ala Xaa Phe Val Lys Phe Gly Cys  
35 40 45

Phe Xaa Asn Xaa Xaa Leu Xaa Lys Trp Met Trp Pro Lys Thr Phe Xaa  
50 55 60

Leu Gly Trp Xaa Gly Lys  
65 70

<210> 1306

<211> 45

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1306

Xaa Leu Thr Val Lys Asp Ala Gly Gly Gln Xaa Ile Pro Gly Val Pro  
1 5 10 15

Glu Xaa Ser Cys His Val Gly Val Lys Ala Glu Gly Ala Xaa Xaa Thr  
20 25 30

Gln Xaa Asp Arg Gly Ala Arg Xaa Xaa Ser Gln Ala Phe  
35 40 45

<210> 1307

<211> 38

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1307

Gln Ser Thr Arg Ala Glu Tyr Glu Ser Lys Ala Glu Gly Val Met Xaa  
1 5 10 15

Gly Gln Ala Phe Arg Lys Phe Gln Gln Gly Ala Ala Gly Asn Met Lys  
20 25 30

Gly Met Met Gly Ile Gln  
35

<210> 1308

<211> 59

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)



<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (47)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (48)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (49)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (59)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1308  
Xaa Val Ser Xaa Phe Arg Lys Pro Leu Xaa Cys Ala Asn His Ser Arg  
1 5 10 15  
Lys Xaa Asn Leu Tyr Leu Gly Tyr Asn Thr Thr Val Ser Tyr Val Thr  
20 25 30  
Xaa Ala Xaa Xaa Xaa Pro Leu Cys Xaa Xaa Xaa Xaa Ala Lys Xaa Xaa  
35 40 45  
Xaa Arg Lys Lys Gly Lys Arg Lys Thr Asn Xaa  
50 55

<210> 1309  
<211> 30  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (12)  
<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (19)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (23)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1309

Gly Thr Arg Ser Leu Glu His Ala Ala Gly Leu Xaa Gly Leu Ser Gln  
1 5 10 15

Val Cys Xaa Pro Arg Arg Xaa Ser Ala Arg Pro Val Gln Pro  
20 25 30

&lt;210&gt; 1310

&lt;211&gt; 67

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (46)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1310

Ser Tyr Asn His Gly Thr Lys Asn Phe Ile Glu Ile Phe Lys His Leu  
1 5 10 15

Ile Lys Leu Lys Leu Leu Phe Gln Met Phe Lys Phe Tyr His Pro Phe  
20 25 30

Phe Ser His Glu Phe Leu Lys Asp Tyr Ala Leu Met Leu Xaa Ser Ile  
35 40 45

Leu Leu Phe Leu Lys Ile Pro Gly Ile Phe Trp Tyr His Val Gln Pro  
50 55 60

Thr Ser Leu  
65

&lt;210&gt; 1311

&lt;211&gt; 99

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (70)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (81)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (91)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (97)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1311

Ser Pro Ser Leu Trp Val Val Pro Trp Arg Gly Trp Ser Ser Ser Ser  
1 5 10 15

Ser Ser Pro Thr Ser Ser Ala Gly Arg Gly Val Thr Gln Ala Thr Arg  
20 25 30

Leu Ser Ser Leu Val His Ala Gly Thr Ala Ala Ala Gly Ala Ser Val  
35 40 45

Pro Phe Ser Gly Leu Arg Val Leu Ser Lys Gly Gly His Thr Phe Trp  
50 55 60

Gln Thr Phe Leu Lys Xaa Gly Ser Ser Asn Val Lys Phe His Leu Gly  
65 70 75 80

Xaa His Leu Thr Met His Asn Arg Leu Ile Xaa Glu Met Asp Gly Val  
85 90 95

Xaa Phe Gly

&lt;210&gt; 1312

&lt;211&gt; 34

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (15)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (27)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1312  
Gly Ile Xaa Val Gln Glu Gly Arg Gly Leu Ala Val Ala Glu Xaa His  
1 5 10 15  
Lys Lys Val Thr Arg Pro Gly Ala Ala Asp Xaa Ala Arg Arg Pro His  
20 25 30

Leu Tyr

<210> 1313  
<211> 50  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (26)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1313  
Thr Val Val Arg Gln Val Ser Phe Thr Leu Leu Met Met Cys Cys Cys  
1 5 10 15  
His Gly Asn Pro Ala Gln Tyr Glu Arg Xaa Arg Ser Ser Asp Ile Gly  
20 25 30

Val Cys Ala Gly Leu Arg Ser Gln Trp Gly Glu Thr Thr His Leu Trp  
35 40 45

Gly Xaa  
50

<210> 1314  
<211> 54  
<212> PRT  
<213> Homo sapiens

<400> 1314  
Thr Val Val Arg Gln Val Ser Phe Thr Leu Leu Met Met Cys Cys Cys  
1 5 10 15  
His Gly Asn Pro Ala Gln Tyr Glu Arg Asn Arg Ser Ser Asp Ile Trp  
20 25 30  
Cys Met Cys Leu Ala Glu Glu Pro Met Gly Arg Thr Thr Ile Cys Gly  
35 40 45  
Ile Met Thr Glu Arg Leu  
50

<210> 1315  
<211> 84  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (63)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (75)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (79)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (82)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (83)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1315

Thr Ala Gly Arg Trp Pro Trp Lys Ser Glu Ser Ala Lys Glu Cys Val  
1 5 10 15

Thr Thr His Leu Pro Asn Gln Leu Ala Leu Lys Met Asp Gly Ala Gly  
20 25 30

Ala Ser Gly Pro Tyr Pro Ala Val Ala Gly Ser Arg Glu Trp Thr Gly  
35 40 45

Ala Ala Gly Ala Ala Arg Ala Arg Ala Val Leu Val Phe Ala Xaa Phe  
50 55 60

Pro Val Gly Lys Arg Pro Asn Pro Leu Pro Xaa Trp Phe Leu Xaa Pro  
65 70 75 80

Gln Xaa Xaa Thr

<210> 1316

<211> 68

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (66)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1316

Lys Ser Thr Ser Thr Gln Gly Trp Ser Ala Gln Trp Xaa Thr Glu His  
1 5 10 15

Gly Leu Leu Xaa Ser Leu Gln Tyr Phe Glu Phe Ile Phe Leu Pro Ile  
20 25 30

Tyr Val Leu Tyr Ala Ala Gly Ala Pro Leu Lys Phe Tyr Ser Val Leu  
35 40 45

Gln Lys Lys Lys Lys Lys Lys Lys Arg Gly Ala Pro Xaa Lys Gly  
50 55 60

Pro Xaa Phe Xaa  
65

<210> 1317

<211> 51

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids



<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1317

Ile Xaa Xaa Pro Xaa Gly Gly Pro Lys Pro Pro Pro Phe Xaa Lys Xaa  
1 5 10 15

Phe Ser Pro Pro Pro Pro Arg Asn Pro Pro Xaa Phe Phe Ser Pro  
20 25 30

Pro Pro Xaa Asp Pro Xaa Pro Xaa Lys Lys Phe Phe Phe Phe Leu Lys  
35 40 45

Thr Pro Pro  
50

<210> 1318

<211> 78

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (73)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1318

Asp Phe Asn Leu His Gln Pro Leu Lys Cys Arg Pro Leu Cys Asp Trp  
1 5 10 15

Xaa Tyr Ala Leu Leu Lys Cys His Lys Ala Ala Ser His Leu Trp Gly  
20 25 30

Tyr Cys Tyr Lys Phe Phe Leu Ser Leu Lys Xaa Pro Phe Leu Leu Ser  
35 40 45

Ser Val Gly Lys Phe Xaa Gln Ile Ser Ser Ser Xaa Pro Gly Arg Asn  
50 55 60

His Ser Pro Gln Gly Asn Leu Pro Xaa Leu Phe Leu Gly Cys  
65 70 75

<210> 1319

<211> 28

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1319

His Leu Asp Val Pro Ser Cys Leu Leu Lys Lys Lys Lys Lys Thr Arg  
1 5 10 15

Xaa Gly Ala Arg Tyr Pro Xaa Pro Pro Asn Ser Xaa  
20 25

<210> 1320

<211> 27

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1320

Gly Lys His Gly Lys Gly Ser Gly Lys Trp Ala Cys Xaa Xaa Leu Gly  
1 5 10 15

Arg Xaa Xaa Leu Xaa Pro Ala Leu Met Val Thr  
20 25

<210> 1321

<211> 71

<212> PRT

<213> Homo sapiens

<400> 1321

Gln Ser Pro Ile His Phe Ser Cys Thr Arg Met Leu Trp Lys Ser Leu  
1 5 10 15

Met Thr Arg Thr Val Phe Ser Leu His Cys Leu Ala Leu Gly Phe Glu  
20 25 30

Lys Lys Ile Arg Glu Gly Arg Ser Gly Ile Ser Trp Pro Lys Phe Pro  
35 40 45

Leu Gly Arg Thr Gly Arg Cys Cys Ser Ser Lys Arg Glu Gly Phe Phe  
50 55 60

Gln Ser His Leu Pro Glu Ser  
65 70

<210> 1322

<211> 80

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (63)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (66)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (73)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (79)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (80)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1322

Gly Gly Ser Thr Ser Ser Leu Lys Ile Leu Glu Gly Met Glu Glu Ser  
1 5 10 15

Gln His Val Phe Leu Thr Gln Asp Pro Trp Phe Val Leu Lys Ala Xaa  
20 25 30

Asn Pro Gln Val Pro Ala Phe Asp Asp Val Tyr Arg Lys Cys Trp Leu  
35 40 45

Thr Glu His Ile Cys Pro Ile Pro Gly Val Xaa Arg Lys Pro Xaa Ile  
50 55 60

Phe Xaa Ile Pro Asn Phe Phe Leu Xaa Xaa Lys Lys Lys Met Xaa Xaa  
65 70 75 80

<210> 1323

<211> 57

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1323

Gln	Gly	Leu	Asn	Pro	Tyr	Thr	Phe	Trp	His	Asn	Xaa	Ile	Xaa	Leu	Gly
1				5					10					15	

Asn	Glu	Leu	Cys	Lys	Gly	Glu	Pro	Lys	Leu	Lys	Thr	Pro	Xaa	Asn	Gln
			20					25					30		

Thr	Glu	Leu	Thr	Leu	Arg	Asn	Ser	Leu	Lys	Glu	Ala	His	Pro	Ser	Tyr
			35					40					45		

Val	Gly	Lys	Ile	Val	Gly	Lys	Val	Phe
	50					55		

<210> 1324

<211> 31

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1324

Lys	Arg	Lys	Leu	Arg	Glu	Gly	Arg	Asn	Leu	Asn	Xaa	Leu	Met	Lys	Ile
1				5					10					15	

Met	Leu	Xaa	Ile	Ile	Lys	Thr	Gly	Tyr	Glu	Tyr	Ser	Asn	Pro	Phe
			20					25					30	

<210> 1325

<211> 40

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1325

Leu Glu Ile Thr Leu Gln Gly Glu Pro Lys Leu Arg Pro Pro Lys Pro  
1 5 10 15

Asp Glu Leu Pro Lys Lys Gln Leu Lys Glu His Thr Arg Leu Cys Xaa  
20 25 30

Lys Ile Val Gly Arg Phe Ile Gly  
35 40

<210> 1326

<211> 65

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (58)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1326

Ala Tyr Lys Lys Glu Lys Glu Gln Ser Gln Glu Arg Thr Xaa Xaa Lys  
1 5 10 15

Cys Phe Gly Thr Ser Leu Phe Leu Asp Phe Glu Leu Ser Asn Trp Phe

20 25 30

Ser Gln Val Lys Leu Lys Asn Ser Glu Thr Trp Phe Tyr Glu Ser Cys  
35 40 45

Ser Tyr Thr Phe Leu Xaa Xaa Gly Pro Xaa Leu Leu Pro Arg Leu Leu  
50 55 60

Thr  
65

<210> 1327  
<211> 48  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (23)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (48)



<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1327

Trp	Glu	Lys	Phe	Ile	Gly	Xaa	Lys	Arg	Gln	Thr	Tyr	Glu	Pro	Gly	Asp
1				5				10					15		
Thr	Gly	Cys	Ser	Gln	Asn	Xaa	Ile	Leu	Val	Ser	Leu	Leu	Ile	Leu	Ala
			20					25					30		
Xaa	Glu	Pro	Pro	Xaa	Xaa	Pro	Trp	Leu	Ile	Tyr	Xaa	Leu	Val	Pro	Xaa
		35					40					45			

<210> 1328

<211> 72

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (60)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (63)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (68)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (69)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1328  
Leu Asp Gln Lys Lys Ser Xaa Leu Phe Asp Leu Xaa Arg Xaa Asn Leu  
1 5 10 15  
Pro Xaa Leu Tyr Thr His Val Cys Val Ser Leu Lys Arg Xaa Val Arg  
20 25 30  
Leu Xaa Lys Ile Leu Ile Val Ile Asn His Val Xaa Thr Ser Cys Asn  
35 40 45  
Glu Leu His Asp Leu Ile Leu Ser Leu Leu Ala Xaa Thr Thr Xaa Tyr  
50 55 60  
Phe Ser Asn Xaa Xaa Ile Ser Pro  
65 70

<210> 1329  
<211> 19  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1329

Thr	Ile	Xaa	Cys	Glu	Leu	Leu	Lys	Trp	Ile	Ile	Gly	His	Gly	Leu	Xaa
1					5				10					15	

Ala Ala Xaa

<210> 1330

<211> 80

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (62)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (64)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (65)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (68)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (74)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1330

Pro Leu Tyr Leu Leu His Asn Glu Leu Thr Arg Asn Asn Phe Ala Arg  
 1 5 10 15

Arg Ala Lys Ala Lys Thr Pro Glu Xaa Arg Xaa Ala Thr Leu Glu Gln  
 20 25 30

Leu Lys Glu His Thr Arg Leu Cys Xaa Lys Ile Val Gly Xaa Ile Tyr  
 35 40 45

Xaa Leu Lys Arg Gln Thr Tyr Arg Pro Gly Asp Thr Gly Xaa Pro Xaa  
 50 55 60

Xaa Ile Leu Xaa His Phe Asn Leu Pro Xaa Asn Leu Leu Ile Pro Cys  
 65 70 75 80

<210> 1331  
 <211> 61  
 <212> PRT  
 <213> Homo sapiens

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (55)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1331  
Ile Ile Asn Asn Asn Lys Asn Lys Ala Asn Thr Leu Asp Ile Thr Leu  
1 5 10 15  
Pro Ser Gly Ala Xaa Lys Lys Val Lys Ala Gly Ile Ser Phe Ser Tyr  
20 25 30  
Leu Asn Leu Ser Val Leu Ser Gln Gly Ile Phe Ser Glu Asn Arg Trp  
35 40 45  
Asn Xaa Val Arg Leu Trp Xaa Met Leu Ser Ile Ile Gly  
50 55 60

<210> 1332  
<211> 97  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (6)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (17)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (25)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (36)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (42)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (59)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (61)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (62)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (67)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (78)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (92)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (95)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (96)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1332

Lys Val Xaa Gly Leu Xaa Ser Pro Gly Pro Glu Ile Pro Gly Ser Thr  
1 5 10 15

Xaa Thr Val Arg Ile Asn Thr Val Xaa Pro Leu Ile Tyr Leu Leu Leu  
20 25 30

Ser Pro Ile Xaa Asn Thr His Ala Ala Xaa Leu Ser Val Asp Gly Gly  
35 40 45

Tyr His Leu Asp Pro Leu Leu Leu Leu Glu Xaa Pro Xaa Xaa Leu Trp  
50 55 60

Ala Leu Xaa Arg Lys Ser Arg Ile Ile Trp Lys Thr Leu Xaa Phe Ser  
65 70 75 80

Ser Arg Leu Tyr Gln Lys Ile Pro Lys Thr Asp Xaa Ala Val Xaa Xaa  
85 90 95

Gln

<210> 1333

<211> 94

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (88)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1333

Xaa Phe Leu Pro Pro Ser Ala Arg Pro Arg Ala Gly Arg Arg Xaa Pro  
1 5 10 15

Leu Arg Gly Gln Cys Gln Val Gly Ser Leu Thr Gly Ala Val His Leu  
20 25 30

Ser Asn Gly Asn Ala Xaa Val Leu Arg Xaa Ala Gln Gly Gly Gln Lys  
35 40 45

Pro Pro Val Glu Xaa Lys Gly Lys Ser Ser Leu Asp Leu Asp Phe Gln  
50 55 60

Tyr Glu Tyr Lys Thr Val Lys Ala Gly Pro His Asp Pro Ser Asp Leu  
65 70 75 80

Leu Gly Phe Lys Gln Glu Val Xaa Glu Lys Leu Pro Gln Gly  
85 90

<210> 1334

<211> 55

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)



<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1334

Thr	Cys	Gly	Pro	Pro	Val	Lys	Tyr	His	Xaa	Ser	Asp	Arg	Phe	Phe	Thr
1				5					10					15	

Asp	Pro	Val	Arg	Arg	Gly	Gly	Glu	Pro	Arg	Gly	Ala	Leu	Ala	Ser	Gly
			20					25					30		

Ala	Lys	Arg	Pro	Ala	Ala	Arg	Arg	Pro	Gly	Ala	Thr	Arg	Ser	Gly	Asp
		35					40					45			

Xaa	Ala	Arg	Xaa	Gly	Xaa	Xaa
	50				55	

<210> 1335

<211> 143

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (38)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (127)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (128)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1335

Xaa Thr Ile Val Leu Xaa Xaa Thr Pro Ala Gly Thr Gly Pro Glu Phe  
1 5 10 15

Pro Gly Arg Pro Thr Arg Pro Pro Ile Phe Pro Val Asp Asn Ala Ile  
20 25 30

Asp Asn Gly Xaa Glu Xaa Gln Val Ala Leu Pro Ile Leu Met Ala Ala  
35 40 45

Tyr Ala Met Ala Glu Ala Phe Met Ser Thr Gly Val Gly Ala Ser Leu  
50 55 60

Ile Leu Ile Ala Leu Lys Val Gly Ile Thr Ala Lys Thr Val Ala Val  
65 70 75 80

Ile Gly Ala Ile Val Thr Ser Ile Leu Ser Ile Ala Thr Gly Thr Ser  
85 90 95

Trp Gly Thr Phe Ala Ala Cys Ala Pro Ile Phe Leu Trp Leu Asn His  
100 105 110

Ile Val Gly Gly Asn Ile Leu Phe Asp Asn Lys Gln Leu Leu Xaa Xaa  
115 120 125

Glu His Val Leu Glu Asp Asn Ile Gly Leu Phe Gln Ile Leu Gln  
130 135 140

&lt;210&gt; 1336

&lt;211&gt; 65

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

<220>  
<221> SITE  
<222> (1)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (26)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (55)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (58)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1336  
Xaa Ala Leu Gly Leu Ala Leu Pro Gly Arg Leu Leu Xaa Ser His Ser  
1 5 10 15  
Arg Arg Thr Pro Ser Arg Glu Ser Arg Xaa Pro Pro Ala Pro Leu Tyr  
20 25 30  
Ser Ala Arg Ala Gln His Gly Ala Pro Ala Gly Xaa His Val Arg Ala  
35 40 45  
Ser Asp Cys Arg Gly Asp Xaa Asp Phe Xaa Arg Ser Ser Gly Arg Met  
50 55 60  
Glu  
65

<210> 1337  
<211> 42  
<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1337

Thr Xaa Ala His Ser Val Xaa Xaa Pro His Ser Xaa Gly His Cys Gly  
1 5 10 15

Gln Arg Val Leu Ala Cys Xaa Leu Leu Ser Ile Leu Lys Ala Met Asp  
20 25 30

Phe Xaa Gly Pro Phe Ser Ser Xaa Leu Pro  
35 40

<210> 1338

<211> 35

<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (25)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1338  
Phe Asn Lys Leu Ser Ser Ala Leu Ser Glu Phe Ser Gly Pro Asn Ile  
1 5 10 15  
Tyr Val Glu Lys Asp Gly Gly Val Xaa His Leu Cys Thr Asp His Leu  
20 25 30  
Tyr Val Arg  
35

<210> 1339  
<211> 79  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (32)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (47)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (59)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (68)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1339

Asp Ile Glu Ala Lys Pro Ser His Tyr Gln Leu Val Ser Gly Ser Ser  
1 5 10 15  
Thr Glu Asp Ser Leu His Val His Ala Gln Met Ala Glu Asn Glu Xaa  
20 25 30  
Xaa Gly Ser Gly Gly Gly Gly Ser Glu Glu Asp Pro Pro Cys Xaa His  
35 40 45  
Gln Ser Cys Glu Gln Lys Asp Cys Leu Ala Xaa Lys Pro Trp Asp Ile  
50 55 60  
Ser Leu Ala Xaa Pro Glu Ser Ile Arg Ser Asp Leu Glu Ser Ser  
65 70 75

<210> 1340

<211> 69

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (69)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1340

Gly Lys Gly Thr Phe Pro Lys Asn Xaa Phe Trp Gly Asn Lys Asn Val  
1 5 10 15

Asp Cys Glu Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys  
                   20                                  25                                  30  
 Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys  
                   35                                  40                                  45  
 Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Xaa Gly Gly Pro Phe  
                   50                                  55                                  60  
 Xaa Lys Xaa Lys Xaa  
                   65

<210> 1341

<211> 70

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1341

Xaa Trp Ser Xaa Leu Ala Ala Gln Lys Glu Gln Ser Gly Leu Glu Gly  
   1                                  5                                  10                                  15  
 Ser Ile Lys Phe Tyr Thr His Lys Leu Gln Leu Glu Val Ser Phe Leu  
                   20                                  25                                  30  
 Lys Cys Pro Ala Phe Ala Gln Leu Phe Gln Ile Ile Ser Phe Leu Arg  
                   35                                  40                                  45  
 Leu Trp Gln Val Ser Cys Pro Pro Ser Tyr Ser Ser Val Phe Thr Xaa  
                   50                                  55                                  60

Ser Arg Gln Xaa Ser Gly  
65 70

<210> 1342  
<211> 121  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (95)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1342  
Glu Pro Asp Pro Asn Ser Glu Asn Ile Ala Ala Ile Ser Gln Ser Ser  
1 5 10 15

Val Gly Ser Asp Leu Phe Val Phe Lys Pro Ser Glu Pro Arg Pro Leu  
20 25 30

Tyr Ile Gln Lys Gly Ile Ser Arg Glu Lys Val Gln Trp Gly Val Phe  
35 40 45

Val Pro Arg Asp Val Pro Glu Ser Phe Thr Ser Glu Ala Tyr Gln Trp  
50 55 60

Leu Asn Arg Ser Gln Phe Tyr Phe Leu Thr Lys Ser Gln Ser Leu Leu  
65 70 75 80

Thr Phe Ser Thr Lys Ser Pro Glu Glu Lys Leu Thr Pro Thr Xaa Gln  
85 90 95

Thr Ala Ala Ser Arg Arg Lys Ser Ser His Asn Pro Ile Leu Phe His  
100 105 110

Ile Gly Lys Thr Gln Ala Thr Ala Gly  
115 120

<210> 1343  
<211> 36  
<212> PRT  
<213> Homo sapiens

<400> 1343  
Asn Thr Lys Gly Asp Arg Glu Glu Leu Lys Asp Leu Gln Tyr Cys Thr  
1 5 10 15



Gln Lys Leu Ile Ile Leu Cys Thr Phe Tyr Leu Phe Trp Arg Phe Tyr  
20 25 30

Met Ile Phe Asn  
35

<210> 1344  
<211> 32  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (15)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (31)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (32)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1344  
Ala Val Ala Val Ser Gly Pro Gly Pro Val Gly Val Leu Leu Xaa Leu  
1 5 10 15

Trp Leu Thr Pro Xaa Pro Gly Thr Leu Asn Asp Arg Ser Arg Xaa Xaa  
20 25 30

<210> 1345  
<211> 63  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (28)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (46)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (54)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (61)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1345  
His Leu Val Lys Ala Gly Arg Lys Ile Asn Asn Thr Lys Leu Cys Tyr  
1 5 10 15  
Leu Ile Xaa Leu Leu Glu Arg Val Arg Phe Thr Xaa Tyr Ile Phe Lys  
20 25 30  
Leu Ile His Val Lys Asn Asp Ser Asp Phe Asp Val Ile Xaa Leu Leu  
35 40 45  
Ile Glu Ser Xaa Ile Xaa Lys Ala Asn Asn Leu Lys Xaa Ala Ile  
50 55 60

<210> 1346  
<211> 64  
<212> PRT  
<213> Homo sapiens

<220>

<221> SITE  
<222> (11)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (15)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (63)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (64)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1346  
Ala Gly Ala Asp Arg Gly Gly Gly Gly Trp Xaa Arg Leu Gly Xaa Ile  
1 5 10 15  
Asn Leu Leu Ile Asp Cys Asp Ser Lys Lys Lys Lys Lys Lys Lys Lys  
20 25 30  
Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys  
35 40 45  
Lys Xaa Lys Xaa Lys Lys Lys Lys Xaa Lys Lys Lys Lys Lys Xaa Xaa  
50 55 60

<210> 1347

<211> 45

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1347

Phe Leu Ile Met Ser Asn Asp Cys Lys Ser Ala Trp Ile Phe Thr Cys  
1 5 10 15

Lys Gly Tyr Ser Cys Ile Val Arg Ser Pro Ser Pro Ala Glu Ser Ser  
20 25 30

Xaa His Trp Leu Ala Val Cys Cys Val Xaa His Ser Phe  
35 40 45

<210> 1348

<211> 59

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1348

Gly Phe Leu Val Leu Met Leu Val Lys Val Cys Ala Gly Ile Ser Lys  
1 5 10 15

Ser Leu Lys Lys Val Phe Thr Gly His Trp Ala Val Val Arg Glu Gly  
20 25 30

Leu Thr Asn Pro Trp Ile Pro Asp Asn Trp Ser Trp Gly Gly Val Ala  
35 40 45

Ser Glu His Cys Xaa Cys Tyr Arg Val Leu His  
50 55

<210> 1349

<211> 63

<212> PRT

<213> Homo sapiens

<400> 1349

Phe Cys Pro Cys Val Arg Gln Ser Glu Gln Arg Val Ile Gln Ser Ala  
1 5 10 15

Ala Asn Lys Ala Ala Asp Ser Ser Val Gln Lys Ala Lys Lys Glu Leu  
20 25 30

Tyr Val Arg His Leu Phe Leu Leu Ile Ser Ile Phe Leu Leu Thr His  
35 40 45

Thr Leu Ser His Val Lys Arg Lys Ile Asn Lys Trp Ser Glu Leu  
50 55 60

<210> 1350

<211> 38

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1350

Tyr Ile Tyr Tyr Arg Pro Asn Glu Leu Asn Ile Ala Leu Leu Tyr Ser  
1 5 10 15

Pro Lys Gly Leu Asn Ser Cys Phe Phe Pro Ser Phe Ile Xaa Arg Lys  
20 25 30

His Tyr Asp Arg Ile Ser  
35

<210> 1351

<211> 77

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (66)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1351

Leu Leu Pro Glu Asp Gln Val Gln Leu Gln Pro Xaa Gly Arg Trp Leu  
1 5 10 15

Pro Thr Ser Ser Pro Gly Leu Ser Ser Ser Pro Ser Ser Pro Val Ile  
20 25 30

Leu Cys Cys Leu Asp Ser Thr Ile Pro Ser Leu Phe Leu Leu His Leu  
35 40 45

Leu Pro Leu Glu Pro Pro Leu Pro Ser Trp Asp Phe Trp Glu Val Pro  
50 55 60

Ala Xaa Gln Pro Arg His Lys Thr Ile Met Val Thr Trp  
65 70 75

<210> 1352

<211> 28

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1352

Xaa Leu Leu Arg Asp Xaa Met Gly His Tyr Val Trp Leu Phe Tyr Ile  
1 5 10 15

Lys Pro Thr Thr Xaa Phe Arg Val Gly Xaa Met Asn  
20 25

<210> 1353

<211> 79

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (70)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (76)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (78)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1353

Pro Arg Leu Gln Thr Leu Asn Leu Val Leu Xaa Ser Ala Asp Asn Gly  
1 5 10 15

Xaa Xaa Pro Arg Leu Tyr Asn Arg Arg Ser Ala Lys Asp Xaa Gly Val  
20 25 30

Leu Gly Gly Xaa Leu Val Phe Pro Lys Val Phe Gln Ile Lys Val Val  
35 40 45

Phe Val Leu Lys Lys Lys Lys Lys Lys Lys Leu Gly Gly Xaa Phe Leu  
50 55 60

Gly Gly Ala Arg Gly Xaa His Gly Phe Xaa Gln Xaa Gly Xaa Gly  
65 70 75

<210> 1354

<211> 40

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids



<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (35)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1354  
Gly Asp Pro Ala Gln Phe Pro Gly Arg Pro Arg Val Arg Thr Ile Gly  
1 5 10 15  
Arg Arg Ser Phe Xaa Xaa Trp Xaa Asn Ser His Phe Pro His Glu Glu  
20 25 30  
Xaa Lys Xaa Gly Gln Lys Pro Asn  
35 40

<210> 1355  
<211> 40  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (25)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (36)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1355  
Asp Ile Asn Gly Asp Phe Lys Val Glu Ile Asn Met Tyr Ser Met Phe  
1 5 10 15

Leu Lys Lys Lys Lys Lys Lys Lys Xaa Pro Gly Gly Ala Pro Val Pro  
20 25 30

Ile Xaa Pro Xaa Gly Gly Pro Phe  
35 40

<210> 1356  
<211> 81  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (18)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1356  
Pro Gly Glu Ala Gly Gly Arg Ala Pro Arg Gly Ser Arg Phe Trp Arg  
1 5 10 15  
Gln Xaa Pro Gly Arg Ala Pro Ala Gly Arg Asp Pro Leu Arg Gly Gln  
20 25 30  
Cys Gln Val Gly Ser Leu Thr Gly Ala Val His Leu Ser Asn Gly Asn  
35 40 45  
Ala Gly Val Leu Arg Arg Ala Gln Gly Gly Gln Lys Pro Pro Val Glu  
50 55 60  
Gln Lys Gly Lys Ser Ser Leu Asp Leu Asp Phe Gln Tyr Glu Tyr Arg  
65 70 75 80

Pro

<210> 1357  
<211> 73  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (42)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1357  
Thr Pro Leu Ser Gln Asn Pro Ala Gln Ala Glu Arg Tyr Gly Ser Ala

1                      5                      10                      15  
Ala Glu Pro Arg Leu Ala Ser Asp Ser Arg Ser Pro Ala Cys Pro Arg  
                    20                      25                      30  
Arg Arg Ala Ala Pro Xaa Ser Thr Arg Xaa Ala Arg Ala Gly Gly Arg  
                    35                      40                      45  
Val Pro Arg Arg Ala Pro Gly Pro Gly Ser Gly Ala Glu Cys Pro Ser  
                    50                      55                      60  
Ser Trp Glu Thr Gly Arg Gly Arg Lys  
                    65                      70

<210> 1358  
<211> 66  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (2)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (6)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (51)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (54)  
<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (62)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1358

Gly Xaa Arg Pro Arg Xaa Trp Ile Arg Thr Ser Arg Trp Cys Ser Arg  
1 5 10 15

Tyr Lys Xaa Phe Val Cys Ser Thr Ile Lys Val Leu Arg Asp Leu Asn  
20 25 30

Ser Xaa Arg Ser Asn Pro Gly Arg Phe Leu Ser Thr Ser Asn Ser Ser  
35 40 45

Leu Tyr Xaa Arg Thr Xaa Arg Tyr Lys Ala Tyr Phe Ser Xaa Arg Leu  
50 55 60

Pro Pro  
65

&lt;210&gt; 1359

&lt;211&gt; 73

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (62)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (64)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (73)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1359

Arg Pro Lys Trp Arg Arg Val Pro Cys Glu Gln Gln Leu Asn Met Gly  
1 5 10 15

Gln Ser Val Leu Arg Asp Gly Arg Ala Pro Phe Arg Arg Asp Gly Arg  
20 25 30

Trp Pro Pro Leu Pro Ser Ala Asp Arg Lys Gly Val Gly Phe Arg Ser

35

40

45

Pro Asn Pro Glu Trp Arg Arg Trp Arg Arg Glu Ala Ser Xaa Arg Xaa  
 50 55 60

Arg Asp Arg Ser Arg Arg Ser Pro Xaa  
 65 70

&lt;210&gt; 1360

&lt;211&gt; 38

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (21)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1360

Thr Arg Pro Val Asn Asn Lys Lys Gly Val Ile Arg Ile Gly Met Trp  
 1 5 10 15

Ile Phe Thr Val Xaa Thr Thr His Leu Gln Phe Cys Asn Ala Arg Met  
 20 25 30

Gln Phe Lys Asn Val Lys  
 35

&lt;210&gt; 1361

&lt;211&gt; 54

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1361

Arg Tyr Ala Cys Arg Tyr Arg Ser Gly Ile Pro Gly Ser Thr His Ala  
 1 5 10 15

Ser Ala Asp Ala Trp Gly Leu Leu Arg Asn Ile Ala Glu Val Ile Thr  
 20 25 30

Thr Ala Ile Lys Leu Phe Lys Lys Asp Leu Tyr Asn Val Tyr Lys Ser  
 35 40 45

Gly Ile Lys Asp Phe Ser  
 50

<210> 1362  
<211> 139  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (58)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (62)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (69)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (70)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (111)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (112)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (124)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (138)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1362  
Ser Phe Asp Val Gly Ser Ser Tyr His Cys Glu Ala Glu Phe Thr Lys  
1 5 10 15

Arg Trp Ile Val His Pro His Glu Pro Cys Ala Phe Gly Val Asn Asn

20 25 30  
Val Gln Phe Val Asp Val Ile Glu Ser Arg Gly Leu Ser Pro Phe Tyr  
35 40 45  
Ile Cys Ile Asn Phe Asn Leu Leu Lys Xaa Lys Lys Glu Xaa Glu Lys  
50 55 60  
Gln Phe Ile Lys Xaa Xaa Lys Ser Asn Gln Pro Gln Gln Gln Lys Arg  
65 70 75 80  
Met Val Trp Tyr Trp Arg Arg Asp Gly Gln Leu Ser Leu Leu Ala His  
85 90 95  
Asp Gly Met Asp Leu Gly Pro Gly Thr Thr Phe Ile Leu Arg Xaa Xaa  
100 105 110  
Leu Trp Ile Pro Arg Glu Gly Gln Pro Phe Arg Xaa Gly Leu Tyr Pro  
115 120 125  
Glu Gly Gly Thr Glu Phe Gly Gln Thr Xaa His  
130 135

&lt;210&gt; 1363

&lt;211&gt; 58

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (11)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (56)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1363

Ala Phe Arg Lys Tyr Tyr Val Lys Asn Leu Xaa Ser Leu His Ala Arg  
1 5 10 15  
His Ser Phe Asn His Phe Ser Asp His Phe Ser Lys Ile Leu Lys His  
20 25 30  
Pro His Leu Gly Phe Ser Leu Asn Leu Gly Val Pro Ser Pro His Pro  
35 40 45

Ala Ala Phe Cys Val Arg Gly Xaa Arg Ser

50

55

<210> 1364  
<211> 21  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (16)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (18)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1364  
Pro Tyr Ser Glu Ser Tyr Tyr Asn Ser Leu Ala Val Val Leu Gln Xaa  
1 5 10 15

Arg Xaa Xaa Glu Asn  
20

<210> 1365  
<211> 69  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (12)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (22)



<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (51)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (58)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (64)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (65)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (69)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1365  
Tyr Thr Ala Ile Met Ser Ile Met Ser Tyr Asn Xaa Gly Ala Val Met  
1 5 10 15

Ala Met Lys Gly Xaa Xaa Xaa Xaa Xaa Xaa His Arg Cys Arg Xaa Ala  
20 25 30

Leu Xaa Glu Ser Arg Pro Arg Met Val Asn His Gly Thr Xaa Arg Lys  
35 40 45

Ile Phe Xaa His Gly Xaa Asn Arg Leu Xaa Met Gly Leu Gly Arg Xaa  
50 55 60

Xaa Gln Leu Arg Xaa  
65

<210> 1366  
<211> 42  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (29)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1366

Leu Ala Ile Leu Arg Leu Phe Lys Val Phe Ser Asn Ile Lys Lys Tyr  
1 5 10 15

His Gln Arg Ser Pro Ala Met Leu Lys Thr Asn Asn Xaa Lys Gln Thr  
20 25 30

Xaa Xaa Lys Asn Leu Lys Lys Lys Xaa Gly  
35 40

<210> 1367

<211> 24

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1367

Ser Thr Leu Ser Asn Arg Leu Val Trp Val His Trp His Ser Leu Xaa  
1 5 10 15

Tyr Cys Leu Ile Ala Asp Thr Xaa  
20

<210> 1368

<211> 79

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (9)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (11)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (16)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (23)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (65)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (68)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (78)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1368  
Xaa His Xaa Trp Lys Leu Ile Leu Xaa Leu Xaa Leu Gly Tyr Phe Xaa  
1 5 10 15

Phe Gly Gly Glu Ser Ala Xaa Phe Phe Arg Arg Gly Pro Gly Phe Phe  
20 25 30

Lys Gly Lys Lys His Ser Tyr Ser Lys Leu Gln Asn Asn Gly Val Asn

35 40 45  
Met Leu Asn Arg Ser Ile Arg Lys Pro Asn Thr Gly Leu Ser Arg Arg  
50 55 60  
Xaa Leu Val Xaa Arg Ala Leu Gly Lys Asn Lys Gly Lys Xaa Lys  
65 70 75

<210> 1369  
<211> 76  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (76)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1369  
Asn Gln Arg Gln Leu Ser Cys Cys Val Ser Ser Cys Trp Ile Leu Ser  
1 5 10 15  
Leu Gly Pro Thr Val Cys Gln Tyr Ser Cys Glu Leu Tyr Val Pro Pro  
20 25 30  
Val Leu His Thr Gln Val Cys Val Ser Val Tyr Ala Cys Phe Lys Gln  
35 40 45  
Thr Leu Asn Val His Met Tyr Ile Ile Tyr Thr Tyr Leu Tyr His Ile  
50 55 60  
Ser Ser Phe Ile Thr Ile Asp Tyr Thr Asn Trp Xaa  
65 70 75

<210> 1370  
<211> 50  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1370

Ala	Arg	Ala	Tyr	Leu	Leu	Val	Ala	Ser	Asn	Leu	Thr	Pro	Ser	Leu	Ser
1				5					10					15	

Glu	Tyr	Val	Gln	Pro	Lys	Arg	Thr	Asn	Trp	Leu	Leu	Cys	Thr	Ser	Leu
			20					25					30		

Xaa	Ile	Xaa	Leu	Leu	Ser	Met	Val	Leu	Arg	Ser	Xaa	Thr	Val	Tyr	Leu
		35					40					45			

Xaa Leu

50

<210> 1371

<211> 76

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (65)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (68)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (76)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1371  
Glu Lys Thr Phe Val Glu Arg Val Lys Asn Leu Thr Pro His Ser Arg  
1 5 10 15  
Pro Lys Ser Xaa His Gln Leu Lys Lys Ala Phe Lys Leu Gln His Pro  
20 25 30  
Leu Pro Lys Lys Phe Gln Thr Tyr Asn Trp Asn Phe Leu Xaa Pro Asn  
35 40 45  
Trp Asp Gln Phe Xaa Thr Pro Ile Arg Lys Lys Leu Met Val Ser Xaa  
50 55 60  
Xaa Val Thr Xaa Glu Lys His Phe Ser Phe Arg Xaa  
65 70 75

<210> 1372  
<211> 58  
<212> PRT  
<213> Homo sapiens

<400> 1372  
Ile Cys Pro Gln Asn Pro Leu Asn Pro Leu Val Asn Leu Thr Val Ser  
1 5 10 15  
Pro Lys Arg Asn Ser Ser Leu Asp Thr Arg Lys Lys Pro Cys Arg Glu  
20 25 30  
Ser Lys Lys Phe Asn Thr His Ser Arg Pro Lys Ser Ser His Gln Leu  
35 40 45  
Arg Lys Arg Ser Ser Ser Thr Pro Thr Thr  
50 55

<210> 1373

<211> 52

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1373

Ser Leu Asp Leu Ile Cys Pro Tyr Glu Arg Pro Gly Lys Asn Arg Leu  
1 5 10 15

Xaa Ala Pro Xaa Leu Val Glu Leu Cys Pro Ser Ser Asp Ala Cys Gln  
20 25 30

Glu Arg Val Glu Pro Arg Thr Leu Thr Lys Gly Gly Pro Gly Tyr Pro  
35 40 45

Ile Ala Ala Leu  
50

<210> 1374

<211> 114

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (93)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (108)



<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (113)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1374

Ala	Arg	Ala	Glu	Asp	Pro	His	Ile	Asp	Glu	Ser	Lys	Ala	Xaa	His	Gln
1				5					10					15	

Ala	Ile	Ile	Met	Ser	Thr	Ser	Leu	Arg	Val	Ser	Pro	Ser	Ile	His	Gly
			20					25					30		

Tyr	His	Phe	Asp	Thr	Ala	Ser	Arg	Lys	Lys	Ala	Val	Gly	Asn	Ile	Phe
		35					40					45			

Glu	Asn	Thr	Asp	Gln	Glu	Ser	Leu	Glu	Arg	Leu	Phe	Arg	Asn	Ser	Gly
	50					55					60				

Asp	Lys	Lys	Ala	Glu	Glu	Arg	Ala	Lys	Ile	Ile	Phe	Ala	Ile	Asp	Gln
65					70					75				80	

Asp	Val	Glu	Glu	Lys	Thr	Arg	Ala	Leu	Met	Ala	Leu	Xaa	Glu	Glu	Asp
				85					90					95	

Lys	Arg	Gln	Ala	Phe	Pro	Phe	Leu	Lys	Leu	Arg	Xaa	Phe	Ser	Phe	Lys
		100						105					110		

Xaa His

<210> 1375

<211> 105

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (76)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (87)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (94)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (102)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1375

Ala Arg Gln Asp Thr Gln Glu Glu Arg Ala Ala Pro Gly Ser Arg Pro  
1 5 10 15

Gly Leu His Ala Glu Ala Gly Gly Arg Arg Cys Pro Ala Glu Ser Pro  
20 25 30

Glu Leu Arg Arg Pro Ala Leu Val Pro Ala Pro Ser Gly Arg Arg Phe  
35 40 45

Glu Ser Asp Trp Cys Leu Ala Ala Ser Ser Ser Val Arg Asp His Glu  
50 55 60

Val Leu Pro Ser Val Val Leu Lys Leu Phe Leu Xaa Ser Phe Ser Ser  
65 70 75 80

Ala Leu Val Thr Gly Glu Xaa Pro Gly Asn Gly Phe Arg Xaa Arg Leu  
85 90 95

Thr Ala Gly Asn Lys Xaa Thr Gly Thr  
100 105

<210> 1376

<211> 25

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1376

Arg Pro Thr Arg Pro Pro Thr Arg Pro Val Xaa Ser Ile Pro Xaa Leu  
1 5 10 15

Trp Ala Ala Xaa Val Ser Pro Pro Lys  
20 25

&lt;210&gt; 1377

&lt;211&gt; 38

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (3)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (22)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1377

Phe Thr Xaa Asn Ser Leu Tyr Phe Ser Cys Ile Lys Thr Leu Cys Cys  
1 5 10 15

Ser His Ser Trp Ser Xaa Ser Pro Leu His Gly Asp Cys Gly Val Gly  
20 25 30

Leu Asp Glu Val Gly Gln  
35

&lt;210&gt; 1378

&lt;211&gt; 46

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (2)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (12)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (23)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (30)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (40)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (45)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (46)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1378  
Phe Xaa Lys Arg Gly Pro Ser Ser Pro Val Ala Xaa Val Leu Glu Leu  
1 5 10 15  
Leu Asp Pro Pro Gly Cys Xaa Asn Ser Ala Arg Glu Gly Xaa Val Gly  
20 25 30  
Arg Ala Arg Arg Phe Pro Ala Xaa Val Ser Ala Arg Xaa Xaa  
35 40 45

<210> 1379  
<211> 34  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (4)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1379

Leu	Leu	Lys	Xaa	Thr	Xaa	Ser	Cys	Ser	Tyr	Pro	Pro	Leu	Xaa	Ala	Glu
1				5					10					15	

Pro	Cys	Leu	Ile	Gln	Gln	Pro	Gly	Gly	Thr	Thr	Arg	Xaa	Pro	Ser	Leu
			20					25					30		

Thr Leu

<210> 1380

<211> 26

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1380

His Arg His Ala His Lys Glu Arg Leu Lys Lys Lys Lys Xaa Ser

1                      5                      10                      15  
 Arg Gly Xaa Pro Xaa Thr Lys Xaa Ala Pro  
                     20                      25

<210> 1381  
 <211> 120  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (44)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (46)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (120)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1381  
 Asp Ala Glu Gly Arg Pro Glu Gly Arg Leu Phe Gly Met Thr Gly Ala  
   1                      5                      10                      15  
 Gly Leu Gly Arg Asp Ser Gly Arg Trp Arg Glu Val Ser Phe Phe Gly  
                     20                      25                      30  
 Glu Thr Glu Arg Ala Arg Gly Gly Thr Val Gly Xaa Arg Xaa His Ser  
                     35                      40                      45  
 Val Ala Ala Ala Gly Val Arg Asp Ser Pro Pro Ile Ser Cys Ser Leu  
                     50                      55                      60  
 Gly Pro Trp Gly Arg Ser Gly His Arg Ser Asp Cys His Ala Asp Gly  
   65                      70                      75                      80  
 Asp His Arg Arg Glu Leu Gly Gly Arg Lys Ala Pro Pro Pro Ala Gly  
                     85                      90                      95  
 Arg Gly Pro Leu Thr Thr Ser Arg Leu Pro Val Pro Leu Leu Lys Ser  
                     100                      105                      110  
 Asn Cys Cys Pro Phe Glu Ala Xaa  
                     115                      120

<210> 1382

<211> 50

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1382

Phe	Lys	Cys	Ser	Ile	Leu	Met	Pro	Xaa	Asn	Lys	Ser	Phe	Gly	Asn	Thr
1				5					10					15	
Asn	Trp	Ser	Ile	Ile	Gly	Asn	Ala	Gly	Met	Phe	Arg	Leu	Ser	Gln	Gln
			20					25					30		
Cys	Phe	Ala	Phe	Leu	Cys	Leu	Phe	Ser	Val	Asn	Thr	Asn	Glu	Val	Asn
		35					40					45			
Ile	Ala														
	50														

<210> 1383

<211> 92

<212> PRT

<213> Homo sapiens

<400> 1383

Gln	Ser	Ala	Ala	Leu	Pro	Pro	Val	Thr	Leu	Ala	Leu	Leu	Cys	Leu	Asp
1				5					10					15	
Gly	Val	Phe	Leu	Ser	Ser	Ala	Glu	Asn	Asp	Phe	Val	His	Arg	Ile	Gln
			20					25					30		
Glu	Val	Glu	Glu	Asp	Gly	Pro	Ser	Ser	Cys	Ser	Glu	Asp	Asp	Tyr	Ser
		35					40					45			
Glu	Leu	Leu	Gln	Glu	Ile	Thr	Asp	Asn	Leu	Thr	Arg	Lys	Glu	Ile	Gln
	50					55					60				
Ile	Glu	Lys	Ile	His	Leu	Asp	Thr	Ser	Ser	Phe	Met	Glu	Glu	Leu	Pro
65					70					75				80	
Gly	Glu	Lys	Asp	Leu	Ala	His	Val	Val	Glu	Ile	Leu				
			85							90					

<210> 1384  
<211> 106  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (56)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (78)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (96)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (103)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (105)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1384  
Asn Pro Ser Ala His Pro Ser Ile His Pro Ser Val Arg Pro Ser Met  
1 5 10 15  
Ser Pro Val Asp Arg Pro Ala Pro Leu Ala Gly Trp Val His Pro Pro  
20 25 30  
Ser Thr Trp Leu Thr Cys His Gly Arg Leu Cys Pro Ala Ser Asn Pro  
35 40 45  
Ile Leu Asn Ser Pro Lys Ala Xaa Gly Ala Val Gln Thr Gly Val Pro  
50 55 60  
Ser Ile Phe Ser Pro Thr Gly Val Phe Pro His Ala Val Xaa Tyr Asn  
65 70 75 80  
Pro His Ser Phe Leu Gly Pro Met Asn Phe Arg Ala Val Pro Phe Xaa  
85 90 95



Pro Gly His Leu Leu Cys Xaa Leu Xaa Lys  
100 105

<210> 1385

<211> 66

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (46)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (51)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (59)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (60)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (64)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1385  
Ile Gln Gly Leu Xaa Xaa Xaa Gly Ser Ser Leu Pro Ser Pro Ser Thr  
1 5 10 15  
Arg Xaa Ser Leu Thr Xaa Ala Thr Gly Xaa Leu Xaa Arg Gly Phe Arg  
20 25 30  
Ser Leu Xaa Gly Trp Val Pro Gly Asn Gly Xaa Arg Ser Xaa Leu Gly  
35 40 45  
Ala Pro Xaa Gly Cys Pro Met Gly Xaa Leu Xaa Xaa Phe Arg Gly Xaa  
50 55 60  
Trp Gly  
65

<210> 1386

<211> 48

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1386

Lys Ile Ser Ser Xaa Trp Ala Glu Lys Leu Thr Gly Xaa Tyr Xaa Val  
1 5 10 15

Thr Asn Arg Ile Gln Val Gly Trp Pro Leu Cys Thr Glu Leu Gln Val  
20 25 30

Thr Ser Gly Glu Thr Trp Ala Xaa Thr Trp Lys Ala Lys Thr Glu Ala  
35 40 45

<210> 1387

<211> 37

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1387

Ala	Ile	Tyr	Arg	Ile	Val	Trp	Ala	Phe	Ser	Cys	Lys	Trp	Ser	Glu	Gly
1				5					10					15	

Val	Thr	Phe	Ser	Pro	Leu	Xaa	Xaa	Xaa	Val	Xaa	Pro	Ile	Leu	Asn	Lys
	20						25						30		

Gly	Arg	Xaa	Glu	Thr
			35	

<210> 1388

<211> 41

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1388

Gly Xaa Ala Arg Lys Xaa Asp Ala Arg Ile Xaa Lys Ala Trp Val Arg  
1 5 10 15

Arg Ala Gly Thr Gly Ser Gly Asn Ser Arg Gly Arg Pro Thr Arg Ser  
20 25 30

Gly Ile Met Glu Tyr Asn Met Ser Ser  
35 40

<210> 1389

<211> 41

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1389

Xaa	Cys	Leu	Xaa	Phe	Xaa	Cys	Arg	Ser	Leu	Leu	Val	Xaa	Ser	Gly	Xaa
1				5					10					15	

Thr	Arg	Arg	His	Val	Ser	Pro	Pro	Xaa	Ser	Ser	Pro	Ile	Phe	Arg	Val
			20					25					30		

Xaa	Pro	Leu	Leu	Asn	Xaa	Gln	Arg	Pro
	35					40		

<210> 1390

<211> 39

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1390

Gly	Leu	Cys	Thr	Phe	Gly	Ser	Phe	Tyr	Xaa	Lys	Leu	Lys	Cys	Tyr	Tyr
1				5					10				15		

Leu	Gly	Leu	Tyr	Leu	Ala	Ser	Ala	Phe	Ser	Phe	Asn	Cys	Lys	Val	Glu
			20					25					30		

Ala	Ile	Lys	Gln	Tyr	Phe	Ser
			35			

<210> 1391

<211> 71

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (50)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (70)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1391

Lys Ala Arg Val Tyr Pro Met Lys Xaa Ala Gly Ser Gln Leu Pro Pro  
1 5 10 15

Gln Pro Phe Lys Arg Lys His Leu Leu His Arg Ala Val Leu Gly Val  
20 25 30

Lys Arg Leu Leu Thr Tyr Asp Arg Val Arg Lys Ser His Ile Leu Val  
35 40 45

Asn Xaa Pro Phe Gly Leu Lys Lys Lys Lys Lys Asn Ser Arg Gly Gly  
50 55 60

Pro Gly Tyr Pro Ile Xaa Pro  
65 70

&lt;210&gt; 1392

&lt;211&gt; 58

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (26)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (46)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1392

Arg Arg Ile Thr Phe Trp Gly Ser His Ala Glu Gly Gly Ser Val Thr  
1 5 10 15

Leu Pro Glu Lys Arg Val Ser Tyr Pro Xaa Ser Pro Gly Ser Thr Leu  
20 25 30

Lys Lys Asp Leu Ala Thr Glu Gly Ala Leu Gly Leu Pro Xaa Ser Leu  
35 40 45

Asp Ser Ser Tyr Lys Cys Pro Cys Ser Gln  
50 55

<210> 1393

<211> 42

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1393

Gly Arg Ala Xaa Ala Ala Gly Pro Xaa Pro Ala Ala Gly Ala Val Ala  
1 5 10 15

Ser Tyr Asp Tyr Leu Val Ile Gly Gly Gly Ser Gly Gly Leu Ala Xaa  
20 25 30

Val Val Glu Ser His Lys Leu Gly Gly Xaa  
35 40

<210> 1394

<211> 38

<212> PRT

<213> Homo sapiens

<220>



<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1394

Gly Thr Arg Leu Ser Thr Ala Gln Leu Ser Pro Ala Gln Ser Asn Pro  
1 5 10 15

Ala Gln Pro Ser Pro Thr Gln Pro Ser Ser Ala Gln Xaa Ser Pro Ala  
20 25 30

Gln Leu Ser Ser Ala Xaa  
35

<210> 1395

<211> 66

<212> PRT

<213> Homo sapiens

<400> 1395

Lys Leu Lys Lys His Phe Leu Lys Gly Ala Leu Ile Lys Ser Glu Val  
1 5 10 15

Phe Trp Leu Ser Phe Phe Ser Val Tyr Ile Phe Phe Leu Ser Leu Trp  
20 25 30

His Arg Val Asp Leu Lys Tyr Ser Ser Ser Ile Leu His Ser Ser Pro  
35 40 45

Ser Ile Gly Ser Ser Ser Phe Asn Glu Phe Gln Leu Tyr Leu Thr Ser  
50 55 60

Ala Ser  
65

<210> 1396

<211> 46

<212> PRT

<213> Homo sapiens

<400> 1396

Leu Leu Leu Lys Arg Phe Pro Phe Leu Phe Lys Leu Leu Met Asp Gln

1                    5                    10                    15  
Arg Thr Ile Val Tyr Phe Phe Ser Leu Val Leu Asp Ile Asn Asp Asn  
                  20                    25                    30  
Leu Val Gly Asn Phe Phe Ser Lys Glu Asn Ile Phe Met Asn  
                  35                    40                    45

&lt;210&gt; 1397

&lt;211&gt; 45

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (39)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (40)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1397

Met Glu Phe Arg Leu Leu Thr Phe Asn Val Ile Ile Asn Ile Val Gly  
1                    5                    10                    15

Phe Lys Cys Thr Val Leu Leu Phe Val Ser Tyr Leu Cys Gln Leu Phe  
                  20                    25                    30

Phe Asn Val Phe Cys Ser Xaa Xaa Phe Leu Phe Phe Pro  
                  35                    40                    45

&lt;210&gt; 1398

&lt;211&gt; 63

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (5)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (26)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (45)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (57)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (58)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1398

Asn Phe Tyr Ser Xaa Lys Asn Leu Gly Phe Pro Leu Asn Ile Pro Pro  
1 5 10 15

Phe Phe Pro Ser Phe Pro Gln Ile Pro Xaa Phe Tyr Phe Phe Gly Glu  
20 25 30

Ile Arg Phe Ala Pro Phe Phe Xaa Pro Thr Leu Leu Xaa Glu Met Pro  
35 40 45

Xaa Pro Trp Asn Glu Xaa Lys Gly Xaa Xaa Leu Arg Leu Xaa Gly  
50 55 60

<210> 1399  
<211> 45  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (8)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (35)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (45)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1399  
Ile Leu Xaa His Phe Lys Phe Xaa His Arg Thr Ser Xaa Ser Leu Val  
1 5 10 15

Asn Leu Met Leu Ser Lys Lys Glu Gln Leu Leu Gly Pro Lys Lys Lys  
20 25 30

Leu Val Xaa Lys Leu Lys Phe Thr Pro Cys Ser Xaa Xaa  
35 40 45

<210> 1400  
<211> 69  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (35)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (49)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (60)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1400  
Asp Phe Ala Lys Ser Tyr Leu Arg Asn Thr Ile Glu Gly Thr Pro Ala  
1 5 10 15  
Gly Thr Gly Pro Glu Phe Pro Gly Arg Pro Thr Arg Pro Val Leu Gly  
20 25 30  
Xaa Thr Xaa Gln Thr Gln Asp Arg Val Asp Ser Ala Cys Asp Gly Val  
35 40 45  
Xaa Xaa Leu Leu Ala Pro Leu His Gln Cys Leu Xaa His Ile Tyr Ile  
50 55 60  
Trp Cys Ala Gln Glu  
65

<210> 1401  
<211> 29  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1401

Arg Leu Lys Asn Ala Arg Gly Tyr Trp Xaa Ile Ser Ser Tyr Glu Glu  
1 5 10 15

Arg Ser Xaa Ser Met Lys Xaa Xaa Gly Arg Lys Met Ser  
20 25

<210> 1402

<211> 74

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (51)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1402

Ser Cys Ser Xaa Arg His Glu Pro Gln Val Gln Thr Phe Gly Val Cys  
1 5 10 15

Ala Trp Leu Arg Ser Gln Trp Gly Glu Ala Thr Ile Cys Gly Ile Met  
20 25 30

Thr Glu Arg Leu Xaa Val Arg Ile Pro Pro Arg Arg Asn Asp Xaa Ala  
35 40 45

Xaa Pro Xaa Ile Leu Gly Trp Pro Leu Ile Ser Gly Pro Pro Pro Val  
50 55 60

Pro Ala Gly Gly Ala Gly Pro Gly Ser Arg  
65 70

<210> 1403

<211> 64

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1403

Thr Ser Thr Val Lys Ser Thr Lys Leu Leu Ala Thr Thr Leu Arg Ala  
1 5 10 15

Thr Ala Xaa Asn Ser Lys Glu Leu Ala Val Leu His Ile Pro Leu Lys  
20 25 30

Arg Xaa Cys Ser Val Ile Asp Lys Pro Arg Ser Xaa Ser Pro Leu Leu  
35 40 45

Leu Thr Tyr Xaa Gln Lys Lys Lys Lys Asn Ser Xaa Gly Ala Gly Ser  
50 55 60

<210> 1404

<211> 42

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids



&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (22)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (27)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (34)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1404

Gly Xaa Asn Thr His Xaa Lys Ser Pro His Leu Thr Ile Pro Pro Xaa  
1 5 10 15

Xaa Xaa Lys Asn Ala Xaa Ile Arg Met Thr Xaa Val Phe Leu Leu Ser  
20 25 30

Lys Xaa Asp Pro Ser Cys Ala Pro Leu Ala  
35 40

&lt;210&gt; 1405

&lt;211&gt; 84

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1405

Lys Leu Leu Leu Gln Gly Leu Ala Thr Cys Arg Gln Glu Glu Ala Glu  
1 5 10 15

Leu Asp Ile Arg Pro Gln Gly Cys His Leu Ser Cys Arg Ala Trp Pro  
20 25 30

Cys Gly Gln Gly Ala Val Leu Cys Leu Val Gly Pro Gln Pro Leu Arg  
35 40 45

Ala Glu Met Leu Ser Val Pro Gln Gly Lys Gly Arg Val Phe Trp Lys  
50 55 60

Ala Leu Pro Trp Thr Phe Val Leu Gly Leu Arg Gly Pro Thr Leu Pro  
65 70 75 80

His Thr Cys Pro

<210> 1406  
<211> 60  
<212> PRT  
<213> Homo sapiens

<400> 1406  
Leu Leu Gly Asp Lys Lys Ala Trp Glu Gly Pro Val Pro Lys Pro Ser  
1 5 10 15  
Leu Pro Gly Asp Trp Ala Val Ile Pro Leu Leu Pro Gly Leu Leu Pro  
20 25 30  
Trp Pro Pro Arg Gly Ala Asp Thr Leu Ala Pro Gly Ala Gly Glu Asn  
35 40 45  
Pro Pro Gly Gly Arg Arg Lys Ala Arg Ala Gly Asp  
50 55 60

<210> 1407  
<211> 97  
<212> PRT  
<213> Homo sapiens

<400> 1407  
Gln Asn Pro Leu Ser Ser Pro Phe Gly Pro Gly Leu Arg Gly Pro Gly  
1 5 10 15  
Gly Ala Gly Gly Glu Leu Ser Gly Ala Thr Thr Pro Cys Pro Gln Trp  
20 25 30  
Thr Asn His Ser Ser Ser Gln Gly Trp Ala Leu Glu Val Pro Gly Arg  
35 40 45  
Arg Val Pro Leu Pro Ser Ala Ile His Val Arg Ser Leu Val Gly Gly  
50 55 60  
Pro Gln Ser His Ser Gly Lys Gly Ser Arg Val Gln Pro Ser Ser Cys  
65 70 75 80  
Ser Phe Pro Ser Leu Ile Ser Ile Asn Leu Ser Thr Pro Leu Leu Trp  
85 90 95

Gly

<210> 1408  
<211> 36  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (4)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (6)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (8)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (12)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (36)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1408  
Asn Pro Gly Xaa Pro Xaa Val Xaa Phe Pro Pro Xaa Xaa Lys Glu Thr  
1 5 10 15  
Thr Thr Trp Gly Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys  
20 25 30  
Asn Lys Glu Xaa  
35

<210> 1409  
<211> 70  
<212> PRT  
<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (37)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (44)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (46)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (67)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1409

Cys	Gln	Glu	Cys	Arg	Leu	Val	Tyr	Val	Pro	Gly	Gly	Gly	Thr	Gln	Arg
1				5					10					15	

Gly	Ala	Pro	Gly	Phe	Pro	Cys	Pro	Pro	Ala	Ala	Leu	Pro	Leu	Phe	Pro
	20							25					30		

Phe	Phe	Pro	Asp	Xaa	Arg	Pro	Glu	Pro	Val	Pro	Xaa	Leu	Xaa	Ile	Asn
	35						40					45			

Leu	Cys	Glu	Ile	Lys	Lys	Lys	Lys	Lys	Lys	Asn	Ser	Gly	Gly	Gly	Pro
	50					55					60				

Val	Pro	Xaa	Trp	Ala	Leu
65					70

&lt;210&gt; 1410

&lt;211&gt; 149

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (20)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

<222> (22)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (24)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (40)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (45)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (47)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (53)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (74)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (85)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (100)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (122)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (123)

<223> xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (124)

<223> xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (130)

<223> xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (138)

<223> xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (143)

<223> xaa equals any of the naturally occurring L-amino acids

<400> 1410

Gly Arg Ala Pro Glu Glu Gln Asp Ala Leu Tyr Leu Gln Arg Arg Glu  
1 5 10 15

Ala Ala Ser Xaa Pro Xaa Leu Xaa Leu Pro Glu Ser Arg Lys Asp Pro  
20 25 30

Pro Trp Asp Ser Ser Val Cys Xaa Lys Asp Ala Pro Xaa Leu Xaa Pro  
35 40 45

Gly Phe Pro Ser Xaa Arg His Arg Thr Gln Phe Ser Arg Pro Gly Gly  
50 55 60

Arg Ala Pro Ile Thr Pro Gln Ala Lys Xaa Lys Pro Pro Cys Pro Gly  
65 70 75 80

Pro Lys Pro Leu Xaa Pro Pro Phe Pro Trp Phe Pro Arg Glu Pro Val  
85 90 95

Thr Thr Leu Xaa Arg Ala Leu Thr Pro Met Ala Ser Phe Leu Trp Phe  
100 105 110

Ser Pro Arg Gly Gln Leu Val Pro Asn Xaa Xaa Xaa Arg Leu Gly Phe  
115 120 125

Pro Xaa Lys Lys Asn Phe Gly Phe Ile Xaa Lys Lys Lys Arg Xaa Gly  
130 135 140

Gly Gly Gly Pro Gly

145

<210> 1411  
<211> 65  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (2)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (6)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (10)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (27)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (48)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

&lt;222&gt; (55)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1411

Pro Xaa Leu Gly Ile Xaa Asn Leu Leu Xaa Ser Ser His Cys Pro Lys  
 1 5 10 15

Pro Ser Xaa Cys Leu Leu Asp Ala Tyr Ser Xaa Cys Gly Tyr Gly Gly  
 20 25 30

Ser Leu Ser Pro Xaa Ser Asp Met Ser Ser Leu Leu Gly Val Asn Xaa  
 35 40 45

Ser Xaa Glu Asp Thr Phe Xaa Asn Lys Leu Phe Pro Gln Leu Ile Ser  
 50 55 60

Val  
 65

&lt;210&gt; 1412

&lt;211&gt; 116

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (78)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (79)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1412

Glu Phe Gln Ser Met Gly Ser Arg Leu Ser Gln Pro Phe Glu Ser Tyr  
 1 5 10 15

Ile Thr Ala Pro Pro Gly Thr Ala Ala Ala Pro Ala Lys Pro Ala Pro  
 20 25 30

Pro Ala Thr Pro Gly Ala Pro Thr Ser Pro Ala Glu His Arg Leu Leu  
 35 40 45

Lys Thr Cys Trp Ser Cys Arg Val Leu Ser Gly Leu Gly Leu Met Gly  
 50 55 60

Ala Gly Gly Tyr Val Tyr Trp Val Ala Arg Lys Pro Met Xaa Xaa Gly  
 65 70 75 80



Tyr Pro Pro Ser Pro Trp Thr Ile Thr Gln Met Val Ile Gly Leu Ser  
85 90 95

Glu Asn Gln Gly Ile Ala Thr Trp Gly Ile Val Val Met Ala Asp Pro  
100 105 110

Lys Gly Lys Ala  
115

<210> 1413

<211> 52

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1413

Asn Leu Ser Ser Thr Leu Asn Leu Pro Gln Asn Pro Leu Asn Pro Leu  
1 5 10 15

Xaa Asn Leu Thr Val Val Gln Arg Gly Thr Ala Leu Trp Thr Leu Gly  
20 25 30

Lys Asn Leu Val Glu Arg Gly Lys Xaa Tyr Thr His Ser Xaa Pro Lys  
35 40 45

Ser Ser Thr Asn  
50

<210> 1414

<211> 52

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (49)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1414

Pro Thr Glu Gln Val Thr Leu Gly Ile Thr Ala Gln Ser Tyr Ser Arg  
1 5 10 15

Val His Ile Asn Asn Arg Val Tyr Asp Leu Asp Val Gly Ser Gly His  
20 25 30

Pro Asp Gly Ala Ala Ala Ile Lys Gly Ser Phe Gly Gln Arg Leu Lys  
35 40 45

Xaa Tyr Val Ile  
50

<210> 1415

<211> 55

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (45)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1415

Ser Lys Ser Ala Xaa Phe Gln Arg Leu Trp Tyr Gly Leu Ser Ala Ala  
1 5 10 15

Ser Asn Lys Met Lys Ser Gln Asn Arg Ala Xaa Xaa Xaa Lys Ser Ile  
20 25 30

Phe Ser Ala Val Leu Asp Cys Thr Xaa Ala Leu Pro Xaa Ile Asp Thr  
35 40 45

Gln Thr Pro Leu Gln Thr Gln  
50 55

&lt;210&gt; 1416

&lt;211&gt; 65

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (34)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1416

Ile Cys Pro Gln Asn Pro Leu Asn Pro Leu Val Asn Leu Thr Val Ser  
1 5 10 15

Pro Lys Arg Asn Ser Ser Leu Asp Thr Arg Lys Lys Pro Cys Arg Glu  
20 25 30

Ser Xaa Lys Phe Asn Thr His Ser Arg Pro Lys Ser Ser His Gln Leu  
35 40 45

Arg Lys Arg Gln Ala Gln His Pro Leu Pro Lys Lys Ser Gln Thr Tyr  
50 55 60

Asn

65

&lt;210&gt; 1417

&lt;211&gt; 22

&lt;212&gt; PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1417

Asp	Thr	Ser	Xaa	Gly	Thr	Gly	Pro	Met	Glu	Met	Tyr	Arg	Xaa	Phe	Pro
1				5				10						15	

Ile	Leu	Val	Xaa	Ser	Leu
				20	

<210> 1418

<211> 54

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (45)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1418

Gly Ile Arg Ile Phe Cys Lys Trp Arg His Ile Gln Lys Lys Ser Leu  
1 5 10 15

Asn Gly Xaa Ile Gly Met Glu Trp Gly Lys Xaa Phe Trp Lys Xaa Ile  
20 25 30

Pro Ile Leu Pro Gly Arg Leu Phe Glu Val Xaa Ile Xaa Val Pro Asn  
35 40 45

Lys Val Asn Xaa Phe Leu  
50

<210> 1419

<211> 39

<212> PRT

<213> Homo sapiens

<400> 1419

Gln Leu Leu Leu Ser Val Arg Leu His Phe Ala Pro Tyr Asn Tyr Cys  
1 5 10 15

Phe Gln Ile Ser Thr Cys Met Cys Leu Ser Leu Lys Ala Leu Val Lys  
20 25 30

Ser His Ile Leu Tyr Ser Ala  
35

<210> 1420

<211> 45

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (5)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (39)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1420  
Gly Gly Gly Ala Xaa Pro Glu Gly Leu Ser Leu Leu Ala Pro Ser Ala  
1 5 10 15  
Arg Ser Arg Ala Gly Arg Ala Leu Pro Ala Pro Gly Thr Val Pro Gly  
20 25 30  
Gly Glu Tyr Asp Xaa Xaa Xaa Thr Pro Val Lys Xaa Glu  
35 40 45

<210> 1421  
<211> 136  
<212> PRT  
<213> Homo sapiens

<400> 1421  
Ala Ala Ala Ala Ala Gly Asp Pro Gly Ala Met Gly Arg Ala Arg Asp  
1 5 10 15  
Ala Ile Leu Asp Ala Leu Glu Asn Leu Thr Ala Glu Glu Leu Lys Lys  
20 25 30  
Phe Lys Leu Lys Leu Leu Ser Val Pro Leu Arg Glu Gly Tyr Gly Arg  
35 40 45  
Ile Pro Arg Gly Ala Leu Leu Ser Met Asp Ala Leu Asp Leu Thr Asp  
50 55 60

Lys Leu Val Ser Phe Tyr Leu Glu Thr Tyr Gly Ala Glu Leu Thr Ala  
65 70 75 80

Asn Val Leu Arg Asp Met Gly Leu Gln Glu Met Ala Gly Gln Leu Gln  
85 90 95

Ala Ala Thr His Gln Gly Ser Gly Ala Ala Pro Leu Gly Ser Arg Pro  
100 105 110

Leu Leu Ser Arg Gln Pro Ser Gln Ala Cys Thr Leu Ile Asp Gln His  
115 120 125

Arg Ala Ser Leu Ser Arg Arg Ser  
130 135

<210> 1422

<211> 115

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (96)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (111)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1422

Gly Met Thr Pro Phe Cys Gly Leu Lys Cys Asp Ala Leu Gln Lys His  
1 5 10 15

His Ser Asp Gly Gln Leu Asp Ser Gly Val Leu Arg Leu Cys Pro Leu  
20 25 30

Pro Thr Ala Ser Leu Pro His Pro Ser Leu Gln Ser His Phe Ser Asp  
35 40 45

Arg Ala Ile Pro Lys Asn Thr Glu Gly Leu Glu Cys Trp Leu Ala Thr  
50 55 60

Leu Cys Leu Ser Gly Leu Pro Lys Ala Trp Lys Lys Glu Gly Pro Asp  
65 70 75 80

Cys Gln Gly Asn Leu Leu Ile Gly Leu Arg Arg His Trp Ser Leu Xaa  
85 90 95

Cys Gly Ala Pro Gln Ser Cys Arg Ser Asn Ala Leu Leu Ala Xaa Leu  
100 105 110

Ala Trp Leu  
115

<210> 1423  
<211> 52  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (9)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (49)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1423  
Arg Ala His Pro Ser Ile Phe Ala Xaa Ile Val Gly Lys Ile Tyr Arg  
1 5 10 15

Phe Glu Gly Glu Gln Thr Tyr Arg Ala Trp Leu Ile Ser Leu Phe Val  
20 25 30

Pro Arg Leu Glu Ser Leu Phe Pro Thr Phe Xaa Phe Leu Pro His Gln  
35 40 45

Xaa Pro Ser Phe  
50

<210> 1424  
<211> 53  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (38)



<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1424

Leu Cys Lys Gly Glu Pro Lys Leu Arg Pro Pro Lys Pro Asp Glu Leu  
1 5 10 15

Pro Lys Lys Gln Leu Lys Glu His Thr Arg Leu Cys Ser Lys Ile Val  
20 25 30

Gly Arg Phe Ile Gly Xaa Gly Asp Lys Pro Thr Glu Pro Gly Asp Ser  
35 40 45

Trp Phe Pro Xaa Glu  
50

<210> 1425

<211> 23

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1425

Leu Phe Phe Phe Leu Asn Xaa Xaa Leu His Xaa Phe Ser Xaa Phe Gln  
1 5 10 15

Asp Gly Arg Cys Tyr Gly Phe  
20

<210> 1426

<211> 75

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE  
<222> (35)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (36)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (47)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (48)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (56)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (63)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (70)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1426

Lys Gly Leu Glu Lys Gln Xaa Arg Leu Lys Ala Xaa Ser Ser Lys Pro  
1 5 10 15

Asn Gln Xaa Ser Xaa Xaa Gly Gln Xaa Val Ala Leu Xaa Val Pro Xaa  
20 25 30

Gln Lys Xaa Xaa Xaa Trp Glu Lys Gly Glu Xaa Xaa Gly Asn Xaa Xaa  
35 40 45

Leu Lys Leu Xaa Leu Leu Gly Xaa Ile Pro Pro Trp Lys Leu Xaa Ser  
50 55 60

Phe Leu Gly Lys Arg Xaa Lys Xaa Gln Pro Xaa  
65 70 75

<210> 1427

<211> 174

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (89)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (119)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (127)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (149)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (162)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (172)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1427

Pro	Pro	Cys	Cys	Cys	Pro	Thr	Thr	Pro	Thr	Cys	Ser	Arg	Cys	Gly	Arg
1				5					10					15	

Cys	Arg	Gly	Gly	Trp	Ala	Ala	Gln	Leu	Thr	Gly	Arg	Arg	His	Ser	Pro
		20					25						30		

Arg	His	Ala	Gly	Ser	Pro	Arg	Pro	Ala	Arg	Trp	Pro	Cys	Lys	Thr	Ala
	35						40					45			

Ser	Gly	Pro	Ser	Pro	Ser	Cys	His	Ala	Ala	Xaa	Gly	Asp	Met	Gly	Arg
	50					55					60				

Val	Ala	Leu	Lys	Ser	Arg	Gly	Ala	Val	Gly	Thr	Asp	Cys	Gly	Gln	Glu
65					70				75					80	

Ala	Trp	Lys	Val	Trp	Cys	Gly	Cys	Xaa	Cys	Glu	Ser	Glu	Cys	Glu	Cys
			85					90						95	

Ala	Gly	Arg	Pro	Gln	Gly	Gln	Glu	Ala	Ala	Ala	Pro	Arg	Leu	Lys	Ala
		100					105						110		

Met	Ala	Ala	Met	Asp	Leu	Xaa	Gln	Gly	Pro	Arg	Leu	His	Gly	Xaa	Arg
		115					120					125			

Thr	Trp	Asn	His	Asp	Ser	Gly	His	Trp	Ile	Trp	Gly	Gln	Gly	His	Val
	130					135					140				

Asp	Lys	Thr	Phe	Xaa	Thr	Val	Phe	Phe	Thr	Lys	Ala	Glu	Glu	Pro	Arg
145					150					155				160	

Met Xaa Pro His Ala Pro Pro Asn Asn Cys Pro Xaa Leu Arg  
165 170

<210> 1428

<211> 64

<212> PRT

<213> Homo sapiens

<400> 1428

Ser Ile Gly Ser Gly Thr Ser Cys Arg Thr Gln Leu Lys Thr His Val  
1 5 10 15

Phe Phe His Arg Ile Met Cys Gln Phe Phe Val Ala Met Ile Phe Leu  
20 25 30

Leu Glu Ser Gln Lys Cys Phe Val Pro Glu His Leu Gln Thr Ala Leu  
35 40 45

Arg Lys Asn Ser Gln Asn His Pro Leu Phe Pro Phe Leu Tyr Tyr Leu  
50 55 60

<210> 1429

<211> 120

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (45)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (112)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (118)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1429

Asp Xaa Gly Phe Arg Met Ala Ala Pro Val Arg Ile Thr Val Leu Cys  
1 5 10 15

Ser Lys Glu Asn Asp Ser Thr Cys Ser Phe Ser Leu Val Glu Val Thr  
20 25 30

Leu Val Ser Cys Trp Gly Gly Gly Xaa His Phe Phe Xaa Val Ser Val  
35 40 45

Glu Ser Lys Met Asn Asn Lys Ala Gly Ser Phe Phe Trp Asn Leu Arg  
50 55 60

Gln Phe Ser Thr Leu Val Ser Thr Ser Arg Thr Met Arg Leu Cys Cys  
65 70 75 80

Leu Gly Leu Cys Lys Pro Lys Ile Val Pro Phe Lys Leu Glu His Phe  
85 90 95

Glu Ile Thr Phe Ile Thr Glu Cys Asn Gln Arg Met Ile Ile Glu Xaa  
100 105 110

Ala Leu Ala Gly Cys Xaa His Phe  
115 120

<210> 1430

<211> 54

<212> PRT

<213> Homo sapiens

<400> 1430

Thr Cys Val Thr Lys Lys Lys Met Asn Val Leu Lys Arg Val Leu Gly  
1 5 10 15

Gly Trp Phe Asn Lys Glu Thr Lys Met Leu Trp Cys Leu Asp Leu Trp  
20 25 30

Leu Leu Lys Met Ser Ser Gln Val Lys Ser Leu Val Cys Leu His Leu  
35 40 45

Ile His Phe Cys Thr Asn  
50

<210> 1431  
<211> 132  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (5)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (6)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (120)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (126)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (128)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (131)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (132)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1431  
Thr Val Thr Val Xaa Xaa Ser Arg Val Arg Pro Ser Ala Ser Gly Arg  
1 5 10 15

Val Phe Met Trp Thr Val Ser Gly Thr Pro Cys Arg Glu Phe Trp Ser  
20 25 30

Arg Phe Arg Lys Glu Lys Glu Pro Val Val Val Glu Thr Val Glu Glu



35                                      40                                      45  
 Lys Lys Glu Pro Ile Leu Val Cys Pro Pro Leu Arg Ser Arg Ala Tyr  
     50                                      55                                      60  
 Thr Pro Pro Glu Asp Leu Gln Ser Arg Leu Glu Ser Tyr Val Lys Glu  
     65                                      70                                      75                                      80  
 Val Phe Gly Ser Ser Leu Pro Ser Asn Trp Gln Asp Ile Ser Leu Glu  
                                     85                                      90                                      95  
 Asp Ser Arg Leu Lys Phe Asn Leu Leu Ala His Leu Ala Asp Asp Leu  
                                     100                                      105                                      110  
 Gly His Val Val Pro Lys Leu Xaa Thr Pro Pro Asp Val Xaa Gly Xaa  
                                     115                                      120                                      125  
 Arg Cys Xaa Xaa  
                                     130

<210> 1432  
 <211> 30  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> SITE  
 <222> (8)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (10)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (11)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<220>  
 <221> SITE  
 <222> (22)  
 <223> Xaa equals any of the naturally occurring L-amino acids

<400> 1432  
 Ser Gly Thr Val Lys Arg His Xaa Arg Xaa Xaa Ile Ser Gly Arg Pro  
     1                                      5                                      10                                      15

Pro Ala Pro Pro Arg Xaa Pro Arg Glu Gly Pro Gly Ala Gly  
                   20                  25                  30

<210> 1433

<211> 43

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (39)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1433

Thr Pro Leu Ser Gln Asn Pro Ala Gln Ala Glu Arg Tyr Gly Ser Ala  
   1                  5                  10                  15

Ala Glu Pro Arg Leu Ala Ser Asp Ser Arg Ser Pro Arg Cys Pro Arg  
                   20                  25                  30

Arg Arg Ala Ala Xaa Xaa Xaa Arg Xaa Pro Pro  
                   35                  40

<210> 1434

<211> 47

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (43)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1434

Leu Asn Ala Ser Lys Ser Glu Ser Arg Pro Gly Gly Thr Ile Arg Gln  
1 5 10 15

Arg Arg Gly Ala Ser Asp Gly Ser Asp Ser Arg Ser Pro Ala Xaa Pro  
20 25 30

Arg Arg Arg Ala Ala Pro Pro Xaa Arg Ala Xaa Arg Ala Arg Glu  
35 40 45

<210> 1435

<211> 51

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1435

Cys Leu Ser Phe Leu Tyr Tyr His Arg Tyr Phe Pro His Ser Leu Ala  
1 5 10 15

Xaa Ala Cys Arg Met Leu Xaa Lys Ser Leu Ile Asn His Trp Ala Lys  
20 25 30

Tyr Thr Glu Gly Glu Ala Ser Ser Ile Phe Lys Leu Val Ser Lys Phe  
35 40 45

Phe Ile Ala

50

<210> 1436  
<211> 96  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (53)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (73)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (80)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (83)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (89)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (90)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1436  
Glu Gln Leu Lys Glu His Thr Arg Leu Cys Ser Lys Ile Val Gly Arg  
1 5 10 15

Phe Ile Gly Arg Gly Asp Lys Pro Thr Glu Pro Gly Asp Ser Trp Val  
20 25 30

Val Gln Asp Arg Ile Leu Ser Ser Thr Leu Asn Leu Pro Gln Asn Pro  
35 40 45

Leu Asn Pro Leu Xaa Asn Leu Thr Gly Ser Pro Lys Arg Asn Ser Ser  
50 55 60

Leu Asp Thr Arg Lys Lys Pro Cys Xaa Glu Ser Lys Lys Ile Asn Xaa

65                                      70                                      75                                      80  
His Ser Xaa Pro Lys Ser Ser Thr Xaa Xaa Lys Ala Val Lys Leu Thr  
                                    85                                      90                                      95

<210> 1437

<211> 58

<212> PRT

<213> Homo sapiens

<400> 1437

Ile Cys Pro Gln Asn Pro Leu Asn Pro Leu Val Asn Leu Thr Val Ser  
1                                      5                                      10                                      15

Pro Lys Arg Asn Ser Ser Leu Asp Thr Arg Lys Lys Pro Cys Arg Glu  
                                    20                                      25                                      30

Ser Lys Lys Phe Asn Thr His Ser Arg Pro Lys Ser Ser His Gln Leu  
                                    35                                      40                                      45

Arg Lys Arg Ser Ser Ser Thr Pro Thr Thr  
                                    50                                      55

<210> 1438

<211> 121

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (108)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1438

Asp Gly Gly Ser Ser Val Gln Ser Glu Ala Glu Ala Ser Val Asp Pro  
1                                      5                                      10                                      15

Ser Leu Ser Trp Gly Gln Arg Lys Lys Leu Tyr Tyr Asp Thr Asp Tyr  
                                    20                                      25                                      30

Gly Ser Lys Ser Arg Gly Arg Gln Ser Gln Gln Glu Ala Glu Glu Glu  
                                    35                                      40                                      45

Glu Arg Glu Glu Glu Glu Glu Ala Gln Ile Ile Gln Arg Arg Leu Ala

50 55 60  
Gln Ala Leu Gln Glu Asp Asp Phe Gly Val Ala Trp Val Glu Ala Phe  
65 70 75 80  
Ala Lys Pro Val Pro Gln Val Asp Glu Ala Glu Thr Arg Val Val Lys  
85 90 95  
Asp Leu Ala Lys Gly Ser Val Glu Arg Lys Thr Xaa Lys Cys Cys Lys  
100 105 110  
Arg Asn His Gln Asn Ser Trp Ser Leu  
115 120

<210> 1439

<211> 78

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (71)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (72)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1439

Leu Leu Asn Ile Leu Glu Phe Phe Tyr Ser Trp Tyr Leu Lys Lys Lys  
1 5 10 15  
Lys Lys Arg Ala Ala Ala Leu Glu Asp Pro Ser Arg Gly Pro Ser Phe  
20 25 30  
Thr Arg Ala Cys Asp Val His Ser Ser Leu Pro Ile Val Ser Arg Ile  
35 40 45  
Ile Lys Leu Gly Thr Gly Arg Ala Val Tyr Asn Val Arg Gly Leu Gly  
50 55 60  
Arg Ser Ala Ser Leu Gly Xaa Xaa Val Glu Gly Thr Leu Leu  
65 70 75

<210> 1440

<211> 121

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (87)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (101)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (105)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1440

Leu Cys Ala Phe Ser Ala Pro Phe Ser Gly Cys Pro Thr Leu Pro Leu  
1 5 10 15

His Ala Ala Trp Ala Ala Arg Xaa Arg Xaa Pro Thr Gly Ser Lys Cys  
20 25 30

Ala Phe Leu Arg Ala Leu Pro Glu Ser Ser Thr Ala His Pro Val Ala  
35 40 45

Pro Cys Leu Ala Trp Pro Gly Leu Pro Gly Pro Ser Leu Pro Met Leu  
50 55 60

Leu His Val Leu Ile Phe Leu Phe Gly Pro Leu Leu Pro Pro Leu Ala  
65 70 75 80

Val Leu Pro Leu Gly Leu Xaa Pro Ser Cys Leu Asn Leu Gly Lys Val  
85 90 95

Leu Ser Leu Trp Xaa Ser Ser Ser Xaa Pro Arg Val Leu Glu Pro Gly  
100 105 110

Leu Phe Pro Thr Gly Pro Thr Leu Thr

115

120

<210> 1441  
<211> 121  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (2)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (79)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (81)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (109)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (110)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (117)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (119)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE



&lt;222&gt; (120)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1441

Gln Xaa Ile Ser Ala Pro Trp Gly Leu Glu Gln Asn Trp Gln Arg Gly  
1 5 10 15

Lys Arg Ser Leu Arg Ala Ser Val Thr Gln Asp Leu Pro Pro Ala Cys  
20 25 30

Pro Ser Pro Ala Arg Leu Leu Glu Asn Gly His Cys Ala Gln Pro Gly  
35 40 45

Pro Trp Ala Ala Gln Ala Gly Val Xaa His Gly Pro Gly Pro Pro Ser  
50 55 60

Leu Pro Leu Leu Arg Pro Pro Ala Phe Arg Gln Ala Lys Ala Xaa Phe  
65 70 75 80

Xaa Pro Thr Arg Pro Pro Gln Gly Ala Ser Gly Ala Gln Val Gly Pro  
85 90 95

Ser Phe Asn Leu Pro Val Val Val Val Gly Ala Leu Xaa Xaa Pro Gln  
100 105 110

Arg Ser His Phe Xaa Gly Xaa Xaa Trp  
115 120

&lt;210&gt; 1442

&lt;211&gt; 37

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1442

Glu Gln Leu Lys Glu His Thr Arg Leu Cys Ser Lys Ile Val Gly Arg  
1 5 10 15

Phe Ile Gly Arg Gly Asp Lys Pro Thr Glu Pro Gly Asp Ser Trp Leu  
20 25 30

Ser Lys Ile Glu Ser  
35

&lt;210&gt; 1443

&lt;211&gt; 61

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

<220>  
<221> SITE  
<222> (4)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (26)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (47)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (49)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (53)  
<223> Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1443

Ala Lys Pro Xaa Pro Lys Pro Thr Pro Pro Tyr Tyr Xaa Thr Thr Leu  
1 5 10 15

Ala Lys Pro Phe Thr Gln Ile Lys Tyr Xaa Arg Tyr Lys Leu Lys Pro  
20 25 30

Xaa Xaa Ile His Ile Leu Pro Pro Gly Lys His Glu Lys Leu Xaa Pro  
35 40 45

Xaa Xaa Ile Xaa Xaa Gly Leu Thr Pro Ile Pro Ser Ala  
50 55 60

&lt;210&gt; 1444

&lt;211&gt; 35

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1444

Asn Ala Tyr Val Asn Phe Phe Leu Phe Leu Ser Ile His Pro Asn Lys  
1 5 10 15

Lys Ile Thr Gly Lys Pro Met Phe Leu Arg Cys His Tyr Ser Lys Gln  
20 25 30

Asn Lys Arg  
35

&lt;210&gt; 1445

&lt;211&gt; 79

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (21)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (25)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (38)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (56)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (70)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (71)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (76)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (79)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1445  
Gly Arg Gly Ser Ser Gly Leu Met Leu Gly Cys Arg Ser Ala Pro Val  
1 5 10 15  
Ala Thr Pro Pro Xaa Gln Pro Gly Xaa Leu Gly Ala Arg Leu Gly Val  
20 25 30  
Leu Thr Gly Val Gly Xaa Thr Pro Asn Ser Lys Ser Leu Arg Lys Arg  
35 40 45  
Glu Val Glu Gly Glu Ala Ser Xaa Xaa Ile Lys Ala Pro Ile Arg Ser  
50 55 60  
Lys Lys Lys Lys Lys Xaa Xaa Gly Gly Gly Pro Xaa Pro Asn Xaa  
65 70 75

<210> 1446  
<211> 104

<212> PRT

<213> Homo sapiens

<400> 1446

Phe Ala Cys Ser Arg Arg Gly Val Ala Leu Ile Ser Ala Met Ser Ser  
1 5 10 15

Gln Lys Gly Asn Val Ala Arg Ser Arg Pro Gln Lys His Gln Asn Thr  
20 25 30

Phe Ser Phe Lys Asn Asp Lys Phe Asp Lys Ser Val Gln Thr Lys Lys  
35 40 45

Ile Asn Ala Lys Leu His Asp Gly Val Cys Gln Arg Cys Lys Glu Val  
50 55 60

Leu Glu Trp Arg Val Lys Tyr Ser Lys Tyr Lys Pro Leu Ser Lys Pro  
65 70 75 80

Lys Lys Cys Val Lys Cys Leu Gln Lys Thr Val Lys Asp Ser Tyr His  
85 90 95

Val Met Cys Arg Pro Cys Ala Leu  
100

<210> 1447

<211> 34

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1447

Tyr Pro Arg Xaa Leu Xaa Cys His Arg Val Ala Gln Ala Cys Pro Ala  
1 5 10 15

Thr Pro Arg Ile Thr Leu Trp Pro Ser Ala Ser Gly Met Ser Xaa Arg  
20 25 30

Trp Ser

<210> 1448

<211> 80

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (39)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (78)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1448

His Xaa Xaa Asn Pro Xaa Ser Asn Xaa Lys Tyr His Arg His Xaa Xaa  
1 5 10 15

His Lys Glu Tyr Lys Xaa His His Pro Xaa Ala Trp Glu Asn Val Val  
20 25 30

Glu Asn Leu His Leu Tyr Xaa Ile Leu Lys Met Lys Leu Gly Val Val  
35 40 45

Val His Thr Cys Gly Pro Ser Leu Leu Gly Xaa Leu Gln Pro Gly Xaa  
50 55 60

Xaa Ala Pro Xaa Gln Gly Leu Val Ala Ala Met Ser Ser Xaa Leu Ala  
65 70 75 80

<210> 1449  
<211> 110  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (102)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (108)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1449  
Gly Thr Val Tyr Leu Glu Leu Arg Gly Phe Pro Arg Thr Met Gly Met  
1 5 10 15  
Ala Lys Asn Lys Leu Val Lys Ser Asp Pro Gly Thr Gln Gln Leu Ile  
20 25 30  
Leu Xaa Phe Phe Leu Ser Leu Ser Arg Val Phe Phe Pro Pro Trp Ala  
35 40 45  
Gly Met His Thr Ala Ala Ala Leu Val Ser Gly Gln Ala Asp Gly Leu  
50 55 60  
Gly Ala Ser Pro Arg Gly Val Ala Gly Ala Glu Asp Pro Pro Arg Arg  
65 70 75 80  
Thr Pro Ala Ser Ser Ala Gly Gln Arg Gln Ala Gly Arg Ala Phe Arg  
85 90 95  
Gly Ala Arg Ala Phe Xaa Gln Ala Cys Ser Pro Xaa Cys Ser  
100 105 110

<210> 1450  
<211> 111  
<212> PRT  
<213> Homo sapiens



<220>  
<221> SITE  
<222> (1)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (66)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (96)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (97)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1450  
Xaa Ser Ala Glu His Phe His Arg Leu Pro Arg Arg Xaa Xaa Gln Leu  
1 5 10 15  
Arg Asp Val His His Gly Trp Ala Pro Arg Gly Glu Arg Arg Pro Thr  
20 25 30  
Xaa Ala Val Pro Val Arg Glu Arg Glu Gly Phe Arg Gly Val Arg Arg  
35 40 45  
Arg Thr Leu Gly Pro Pro Ala Ala Val Tyr Arg Ala Ser His Leu Leu  
50 55 60  
Ser Xaa Phe Pro Leu Ser Arg Ser Lys Asn Thr Lys Leu Gly Thr Pro  
65 70 75 80

Ser Ala Pro Pro Pro Arg Leu Pro Gly Pro Ile His Asn Phe Asn Xaa  
85 90 95

Xaa Pro Gly Ser Pro Ser Phe Arg Gly Gly Leu Gly Arg Gly Cys  
100 105 110

<210> 1451

<211> 40

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1451

Xaa Lys Leu Trp Ser Phe Cys Leu Val Ala Leu Lys Xaa Phe Cys Ala  
1 5 10 15

Ile Met Gln Gln Tyr Gly Gly Lys Ile Leu Trp Lys Asn Gly Asp Xaa  
20 25 30

Leu Xaa Xaa Pro Gln Xaa Ile Lys

35

40

&lt;210&gt; 1452

&lt;211&gt; 40

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (17)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (19)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (21)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (34)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (36)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1452

Thr	Ser	Ser	Gly	Thr	Arg	Asp	Leu	Pro	Leu	Gly	Trp	Pro	Ala	Arg	Arg
1				5				10					15		

Xaa	Arg	Xaa	Gly	Xaa	Pro	Gly	Ser	Thr	His	Ala	Ser	Ala	Ile	Leu	Leu
			20					25					30		

Glu	Xaa	Ile	Xaa	Leu	Ser	Pro	Pro
			35				40

&lt;210&gt; 1453

&lt;211&gt; 67

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (1)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (43)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (45)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (59)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (67)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1453

Xaa Ser Ala Thr Gln Glu Val Arg Ile Leu Leu Ala Ser Ala Gly Cys  
1 5 10 15

Cys Phe Phe Ser Gly Ser Gly Thr Gly Arg Gly Pro Val Val Tyr Leu  
20 25 30

Thr Gln Met Gly Asp Glu Lys Val Leu Leu Xaa Lys Xaa Lys Thr Leu  
35 40 45

Asp Gly Asn Ser Ser Gly Lys Arg Asn Glu Xaa Arg Asn Lys Arg Arg  
50 55 60

Lys Gln Xaa  
65

&lt;210&gt; 1454

&lt;211&gt; 44

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1454

Asn Ser Glu His Ser Thr His Val Trp His Phe Lys Val Lys Thr Ser  
1 5 10 15

Val Thr Ser Arg Thr Lys Glu Ile Val Ser Tyr Thr Phe Ile Phe Met  
20 25 30

Asn Ser Phe Ile Phe Leu Phe Asn Asp Ser Leu Phe  
35 40

<210> 1455

<211> 39

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (20)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1455

Thr Ser Thr Ser Trp Cys Val Ser Leu Thr Gly Val Glu Asp Gln Thr  
1 5 10 15

Gly Xaa Xaa Xaa Xaa Cys Ser Glu Arg Val Arg Ser Tyr Trp Ile Ile  
20 25 30

Ile Xaa Leu Asn Pro Lys Gln  
35

<210> 1456  
<211> 149  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (54)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (81)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (104)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (112)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (113)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (121)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (122)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (125)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (126)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (137)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (148)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1456

Ser Pro Pro Pro Pro Gly Leu Ala Leu Pro Gly Gly Tyr Asp Trp Ser  
1 5 10 15

His Trp Ser Arg Arg Ile Pro Ala Ser Ser Val Ala Ala Ser Thr Ser  
20 25 30

Leu Ser Arg Pro Arg Pro Ala Pro Arg Arg Leu Leu Trp Val Arg Pro  
35 40 45

Pro Arg Gly Ala Ala Xaa Ser Gln Ala Ala Gly Gln Ala Arg Leu Lys  
50 55 60

Ser Leu Gln Trp Leu Thr Asn Leu Ser Leu Ser Val Leu Thr Trp Pro  
65 70 75 80

Xaa Ile Asp Tyr Gly Arg Leu Gly Val Asn Ser Ile Pro Thr Ile Lys  
85 90 95

Val Ile Ser Gln Ser Pro Leu Xaa Gln Ala Thr Val Met Ser Ser Xaa  
100 105 110

Xaa Phe Gly Gly Ile Ala His Thr Xaa Xaa Thr Glu Xaa Xaa Arg Asn  
115 120 125

Asp Thr Asn Met Ser Gln Ser Phe Xaa Gly Asn Leu Asp Pro Trp Asn  
130 135 140

Val Phe Ser Xaa Trp  
145

<210> 1457

<211> 140

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (117)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (124)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (135)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (138)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1457

Glu Ala Ala Ala Leu Gly Leu Ser Gln Pro Ser Gly Cys Trp Cys Cys  
 1 5 10 15

His Pro Pro Ala Leu Ser Leu Trp His Phe Pro Pro Leu Arg Pro Trp  
 20 25 30

Arg Ala Leu Pro Val Gly Leu Ala Ala Pro Gln Asn Leu Gly Pro Ser  
 35 40 45

Ser Ser Ile Gly Phe Ser Pro Gly Phe His Leu Leu Pro Arg Ala Gln  
 50 55 60

Pro Leu Thr Cys Phe Ile Gly His Ser Gly Cys Ser Leu Thr Gln Trp  
 65 70 75 80

Leu Val Gly Arg Gly Val Thr Glu Gly Ser Gln Gly Pro Val Gly Val  
 85 90 95

Pro Gly Gln Lys Asn Trp Leu Gln Leu Pro Val Trp Ser Arg Val Phe  
 100 105 110

Arg Val Asn Val Xaa Asn Phe Lys Gly His Ser Xaa Asn Gln Leu Gly  
 115 120 125

Val Lys Ser Leu Arg Met Xaa Asn Leu Xaa Gly Arg  
 130 135 140

&lt;210&gt; 1458

&lt;211&gt; 41

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens



<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1458

Pro	Pro	Arg	Cys	Ser	Arg	Ser	Xaa	Thr	Ser	Xaa	Xaa	Pro	Gly	Cys	Arg
1				5				10					15		

Asn	Ser	Ala	Arg	Ala	Cys	Lys	Thr	Ala	Gly	Cys	Thr	Ala	Ser	Ser	Lys
		20					25					30			

Pro	Arg	Xaa	Ser	Glu	Gln	Ile	Leu	Arg
		35				40		

<210> 1459

<211> 56

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1459

Arg	Val	Phe	Phe	Phe	Phe	Phe	Phe	Phe	Leu	Asp	Gly	Ile	Phe	Asn	Leu
1				5					10				15		

Phe Ile Met Phe Val Ser Tyr Arg His Leu Cys Phe Xaa Gln Gln Phe  
20 25 30

Ile Ile Val Thr Ser His Thr Ser Xaa Ile Thr Thr Glu Arg Thr Leu  
35 40 45

Lys Tyr Lys Glu Arg Leu Gln Lys  
50 55

<210> 1460

<211> 56

<212> PRT

<213> Homo sapiens

<400> 1460

Pro Gln Asn Pro Leu Asn Pro Leu Val Asn Leu Thr Val Ser Pro Lys  
1 5 10 15

Arg Asn Ser Ser Leu Asp Thr Arg Lys Lys Pro Cys Arg Glu Ser Lys  
20 25 30

Lys Phe Asn Thr His Ser Arg Pro Lys Ser Ser His Gln Leu Arg Lys  
35 40 45

Arg Ser Ser Ser Thr Pro Thr Thr  
50 55

<210> 1461

<211> 124

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (51)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (53)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (54)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (55)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (56)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (59)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (60)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (65)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE  
<222> (69)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (75)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (82)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (88)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (98)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (103)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (104)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (106)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (113)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (121)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (123)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1461

Gly Phe Arg Glu Asn Lys Leu Lys Xaa Ile Lys Phe Val Lys Ser Asn  
1 5 10 15

Tyr Ile Tyr Ile Lys Lys Pro Ile Cys Ile Arg Gln Lys Leu Phe Leu  
20 25 30

Phe Ile Ser Val Arg Tyr Pro Leu Asn Lys Tyr Phe Ser Gly Xaa Lys  
35 40 45

Lys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Asn Xaa Xaa Lys Gly Gly Arg  
50 55 60

Xaa Lys Gly Ser Xaa Leu Thr Phe Ala Cys Xaa Gln Arg His Thr Ser  
65 70 75 80

Pro Xaa Leu Ser Pro Asn Phe Xaa Pro Leu Ala Val Phe Leu Gln Pro  
85 90 95

Ser Xaa Leu Gly Lys Ser Xaa Xaa Val Xaa Gln Leu Lys Pro Pro Cys  
100 105 110

Xaa Tyr Ile Pro Phe Ser Pro Ala Xaa Arg Xaa Phe  
115 120

<210> 1462

<211> 51

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (51)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1462

His Glu Ala Ala Pro Glu Phe Gly Arg Lys Ile Glu Ala Glu Asp Val  
1 5 10 15

Glu Gly Ser Cys Gly Gly Gly Ser Asp Ala Ser Gly Thr Lys Leu Arg  
20 25 30

Asn Ser Leu Thr Asp Pro Val Pro Arg Glu Arg Gly Ser Pro Gln Ala  
35 40 45

Leu Leu Xaa

50

<210> 1463  
<211> 80  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (2)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (11)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (35)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (46)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (61)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (74)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1463  
His Xaa Phe Ala Thr Val Met Asp Val Tyr Xaa Asn Pro Xaa Arg Val  
1 5 10 15

Cys Leu Pro Ala Leu His Pro Lys Ala His Leu Leu Pro Pro Leu His  
20 25 30

Leu Arg Xaa Lys Thr Leu Gln Thr Ala Asp Thr Arg Lys Xaa Asn Ser  
35 40 45

Gln Leu Cys Leu Met Leu Leu Val Ser Ser Thr Ser Xaa Gln Asn Arg  
50 55 60

Tyr His Ala Glu Phe Arg Gly Pro Cys Xaa Ser Lys Ser Leu Leu Phe  
65 70 75 80

<210> 1464

<211> 81

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (53)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (57)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (59)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (61)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (65)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (73)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (80)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1464

Val Phe Leu Cys Leu Cys Ala Ser Ala Met Xaa Lys Asn Thr Arg Gln

1

5

10

15



Thr Thr Met Arg Ile Asn Xaa Xaa Asp Ala Leu Cys Thr Pro His Ser  
                   20                                  25                                  30

His Glu Pro Lys Lys Ile Phe Xaa Xaa Phe Leu Met Lys Glu Lys Xaa  
                   35                                  40                                  45

Cys Pro Leu Trp Xaa Leu Pro Pro Xaa Phe Xaa Xaa Xaa Ile Leu Phe  
                   50                                  55                                  60

Xaa Leu Pro Pro Pro Lys Asn Pro Xaa Xaa Xaa Cys Phe Leu Ala Xaa  
                   65                                  70                                  75                                  80

Pro

<210> 1465

<211> 34

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (25)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1465

Ile Gln Leu Gly Glu Pro Ala Gly Leu Val Arg Gln Xaa Leu Gly Leu  
       1                                  5                                  10                                  15

Cys Gln Gln Gln Glu Val Lys Arg Xaa Thr Leu Pro Pro Ser Pro Pro  
                   20                                  25                                  30

Xaa Xaa

<210> 1466  
<211> 151  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (5)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (15)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (41)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (46)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (56)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (58)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (62)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (82)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (85)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (92)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (94)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (97)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (101)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (105)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (106)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (112)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (113)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (118)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (127)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (130)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (135)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (142)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1466

Thr Val Leu Pro Xaa Met Xaa Ser Pro Met Gly His Pro Xaa Xaa Phe  
1 5 10 15

Pro Lys Pro Pro Xaa Lys His Thr Trp Ser Gln Ser Leu Leu Pro Pro  
20 25 30

Ala Leu Pro Leu Asn Trp Lys Gln Xaa Cys Ala Arg Trp Xaa Gly Leu  
35 40 45

Pro Gly Arg Gln Pro Leu Pro Xaa Ser Xaa Ala Lys Pro Xaa Ala Xaa  
50 55 60

Glu Arg Leu Leu Leu Arg Cys Pro Cys Pro Gly Leu Leu Thr Leu Ala

```

65                               70                               75                               80
Thr Xaa Thr Tyr Xaa Ala Leu Gly Leu Gln Pro Xaa Pro Xaa Leu His
      85                               90                               95
Xaa Cys Trp Pro Xaa Arg Leu Leu Xaa Xaa Ser Ile Asp Leu Val Xaa
      100                               105                               110
Xaa Lys Ser His Trp Xaa Ser Trp His Trp Arg Val Leu Val Xaa Gly
      115                               120                               125
Leu Xaa Ser Glu Ala Cys Xaa Arg Val Ser Leu Asn Ser Xaa Met His
      130                               135                               140
Ala Leu Gly Leu Ser Cys Ser
145                               150

```

```
<210> 1467
<211> 34
<212> PRT
<213> Homo sapiens
```

```
<220>
<221> SITE
<222> (4)
<223> xaa equals any of the naturally occurring L-amino acids
```

```
<220>  
<221> SITE  
<222> (18)  
<223> xaa equals any of the naturally occurring L-amino acids
```

```
<220>
<221> SITE
<222> (26)
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<220>  
<221> SITE  
<222> (31)  
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<220>  
<221> SITE  
<222> (33)  
<223> xaa equals any of the naturally occurring L-amino acids
```

<400> 1467  
Gly Asn Leu Xaa Gly Gly Cys Gln Asn Leu Asn Lys Lys Met Ala Pro

1                    5                    10                    15  
Thr Xaa His Ser Gln Thr Pro Leu Trp Xaa Leu Ala Leu Lys Xaa Lys  
                  20                    25                    30

Xaa Arg

<210> 1468  
<211> 40  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (22)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (39)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1468  
His Val Leu Met Leu Ala Ala Asp Leu Asn Thr Leu Lys Val Leu Cys  
1                    5                    10                    15

Arg Lys Lys Lys Xaa Xaa Arg Ala Ala Ala Leu Glu Asp Pro Ser Leu  
                  20                    25                    30

Arg Thr Arg Ala Cys Asp Xaa Ile  
                  35                    40

<210> 1469  
<211> 30  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (23)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1469

Ala	Leu	Cys	Phe	Lys	Arg	Leu	Thr	Gly	Asn	Tyr	Ile	Trp	Xaa	Thr	Phe
1				5				10					15		

Xaa	Ala	Leu	Thr	Leu	Lys	Xaa	Leu	Lys	Ile	Gln	Val	Asp	Lys
			20					25					30

<210> 1470

<211> 87

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (70)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (79)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (84)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1470

Thr Ser Pro Ser Arg Lys Cys Glu Glu Pro Gln Ala His Xaa Cys Ser  
1 5 10 15  
Ser Ala Pro Ser Leu Thr Phe Ser Pro Gly Gln Val Cys Ile Cys Ser  
20 25 30  
Leu His Trp His Phe Tyr Phe Gln Pro Leu Gly Ser Cys Phe Cys Leu  
35 40 45  
Leu Leu Arg Asn Leu Ser Pro Trp Gly Ser Phe Thr Thr Pro Ser Asn  
50 55 60  
Ile Gly Ser Gln Arg Xaa Thr Arg Glu Gly Xaa Phe Pro Arg Xaa Gly  
65 70 75 80  
Pro Asn Phe Xaa Arg Glu Phe  
85

<210> 1471  
<211> 65  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (47)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1471  
Gly Ala Glu Asp Gly Gly Cys Ser Ile Cys Val Val Leu Leu Ser Thr  
1 5 10 15  
Leu Leu Cys Leu Ala Pro Asp Ser Ala Leu Cys Ser Leu Ala Gln Gln  
20 25 30  
Leu Cys Leu His Ile Ile Phe Met Val Leu Leu Cys Asn Ser Xaa Leu  
35 40 45  
Arg Trp Val Ala Thr Val Gln Ile Phe Ile Thr Leu Phe Arg Leu Ser  
50 55 60  
Glu  
65

<210> 1472  
<211> 68  
<212> PRT



<213> Homo sapiens

<400> 1472

Thr Pro Ile Asn Leu Thr Thr Ser Cys Ser Ala Tyr Ile Pro Pro Ser  
1 5 10 15  
Ser Ala Asn Pro Asp Glu Gly Tyr Lys Val Ser Ala Ser Thr His Val  
20 25 30  
Lys Thr Leu Gly Gln Gly Val Ala His Glu Val Ala Arg Asn Gly Leu  
35 40 45  
His Phe Leu Pro Gln Lys Thr Thr Ile Ala Leu Met Lys Leu Lys Gly  
50 55 60  
Arg Arg Trp Ile  
65

<210> 1473

<211> 132

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE  
<222> (30)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (40)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (46)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (47)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (51)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (55)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (63)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (64)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (68)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (70)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (85)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (89)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (92)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (104)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (107)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (117)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1473

Xaa Gly Gly Gly Gly Glu Xaa Phe Phe Xaa Pro Pro Ser Arg Gly Gly  
1 5 10 15

Xaa Leu Xaa Phe Gly Val Asn Lys Pro Leu Pro Pro Gly Xaa Pro Arg  
20 25 30

Gly Ser Pro Gly Lys Xaa Phe Xaa Pro Gly Gly Phe Arg Xaa Xaa Leu

35                      40                      45  
 Ile Ala Xaa Xaa Pro Gly Xaa Phe Xaa Pro Lys Lys Asn Lys Xaa Xaa  
     50                      55                      60  
 Phe Pro Phe Xaa Pro Xaa Leu Thr Trp Ala Ala Phe Ala Gln Lys Gly  
     65                      70                      75                      80  
 Phe Gly Gly Gly Xaa Lys Gly Gln Xaa Pro Leu Xaa Leu Glu Thr Gly  
                     85                      90                      95  
 Glu Lys Leu Gln Leu Trp His Xaa Ala Leu Xaa Val Val Pro Thr Cys  
                     100                      105                      110  
 Lys Arg Gly Gln Xaa Gly Gly Asn Leu Asn Leu Pro Ser Lys Lys Lys  
     115                      120                      125  
 Leu Ala Lys Tyr  
     130

&lt;210&gt; 1474

&lt;211&gt; 32

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (25)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (30)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (31)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1474

Ile Ile Met Ala Lys Lys Ser Ser Leu Arg Asn Lys Val Pro Phe Ser  
     1                      5                      10                      15

Glu Lys Lys Lys Lys Lys Lys Lys Xaa Gly Gly Pro Phe Xaa Xaa Thr  
                     20                      25                      30

<210> 1475  
<211> 51  
<212> PRT  
<213> Homo sapiens

<400> 1475  
Tyr Val Ala Leu Leu Asn Ile Thr Leu Arg Thr Arg Arg Leu Glu Thr  
1 5 10 15  
Thr Asn Pro Asn Tyr Val Ile Gly Lys Cys Arg Ile Lys Arg Pro Met  
20 25 30  
Tyr Ile Ser Thr Asp His Trp Ala Ile Met Leu Leu Leu Arg Leu Tyr  
35 40 45  
Ala Val Leu  
50

<210> 1476  
<211> 70  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (18)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (54)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1476  
Thr Phe Leu Ser Gly Gly Glu Val Val Asn Gly Gly Gly Cys Ala Cys  
1 5 10 15  
Val Xaa Ala Arg Val Ile Trp Glu Phe Ser Val Pro Ser Val Gln Phe  
20 25 30  
Cys Tyr Glu Pro Lys Thr Ala Leu Lys Asn Asn Leu Cys Phe Lys Lys

35

40

45

Val Xaa Val Leu Tyr Xaa Leu Leu Leu Glu Ile Phe Val Ala Ile Phe  
50 55 60

Thr Trp Lys Asn Thr Gly  
65 70

&lt;210&gt; 1477

&lt;211&gt; 90

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (53)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (76)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (87)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1477

His Arg Thr Pro Val Pro Ala Arg Gly Gly Ala Arg Ala Leu Pro Arg  
1 5 10 15

Ala Arg Gly Ala Trp Arg Gly Gly Arg Pro Ala Gly Gly Asp Arg Arg  
20 25 30

Gly Thr Gly Tyr Pro Arg Pro Thr Glu Ala Pro Arg Arg Cys Arg Ile  
35 40 45

Val Pro Pro Gly Xaa Asp Ser Asp Leu Glu Ala Phe Ser His Asn Pro  
50 55 60

Thr Asp Gly Ser Phe Ala Pro Leu Ala Pro Gln Xaa Ser Thr Tyr Thr  
65 70 75 80

Lys Cys Leu Asn Leu Arg Xaa Leu Ser Tyr  
85 90

<210> 1478

<211> 70

<212> PRT

<213> Homo sapiens

<400> 1478

Ile Pro Asn Ile Leu Phe Asn Met Ile Lys Leu Ile Leu Asn Glu Ile  
1 5 10 15

Leu Cys Cys Ser Leu Val Asn Leu Ser Phe Val Ile Leu Leu Val Cys  
20 25 30

Leu Ser Cys Glu Gly Leu Gln Ser Asp Met Pro Ile Phe His Ser Gln  
35 40 45

Ser Asn Tyr Lys Arg Ile Val Thr Ile Thr Gln Leu Cys Gln Glu Ile  
50 55 60

Phe Phe Asn Ser Leu Arg  
65 70

<210> 1479

<211> 59

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (52)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1479

Pro Val Pro Pro Ser Ser Ser Ala Arg Xaa Gly Gly Gly Gly Xaa Arg  
1 5 10 15

Arg Gly Arg Gly Xaa Val Pro Pro Ala Gly Xaa Ala Pro Gly Ala Xaa  
20 25 30

Val Pro Ala Ala Pro Arg Leu Gly Arg Arg Leu Xaa Ala Asp Leu Glu  
35 40 45

Leu Val Arg Xaa Arg Gly Ile Arg Leu Phe Asn  
50 55

<210> 1480

<211> 99

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (35)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (38)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (54)

<223> Xaa equals any of the naturally occurring L-amino acids



&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (57)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (76)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (79)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (84)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (86)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (91)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1480

Leu His Pro Arg Pro Gly Leu Asp Val Met Gly Cys Gly Pro Leu Pro  
1 5 10 15

Ala Glu Pro Ile Xaa Arg Gln Val Arg Ala Ala Leu Gln Thr Phe Ala  
20 25 30

His Leu Xaa Ala Ser Xaa Pro Lys Val Pro Gly Gln Pro Glu Ala Pro  
35 40 45

Arg Pro Gln Pro Arg Xaa Pro Gln Xaa Phe Glu Ser Gly Ala His Ser  
50 55 60

Arg Ser Pro Leu Ala Leu Pro Thr Pro Ala Arg Xaa Gly Gly Xaa Ser  
65 70 75 80

Cys Pro Arg Xaa Arg Xaa Ala Pro Glu Asn Xaa Thr Pro Pro Leu Arg  
85 90 95

Arg Thr Asn

<210> 1481  
<211> 41  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1481  
Ser Pro Ser Leu Ile Arg Xaa Pro Ile Gly Lys Ala Glu Xaa Ala Cys  
1 5 10 15  
Arg Tyr Arg Val Arg Glu Phe Pro Gly Arg Pro Thr Arg Pro Ile Thr  
20 25 30  
Ser Cys Arg Pro Pro Asn Ile Asn Leu  
35 40

<210> 1482  
<211> 99  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (20)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (25)  
<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (27)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (95)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1482

Pro Arg Xaa Arg Glu Ile Pro Gly Gly Arg Thr His Ala Phe Arg Glu  
1 5 10 15

Lys Ala Cys Xaa Lys Gln Gly Glu Xaa Arg Xaa Glu Lys Gly Gly Leu  
20 25 30

Val Ile Ser Lys Ser Leu Glu Arg Trp Glu Trp Thr Lys Lys Met Gly  
35 40 45

Thr Pro Pro Leu Phe Gln Ala Trp Glu Gly Val Leu Asn Gly Arg Asp  
50 55 60

Phe Leu Phe Pro Ala Thr Lys Arg Leu Phe Thr Thr Tyr Pro Val Lys  
65 70 75 80

Ser Lys Phe Ile Phe Gln Glu Phe Asn Met Tyr Phe Ser Trp Xaa Tyr  
85 90 95

Leu Cys Gln

&lt;210&gt; 1483

&lt;211&gt; 49

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1483

Cys Asn Ser Val Ser Phe Arg Phe Leu Ser Cys Phe Cys Lys Leu Trp  
1 5 10 15

Glu Arg Leu Thr Met Gln Met Cys Gln Arg His Thr Val Gly Cys Asn  
20 25 30

Ile Asn Asn Phe Lys Cys Lys Phe Leu Trp Ile Asn Tyr Phe Tyr Ile  
35 40 45

Leu

<210> 1484  
<211> 51  
<212> PRT  
<213> Homo sapiens

<400> 1484  
Cys Lys Gln Tyr Leu Thr Asn Pro Gln Val Leu Asn Tyr Gln Thr Cys  
1 5 10 15  
Ile Lys Asn Phe Gly Trp Gly Asp Leu Gly Ala Glu Pro Asn Leu Arg  
20 25 30  
Ala Val His Ala Lys Thr Ser Pro Val Lys Ala Asn Tyr Tyr Thr Gln  
35 40 45  
Leu Ile Gln  
50

<210> 1485  
<211> 22  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (12)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1485

Leu Ser Leu Leu His Glu Xaa Pro His Val Gly Xaa Xaa Xaa Phe Asp

1

5

10

15

Ile Leu Val Pro Arg Xaa

20

<210> 1486

<211> 126

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (112)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1486

Glu Gln Thr Cys Phe Leu Asn Leu Val Ile Phe Val Lys Asn Cys Leu

1

5

10

15

Asp Ser Phe Ser His Gln Arg Glu Ser Thr Ser Ser Glu Ser Ala Ser

20

25

30

Ala Pro Cys Ser Leu Leu Leu Arg Gly Arg Val Thr Ser His Trp Gln

35

40

45

Ala Ser Gly Ile Val Cys Glu Ala Leu Gln Arg Ala Ala Pro Gly Ser

50

55

60

Cys Leu Tyr Lys Asn Ile Leu Leu Pro Ala Ala Leu Ser Leu Ala Leu

65

70

75

80

His Phe Gly His Asp Ile Arg Cys Val Phe Ile Gln Leu Val Val Lys

85

90

95

Met Leu Leu Leu Asn Gly Ser Ala Tyr Leu Cys Leu His Gly Leu Xaa

100

105

110

Glu Val Gly Phe His Gly His Ser Val Ser Thr Asp Leu Glu

115

120

125

<210> 1487

<211> 51

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (37)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1487

Val Glu Ala Thr Asn Leu Pro Glu Pro Gly Asp Ser Trp Xaa Val Gln  
1 5 10 15

Asp Lys Asn Leu Ser Ser Thr Phe Lys Phe Trp Pro Thr Xaa Pro Xaa  
20 25 30

Lys Phe Pro Trp Xaa Ile Asn Arg Xaa Val Gln Glu Gly Pro Gly Xaa  
35 40 45

Gly Thr Pro  
50

<210> 1488

<211> 37

<212> PRT

<213> Homo sapiens

&lt;400&gt; 1488

Glu Gln Leu Lys Glu His Thr Arg Leu Cys Ser Lys Ile Val Gly Arg  
1 5 10 15

Phe Ile Gly Arg Gly Asp Lys Pro Thr Glu Pro Gly Asp Ser Trp Leu  
20 25 30

Ser Lys Ile Glu Ser  
35

&lt;210&gt; 1489

&lt;211&gt; 26

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (5)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (13)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (25)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (26)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1489

Gly Gly Met Arg Xaa Ser His Leu Gln Leu Leu Ser Xaa Glu Arg Thr  
1 5 10 15

Leu Gly Thr Glu Lys Asn Arg Gly Xaa Xaa  
20 25

&lt;210&gt; 1490

&lt;211&gt; 39

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

<220>  
<221> SITE  
<222> (5)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (8)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (12)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (28)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (35)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1490  
Ser Phe Leu Ile Xaa Ser Phe Xaa Ile Lys Arg Xaa Arg Asn Leu Met  
1 5 10 15  
Thr Gly Arg His Ser Phe Lys Thr Tyr Ser Gln Xaa Pro Ile Thr Ala  
20 25 30  
Gln Asn Xaa Ile Xaa Cys Leu  
35

<210> 1491  
<211> 55  
<212> PRT  
<213> Homo sapiens

<400> 1491  
Thr Leu Ala Tyr Phe Val Ile Asp Tyr Lys Gln Ile Glu Glu Ile Thr  
1 5 10 15



Ile Ser His Phe Cys Ile Phe Ser Lys Ile Ile Leu Leu Gln Ser Ser  
20 25 30

Ile Tyr Cys Val Pro Leu Ile Phe Tyr Cys Glu Ser Lys Glu Phe His  
35 40 45

Gln Asn Ile Leu Asn Tyr Glu  
50 55

<210> 1492

<211> 37

<212> PRT

<213> Homo sapiens

<400> 1492

Glu Gln Leu Lys Glu His Thr Arg Leu Cys Ser Lys Ile Val Gly Arg  
1 5 10 15

Phe Ile Gly Arg Gly Asp Lys Pro Thr Glu Pro Gly Asp Ser Trp Leu  
20 25 30

Ser Lys Ile Glu Ser  
35

<210> 1493

<211> 58

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (4)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1493

Ile Cys Pro Xaa Asn Pro Leu Asn Pro Leu Val Asn Leu Thr Val Ser  
1 5 10 15

Pro Lys Arg Asn Ser Ser Leu Asp Thr Arg Lys Lys Pro Cys Arg Glu  
20 25 30

Ser Lys Lys Phe Asn Thr His Ser Arg Pro Lys Ser Ser His Gln Leu  
35 40 45

Arg Lys Arg Ser Ser Ser Thr Pro Thr Thr  
50 55

<210> 1494  
<211> 95  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (91)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (93)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (94)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (95)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1494  
Glu Ser Trp Leu Cys Ser Gly Gly Gly Met Gln Gly His Leu Leu Lys  
1 5 10 15  
Glu Gly His Gly Gln Asn Asn Ile Glu Phe Pro Ala Pro Leu Gly Ser  
20 25 30  
Asp Leu Leu Asp Thr Glu Pro Pro Phe Lys Met Gly Gln Gly Lys Gly  
35 40 45  
Gly Ser Val Gln Ser Pro Asp Leu Glu Leu Pro Glu Ala Ile Ala Ala  
50 55 60  
Leu Phe Thr Ser Lys Gly Pro Val Leu Arg Leu Phe Val Leu Ile Tyr  
65 70 75 80  
Phe Lys Leu Gly Lys Ala Gly Gly Arg Val Xaa Pro Xaa Xaa Xaa  
85 90 95

<210> 1495  
<211> 67

<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (16)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (18)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (22)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (46)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (55)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (59)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (61)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (67)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1495  
Leu Ala Pro Gln Ala Gly Val Pro Pro His Ser Ala Pro Arg Pro Xaa

Ser Xaa Leu Ser Xaa Xaa Pro Gly Pro Ala Pro Val Pro Pro Arg Pro  
20 25 30  
Arg Ser Ala Gly Pro Pro Trp Ser Ala Gly Leu Asp Arg Xaa Gly Gly  
35 40 45  
Ala Trp Leu Leu Val Ala Xaa Arg Ala Leu Xaa Gln Xaa Leu Ser Ser  
50 55 60  
Asp Leu Xaa  
65

<210> 1496  
<211> 76  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (16)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (22)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (24)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (31)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (41)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (51)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (67)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1496

Glu Asn Pro Ser Lys Val Asn Ser Pro Ala Leu Gly Xaa Xaa Ser Xaa  
1 5 10 15

Ala Ser Trp Arg Leu Xaa Val Xaa Leu Ile Ser Gly Asn Pro Xaa Gln  
20 25 30

Ile Cys Ser Tyr Xaa Ser Arg Arg Xaa Ile Gly Ser Val Tyr Cys Asp  
35 40 45

Gly Asn Xaa Asn Val Thr Val Lys Arg Phe Ala Phe Cys Gly Leu Gly  
50 55 60

Arg Ala Xaa Asn Phe Leu Leu Arg Leu Ser Leu His  
65 70 75

<210> 1497  
<211> 103  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (68)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (72)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (80)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (83)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (99)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1497  
Leu Pro Arg Cys Ala Pro Gly Ser Gln Ala Pro Pro Glu Gly Pro Trp  
1 5 10 15  
Pro Arg Arg Ile Arg Arg Val Arg Pro Gly Pro Arg Val Arg Gln Pro  
20 25 30  
Arg Arg Pro Ser Ala Ser Leu Arg Pro Ser Arg Ala Arg Pro Gly Arg  
35 40 45  
Ser Xaa Phe Pro Arg Pro Pro Pro Xaa Arg Leu Pro Ala Ala Ser Arg  
50 55 60  
Val Gly Ala Xaa Arg Gly Leu Xaa Pro Leu Leu Lys Phe Glu Ser Xaa  
65 70 75 80  
Asn Gln Xaa Val Arg Asn Pro Glu Ile Pro Asp Pro Leu Arg Lys Met  
85 90 95  
Phe Ser Xaa Glu Gly Glu Arg  
100

<210> 1498

<211> 32  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (16)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (30)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1498  
Gly Arg Xaa Gly Gly Arg Ala Gly Gly His Glu Ala Arg Ala Ala Xaa  
1 5 10 15  
Ala Gly Gly Val Gly Arg Arg Ala Arg Gly Gly Gly Arg Xaa Gly Met  
20 25 30

<210> 1499  
<211> 69  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (15)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (30)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (46)  
<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (60)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (62)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (68)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1499

Val Ser His Leu Leu Ala Gly Phe Cys Val Trp Val Val Leu Xaa Trp

1

5

10

15

Val Gly Gly Ser Val Pro Asn Leu Gly Pro Ala Glu Gln Xaa Gln Asn

20

25

30

His Tyr Leu Pro Ser Cys Leu Ala Val Arg Arg Glu Trp Xaa Ala Asp

35

40

45

Cys Lys Gly Leu Gly Ala Val Phe His Asn Leu Xaa Leu Xaa Gln Val

50

55

60

Gln Gly Leu Xaa Leu

65

&lt;210&gt; 1500

&lt;211&gt; 109

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (89)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1500

Asn His Glu Arg Asn Lys Lys Glu Thr Lys Gln Lys Arg Asn Glu Lys

1

5

10

15

Asp Ile Met Met Ser Ser Lys Pro Thr Ser His Ala Glu Val Asn Glu

20

25

30

Thr Ile Pro Asn Pro Tyr Pro Pro Ser Ser Phe Met Ala Pro Gly Phe



35 40 45  
Gln Gln Pro Leu Gly Ser Ile Asn Leu Glu Asn Gln Ala Gln Gly Ala  
50 55 60  
Gln Arg Ala Gln Pro Tyr Gly Ile Thr Ser Pro Gly Ile Phe Ala Ser  
65 70 75 80  
Ser Gln Pro Gly Gln Gly Asn Ile Xaa Met Ile Asn Pro Ser Val Gly  
85 90 95  
Thr Ala Val Met Asn Phe Lys Arg Lys Lys Gln Arg His  
100 105

<210> 1501

<211> 71

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (12)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (56)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1501

Val Asp Glu Gly Gly Tyr Trp Gly Trp Leu Xaa Xaa Lys Ile Met Glu  
1 5 10 15

Asn His Phe Ser Ile His Leu Pro Ile Leu Asn Leu Xaa Asn Lys Val

20 25 30  
Ile Tyr Cys Lys Val Leu Cys Pro Leu Lys Glu Val Leu Lys Arg Val  
35 40 45  
Arg Met Asp Leu Lys Lys Asn Xaa Asn Leu Glu Xaa Phe Lys Met Val  
50 55 60  
Phe Val Gly Arg Phe Leu Leu  
65 70

<210> 1502

<211> 52

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (13)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (18)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (29)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (40)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1502

Val Pro Leu Gln Val Pro Val Arg Asn Ser Arg Val Xaa Pro Arg Val  
1 5 10 15

Arg Xaa Xaa Ser Asn Val Cys Gln Asn Ser Gln Phe Xaa Ala Ser Lys  
20 25 30

Ser Xaa Tyr Ile Glu Ser Ala Xaa Phe Leu Phe Phe Leu Phe Phe Phe  
35 40 45

Phe Xaa Phe Phe  
50

<210> 1503

<211> 34

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1503

Leu Asp Ile Lys Gln Xaa Thr Met His Gln Glu Tyr Lys Xaa Gly Lys  
1 5 10 15

Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Xaa Lys Lys  
20 25 30

Xaa Lys

<210> 1504  
<211> 36  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (1)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (9)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (12)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (28)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1504  
Xaa Leu Glu Pro Gln Pro Gly Pro Xaa Arg Pro Xaa Arg Pro Pro Ser  
1 5 10 15

Arg Arg Ser Trp Xaa Gln Gly Lys Pro Thr Gly Xaa Glu Arg Glu Ala  
20 25 30

Ala Ala Arg Ser  
35

<210> 1505  
<211> 55  
<212> PRT  
<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (50)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1505

Ala Val Xaa Phe Asn Phe Leu Ser Ala Ala Ser Cys Val His Phe Leu  
1 5 10 15

Leu Lys Val Ile Gly Phe Cys Leu Ser Ser Lys His Lys Asn Leu Lys  
20 25 30

Gly Val Leu Gln Ile Phe Cys Ala Xaa Arg Trp Leu Phe Pro Ser Gly  
35 40 45

Ser Xaa Phe Leu Asn Asn Asn  
50 55

<210> 1506

<211> 58

<212> PRT

<213> Homo sapiens

<400> 1506

Ile Cys Ile Val Pro Pro Pro Val Ser Leu Ile Arg Met Thr Cys Ala  
1 5 10 15

Ile Phe Gln Arg Thr Cys Arg Gln Ala Gly Ile Leu Asp Tyr Phe Ser  
20 25 30

Tyr Ser Glu Thr Trp Pro Val Trp Glu Cys Gly Ile Gln Arg Trp Ser  
35 40 45

His Arg Cys Pro Tyr Cys Lys Trp Gln Phe  
50 55

<210> 1507

<211> 49

<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (5)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (9)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (21)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (31)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1507  
Leu Thr Xaa Ile Xaa Tyr Tyr Arg Xaa Ser Trp Tyr Ala Cys Arg Tyr  
1 5 10 15  
Arg Ser Gly Ile Xaa Gly Ser Thr His Ala Ser Ala Asp Ala Xaa Val  
20 25 30  
Gly Gly Gln Gly Lys Val Tyr Ser Lys Ser Xaa Lys Pro Cys Gln Leu  
35 40 45

Lys

<210> 1508  
<211> 120  
<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (58)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (103)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (105)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (109)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (111)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (115)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1508

Val Pro Leu Pro Pro Ser Leu Arg Ser Pro Gly Ser His Arg Arg His  
1 5 10 15

His Ala Ser Gly Lys Pro Gln Arg Gly Leu Pro Ala Ser Gln Pro Pro  
20 25 30

Arg Arg Ala Leu Cys Pro Pro Ala Arg Ala Pro Thr Ala Leu Gly Ser  
35 40 45

Arg Pro Ser Pro Arg Pro Phe Gly Pro Xaa Gly Ala His Gly Ser Asp  
50 55 60

Gly Asp His Gly Arg Arg Gly Ser Arg Gly Leu Gly Cys Gly Thr Arg  
65 70 75 80

His Gly Gln Arg Pro Asp Arg Ser Leu Gln Arg Gly Glu Leu Gly Ala  
85 90 95

Leu Pro Ala Cys Cys Pro Xaa Gly Xaa His Pro Arg Xaa Pro Xaa Ala  
100 105 110

Pro Ala Xaa Gly Ala Leu Arg Leu  
115 120

<210> 1509  
<211> 100  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (15)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (17)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (18)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (22)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (29)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)



<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (51)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (54)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (55)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (57)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (63)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (77)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (79)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (89)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (99)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1509  
Val Ser Ile Val Ala Ala Gln Met Phe Leu Phe Phe Xaa Val Xaa Leu  
1 5 10 15

Xaa Xaa Ile Ser Pro Xaa His Leu Thr Ser Leu Trp Xaa Ile Met Val  
20 25 30

Ser Glu Leu Ile Xaa Thr Phe Thr Gln Leu Glu Glu Asn Leu Lys Asp  
35 40 45

Glu Xaa Xaa Ser Leu Xaa Xaa Thr Xaa Lys Val Asn Arg Ile Xaa Val  
50 55 60

Ser Val Pro Asp Ala Asn Gly Pro Ser Val Gly Glu Xaa Pro Xaa Ser  
65 70 75 80

Glu Leu Ile Leu Tyr Leu Ser Ala Xaa Lys Phe Leu Asp Thr Ala Ala  
85 90 95

Phe Phe Xaa Thr  
100

<210> 1510

<211> 48

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (34)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (42)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (45)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1510

Gly Lys Ser Lys Phe Trp Val Glu Val Leu Xaa Ser Met Ser Phe Leu  
1 5 10 15

Leu Phe Leu Phe Tyr Leu Lys Xaa Leu Ile Tyr Pro Glu Trp Gln Xaa  
20 25 30

Leu Xaa Gln Ala Asp Gly His Asn Leu Xaa Ser Lys Xaa Phe Phe Ile  
35 40 45

<210> 1511

<211> 33

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (33)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1511

Val Arg Xaa Ser Phe Leu Cys Thr Val Phe Leu Arg Arg Met Xaa Leu  
1 5 10 15

Asp Ser Cys Leu Leu Ser Cys Ser Pro Ser Leu Ile Met Glu Leu Ser  
20 25 30

Xaa

<210> 1512

<211> 61

<212> PRT

<213> Homo sapiens

<400> 1512

Lys Leu Val Pro Leu Gln Val Pro Val Arg Asn Ser Arg Ala Lys Tyr  
1 5 10 15

Glu Asn Lys Ser Phe Glu Lys Asn Thr Val Cys Lys Ile Cys Ser Phe  
20 25 30

Val Glu Val Met Val Leu Cys Phe Tyr Lys Ile Val Pro Thr Pro Phe  
35 40 45

Phe Tyr Phe Arg Tyr Phe Ile Ser Thr Ile Ser Ile Asn  
50 55 60

<210> 1513

<211> 61

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (46)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (57)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1513

Ile Pro Xaa Ser Ser Leu Gly Xaa Tyr Pro Cys Arg Tyr Arg Ser Gly  
1 5 10 15

Ile Pro Gly Ser Thr His Ala Ser Val Xaa Leu Arg Cys Gly Ala Pro  
20 25 30

Thr Ala Asp Xaa Ala Ala Gly Pro Xaa Arg Ser Ala Ala Xaa Arg Ser  
35 40 45

Gln Glu Ala Gly Thr Ser Trp Lys Xaa Arg Pro Ala Arg  
50 55 60

<210> 1514

<211> 45

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1514

Pro Arg Xaa Arg Ala Arg Arg Ala Glu Asp Gly Ile Gly Leu Asp Leu  
1 5 10 15

Pro Leu Tyr Pro Ala His Pro Gln Asp Phe His Glu Val Glu Asp Leu  
20 25 30

Ile Lys Thr Ala Ile Gly Asn Thr Leu Val Gln Asp Ile  
35 40 45

<210> 1515

<211> 39

<212> PRT

<213> Homo sapiens

<220>  
<221> SITE  
<222> (31)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (35)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (39)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1515  
Ala Ser Ser Arg Ser Arg Ala Ala Ala Leu Phe Phe Phe Phe Phe Phe  
1 5 10 15  
Phe Phe Phe Phe Phe Ser Phe Ile Leu Leu Phe Ile Phe Pro Xaa Tyr  
20 25 30  
Xaa Asn Xaa Gln Gln Leu Xaa  
35

<210> 1516  
<211> 66  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (9)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (12)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (28)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (33)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (47)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1516  
Thr Leu Xaa Gly Leu Pro His Gln Xaa Gln His Xaa Asp Arg Pro Gln  
1 5 10 15  
Ser Cys Thr Phe Ala Pro Lys Leu Leu Phe Thr Xaa Pro Phe Asn Leu  
20 25 30  
Xaa Ala Ala Thr Thr Ser Gln Gly Arg His Arg Glu Gly Glu Xaa Arg  
35 40 45  
Lys Lys Ser Xaa Ser Leu Leu Ser Ser Lys Thr Thr Thr Asn Tyr Thr  
50 55 60  
Gly Phe  
65

<210> 1517  
<211> 75  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (7)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (73)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (74)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (75)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1517

Arg	Thr	Arg	His	Glu	Lys	Xaa	Gly	Asp	Lys	Ser	Arg	Ile	Asn	Thr	Gly
1				5					10					15	

Cys	Ser	Gln	Phe	Cys	Leu	Leu	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys
			20					25					30		

Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys
			35				40					45			

Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys	Lys
			50				55					60			

Lys	Lys	Lys	Lys	Gly	Gly	Pro	Val	Xaa	Xaa	Xaa
65					70					75

<210> 1518

<211> 84

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids



&lt;400&gt; 1518

Ser Trp Tyr Ala Cys Arg Tyr Arg Ser Gly Ile Pro Gly Ser Thr Xaa  
1 5 10 15

Ala Ser Xaa Lys Xaa Lys Gly Leu Gln Lys His Ser Phe Leu Cys Cys  
20 25 30

Ser Leu Leu Gly Phe Met Gln Arg Gln Phe Cys Val Asn Val Gln Leu  
35 40 45

Thr Leu Ile Trp Lys Tyr Glu Asn Gln Ser Ile Leu Val Ile Lys Asn  
50 55 60

Phe Phe Thr Ile Val Ile Ile Leu Met Phe Ile Leu Cys Lys Ile Thr  
65 70 75 80

His Leu Ile Lys

&lt;210&gt; 1519

&lt;211&gt; 52

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1519

Phe Gln Leu Ser Pro Gly Thr Pro Lys Pro Leu Pro Leu Gly Leu Pro  
1 5 10 15

Ser Gln Pro Val Pro Arg Thr Ser Ser Ser Pro Phe Gln Ile Ile Lys  
20 25 30

Ser Met Asp Arg Ala Val Ser Glu Val Leu Thr Gln Gly Lys Lys Lys  
35 40 45

Lys Lys Lys Lys  
50

&lt;210&gt; 1520

&lt;211&gt; 45

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (32)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (39)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (41)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (44)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (45)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1520  
Ile Asn Ile Cys Ser Phe Gln Lys Lys Lys Lys Lys Lys Lys Lys Lys  
1 5 10 15  
Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Xaa  
20 25 30  
Gly Gly Arg Phe Lys Gly Xaa Lys Xaa Thr Tyr Xaa Xaa  
35 40 45

<210> 1521  
<211> 71  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (1)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (11)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (24)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (26)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (35)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (37)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (42)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (46)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (53)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (70)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1521  
Xaa Thr His Leu Arg Ser Asp Trp Thr Arg Xaa Ile Ile Leu Arg Ile  
1 5 10 15

Ala Asn Xaa Ser Leu Gly Leu Xaa Leu Xaa Val Asp Phe Ser Met Leu

20 25 30  
Arg Xaa Xaa Pro Xaa Arg Leu Glu Leu Xaa Leu Asp Asp Xaa Glu Glu  
35 40 45  
Phe Glu Asn Ile Xaa Lys Asp Leu Glu Thr Arg Lys Lys Gln Lys Glu  
50 55 60  
Asp Val Glu Val Val Xaa Gly  
65 70

&lt;210&gt; 1522

&lt;211&gt; 41

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (34)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (38)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1522

Ser Glu Lys Val Lys Thr Ala Phe Thr Lys Pro Gly Arg Trp Gly Leu  
1 5 10 15

Cys Glu Pro Leu Cys Thr Gly Ser Leu Arg Asp Ser Ala Trp Cys Ser  
20 25 30

Arg Xaa Ile Leu Ala Xaa Val Gly Glu  
35 40

&lt;210&gt; 1523

&lt;211&gt; 58

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (52)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

<221> SITE  
<222> (55)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (58)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1523  
Gly His Ala Leu Leu His Leu Lys Asn Lys Leu Cys Ser Asn Cys His  
1 5 10 15  
Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys  
20 25 30  
Asn Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys  
35 40 45  
Lys Lys Lys Xaa Gly Gly Xaa Phe Lys Xaa  
50 55

<210> 1524  
<211> 24  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (14)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (15)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (23)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1524  
Pro Val Leu Thr His Gly Met Pro Pro Ala Ile Arg Pro Xaa Xaa Ser  
1 5 10 15  
Ser Trp Ser Ser Ser Thr Xaa Thr  
20

<210> 1525  
<211> 35  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (29)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1525  
Ser Lys Ser Arg Glu Leu Pro Leu Leu Val Thr Cys Pro Leu Leu  
1 5 10 15  
Ser Ser Phe Cys Ser Gly Lys Pro Trp Asp Ser Ala Xaa Thr Tyr His  
20 25 30  
Cys Arg Cys  
35

<210> 1526  
<211> 33  
<212> PRT  
<213> Homo sapiens

<400> 1526  
Ser Leu Ala Lys His Leu Asn His Leu Ser Ile Leu Ser Trp Phe Ile  
1 5 10 15  
Ile Ile Lys Ala Gln Asn Asn Leu Leu Leu Glu Asn Met Cys Phe Tyr  
20 25 30

Lys

<210> 1527  
<211> 85  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (1)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (3)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (9)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (28)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (29)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (31)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (32)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (36)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (38)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (39)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE  
<222> (42)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (43)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (47)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (52)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (53)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (55)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (60)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (66)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (70)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (71)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE



&lt;222&gt; (83)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1527

Xaa Gly Xaa Gly Glu Thr Gln Gly Xaa Ala Met Gly Cys Met Val Ala  
1 5 10 15

Ser Gly Leu Leu Thr Gly Leu Ala Glu Val Leu Xaa Xaa Leu Xaa Xaa  
20 25 30

Thr Xaa Gln Xaa Gly Xaa Xaa Gln Tyr Xaa Xaa Phe Arg Val Xaa Leu  
35 40 45

Glu Ser Met Xaa Xaa Leu Xaa Asp Leu Glu Ala Xaa Trp Ala Pro Ser  
50 55 60

Pro Xaa Leu Glu Ala Xaa Xaa Leu Leu Ala Ala Val Cys His His Pro  
65 70 75 80

Ala Leu Xaa Leu Arg  
85

&lt;210&gt; 1528

&lt;211&gt; 58

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1528

Ile Cys Pro Gln Asn Pro Leu Asn Pro Leu Val Asn Leu Thr Val Ser  
1 5 10 15

Pro Lys Arg Asn Ser Ser Leu Asp Thr Arg Lys Lys Pro Cys Arg Glu  
20 25 30

Ser Lys Lys Phe Asn Thr His Ser Arg Pro Lys Ser Ser His Gln Leu  
35 40 45

Arg Lys Arg Ser Ser Ser Thr Pro Thr Thr  
50 55

&lt;210&gt; 1529

&lt;211&gt; 90

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1529

Cys Phe Ser Leu Cys Met Gly Gly Thr Ser Ala Val Ser Glu Ser Thr

1                    5                    10                    15  
Thr Ile Ser Ser Gly Ala Gly Pro Ser Ala Arg Pro Gln Lys Asn Arg  
                  20                    25                    30  
Arg Pro Gln Glu Ser Cys Arg Thr Gly Gly Leu Phe Leu Leu Ser Arg  
                  35                    40                    45  
Glu Ala Gln Gly Met Leu Trp Arg Asp Phe Thr Cys His His Phe Gln  
                  50                    55                    60  
Val Asn Arg Thr Arg Ala Leu Met Val Phe Lys Pro Cys Trp Lys Lys  
                  65                    70                    75                    80  
Val Pro Met Val Ser Leu Val Leu Pro Val  
                  85                    90

<210> 1530  
<211> 62  
<212> PRT  
<213> Homo sapiens

<400> 1530  
Ala Asn Leu Gln Pro Lys Asn Leu Phe Lys Arg His Leu Trp Ser Cys  
1                    5                    10                    15  
Asp Glu Thr Ser Ser Lys Thr His Ser Lys Thr Pro Leu Pro Pro Val  
                  20                    25                    30  
Gly His Gln Ser Ala Thr Lys His Glu Gln Ile Leu Leu Leu Ile Gly  
                  35                    40                    45  
Phe Pro Cys Asp Leu Val Pro Glu Val Phe Gly Ser Val Gln  
                  50                    55                    60

<210> 1531  
<211> 31  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (8)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (28)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1531

Cys	Asn	Ile	Ile	Glu	Met	Lys	Xaa	Ser	Leu	Val	Gly	Thr	Asp	Ser	Leu
1					5					10					15

Phe	Ile	Xaa	Leu	Gln	Ser	Leu	Arg	Ile	His	Xaa	Xaa	Lys	Xaa	His
			20					25					30	

<210> 1532

<211> 26

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (17)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1532

Ala Val Ser Ala Val Gln Tyr Ser Thr Asp Arg Trp Thr Gln Xaa Xaa  
1 5 10 15

Xaa His Xaa Gly Asn Arg His Leu Ser Ser  
20 25

<210> 1533

<211> 55

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (2)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (10)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (11)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (14)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (21)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (22)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (24)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE  
<222> (34)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (41)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (47)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (55)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1533  
His Xaa Ser Val Gln Leu Arg Thr Val Xaa Xaa Pro Ala Xaa Val Asn  
1 5 10 15  
Glu Pro Val Pro Xaa Xaa Ser Xaa Ser Lys Pro Pro Met Ser Ile Ser  
20 25 30  
Phe Xaa Ala His Leu Asn Thr Cys Xaa Tyr Ile Leu Tyr Ser Xaa Gln  
35 40 45  
Asn Asn Leu Tyr Leu Ile Xaa  
50 55

<210> 1534  
<211> 48  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (8)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (10)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE

<222> (19)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (30)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (31)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (32)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1534

Gly	Thr	Leu	Val	Leu	Asn	Gln	Xaa	Ser	Xaa	Ser	Leu	Phe	Met	Tyr	Cys
1				5				10					15		

Phe	Thr	Xaa	Phe	Tyr	Ser	Tyr	Val	Lys	Phe	Trp	Ile	Asn	Xaa	Xaa	Xaa
			20					25					30		

Cys	Asn	Tyr	Lys	Leu	Arg	Pro	Val	Xaa	Leu	Phe	Leu	Lys	Ala	Pro	Tyr
		35					40					45			

<210> 1535

<211> 53

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (8)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (26)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (27)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (41)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (44)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (47)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1535

Met	Gly	Pro	Leu	Ser	Ala	Xaa	Xaa	Cys	Arg	Leu	His	Val	Pro	Trp	Lys
1				5				10						15	

Glu	Val	Leu	Leu	Thr	Ala	Leu	Leu	Val	Xaa	Xaa	Trp	Asn	Pro	Pro	Thr
		20						25					30		

Thr	Ala	Lys	Leu	Thr	Ile	Glu	Ser	Xaa	Pro	Phe	Xaa	Val	Ala	Xaa	Gly
		35						40				45			

Lys	Glu	Val	Leu	Leu
				50

<210> 1536

<211> 70

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (1)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (17)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1536

Xaa Ile Ile Asn Thr Leu Leu Ala Leu Leu Leu Ile Ile Ile Thr Phe  
1 5 10 15

Xaa Leu Pro Gln Leu Asn Gly Tyr Ile Glu Lys Ser Thr Pro Tyr Glu  
20 25 30

Cys Gly Phe Asp Pro Ile Ser Pro Ala Arg Val Pro Phe Ser Ile Lys  
35 40 45

Phe Phe Leu Val Ala Ile Thr Phe Leu Leu Phe Asp Leu Glu Ile Ala  
50 55 60

Leu Leu Leu Pro Leu Pro  
65 70

&lt;210&gt; 1537

&lt;211&gt; 53

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 1537

Leu Pro Gln Leu Asn Gly Tyr Ile Glu Lys Ser Thr Pro Tyr Glu Cys  
1 5 10 15

Gly Phe Asp Pro Ile Ser Pro Ala Arg Val Pro Phe Ser Ile Lys Phe  
20 25 30

Phe Leu Val Ala Ile Thr Phe Leu Leu Phe Asp Leu Glu Ile Ala Leu  
35 40 45

Leu Leu Pro Leu Pro  
50

&lt;210&gt; 1538

&lt;211&gt; 53

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE



<222> (15)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (36)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1538

Leu Pro Gln Leu Asn Gly Tyr Ile Lys Lys Ser Thr Pro Tyr Xaa Cys  
1 5 10 15

Gly Phe Asp Pro Ile Ser Pro Ala Arg Val Pro Phe Ser Ile Lys Phe  
20 25 30

Phe Leu Val Xaa Ile Thr Phe Leu Leu Phe Asp Leu Lys Ile Ala Leu  
35 40 45

Leu Leu Pro Leu Pro  
50

<210> 1539

<211> 53

<212> PRT

<213> Homo sapiens

<400> 1539

Leu Pro Gln Leu Asn Gly Tyr Ile Glu Lys Ser Thr Pro Tyr Glu Cys  
1 5 10 15

Gly Phe Asp Pro Ile Ser Pro Ala Arg Val Pro Phe Ser Ile Lys Phe  
20 25 30

Phe Leu Val Ala Ile Thr Phe Leu Leu Phe Asp Leu Glu Ile Ala Leu  
35 40 45

Leu Leu Pro Leu Pro  
50

<210> 1540

<211> 57

<212> PRT

<213> Homo sapiens

<400> 1540

Val Cys Phe Lys Gly Leu Tyr Leu Thr Asn Gly Phe Pro Leu Thr Glu  
1 5 10 15

Leu Val Phe Ile Ser Asp Leu Thr Pro Leu Leu Asn Gly Ser Ser Gln  
                   20                                  25                                  30

Asp Arg Met Phe Val Thr Thr Val Leu Glu Ile Glu Gln Leu Leu Ala  
                   35                                  40                                  45

Arg Val Gly Val Leu Lys Asp Ser Ile  
                   50                                  55

<210> 1541

<211> 137

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (87)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1541

Trp Ile Pro Arg Ala Ala Gly Ile Arg His Glu Gly Ser Ser Asp Trp  
   1                                  5                                  10                                  15

Ser Tyr Gly Leu Glu Lys Gly Ser Leu Gly Met Pro Ser Glu Val Gly  
                   20                                  25                                  30

Asp Arg Ala Gly Ala Gln Ala Pro Val Arg Asn Gly Arg Tyr Leu Ala  
                   35                                  40                                  45

Ser Cys Gly Ile Leu Met Ser Arg Thr Leu Pro Leu His Thr Ser Ile  
                   50                                  55                                  60

Leu Pro Lys Glu Ile Cys Ala Arg Thr Phe Phe Lys Ile Thr Ala Pro  
   65                                  70                                  75                                  80

Leu Ile Asn Lys Arg Lys Xaa Tyr Ser Glu Arg Arg Ile Leu Gly Tyr  
                   85                                  90                                  95

Ser Met Gln Glu Met Tyr Asp Val Val Ser Gly Val Glu Asp Tyr Lys  
                   100                                  105                                  110

His Phe Val Pro Trp Cys Lys Lys Ser Asp Val Ile Ser Lys Arg Ser  
                   115                                  120                                  125

Gly Tyr Cys Lys Thr Arg Leu Glu Ile  
                   130                                  135

<210> 1542  
<211> 122  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (46)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (75)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (81)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (82)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (87)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (92)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (110)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (111)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (118)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (121)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1542

Ala Arg Glu Arg Leu Gly Met Asp Ala Leu Val Ala Glu Glu Glu Ala  
1 5 10 15

Glu Ala Lys Gly Asn Glu Val Arg Pro Ser Gly Arg Val Phe Leu Ser  
20 25 30

Ser Ala Ala Leu Arg Leu Thr Cys Thr Phe Ser Ser Gly Xaa Gly Pro  
35 40 45

Ser Cys Gln Pro Phe Gln Asn Ile Phe Pro Trp Ile Leu Arg Tyr Leu  
50 55 60

Thr Phe Gln Asp Ser Arg Val Leu Ile Ile Xaa Leu Gly Asn Phe Trp  
65 70 75 80

Xaa Xaa Trp Thr Gln Ser Xaa Phe Leu Lys Phe Xaa Pro Gln Gly Leu  
85 90 95

Pro Ala Leu Gly Gly Ser Lys Val Phe Pro Lys Gly Pro Xaa Xaa Pro  
100 105 110

Ala Pro Phe Phe Lys Xaa Arg Ile Xaa Ser  
115 120

<210> 1543

<211> 57

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (48)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (55)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (57)

<223> Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1543

Tyr Pro Ala Ser Gln Ile Val His His Phe Met Glu Leu Cys Trp Asp  
1 5 10 15

Lys Cys Val Glu Lys Pro Gly Asn Arg Leu Asp Ser Arg Thr Glu Asn  
20 25 30

Cys Leu Ser Ser Cys Val Asp Arg Phe Ile Asp Thr Thr Leu Ala Xaa  
35 40 45

Thr Gln Ser Val Cys Pro Xaa Leu Xaa  
50 55

&lt;210&gt; 1544

&lt;211&gt; 63

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (5)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (22)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1544

Gly Gly Ile Ala Xaa Ala Gly Ser Gly His Met Asn Tyr Ile Gln Val  
1 5 10 15

Thr Pro Gln Glu Lys Xaa Ala Ile Glu Arg Leu Lys Ala Leu Gly Phe  
20 25 30

Pro Glu Gly Leu Val Ile Gln Ala Tyr Phe Ala Cys Glu Lys Asn Glu  
35 40 45

Asn Leu Ala Ala Asn Phe Leu Leu Gln Gln Asn Phe Asp Glu Asp  
50 55 60

&lt;210&gt; 1545

&lt;211&gt; 124

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (99)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1545

Glu Gly Leu Thr Pro Gln Glu Ile Cys Asp Lys Tyr His Ile Ile Gln  
1 5 10 15

Ser Leu Gly Leu Cys Cys Cys Thr Ile Leu Ile Cys Pro Thr Gln Ile  
20 25 30

Glu Gly Val Pro Leu Ala Glu Gly Leu Thr Pro Gln Glu Ile Cys Asp  
35 40 45

Lys Tyr His Ile Ile His Ala Asp Ile Tyr Arg Trp Phe Asn Ile Ser  
50 55 60

Phe Asp Ile Phe Gly Arg Thr Thr Thr Pro Gln Gln Thr Lys Ile Thr  
65 70 75 80

Gln Asp Ile Phe Gln Gln Leu Leu Lys Arg Ser Phe Val Leu Gln Asp  
85 90 95

Thr Val Xaa Gln Leu Arg Cys Glu His Cys Ala Arg Phe Leu Ala Asp  
100 105 110

Arg Phe Arg Gly Arg Arg Val Ser Leu Leu Trp Leu  
115 120

&lt;210&gt; 1546

&lt;211&gt; 184

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (1)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (167)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 1546

Xaa Gly Phe Thr Cys Arg Gln Lys Ala Ser Leu Asn Trp His Met Lys  
1 5 10 15

Lys His Asp Ala Asp Ser Phe Tyr Gln Phe Ser Cys Asn Ile Cys Gly  
20 25 30

Lys Lys Phe Glu Lys Lys Asp Ser Val Val Ala His Lys Ala Lys Ser  
35 40 45

His Pro Glu Val Leu Ile Ala Glu Ala Leu Ala Ala Asn Ala Gly Ala  
50 55 60

Leu Ile Thr Ser Thr Asp Ile Leu Gly Thr Asn Pro Glu Ser Leu Thr  
65 70 75 80

Gln Pro Ser Asp Gly Gln Gly Leu Pro Leu Leu Pro Glu Pro Leu Gly  
85 90 95

Asn Ser Thr Ser Gly Glu Cys Leu Leu Leu Glu Ala Glu Gly Met Ser  
100 105 110

Lys Ser Tyr Cys Ser Gly Thr Glu Arg Val Ser Leu Met Ala Asp Gly  
115 120 125

Lys Ile Phe Val Gly Ser Gly Ser Ser Gly Gly Thr Glu Gly Leu Val  
130 135 140

Met Asn Ser Asp Ile Leu Gly Ala Thr Thr Glu Val Leu Ile Glu Asp  
145 150 155 160

Ser Asp Ser Ala Gly Pro Xaa Trp Thr Gly Arg Leu Gly Ala Trp Asp  
165 170 175

Ser Ser Asp Phe Val Phe Lys Ser  
180

&lt;210&gt; 1547

&lt;211&gt; 733

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 1547

gggatccgga gcccaaattct tctgacaaaa ctacacatg cccaccgtgc ccagcacctg 60  
aattcgaggg tgcaccgtca gtcttctctt tcccccaaa acccaaggac accctcatga 120  
tctcccgga tctgaggtc acatgcgtgg tgggtggacgt aagccacgaa gaccctgagg 180  
tcaagtcaa ctggtacgtg gacggcgtgg aggtgcataa tgccaagaca aagccgcggg 240  
aggagcagta caacagcacg taccgtgtgg tcagcgtcct caccgtcctg caccaggact 300  
ggctgaatgg caaggagtac aagtgcgaagg tctccaacaa agccctccca acccccatcg 360  
agaaaacat ctccaaagcc aaagggcagc cccgagaacc acaggtgtac accctgcccc 420  
catcccgga tgagctgacc aagaaccagg tcagcctgac ctgcctgggtc aaaggcttct 480  
atccaagcga catcgccgtg gagtgggaga gcaatgggca gccggagaac aactacaaga 540

ccacgcctcc cgtgctggac tccgacggct cctttcttct ctacagcaag ctcaccgtgg 600  
acaagagcag gtggcagcag ggaacgtct tctcatgctc cgtgatgcat gaggtctgc 660  
acaaccacta cagcagaag agcctctccc tgtctccggg taaatgagtg cgacggccgc 720  
gactctagag gat 733

<210> 1548

<211> 5

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (3)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 1548

Trp Ser Xaa Trp Ser

1

5

<210> 1549

<211> 86

<212> DNA

<213> Homo sapiens

<400> 1549

gcgcctcgag atttccccga aatctagatt tccccgaaat gatttccccg aaatgatttc 60  
cccgaaatat ctgccatctc aattag 86

<210> 1550

<211> 27

<212> DNA

<213> Homo sapiens

<400> 1550

gcggcaagct ttttgcaaag cctaggc

27

<210> 1551

<211> 271

<212> DNA

<213> Homo sapiens

<400> 1551

ctcgagattt ccccgaaatc tagatttccc cgaaatgatt tccccgaaat gatttccccg 60  
aaatatctgc catctcaatt agtcagcaac catagtcccc cccctaactc cgcccatccc 120  
gcccctaact ccgccagtt ccgccattc tccgccccat ggctgactaa ttttttttat 180



ttatgcagag gccgaggccg cctcggcctc tgagctattc cagaagtagt gaggaggctt 240  
ttttggaggc ctaggctttt gcaaaaagct t 271

<210> 1552  
<211> 32  
<212> DNA  
<213> Homo sapiens

<400> 1552  
gcgctcgagg gatgacagcg atagaacccc gg 32

<210> 1553  
<211> 31  
<212> DNA  
<213> Homo sapiens

<400> 1553  
gcgaagcttc gcgactcccc ggatccgcct c 31

<210> 1554  
<211> 12  
<212> DNA  
<213> Homo sapiens

<400> 1554  
ggggactttc cc 12

<210> 1555  
<211> 73  
<212> DNA  
<213> Homo sapiens

<400> 1555  
gcggcctcga ggggactttc ccggggactt tccggggact ttccgggact ttccatcctg 60  
ccatctcaat tag 73

<210> 1556  
<211> 256  
<212> DNA  
<213> Homo sapiens

<400> 1556  
ctcgagggga ctttcccggg gactttccgg ggactttccg ggactttcca tctgccatct 60  
caattagtca gcaaccatag tcccggccct aactccgccc atcccgcgcc taactccgcc 120  
cagttccgcc cattctccgc cccatggctg actaattttt tttatttatg cagaggccga 180  
ggccgcctcg gcctctgagc tattccagaa gtagtgagga ggcttttttg gaggcctagg 240

cttttgcaaa aagctt

256

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/05883

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : C12P 21/04; C12N 15/00; C07H 21/02

US CL : 435/70.1, 320.1; 536/23.1

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 435/70.1, 320.1; 536/23.1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
Please See Continuation Sheet

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X --- Y	SCANLAN et al. Characterization of Human Colon Cancer Antigens Recognized by Autologous Antibodies, Int. J. Cancer, 1998, Vol. 76, pages 652-658.	1-4, 11-12, 16 ----- 5-10, 14-15
X --- Y	TANAKA et al. A Novel Variant of Human Grb7 Is Associated with Invasive Esophageal Carcinoma, J. Clin. Invest., August 1998, Vol. 102, No. 4, pages 821-827.	1-4, 11-12, 16 ----- 5-10, 14-15
X --- Y	KISHI et al. Molecular Cloning of Human GRB-7 Co-amplified with CAB1 and c-ERBB-2 in Primary Gastric Cancer, Biochemical and Biophysical Research Communications, 1997, Vol. 232, pages 5-9.	1-4, 11-12, 16 ----- 5-10, 14-15
X --- Y	JIANG et al. Subtraction hybridization identifies a novel melanoma differentiation associated gene, mda-7, modulated during human melanoma differentiation, growth and progression, Oncogenes, 1995, Vol. 11, pages 2477-2486.	1-4, 11-12, 16 ----- 5-10, 14-15
X --- Y	MUELLER et al. Polymerase Chain Reaction Selects a Novel Disintegrin Proteinase from CD40-Activated Germinal Center Dendritic Cells, J. Exp. Med., August 1997, Vol. 186, No. 5, pages 655-663.	1-4, 11-12, 16 ----- 5-10, 14-15



Further documents are listed in the continuation of Box C.



See patent family annex.

Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

18 May 2000 (18.05.2000)

Date of mailing of the international search report

13 JUN 2000

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

Young J. Kim

Telephone No. (703) 308-0196

*Serry J. Deyfor*

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/05883

## C (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X --- Y	FOJO et al. Donor Splice Site Mutation in the Apolipoprotein (Apo) C-II Gene (APO C-IIhamburg) of a Patient with APO C-II Deficiency, The Journal of Clinical Investigations, November 1988, Vol. 82, pages 1489-1494.	1-4, 11-12, 16 ----- 5-10, 14-15
X --- Y	JACKSON et al. Isolation of cDNA and Genomic Clones for Apolipoprotein C-II, Methods in Enzymology, 1986, Vol. 128, pages 788-800.	1-4, 11-12, 16 ----- 5-10, 14-15
X --- Y	HILLIER et al. Generation and Analysis of 280,000 Human Expressed Sequence Tags, Genome Research, 1996, Vol. 6, No. 9, pages 807-828.	1-4, 11-12, 16 ----- 5-10, 14-15
Y	WATSON et al. The Science Used in the Recombinant DNA Industry. In: Recombinant DNA, W.H. Freeman and Company, 1983, pages 231-241.	7-10, 14-15

# INTERNATIONAL SEARCH REPORT

Intern. nal application No.

PCT/US00/05883

## Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claim Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claim Nos.:  
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claim Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:  
Please See Continuation Sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1-12,14,15,16,21

Remark on Protest

☐  
☐

- The additional search fees were accompanied by the applicant's protest.  
No protest accompanied the payment of additional search fees.

**BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING** This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1. In order for all inventions to be examined, the appropriate additional examination fees must be paid.

Group I, claim(s) 1-12, 14, 15, 16, and 21, drawn to cDNA, polypeptides, genes, a method of using the cDNA to make host cells comprising the cDNA, and a method of making the polypeptide.

Group II, claim(s) 13, drawn to an antibody specific for the polypeptides of Group I.

Group III, claim(s) 17, drawn to a therapeutic method of using the cDNA or the polypeptide of Group I.

Group IV, claim(s) 18 and 19, drawn to a diagnostic method of using the cDNA or polypeptide of Group I.

Group V, claim(s) 20, drawn to a method of using the polypeptide of Group I to isolate a binding partner.

Group VI, claim(s) 22, drawn to a method of using the cDNA of Group I to identify the activity of the polypeptide encoded by the cDNA.

Group VII, claim(s) 23, drawn to the binding partner made by the method of Group V.

The inventions listed as Groups I-VII do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons: PCT Rule 13.1 and Annex B do not provide for unity of invention between two or more different products or methods of use that share a special technical feature.

In addition, each Group detailed above reads on distinct Groups drawn to multiple SEQ ID Numbers. The sequences are distinct because they are unrelated sequences, and a further lack of unity is applied to each Group. The lack of unity is partially waived and the Applicants must further elect 10 SEQ ID Numbers for examination in the elected Group detailed above.

**Continuation of B. FIELDS SEARCHED Item 3: SEQUENCE DATABASES (US PATENT, INTERFERENCE, COMMERCIAL)**

STN COMMERCIAL DATABASE (Biosis, Medline, Embase, Embal, SciSearch, BiotechDS, CaPlus)

Search Terms: Recombinant, Host, Cell, Vector, peptide, protein, cDNA